

Atividade 6

Passo 3.6

Para a **Atividade 3.6**, o seu print demonstra o uso da ferramenta **netstat** no Kali Linux para monitorar conexões de rede ativas em tempo real, detalhando protocolos (TCP/UDP), endereços locais/remotos e os processos (PID) associados.

```
(root@Cleydson)~# netstat -anptu
Conexões Internet Ativas (servidores e estabelecidas)
Proto Recv-Q Send-Q Endereço Local      Endereço Remoto      Estado      PID/Program name
tcp        0      0 192.168.15.77:36716  34.154.74.59:443     ESTABELECID 3226/chrome --type=
tcp        0      0 192.168.15.77:40972  35.213.232.93:443     ESPERANDO_FE 3226/chrome --type=
tcp6       0      0 2804:7f0:6540:b08:41534 2606:4700::6812:7d:443 ESTABELECID 3226/chrome --type=
tcp6       0      0 2804:7f0:6540:b08:50904 2a03:2880:f205:c5:f:443 ESTABELECID 3226/chrome --type=
tcp6       0      0 2804:7f0:6540:b08:36532 2800:3f0:4003:c01::5228 ESTABELECID 3226/chrome --type=
udp        0      0 224.0.0.251:5353      0.0.0.0:*             3176/chrome
udp        0      0 192.168.15.77:68      192.168.15.1:67      ESTABELECID 942/NetworkManager
udp6       0      0 2804:7f0:6540:b08:42615 2800:3f0:4001:842:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:51500 2001:12e0:803:ee::9:443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:51668 2001:12e0:803:23:fa:443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:37733 2800:3f0:4001:838:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:37948 2800:3f0:4001:81c:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:46144 2800:3f0:4001:807:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:56063 2800:3f0:4001:846:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:48054 2800:3f0:4001:807:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 2804:7f0:6540:b08:48968 2800:3f0:4001:801:::443 ESTABELECID 3226/chrome --type=
udp6       0      0 fe80::13ce:c1c2:bbc:546 :::*                  942/NetworkManager
```

Passo 3.7

print demonstra a utilização da ferramenta **PentBox 1.8** no Kali Linux para a configuração e ativação de um **Honeypot** na porta 80. O registro mostra com sucesso a detecção de uma

tentativa de intrusão vinda do IP local.

```
(cleydson@Cleydson)-[~/Downloads/pentbox-1.8]
$ cd pentbox-1.8
cd: arquivo ou diretório inexistente: pentbox-1.8

(cleydson@Cleydson)-[~/Downloads/pentbox-1.8]
$ sudo ./pentbox.rb

PentBox 1.8

      .--.
     (oo)____
    (___)____)---*
      ||----||

----- Menu                ruby3.3.8 @ x86_64-linux-gnu

1- Cryptography tools
2- Network tools
3- Web
4- Ip grabber
5- Geolocation ip
6- Mass attack
7- License and contact
8- Exit

  → 2

1- Net DoS Tester
2- TCP port scanner
3- Honeypot
4- Fuzzer
5- DNS and host gathering
6- MAC address geolocation (samy.pl)

0- Back

  → 3

// Honeypot //

You must run PentBox with root privileges.

Select option.

1- Fast Auto Configuration
2- Manual Configuration [Advanced Users, more options]

  → 1

HONEYPOT ACTIVATED ON PORT 80 (2026-02-20 14:22:18 -0300)

INTRUSION ATTEMPT DETECTED! from 192.168.15.77:55892 (2026-02-20 14:27:27 -0300)

GET / HTTP/1.1
Host: 192.168.15.77
User-Agent: curl/8.18.0
Accept: */*
```

Passo 3.8

print demonstra a utilização do utilitário **host** no Kali Linux para realizar consultas de DNS (Domain Name System), identificando endereços IP, servidores de e-mail (MX) e servidores de nome (NS) de domínios específicos.

```
(cleydson@Cleydson)-[~]
└─$ sudo -i
[sudo] senha para cleydson:
└─(root@Cleydson)-[~]
└─# host grancursos.com.br
grancursos.com.br has address 172.67.175.92
grancursos.com.br has address 104.21.35.137
grancursos.com.br has IPv6 address 2606:4700:3037::ac43:af5c
grancursos.com.br has IPv6 address 2606:4700:3034::6815:2389
grancursos.com.br mail is handled by 10 alt3.aspmx.l.google.com.
grancursos.com.br mail is handled by 10 alt4.aspmx.l.google.com.
grancursos.com.br mail is handled by 5 alt1.aspmx.l.google.com.
grancursos.com.br mail is handled by 5 alt2.aspmx.l.google.com.
grancursos.com.br mail is handled by 1 aspmx.l.google.com.
grancursos.com.br has HTTP service bindings 1 . alpn="h3,h2" ipv4hint=104.21.35.137,172.67.175.92 ech=AEX+DQBBdAAgACAMqwFQyOsX
+iBjah5UBQFMYyMpO5RDl/kmh5lwFg6NAAEAAEAQASY2xvdWRmbGFyZS1lY2guY29tAAA= ipv6hint=2606:4700:3034::6815:2389,2606:4700:3037::ac
43:af5c

└─(root@Cleydson)-[~]
└─# host -t ns esr.rnp.br
esr.rnp.br has no NS record

└─(root@Cleydson)-[~]
└─# host -t ns grancursosonline.com.br
grancursosonline.com.br name server dan.ns.cloudflare.com.
grancursosonline.com.br name server rita.ns.cloudflare.com.

└─(root@Cleydson)-[~]
└─# host -t mx grancursosonline.com.br
grancursosonline.com.br mail is handled by 5 alt1.aspmx.l.google.com.
grancursosonline.com.br mail is handled by 5 alt2.aspmx.l.google.com.
grancursosonline.com.br mail is handled by 1 aspmx.l.google.com.
grancursosonline.com.br mail is handled by 10 alt3.aspmx.l.google.com.
grancursosonline.com.br mail is handled by 10 alt4.aspmx.l.google.com.

└─(root@Cleydson)-[~]
└─#
```

Passo 3.9

print demonstra o uso da ferramenta **nslookup** no Kali Linux para realizar consultas DNS interativas, permitindo a extração de registros específicos como servidores de nomes (NS) e servidores de troca de e-mail (MX) para domínios externos.

```

(root@Cleydson)-[~]
# nslookup
> set type=ns
> grancursosonline.com.br
Server:      192.168.15.1
Address:     192.168.15.1#53

Non-authoritative answer:
grancursosonline.com.br nameserver = rita.ns.cloudflare.com.
grancursosonline.com.br nameserver = dan.ns.cloudflare.com.

Authoritative answers can be found from:
dan.ns.cloudflare.com internet address = 108.162.193.108
dan.ns.cloudflare.com internet address = 173.245.59.108
dan.ns.cloudflare.com internet address = 172.64.33.108
dan.ns.cloudflare.com has AAAA address 2a06:98c1:50::ac40:216c
dan.ns.cloudflare.com has AAAA address 2606:4700:58::adf5:3b6c
dan.ns.cloudflare.com has AAAA address 2803:f800:50::6ca2:c16c
rita.ns.cloudflare.com internet address = 172.64.32.140
rita.ns.cloudflare.com internet address = 108.162.192.140
rita.ns.cloudflare.com internet address = 173.245.58.140
rita.ns.cloudflare.com has AAAA address 2606:4700:50::adf5:3a8c
rita.ns.cloudflare.com has AAAA address 2803:f800:50::6ca2:c08c
rita.ns.cloudflare.com has AAAA address 2a06:98c1:50::ac40:208c
> set type=mx
> grancursosonline.com.br
Server:      192.168.15.1
Address:     192.168.15.1#53

Non-authoritative answer:
grancursosonline.com.br mail exchanger = 5 alt2.aspmx.l.google.com.
grancursosonline.com.br mail exchanger = 1 aspmx.l.google.com.
grancursosonline.com.br mail exchanger = 10 alt3.aspmx.l.google.com.
grancursosonline.com.br mail exchanger = 10 alt4.aspmx.l.google.com.
grancursosonline.com.br mail exchanger = 5 alt1.aspmx.l.google.com.

Authoritative answers can be found from:
aspmx.l.google.com internet address = 64.233.186.26
aspmx.l.google.com has AAAA address 2800:3f0:4003:c03::1a
> set type=txt
> grancursosonline.com.br
;; Truncated, retrying in TCP mode.
;; Connection to 192.168.15.1#53(192.168.15.1) for grancursosonline.com.br failed: timed out.
;; no servers could be reached
;; Connection to 192.168.15.1#53(192.168.15.1) for grancursosonline.com.br failed: timed out.
;; no servers could be reached
;; Connection to 192.168.15.1#53(192.168.15.1) for grancursosonline.com.br failed: timed out.
;; communications error to fe80::860b:bbff:fe6c:8a8%3#53: timed out
;; no servers could be reached
>

```

Passo 3.10

print demonstra o uso da ferramenta **dig** (Domain Information Groper) no Kali Linux para realizar uma consulta DNS específica por registros do tipo **CNAME** (Canonical Name).

```

(root@Cleydson)-[~]
# dig grancursosonline.com.br CNAME

; <<>> DiG 9.20.15-2-Debian <<>> grancursosonline.com.br CNAME
;; global options: +cmd
;; Got answer:
;; ->HEADER<- opcode: QUERY, status: NOERROR, id: 45178
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 512
;; QUESTION SECTION:
;grancursosonline.com.br. IN CNAME

;; AUTHORITY SECTION:
grancursosonline.com.br. 1800 IN SOA dan.ns.cloudflare.com. dns.cloudflare.com. 2397082917 10000 2400 604800 1800

;; Query time: 32 msec
;; SERVER: 192.168.15.1#53(192.168.15.1) (UDP)
;; WHEN: Fri Feb 20 15:01:35 -03 2026
;; MSG SIZE rcvd: 113

```

