Sundry Number: 133212 API: 43013545560000

FORM 8

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1. WELL NAME	Goose 72-2423-23D
2. TYPE OF WELL	Oil Well
3. TYPE OF WORK	DRILL NEW (selected) / REENTER P&A / DEEPEN / RECOMP
4. API NUMBER	4301354556
5. NAME OF OPERATOR	XCL AssetCo, LLC
6. OPERATOR PHONE	720-208-8877
7. FIELD NAME	NORTH MYTON BENCH
8. ADDRESS OF OPERATOR	600 N Shepherd Drive, Suite 390, Houston, TX, 77007
9. OPERATOR E-MAIL	blake@xclresources.com
10. UNIT NAME	
11. MINERAL LEASE NUMBER	FEE
12. MINERAL OWNERSHIP	FEE
13. SURFACE OWNERSHIP	FEE
14. COUNTY	DUCHESNE
15. DATE SPUDDED (SPUD RIG)	10/26/2023
16. DATE SPUDDED (ROTARY RIG)	01/31/2024
17. DATE TOTAL DEPTH REACHED	02/08/2024
18. DATE COMPLETED/ABANDONED	09/03/2024
19. DATE OF FIRST PROD. / INJ.	PROD:09/20/2024 INJ:
20. DEPTH REFERENCE	GROUND LEVEL / KELLY BUSHING (selected) / DERRICK FLOOR
21. DEPTH REFERENCE ELEVATION	2 (US Feet)
22. GRADED GROUND LEVEL ELEVATION	2 (US Feet)
23. WELLBORE DEVIATION PROFILE	VERTICAL / DIRECTIONAL / HORIZONTAL (selected)
24. TOTAL DEPTH	MD 2 TVD 2
25. PLUGGED BACK TOTAL DEPTH	MD TVD
26. CURRENT WELL STATUS	Shut-in

27. LOCATION OF WELL

WELL POSITION	FOOTAGES	QTR-QTR	SECTION	TOWNSHIP	RANGE	MERIDIAN	UTM EASTING	UTM NORTHING
Surface	2296 FSL 457 FWL	LOT3	19	2.0 S	2.0 W	U	571381	4460644
Producing Interval Top	1459 FNL 145 FEL	SENE	24	2.0 S	3.0 W	U		
Producing Interval Bottom	1539 FNL 139 FWL	SWNW	23	2.0 S	3.0 W	U		
Total Depth	1537 FNL 41 FWL	SWNW	23	2.0 S	3.0 W	U		

28. HOLE, CASING AND CEMENT INFORMATION

STRING	HOLE SIZE	CASING O.D.	WEIGHT	GRADE	THREAD	TOP (MD)	BOTTOM (MD)	DV TOOL DEPTH	LEAD TAIL	CEMENT TYPE	SACKS	YIELD	WEIGHT	CEMENT TOP	BASIS FOR TOP
COND	16.0	16.0	84.0	J-55	NT	0	120		L	Class G Cement	447			0	Calculated
SURF	12.25	9.625	36.0	J-55	BTC	0	3065		L	Class G Cement	740	2.45	12.0	0	Calculated
									T	Class G Cement	190	1.13	16.0		
INT	8.75	7.0	29.0	P-110	BTC	0	9980		L	Class G Cement	840	2.47	12.0	0	Calculated
									T	Class G Cement	170	1.15	15.8		
PROD	6.125	4.5	13.5	P-110	NT	9800	21338		T	Class G Cement	1080	1.2	14.5		

29. TUBING RECORD

TUBING SIZE	TOP (MD)	BOT (MD)	PACKER DEPTH

30. RETRIEVABLE / TEMPORARY PLUGS

PLUG	DEPTH (MD)	TYPE

31. PERMANENT / ABANDONMENT PLUGS

PLUG	TOP (MD)	BOTTOM (MD)

32. FORMATION DETAILS and STRATIGRAPHIC MARKERS

FR	FORMATION NAME	TOP (MD)	TOP (TVD)	DESCRIPTION, CONTENTS, ETC.
1	GREEN RIVER	5166	5130	OIL SHOW? GAS SHOW? WATER FLOW? DRILL STEM TESTED? CORED? COMPLETED OR TESTED? COMMINGLED?
2	MAHOGANY BENCH	7212	7126	OIL SHOW? GAS SHOW? WATER FLOW? DRILL STEM TESTED? CORED? COMPLETED OR TESTED? COMMINGLED?
3	GARDEN GULCH	8848	8728	OIL SHOW? GAS SHOW? WATER FLOW? DRILL STEM TESTED? CORED? COMPLETED OR TESTED? COMMINGLED?
4	GREEN RIVER - LOWER	9617	9480	OIL SHOW? (selected) GAS SHOW? (selected) WATER FLOW? DRILL STEM TESTED? CORED? COMPLETED OR TESTED? (selected) COMMINGLED?

33. COMPLETED and TESTED INTERVALS (Formation Reference (FR) 1, 2, 3, ..., etc. as in Section 32.)

FR	TOP (MD)	BOTTOM (MD)	TOP (TVD)	BOTTOM (TVD)	STIMULATION TREATMENT	INTERVAL STATUS
4	10975	21274	10435	10419	Fracture Stimulated	PRODUCING

RECEIVED: Nov. 19, 2024

34A. PRODUCTION INFORMATION (Formation Reference (FR) 1, 2, 3, ..., etc. as in Section 32.)

FR	TOP (MD)	BOTTOM (MD)	DATE FIRST PROD.	TEST DATE	HRS. TESTED	TBG. PRESSURE	CSG. PRESSURE	PROD. METHOD	
4	10975	21274	09/20/2024	10/18/2024	24		1734	Flowing	
	TEST PRODUCTION VOLUMES			24-HOUR PRODUCTION RATES			GAS-OIL RATIO	OIL API	GAS BTU
	OIL (BBL)	GAS (MSCF)	WATER (BBL)	OIL (BBL)	GAS (MSCF)	WATER (BBL)			
	835	376	1922	835	376	1922	450	0.0	

35. WELL TREATMENTS (Formation Reference (FR) 1, 2, 3, ..., etc. as in Section 32.)

FR	TREATMENT TYPE	TOP (MD)	BOTTOM (MD)	START DATE	END DATE	AMOUNT AND TYPE OF MATERIAL
4	Fracture Stimulation	10975	21274	04/09/2024	09/03/2024	please see attachments

36. LOGS, SURVEYS, AND REPORTS (PDF file of each and LAS file of logs if available are to be submitted.)

REPORTS AND OTHER INFORMATION.

Dx Survey ☒ DST Report ☐ Core Analysis ☐ DOGM Form 7 ☐ Geologic Report ☐ Wellbore Diagram ☐ Other ☒

SUBMITTED PDF LOGS
MUD LOG, MEASURED WHILE DRILLING, CEMENT BOND, CALIPER

SUBMITTED LAS LOGS
MUD LOG, MEASURED WHILE DRILLING, CEMENT BOND, CALIPER

OGM Official Use Only

37. I hereby certify that the foregoing and attached information is complete as determined from all available records.

NAME	TITLE	DATE
Oaklee Reary	Ops Tech-Regulatory	10/21/2024
SIGNATURE	**PHONE**	**EMAIL**
N/A	435-823-1530	oaklee@xclresources.com

RECEIVED: Nov. 19, 2024

XCL RESOURCES

PRE-COMPLETION PLAT

WELL: GOOSE 72-2423-23D



NAD 83(2011) *(SURFACE LOCATION)*
LATITUDE = N40°17'36.09179" (40.2933588°)
LONGITUDE = W110°09'36.54722" (-110.1601520°)

SPC UT C-4302
NORTHING = 7,278,383.019 (us ft)
EASTING = 2,014,141.370 (us ft)

UTM NAD 83 ZONE 12
NORTHING = 4,460,656.349 (m)
EASTING = 571,381.872 (m)

NAD 83(2011) *(KOP)*
LATITUDE = N40°17'49.18538" (40.2969959°)
LONGITUDE = W110°09'36.40537" (-110.1601126°)

SPC UT C-4302
NORTHING = 7,279,707.960 (us ft)
EASTING = 2,014,132.513 (us ft)

UTM NAD 83 ZONE 12
NORTHING = 4,461,060.092 (m)
EASTING = 571,381.394 (m)

NAD 83(2011) *(FIRST TAKE POINT)*
LATITUDE = N40°17'50.77475" (40.2974374°)
LONGITUDE = W110°09'43.66549" (-110.1621293°)

SPC UT C-4302
NORTHING = 7,279,860.348 (us ft)
EASTING = 2,013,567.660 (us ft)

UTM NAD 83 ZONE 12
NORTHING = 4,461,107.474 (m)
EASTING = 571,209.530 (m)

NAD 83(2011) *(LAST TAKE POINT)*
LATITUDE = N40°17'49.83793" (40.2971772°)
LONGITUDE = W110°11'57.53586" (-110.1993155°)

SPC UT C-4302
NORTHING = 7,279,612.581 (us ft)
EASTING = 2,003,198.021 (us ft)

UTM NAD 83 ZONE 12
NORTHING = 4,461,049.359 (m)
EASTING = 568,049.349 (m)

NAD 83(2011) *(BOTTOM HOLE LOCATION)*
LATITUDE = N40°17'49.84665" (40.2971796°)
LONGITUDE = W110°11'58.29432" (-110.1995262°)

SPC UT C-4302
NORTHING = 7,279,612.609 (us ft)
EASTING = 2,003,139.249 (us ft)

UTM NAD 83 ZONE 12
NORTHING = 4,461,049.466 (m)
EASTING = 568,031.441 (m)

DATA SOURCE:
"GOOSE 72-2423-23D Final Surveys.xlsx"
COMPANY: XCL RESOURCES
WELL NAME: GOOSE 72-2423-23D
SITE: Texas Anderson 19-1C-22 (Goose Pad)
WELL PATH: Wellbore #1
DESIGN: Final Surveys
STATE: UTAH
COUNTY: DUCHESNE

NOTES:

1. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINE USING LOCAL DISTANCES ROUNDED TO THE NEAREST FOOT.
2. BEARINGS ARE DERIVED FROM G.P.S. OBSERVATIONS AND EQUIPMENT.
3. THE GENERAL LAND OFFICE G.L.O. PLAT WAS USED FOR REFERENCE
4. **AS-DRILLED WELL PATH SHOWN HEREON WAS PLOTTED USING DATA PROVIDED TO OUTLAW ENGINEERING THAT WAS CONVERTED INTO THE LOCAL COORDINATE SYSTEM. THE WELL PATH SHOWN IS TRUE AND ACCURATE ONLY TO THE EXTENT OF THE RELIABILITY OF THE PROVIDED DATA SET.
5. ALL BEARINGS AND DISTANCES SHOWN HEREON ARE MEASURED IN A LOCAL COORDINATE SYSTEM UNLESS OTHERWISE NOTED.

DATUM FOR REPORTED DISTANCES

- **MD** REPORTED IN STATE PLANE DISTANCES
- **TVD** REPORTED IN STATE PLANE DISTANCES
- **Δ NORTH** & **Δ EAST** ARE REPORTED IN STATE PLANE DISTANCES MEASURED TO THE SURFACE HOLE LOCATION (SHL)

G.P.S. LOCAL SITE PARAMETERS

TRANSVERSE MERCATOR PROJECTION	
ORIGIN LATITUDE:	N40°18'05.02764"
ORIGIN LONGITUDE:	W110°11'58.23878"
PROJECT HEIGHT:	5850.00 (usft)
GEOID MODEL:	GEOID12B (Conus)

***BASIS OF ELEVATION**
SPOT ELEVATION AT THE WEST 1/4 CORNER OF SECTION 19, T2S, R3W, U.S.B.&M. NAVD 88 DATUM USING THE UTAH REFERENCE NETWORK SYSTEM. SAID ELEVATION IS 5813.55 FEET.

LEGEND

FOUND SECTION CORNER
SURFACE HOLE LOCATION (SHL)
AS-DRILLED WELL PATH

PROFESSIONAL LAND SURVEYOR
JARED L. WATSON
No. 5047065
5/15/2024
STATE OF UTAH

CERTIFICATE
THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM THE FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION, AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.
REGISTERED LAND SURVEYOR, UTAH PLS #5047065

0 500 1000
HORIZONTAL

OUTLAW ENGINEERING INC.
510 West 200 North
Roosevelt, UTAH 84066
(435) 232-4321

XCL RESOURCES

DATE SURVEYED: N/A	
SURVEYED BY: N/A	
DRAWN: 5/15/2024	
DRAWN: JLW	
REVISION:	

SHEET NO.
1

PRE-COMPLETION PLAT
WELL: GOOSE 72-2423-23D
WELL PAD LOCATION: LOT 3, SECTION 19, T.2S, R.2W, U.S.B.&M., DUCHESNE COUNTY, UTAH

RECEIVED: Dec. 05, 2024

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
1	6/10/2024	Perforated	21,273.0	21,274.0	3.0		21
1	6/10/2024	Perforated	21,253.0	21,254.0	3.0		21
1	6/10/2024	Perforated	21,233.0	21,234.0	3.0		21
1	6/10/2024	Perforated	21,213.0	21,214.0	3.0		21
1	6/10/2024	Perforated	21,193.0	21,194.0	3.0		21
1	6/10/2024	Perforated	21,173.0	21,174.0	3.0		21
1	6/10/2024	Perforated	21,153.0	21,154.0	3.0		21
2	6/30/2024	Perforated	21,133.0	21,134.0	6.0		42
2	6/30/2024	Perforated	21,113.0	21,114.0	6.0		42
2	6/30/2024	Perforated	21,093.0	21,094.0	6.0		42
2	6/30/2024	Perforated	21,073.0	21,074.0	6.0		42
2	6/30/2024	Perforated	21,053.0	21,054.0	6.0		42
2	6/30/2024	Perforated	21,033.0	21,034.0	6.0		42
2	6/30/2024	Perforated	21,013.0	21,014.0	6.0		42
3	6/30/2024	Perforated	20,993.0	20,994.0	6.0		42
3	6/30/2024	Perforated	20,973.0	20,974.0	6.0		42
3	6/30/2024	Perforated	20,953.0	20,954.0	6.0		42
3	6/30/2024	Perforated	20,930.0	20,931.0	6.0		42
3	6/30/2024	Perforated	20,913.0	20,914.0	6.0		42
3	6/30/2024	Perforated	20,893.0	20,894.0	6.0		42
3	6/30/2024	Perforated	20,873.0	20,874.0	6.0		42
4	6/30/2024	Perforated	20,853.0	20,854.0	6.0		42
4	6/30/2024	Perforated	20,833.0	20,834.0	6.0		42
4	6/30/2024	Perforated	20,813.0	20,814.0	6.0		42
4	6/30/2024	Perforated	20,793.0	20,794.0	6.0		42
4	6/30/2024	Perforated	20,773.0	20,774.0	6.0		42
4	6/30/2024	Perforated	20,753.0	20,754.0	6.0		42
4	6/30/2024	Perforated	20,733.0	20,734.0	6.0		42
5	6/30/2024	Perforated	20,713.0	20,714.0	6.0		42
5	6/30/2024	Perforated	20,693.0	20,694.0	6.0		42
5	6/30/2024	Perforated	20,673.0	20,674.0	6.0		42
5	6/30/2024	Perforated	20,653.0	20,654.0	6.0		42
5	6/30/2024	Perforated	20,635.0	20,636.0	6.0		42
5	6/30/2024	Perforated	20,613.0	20,614.0	6.0		42
5	6/30/2024	Perforated	20,595.0	20,596.0	6.0		42
6	7/1/2024	Perforated	20,573.0	20,574.0	6.0		42
6	7/1/2024	Perforated	20,553.0	20,554.0	6.0		42
6	7/1/2024	Perforated	20,533.0	20,534.0	6.0		42
6	7/1/2024	Perforated	20,513.0	20,514.0	6.0		42
6	7/1/2024	Perforated	20,493.0	20,494.0	6.0		42
6	7/1/2024	Perforated	20,473.0	20,474.0	6.0		42
6	7/1/2024	Perforated	20,453.0	20,454.0	6.0		42
7	7/1/2024	Perforated	20,433.0	20,434.0	6.0		42
7	7/1/2024	Perforated	20,413.0	20,414.0	6.0		42
7	7/1/2024	Perforated	20,393.0	20,394.0	6.0		42
7	7/1/2024	Perforated	20,373.0	20,374.0	6.0		42
7	7/1/2024	Perforated	20,353.0	20,354.0	6.0		42
7	7/1/2024	Perforated	20,332.0	20,333.0	6.0		42
7	7/1/2024	Perforated	20,313.0	20,314.0	6.0		42
8	7/2/2024	Perforated	20,293.0	20,294.0	6.0		42
8	7/2/2024	Perforated	20,273.0	20,274.0	6.0		42
8	7/2/2024	Perforated	20,253.0	20,254.0	6.0		42
8	7/2/2024	Perforated	20,233.0	20,234.0	6.0		42
8	7/2/2024	Perforated	20,213.0	20,214.0	6.0		42
8	7/2/2024	Perforated	20,193.0	20,194.0	6.0		42
8	7/2/2024	Perforated	20,173.0	20,174.0	6.0		42
9	7/2/2024	Perforated	20,153.0	20,154.0	6.0		42

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
9	7/2/2024	Perforated	20,134.0	20,135.0	6.0		42
9	7/2/2024	Perforated	20,113.0	20,114.0	6.0		42
9	7/2/2024	Perforated	20,093.0	20,094.0	6.0		42
9	7/2/2024	Perforated	20,073.0	20,074.0	6.0		42
9	7/2/2024	Perforated	20,053.0	20,054.0	6.0		42
9	7/2/2024	Perforated	20,033.0	20,034.0	6.0		42
10	7/3/2024	Perforated	20,013.0	20,014.0	6.0		42
10	7/3/2024	Perforated	19,993.0	19,994.0	6.0		42
10	7/3/2024	Perforated	19,973.0	19,974.0	6.0		42
10	7/3/2024	Perforated	19,953.0	19,954.0	6.0		42
10	7/3/2024	Perforated	19,933.0	19,934.0	6.0		42
10	7/3/2024	Perforated	19,913.0	19,914.0	6.0		42
10	7/3/2024	Perforated	19,893.0	19,894.0	6.0		42
11	7/3/2024	Perforated	19,873.0	19,874.0	6.0		42
11	7/3/2024	Perforated	19,853.0	19,854.0	6.0		42
11	7/3/2024	Perforated	19,833.0	19,834.0	6.0		42
11	7/3/2024	Perforated	19,813.0	19,814.0	6.0		42
11	7/3/2024	Perforated	19,793.0	19,794.0	6.0		42
11	7/3/2024	Perforated	19,773.0	19,774.0	6.0		42
11	7/3/2024	Perforated	19,753.0	19,754.0	6.0		42
12	7/4/2024	Perforated	19,733.0	19,734.0	6.0		42
12	7/4/2024	Perforated	19,713.0	19,714.0	6.0		42
12	7/4/2024	Perforated	19,693.0	19,694.0	6.0		42
12	7/4/2024	Perforated	19,673.0	19,674.0	6.0		42
12	7/4/2024	Perforated	19,653.0	19,654.0	6.0		42
12	7/4/2024	Perforated	19,633.0	19,634.0	6.0		42
12	7/4/2024	Perforated	19,613.0	19,614.0	6.0		42
13	7/4/2024	Perforated	19,590.0	19,591.0	6.0		42
13	7/4/2024	Perforated	19,573.0	19,574.0	6.0		42
13	7/4/2024	Perforated	19,554.0	19,555.0	6.0		42
13	7/4/2024	Perforated	19,533.0	19,534.0	6.0		42
13	7/4/2024	Perforated	19,513.0	19,514.0	6.0		42
13	7/4/2024	Perforated	19,493.0	19,494.0	6.0		42
13	7/4/2024	Perforated	19,473.0	19,474.0	6.0		42
14	7/4/2024	Perforated	19,453.0	19,454.0	6.0		42
14	7/4/2024	Perforated	19,433.0	19,434.0	6.0		42
14	7/4/2024	Perforated	19,413.0	19,414.0	6.0		42
14	7/4/2024	Perforated	19,393.0	19,394.0	6.0		42
14	7/4/2024	Perforated	19,373.0	19,374.0	6.0		42
14	7/4/2024	Perforated	19,353.0	19,354.0	6.0		42
14	7/4/2024	Perforated	19,333.0	19,334.0	6.0		42
15	7/5/2024	Perforated	19,313.0	19,314.0	6.0		42
15	7/5/2024	Perforated	19,293.0	19,294.0	6.0		42
15	7/5/2024	Perforated	19,273.0	19,274.0	6.0		42
15	7/5/2024	Perforated	19,253.0	19,254.0	6.0		42
15	7/5/2024	Perforated	19,233.0	19,234.0	6.0		42
15	7/5/2024	Perforated	19,214.0	19,215.0	6.0		42
15	7/5/2024	Perforated	19,193.0	19,194.0	6.0		42
16	7/5/2024	Perforated	19,173.0	19,174.0	6.0		42
16	7/5/2024	Perforated	19,153.0	19,154.0	6.0		42
16	7/5/2024	Perforated	19,133.0	19,134.0	6.0		42
16	7/5/2024	Perforated	19,113.0	19,114.0	6.0		42
16	7/5/2024	Perforated	19,093.0	19,094.0	6.0		42
16	7/5/2024	Perforated	19,073.0	19,074.0	6.0		42
16	7/5/2024	Perforated	19,053.0	19,054.0	6.0		42
17	7/6/2024	Perforated	19,033.0	19,034.0	6.0		42
17	7/6/2024	Perforated	19,013.0	19,014.0	6.0		42

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
17	7/6/2024	Perforated	18,993.0	18,994.0	6.0		42
17	7/6/2024	Perforated	18,973.0	18,974.0	6.0		42
17	7/6/2024	Perforated	18,951.0	18,952.0	6.0		42
17	7/6/2024	Perforated	18,933.0	18,934.0	6.0		42
17	7/6/2024	Perforated	18,914.0	18,915.0	6.0		42
18	7/6/2024	Perforated	18,893.0	18,894.0	6.0		42
18	7/6/2024	Perforated	18,873.0	18,874.0	6.0		42
18	7/6/2024	Perforated	18,853.0	18,854.0	6.0		42
18	7/6/2024	Perforated	18,833.0	18,834.0	6.0		42
18	7/6/2024	Perforated	18,813.0	18,814.0	6.0		42
18	7/6/2024	Perforated	18,793.0	18,794.0	6.0		42
18	7/6/2024	Perforated	18,773.0	18,774.0	6.0		42
19	7/6/2024	Perforated	18,753.0	18,754.0	6.0		42
19	7/6/2024	Perforated	18,733.0	18,734.0	6.0		42
19	7/6/2024	Perforated	18,713.0	18,714.0	6.0		42
19	7/6/2024	Perforated	18,693.0	18,694.0	6.0		42
19	7/6/2024	Perforated	18,673.0	18,674.0	6.0		42
19	7/6/2024	Perforated	18,652.0	18,653.0	6.0		42
19	7/6/2024	Perforated	18,633.0	18,634.0	6.0		42
20	7/7/2024	Perforated	18,614.0	18,615.0	6.0		42
20	7/7/2024	Perforated	18,593.0	18,594.0	6.0		42
20	7/7/2024	Perforated	18,575.0	18,576.0	6.0		42
20	7/7/2024	Perforated	18,553.0	18,554.0	6.0		42
20	7/7/2024	Perforated	18,533.0	18,534.0	6.0		42
20	7/7/2024	Perforated	18,513.0	18,514.0	6.0		42
20	7/7/2024	Perforated	18,495.0	18,496.0	6.0		42
21	7/7/2024	Perforated	18,473.0	18,474.0	6.0		48
21	7/7/2024	Perforated	18,453.0	18,454.0	6.0		48
21	7/7/2024	Perforated	18,433.0	18,434.0	6.0		48
21	7/7/2024	Perforated	18,413.0	18,414.0	6.0		48
21	7/7/2024	Perforated	18,393.0	18,394.0	6.0		48
21	7/7/2024	Perforated	18,373.0	18,374.0	6.0		48
21	7/7/2024	Perforated	18,353.0	18,354.0	6.0		48
21	7/7/2024	Perforated	18,333.0	18,334.0	6.0		48
22	7/8/2024	Perforated	18,310.0	18,311.0	6.0		48
22	7/8/2024	Perforated	18,293.0	18,294.0	6.0		48
22	7/8/2024	Perforated	18,273.0	18,274.0	6.0		48
22	7/8/2024	Perforated	18,253.0	18,254.0	6.0		48
22	7/8/2024	Perforated	18,233.0	18,234.0	6.0		48
22	7/8/2024	Perforated	18,213.0	18,214.0	6.0		48
22	7/8/2024	Perforated	18,193.0	18,194.0	6.0		48
22	7/8/2024	Perforated	18,173.0	18,174.0	6.0		48
23	7/8/2024	Perforated	18,153.0	18,154.0	6.0		48
23	7/8/2024	Perforated	18,133.0	18,134.0	6.0		48
23	7/8/2024	Perforated	18,113.0	18,114.0	6.0		48
23	7/8/2024	Perforated	18,093.0	18,094.0	6.0		48
23	7/8/2024	Perforated	18,073.0	18,074.0	6.0		48
23	7/8/2024	Perforated	18,051.0	18,052.0	6.0		48
23	7/8/2024	Perforated	18,033.0	18,034.0	6.0		48
23	7/8/2024	Perforated	18,016.0	18,017.0	6.0		48
24	7/20/2024	Perforated	17,993.0	17,994.0	6.0		45
24	7/20/2024	Perforated	17,973.0	17,974.0	6.0		45
24	7/20/2024	Perforated	17,953.0	17,954.0	6.0		45
24	7/20/2024	Perforated	17,933.0	17,934.0	6.0		45
24	7/20/2024	Perforated	17,913.0	17,914.0	6.0		45
24	7/20/2024	Perforated	17,893.0	17,894.0	6.0		45
24	7/20/2024	Perforated	17,873.0	17,874.0	6.0		45

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
24	7/20/2024	Perforated	17,853.0	17,854.0	3.0		45
25	7/21/2024	Perforated	17,833.0	17,834.0	6.0		45
25	7/21/2024	Perforated	17,813.0	17,814.0	6.0		45
25	7/21/2024	Perforated	17,793.0	17,794.0	6.0		45
25	7/21/2024	Perforated	17,773.0	17,774.0	6.0		45
25	7/21/2024	Perforated	17,753.0	17,754.0	6.0		45
25	7/21/2024	Perforated	17,733.0	17,734.0	6.0		45
25	7/21/2024	Perforated	17,716.0	17,717.0	6.0		45
25	7/21/2024	Perforated	17,693.0	17,694.0	3.0		45
26	7/21/2024	Perforated	17,673.0	17,674.0	6.0		45
26	7/21/2024	Perforated	17,653.0	17,654.0	6.0		45
26	7/21/2024	Perforated	17,633.0	17,634.0	6.0		45
26	7/21/2024	Perforated	17,613.0	17,614.0	6.0		45
26	7/21/2024	Perforated	17,593.0	17,594.0	6.0		45
26	7/21/2024	Perforated	17,573.0	17,574.0	6.0		45
26	7/21/2024	Perforated	17,553.0	17,554.0	6.0		45
26	7/21/2024	Perforated	17,533.0	17,534.0	3.0		45
27	7/21/2024	Perforated	17,513.0	17,514.0	6.0		45
27	7/21/2024	Perforated	17,493.0	17,494.0	6.0		45
27	7/21/2024	Perforated	17,473.0	17,474.0	6.0		45
27	7/21/2024	Perforated	17,453.0	17,454.0	6.0		45
27	7/21/2024	Perforated	17,433.0	17,434.0	6.0		45
27	7/21/2024	Perforated	17,410.0	17,411.0	6.0		45
27	7/21/2024	Perforated	17,393.0	17,394.0	6.0		45
27	7/21/2024	Perforated	17,375.0	17,376.0	3.0		45
28	7/22/2024	Perforated	17,353.0	17,354.0	6.0		45
28	7/22/2024	Perforated	17,333.0	17,334.0	6.0		45
28	7/22/2024	Perforated	17,313.0	17,314.0	6.0		45
28	7/22/2024	Perforated	17,293.0	17,294.0	6.0		45
28	7/22/2024	Perforated	17,273.0	17,274.0	6.0		45
28	7/22/2024	Perforated	17,253.0	17,254.0	6.0		45
28	7/22/2024	Perforated	17,233.0	17,234.0	6.0		45
28	7/22/2024	Perforated	17,213.0	17,214.0	3.0		45
29	7/22/2024	Perforated	17,193.0	17,194.0	6.0		45
29	7/22/2024	Perforated	17,173.0	17,174.0	6.0		45
29	7/22/2024	Perforated	17,153.0	17,154.0	6.0		45
29	7/22/2024	Perforated	17,133.0	17,134.0	6.0		45
29	7/22/2024	Perforated	17,110.0	17,111.0	6.0		45
29	7/22/2024	Perforated	17,093.0	17,094.0	6.0		45
29	7/22/2024	Perforated	17,073.0	17,074.0	6.0		45
29	7/22/2024	Perforated	17,053.0	17,054.0	3.0		45
30	7/22/2024	Perforated	17,033.0	17,034.0	6.0		45
30	7/22/2024	Perforated	17,013.0	17,014.0	6.0		45
30	7/22/2024	Perforated	16,993.0	16,994.0	6.0		45
30	7/22/2024	Perforated	16,973.0	16,974.0	6.0		45
30	7/22/2024	Perforated	16,953.0	16,954.0	6.0		45
30	7/22/2024	Perforated	16,933.0	16,934.0	6.0		45
30	7/22/2024	Perforated	16,913.0	16,914.0	6.0		45
30	7/22/2024	Perforated	16,893.0	16,894.0	3.0		45
31	7/23/2024	Perforated	16,873.0	16,874.0	6.0		54
31	7/23/2024	Perforated	16,853.0	16,854.0	6.0		54
31	7/23/2024	Perforated	16,833.0	16,834.0	6.0		54
31	7/23/2024	Perforated	16,816.0	16,817.0	6.0		54
31	7/23/2024	Perforated	16,793.0	16,794.0	6.0		54
31	7/23/2024	Perforated	16,773.0	16,774.0	6.0		54
31	7/23/2024	Perforated	16,753.0	16,754.0	6.0		54
31	7/23/2024	Perforated	16,733.0	16,734.0	6.0		54

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
31	7/23/2024	Perforated	16,713.0	16,714.0	6.0		54
32	7/20/2024	Perforated	16,693.0	16,694.0	6.0		54
32	7/20/2024	Perforated	16,673.0	16,674.0	6.0		54
32	7/20/2024	Perforated	16,653.0	16,654.0	6.0		54
32	7/20/2024	Perforated	16,633.0	16,634.0	6.0		54
32	7/20/2024	Perforated	16,613.0	16,614.0	6.0		54
32	7/20/2024	Perforated	16,593.0	16,594.0	6.0		54
32	7/20/2024	Perforated	16,573.0	16,574.0	6.0		54
32	7/20/2024	Perforated	16,551.0	16,552.0	6.0		54
32	7/20/2024	Perforated	16,533.0	16,534.0	6.0		54
33	7/24/2024	Perforated	16,513.0	16,514.0	6.0		54
33	7/24/2024	Perforated	16,493.0	16,494.0	6.0		54
33	7/24/2024	Perforated	16,475.0	16,476.0	6.0		54
33	7/24/2024	Perforated	16,453.0	16,454.0	6.0		54
33	7/24/2024	Perforated	16,433.0	16,434.0	6.0		54
33	7/24/2024	Perforated	16,413.0	16,414.0	6.0		54
33	7/24/2024	Perforated	16,393.0	16,394.0	6.0		54
33	7/24/2024	Perforated	16,373.0	16,374.0	6.0		54
33	7/24/2024	Perforated	16,353.0	16,354.0	6.0		54
34	7/24/2024	Perforated	16,333.0	16,334.0	6.0		54
34	7/24/2024	Perforated	16,313.0	16,314.0	6.0		54
34	7/24/2024	Perforated	16,293.0	16,294.0	6.0		54
34	7/24/2024	Perforated	16,273.0	16,274.0	6.0		54
34	7/24/2024	Perforated	16,253.0	16,254.0	6.0		54
34	7/24/2024	Perforated	16,233.0	16,234.0	6.0		54
34	7/24/2024	Perforated	16,213.0	16,214.0	6.0		54
34	7/24/2024	Perforated	16,193.0	16,194.0	6.0		54
34	7/24/2024	Perforated	16,173.0	16,174.0	6.0		54
35	7/25/2024	Perforated	16,153.0	16,154.0	6.0		54
35	7/25/2024	Perforated	16,133.0	16,134.0	6.0		54
35	7/25/2024	Perforated	16,113.0	16,114.0	6.0		54
35	7/25/2024	Perforated	16,093.0	16,094.0	6.0		54
35	7/25/2024	Perforated	16,073.0	16,074.0	6.0		54
35	7/25/2024	Perforated	16,050.0	16,051.0	6.0		54
35	7/25/2024	Perforated	16,033.0	16,034.0	6.0		54
35	7/25/2024	Perforated	16,015.0	16,016.0	6.0		54
35	7/25/2024	Perforated	15,993.0	15,994.0	6.0		54
36	7/25/2024	Perforated	15,973.0	15,974.0	6.0		54
36	7/25/2024	Perforated	15,953.0	15,954.0	6.0		54
36	7/25/2024	Perforated	15,933.0	15,934.0	6.0		54
36	7/25/2024	Perforated	15,913.0	15,914.0	6.0		54
36	7/25/2024	Perforated	15,893.0	15,894.0	6.0		54
36	7/25/2024	Perforated	15,873.0	15,874.0	6.0		54
36	7/25/2024	Perforated	15,853.0	15,854.0	6.0		54
36	7/25/2024	Perforated	15,833.0	15,834.0	6.0		54
36	7/25/2024	Perforated	15,813.0	15,814.0	6.0		54
37	7/26/2024	Perforated	15,793.0	15,794.0	6.0		54
37	7/26/2024	Perforated	15,773.0	15,774.0	6.0		54
37	7/26/2024	Perforated	15,753.0	15,754.0	6.0		54
37	7/26/2024	Perforated	15,733.0	15,734.0	6.0		54
37	7/26/2024	Perforated	15,713.0	15,714.0	6.0		54
37	7/26/2024	Perforated	15,693.0	15,694.0	6.0		54
37	7/26/2024	Perforated	15,672.0	15,673.0	6.0		54
37	7/26/2024	Perforated	15,653.0	15,654.0	6.0		54
37	7/26/2024	Perforated	15,633.0	15,634.0	6.0		54
38	7/26/2024	Perforated	15,613.0	15,614.0	6.0		54
38	7/26/2024	Perforated	15,593.0	15,594.0	6.0		54

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
38	7/26/2024	Perforated	15,573.0	15,574.0	6.0		54
38	7/26/2024	Perforated	15,553.0	15,554.0	6.0		54
38	7/26/2024	Perforated	15,533.0	15,534.0	6.0		54
38	7/26/2024	Perforated	15,513.0	15,514.0	6.0		54
38	7/26/2024	Perforated	15,493.0	15,494.0	6.0		54
38	7/26/2024	Perforated	15,473.0	15,474.0	6.0		54
38	7/26/2024	Perforated	15,453.0	15,454.0	6.0		54
39	7/27/2024	Perforated	15,433.0	15,434.0	6.0		54
39	7/27/2024	Perforated	15,413.0	15,414.0	6.0		54
39	7/27/2024	Perforated	15,393.0	15,394.0	6.0		54
39	7/27/2024	Perforated	15,371.0	15,372.0	6.0		54
39	7/27/2024	Perforated	15,353.0	15,354.0	6.0		54
39	7/27/2024	Perforated	15,335.0	15,336.0	6.0		54
39	7/27/2024	Perforated	15,313.0	15,314.0	6.0		54
39	7/27/2024	Perforated	15,293.0	15,294.0	6.0		54
39	7/27/2024	Perforated	15,273.0	15,274.0	6.0		54
40	7/27/2024	Perforated	15,253.0	15,254.0	6.0		54
40	7/27/2024	Perforated	15,233.0	15,234.0	6.0		54
40	7/27/2024	Perforated	15,213.0	15,214.0	6.0		54
40	7/27/2024	Perforated	15,193.0	15,194.0	6.0		54
40	7/27/2024	Perforated	15,173.0	15,174.0	6.0		54
40	7/27/2024	Perforated	15,153.0	15,154.0	6.0		54
40	7/27/2024	Perforated	15,133.0	15,134.0	6.0		54
40	7/27/2024	Perforated	15,113.0	15,114.0	6.0		54
40	7/27/2024	Perforated	15,093.0	15,094.0	6.0		54
41	7/28/2024	Perforated	15,075.0	15,076.0	6.0		60
41	7/28/2024	Perforated	15,053.0	15,054.0	6.0		60
41	7/28/2024	Perforated	15,033.0	15,034.0	6.0		60
41	7/28/2024	Perforated	15,013.0	15,014.0	6.0		60
41	7/28/2024	Perforated	14,993.0	14,994.0	6.0		60
41	7/28/2024	Perforated	14,973.0	14,974.0	6.0		60
41	7/28/2024	Perforated	14,953.0	14,954.0	6.0		60
41	7/28/2024	Perforated	14,933.0	14,934.0	6.0		60
41	7/28/2024	Perforated	14,913.0	14,914.0	6.0		60
41	7/28/2024	Perforated	14,893.0	14,894.0	6.0		60
42	7/28/2024	Perforated	14,873.0	14,874.0	6.0		60
42	7/28/2024	Perforated	14,853.0	14,854.0	6.0		60
42	7/28/2024	Perforated	14,833.0	14,834.0	6.0		60
42	7/28/2024	Perforated	14,812.0	14,813.0	6.0		60
42	7/28/2024	Perforated	14,793.0	14,794.0	6.0		60
42	7/28/2024	Perforated	14,773.0	14,774.0	6.0		60
42	7/28/2024	Perforated	14,753.0	14,754.0	6.0		60
42	7/28/2024	Perforated	14,733.0	14,734.0	6.0		60
42	7/28/2024	Perforated	14,713.0	14,714.0	6.0		60
42	7/28/2024	Perforated	14,693.0	14,694.0	6.0		60
43	7/28/2024	Perforated	14,673.0	14,674.0	6.0		60
43	7/28/2024	Perforated	14,653.0	14,654.0	6.0		60
43	7/28/2024	Perforated	14,633.0	14,634.0	6.0		60
43	7/28/2024	Perforated	14,613.0	14,614.0	6.0		60
43	7/28/2024	Perforated	14,593.0	14,594.0	6.0		60
43	7/28/2024	Perforated	14,573.0	14,574.0	6.0		60
43	7/28/2024	Perforated	14,553.0	14,554.0	6.0		60
43	7/28/2024	Perforated	14,533.0	14,534.0	6.0		60
43	7/28/2024	Perforated	14,510.0	14,511.0	6.0		60
43	7/28/2024	Perforated	14,493.0	14,494.0	6.0		60
44	7/28/2024	Perforated	14,474.0	14,475.0	6.0		60
44	7/28/2024	Perforated	14,453.0	14,454.0	6.0		60

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
44	7/28/2024	Perforated	14,433.0	14,434.0	6.0		60
44	7/28/2024	Perforated	14,413.0	14,414.0	6.0		60
44	7/28/2024	Perforated	14,393.0	14,394.0	6.0		60
44	7/28/2024	Perforated	14,373.0	14,374.0	6.0		60
44	7/28/2024	Perforated	14,353.0	14,354.0	6.0		60
44	7/28/2024	Perforated	14,333.0	14,334.0	6.0		60
44	7/28/2024	Perforated	14,313.0	14,314.0	6.0		60
44	7/28/2024	Perforated	14,293.0	14,294.0	6.0		60
45	7/29/2024	Perforated	14,273.0	14,274.0	6.0		60
45	7/29/2024	Perforated	14,251.0	14,252.0	6.0		60
45	7/29/2024	Perforated	14,233.0	14,234.0	6.0		60
45	7/29/2024	Perforated	14,213.0	14,214.0	6.0		60
45	7/29/2024	Perforated	14,193.0	14,194.0	6.0		60
45	7/29/2024	Perforated	14,173.0	14,174.0	6.0		60
45	7/29/2024	Perforated	14,153.0	14,154.0	6.0		60
45	7/29/2024	Perforated	14,133.0	14,134.0	6.0		60
45	7/29/2024	Perforated	14,113.0	14,114.0	6.0		60
45	7/29/2024	Perforated	14,093.0	14,094.0	6.0		60
46	7/29/2024	Perforated	14,073.0	14,074.0	6.0		60
46	7/29/2024	Perforated	14,053.0	14,054.0	6.0		60
46	7/29/2024	Perforated	14,033.0	14,034.0	6.0		60
46	7/29/2024	Perforated	14,013.0	14,014.0	6.0		60
46	7/29/2024	Perforated	13,993.0	13,994.0	6.0		60
46	7/29/2024	Perforated	13,973.0	13,974.0	6.0		60
46	7/29/2024	Perforated	13,953.0	13,954.0	6.0		60
46	7/29/2024	Perforated	13,933.0	13,934.0	6.0		60
46	7/29/2024	Perforated	13,913.0	13,914.0	6.0		60
46	7/29/2024	Perforated	13,893.0	13,894.0	6.0		60
47	7/29/2024	Perforated	13,873.0	13,874.0	6.0		60
47	7/29/2024	Perforated	13,853.0	13,854.0	6.0		60
47	7/29/2024	Perforated	13,833.0	13,834.0	6.0		60
47	7/29/2024	Perforated	13,813.0	13,814.0	6.0		60
47	7/29/2024	Perforated	13,793.0	13,794.0	6.0		60
47	7/29/2024	Perforated	13,773.0	13,774.0	6.0		60
47	7/29/2024	Perforated	13,753.0	13,754.0	6.0		60
47	7/29/2024	Perforated	13,733.0	13,734.0	6.0		60
47	7/29/2024	Perforated	13,713.0	13,714.0	6.0		60
47	7/29/2024	Perforated	13,696.0	13,697.0	6.0		60
48	7/29/2024	Perforated	13,673.0	13,674.0	6.0		60
48	7/29/2024	Perforated	13,654.0	13,655.0	6.0		60
48	7/29/2024	Perforated	13,633.0	13,634.0	6.0		60
48	7/29/2024	Perforated	13,613.0	13,614.0	6.0		60
48	7/29/2024	Perforated	13,593.0	13,594.0	6.0		60
48	7/29/2024	Perforated	13,573.0	13,574.0	6.0		60
48	7/29/2024	Perforated	13,553.0	13,554.0	6.0		60
48	7/29/2024	Perforated	13,533.0	13,534.0	6.0		60
48	7/29/2024	Perforated	13,513.0	13,514.0	6.0		60
48	7/29/2024	Perforated	13,493.0	13,494.0	6.0		60
49	7/30/2024	Perforated	13,473.0	13,474.0	6.0		60
49	7/30/2024	Perforated	13,453.0	13,454.0	6.0		60
49	7/30/2024	Perforated	13,433.0	13,434.0	6.0		60
49	7/30/2024	Perforated	13,413.0	13,414.0	6.0		60
49	7/30/2024	Perforated	13,393.0	13,394.0	6.0		60
49	7/30/2024	Perforated	13,373.0	13,374.0	6.0		60
49	7/30/2024	Perforated	13,353.0	13,354.0	6.0		60
49	7/30/2024	Perforated	13,333.0	13,334.0	6.0		60
49	7/30/2024	Perforated	13,313.0	13,314.0	6.0		60

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
49	7/30/2024	Perforated	13,293.0	13,294.0	6.0		60
50	7/30/2024	Perforated	13,273.0	13,274.0	6.0		60
50	7/30/2024	Perforated	13,253.0	13,254.0	6.0		60
50	7/30/2024	Perforated	13,233.0	13,234.0	6.0		60
50	7/30/2024	Perforated	13,213.0	13,214.0	6.0		60
50	7/30/2024	Perforated	13,193.0	13,194.0	6.0		60
50	7/30/2024	Perforated	13,173.0	13,174.0	6.0		60
50	7/30/2024	Perforated	13,153.0	13,154.0	6.0		60
50	7/30/2024	Perforated	13,133.0	13,134.0	6.0		60
50	7/30/2024	Perforated	13,113.0	13,114.0	6.0		60
50	7/30/2024	Perforated	13,093.0	13,094.0	6.0		60
51	7/30/2024	Perforated	13,073.0	13,074.0	6.0		60
51	7/30/2024	Perforated	13,053.0	13,054.0	6.0		60
51	7/30/2024	Perforated	13,032.0	13,033.0	6.0		60
51	7/30/2024	Perforated	13,013.0	13,014.0	6.0		60
51	7/30/2024	Perforated	12,991.0	12,992.0	6.0		60
51	7/30/2024	Perforated	12,973.0	12,974.0	6.0		60
51	7/30/2024	Perforated	12,951.0	12,952.0	6.0		60
51	7/30/2024	Perforated	12,933.0	12,934.0	6.0		60
51	7/30/2024	Perforated	12,916.0	12,917.0	6.0		60
51	7/30/2024	Perforated	12,893.0	12,894.0	6.0		60
52	7/30/2024	Perforated	12,874.0	12,875.0	6.0		60
52	7/30/2024	Perforated	12,853.0	12,854.0	6.0		60
52	7/30/2024	Perforated	12,834.0	12,835.0	6.0		60
52	7/30/2024	Perforated	12,813.0	12,814.0	6.0		60
52	7/30/2024	Perforated	12,793.0	12,794.0	6.0		60
52	7/30/2024	Perforated	12,773.0	12,774.0	6.0		60
52	7/30/2024	Perforated	12,753.0	12,754.0	6.0		60
52	7/30/2024	Perforated	12,733.0	12,734.0	6.0		60
52	7/30/2024	Perforated	12,713.0	12,714.0	6.0		60
52	7/30/2024	Perforated	12,693.0	12,694.0	6.0		60
53	7/31/2024	Perforated	12,673.0	12,674.0	6.0		60
53	7/31/2024	Perforated	12,653.0	12,654.0	6.0		60
53	7/31/2024	Perforated	12,633.0	12,634.0	6.0		60
53	7/31/2024	Perforated	12,613.0	12,614.0	6.0		60
53	7/31/2024	Perforated	12,593.0	12,594.0	6.0		60
53	7/31/2024	Perforated	12,573.0	12,574.0	6.0		60
53	7/31/2024	Perforated	12,553.0	12,554.0	6.0		60
53	7/31/2024	Perforated	12,533.0	12,534.0	6.0		60
53	7/31/2024	Perforated	12,513.0	12,514.0	6.0		60
53	7/31/2024	Perforated	12,493.0	12,494.0	6.0		60
54	7/31/2024	Perforated	12,473.0	12,474.0	6.0		60
54	7/31/2024	Perforated	12,453.0	12,454.0	6.0		60
54	7/31/2024	Perforated	12,433.0	12,434.0	6.0		60
54	7/31/2024	Perforated	12,413.0	12,414.0	6.0		60
54	7/31/2024	Perforated	12,393.0	12,394.0	6.0		60
54	7/31/2024	Perforated	12,372.0	12,373.0	6.0		60
54	7/31/2024	Perforated	12,353.0	12,354.0	6.0		60
54	7/31/2024	Perforated	12,331.0	12,332.0	6.0		60
54	7/31/2024	Perforated	12,313.0	12,314.0	6.0		60
54	7/31/2024	Perforated	12,293.0	12,294.0	6.0		60
55	7/31/2024	Perforated	12,273.0	12,274.0	6.0		60
55	7/31/2024	Perforated	12,254.0	12,255.0	6.0		60
55	7/31/2024	Perforated	12,233.0	12,234.0	6.0		60
55	7/31/2024	Perforated	12,213.0	12,214.0	6.0		60
55	7/31/2024	Perforated	12,193.0	12,194.0	6.0		60
55	7/31/2024	Perforated	12,173.0	12,174.0	6.0		60

XCL RESOURCES

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
55	7/31/2024	Perforated	12,153.0	12,154.0	6.0		60
55	7/31/2024	Perforated	12,133.0	12,134.0	6.0		60
55	7/31/2024	Perforated	12,113.0	12,114.0	6.0		60
55	7/31/2024	Perforated	12,096.0	12,097.0	6.0		60
56	8/1/2024	Perforated	12,073.0	12,074.0	6.0		60
56	8/1/2024	Perforated	12,053.0	12,054.0	6.0		60
56	8/1/2024	Perforated	12,033.0	12,034.0	6.0		60
56	8/1/2024	Perforated	12,013.0	12,014.0	6.0		60
56	8/1/2024	Perforated	11,993.0	11,994.0	6.0		60
56	8/1/2024	Perforated	11,973.0	11,974.0	6.0		60
56	8/1/2024	Perforated	11,953.0	11,954.0	6.0		60
56	8/1/2024	Perforated	11,933.0	11,934.0	6.0		60
56	8/1/2024	Perforated	11,913.0	11,914.0	6.0		60
56	8/1/2024	Perforated	11,893.0	11,894.0	6.0		60
57	8/1/2024	Perforated	11,871.0	11,872.0	6.0		60
57	8/1/2024	Perforated	11,853.0	11,854.0	6.0		60
57	8/1/2024	Perforated	11,831.0	11,832.0	6.0		60
57	8/1/2024	Perforated	11,813.0	11,814.0	6.0		60
57	8/1/2024	Perforated	11,793.0	11,794.0	6.0		60
57	8/1/2024	Perforated	11,773.0	11,774.0	6.0		60
57	8/1/2024	Perforated	11,753.0	11,754.0	6.0		60
57	8/1/2024	Perforated	11,733.0	11,734.0	6.0		60
57	8/1/2024	Perforated	11,713.0	11,714.0	6.0		60
57	8/1/2024	Perforated	11,693.0	11,694.0	6.0		60
58	8/1/2024	Perforated	11,673.0	11,674.0	6.0		60
58	8/1/2024	Perforated	11,653.0	11,654.0	6.0		60
58	8/1/2024	Perforated	11,633.0	11,634.0	6.0		60
58	8/1/2024	Perforated	11,613.0	11,614.0	6.0		60
58	8/1/2024	Perforated	11,593.0	11,594.0	6.0		60
58	8/1/2024	Perforated	11,573.0	11,574.0	6.0		60
58	8/1/2024	Perforated	11,553.0	11,554.0	6.0		60
58	8/1/2024	Perforated	11,533.0	11,534.0	6.0		60
58	8/1/2024	Perforated	11,513.0	11,514.0	6.0		60
58	8/1/2024	Perforated	11,493.0	11,494.0	6.0		60
59	8/1/2024	Perforated	11,473.0	11,474.0	6.0		60
59	8/1/2024	Perforated	11,453.0	11,454.0	6.0		60
59	8/1/2024	Perforated	11,433.0	11,434.0	6.0		60
59	8/1/2024	Perforated	11,413.0	11,414.0	6.0		60
59	8/1/2024	Perforated	11,393.0	11,394.0	6.0		60
59	8/1/2024	Perforated	11,373.0	11,374.0	6.0		60
59	8/1/2024	Perforated	11,353.0	11,354.0	6.0		60
59	8/1/2024	Perforated	11,333.0	11,334.0	6.0		60
59	8/1/2024	Perforated	11,313.0	11,314.0	6.0		60
59	8/1/2024	Perforated	11,293.0	11,294.0	6.0		60
60	8/2/2024	Perforated	11,271.0	11,272.0	6.0		60
60	8/2/2024	Perforated	11,253.0	11,254.0	6.0		60
60	8/2/2024	Perforated	11,233.0	11,234.0	6.0		60
60	8/2/2024	Perforated	11,213.0	11,214.0	6.0		60
60	8/2/2024	Perforated	11,193.0	11,194.0	6.0		60
60	8/2/2024	Perforated	11,173.0	11,174.0	6.0		60
60	8/2/2024	Perforated	11,153.0	11,154.0	6.0		60
60	8/2/2024	Perforated	11,133.0	11,134.0	6.0		60
60	8/2/2024	Perforated	11,113.0	11,114.0	6.0		60
60	8/2/2024	Perforated	11,093.0	11,094.0	6.0		60
61	8/2/2024	Perforated	11,073.0	11,074.0	6.0		36
61	8/2/2024	Perforated	11,053.0	11,054.0	6.0		36
61	8/2/2024	Perforated	11,033.0	11,034.0	6.0		36

Regulatory- Perforations

Well Name: Goose 72-2423-23D

Well Name	Lease	API/UWI	Government Authority
Goose 72-2423-23D	FEE	43013545560000	UDOGM

Original KB Elevation (ft)	KB-Mud Line Distance (ft)	KB-Wellhead (ft)
5,844.00		

Perforations

Int #	Date	Type	Top (ftKB)	Btm (ftKB)	Shot Dens (shots/ft)	Shots Plan	Entered Shot Total
61	8/2/2024	Perforated	11,013.0	11,014.0	6.0		36
61	8/2/2024	Perforated	10,993.0	10,994.0	6.0		36
61	8/2/2024	Perforated	10,975.0	10,976.0	6.0		36
Total							

Goose 72-2423-23D

Stimulations Summary

Type	Stim/Treat Company	Start Date	End Date
Sand Frac	ProFrac	6/28/2024	

Stimulation Intervals

Interval Number	Vol Clean Total (bbl)	Vol Slurry Total (bbl)	Proppant Total (lb)
1	4,216.00	4,213.50	35,820.0
2	5,350.00	5,429.90	88,000.0
3	5,287.90	5,400.30	109,630.0
4	5,822.90	6,018.40	194,601.0
5	5,734.00	5,890.80	238,599.0
6	5,625.90	5,796.90	238,479.0
7	5,584.00	5,747.00	238,670.0
8	5,566.10	5,727.50	237,521.0
9	5,540.60	5,688.70	238,059.0
10	5,649.00	5,784.40	238,400.0
11	5,646.00	5,793.00	238,620.0
12	5,656.00	5,799.70	238,300.0
13	5,571.10	5,846.60	238,419.0
14	5,571.10	5,825.90	238,500.0
15	5,704.10	5,981.10	238,958.0
16	5,599.00	5,875.80	238,561.0
17	5,603.60	5,893.90	238,599.0
18	5,572.90	5,853.90	238,299.0
19	5,567.00	5,835.90	238,300.0
20	5,518.80	5,801.40	235,000.0
21	6,387.00	6,730.20	272,580.0
22	6,374.00	6,693.90	272,201.0
23	6,365.00	6,702.90	272,821.0
24	6,192.10	6,464.40	272,751.0
25	6,164.90	6,447.10	271,581.0
26	6,235.90	6,528.00	272,720.0
27	6,209.00	6,504.50	272,530.0
28	6,319.00	6,595.30	274,281.0
29	6,186.90	6,465.20	272,741.0
30	6,228.00	6,497.10	271,879.0
31	6,869.00	7,214.60	304,980.0
32	6,615.00	6,971.60	306,720.0
33	6,420.10	6,747.40	304,720.0
34	7,242.00	7,557.70	306,420.0
35	6,796.00	7,087.60	309,721.0
36	7,312.00	7,579.50	306,930.0
37	7,196.00	7,472.80	304,101.0
38	7,039.00	7,328.90	306,941.0
39	6,971.10	7,318.50	308,121.0
40	7,315.10	7,591.80	306,580.0
41	7,627.20	7,961.10	339,880.0
42	7,658.90	7,993.20	338,702.0
43	8,059.00	8,355.50	340,770.0
44	8,070.60	8,392.40	340,850.0
45	7,591.00	7,933.60	338,740.0
46	7,592.90	7,930.90	339,521.0
47	8,058.90	8,398.70	340,991.0
48	7,536.90	7,898.00	340,960.0
49	7,580.90	7,941.30	338,139.0
50	7,434.00	7,925.00	342,660.0
51	8,078.90	8,399.70	340,961.0
52	8,114.00	8,442.10	341,020.0
53	8,010.00	8,358.80	340,799.0
54	8,253.10	8,580.50	348,001.0
55	8,145.00	8,506.30	340,400.0
56	8,131.00	8,475.20	340,819.0
57	7,805.00	8,145.90	340,599.0

Goose 72-2423-23D

Stimulation Intervals

Interval Number	Vol Clean Total (bbl)	Vol Slurry Total (bbl)	Proppant Total (lb)
58	8,085.10	8,437.30	340,500.0
59	8,213.90	8,560.20	340,500.0
60	7,721.10	8,074.30	340,779.0
61	4,746.10	4,939.50	195,960.0

XCL Planning Wellbore Schematic

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Horizontal, Original Hole, 2/10/2024 6:00:00 AM

MD (ftKB)	Incl (°)
-859	0.0
-682	0.0
-504	0.0
-326	0.0
-148	0.0
30	0.1
50	0.2
70	0.3
90	0.4
110	0.5
130	0.6
150	0.7
641	0.5
1,132	2.1
1,623	1.1
2,113	0.4
2,604	0.9
3,095	1.1
3,100	1.1
3,105	1.1
3,110	1.1
3,115	1.2
3,120	1.3
3,125	1.4
4,275	13.5
5,425	12.7
6,574	12.8
7,724	11.9
8,874	10.8
10,024	14.9
11,915	93.5
13,807	89.0
15,698	88.1
17,589	90.9
19,481	90.2
21,372	90.3
21,550	90.3
21,728	90.3
21,906	90.3
22,083	90.3
22,261	90.3

Directional schematic (actual)



Note: Directional schematic does not correlate to other tracks.

XCL Resources

Duchesne Co, UT (NAD 83-True)
Texas Anderson 19-1C-22 (Goose Pad)
GOOSE 72-2423-23D

457 FWL, 2336 FSL Sec 19

Wellbore #1

Final Surveys

Standard Survey Report

26 February, 2024

Total Report Version 1.60

COMPASS 5000.16 Build 97

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Project	Duchesne Co, UT (NAD 83-True)		
Map System:	US State Plane 1983	**System Datum:**	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Utah Central Zone		Using geodetic scale factor

Site	Texas Anderson 19-1C-22 (Goose Pad)				
Site Position:		**Northing:**	7,281,321.90 usft	**Latitude:**	40.3014457
From:	Lat/Long	**Easting:**	2,013,652.17 usft	**Longitude:**	-110.1617479
Position Uncertainty:	0.00 usft	**Slot Radius:**	13-3/16 "		

Well	GOOSE 72-2423-23D, was GOOSE 61-2423-23D					
Well Position	**+N/-S**	0.00 usft	**Northing:**	7,278,383.02 usft	**Latitude:**	40.2933588
	+E/-W	0.00 usft	**Easting:**	2,014,141.37 usft	**Longitude:**	-110.1601520
Position Uncertainty		0.00 usft	**Wellhead Elevation:**	usft	**Ground Level:**	5,814.00 usft
Grid Convergence:		0.86 °				

Wellbore Wellbore #1

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2024	1/27/2024	10.45	65.68	51,113.20000000

Design Final Surveys

Audit Notes:

Version:	1.0	**Phase:**	ACTUAL	**Tie On Depth:**	0.00

Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	270.09

Survey Program **Date** 2/26/2024

From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
226.00	3,062.00	Surface (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM
3,112.00	10,018.00	Intermediate (Wellbore #1)	OWSG (Rev2) MWD+IFR	OWSG MWD + IFR1 + Multi-Station Correction
10,112.00	10,959.00	Curve (Wellbore #1)	OWSG (Rev2) MWD+IFR	OWSG MWD + IFR1 + Multi-Station Correction
11,053.00	21,323.00	Lateral (Wellbore #1)	OWSG (Rev2) MWD+IFR	OWSG MWD + IFR1 + Multi-Station Correction
21,372.00	21,372.00	Prj to TD (Wellbore #1)	BLIND	OWSG BLIND

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	7,278,383.02	2,014,141.37	40.2933588	-110.1601520	0.00	0.00	0.00	0.00
226.00	1.08	39.14	225.99	1.65	1.34	7,278,384.69	2,014,142.69	40.2933634	-110.1601472	-1.34	0.48	0.48	0.00
Start MWD @ 226.00 MD													
316.00	1.06	41.38	315.97	2.93	2.43	7,278,385.99	2,014,143.76	40.2933669	-110.1601433	-2.43	0.05	-0.02	2.49

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
406.00	1.20	39.94	405.95	4.28	3.59	7,278,387.35	2,014,144.89	40.2933706	-110.1601392	-3.58	0.16	0.16	-1.60
496.00	0.72	22.76	495.94	5.53	4.41	7,278,388.61	2,014,145.70	40.2933740	-110.1601362	-4.40	0.62	-0.53	-19.09
586.00	0.42	334.05	585.94	6.34	4.48	7,278,389.43	2,014,145.76	40.2933763	-110.1601359	-4.47	0.60	-0.33	-54.12
676.00	0.47	295.30	675.93	6.80	4.01	7,278,389.88	2,014,145.27	40.2933775	-110.1601377	-3.99	0.33	0.06	-43.06
765.00	1.31	211.55	764.93	6.09	3.14	7,278,389.15	2,014,144.42	40.2933756	-110.1601407	-3.13	1.51	0.94	-94.10
857.00	1.90	207.21	856.89	3.83	1.90	7,278,386.88	2,014,143.21	40.2933694	-110.1601452	-1.89	0.65	0.64	-4.72
947.00	1.31	178.78	946.85	1.48	1.24	7,278,384.52	2,014,142.58	40.2933629	-110.1601476	-1.23	1.08	-0.66	-31.59
1,038.00	1.61	171.43	1,037.82	-0.83	1.45	7,278,382.22	2,014,142.83	40.2933566	-110.1601468	-1.45	0.39	0.33	-8.08
1,129.00	2.11	172.68	1,128.78	-3.75	1.85	7,278,379.30	2,014,143.28	40.2933486	-110.1601454	-1.86	0.55	0.55	1.37
1,220.00	1.70	168.48	1,219.73	-6.73	2.33	7,278,376.32	2,014,143.81	40.2933404	-110.1601436	-2.35	0.48	-0.45	-4.62
1,314.00	1.29	154.54	1,313.69	-9.06	3.07	7,278,374.01	2,014,144.58	40.2933340	-110.1601410	-3.08	0.58	-0.44	-14.83
1,409.00	0.94	116.81	1,408.68	-10.37	4.22	7,278,372.71	2,014,145.75	40.2933304	-110.1601369	-4.24	0.84	-0.37	-39.72
1,503.00	1.08	79.02	1,502.66	-10.55	5.78	7,278,372.56	2,014,147.31	40.2933299	-110.1601313	-5.80	0.71	0.15	-40.20
1,597.00	1.12	85.06	1,596.65	-10.30	7.57	7,278,372.83	2,014,149.09	40.2933306	-110.1601249	-7.58	0.13	0.04	6.43
1,691.00	0.88	82.52	1,690.63	-10.13	9.20	7,278,373.03	2,014,150.72	40.2933310	-110.1601190	-9.21	0.26	-0.26	-2.70
1,786.00	0.65	62.05	1,785.62	-9.78	10.40	7,278,373.39	2,014,151.91	40.2933320	-110.1601147	-10.41	0.37	-0.24	-21.55
1,880.00	0.34	43.58	1,879.62	-9.33	11.06	7,278,373.86	2,014,152.57	40.2933332	-110.1601124	-11.07	0.37	-0.33	-19.65
1,974.00	0.11	33.03	1,973.62	-9.05	11.30	7,278,374.14	2,014,152.81	40.2933340	-110.1601115	-11.32	0.25	-0.24	-11.22
2,068.00	0.18	222.13	2,067.62	-9.09	11.25	7,278,374.10	2,014,152.76	40.2933339	-110.1601117	-11.27	0.31	0.07	-181.81
2,163.00	0.56	230.18	2,162.62	-9.50	10.79	7,278,373.69	2,014,152.31	40.2933328	-110.1601133	-10.81	0.40	0.40	8.47
2,257.00	1.05	238.94	2,256.61	-10.23	9.70	7,278,372.93	2,014,151.23	40.2933308	-110.1601172	-9.72	0.54	0.52	9.32
2,352.00	0.69	164.44	2,351.60	-11.23	9.11	7,278,371.92	2,014,150.65	40.2933280	-110.1601193	-9.13	1.15	-0.38	-78.42
2,447.00	1.01	137.29	2,446.59	-12.40	9.83	7,278,370.77	2,014,151.39	40.2933248	-110.1601168	-9.85	0.53	0.34	-28.58
2,541.00	1.09	140.42	2,540.57	-13.70	10.96	7,278,369.49	2,014,152.54	40.2933212	-110.1601127	-10.99	0.10	0.09	3.33
2,636.00	0.80	96.42	2,635.56	-14.47	12.20	7,278,368.74	2,014,153.79	40.2933191	-110.1601083	-12.22	0.80	-0.31	-46.32
2,730.00	0.86	75.47	2,729.55	-14.37	13.53	7,278,368.86	2,014,155.12	40.2933194	-110.1601035	-13.56	0.33	0.06	-22.29
2,824.00	0.97	81.06	2,823.54	-14.07	15.00	7,278,369.18	2,014,156.58	40.2933202	-110.1600982	-15.03	0.15	0.12	5.95
2,919.00	0.98	90.27	2,918.53	-13.94	16.61	7,278,369.33	2,014,158.19	40.2933206	-110.1600925	-16.63	0.17	0.01	9.69
3,013.00	0.98	99.89	3,012.51	-14.09	18.21	7,278,369.21	2,014,159.79	40.2933202	-110.1600867	-18.23	0.17	0.00	10.23
3,062.00	1.06	107.28	3,061.50	-14.29	19.05	7,278,369.02	2,014,160.63	40.2933196	-110.1600837	-19.07	0.31	0.16	15.08
3,112.00	1.13	104.78	3,111.50	-14.56	19.97	7,278,368.77	2,014,161.56	40.2933189	-110.1600804	-19.99	0.17	0.14	-5.00
3,206.00	2.89	123.74	3,205.43	-16.11	22.84	7,278,367.26	2,014,164.45	40.2933146	-110.1600701	-22.86	1.98	1.87	20.17
3,301.00	5.63	129.17	3,300.16	-20.38	28.44	7,278,363.07	2,014,170.11	40.2933029	-110.1600501	-28.47	2.91	2.88	5.72
3,395.00	6.27	114.79	3,393.66	-25.45	36.68	7,278,358.13	2,014,178.42	40.2932890	-110.1600205	-36.72	1.72	0.68	-15.30
3,490.00	5.75	93.46	3,488.15	-27.91	46.14	7,278,355.81	2,014,187.92	40.2932822	-110.1599866	-46.18	2.40	-0.55	-22.45
3,584.00	4.96	68.88	3,581.75	-26.73	54.63	7,278,357.11	2,014,196.39	40.2932855	-110.1599562	-54.67	2.56	-0.84	-26.15
3,678.00	5.01	31.19	3,675.42	-21.75	60.55	7,278,362.18	2,014,202.24	40.2932991	-110.1599350	-60.58	3.42	0.05	-40.10

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
3,773.00	8.39	8.17	3,769.77	-11.34	63.68	7,278,372.64	2,014,205.21	40.2933277	-110.1599237	-63.70	4.48	3.56	-24.23
3,867.00	11.18	352.33	3,862.41	4.49	63.44	7,278,388.45	2,014,204.73	40.2933712	-110.1599246	-63.43	4.10	2.97	-16.85
3,961.00	10.93	353.10	3,954.67	22.36	61.15	7,278,406.30	2,014,202.18	40.2934202	-110.1599328	-61.12	0.31	-0.27	0.82
4,056.00	12.15	354.75	4,047.75	41.26	59.16	7,278,425.16	2,014,199.90	40.2934721	-110.1599399	-59.09	1.33	1.28	1.74
4,150.00	12.70	1.41	4,139.55	61.44	58.51	7,278,445.33	2,014,198.95	40.2935275	-110.1599423	-58.41	1.63	0.59	7.09
4,245.00	13.95	357.17	4,231.99	83.32	58.20	7,278,467.20	2,014,198.31	40.2935876	-110.1599434	-58.07	1.67	1.32	-4.46
4,339.00	12.60	2.32	4,323.48	104.88	58.05	7,278,488.75	2,014,197.84	40.2936468	-110.1599439	-57.89	1.91	-1.44	5.48
4,434.00	12.90	1.32	4,416.14	125.84	58.72	7,278,509.72	2,014,198.19	40.2937043	-110.1599415	-58.52	0.39	0.32	-1.05
4,528.00	12.92	4.78	4,507.77	146.80	59.84	7,278,530.69	2,014,199.00	40.2937618	-110.1599375	-59.60	0.82	0.02	3.68
4,622.00	12.98	15.19	4,599.39	167.46	63.48	7,278,551.40	2,014,202.33	40.2938185	-110.1599245	-63.21	2.48	0.06	11.07
4,716.00	12.85	2.95	4,691.03	188.09	66.78	7,278,572.08	2,014,205.32	40.2938752	-110.1599126	-66.49	2.91	-0.14	-13.02
4,811.00	12.76	355.39	4,783.67	209.10	66.48	7,278,593.08	2,014,204.71	40.2939328	-110.1599137	-66.15	1.77	-0.09	-7.96
4,906.00	12.79	353.53	4,876.32	230.01	64.45	7,278,613.95	2,014,202.37	40.2939902	-110.1599210	-64.09	0.43	0.03	-1.96
5,000.00	12.85	359.30	4,967.98	250.80	63.15	7,278,634.72	2,014,200.76	40.2940473	-110.1599256	-62.76	1.36	0.06	6.14
5,094.00	12.44	7.62	5,059.71	271.29	64.37	7,278,655.22	2,014,201.67	40.2941035	-110.1599213	-63.94	1.98	-0.44	8.85
5,188.00	12.89	1.93	5,151.42	291.80	66.06	7,278,675.76	2,014,203.05	40.2941598	-110.1599152	-65.61	1.41	0.48	-6.05
5,283.00	12.91	1.22	5,244.03	313.01	66.65	7,278,696.97	2,014,203.32	40.2942180	-110.1599131	-66.16	0.17	0.02	-0.75
5,377.00	12.45	0.91	5,335.73	333.64	67.03	7,278,717.60	2,014,203.39	40.2942747	-110.1599117	-66.51	0.49	-0.49	-0.33
5,471.00	12.98	1.52	5,427.43	354.32	67.47	7,278,738.29	2,014,203.53	40.2943314	-110.1599101	-66.92	0.58	0.56	0.65
5,565.00	13.83	8.27	5,518.87	375.99	69.37	7,278,759.98	2,014,205.10	40.2943909	-110.1599033	-68.78	1.89	0.90	7.18
5,660.00	12.99	2.25	5,611.29	397.90	71.42	7,278,781.92	2,014,206.82	40.2944511	-110.1598960	-70.80	1.71	-0.88	-6.34
5,754.00	12.98	1.58	5,702.88	419.01	72.13	7,278,803.03	2,014,207.21	40.2945090	-110.1598934	-71.47	0.16	-0.01	-0.71
5,848.00	12.83	2.48	5,794.51	439.99	72.87	7,278,824.02	2,014,207.64	40.2945666	-110.1598908	-72.18	0.27	-0.16	0.96
5,942.00	13.26	3.75	5,886.08	461.17	74.03	7,278,845.22	2,014,208.48	40.2946247	-110.1598866	-73.30	0.55	0.46	1.35
6,036.00	13.01	0.91	5,977.62	482.51	74.90	7,278,866.56	2,014,209.03	40.2946833	-110.1598835	-74.14	0.74	-0.27	-3.02
6,130.00	12.60	355.63	6,069.29	503.31	74.29	7,278,887.35	2,014,208.11	40.2947404	-110.1598857	-73.50	1.32	-0.44	-5.62
6,224.00	13.13	354.98	6,160.93	524.17	72.57	7,278,908.18	2,014,206.08	40.2947977	-110.1598919	-71.75	0.58	0.56	-0.69
6,319.00	12.46	355.98	6,253.57	545.14	70.91	7,278,929.13	2,014,204.10	40.2948552	-110.1598978	-70.05	0.74	-0.71	1.05
6,413.00	12.92	356.26	6,345.27	565.75	69.51	7,278,949.70	2,014,202.40	40.2949118	-110.1599028	-68.62	0.49	0.49	0.30
6,508.00	13.08	356.16	6,437.84	587.07	68.10	7,278,971.00	2,014,200.67	40.2949703	-110.1599079	-67.18	0.17	0.17	-0.11
6,602.00	12.63	355.70	6,529.48	607.93	66.62	7,278,991.84	2,014,198.87	40.2950276	-110.1599132	-65.66	0.49	-0.48	-0.49
6,696.00	12.51	355.04	6,621.23	628.32	64.97	7,279,012.20	2,014,196.91	40.2950836	-110.1599191	-63.98	0.20	-0.13	-0.70
6,791.00	12.88	355.17	6,713.91	649.12	63.18	7,279,032.97	2,014,194.82	40.2951407	-110.1599255	-62.17	0.39	0.39	0.14
6,885.00	12.05	354.51	6,805.69	669.33	61.36	7,279,053.15	2,014,192.70	40.2951961	-110.1599320	-60.31	0.90	-0.88	-0.70
6,979.00	11.52	356.29	6,897.71	688.46	59.82	7,279,072.25	2,014,190.87	40.2952486	-110.1599376	-58.74	0.68	-0.56	1.89
7,074.00	11.99	353.07	6,990.72	707.72	58.01	7,279,091.49	2,014,188.77	40.2953015	-110.1599440	-56.90	0.85	0.49	-3.39
7,168.00	11.87	355.91	7,082.69	727.06	56.15	7,279,110.79	2,014,186.62	40.2953546	-110.1599507	-55.00	0.64	-0.13	3.02
7,262.00	12.06	358.60	7,174.65	746.52	55.22	7,279,130.23	2,014,185.40	40.2954080	-110.1599541	-54.04	0.63	0.20	2.86

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
7,356.00	12.54	358.56	7,266.49	766.54	54.72	7,279,150.24	2,014,184.60	40.2954630	-110.1599558	-53.52	0.51	0.51	-0.04
7,451.00	11.26	3.06	7,359.45	786.11	54.96	7,279,169.81	2,014,184.54	40.2955167	-110.1599550	-53.72	1.66	-1.35	4.74
7,545.00	12.03	1.25	7,451.51	805.07	55.66	7,279,188.78	2,014,184.96	40.2955687	-110.1599525	-54.39	0.91	0.82	-1.93
7,639.00	12.01	356.88	7,543.45	824.63	55.34	7,279,208.33	2,014,184.35	40.2956224	-110.1599536	-54.05	0.97	-0.02	-4.65
7,733.00	11.94	359.84	7,635.41	844.12	54.78	7,279,227.81	2,014,183.50	40.2956759	-110.1599556	-53.46	0.66	-0.07	3.15
7,827.00	12.42	0.35	7,727.29	863.95	54.82	7,279,247.64	2,014,183.24	40.2957304	-110.1599555	-53.46	0.52	0.51	0.54
7,922.00	12.14	359.07	7,820.12	884.15	54.72	7,279,267.83	2,014,182.84	40.2957858	-110.1599559	-53.33	0.41	-0.29	-1.35
8,016.00	12.66	355.54	7,911.93	904.31	53.75	7,279,287.97	2,014,181.57	40.2958411	-110.1599593	-52.33	0.98	0.55	-3.76
8,110.00	11.92	354.17	8,003.77	924.24	51.97	7,279,307.87	2,014,179.49	40.2958958	-110.1599657	-50.52	0.85	-0.79	-1.46
8,204.00	11.65	354.26	8,095.79	943.34	50.03	7,279,326.93	2,014,177.27	40.2959483	-110.1599727	-48.55	0.29	-0.29	0.10
8,298.00	10.54	354.75	8,188.03	961.34	48.30	7,279,344.91	2,014,175.26	40.2959977	-110.1599789	-46.79	1.19	-1.18	0.52
8,393.00	11.38	355.53	8,281.30	979.34	46.77	7,279,362.88	2,014,173.47	40.2960471	-110.1599843	-45.23	0.90	0.88	0.82
8,488.00	11.42	354.73	8,374.42	998.05	45.18	7,279,381.56	2,014,171.59	40.2960984	-110.1599901	-43.61	0.17	0.04	-0.84
8,582.00	11.11	357.73	8,466.61	1,016.36	43.96	7,279,399.86	2,014,170.10	40.2961487	-110.1599944	-42.37	0.71	-0.33	3.19
8,676.00	11.54	353.97	8,558.78	1,034.76	42.62	7,279,418.23	2,014,168.48	40.2961992	-110.1599992	-40.99	0.91	0.46	-4.00
8,769.00	10.91	358.44	8,650.01	1,052.81	41.40	7,279,436.26	2,014,167.00	40.2962488	-110.1600036	-39.75	1.15	-0.68	4.81
8,863.00	10.76	359.25	8,742.33	1,070.48	41.04	7,279,453.92	2,014,166.37	40.2962973	-110.1600049	-39.36	0.23	-0.16	0.86
8,957.00	11.37	355.83	8,834.58	1,088.49	40.25	7,279,471.92	2,014,165.32	40.2963467	-110.1600077	-38.54	0.95	0.65	-3.64
9,052.00	11.05	352.57	8,927.77	1,106.86	38.40	7,279,490.26	2,014,163.18	40.2963971	-110.1600144	-36.66	0.75	-0.34	-3.43
9,146.00	9.86	357.77	9,020.21	1,123.84	36.92	7,279,507.21	2,014,161.45	40.2964437	-110.1600197	-35.15	1.61	-1.27	5.53
9,240.00	10.39	1.25	9,112.75	1,140.35	36.79	7,279,523.72	2,014,161.07	40.2964891	-110.1600201	-35.00	0.86	0.56	3.70
9,335.00	11.32	1.73	9,206.05	1,158.24	37.26	7,279,541.61	2,014,161.27	40.2965382	-110.1600184	-35.44	0.98	0.98	0.51
9,429.00	13.84	356.00	9,297.79	1,178.68	36.75	7,279,562.04	2,014,160.46	40.2965943	-110.1600203	-34.90	2.99	2.68	-6.10
9,523.00	14.61	349.23	9,388.91	1,201.54	33.75	7,279,584.85	2,014,157.12	40.2966570	-110.1600310	-31.86	1.95	0.82	-7.20
9,618.00	14.34	349.01	9,480.90	1,224.86	29.27	7,279,608.10	2,014,152.29	40.2967210	-110.1600471	-27.35	0.29	-0.28	-0.23
9,712.00	14.73	350.64	9,571.89	1,248.08	25.11	7,279,631.25	2,014,147.78	40.2967848	-110.1600620	-23.15	0.60	0.41	1.73
9,806.00	14.17	350.24	9,662.91	1,271.21	21.21	7,279,654.32	2,014,143.54	40.2968483	-110.1600760	-19.22	0.61	-0.60	-0.43
9,901.00	14.64	348.94	9,754.93	1,294.45	16.94	7,279,677.49	2,014,138.92	40.2969121	-110.1600913	-14.91	0.60	0.49	-1.37
9,984.00	14.58	349.77	9,835.24	1,315.03	13.07	7,279,698.01	2,014,134.74	40.2969685	-110.1601052	-11.01	0.26	-0.07	1.00
10,018.00	14.70	350.00	9,868.14	1,323.49	11.56	7,279,706.44	2,014,133.11	40.2969918	-110.1601106	-9.48	0.39	0.35	0.68
10,112.00	17.33	330.39	9,958.55	1,347.43	2.57	7,279,730.24	2,014,123.76	40.2970575	-110.1601428	-0.45	6.36	2.80	-20.86
10,206.00	19.63	310.12	10,047.79	1,369.80	-16.45	7,279,752.33	2,014,104.41	40.2971189	-110.1602110	18.60	7.22	2.45	-21.56
10,301.00	29.75	297.14	10,134.05	1,390.91	-49.74	7,279,772.93	2,014,070.81	40.2971768	-110.1603303	51.92	12.03	10.65	-13.66
10,394.00	37.61	287.95	10,211.43	1,410.22	-97.37	7,279,791.52	2,014,022.90	40.2972298	-110.1605011	99.59	10.05	8.45	-9.88
10,489.00	43.77	282.72	10,283.45	1,426.41	-157.08	7,279,806.82	2,013,962.96	40.2972743	-110.1607151	159.32	7.41	6.48	-5.51
10,583.00	54.39	280.83	10,344.94	1,440.79	-226.52	7,279,820.15	2,013,893.31	40.2973137	-110.1609641	228.79	11.40	11.30	-2.01
10,677.00	65.51	279.88	10,391.94	1,455.35	-306.44	7,279,833.52	2,013,813.18	40.2973537	-110.1612506	308.73	11.86	11.83	-1.01

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	+E/-W (usft)	Map Coordinates Northing (usft)	Easting (usft)	Geo Coordinates Latitude (°)	Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,771.00	76.66	277.88	10,422.36	1,469.01	-394.17	7,279,845.86	2,013,725.27	40.2973912	-110.1615651	396.47	12.03	11.86	-2.13
10,830.00	84.20	277.76	10,432.17	1,476.92	-451.76	7,279,852.90	2,013,667.57	40.2974129	-110.1617716	454.08	12.78	12.78	-0.20
Crossed Section - 10830.00' MD (1469 FNL, 0 FEL)													
10,865.00	88.67	277.69	10,434.34	1,481.61	-486.37	7,279,857.08	2,013,632.90	40.2974258	-110.1618956	488.70	12.78	12.78	-0.20
10,930.00	90.16	272.21	10,435.00	1,487.22	-551.10	7,279,861.71	2,013,568.10	40.2974412	-110.1621277	553.43	8.73	2.30	-8.43
Crossed Hardline - 10930.00' MD (1459 FNL, 100 FEL)													
10,959.00	90.83	269.77	10,434.75	1,487.72	-580.09	7,279,861.78	2,013,539.10	40.2974426	-110.1622316	582.43	8.73	2.30	-8.43
11,053.00	89.61	267.93	10,434.39	1,485.83	-674.06	7,279,858.49	2,013,445.18	40.2974374	-110.1625685	676.40	2.35	-1.30	-1.96
11,147.00	91.32	267.70	10,433.63	1,482.25	-767.99	7,279,853.50	2,013,351.32	40.2974275	-110.1629052	770.32	1.84	1.82	-0.24
11,241.00	90.98	269.93	10,431.74	1,480.31	-861.94	7,279,850.15	2,013,257.41	40.2974222	-110.1632420	864.27	2.40	-0.36	2.37
11,336.00	90.17	265.89	10,430.79	1,476.84	-956.86	7,279,845.26	2,013,162.57	40.2974127	-110.1635823	959.17	4.34	-0.85	-4.25
11,426.00	92.07	265.48	10,429.03	1,470.07	-1,046.58	7,279,837.15	2,013,072.96	40.2973941	-110.1639039	1,048.89	2.16	2.11	-0.46
11,516.00	91.77	264.73	10,426.01	1,462.40	-1,136.20	7,279,828.13	2,012,983.47	40.2973730	-110.1642252	1,138.50	0.90	-0.33	-0.83
11,606.00	89.44	263.58	10,425.06	1,453.23	-1,225.72	7,279,817.63	2,012,894.11	40.2973478	-110.1645461	1,228.00	2.89	-2.59	-1.28
11,696.00	90.25	264.29	10,425.31	1,443.72	-1,315.21	7,279,806.78	2,012,804.77	40.2973217	-110.1648670	1,317.48	1.20	0.90	0.79
11,785.00	93.49	265.79	10,422.40	1,436.03	-1,403.82	7,279,797.77	2,012,716.30	40.2973006	-110.1651846	1,406.07	4.01	3.64	1.69
11,875.00	93.43	265.62	10,416.97	1,429.31	-1,493.40	7,279,789.70	2,012,626.83	40.2972821	-110.1655058	1,495.65	0.20	-0.07	-0.19
11,966.00	93.62	265.24	10,411.38	1,422.07	-1,583.94	7,279,781.11	2,012,536.42	40.2972622	-110.1658303	1,586.17	0.47	0.21	-0.42
12,057.00	92.45	265.84	10,406.56	1,415.00	-1,674.54	7,279,772.68	2,012,445.95	40.2972428	-110.1661551	1,676.76	1.44	-1.29	0.66
12,147.00	91.68	265.75	10,403.31	1,408.41	-1,764.23	7,279,764.75	2,012,356.36	40.2972247	-110.1664767	1,766.45	0.86	-0.86	-0.10
12,239.00	90.56	267.30	10,401.52	1,402.83	-1,856.04	7,279,757.80	2,012,264.65	40.2972094	-110.1668058	1,858.25	2.08	-1.22	1.68
12,329.00	88.70	269.11	10,402.10	1,400.01	-1,945.99	7,279,753.63	2,012,174.76	40.2972016	-110.1671283	1,948.19	2.88	-2.07	2.01
12,418.00	89.27	270.09	10,403.67	1,399.39	-2,034.97	7,279,751.68	2,012,085.81	40.2971999	-110.1674473	2,037.17	1.27	0.64	1.10
12,508.00	89.72	269.35	10,404.47	1,398.95	-2,124.97	7,279,749.89	2,011,995.84	40.2971987	-110.1677699	2,127.16	0.96	0.50	-0.82
12,599.00	87.56	269.10	10,406.63	1,397.72	-2,215.93	7,279,747.30	2,011,904.91	40.2971953	-110.1680960	2,218.12	2.39	-2.37	-0.27
12,689.00	86.36	268.85	10,411.40	1,396.11	-2,305.79	7,279,744.34	2,011,815.09	40.2971908	-110.1684181	2,307.98	1.36	-1.33	-0.28
12,779.00	88.47	268.77	10,415.46	1,394.25	-2,395.67	7,279,741.13	2,011,725.25	40.2971857	-110.1687403	2,397.86	2.35	2.34	-0.09
12,870.00	88.21	268.28	10,418.10	1,391.91	-2,486.60	7,279,737.43	2,011,634.37	40.2971792	-110.1690663	2,488.78	0.61	-0.29	-0.54
12,960.00	90.57	268.70	10,419.05	1,389.53	-2,576.56	7,279,733.71	2,011,544.47	40.2971727	-110.1693888	2,578.74	2.66	2.62	0.47
13,051.00	89.48	267.43	10,419.01	1,386.46	-2,667.50	7,279,729.28	2,011,453.59	40.2971642	-110.1697148	2,669.68	1.84	-1.20	-1.40
13,141.00	93.06	268.68	10,417.02	1,383.41	-2,757.41	7,279,724.88	2,011,363.74	40.2971558	-110.1700372	2,759.58	4.21	3.98	1.39
13,235.00	93.50	268.57	10,411.64	1,381.16	-2,851.23	7,279,721.22	2,011,269.97	40.2971496	-110.1703735	2,853.40	0.48	0.47	-0.12
13,329.00	90.45	268.58	10,408.40	1,378.82	-2,945.13	7,279,717.48	2,011,176.12	40.2971432	-110.1707101	2,947.30	3.24	-3.24	0.01
13,424.00	91.34	268.31	10,406.92	1,376.24	-3,040.09	7,279,713.48	2,011,081.22	40.2971361	-110.1710505	3,042.25	0.98	0.94	-0.28
13,518.00	87.94	268.24	10,407.51	1,373.41	-3,134.03	7,279,709.24	2,010,987.34	40.2971283	-110.1713873	3,136.18	3.62	-3.62	-0.07
13,612.00	88.32	269.94	10,410.58	1,371.92	-3,227.96	7,279,706.34	2,010,893.45	40.2971241	-110.1717241	3,230.11	1.85	0.40	1.81
13,706.00	89.33	269.97	10,412.50	1,371.85	-3,321.94	7,279,704.86	2,010,799.48	40.2971239	-110.1720610	3,324.09	1.07	1.07	0.03
13,800.00	89.01	269.65	10,413.87	1,371.54	-3,415.93	7,279,703.14	2,010,705.52	40.2971230	-110.1723979	3,418.08	0.48	-0.34	-0.34

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,895.00	89.16	269.04	10,415.38	1,370.45	-3,510.91	7,279,700.63	2,010,610.57	40.2971200	-110.1727384	3,513.06	0.66	0.16	-0.64
13,989.00	88.74	268.85	10,417.10	1,368.72	-3,604.88	7,279,697.50	2,010,516.64	40.2971152	-110.1730753	3,607.03	0.49	-0.45	-0.20
14,083.00	88.47	268.35	10,419.39	1,366.42	-3,698.82	7,279,693.79	2,010,422.75	40.2971089	-110.1734121	3,700.97	0.60	-0.29	-0.53
14,177.00	90.66	268.15	10,420.11	1,363.55	-3,792.77	7,279,689.52	2,010,328.86	40.2971010	-110.1737489	3,794.91	2.34	2.33	-0.21
14,271.00	88.98	269.15	10,420.40	1,361.34	-3,886.74	7,279,685.90	2,010,234.95	40.2970948	-110.1740857	3,888.87	2.08	-1.79	1.06
14,366.00	93.81	270.84	10,418.09	1,361.33	-3,981.68	7,279,684.46	2,010,140.02	40.2970948	-110.1744261	3,983.81	5.39	5.08	1.78
14,460.00	93.94	270.69	10,411.74	1,362.58	-4,075.46	7,279,684.31	2,010,046.24	40.2970982	-110.1747623	4,077.59	0.21	0.14	-0.16
14,554.00	92.21	270.49	10,406.70	1,363.55	-4,169.31	7,279,683.87	2,009,952.39	40.2971008	-110.1750987	4,171.45	1.85	-1.84	-0.21
14,648.00	91.43	270.04	10,403.71	1,363.98	-4,263.26	7,279,682.90	2,009,858.45	40.2971019	-110.1754355	4,265.40	0.96	-0.83	-0.48
14,743.00	90.20	269.33	10,402.36	1,363.46	-4,358.25	7,279,680.95	2,009,763.49	40.2971004	-110.1757761	4,360.39	1.49	-1.29	-0.75
14,837.00	89.83	268.93	10,402.33	1,362.03	-4,452.24	7,279,678.12	2,009,669.54	40.2970965	-110.1761130	4,454.37	0.58	-0.39	-0.43
14,931.00	88.61	268.70	10,403.61	1,360.09	-4,546.21	7,279,674.77	2,009,575.62	40.2970911	-110.1764499	4,548.34	1.32	-1.30	-0.24
15,026.00	90.01	269.04	10,404.76	1,358.22	-4,641.18	7,279,671.47	2,009,480.69	40.2970859	-110.1767903	4,643.31	1.52	1.47	0.36
15,120.00	90.32	268.32	10,404.49	1,356.05	-4,735.16	7,279,667.90	2,009,386.76	40.2970799	-110.1771272	4,737.28	0.83	0.33	-0.77
15,214.00	90.29	270.16	10,403.99	1,354.80	-4,829.14	7,279,665.25	2,009,292.81	40.2970764	-110.1774642	4,831.26	1.96	-0.03	1.96
15,308.00	90.81	272.14	10,403.08	1,356.69	-4,923.11	7,279,665.72	2,009,198.83	40.2970816	-110.1778010	4,925.24	2.18	0.55	2.11
15,402.00	89.78	273.77	10,402.60	1,361.54	-5,016.98	7,279,669.16	2,009,104.91	40.2970948	-110.1781376	5,019.12	2.05	-1.10	1.73
15,496.00	91.37	274.78	10,401.66	1,368.54	-5,110.71	7,279,674.76	2,009,011.09	40.2971140	-110.1784736	5,112.86	2.00	1.69	1.07
15,591.00	88.71	271.35	10,401.59	1,373.62	-5,205.55	7,279,678.42	2,008,916.19	40.2971279	-110.1788136	5,207.71	4.57	-2.80	-3.61
15,685.00	87.72	270.68	10,404.52	1,375.28	-5,299.49	7,279,678.68	2,008,822.24	40.2971324	-110.1791503	5,301.65	1.27	-1.05	-0.71
15,779.00	90.69	270.71	10,405.82	1,376.42	-5,393.47	7,279,678.41	2,008,728.27	40.2971355	-110.1794872	5,395.62	3.16	3.16	0.03
15,873.00	90.04	270.20	10,405.22	1,377.17	-5,487.46	7,279,677.75	2,008,634.28	40.2971375	-110.1798242	5,489.62	0.88	-0.69	-0.54
15,968.00	90.13	270.31	10,405.08	1,377.59	-5,582.46	7,279,676.75	2,008,539.29	40.2971386	-110.1801648	5,584.62	0.15	0.09	0.12
16,062.00	90.27	269.45	10,404.75	1,377.40	-5,676.46	7,279,675.14	2,008,445.31	40.2971380	-110.1805017	5,678.61	0.93	0.15	-0.91
16,102.00	90.01	269.45	10,404.66	1,377.01	-5,716.46	7,279,674.16	2,008,405.33	40.2971369	-110.1806451	5,718.61	0.65	-0.65	-0.01
Crossed Section - 16102.00' MD (1584 FNL, 0 FEL)													
16,156.00	89.66	269.44	10,404.81	1,376.49	-5,770.45	7,279,672.83	2,008,351.35	40.2971354	-110.1808387	5,772.61	0.65	-0.65	-0.01
16,251.00	89.68	269.36	10,405.36	1,375.49	-5,865.45	7,279,670.41	2,008,256.39	40.2971326	-110.1811793	5,867.60	0.09	0.02	-0.08
16,345.00	89.97	269.49	10,405.65	1,374.55	-5,959.44	7,279,668.06	2,008,162.42	40.2971300	-110.1815162	5,961.59	0.34	0.31	0.14
16,439.00	90.84	270.06	10,404.98	1,374.18	-6,053.44	7,279,666.28	2,008,068.45	40.2971289	-110.1818532	6,055.59	1.11	0.93	0.61
16,534.00	90.55	269.46	10,403.83	1,373.78	-6,148.43	7,279,664.46	2,007,973.48	40.2971277	-110.1821937	6,150.58	0.70	-0.31	-0.63
16,627.00	89.17	268.59	10,404.06	1,372.20	-6,241.41	7,279,661.48	2,007,880.54	40.2971233	-110.1825271	6,243.56	1.75	-1.48	-0.94
16,722.00	89.38	268.39	10,405.26	1,369.70	-6,336.37	7,279,657.56	2,007,785.64	40.2971164	-110.1828675	6,338.51	0.31	0.22	-0.21
16,816.00	89.12	268.04	10,406.49	1,366.77	-6,430.32	7,279,653.23	2,007,691.75	40.2971083	-110.1832043	6,432.45	0.46	-0.28	-0.37
16,910.00	89.65	268.70	10,407.50	1,364.09	-6,524.27	7,279,649.15	2,007,597.85	40.2971009	-110.1835411	6,526.41	0.90	0.56	0.70
17,004.00	91.40	270.76	10,406.64	1,363.65	-6,618.26	7,279,647.29	2,007,503.89	40.2970996	-110.1838780	6,620.39	2.88	1.86	2.19
17,098.00	90.00	268.07	10,405.49	1,362.69	-6,712.24	7,279,644.93	2,007,409.94	40.2970969	-110.1842149	6,714.37	3.23	-1.49	-2.86
17,192.00	91.91	272.38	10,403.92	1,363.06	-6,806.19	7,279,643.89	2,007,316.00	40.2970978	-110.1845518	6,808.33	5.01	2.03	4.59

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
17,286.00	91.39	271.07	10,401.21	1,365.89	-6,900.11	7,279,645.31	2,007,222.05	40.2971055	-110.1848885	6,902.25	1.50	-0.55	-1.39
17,381.00	91.50	270.57	10,398.82	1,367.25	-6,995.07	7,279,645.25	2,007,127.09	40.2971092	-110.1852289	6,997.21	0.54	0.12	-0.53
17,475.00	91.86	270.50	10,396.06	1,368.12	-7,089.03	7,279,644.72	2,007,033.14	40.2971115	-110.1855657	7,091.17	0.39	0.38	-0.07
17,570.00	91.25	269.73	10,393.48	1,368.31	-7,183.99	7,279,643.48	2,006,938.19	40.2971120	-110.1859061	7,186.13	1.03	-0.64	-0.81
17,664.00	89.79	269.77	10,392.63	1,367.90	-7,277.98	7,279,641.67	2,006,844.22	40.2971108	-110.1862431	7,280.12	1.55	-1.55	0.04
17,758.00	88.85	269.15	10,393.75	1,367.02	-7,371.97	7,279,639.37	2,006,750.26	40.2971083	-110.1865800	7,374.11	1.20	-1.00	-0.66
17,852.00	89.38	272.31	10,395.20	1,368.22	-7,465.94	7,279,639.16	2,006,656.29	40.2971115	-110.1869169	7,468.08	3.41	0.56	3.36
17,946.00	89.29	272.74	10,396.29	1,372.36	-7,559.84	7,279,641.90	2,006,562.35	40.2971228	-110.1872536	7,561.99	0.47	-0.10	0.46
18,039.00	89.57	275.66	10,397.22	1,379.17	-7,652.58	7,279,647.32	2,006,469.53	40.2971414	-110.1875860	7,654.73	3.15	0.30	3.14
18,133.00	89.54	271.51	10,397.95	1,385.04	-7,746.37	7,279,651.79	2,006,375.66	40.2971574	-110.1879223	7,748.54	4.41	-0.03	-4.41
18,227.00	88.82	270.03	10,399.29	1,386.31	-7,840.35	7,279,651.64	2,006,281.68	40.2971608	-110.1882592	7,842.52	1.75	-0.77	-1.57
18,322.00	89.54	273.05	10,400.65	1,388.86	-7,935.29	7,279,652.77	2,006,186.72	40.2971677	-110.1885995	7,937.46	3.27	0.76	3.18
18,415.00	87.84	269.39	10,402.78	1,390.84	-8,028.23	7,279,653.36	2,006,093.77	40.2971731	-110.1889327	8,030.40	4.34	-1.83	-3.94
18,509.00	91.54	269.53	10,403.29	1,389.95	-8,122.21	7,279,651.07	2,005,999.82	40.2971706	-110.1892696	8,124.38	3.94	3.94	0.15
18,603.00	87.79	267.72	10,403.84	1,387.70	-8,216.16	7,279,647.40	2,005,905.92	40.2971643	-110.1896064	8,218.33	4.43	-3.99	-1.93
18,697.00	88.36	268.45	10,406.99	1,384.56	-8,310.05	7,279,642.86	2,005,812.09	40.2971556	-110.1899430	8,312.21	0.98	0.61	0.78
18,790.00	87.84	268.14	10,410.08	1,381.79	-8,402.96	7,279,638.70	2,005,719.24	40.2971479	-110.1902761	8,405.12	0.65	-0.56	-0.33
18,884.00	89.27	268.44	10,412.45	1,378.99	-8,496.88	7,279,634.49	2,005,625.38	40.2971401	-110.1906128	8,499.04	1.55	1.52	0.32
18,979.00	89.26	267.90	10,413.67	1,375.96	-8,591.83	7,279,630.04	2,005,530.50	40.2971317	-110.1909532	8,593.98	0.57	-0.01	-0.57
19,073.00	89.73	268.90	10,414.49	1,373.33	-8,685.78	7,279,626.01	2,005,436.59	40.2971244	-110.1912900	8,687.93	1.18	0.50	1.06
19,166.00	88.89	268.37	10,415.61	1,371.12	-8,778.75	7,279,622.40	2,005,343.68	40.2971183	-110.1916233	8,780.89	1.07	-0.90	-0.57
19,261.00	91.15	269.08	10,415.58	1,369.00	-8,873.72	7,279,618.86	2,005,248.76	40.2971124	-110.1919637	8,875.86	2.49	2.38	0.75
19,355.00	89.92	267.87	10,414.70	1,366.50	-8,967.68	7,279,614.95	2,005,154.85	40.2971054	-110.1923005	8,969.81	1.84	-1.31	-1.29
19,449.00	90.06	267.83	10,414.72	1,362.98	-9,061.61	7,279,610.02	2,005,060.99	40.2970956	-110.1926373	9,063.74	0.15	0.15	-0.04
19,543.00	90.56	268.02	10,414.21	1,359.57	-9,155.55	7,279,605.21	2,004,967.12	40.2970862	-110.1929740	9,157.67	0.57	0.53	0.20
19,638.00	90.43	267.66	10,413.39	1,355.99	-9,250.48	7,279,600.21	2,004,872.26	40.2970763	-110.1933144	9,252.60	0.40	-0.14	-0.38
19,732.00	90.50	268.19	10,412.63	1,352.59	-9,344.41	7,279,595.40	2,004,778.39	40.2970668	-110.1936511	9,346.53	0.57	0.07	0.56
19,826.00	87.96	269.05	10,413.89	1,350.32	-9,438.37	7,279,591.73	2,004,684.49	40.2970605	-110.1939879	9,440.48	2.85	-2.70	0.91
19,920.00	89.19	269.78	10,416.23	1,349.37	-9,532.33	7,279,589.36	2,004,590.56	40.2970578	-110.1943248	9,534.44	1.52	1.31	0.78
20,014.00	89.22	269.96	10,417.53	1,349.15	-9,626.32	7,279,587.74	2,004,496.59	40.2970571	-110.1946617	9,628.43	0.19	0.03	0.19
20,109.00	89.99	270.21	10,418.19	1,349.29	-9,721.32	7,279,586.46	2,004,401.61	40.2970574	-110.1950023	9,723.43	0.85	0.81	0.26
20,203.00	89.68	269.93	10,418.46	1,349.41	-9,815.32	7,279,585.17	2,004,307.62	40.2970576	-110.1953393	9,817.43	0.44	-0.33	-0.30
20,297.00	89.51	272.53	10,419.12	1,351.43	-9,909.29	7,279,585.78	2,004,213.64	40.2970630	-110.1956761	9,911.40	2.77	-0.18	2.77
20,391.00	90.14	273.14	10,419.41	1,356.07	-10,003.17	7,279,589.02	2,004,119.70	40.2970757	-110.1960127	10,005.29	0.93	0.67	0.65
20,485.00	90.06	273.34	10,419.25	1,361.39	-10,097.02	7,279,592.93	2,004,025.79	40.2970902	-110.1963492	10,099.15	0.23	-0.09	0.21
20,579.00	90.28	273.87	10,418.97	1,367.30	-10,190.83	7,279,597.43	2,003,931.91	40.2971063	-110.1966855	10,192.97	0.61	0.23	0.56
20,674.00	90.63	273.76	10,418.21	1,373.62	-10,285.62	7,279,602.33	2,003,837.04	40.2971235	-110.1970253	10,287.76	0.39	0.37	-0.12

RECEIVED: Dec. 05, 2024

Survey Report

Company:	XCL Resources	**Local Co-ordinate Reference:**	Well GOOSE 72-2423-23D
Project:	Duchesne Co, UT (NAD 83-True)	**TVD Reference:**	5814 GL + 30 @ 5844.00usft
Site:	Texas Anderson 19-1C-22 (Goose Pad)	**MD Reference:**	5814 GL + 30 @ 5844.00usft
Well:	GOOSE 72-2423-23D	**North Reference:**	True
Wellbore:	Wellbore #1	**Survey Calculation Method:**	Minimum Curvature
Design:	Final Surveys	**Database:**	.Total Directional Production DB

Survey

Measured Depth (usft)	INC (°)	AZI (°)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Map Coordinates Northing (usft)	Map Coordinates Easting (usft)	Geo Coordinates Latitude (°)	Geo Coordinates Longitude (°)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
20,767.00	89.38	272.86	10,418.20	1,378.99	-10,378.46	7,279,606.31	2,003,744.14	40.2971382	-110.1973581	10,380.62	1.66	-1.34	-0.97
20,862.00	89.27	272.07	10,419.32	1,383.07	-10,473.37	7,279,608.97	2,003,649.19	40.2971493	-110.1976984	10,475.53	0.84	-0.12	-0.83
20,956.00	90.04	271.56	10,419.89	1,386.05	-10,567.32	7,279,610.54	2,003,555.21	40.2971574	-110.1980352	10,569.48	0.98	0.82	-0.54
21,050.00	90.04	271.24	10,419.82	1,388.35	-10,661.29	7,279,611.43	2,003,461.22	40.2971635	-110.1983721	10,663.46	0.34	0.00	-0.34
21,144.00	90.14	271.07	10,419.68	1,390.24	-10,755.27	7,279,611.92	2,003,367.23	40.2971686	-110.1987090	10,757.44	0.21	0.11	-0.18
21,238.00	90.20	271.19	10,419.40	1,392.10	-10,849.25	7,279,612.36	2,003,273.24	40.2971736	-110.1990459	10,851.42	0.14	0.06	0.13
21,313.00	90.32	270.90	10,419.06	1,393.46	-10,924.24	7,279,612.60	2,003,198.25	40.2971773	-110.1993147	10,926.41	0.42	0.16	-0.39
Crossed Hardline - 21313.00' MD (1536 FNL, 100 FWL)													
21,323.00	90.34	270.86	10,419.00	1,393.62	-10,934.24	7,279,612.61	2,003,188.25	40.2971777	-110.1993506	10,936.41	0.42	0.16	-0.39
End MWD @ 21323.00 MD													
21,372.00	90.34	270.86	10,418.71	1,394.35	-10,983.23	7,279,612.61	2,003,139.25	40.2971796	-110.1995262	10,985.41	0.00	0.00	0.00
Prj to Bit @ 21372.00 MD (1534 FNL, 41 FWL)													

Design Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates +N/-S (usft)	Local Coordinates +E/-W (usft)	Comment
226.00	225.99	1.65	1.34	Start MWD @ 226.00 MD
10,830.00	10,432.17	1,476.92	-451.76	Crossed Section - 10830.00' MD (1469 FNL, 0 FEL)
10,930.00	10,435.00	1,487.22	-551.10	Crossed Hardline - 10930.00' MD (1459 FNL, 100 FEL)
16,102.00	10,404.66	1,377.01	-5,716.46	Crossed Section - 16102.00' MD (1584 FNL, 0 FEL)
21,313.00	10,419.06	1,393.46	-10,924.24	Crossed Hardline - 21313.00' MD (1536 FNL, 100 FWL)
21,323.00	10,419.00	1,393.62	-10,934.24	End MWD @ 21323.00 MD
21,372.00	10,418.71	1,394.35	-10,983.23	Prj to Bit @ 21372.00 MD (1534 FNL, 41 FWL)

Checked By: ______________ Approved By: ______________ Date: ______________

RECEIVED: Dec. 05, 2024

XCL Resources

Project: Duchesne Co, UT (NAD 83-True)
Site: Texas Anderson 19-1C-22 (Goose Pad)
Well: GOOSE 72-2423-23D
Wellbore: Wellbore #1
Design: Final Surveys
Rig:

PROJECT DETAILS: Duchesne Co, UT (NAD 83-True)

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: Utah Central Zone

Reference Datum: 5814 GL + 30 @ 5844.00usft

SHL

RKB Elevation: 5814 GL + 30 @ 5844.00usft

+N/-S	+E/-W	Northing	Easting	Latittude	Longitude	Slot
0.00	0.00	7278383.02	2014141.37	40.2933588	-110.1601520	

Azimuths to True North
Magnetic North: 10.45°

Magnetic Field
Strength: 51113.2nT
Dip Angle: 65.68°
Date: 1/27/2024
Model: HDGM2024

ANNOTATIONS

MD	Inc	Azi	TVD	+N/-S	+E/-W	VSect	Departure	Annotation
226.00	1.08	39.14	225.99	1.65	1.34	-1.34	2.13	Start MWD @ 226.00 MD
10830.00	84.20	277.76	10432.16	1476.92	-451.76	454.08	1958.63	Crossed Section - 10830.00' MD (1469 FNL, 0 FEL)
10930.00	90.16	272.21	10435.00	1487.22	-551.10	553.43	2058.28	Crossed Hardline - 10930.00' MD (1459 FNL, 100 FEL)
16102.00	90.01	269.45	10404.66	1377.01	-5716.45	5718.61	7228.20	Crossed Section - 16102.00' MD (1584 FNL, 0 FEL)
21313.00	90.32	270.90	10419.05	1393.46	-10924.24	10926.41	12438.61	Crossed Hardline - 21313.00' MD (1536 FNL, 100 FWL)
21323.00	90.34	270.86	10419.00	1393.62	-10934.24	10936.41	12448.60	End MWD @ 21323.00 MD
21372.00	90.34	270.86	10418.71	1394.35	-10983.23	10985.41	12497.60	Prj to Bit @ 21372.00 MD (1534 FNL, 41 FWL)



RECEIVED: Dec. 05, 2024

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Jobs

AFE Number	Wellbore Name	Wellbore API/UWI	Primary Job Type	Start Date	End Date	Spud Date
220504	Original Hole	43-013-54556	Initial Completion	4/9/2024	9/3/2024	

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
4/9/2024 06:00	4/9/2024 07:30	21,372.0		Standby	Well Shut In	1.50	Special Services	WSI, PREP FOR CEMENT DRILL OUT OPS.
4/9/2024 07:30	4/9/2024 13:00			General Ops	Rigging In	5.50	Special Services	NIPPLE UP B-SECTION AND 10K FRAC VALVE, NU KLX BOP, FAILD TEST, REPLACE DOOR SEALS.
4/9/2024 13:00	4/9/2024 17:00			General Ops	Rigging In	4.00	Special Services	MIRU MESA RIG, SPOT CAT WALK, RACK AND TALLY TBG, RU FLUID PUMP AND PREP FOR CEMENT DRILL OUT OPS.
4/9/2024 17:00	4/10/2024 06:00			Standby	Well Shut In	13.00	Special Services	WSI, PREP FOR CEMENT DRILL OUT OPS.
4/10/2024 06:00	4/10/2024 07:15			Standby	Well Shut In	1.25	Special Services	WSIFN
4/10/2024 07:15	4/10/2024 08:45			General Ops	Standby	1.50	Special Services	INVENTORU X-O'S, MAKE UP CEMENT DRILL OUT BHA, CONSISTING OF THE FOLLOWING OD ITEM ID 3.750" 3 BLADED DRAG BIT 1.375" 3.125" BIT SUB 1.250" 2.906" 1-JT 2.375" PH-6 1.805" 3.125" PH-6 PIN BY IF BOX 1.500" 3.125" STRING MILL 1.000" 3.125" IF PIN BY PH-6 BOX 1.000" 3.000" RN-NIPPLE 1.710" 2.906" 1-JT 2.375" PH-6 1.805" 3.000" R-NIPPLE 1.710"
4/10/2024 08:45	4/10/2024 11:15			RTBG	Run Tubing	2.50	Special Services	TALLY, DRIFT AND RIH WITH 123 JTS OF 2.375" PH-6 TBG, FLOOR HAND DROPPED DRIFT DOWN STUMP IN SLIPS.
4/10/2024 11:15	4/10/2024 12:00			General Ops	Downhole issues	0.75	Special Services	RU PUMP LINE, REVERSE CIRC 28 BBLS TO HEAR DRIFT CHECK UP IN KELLY HOSE, SHUT IN TIW VALVE AND BRING PUMP DOWN SIMULTANEOUSLY, RECOVERED DRIFT.
4/10/2024 12:00	4/10/2024 12:30			General Ops	Standby	0.50	Special Services	EAT LUNCH
4/10/2024 12:30	4/10/2024 17:30			RTBG	Run Tubing	5.00	Special Services	CONTINUE TO MOVE TBG ON TO PIPE RACKS, TALLY AND DRIFT, RIH TO JT 286, RUN R-NIPPLE ON TOP OF JT 286, CONTINUE PU JTS RIH TO JT 300, RU PUMP.
4/10/2024 17:30	4/10/2024 18:15			General Ops	Downhole issues	0.75	Special Services	FLUSH TBG WITH 50 BBLS.
4/10/2024 18:15	4/10/2024 18:45			RTBG	Run Tubing	0.50	Special Services	CONTINUE PU TBG AND RIH TO JT 321 (10,250') TAG, PU OVER PULL.
4/10/2024 18:45	4/10/2024 20:30			General Ops	Rigging In	1.75	Special Services	TIE BACK SINGLE FAST, RU POWER SWIVEL.
4/10/2024 20:30	4/10/2024 22:00			General Ops	Downhole issues	1.50	Special Services	SET UP TO REVERSE CIRCULATE PUMPING 3 BPM, WC UP 72K, N 68k, DN 57K. POWER SWIVEL FREE TQ 1,000, RIH W JT 321 TAG AND MILL THROUGH 5' TQING UP TO 1,500, RUN JT ALL THE WAY IN WITH NO TQ BUILDING, PU AND BACK REAM WITH NO ISSUES, RIH NO TAG, SWIVEL IN 4 JTS WITH NO ISSUES, REVERSE CIRCULATE CLEAN 55 BBLS.
4/10/2024 22:00	4/10/2024 22:30			General Ops	Rigging Out	0.50	Special Services	RACK SWIVEL IN DERRICK.
4/10/2024 22:30	4/10/2024 22:45			RTBG	Run Tubing	0.25	Special Services	CONTINUE PU JTS RIHTO JT 333 AND TAG UP, PU WITH NO OVER PULL, RIH TAG SAME SPOT (10,638').
4/10/2024 22:45	4/10/2024 23:00			General Ops	Rigging In	0.25	Special Services	RU POWER SWIVEL
4/10/2024 23:00	4/11/2024 06:00			General Ops	Downhole issues	7.00	Special Services	SWIVEL IN JT 333 TAG UP AND TQ UP TO 1,500, MILL THROUGH BAD SPOT AND BACK REAM WITH NO ISSUES, CONTINUE SWIVELING IN JTS, TAG WITH JT 339 (10,828') MILL THROUGH 8' OF CEMENT, REVERSE CIRCULATE CLEAN, CONTINUE SWIVELING IN, ON JT 345 PUMPING 2.9 BPM CIRC PRESSURE BUILT FROM 1,500 PSI TO 2,000 PSI, PUMP TBG VOLUME WITH NO PRESSURE BREAK, COME OFF LINE AND PRESSURE BLEEDING OFF SLOWLY, PUMP DOWN TBG AND UP CSG 3.9 BPM 3,500 PSI, PUMP TBG VOLUME AND COME OFF LINE AND PRESSURE BLEEDS OFF INSTANTLY, CONTINUE PUMPING BOTH WAYS BACK AND FORTH WITH SAME RESULT, CONTINUE RIH CONVENTIONALLY CIRCULATING, RIH 6 JTS AND TRY REVERSE CIRCULATING WITH SAME ISSUE, CONTINUE RIH CONVENTIONALLY CIRCULATING, TAGGING CEMENT STRINGERS, RIH TO JT 364 (11,619'), RIH 6 MORE JTS AND POOH AND LAY DOWN 6 JTS TO MAKE SURE WE CAN RIH DRILL COLLARS, ON JT 365 ALL OUT TAG CEMENT AND BUILD TQ, REVERSE CIRCULATE CLEAN.
4/11/2024 06:00	4/11/2024 08:00			General Ops	Downhole issues	2.00	Special Services	MILLED DOWN 10' PUMPING 2.9 BPM 2,000 PSI, LOST RETURNS AND PRESSURED UP TO 4,000 PSI REVERSE CIRCULATING 65 BBLS IN, FLIP AROUND AND CONVENTIONAL CIRCULATE WITH GOOD RETURNS, 3 BPM AT 2,500 PSI, PU OFF CEMENT AND CIRCULATE CLEAN.
4/11/2024 08:00	4/11/2024 09:30			General Ops	Rigging In	1.50	Special Services	ISOLATE KELLY HOSE & STAND PIPE, REVERSE CIRCULATE 3 BPM @ 1,800 PSI, SHUT DOWN REMOVE KELLY HOSE FROM STAND PIPE, BREAK OUT UNION ON OLD KELLY HOSE, INSTALL ONTO NEW KELLY HOSE, RU KELLY HOSE.

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
4/11/2024 09:30	4/11/2024 09:45			General Ops	Downhole issues	0.25	Special Services	MAKE UP JT 365, REVERSE CIRCULATE AND CONTINUE MILLING CEMENT STRINGERS, TAG SOLID CEMENT @11,629' (9685' OF CEMENT INSIDE LINER) MILLED CEMENT STRINGERS FROM 10,250' TO 11,629'.
4/11/2024 09:45	4/11/2024 16:00			General Ops	Downhole issues	6.25	Special Services	START DRILLING SOLID CEMENT FROM 11,629' TO 11,811', CIRCULATE CLEAN.
4/11/2024 16:00	4/11/2024 16:30			PTBG	Pull Tubing	0.50	Special Services	SWIVEL OUT 6 JTS OF 2.375" PH-6.
4/11/2024 16:30	4/11/2024 17:45			RTBG	Run Tubing	1.25	Special Services	MAKE UP 2.375" PH-6 PIN X-O 2.875" IF 4.125" OD, SWIVEL IN 5- 4.125" OD DRILL COLLARS, MAKE UP 2.875" IF PIN X-O 2.875" PH-6 BOX AND X-NIPPLE.
4/11/2024 17:45	4/11/2024 18:30			General Ops	Rigging In	0.75	Special Services	LOAD PIPE RACKS WITH 2.875" PH-6, TALLY AND DRIFT.
4/11/2024 18:30	4/11/2024 20:00			General Ops	Downhole issues	1.50	Special Services	SWIVEL IN JT 365, PU JT 366 RIH 4' IN AND TAG CEMENT (11,811'), CONTINUE MILLING CEMENT REVERSE CIRCULATING AT 3 BPM AT 2,000 PSI, MILL DOWN TO JT 368 (11,901'), SEEING GOOD CEMENT IN RETURNS, LEAK ON POWER SIVEL, CIRCULATE BOTTOME UP.
4/11/2024 20:00	4/11/2024 21:00			General Ops	Standby	1.00		KLX FIXING HYDRAULIC LEAK AND PACKING LEAK ON POWER SWIVEL.
4/11/2024 21:00	4/12/2024 00:00			General Ops	Downhole issues	3.00	Special Services	CONTINUE MILLING CEMENT REVERSE CIRCULATING, ON JT 374 10' IN (12,068'), LOST RETURNS AND PRESSURED UP, SWAPPED TO CONVENTIONAL CIRCULATE AND PRESSURED UP, SWAPPED BACK TO REVERSE CIRCULATE AND POPPED BLOCKAGE FREE.
4/12/2024 00:00	4/12/2024 01:00			General Ops	Downhole issues	1.00	Special Services	PUMP BOTTOMES UP 2 TIMES TO CLEAN UP.
4/12/2024 01:00	4/12/2024 06:00			General Ops	Downhole issues	5.00	Special Services	CONTINUE MILLING CEMENT REVERSE CIRCULATING DOWN TO 12,198' JT 378 15' OUT.
4/12/2024 06:00	4/12/2024 18:00			General Ops	Downhole issues	12.00	Special Services	CONTINUE DRILLING CEMENT FROM 12,198' JT 378 TO 12,651' JT 392 (453' DRILLED UP), HAVING TO DRILL DOWN SLOW DO TO CEMENT HAVING LOTS OF VOIDS AND STRINGERS IN VOIDS, WHEN TRYING TO DRILL DOWN FASTER THE DRAG BIT IS KNOCKING OFF CHUNKS THAT ARE TRYING TO PLUG OFF TBG STRING IN SMALLER ID IN BHA EQUIPMENT.
4/12/2024 18:00	4/12/2024 22:30			General Ops	Downhole issues	4.50	Special Services	CONTINUE DRILLING CEMENT. ON JT 394 17' IN (12,700'), PLUGGED TBG OFF, PU TBG, WORK RATE BOTH WAYS TO FREE BLOCKAGE, CIRCULATE BOTTOMS UP, CONTINUE DRILLING CEMENT, ON JT 395 15' IN (12,729'), STAND PIPE CLOGGED OFF, CIRCULATE CLEAN, DRILL CEMENT FROM JT 392 (12,651') TO JT 395 15' IN (12,729').
4/12/2024 22:30	4/12/2024 23:00			General Ops	Rigging In	0.50	Special Services	PULL KELLY HOSE OFF STAND PIPE AND RUN FROM SWIVEL TO MANIFOLD.
4/12/2024 23:00	4/13/2024 06:00			General Ops	Downhole issues	7.00	Special Services	CONTINUE DRILLING CEMENT, ON JT 395 15' IN (12,729') TO (12904') JT 400 AT TIME OF REPORT.
4/13/2024 06:00	4/13/2024 18:00			General Ops	Downhole issues	12.00	Special Services	CONTINUE DRILLING CEMENT FROM 12,904' JT 400 TO 13,186' JT 409.
4/13/2024 18:00	4/14/2024 00:45			General Ops	Downhole issues	6.75	Special Services	CONTINUE DRILLING CEMENT FROM 13,186' JT 409 TO 13,375' JT 415. CIRCULATE BOTTOMS UP PU.
4/14/2024 00:45	4/14/2024 01:15			General Ops	Standby	0.50	Special Services	CIRCULATE WELL CLEAN, LUNCH.
4/14/2024 01:15	4/14/2024 06:00			General Ops	Downhole issues	4.75	Special Services	CONTINUE DRILLING CEMENT FROM 13,375' JT 415 TO 13,533' JT 420 AT TIME OF REPORT..
4/14/2024 06:00	4/14/2024 07:45			General Ops	Downhole issues	1.75	Special Services	CONTINUE DRILLING OUT CEMENT FROM 13,533' TO 13,606' 10' IN ON JT 423, RIG PUMP MANIFOLD VALVES BLEW OUT, SHUT DOWN, NEED VALVE REBUILD KITS AND NEW CAP SEALS, SWIVEL OUT 10 JTS.
4/14/2024 07:45	4/14/2024 09:45			Pump Down	Waiting on Services	2.00		WAIT FOR VALVE REBUILD KITS AND NEW CAP SEALS FROM VERNAL, CALL WATER TRUCK AND HYDRO VAC TO CLEAN RIG TANK WHILE WAITING.
4/14/2024 09:45	4/14/2024 10:45			General Ops	Flowback	1.00	Special Services	WATER TRUCK AND HYDRO VAC ON LOCATION, PULL 100 BBLS OUT OF RIG TANK, RU HYDRO VAC AND CLEAN OUT BACK COMPARTMENT OF RIG TANK. 10-12" OF CEMENT CHUNKS IN TANK.
4/14/2024 10:45	4/14/2024 11:30			RTBG	Run Tubing	0.75	Special Services	SWIVEL BACK IN HOLE FROM 13,313' WHILE CIRCULATING 3.1 BPM 2,000 PSI TO TAG CEMENT AT 13,600' JT 423 IN HOLE.
4/14/2024 11:30	4/14/2024 18:00			General Ops	Downhole issues	6.50	Special Services	DRILL DOWN TO 13,606' WHERE WE PULLED TBG FROM, CONTINUE DRILLING CEMENT TO 13712' JT 426 21' IN.
4/14/2024 18:00	4/14/2024 22:30			General Ops	Downhole issues	4.50	Special Services	CONTINUE DRILLING CEMENT FROM 13,712' JT 426 21' IN TO 13,817' JT 429 ALL IN, GOING TO MAKE A CONNECTION AND RIG DIED, CONTINUE TO REVERSE CIRCULATE.
4/14/2024 22:30	4/15/2024 00:00			General Ops	Standby	1.50		RIG SHUT OFF, CHECKING ALL FLUIDS AND E-KILLS, BALL SWITCH FOR FUEL CUT OFF WAS TRIPPED.
4/15/2024 00:00	4/15/2024 06:00			General Ops	Downhole issues	6.00	Special Services	CONTINUE DRILLING CEMENT FROM 13,817' JT 429 TO 14,101' JT 438.
4/15/2024 06:00	4/15/2024 12:45			General Ops	Downhole issues	6.75	Special Services	CONTINUE DRILLING CEMENT FROM 14,101' JT 438 TO 14,502' JT 451 8' OUT, AT 14,502' FELL OUT OF CEMENT.

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
4/15/2024 12:45	4/15/2024 13:45			General Ops	Downhole issues	1.00	Special Services	LOST CIRCULATION AT RIG TANK, STILL PUMPING 3.5 BPM @ 2,200 PSI, PUMPED 13 BBLS OUT OF RIG TANK TO CATCH CIRCULATION AGAIN, CIRCULATE BOTTOMS UP WITH TBG PLUGGING UP 15 TIMES, ABLE TO ROCK PRESSURE DOWN TBG AND ESTABLISH CIRCULATION AND BOTTOMS UP.
4/15/2024 13:45	4/15/2024 18:00			General Ops	Downhole issues	4.25	Special Services	SWIVEL IN HOLE 14' TO TAG UP AT 14,524' JT 452, CONTINUE TO DRILL CEMENT TO 14,637' JT 455, PLUGGED OFF PUMP MANIFOLD, WOULD NOT POP FREE SWAPPING DIRECTIONS, BLEED OFF PRESSURE TO CELLAR, PULL MANIFOLD APART AND CLEAN OUT, CONTINUE DRILLING CEMENT FROM 14,637' JT 455 TO 14,668' JT 456.
4/15/2024 18:00	4/15/2024 21:45			General Ops	Downhole issues	3.75	Special Services	CONTINUE TO DRILL CEMENT FROM 14,668 JT 456 TO 14,731' JT 458, PLUGGED OFF, COULD NOT BLEED PRESSURE OFF, BLEED PRESSURE OFF TO CELLAR, FOUND PLUG IN DIFFUSER ON TANK, FREE BLOCKAGE, CONTINUE DRILLING CEMENT FROM 14,731' JT 458 TO 14,794' JT 460.
4/15/2024 21:45	4/15/2024 22:45			General Ops	Rigging In	1.00	Special Services	CIRCULATE BOTTOMS UP, TIE IN BACK UP PUMP AND NEW MANIFOLD.
4/15/2024 22:45	4/16/2024 00:30			General Ops	Downhole issues	1.75	Special Services	CONTINUE TO DRILL CEMENT FROM 14,794' JT 460 TO 14,826' JT 461, WHEN BLEEDING OFF TBG TO MAKE A CONNECTION LOST GREASE PORT FITTING ON MANIFOLD, MESA DOSE NOT HAVE A REPLACEMENT VALVE.
4/16/2024 00:30	4/16/2024 01:00			General Ops	Rigging In	0.50	Special Services	RIG OUT MANIFOLD AND SWAP BACK TO MANIFOLD ON PUMP.
4/16/2024 01:00	4/16/2024 06:00			General Ops	Downhole issues	5.00	Special Services	CONTINUE DRILLING CEMENT FROM 14,826' JT 461 TO 14,970' JT 466.
4/16/2024 06:00	4/16/2024 11:15	21,372.0		General Ops	Downhole issues	5.25	Special Services	DRILL CEMENT FROM 14,970' 14' OUT JT #466 TO 15,047' JT #468, ANNULAR BAG LEAKING
4/16/2024 11:15	4/16/2024 11:45			PTBG	Pull Tubing	0.50	Special Services	SWIVEL 2 JTS OUT OF HOLE, HANG POWER SWIVEL BACK IN DERRICK, LAND TBG WITH HANGER & CROSSOVERS
4/16/2024 11:45	4/16/2024 12:45			General Ops	Standby	1.00	Special Services	SWAP OUT ANNULAR ELEMENT
4/16/2024 12:45	4/16/2024 13:15			RTBG	Run Tubing	0.50	Special Services	RU POWER SWIVEL, SWIVEL IN HOLE TO 15,047' JT #468
4/16/2024 13:15	4/16/2024 18:00			General Ops	Downhole issues	4.75	Special Services	CONTINUE DRILLING CEMENT FROM 15,047' JT 468 TO 15,173' JT 472.
4/16/2024 18:00	4/17/2024 06:00			General Ops	Downhole issues	12.00	Special Services	CONTINUE DRILLING CEMENT FROM 15,173 JT 472 TO 15,283' JT 476 15' IN CONTINUE FIGHTING PLUGGING OFF TBG ISSUES. PLUGGED OFF 10 TIMES, PU 15' FLUSH DOWN TBG 20 BBLS, REVERSE CIRCULATE BOTTOMS UP. CONTINUE DRILLING CEMENT TO 15,373' JT 479 10' IN PLUGGED OFF MULTIPLE TIMES, CIRCULATE BOTTOMS UP, CONTINUE DRILLING CEMENT TO 15,405 JT #480 (20' OUT)
4/17/2024 06:00	4/17/2024 10:15			General Ops	Downhole issues	4.25	Special Services	CONTINUE DRILLING CEMENT FROM 15,405' JT #480 (20' OUT) TO 15,517' JT #483,
4/17/2024 10:15	4/17/2024 11:00			General Ops	Downhole issues	0.75	Special Services	CIRCULATE TBG CLEAN
4/17/2024 11:00	4/17/2024 11:30			General Ops	Rigging Out	0.50	Special Services	SWIVEL OUT 1JT, RD & HANG POWER SWIVEL OFF IN DERRICK
4/17/2024 11:30	4/17/2024 12:30			PTBG	Pull Tubing	1.00	Special Services	START OUT OF HOLE STANDING TBG BACK IN DERRICK
4/17/2024 12:30	4/17/2024 13:00			General Ops	Standby	0.50	Special Services	EAT LUNCH
4/17/2024 13:00	4/17/2024 18:30			PTBG	Pull Tubing	5.50	Special Services	CONTINUE OUT OF HOLE STANDING TBG BACK IN DERRICK.
4/17/2024 18:30	4/17/2024 18:45			General Ops	Rigging In	0.25	Special Services	SWAP OUT OUT 3 BLADE DRAG BIT FOR 4 BLADE DRAG BIT ON SAME BHA.
4/17/2024 18:45	4/17/2024 21:45			RTBG	Run Tubing	3.00	Special Services	RIH ORIGINAL BHA WITH NEW 4 BLADE DRAG MILL. BHA CONSISTING OF THE FOLLOWING OD ITEM ID 3.750" 4 BLADED DRAG BIT 1.500" 3.125" BIT SUB 1.250" 2.906" 1-JT 2.375" PH-6 1.805" 3.125" PH-6 PIN BY IF BOX 1.500" 3.125" STRING MILL 1.000" 3.125" IF PIN BY PH-6 BOX 1.000" 3.000" RN-NIPPLE 1.710" 2.906" 1-JT 2.375" PH-6 1.805" 3.000" R-NIPPLE 1.710" RIH 143 STAND (286 JTS) OF 2.375" PH-6 OUT OF DERRICK R-NIPPLE, RIH 39 STANDS (78 JTS) OF 2.375" PH-6 OUT OF DERRICK .
4/17/2024 21:45	4/17/2024 22:15			General Ops	Rigging In	0.50	Special Services	SWAP OUT ELIVATORS, TIE BACK RIG SINGLE FAST.
4/17/2024 22:15	4/17/2024 23:00			RTBG	Run Tubing	0.75	Special Services	MAKE UP RIH, 2.375" PH-6 PIN X-O 2.875" IF 4.125" OD, 5-4.125" OD DRILL COLLARS, 2.875" IF PIN X-O 2.875" PH-6 BOX AND X-NIPPLE.
4/17/2024 23:00	4/17/2024 23:30			General Ops	Rigging In	0.50	Special Services	SWAP OUT ELIVATORS

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
4/17/2024 23:30	4/18/2024 00:30			RTBG	Run Tubing	1.00	Special Services	RIH 59 STANDS (118 JTS) OF 2.875" PH-6 OUT OF DERRICK.
4/18/2024 00:30	4/18/2024 01:15			General Ops	Rigging In	0.75	Special Services	RU POWER SWIVEL
4/18/2024 01:15	4/18/2024 06:00			General Ops	Downhole issues	4.75	Special Services	PU JT 483 AND TAG CEMENT AT 15,517' JT 483 5' OUT, WC UP 100K, N 60K, IN 58K, POWER SWIVEL FREE SPIN 2,100, CONTINUE DRILLING CEMENT REVERSE CIRCULATING AT 3 BPM 1,550 PSI, DRILL FROM 15,517 DOWN TO 15,627' JT #487 (20' OUT) AT TIME OF REPORT
4/18/2024 06:00	4/18/2024 18:00			General Ops	Downhole issues	12.00	Special Services	CONTINUE DRILLING CEMENT FROM 15,627' JT# 487 (20' OUT) TO 15,932 JT# 496, PLUGGING OFF TBG W/CEMENT CHUNKS WORK PIPE,ADJUST PUMP RATES AND SWAP TO CONVENTIONAL CIRC TO FREE UP RETURN PORTS IN BIT. SWAP TO REVERSE CIRCULATION CONTINUE DOWN HOLE MILLING CEMENT
4/18/2024 18:00	4/18/2024 23:15			General Ops	Downhole issues	5.25	Special Services	CONTINUE DRILLING CEMENT FROM 15,932' JT# 496 TO 16,122 JT# 502, PLUGGING OFF TBG W/CEMENT CHUNKS WORK PIPE,ADJUST PUMP RATES AND SWAP TO CONVENTIONAL CIRC TO FREE UP RETURN PORTS IN BIT. SWAP TO REVERSE CIRCULATION CONTINUE DOWN HOLE MILLING CEMENT
4/18/2024 23:15	4/18/2024 23:45			General Ops	Standby	0.50	Special Services	DINNER BREAK CIRC HOLE
4/18/2024 23:45	4/19/2024 06:00			General Ops	Downhole issues	6.25	Special Services	CONTINUE DRILLING CEMENT FROM 16,122' JT# 502 TO 16.344' JT# 509 (20' OUT) PLUGGING OFF TBG W/CEMENT CHUNKS WORK PIPE,ADJUST PUMP RATES AND SWAP TO CONVENTIONAL CIRC TO FREE UP RETURN PORTS IN BIT. SWAP TO REVERSE CIRCULATION CONTINUE DOWN HOLE MILLING CEMENT
4/19/2024 06:00	4/19/2024 06:00						Special Services	
4/19/2024 06:00	4/19/2024 16:00			General Ops	Downhole issues	10.00	Special Services	TIH DRILLING CEMENT FROM 16,344' JT#509 (20' OUT) T0 16,597' JT# 517 (23' OUT) REVERSE CIRCULATING. WORKING PIPE AND ADJUSTING PUMP/RETURNS BETWEEN REVERSE AND CONVENTIONAL CIR TO FREE AND OBSTRUCTIONS @ PORTS IN BIT (4 BLADE DRAG MILL) BEFORE ESTABLISHING REVERSE FLOW AND CONTINUE TO TIH
4/19/2024 16:00	4/20/2024 06:00			General Ops	Downhole issues	14.00	Special Services	TIH DRILLING CEMENT FROM 16,597' JT#517 (23' OUT) T0 16,966' JT# 529 (10 OUT) REVERSE CIRCULATING. WORKING PIPE AND ADJUSTING PUMP/RETURNS BETWEEN REVERSE AND CONVENTIONAL CIR TO FREE AND OBSTRUCTIONS @ PORTS IN BIT (4 BLADE DRAG MILL) BEFORE ESTABLISHING REVERSE FLOW AND CONTINUE TO TIH
4/20/2024 06:00	4/20/2024 16:00			General Ops	Downhole issues	10.00	Special Services	CONTINUE TIH W/WORK STRING AND DRILL CEMENT FROM 16,966' JT# 529 (10' OUT) TO 17,224 ' JT#537 (5' OUT) REVERSE CIRCULATE DOWN HOLE MILLING CEMENT RETURNING SMALL/MEDIUM CEMENT PARTS. SWAPPED 180BBLS OF WORKING FLUID FOR FRESH WATER AND ADDED 10 GALLONS OF POP 311' DRILLED
4/20/2024 16:00	4/21/2024 03:15			General Ops	Downhole issues	11.25	Special Services	CONTINUE TIH W/WORK STRING AND DRILL CEMENT FROM 17,224' JT# 537 (5' OUT) TO 17,544 ' JT#547 (16' OUT) REVERSE CIRCULATE DOWN HOLE MILLING CEMENT RETURNING SMALL/MEDIUM CEMENT PARTS. ADDED 2- 10 GALLONS DROPS OF POP, STARTING TO PULL UP AGAIN. 320' DRILLED IN 12 HRS 578' DRILLED IN 24 HRS
4/21/2024 03:15	4/21/2024 05:15			General Ops	Standby	2.00	Special Services	CIRC BOTTOMS UP, NU TUBING HANGER AND LANDING JOINT LAND HANGER, PULL LANDING JOINT, AND CHANGE OUT BAG ON HYDRILL, PULL HANGER AND NU TO DRILL. MESA WILL CHECK BLEED MANIFOLD WHILE DOWN
4/21/2024 06:00	4/21/2024 11:45			General Ops	Standby	5.75		MU TUBING HANGER AND LANDING JOINT LAND HANGER, PULL LANDING JOINT OPEN ANNULAR AND FOUND A BLOWN HYDRAULIC SEAL.. ND HYDRILL AND WAIT ON REPLACEMENT TO ARRIVE ON LOCATION/ NU NEW HYDRILL ANNULAR, STAB INTO AND PULL HANGER, BO/LD HANGER, PU SWIVEL AND CONTINE IN HOLE
4/21/2024 11:45	4/21/2024 16:00			General Ops	Downhole issues	4.25	Special Services	TIH W/JTS 544-547 TO TAG RESUME MILLING CEMENT @ 17,544' JT # 547. TO 17,607' JT# 549 (5' OUT) REVERSE CIRCULATE RETURNING SMALL/MEDIUM PARTS. WORK STRING AND SWAP PUMPING FROM REVERSE TO CONVENTIONAL TO CLEAR BLOCKAGES, ESTABLISH REVERSE CIRCULATION AND CONTINUE MILLING. ADDED 10 GALLONS OF POP REMOVED 100BBLS FROM WORKING FLUID AND CLEANED RETURNS TANK.
4/21/2024 16:00	4/22/2024 06:00			General Ops	Downhole issues	14.00	Special Services	CONTINUE MILLING CEMENT @ 17,607' JT # 549. TO 17,'967 JT# 561 (20' OUT) REVERSE CIRCULATE RETURNING SMALL/MEDIUM PARTS. WORK STRING AND SWAP PUMPING FROM REVERSE TO CONVENTIONAL TO CLEAR BLOCKAGES,

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
4/22/2024 06:00	4/22/2024 16:00			General Ops	Downhole issues	10.00	Special Services	CONTINUE DRILLING FROM 17,967' JT# 561 (20' OUT) TO 18,208' JT# 568 (5' OUT) REVERSE CIRULATE CUTTINGS OOH. OCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING RREVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 64K 241' DRLLED
4/22/2024 16:00	4/23/2024 06:00			General Ops	Downhole issues	14.00	Special Services	CONTINUE DRILLING FROM 18,208' JT# 568 (5' OUT) TO 18,500' JT# 578 (24' OUT) REVERSE CIRULATE CUTTINGS OOH. OCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING RREVERSE CIRCULATION AND MAKING NEW HOLE. 292 ' DRLLED
4/23/2024 06:00	4/23/2024 14:30			General Ops	Downhole issues	8.50	Special Services	CONTINUE DRILLING FROM 18,500' JT# 578 (24' OUT) TO 18,630' JT# 582 (20' OUT) REVERSE CIRULATE CUTTINGS OOH. OCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING RREVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 64K 130' DRLLED
4/23/2024 14:30	4/23/2024 16:00			General Ops	Downhole issues	1.50	Special Services	SLOWLY LOOSING ROP OVER THE LAST 48HRS. DECISSION MADE TO POOH, INSPECT BHA AND SWAP MILL. CIRCULATE WELLLBORE CLEAN WHILE WORKING PIPE. SWIVEL OUT 3JTS AND RACK SWIVEL. CONTINUE OOH PULLING STANDS 2.875" PH-6, LAYDOWN DRILL COLLARS, POOH W/STANDS OF 2.375" PH-6. BO BHA. WILL PULL 100BBLS OF RECIRCULATED WATER FROM RIG TANK AND INTRODUCE FRESH INTO WORKING SYSTEM
4/23/2024 16:00	4/23/2024 23:30			RTBG	Run Tubing	7.50	Special Services	POOH TO MAKE BIT TRIP LAY DOWN 3 JTS #579 PULL 289 STANDS PULL 108K
4/23/2024 23:30	4/24/2024 00:30			General Ops	Standby	1.00	Special Services	OOH WITH TUBING REPLACE 4 BLADE DRAG MILL, WITH NEW 4 BLADE DRAG MILL 3.7 OD, 3.75" LONG, SAME BHA CHANGE OUT ELEMENT ON BOP.
4/24/2024 00:30	4/24/2024 06:00			RTBG	Run Tubing	5.50	Special Services	BEGIN TO RIH WITH BHA 289 STANDS.
4/24/2024 06:00	4/24/2024 06:30			RTBG	Run Tubing	0.50	Special Services	TIH W/ 289 STANDS. PU 2 JOINTS OFF OF CATWALK (18,587')
4/24/2024 06:30	4/24/2024 07:15			General Ops	Rigging In	0.75	Special Services	RU POWER SWIVEL, M/U JT TO SWIVEL
4/24/2024 07:15	4/24/2024 07:45			General Ops	Downhole issues	0.50	Special Services	BREAK CIRC - 3 BPM @ 2000 PSI. CIRC A FULL TBG VOLUME BEFORE STARTING TO DRILL CMT TO PREVENT PLUGGING ISSUES
4/24/2024 07:45	4/24/2024 13:45			General Ops	Downhole issues	6.00	Special Services	CONTINUE DRILLING FROM 18,629' JT# 582 (24' OUT) TO 18,714' JT# 584. PU OFF BOTTOM AND CIRC 1.5 TBG VOL
4/24/2024 13:45	4/24/2024 14:30			General Ops	Rigging In	0.75	Special Services	CHANGE OUT 1"X2" MANIFOLD FOR 2" MANIFOLD.
4/24/2024 14:30	4/24/2024 18:00			General Ops	Downhole issues	3.50	Special Services	CONTINUE DRILLING CMT FROM 18,714' TO 18,808' JT #587. REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 72K 94' DRILLED.
4/24/2024 18:00	4/25/2024 00:15			General Ops	Downhole issues	6.25	Special Services	CONTINUE DRILLING CMT FROM 18,808' JT# 587 19,028' JT #594. REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 70K 220' DRILLED
4/25/2024 00:15	4/25/2024 06:00			General Ops	Downhole issues	5.75	Special Services	CONTINUE DRILLING CMT FROM 19,028' JT# 594 TO 19,344' JT #604. REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 72K 715' DRILLED
4/25/2024 06:00	4/25/2024 13:00			General Ops	Downhole issues	7.00	Special Services	CONTINUE DRILLING CMT FROM 19,344' JT# 604 TO 19,658' JT #614. REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 68K 314' DRILLED
4/25/2024 13:00	4/25/2024 20:30			General Ops	Downhole issues	7.50	Special Services	CONTINUE DRILLING CMT FROM 19,658' JT #614 TO 19,971' JT #624. REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 68K 313' DRILLED
4/25/2024 20:30	4/26/2024 02:00			General Ops	Downhole issues	5.50	Special Services	CONTINUE DRILLING CMT FROM 19,971' JT # 624TO 20,286' JT # 634. REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 68K 314.78' DRILLED

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
4/26/2024 02:00	4/26/2024 04:30			General Ops	Downhole issues	2.50	Special Services	CONTINUE DRILLING CMT FROM 20,286' JT #634 TO 20,474' JT #640. PRESSURE CLIMBED FROM 2300 PSI TO 3400 PSI. @ 3 BPM.
4/26/2024 04:30	4/26/2024 05:15			General Ops	Downhole issues	0.75	Special Services	REVERSE CIRCULATE 90 BBLS TO CLEAR TBG. PUMPED 12 BBLS DOWN TBG 4 BPM @ 3400 PSI TO FLUSH BIT
4/26/2024 05:15	4/26/2024 06:00			General Ops	Downhole issues	0.75	Special Services	CONTINUE DRILLING CMT FROM 20,474' JT #640 TO 20,538' JT #642 . REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 67K 1,194' DRILLED
4/26/2024 06:00	4/26/2024 13:00			General Ops	Downhole issues	7.00	Special Services	CONTINUE DRILLING CMT FROM 20,538' JT #642 TO 20,854' JT #652 . REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 67K, 316' DRILLED.
4/26/2024 13:00	4/26/2024 19:30			General Ops	Downhole issues	6.50	Special Services	CONTINUE DRILLING CMT FROM 20,854' JT #652 TO 21,233' JT #664 . REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 70K, ' DRILLED 17:31 SENT 5 GAL POP
4/26/2024 19:30	4/26/2024 23:00			General Ops	Downhole issues	3.50	Special Services	CONTINUE DRILLING CMT FROM 21,233' JT #664 TO 21,296' JT #666 . REVERSE CIRULATE CUTTINGS OOH. OCCASIONAL BLOCKAGE WORKED OUT BY SWAPPING TO CONVENTIONAL CIRCULATION TO CLEAR OUT BEFORE ESTABLISHING REVERSE CIRCULATION AND MAKING NEW HOLE. RUNNING WEIGHT 70K, ' DRILLED BURIED JT #666 TQ PRESSUE SPIKED, NO ISSUES PULLING OFF BOTTOM. TD 21,296' 18' SHORT OF CASING TALLY. CONTINUE ROLLING HOLE TILL BOTTOMS UP, BEGIN PULLING PIPE SIDEWAYS.
4/26/2024 23:00	4/27/2024 05:00			PTBG	Pull Tubing	6.00	Special Services	POOH, COMING OUT SIDEWAYS, PICKUP WT 115K, SWIVEL 3 JTS OUT, RACK SWIVEL BACK, CONTINUE POOH. REPAIR AIR HOSE FITTING ON SLIPS
4/27/2024 05:00	4/27/2024 06:00			PTBG	Pull Tubing	1.00	Special Services	CONTINUE TO POOH W/ 2.875" TBG
4/27/2024 06:00	4/27/2024 06:30			PTBG	Pull Tubing	0.50	Special Services	CONTINUE TO POOH AND LAY DOWN 2.875" TBG (302 TOTAL JTS LAID DOWN)
4/27/2024 06:30	4/27/2024 07:00			General Ops	Rigging Out	0.50	Special Services	REMOVE WEATHERFORD TBG BAILS, INSTALL SERVICE RIG TBG BAILS.
4/27/2024 07:00	4/27/2024 07:30			PTBG	Pull Tubing	0.50	Special Services	LAID DOWN 4.125" DRILL COLLARS (5 JTS)
4/27/2024 07:30	4/27/2024 12:30			PTBG	Pull Tubing	5.00	Special Services	START POOH AND LAY DOWN 2.375" TBG. STRUNG DRILL LINE TO FAST LINE.
4/27/2024 12:30	4/27/2024 13:00			PTBG	Pull Tubing	0.50	Special Services	LAID DOWN BHA. BIT GAUGE: 3.71". STRING MILL GAUGE: 3.75" SHUT IN MASTER VALVE AND SECURE WELL.
4/27/2024 13:00	4/27/2024 14:00			RU/RD	Rig Up/Down	1.00	Special Services	MOVE OUT PIPE WRANGLER AND RACKS. RACK OUT PUMPS. MOVE OUT POWER SWIVEL RIG DOWN AND MOVE OUT SERVICE UNIT
4/27/2024 14:00	4/27/2024 14:45			BOPR	Remove BOP's	0.75	Special Services	NIPPLE DOWN BOP AND ANNULAR. INSTALL BLANK CAP ON FRAC MASTER VALVE.
4/27/2024 14:45	4/27/2024 15:30			RU/RD	Rig Up/Down	0.75	Special Services	RELEASE SERVICE UNIT AND RENTAL EQMT. CLEAN UP LOCATION
4/27/2024 15:30	4/28/2024 06:00			General Ops	Standby	14.50	Special Services	WSI, PREP FOR TCP
6/3/2024 06:00	6/3/2024 20:15			General Ops	Standby	14.25	Special Services	WELL SHUT IN WORKING ANOTHER WELL
6/3/2024 20:15	6/3/2024 20:45			General Ops	Rigging In	0.50	Special Services	MOVE IN RIG UP MAX FLUID POWER,
6/3/2024 20:45	6/3/2024 21:00			Pump Down	Pressure Test	0.25	Special Services	PRESSURE TEST PUMPDOWN IRON AND WELL HEAD CONNECTION TO 10K PSI, GOOD TEST
6/3/2024 21:00	6/3/2024 22:15			Pump Down	High Rate Flush	1.25	Special Services	CASING INJECTION, A OPEN WELL WITH ZERO PSI, BACKSIDE 0 PSI, ATTEMP TO PRESSURE TEST. WELL BEGAN INJECTING AT 60 BBLS PUMPED 3 BPM 8,600 PSI WORKED RATE UP TO 13 BPM SLOWLY OVER 300 BBLS ,PRESSURE LINED OUT 9,400 PSI. AT 803 BBLS PUMPED COME OFFLINE TO DROP BALL.. SWP 5,200 TOTAL BBLS 803
6/3/2024 22:15	6/3/2024 23:15			General Ops	Rigging In	1.00	Special Services	SETTING UP TO DROP BAKER 3.5" BALL,, INSTALL 4" FLANGE ON MASTER VALVE.

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
6/3/2024 23:15	6/4/2024 04:45			Pump Down	High Rate Flush	5.50	Special Services	PUMP BALL DOWN AT 11.5 BPM 9,400 PSI FOR 590 BBLS. COME OFFLINE AND LET FORMATION RELAX FOR 30 MIN, COME BACK ONLINE AT 13 BPM FOR 9,600 PSI FOR 200 BBLS. NO BALL SEAT ACTION. COME OFFLINE AND BLEED WELL TO 0 PSI. WAIT FOR 30 MIN. WELLBORE SLOWLY EQUALIZED TO, 4,630 PSI WHILE WAITING FROM BOTTOM HOLE PRESSURE. COME UP TO 12 BPM AFTER 30 MIN, 1 PUMPS KICKED OUT AT 10,000 PSI, PRESSURE DROPPED AS SOON AS PUMP WAS OFFLINE. WORK RATE BACK UP TO 11 BPM 9600 PSI PUMP 200 BBLS. NO BALL SEAT. COME OFFLINE BLEED WELL DOWN TO 0 PSI, LEAVE BLEED OPEN FOR 30 MIN WITH MINIMAL FLOW.. COME BACK UP TO 12 BPM KICKED ONE PUMP AT 10,000 PSI, ESTABLISH INJECTION AT 8 BPM 9500 PSI PUMP 200 BBLS, COME OFF LINE BLEED WELL BORE DOWN LEAVING BLEEDS OPEN WITH STEADY STREAM OF FLUID WITH IN 10 MIN THE STREAM TURNED TO LITTLE TRICKLE, LEFT BLEEDS OPEN FOR 30MIN, SHUT BLEEDS BRING PUMPS ON 6BPM PRESSURE LINED OUT AT 9,865PSI PUMPED 258BBLS, SHUT DOWN PUMPS AND MONITOR CASING PRESSURE. SHUT DOWN PRESSURE 8,720, 12MIN IN PRESSURE LINED OUT TO 5,300PSI. BACKSIDE PRESSURE 14PSI
6/4/2024 04:45	6/4/2024 06:00			Standby	Waiting on decisions	1.25	Special Services	SHUT DOWN PUMP, MONITOR CASING PRESSURE, WAITING FOR ORDERS. SHUT DOWN PSI 8,720 - DOWN TO 5,300 IN 12MIN
6/4/2024 06:00	6/4/2024 07:15			Standby	Waiting on decisions	1.25	Special Services	STAND BY MONITOR CASING PRESSURE
6/4/2024 07:15	6/5/2024 06:00			Standby	Well Shut In	22.75	Special Services	WELL SHUT IN, WAITING FOR NEXT OPERATION WSP 4,929 RIG OUT MAX POWER FLUID
6/8/2024 06:00	6/8/2024 12:00			General Ops	Standby	6.00	Special Services	WSI, PREP FOR COIL.
6/8/2024 12:00	6/8/2024 14:00			General Ops	Rigging In	2.00	Special Services	NU SECOND 10K VALVE WITH FLOW CROSS
6/8/2024 14:00	6/8/2024 18:00			General Ops	Standby	4.00	Special Services	WSI, PREP FOR COIL.
6/8/2024 18:00	6/9/2024 00:00			General Ops	Rigging In	6.00	Special Services	NU BOP, MIRU RANGER COIL, IDEAL FLOW BACK, TTS TOOLS, CUT 50' OFF COIL, MU NEW COIL CONNECTER, LOAD REEL WITH 84 BBLS, ISSUES WITH GOOSE NECK ON INJECTOR HEAD NOT OPENING ALL THE WAY, PULL TEST COIL CONNECTOR 35K, PRESSURE TEST TO 2,500 PSI, STAB ON TO WELL PRESSURE TEST COIL AND SURFACE LINES TO 500 LOW, 8,500 HIGH, BLEED DOWN, PULL OFF WELL MU BHA W/ BRIDGE PLUG, STAB ON WELL. BHA CONSIST OF: COIL CONNECTOR 3.13" OD X .96' DBPV 3.13" OD X 1.84' DISCONNECT 3.13" OD X 2.40' ROTARY SUB 3.13" OD X .41' #10 SETTING TOOL 3.13" OD X 2.44' PLUG 3.50" OD X 2.90' TOTAL LENGTH:10.95'
6/9/2024 00:00	6/9/2024 06:00			Coil Tubing	Run in hole	6.00	Special Services	OWP: 4,228 RIH 150' BRING ON PUMP 1BPM IN/OUT. @ 9,700' WC 21K, CONTINUE RIH CTMD @ 15,750' AT TIME OF REPORT
6/9/2024 06:00	6/9/2024 07:15			Coil Tubing	Run in hole	1.25	Special Services	RIH WITH 3.5" BRIDGE PLUG TO 21,300', ALIGN REEL FOR BALL DROP
6/9/2024 07:15	6/9/2024 08:45			Coil Tubing	Coil Tubing Unit	1.50	Special Services	DROP BALL CIRCULATE BALL DOWN HOLE TO SEE PRESSURE, START PRESSURE 1,000 PSI TO SEE BREAK FROM STROKE ON BAKER 10 TOOL
6/9/2024 08:45	6/9/2024 09:45			Frac	High Pressure Test	1.00	Special Services	PRESSURE START TEST 8,114, HOLD PRESSURE FOR 30 MINUTES, END TEST 8,048', BLEED WELL DOWN TO 0 PSI, STILL FLOWING 1/4 BPM, SHUT WELL IN, MONITOR CSG PRESSURE FOR 15 MINUTES BUILT 15 PSI
6/9/2024 09:45	6/9/2024 16:45			Coil Tubing	Pull out of hole	7.00	Special Services	START OUT OF HOLE 53K OFF BOTTOM WITH 3,000 PSI ON WELLHEAD, BUMP UP, BRING ON PUMPS AND PRESSURE WELLHEAD UP TO 8,000 PSI, SHUT IN WELL.
6/9/2024 16:45	6/9/2024 17:00			General Ops	Rigging Out	0.25	Special Services	PULL COIL OFF WELL, RU VELOCITY FOR 30 MIN CSG PRESSURE TEST..
6/9/2024 17:00	6/9/2024 18:00			Pump Down	Pressure Test	1.00	Special Services	PRESSURE WELL BORE UP TO 10,OOO PSI . START 30 MIN TEST: 10,000 PSI END 30 MIN TEST: 9,975 PSI, BACK SIDE 0 PSI.
6/9/2024 18:00	6/9/2024 19:00			General Ops	Rigging In	1.00	Special Services	BLEED WELL DOWN TO 0 PSI, RU TWG TCP 3 SPF 7 CLUSTER GUN WITH 5/8" BALL DROP, FIREING HEAD PINS SET FOR 3,750 PSI.
6/9/2024 19:00	6/10/2024 01:30			Coil Tubing	Run in hole	6.50	Special Services	OWP: 400 RIH WITH TCP GUN. @ 150' PUMP 1 BPM IN/OUT, @ 9,700' WC 34.7K, CONTINUE RIH. TO PAINT MARK FROM PREVIOS RUN AND TIE IN 21,300'.

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
6/10/2024 01:30	6/10/2024 02:45			Coil Tubing	(TCP) Coil Tubing Perf	1.25	Special Services	PU AND PULL TO 21,295.5' CTMD FOR FIRST SHOOT, DROP 5/8" FIRING HEAD BALL, PUMP 2.75 BPM @ 1,738 PSI, 84 BBLS TO SEAT BALL, PRESSURE UP COIL TO 4,100 PSI, PINS SHEARED PRESSURE BREAK TO 1,728 PSI, 6 MIN FUSE TIME PER SHOT. PERF SHOTS @ CLUSTER #1:21,273' CLUSTER #2:21,253' CLUSTER #3:21,233' CLUSTER #4:21,213' CLUSTER #5:21,193' CLUSTER #6:21,173' CLUSTER #7:21,153'
6/10/2024 02:45	6/10/2024 06:00			Coil Tubing	Pull out of hole	3.25	Special Services	POOH FROM 21,154' 51K OFF BOTTOM WITH 3,000 PSI ON WELLHEAD, CTMD @ 11,000' AT TIME OF REPORT.
6/10/2024 06:00	6/10/2024 08:30			Coil Tubing	Pull out of hole	2.50	Special Services	CONTINUE OUT OF HOLE, BUMP UP SWI. WHP 0 PSI
6/10/2024 08:30	6/10/2024 10:00			Coil Tubing	Coil Tubing Unit	1.50	Special Services	PULL OFF WELL, BREAK DOWN TCP GUNS CONFIRMED ASF, LAY DOWN FIRING HEAD, DUAL FLAPPERS, CUT COIL CONNECT
6/10/2024 10:00	6/10/2024 11:30			Frac	Injection Test	1.50	Special Services	RU PUMP LINE INTO B-SECTION VALVES, PRESSURE TEST TO 10,000 PSI, START INJECTION TEST WALK RATE UP TO 7.3 BPM @ 7,700 PSI, PUMP 73 BBLS TRANSMISSION GETTING HOT, DROP RATE TO 6.3 BPM @ 6,800 PSI PUMP TOTAL OF 200 BBLS INJECTION NO BREAK SEEN
6/10/2024 11:30	6/10/2024 13:00			Coil Tubing	Coil Tubing Unit	1.50	Special Services	BREAK DOWN AND RACK LUBRICATOR, RACK INJECTOR HEAD IN CRADDLE, PULL COIL OUT OF INJECTOR, SWING INJECTOR ONTO ROAD CRADDLE, BLOW COIL DRY WITH N2
6/10/2024 13:00	6/10/2024 15:30			Coil Tubing	Coil Tubing Unit	2.50	Special Services	FINISH RDMO RANGER CTU
6/10/2024 15:30	6/11/2024 06:00			Standby	Well Shut In	14.50	Special Services	WSI WAITING FOR TWG TO PUMP DOWN CBL TO LOG LINER
6/14/2024 06:00	6/14/2024 07:00			Standby	Well Shut In	1.00	Special Services	WSI FOR CBL & CALIPER LOG
6/14/2024 07:00	6/14/2024 09:00			General Ops	Rigging In	2.00	Special Services	NU HYDRAULIC VALVE, FLOWCROSS & WIRELINE ADAPER, TORQUE CHECK ALL CONNECTIONS
6/14/2024 09:00	6/15/2024 06:00			Standby	Well Shut In	21.00	Special Services	WSI FOR CBL & CALIPER LOG
6/15/2024 06:00	6/15/2024 14:45			General Ops	Standby	8.75	Special Services	WSI, PREP FOR LOGGING OPS.
6/15/2024 14:45	6/15/2024 16:30			General Ops	Rigging In	1.75	Special Services	RU TWG, RE-HEAD LOGGING TRUCK.
6/15/2024 16:30	6/15/2024 16:45			Wireline	Pressure Test	0.25	Special Services	PRESSURE TEST TO 9,500, BLEED DOWN TO 5,000 PSI.
6/15/2024 16:45	6/15/2024 21:15			Wireline	Logging	4.50	Special Services	OWHP:4,200 RIH WITH CBL LOGGING TOOLS, PUMP LOGGING TOOLS TO 21,173", POOH FROM 21,173' LOGGING TO SURFACE. SIWP: 4,700
6/15/2024 21:15	6/15/2024 22:00			General Ops	Rigging Out	0.75	Special Services	RD CBL LOGGING TOOLS, RU 60 FINGER CALIPER TOOLS.
6/15/2024 22:00	6/15/2024 22:15			Wireline	Pressure Test	0.25	Special Services	PRESSURE TEST 6,000, BLEED DOWN TO 5,000,
6/15/2024 22:15	6/16/2024 01:45			Wireline	Logging	3.50	Special Services	OWHP: 4,831 RIH W/60 FINGER CALIPER TOOLS, LOG FROM 10,012' TO SURFACE. SIWP:4,750
6/16/2024 01:45	6/16/2024 03:15			General Ops	Rigging Out	1.50	Special Services	RDMO TWG WIRELINE
6/16/2024 03:15	6/16/2024 06:00			General Ops	Standby	2.75	Special Services	WSI
6/18/2024 06:00	6/18/2024 12:15			Standby	Well Shut In	6.25	Special Services	WSI FOR FRAC OPS
6/18/2024 12:15	6/18/2024 12:30			General Ops	Rigging Out	0.25	Special Services	OPEN HYDRAULIC VALVES, TO ENSURE NO TRAPPED PRESSURE
6/18/2024 12:30	6/18/2024 13:45			General Ops	Rigging Out	1.25	Special Services	ND BLIND FLANGE & HYDRAULIC VALVE, PULL HYDRAULIC VALVE & FLOW CROSS OFF MANUAL VALVE, NU BLIND FLANGE
6/18/2024 13:45	6/19/2024 06:00			Standby	Well Shut In	16.25	Special Services	WSI FOR FRAC OPS
6/25/2024 06:00	6/26/2024 00:30			General Operations	Rigging In	18.50	Special Services	Rigging In
6/25/2024 06:00	6/25/2024 21:00			RU/RD	Rig Up/Down	15.00	Special Services	CAMERON MIRU FRAC STACKS AND ZIPPER MANIFOLDS. SET TANKS AND RUN REMOTE LINES. FUNCTION TEST ACCUMULATORS AND VALVES.
6/25/2024 21:00	6/26/2024 06:00			Standby	Well Shut In	9.00	Special Services	STANDBY FOR FRAC OPERATIONS.
6/26/2024 06:00	6/28/2024 06:00			General Operations	Rigging In	48.00	Special Services	Rigging In
6/28/2024 06:00	6/28/2024 15:13			General Operations	Rigging In	9.22	Stimulation	Rigging in.
6/28/2024 15:13	6/28/2024 20:15			Frac	High Pressure Test	5.03	Stimulation	Pressure testing all wells and all Iron.
6/28/2024 20:15	6/29/2024 01:00			Standby	Well Shut In	4.76	Stimulation	Well shut in. Ready for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
6/29/2024 01:00	6/29/2024 01:03			Frac Tree	Well Switch Frac	0.05	Stimulation	Switching for Pump down.
6/29/2024 01:03	6/29/2024 01:12			Pump Down	Acid Pump Down	0.16	Stimulation	Acid pump down.
6/29/2024 01:12	6/29/2024 01:14			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
6/29/2024 01:14	6/29/2024 01:42			Frac	Preventive Maintenance	0.47	Stimulation	Frac pump maintenance
6/29/2024 01:42	6/29/2024 01:53			Frac	Frac Pumps	0.18	Stimulation	Frac pump maintenance. Exceeded 30 min swap time RIGGED IN 2 PUMPS THAT HAD IRON REPLACED 2 PACKING
6/29/2024 01:53	6/29/2024 02:06			Frac	Pressure Test	0.20	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min swap time
6/29/2024 02:06	6/29/2024 02:52			Frac	Frac Data Van	0.78	Stimulation	Issues with petrix TREATER CPU CRASHED, DISPLACED ACID THEN SHUT DOWN TO FIX
6/29/2024 02:52	6/29/2024 02:52			Frac	Fracturing	0.00		Frac operations stage 1
6/29/2024 02:52	6/29/2024 04:23			Frac	Fracturing	1.52	Stimulation	Frac operations Stage 1 IWHP: 5250 / SICP: 5325 START 19/22 FLUID ENDS END 19/22 FLUID ENDS
6/29/2024 04:23	6/29/2024 04:31			Frac Tree	Well Switch Wellhead	0.12	Stimulation	Shutting in and bleeding off well
6/29/2024 04:31	6/29/2024 05:03			Standby	Well Shut In	0.53	Stimulation	Well shut in. Ready for Wireline
6/29/2024 05:03	6/29/2024 05:04			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
6/29/2024 05:04	6/29/2024 05:41			Wireline	Equalizing	0.62	Stimulation	Wireline stabbed on and equalizing pressure
6/29/2024 05:41	6/29/2024 06:00			Wireline	WL Run	0.30	Stimulation	Wireline operations Stage 2
6/29/2024 06:00	6/29/2024 08:48			Wireline	Misrun	2.81	Stimulation	Wireline operations Stage 2, misrun
6/29/2024 08:48	6/29/2024 08:53			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
6/29/2024 08:53	6/29/2024 09:41			Standby	Well Shut In	0.81	Stimulation	Well shut in. Ready for Wireline
6/29/2024 09:41	6/29/2024 09:42			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
6/29/2024 09:42	6/29/2024 09:44			Wireline	Equalizing	0.02	Stimulation	Wireline stabbed on and equalizing pressure
6/29/2024 09:44	6/29/2024 10:52			Wireline	Misrun	1.14	Stimulation	Wireline operations Stage 2
6/29/2024 10:52	6/29/2024 10:56			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
6/29/2024 10:56	6/29/2024 11:04			Standby	Well Shut In	0.12	Stimulation	Well shut in. Ready for Frac
6/29/2024 11:04	6/29/2024 11:08			Frac Tree	Well Switch Frac	0.06	Stimulation	Switching for Pumpdown
6/29/2024 11:08	6/29/2024 11:15			Pump Down	Acid Pump Down	0.13	Stimulation	Acid pump down
6/29/2024 11:15	6/29/2024 11:17			Frac Tree	Well Switch Frac	0.04	Stimulation	Switching for Frac
6/29/2024 11:17	6/29/2024 11:18			Standby	Well Shut In	0.01	Stimulation	Well shut in. Ready for Frac
6/29/2024 11:18	6/29/2024 11:22			Frac Tree	Well Switch Frac	0.07	Stimulation	Switching for Frac
6/29/2024 11:22	6/29/2024 11:24			Frac	Equalizing	0.03	Stimulation	Frac equalizing to well
6/29/2024 11:24	6/29/2024 12:42			Frac	High Rate Flush	1.31	Stimulation	High rate Flush. Displacing Acid. FLUSHING WELL AFTER CUTTING PRESET PLUG IWHP: 4889 / SICP: 5415 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
6/29/2024 12:42	6/29/2024 12:46			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
6/29/2024 12:46	6/29/2024 21:33			Standby	Well Shut In	8.79	Stimulation	Well shut in. Ready for Wireline
6/29/2024 21:33	6/29/2024 21:34			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
6/29/2024 21:34	6/29/2024 21:37			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
6/29/2024 21:37	6/29/2024 23:12			Wireline	WL Run	1.59	Stimulation	Gauge ring run OP: 4,726 3.58” gauge ring
6/29/2024 23:12	6/29/2024 23:14			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
6/29/2024 23:14	6/29/2024 23:19			Standby	Well Shut In	0.08	Stimulation	Well shut in. Ready for Frac
6/29/2024 23:19	6/29/2024 23:29			Frac Tree	Well Switch Wireline	0.16	Stimulation	Switching for Wireline
6/29/2024 23:29	6/29/2024 23:31			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing to well
6/29/2024 23:31	6/30/2024 01:10			Wireline	WL Run	1.64	Stimulation	Wireline operations stage 2
6/30/2024 01:10	6/30/2024 01:14			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
6/30/2024 01:14	6/30/2024 01:16			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
6/30/2024 01:16	6/30/2024 01:23			Frac	Equalizing	0.12	Stimulation	Frac equalizing to well
6/30/2024 01:23	6/30/2024 01:28			Pump Down	Acid Pump Down	0.08	Stimulation	Acid pump down. 2,000 Gal. of 15% HCL
6/30/2024 01:28	6/30/2024 03:40			Frac	Fracturing	2.20	Stimulation	Frac operations stage 2 IWHP: 5420 / SICP: 5240 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
6/30/2024 03:40	6/30/2024 03:40			Frac Tree	Well Switch Wellhead	0.00		null
6/30/2024 03:40	6/30/2024 03:42			Frac Tree	Well Switch Frac	0.03	Stimulation	Shutting in and bleeding off well
6/30/2024 03:42	6/30/2024 06:00			Standby	Well Shut In	2.29	Stimulation	Well shut in. Ready for Wireline
6/30/2024 06:00	6/30/2024 06:04			Standby	Well Shut In	0.08	Stimulation	Well shut in. Ready for Wireline
6/30/2024 06:04	6/30/2024 06:09			Frac Tree	Well Switch Wireline	0.09	Stimulation	Switching for Wireline
6/30/2024 06:09	6/30/2024 06:12			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
6/30/2024 06:12	6/30/2024 07:52			Wireline	WL Run	1.68	Stimulation	Wireline operations Stage 3
6/30/2024 07:52	6/30/2024 07:56			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
6/30/2024 07:56	6/30/2024 10:19			Standby	Well Shut In	2.39	Stimulation	Well shut in. Ready for Frac
6/30/2024 10:19	6/30/2024 10:24			Frac Tree	Well Switch Frac	0.08	Stimulation	Switching for Pumpdown
6/30/2024 10:24	6/30/2024 10:38			Pump Down	Acid Pump Down	0.24	Stimulation	Acid Pump down 1,500 Gallons of 15% HCL
6/30/2024 10:38	6/30/2024 10:49			Frac	Preventive Maintenance	0.18	Stimulation	Frac pump maintenance
6/30/2024 10:49	6/30/2024 10:58			Frac	Equalizing	0.15	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch Rig out pumps 3308, 3307, 3305. Rig in pump 3310
6/30/2024 10:58	6/30/2024 12:58			Frac	Fracturing	2.00	Stimulation	Frac operations Stage 3 IWHP: 4874 / SICP: 5288 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
6/30/2024 12:58	6/30/2024 13:01			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
6/30/2024 13:01	6/30/2024 13:04			Standby	Well Shut In	0.05	Stimulation	Well shut in. Ready for Wireline
6/30/2024 13:04	6/30/2024 13:05			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
6/30/2024 13:05	6/30/2024 13:10			Wireline	Equalizing	0.07	Stimulation	Wireline stabbed on and equalizing pressure
6/30/2024 13:10	6/30/2024 14:45			Wireline	WL Run	1.59	Stimulation	Wireline operations Stage 4
6/30/2024 14:45	6/30/2024 14:48			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
6/30/2024 14:48	6/30/2024 16:46			Standby	Well Shut In	1.96	Stimulation	Well shut in. Ready for Frac
6/30/2024 16:46	6/30/2024 16:48			Frac Tree	Well Switch Frac	0.04	Stimulation	Switching for Pumpdown

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
6/30/2024 16:48	6/30/2024 16:56			Pump Down	Acid Pump Down	0.13	Stimulation	Acid pump down 1,500 Gallons of 15% HCL
6/30/2024 16:56	6/30/2024 16:58			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
6/30/2024 16:58	6/30/2024 17:17			Frac	Preventive Maintenance	0.31	Stimulation	Frac pump maintenance
6/30/2024 17:17	6/30/2024 17:25			Frac	Pressure Test	0.13	Stimulation	Frac pressure testing and equalizing to well
6/30/2024 17:25	6/30/2024 19:29			Frac	Fracturing	2.07	Stimulation	Frac operations Stage 4 IWHP: 4882 / SICP: 5351 START 18/22 FLUID ENDS END 18/22 FLUID ENDS
6/30/2024 19:29	6/30/2024 19:32			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
6/30/2024 19:32	6/30/2024 20:47			Standby	Well Shut In	1.26	Stimulation	Well shut in. Ready for Wireline
6/30/2024 20:47	6/30/2024 20:50			Frac Tree	Well Switch Wireline	0.05	Stimulation	Switching for Wireline
6/30/2024 20:50	6/30/2024 20:52			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
6/30/2024 20:52	6/30/2024 22:26			Wireline	WL Run	1.57	Stimulation	Wireline operations Stage 5
6/30/2024 22:26	6/30/2024 22:30			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
6/30/2024 22:30	7/1/2024 01:40			Standby	Well Shut In	3.18	Stimulation	Well shut in. Ready for Frac
7/1/2024 01:40	7/1/2024 01:43			Frac Tree	Well Switch Frac	0.05	Stimulation	Switching for Pumpdown
7/1/2024 01:43	7/1/2024 01:52			Pump Down	Acid Pump Down	0.14	Stimulation	Acid pump down 1,000 Gallons of 15% HCL.
7/1/2024 01:52	7/1/2024 01:54			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/1/2024 01:54	7/1/2024 02:00			Frac	Preventive Maintenance	0.10	Stimulation	Frac pump maintenance
7/1/2024 02:00	7/1/2024 02:03			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/1/2024 02:03	7/1/2024 04:11			Frac	Fracturing	2.14	Stimulation	Frac operations Stage 5 IWHP: 5480 / SICP: 5240 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
7/1/2024 04:11	7/1/2024 04:11			Frac Tree	Well Switch Wellhead	0.00		null
7/1/2024 04:11	7/1/2024 04:13			Frac Tree	Well Switch Frac	0.03	Stimulation	Shutting in and bleeding off well
7/1/2024 04:13	7/1/2024 04:20			Standby	Well Shut In	0.12	Stimulation	Well shut in. Ready for Wireline
7/1/2024 04:20	7/1/2024 04:22			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/1/2024 04:22	7/1/2024 04:24			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/1/2024 04:24	7/1/2024 05:59			Wireline	WL Run	1.59	Stimulation	Wireline operations Stage 6
7/1/2024 05:59	7/1/2024 06:00			Frac Tree	Well Switch Wellhead	0.00	Stimulation	Shutting in and bleeding off well
7/1/2024 06:00	7/1/2024 06:05			Frac Tree	Well Switch Wellhead	0.10	Stimulation	Shutting in and bleeding off well
7/1/2024 06:05	7/1/2024 06:05			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/1/2024 06:05	7/1/2024 13:47			Standby	Well Shut In	7.70	Stimulation	Well shut in. Ready for Frac
7/1/2024 13:47	7/1/2024 13:50			Frac Tree	Well Switch Frac	0.04	Stimulation	Switching for Pumpdown
7/1/2024 13:50	7/1/2024 13:57			Pump Down	Acid Pump Down	0.11	Stimulation	Acid Pumpdown 1,000 Gallons of 15% HCL
7/1/2024 13:57	7/1/2024 13:59			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/1/2024 13:59	7/1/2024 14:02			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/1/2024 14:02	7/1/2024 14:02			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/1/2024 14:02	7/1/2024 14:02			Frac	Pressure Test	0.00		null

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/1/2024 14:02	7/1/2024 15:55			Frac	Fracturing	1.88	Stimulation	Frac operations Stage 6 IWHP: 4954 / SICP: 5687 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
7/1/2024 15:55	7/1/2024 15:58			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/1/2024 15:58	7/1/2024 16:00			Frac Tree	Well Switch Wireline	0.04	Stimulation	Switching for Wireline
7/1/2024 16:00	7/1/2024 16:00			Standby	Well Shut In	0.00		null
7/1/2024 16:00	7/1/2024 16:03			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/1/2024 16:03	7/1/2024 17:32			Wireline	WL Run	1.49	Stimulation	Wireline operations stage 7
7/1/2024 17:32	7/1/2024 17:35			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/1/2024 17:35	7/2/2024 03:25			Standby	Well Shut In	9.84	Stimulation	Well shut in. Ready for Frac
7/2/2024 03:25	7/2/2024 03:29			Frac Tree	Well Switch Frac	0.05	Stimulation	Switching for pumpdown
7/2/2024 03:29	7/2/2024 03:32			Pump Down	Acid Pump Down	0.06	Stimulation	Acid pumpdown 750 Gallons of 15% HCL
7/2/2024 03:32	7/2/2024 03:34			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/2/2024 03:34	7/2/2024 04:02			Frac	Preventive Maintenance	0.47	Stimulation	Frac equalizing to well
7/2/2024 04:02	7/2/2024 04:19			Frac	Priming Pumps	0.28	Stimulation	Frac pump maintenance. Exceeded 30 min well switch
7/2/2024 04:19	7/2/2024 06:00			Frac	Fracturing	1.68	Stimulation	Frac operations Stage 7
7/2/2024 06:00	7/2/2024 06:09			Frac	Fracturing	0.16	Stimulation	Frac operations Stage 7 IWHP: 4876 / SICP: 5349 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
7/2/2024 06:09	7/2/2024 06:11			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/2/2024 06:11	7/2/2024 06:13			Standby	Well Shut In	0.04	Stimulation	Well shut in. Ready for Wireline
7/2/2024 06:13	7/2/2024 06:15			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/2/2024 06:15	7/2/2024 06:17			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/2/2024 06:17	7/2/2024 07:43			Wireline	WL Run	1.43	Stimulation	Wireline operations Stage 8
7/2/2024 07:43	7/2/2024 07:46			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/2/2024 07:46	7/2/2024 15:14			Standby	Well Shut In	7.47	Stimulation	Well shut in. Ready for Frac
7/2/2024 15:14	7/2/2024 15:16			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/2/2024 15:16	7/2/2024 15:37			Frac	Preventive Maintenance	0.35	Stimulation	Frac pump maintenance
7/2/2024 15:37	7/2/2024 15:44			Frac	Equalizing	0.12	Stimulation	Frac pressure testing and equalizing to well
7/2/2024 15:44	7/2/2024 15:47			Frac	Equalizing	0.04	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch PUMP MAINTENANCE
7/2/2024 15:47	7/2/2024 17:42			Frac	Fracturing	1.93	Stimulation	Frac operations Stage 8 IWHP: 4857 / SICP:5430 START 19/22 FLUID ENDS END 19/22 FLUID ENDS
7/2/2024 17:42	7/2/2024 17:45			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/2/2024 17:45	7/2/2024 17:45			Standby	Well Shut In	0.00		null
7/2/2024 17:45	7/2/2024 17:53			Frac Tree	Well Switch Wireline	0.12	Stimulation	Switching for Wireline
7/2/2024 17:53	7/2/2024 17:55			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/2/2024 17:55	7/2/2024 19:26			Wireline	WL Run	1.53	Stimulation	Wireline operations stage 9
7/2/2024 19:26	7/2/2024 19:30			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/2/2024 19:30	7/3/2024 00:58			Standby	Well Shut In	5.47	Stimulation	Well shut in. Ready for Frac
7/3/2024 00:58	7/3/2024 01:03			Frac Tree	Well Switch Frac	0.08	Stimulation	Switching for Frac
7/3/2024 01:03	7/3/2024 01:28			Frac	Priming Pumps	0.42	Stimulation	Frac pump maintenance
7/3/2024 01:28	7/3/2024 01:34			Frac	Preventive Maintenance	0.10	Stimulation	Frac pump maintenance. Exceeded 30 min well switch PUMP MAINTENANCE
7/3/2024 01:34	7/3/2024 03:27			Frac	Fracturing	1.87	Stimulation	Frac operations Stage 9 IWHP: 4750 / SICP: 5,387 START 21/22 FLUID ENDS END 21/22 FLUID ENDS
7/3/2024 03:27	7/3/2024 03:29			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/3/2024 03:29	7/3/2024 03:30			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/3/2024 03:30	7/3/2024 03:30			Standby	Well Shut In	0.00		null
7/3/2024 03:30	7/3/2024 03:33			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/3/2024 03:33	7/3/2024 04:56			Wireline	WL Run	1.40	Stimulation	Wireline operations Stage 10
7/3/2024 04:56	7/3/2024 05:00			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/3/2024 05:00	7/3/2024 06:00			Standby	Well Shut In	0.99	Stimulation	Well shut in. Ready for Frac
7/3/2024 06:00	7/3/2024 11:16			Standby	Well Shut In	5.27	Stimulation	Well shut in. Ready for Frac
7/3/2024 11:16	7/3/2024 11:18			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/3/2024 11:18	7/3/2024 11:46			Frac	Preventive Maintenance	0.47	Stimulation	Frac pump maintenance
7/3/2024 11:46	7/3/2024 12:15			Frac	Preventive Maintenance	0.48	Stimulation	Frac pump maintenance. Exceeded 30 min well switch Pro Frac - set seats and set popoff 10B
7/3/2024 12:15	7/3/2024 12:18			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well. Exceeded 30 min well switch
7/3/2024 12:18	7/3/2024 14:18			Frac	Fracturing	2.01	Stimulation	Frac operations Stage 10 IWHP: 5,193 / SICP: 5,565 START 19/22 FLUID ENDS END 19/22 FLUID ENDS
7/3/2024 14:18	7/3/2024 14:21			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/3/2024 14:21	7/3/2024 14:22			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline
7/3/2024 14:22	7/3/2024 14:24			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/3/2024 14:24	7/3/2024 14:25			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/3/2024 14:25	7/3/2024 15:55			Wireline	WL Run	1.50	Stimulation	Wireline operations Stage 11
7/3/2024 15:55	7/3/2024 15:58			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/3/2024 15:58	7/3/2024 21:57			Standby	Well Shut In	5.98	Stimulation	Well shut in. Ready for Frac
7/3/2024 21:57	7/3/2024 22:00			Frac Tree	Well Switch Frac	0.06	Stimulation	Switching for Frac
7/3/2024 22:00	7/3/2024 22:08			Frac	Equalizing	0.13	Stimulation	Frac equalizing to well
7/3/2024 22:08	7/4/2024 00:11			Frac	Fracturing	2.04	Stimulation	Frac Operations Stage 11 Start Stage: 20/22 IWHP: 5,063 / SICP: 5,239 End Stage: 20/22
7/4/2024 00:11	7/4/2024 00:13			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/4/2024 00:13	7/4/2024 00:15			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
7/4/2024 00:15	7/4/2024 00:16			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/4/2024 00:16	7/4/2024 00:19			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/4/2024 00:19	7/4/2024 02:17			Wireline	WL Run	1.97	Stimulation	Wireline operations Stage 12
7/4/2024 02:17	7/4/2024 02:20			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/4/2024 02:20	7/4/2024 05:59			Standby	Well Shut In	3.65	Stimulation	Well shut in. Ready for Frac
7/4/2024 06:00	7/4/2024 07:51			Standby	Well Shut In	1.86	Stimulation	Well shut in. Ready for Frac
7/4/2024 07:51	7/4/2024 07:53			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/4/2024 07:53	7/4/2024 08:11			Frac	Preventive Maintenance	0.30	Stimulation	Frac pump maintenance
7/4/2024 08:11	7/4/2024 08:20			Frac	Equalizing	0.16	Stimulation	Frac pressure testing and equalizing to well
7/4/2024 08:20	7/4/2024 10:17			Frac	Fracturing	1.94	Stimulation	Frac operations Stage 12 IWHP: 4,612 / SICP: 5,405 START 19/22 FLUID ENDS END 19/22 FLUID ENDS
7/4/2024 10:17	7/4/2024 10:20			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/4/2024 10:20	7/4/2024 10:23			Standby	Well Shut In	0.04	Stimulation	Well shut in. Ready for Wireline
7/4/2024 10:23	7/4/2024 10:24			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/4/2024 10:24	7/4/2024 10:27			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/4/2024 10:27	7/4/2024 12:13			Wireline	WL Run	1.77	Stimulation	Wireline operations Stage 13
7/4/2024 12:13	7/4/2024 12:16			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/4/2024 12:16	7/4/2024 17:56			Standby	Well Shut In	5.66	Stimulation	Well shut in. Ready for Frac
7/4/2024 17:56	7/4/2024 17:58			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/4/2024 17:58	7/4/2024 18:17			Frac	Preventive Maintenance	0.32	Stimulation	Frac pump maintenance
7/4/2024 18:17	7/4/2024 18:17			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/4/2024 18:17	7/4/2024 18:27			Frac	Pressure Test	0.16	Stimulation	Frac pressure testing and equalizing to well.
7/4/2024 18:27	7/4/2024 20:26			Frac	Fracturing	1.99	Stimulation	Frac operations stage 13 Start Stage: 21/22 IWHP: 4,675 / SICP: 5,389 End Stage: 21/22
7/4/2024 20:26	7/4/2024 20:28			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/4/2024 20:28	7/4/2024 20:32			Standby	Well Shut In	0.05	Stimulation	Well shut in. Ready for Wireline
7/4/2024 20:32	7/4/2024 20:33			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/4/2024 20:33	7/4/2024 20:35			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/4/2024 20:35	7/4/2024 22:20			Wireline	WL Run	1.74	Stimulation	Wireline operations Stage 14
7/4/2024 22:20	7/4/2024 22:22			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/4/2024 22:22	7/5/2024 04:18			Standby	Well Shut In	5.93	Stimulation	Well shut in. Ready for Frac
7/5/2024 04:18	7/5/2024 04:20			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/5/2024 04:20	7/5/2024 04:35			Frac	Preventive Maintenance	0.26	Stimulation	Frac pump maintenance
7/5/2024 04:35	7/5/2024 04:40			Frac	Equalizing	0.08	Stimulation	Frac equalizing to well
7/5/2024 04:40	7/5/2024 05:59			Frac	Fracturing	1.32	Stimulation	Frac operations Stage 14
7/5/2024 06:00	7/5/2024 06:38			Frac	Fracturing	0.65	Stimulation	Frac operations Stage 14 IWHP: 4,899 / SICP: 5,476 START 21/22 FLUID ENDS END 20/22 FLUID ENDS

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/5/2024 06:38	7/5/2024 06:42			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/5/2024 06:42	7/5/2024 06:44			Standby	Well Shut In	0.04	Stimulation	Well shut in. Ready for Wireline
7/5/2024 06:44	7/5/2024 06:45			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/5/2024 06:45	7/5/2024 06:48			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/5/2024 06:48	7/5/2024 08:31			Wireline	WL Run	1.72	Stimulation	Frac operations Stage 15
7/5/2024 08:31	7/5/2024 08:35			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/5/2024 08:35	7/5/2024 14:09			Standby	Well Shut In	5.57	Stimulation	Well shut in. Ready for Frac
7/5/2024 14:09	7/5/2024 14:11			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/5/2024 14:11	7/5/2024 14:32			Frac	Preventive Maintenance	0.35	Stimulation	Frac pump maintenance
7/5/2024 14:32	7/5/2024 14:34			Frac Tree	Well Switch Frac	0.02	Stimulation	Well shut in. Ready for Frac
7/5/2024 14:34	7/5/2024 17:19			Standby	Well Shut In	2.75	Stimulation	Well shut in. Ready for Frac
7/5/2024 17:19	7/5/2024 17:21			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for frac.
7/5/2024 17:21	7/5/2024 17:27			Frac	Equalizing	0.10	Stimulation	Frac equalizing to well.
7/5/2024 17:27	7/5/2024 19:35			Frac	Fracturing	2.14	Stimulation	Frac operations stage 15 Start Stage: 20/22 IWHP:4,724 / SICP: 5,313 End Stage: 19/22
7/5/2024 19:35	7/5/2024 19:38			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/5/2024 19:38	7/5/2024 20:16			Standby	Well Shut In	0.64	Stimulation	Well shut in. Ready for Wireline
7/5/2024 20:16	7/5/2024 20:17			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/5/2024 20:17	7/5/2024 20:20			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/5/2024 20:20	7/5/2024 21:59			Wireline	WL Run	1.65	Stimulation	Wireline operations Stage 16
7/5/2024 21:59	7/5/2024 22:00			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/5/2024 22:00	7/6/2024 01:07			Standby	Well Shut In	3.11	Stimulation	Well shut in. Ready for Frac
7/6/2024 01:07	7/6/2024 01:10			Frac Tree	Well Switch Frac	0.04	Stimulation	Switching for Frac
7/6/2024 01:10	7/6/2024 01:21			Frac	Preventive Maintenance	0.19	Stimulation	Frac pump maintenance
7/6/2024 01:21	7/6/2024 01:27			Frac	Equalizing	0.10	Stimulation	Frac equalizing to well
7/6/2024 01:27	7/6/2024 03:25			Frac	Fracturing	1.96	Stimulation	Frac Operations Stage 16 Start Stage: 20/22 IWHP: 4,646 / SICP: 5,386 End Stage: 19/22
7/6/2024 03:25	7/6/2024 03:27			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/6/2024 03:27	7/6/2024 03:29			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/6/2024 03:29	7/6/2024 03:29			Standby	Well Shut In	0.00		null
7/6/2024 03:29	7/6/2024 03:31			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/6/2024 03:31	7/6/2024 05:04			Wireline	WL Run	1.55	Stimulation	Wireline operations Stage 17
7/6/2024 05:04	7/6/2024 05:07			Frac Tree	Well Switch Wireline	0.04	Stimulation	Shutting in and bleeding off well
7/6/2024 05:07	7/6/2024 06:00			Standby	Well Shut In	0.88	Stimulation	Well shut in. Ready for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/6/2024 06:00	7/6/2024 07:48			Standby	Well Shut In	1.81	Stimulation	Well shut in. Ready for Frac
7/6/2024 07:48	7/6/2024 07:50			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/6/2024 07:50	7/6/2024 08:18			Frac	Preventive Maintenance	0.47	Stimulation	Frac pump maintenance
7/6/2024 08:18	7/6/2024 08:27			Frac	Blender	0.15	Stimulation	Frac pump maintenance. Exceeded 30 min well switch Pro Frac blender sensor issue
7/6/2024 08:27	7/6/2024 08:35			Frac	Equalizing	0.12	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch
7/6/2024 08:35	7/6/2024 10:38			Frac	Fracturing	2.06	Stimulation	Frac operations Stage 17 IWHP: 5,077 / SICP: 5,290 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
7/6/2024 10:38	7/6/2024 10:42			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/6/2024 10:42	7/6/2024 10:43			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline
7/6/2024 10:43	7/6/2024 10:44			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/6/2024 10:44	7/6/2024 10:47			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/6/2024 10:47	7/6/2024 12:16			Wireline	WL Run	1.48	Stimulation	Wireline operations Stage 18
7/6/2024 12:16	7/6/2024 12:17			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/6/2024 12:17	7/6/2024 14:41			Standby	Well Shut In	2.40	Stimulation	Well shut in. Ready for Frac
7/6/2024 14:41	7/6/2024 14:43			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/6/2024 14:43	7/6/2024 15:06			Frac	Preventive Maintenance	0.38	Stimulation	Frac pump maintenance
7/6/2024 15:06	7/6/2024 15:13			Frac	Pressure Test	0.10	Stimulation	Frac pressure testing and equalizing to well
7/6/2024 15:13	7/6/2024 17:10			Frac	Fracturing	1.96	Stimulation	Frac operations stage 18 Start Stage: 20/22 IWHP: 4,648 / SICP: 5,396 End Stage:20/22
7/6/2024 17:10	7/6/2024 17:13			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/6/2024 17:13	7/6/2024 22:23			Standby	Well Shut In	5.17	Stimulation	Well shut in. Ready for Wireline
7/6/2024 22:23	7/6/2024 22:27			Frac Tree	Well Switch Wireline	0.06	Stimulation	Switching for Wireline
7/6/2024 22:27	7/6/2024 22:31			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/6/2024 22:31	7/6/2024 23:55			Wireline	WL Run	1.41	Stimulation	Wireline operations Stage 18
7/6/2024 23:55	7/6/2024 23:57			Frac Tree	Well Switch Wireline	0.04	Stimulation	Shutting in and bleeding off well
7/6/2024 23:57	7/7/2024 03:50			Standby	Well Shut In	3.88	Stimulation	Well shut in. Ready for Wireline
7/7/2024 03:50	7/7/2024 03:52			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/7/2024 03:52	7/7/2024 04:04			Frac	Preventive Maintenance	0.19	Stimulation	Frac pump maintenance
7/7/2024 04:04	7/7/2024 04:06			Frac	Equalizing	0.04	Stimulation	Frac equalizing to well
7/7/2024 04:06	7/7/2024 06:00			Frac	Fracturing	1.89	Stimulation	Frac operations Stage 18 IWHP: 4,644 / SICP: 5,417 START 20/22 FLUID ENDS END 20/22 FLUID ENDS
7/7/2024 06:00	7/7/2024 06:00			Frac	Preventive Maintenance	0.00		Frac pump maintenance
7/7/2024 06:00	7/7/2024 06:02			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/7/2024 06:02	7/7/2024 06:04			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
7/7/2024 06:04	7/7/2024 06:05			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/7/2024 06:05	7/7/2024 06:08			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/7/2024 06:08	7/7/2024 07:37			Wireline	WL Run	1.49	Stimulation	Wireline operations Stage 20
7/7/2024 07:37	7/7/2024 07:39			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/7/2024 07:39	7/7/2024 13:05			Standby	Well Shut In	5.44	Stimulation	Well shut in. Ready for Frac
7/7/2024 13:05	7/7/2024 13:07			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/7/2024 13:07	7/7/2024 13:22			Frac	Preventive Maintenance	0.24	Stimulation	Frac pump maintenance
7/7/2024 13:22	7/7/2024 13:25			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/7/2024 13:25	7/7/2024 15:13			Frac	Fracturing	1.80	Stimulation	Frac operations Stage 20 IWHP: 4,687 / SICP: 5,427 START 19/22 FLUID ENDS END 19/22 FLUID ENDS
7/7/2024 15:13	7/7/2024 15:16			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/7/2024 15:16	7/7/2024 15:18			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
7/7/2024 15:18	7/7/2024 15:19			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/7/2024 15:19	7/7/2024 15:21			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/7/2024 15:21	7/7/2024 16:49			Wireline	WL Run	1.47	Stimulation	Wireline operations Stage 21
7/7/2024 16:49	7/7/2024 16:51			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off
7/7/2024 16:51	7/7/2024 22:36			Standby	Well Shut In	5.75	Stimulation	Well shut in. Ready for Frac
7/7/2024 22:36	7/7/2024 22:38			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/7/2024 22:38	7/7/2024 22:51			Frac	Preventive Maintenance	0.22	Stimulation	Frac pump maintenance
7/7/2024 22:51	7/7/2024 22:57			Frac	Equalizing	0.09	Stimulation	Frac equalizing to well
7/7/2024 22:57	7/8/2024 01:02			Frac	Fracturing	2.10	Stimulation	Frac Operations Stage 21 Start Stage: 19/22 IWHP: 4,747 / SICP: 5,430 End Stage: 19/22
7/8/2024 01:02	7/8/2024 01:05			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/8/2024 01:05	7/8/2024 01:07			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/8/2024 01:07	7/8/2024 01:07			Frac Tree	Well Switch Wireline	0.00		null
7/8/2024 01:07	7/8/2024 01:08			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/8/2024 01:08	7/8/2024 02:29			Wireline	WL Run	1.35	Stimulation	Wireline operations Stage 22
7/8/2024 02:29	7/8/2024 02:31			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/8/2024 02:31	7/8/2024 05:59			Standby	Well Shut In	3.47	Stimulation	Well shut in. Ready for Frac
7/8/2024 06:00	7/8/2024 10:17			Standby	Well Shut In	4.29	Stimulation	Well shut in. Ready for Frac
7/8/2024 10:17	7/8/2024 10:19			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/8/2024 10:19	7/8/2024 10:26			Frac	Equalizing	0.11	Stimulation	Frac equalizing to well
7/8/2024 10:26	7/8/2024 12:27			Frac	Fracturing	2.01	Stimulation	Frac operations Stage 22 IWHP: 4,719 / SICP: 5,980 START 19/22 FLUID ENDS END 18/22 FLUID ENDS
7/8/2024 12:27	7/8/2024 12:30			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/8/2024 12:30	7/8/2024 12:31			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/8/2024 12:31	7/8/2024 12:33			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/8/2024 12:33	7/8/2024 12:35			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/8/2024 12:35	7/8/2024 14:05			Wireline	WL Run	1.50	Stimulation	Wireline operations Stage 23
7/8/2024 14:05	7/8/2024 14:08			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/8/2024 14:08	7/8/2024 19:35			Standby	Well Shut In	5.44	Stimulation	Well shut in. Ready for Frac
7/8/2024 19:35	7/8/2024 19:35			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/8/2024 19:35	7/8/2024 19:37			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/8/2024 19:37	7/8/2024 19:54			Frac	Preventive Maintenance	0.29	Stimulation	Frac pump maintenance
7/8/2024 19:54	7/8/2024 20:00			Frac	Equalizing	0.11	Stimulation	Frac equalizing to well
7/8/2024 20:00	7/8/2024 21:59			Frac	Fracturing	1.99	Stimulation	Frac Operations Stage 23 Start Stage: 20/22 IWHP: 4,720 / SICP: 5,518 End Stage: 20/22
7/8/2024 21:59	7/8/2024 22:01			Frac Tree	Well Switch Wellhead	0.02	Stimulation	Shutting in and bleeding off well
7/8/2024 22:01	7/9/2024 04:05			Standby	Well Shut In	6.06	Stimulation	Well shut in. Ready for Wireline
7/9/2024 04:05	7/9/2024 04:06			Frac Tree	Well Switch Frac	0.02	Stimulation	Switching for Frac
7/9/2024 04:06	7/9/2024 04:08			Frac	Equalizing	0.04	Stimulation	Frac equalizing to well
7/9/2024 04:08	7/9/2024 04:27			Frac	High Rate Flush	0.31	Stimulation	Pumping Corrosion inhibitor
7/9/2024 04:27	7/9/2024 04:28			Frac Tree	Well Switch Wellhead	0.01	Stimulation	Shutting in and bleeding off well
7/9/2024 04:28	7/9/2024 05:59			Standby	Well Shut In	1.53	Stimulation	Well shut in. Ready for Wireline
7/9/2024 06:00	7/10/2024 05:59			Standby	Well Shut In	24.00	Stimulation	Well shut in. Ready for Wireline
7/15/2024 06:00	7/24/2024 06:00			Standby	Well Shut In	216.00	Stimulation	Well shut in. Ready for Wireline
7/19/2024 06:00	7/20/2024 05:31			Standby	Well Shut In	23.53	Stimulation	Well shut in. Ready for Wireline
7/20/2024 05:31	7/20/2024 05:34			Frac Tree	Well Switch Frac	0.04	Stimulation	Switching for Frac
7/20/2024 05:34	7/20/2024 05:39			Frac	Equalizing	0.09	Stimulation	Frac equalizing to well
7/20/2024 05:39	7/20/2024 05:59			Frac	High Rate Flush	0.34	Stimulation	Frac Flushing well
7/20/2024 05:59	7/20/2024 05:59			Frac Tree	Well Switch Wellhead	0.00		null
7/20/2024 06:00	7/20/2024 06:04			Frac Tree	Well Switch Frac	0.07	Stimulation	Shutting in and bleeding off well
7/20/2024 06:04	7/20/2024 09:38			Frac	Waiting on Services	3.57	Stimulation	Waiting on WL on 61/Blue to shoot STG 24
7/20/2024 09:38	7/20/2024 09:40			Standby	Well Shut In	0.04	Stimulation	Well shut in. Ready for Wireline
7/20/2024 09:40	7/20/2024 09:42			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/20/2024 09:42	7/20/2024 09:44			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/20/2024 09:44	7/20/2024 10:55			Wireline	Preset Plug	1.18	Stimulation	Preset plug PLUG PRESET @12,109' SWP: 4,535 WILL SPOT ACID, HRF, GAUGE RING RUN. WILL RE-ATTEMPT GUN RUN STAGE 24 WITH SLIM HOLE PLUG
7/20/2024 10:55	7/20/2024 10:57			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/20/2024 10:57	7/20/2024 14:24			Standby	Well Shut In	3.45	Stimulation	Well shut in. Ready for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/20/2024 14:24	7/20/2024 14:33			Pump Down	Acid Pump Down	0.15	Stimulation	SPOT ACID ON PRESET PLUG@12,109' Pumped 2000 15% spotted across plug @ 12,109' OP: 4,370 CP: 5,807
7/20/2024 14:33	7/20/2024 14:37			Standby	Well Shut In	0.06	Stimulation	Well shut in. Ready for Frac
7/20/2024 14:37	7/20/2024 14:39			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/20/2024 14:39	7/20/2024 14:51			Frac	Preventive Maintenance	0.22	Stimulation	Frac pump maintenance
7/20/2024 14:51	7/20/2024 14:55			Frac	Equalizing	0.06	Stimulation	Frac equalizing to well
7/20/2024 14:55	7/20/2024 15:10			Frac	High Rate Flush	0.25	Stimulation	Frac flushing well
7/20/2024 15:10	7/20/2024 15:14			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
7/20/2024 15:14	7/20/2024 17:54			Standby	Well Shut In	2.66	Stimulation	Well shut in. Ready for Wireline
7/20/2024 17:54	7/20/2024 17:56			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/20/2024 17:56	7/20/2024 18:01			Frac	Preventive Maintenance	0.08	Stimulation	Frac pump maintenance
7/20/2024 18:01	7/20/2024 18:06			Frac	Equalizing	0.09	Stimulation	Frac equalizing to well
7/20/2024 18:06	7/20/2024 18:19			Frac	High Rate Flush	0.22	Stimulation	Frac flushing well
7/20/2024 18:19	7/20/2024 18:23			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/20/2024 18:23	7/20/2024 19:14			Standby	Well Shut In	0.85	Stimulation	Well shut in. Ready for Wireline
7/20/2024 19:14	7/20/2024 19:16			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/20/2024 19:16	7/20/2024 19:18			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/20/2024 19:18	7/20/2024 20:58			Wireline	Downhole Tools	1.68	Stimulation	WIRELINE - 3.58" Gauge Ring RAN TO 18,000'; NO ISSUES
7/20/2024 20:58	7/20/2024 21:19			Frac Tree	Well Switch Wellhead	0.34	Stimulation	Shutting in and bleeding off well
7/20/2024 21:19	7/20/2024 22:50			Wireline	WL Run	1.52	Stimulation	Wireline operations Stage 24 - RUN # 2
7/20/2024 22:50	7/20/2024 22:54			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/20/2024 22:54	7/20/2024 22:55			Frac Tree	Well Switch Frac	0.02	Stimulation	Switching for Frac
7/20/2024 22:55	7/20/2024 22:55			Standby	Well Shut In	0.00		null
7/20/2024 22:55	7/20/2024 23:07			Frac	Preventive Maintenance	0.20	Stimulation	Frac pump maintenance
7/20/2024 23:07	7/20/2024 23:15			Frac	Pressure Test	0.14	Stimulation	Frac pressure testing and equalizing to well
7/20/2024 23:15	7/20/2024 23:52			Frac	Fracturing	0.60	Stimulation	Frac operations Stage 24
7/20/2024 23:52	7/21/2024 00:22			Frac	Unplanned Turbine Maintenance	0.51	Stimulation	Turbine issues. Lifecycle kicked turbine from power surge from frac, possibly switch gear or blender
7/21/2024 00:22	7/21/2024 00:29			Frac	Fracturing	0.11	Stimulation	Frac operations Stage 24 Resume
7/21/2024 00:29	7/21/2024 01:42			Frac	Fracturing	1.22	Stimulation	Frac operations Stage 24 IWHP: 4,630/ SICP: 6,090 START 18/22 FLUID ENDS END 17/22 FLUID ENDS MIDSTAGE SHUT DOWN - Lifecycle kicked turbine from power surge from frac, possibly switch gear or blender
7/21/2024 01:42	7/21/2024 01:46			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/21/2024 01:46	7/21/2024 02:32			Standby	Well Shut In	0.77	Stimulation	Well shut in. Ready for Wireline
7/21/2024 02:32	7/21/2024 02:34			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/21/2024 02:34	7/21/2024 02:36			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/21/2024 02:36	7/21/2024 04:18			Wireline	WL Run	1.71	Stimulation	Wireline operations Stage 25
7/21/2024 04:18	7/21/2024 04:20			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/21/2024 04:20	7/21/2024 04:22			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/21/2024 04:22	7/21/2024 04:32			Frac	Preventive Maintenance	0.18	Stimulation	Frac pump maintenance
7/21/2024 04:32	7/21/2024 04:41			Frac	Pressure Test	0.14	Stimulation	Frac pressure testing and equalizing to well
7/21/2024 04:41	7/21/2024 06:00			Frac	Fracturing	1.31	Stimulation	Frac operations Stage 25
7/21/2024 06:00	7/21/2024 06:33			Frac	Fracturing	0.55	Stimulation	Frac operations Stage 25 IWHP: 4,793 / SICP: 5,635 Start Stage: 17/22 FLUID ENDS End Stage: 17/22 FLUID ENDS
7/21/2024 06:33	7/21/2024 06:37			Frac Tree	Well Switch Wellhead	0.08	Stimulation	Shutting in and bleeding off well
7/21/2024 06:37	7/21/2024 07:09			Standby	Well Shut In	0.53	Stimulation	Well shut in. Ready for Wireline
7/21/2024 07:09	7/21/2024 07:10			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/21/2024 07:10	7/21/2024 07:13			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/21/2024 07:13	7/21/2024 08:54			Wireline	WL Run	1.70	Stimulation	Wireline operations Stage 26
7/21/2024 08:54	7/21/2024 08:59			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
7/21/2024 08:59	7/21/2024 09:01			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/21/2024 09:01	7/21/2024 09:01			Frac Tree	Well Switch Wellhead	0.00		Shutting in and bleeding off well
7/21/2024 09:01	7/21/2024 09:01			Standby	Well Shut In	0.00		null
7/21/2024 09:01	7/21/2024 09:13			Frac	Frac Pumps	0.20	Stimulation	Packing on pumps 3b hole 5, 3A hole 5, 10b holes 3&4
7/21/2024 09:13	7/21/2024 09:16			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well. Exceeded 30 min well switch
7/21/2024 09:16	7/21/2024 11:04			Frac	Fracturing	1.81	Stimulation	Frac operations Stage 26 IWHP: 4,823 / SICP: 5,614 Start Stage: 16/20 FLUID ENDS End Stage: 16/20 FLUID ENDS
7/21/2024 11:04	7/21/2024 11:08			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/21/2024 11:08	7/21/2024 13:06			Standby	Well Shut In	1.96	Stimulation	Frac operations Stage 26 IWHP: 4,823 / SICP: 5,614 Start Stage: 16/22 FLUID ENDS End Stage: 16/22 FLUID ENDS
7/21/2024 13:06	7/21/2024 16:13			Wireline	WL Unit	3.12	Stimulation	TWG will be down after this run to swap out wireline skid. Having hydraulic issues. Mechanic unable to diagnose issue.
7/21/2024 16:13	7/21/2024 17:56			Standby	Well Shut In	1.73	Stimulation	Well shut in. Ready for Wireline
7/21/2024 17:56	7/21/2024 17:58			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/21/2024 17:58	7/21/2024 18:02			Wireline	Equalizing	0.07	Stimulation	Wireline stabbed on and equalizing pressure
7/21/2024 18:02	7/21/2024 19:30			Wireline	WL Run	1.47	Stimulation	Wireline operations Stage 27
7/21/2024 19:30	7/21/2024 19:32			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/21/2024 19:32	7/21/2024 22:46			Standby	Well Shut In	3.23	Stimulation	Well shut in. Ready for Frac
7/21/2024 22:46	7/21/2024 22:48			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/21/2024 22:48	7/21/2024 23:02			Frac	Preventive Maintenance	0.23	Stimulation	Frac pump maintenance
7/21/2024 23:02	7/21/2024 23:10			Frac	Pressure Test	0.14	Stimulation	Frac pressure testing and equalizing to well
7/21/2024 23:10	7/22/2024 01:05			Frac	Fracturing	1.91	Stimulation	Frac operations Stage 27 IWHP: 4,690/ SICP: 5,480 START 17/20 FLUID ENDS END 17/20 FLUID ENDS
7/22/2024 01:05	7/22/2024 01:08			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/22/2024 01:08	7/22/2024 01:41			Frac	Waiting on Services	0.55	Stimulation	Frac waiting for Wireline to finish run on Red 50
7/22/2024 01:41	7/22/2024 04:16			Standby	Well Shut In	2.59	Stimulation	Well shut in. Ready for Wireline
7/22/2024 04:16	7/22/2024 04:17			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/22/2024 04:17	7/22/2024 04:20			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/22/2024 04:20	7/22/2024 05:53			Wireline	WL Run	1.54	Stimulation	Wireline operations Stage 28
7/22/2024 05:53	7/22/2024 05:55			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/22/2024 05:55	7/22/2024 06:00			Standby	Well Shut In	0.08	Stimulation	Well shut in. Ready for Frac
7/22/2024 06:00	7/22/2024 08:08			Standby	Well Shut In	2.13	Stimulation	Well shut in. Ready for Frac
7/22/2024 08:08	7/22/2024 08:10			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/22/2024 08:10	7/22/2024 08:33			Frac	Preventive Maintenance	0.39	Stimulation	Frac pump maintenance
7/22/2024 08:33	7/22/2024 08:38			Frac	Pressure Test	0.08	Stimulation	Frac pressure testing and equalizing to well
7/22/2024 08:38	7/22/2024 08:42			Frac	Pressure Test	0.08	Stimulation	Rigged in pump 2, Packing on 10 & 4, Pressure test
7/22/2024 08:42	7/22/2024 09:35			Frac	Fracturing	0.87	Stimulation	Frac operations Stage 28 IWHP: 4,742 / SICP: 5,383 Start Stage: 18/20 FLUID ENDS End Stage: 17/20 FLUID ENDS
7/22/2024 09:35	7/22/2024 09:40			Frac	Frac Pumps	0.09	Stimulation	LOST 3318B. PACKING HOLE 4. LOW PRESSURE VALVE FAILUER. CUT SAND TO FIX AND GOT BACK IN
7/22/2024 09:40	7/22/2024 10:34			Frac	Fracturing	0.89	Stimulation	Frac operations Stage 28 IWHP: 4,742 / SICP: 5,383 Start Stage: 18/20 FLUID ENDS End Stage: 17/20 FLUID ENDS
7/22/2024 10:34	7/22/2024 10:37			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/22/2024 10:37	7/22/2024 11:13			Standby	Well Shut In	0.60	Stimulation	Well shut in. Ready for Wireline
7/22/2024 11:13	7/22/2024 11:15			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/22/2024 11:15	7/22/2024 11:17			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/22/2024 11:17	7/22/2024 13:03			Wireline	WL Run	1.77	Stimulation	Wireline operations Stage 29
7/22/2024 13:03	7/22/2024 13:06			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/22/2024 13:06	7/22/2024 20:12			Standby	Well Shut In	7.11	Stimulation	Well shut in. Ready for Frac
7/22/2024 20:12	7/22/2024 20:14			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/22/2024 20:14	7/22/2024 20:28			Frac	Preventive Maintenance	0.24	Stimulation	Frac pump maintenance
7/22/2024 20:28	7/22/2024 20:38			Frac	Pressure Test	0.16	Stimulation	Frac pressure testing and equalizing to well
7/22/2024 20:38	7/22/2024 22:27			Frac	Fracturing	1.81	Stimulation	Frac operations Stage 29 IWHP: 4,990/ SICP: 5,390 START 19/20 FLUID ENDS END 19/20 FLUID ENDS
7/22/2024 22:27	7/22/2024 22:30			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/22/2024 22:30	7/22/2024 22:47			Standby	Well Shut In	0.29	Stimulation	Well shut in. Ready for Wireline
7/22/2024 22:47	7/22/2024 22:49			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/22/2024 22:49	7/22/2024 22:50			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/22/2024 22:50	7/23/2024 00:02			Wireline	WL Run	1.20	Stimulation	Wireline operations Stage 30
7/23/2024 00:02	7/23/2024 00:04			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/23/2024 00:04	7/23/2024 05:05			Standby	Well Shut In	5.00	Stimulation	Well shut in. Ready for Frac
7/23/2024 05:05	7/23/2024 05:07			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/23/2024 05:07	7/23/2024 05:12			Frac	Preventive Maintenance	0.09	Stimulation	Frac pump maintenance
7/23/2024 05:12	7/23/2024 05:15			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/23/2024 05:15	7/23/2024 06:00			Frac	Fracturing	0.74	Stimulation	Frac operations Stage 30
7/23/2024 06:00	7/23/2024 07:02			Frac	Fracturing	1.04	Stimulation	Frac operations Stage 30 IWHP: 4,637 / SICP: 5,597 Start Stage: 18/20 FLUID ENDS End Stage: 18/20 FLUID ENDS ISIP: 5,869
7/23/2024 07:02	7/23/2024 07:06			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
7/23/2024 07:06	7/23/2024 07:08			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/23/2024 07:08	7/23/2024 07:08			Standby	Well Shut In	0.00		null
7/23/2024 07:08	7/23/2024 07:12			Wireline	Equalizing	0.07	Stimulation	Wireline stabbed on and equalizing pressure
7/23/2024 07:12	7/23/2024 08:33			Wireline	WL Run	1.34	Stimulation	Wireline operations Stage 31
7/23/2024 08:33	7/23/2024 08:35			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/23/2024 08:35	7/23/2024 13:07			Standby	Well Shut In	4.54	Stimulation	Well shut in. Ready for Frac
7/23/2024 13:07	7/23/2024 13:10			Frac Tree	Well Switch Frac	0.05	Stimulation	Switching for Frac
7/23/2024 13:10	7/23/2024 13:24			Frac	Preventive Maintenance	0.24	Stimulation	Frac pump maintenance
7/23/2024 13:24	7/23/2024 13:28			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/23/2024 13:28	7/23/2024 15:19			Frac	Fracturing	1.85	Stimulation	Frac operations Stage 31 IWHP: 4,960 / SICP: 5,627 Start Stage: 18/20 FLUID ENDS End Stage: 18/20 FLUID ENDS
7/23/2024 15:19	7/23/2024 15:23			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
7/23/2024 15:23	7/23/2024 15:24			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
7/23/2024 15:24	7/23/2024 15:26			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/23/2024 15:26	7/23/2024 15:30			Wireline	Equalizing	0.06	Stimulation	Wireline stabbed on and equalizing pressure
7/23/2024 15:30	7/23/2024 16:49			Wireline	WL Run	1.32	Stimulation	Wireline operations Stage 32
7/23/2024 16:49	7/23/2024 16:51			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/23/2024 16:51	7/23/2024 21:44			Standby	Well Shut In	4.88	Stimulation	Well shut in. Ready for Frac
7/23/2024 21:44	7/23/2024 21:46			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/23/2024 21:46	7/23/2024 21:49			Frac	Preventive Maintenance	0.05	Stimulation	Frac pump maintenance
7/23/2024 21:49	7/23/2024 21:51			Frac	Equalizing	0.03	Stimulation	Frac equalizing to well
7/23/2024 21:51	7/23/2024 23:50			Frac	Fracturing	2.00	Stimulation	Frac operations Stage 32 IWHP: 4,870/ SICP: 5,380 START 17/20 FLUID ENDS END 17/20 FLUID ENDS
7/23/2024 23:50	7/23/2024 23:53			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/23/2024 23:53	7/23/2024 23:56			Standby	Well Shut In	0.04	Stimulation	Well shut in. Ready for Wireline
7/23/2024 23:56	7/24/2024 00:02			Frac Tree	Well Switch Wireline	0.11	Stimulation	Switching for Wireline
7/24/2024 00:02	7/24/2024 00:04			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/24/2024 00:04	7/24/2024 01:15			Wireline	WL Run	1.19	Stimulation	Wireline operations Stage 33
7/24/2024 01:15	7/24/2024 01:18			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/24/2024 01:18	7/24/2024 06:00			Standby	Well Shut In	4.70	Stimulation	Well shut in. Ready for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/24/2024 06:00	7/24/2024 08:01			Standby	Well Shut In	2.02	Stimulation	Well shut in. Ready for Frac
7/24/2024 08:01	7/24/2024 08:03			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/24/2024 08:03	7/24/2024 08:16			Frac	Preventive Maintenance	0.21	Stimulation	Frac pump maintenance
7/24/2024 08:16	7/24/2024 08:31			Frac	Pressure Test	0.25	Stimulation	Frac pressure testing and equalizing to well
7/24/2024 08:31	7/24/2024 08:34			Frac	Pressure Test	0.05	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch PROFRAC RIGGED OUT THREE HEADS, RIGGED IN TWO HEADS
7/24/2024 08:34	7/24/2024 10:19			Frac	Fracturing	1.75	Stimulation	Frac operations Stage 33 IWHP: 4,821/ SICP: 4566 START 16/20 FLUID ENDS END 14/20 FLUID ENDS
7/24/2024 10:19	7/24/2024 11:12			Frac	Unplanned Turbine Maintenance	0.89	Stimulation	Turbine shut down. Flushing well with pump down. LIFECYCLE, DURING FLUSH ON LAST STAGE LIFECYCLE HARD SHUT DOWN, CONTINUE GOING THREW EQUIPMENT AND FIX ISSUE, THIS IS THE 4TH TIME TURBINES HAVE GONE DOWN FOR NO REASON. LIFECYCLE FOUND LOOSE COM CABLE
7/24/2024 11:12	7/24/2024 11:15			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/24/2024 11:15	7/24/2024 14:38			Standby	Well Shut In	3.37	Stimulation	Well shut in. Ready for Wireline
7/24/2024 14:38	7/24/2024 14:39			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/24/2024 14:39	7/24/2024 14:44			Wireline	Equalizing	0.08	Stimulation	Wireline stabbed on and equalizing pressure
7/24/2024 14:44	7/24/2024 16:01			Wireline	WL Run	1.28	Stimulation	Wireline operations Stage 34
7/24/2024 16:01	7/24/2024 16:04			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/24/2024 16:04	7/25/2024 00:20			Standby	Well Shut In	8.26	Stimulation	Well shut in. Ready for Frac
7/25/2024 00:20	7/25/2024 00:20			Frac	Preventive Maintenance	0.00		Frac pump maintenance
7/25/2024 00:20	7/25/2024 00:22			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/25/2024 00:22	7/25/2024 00:50			Frac	Preventive Maintenance	0.47	Stimulation	Frac pump maintenance
7/25/2024 00:50	7/25/2024 00:50			Frac	Frac Pumps	0.00		Frac pump maintenance. Exceeded 30 min well switch 3310B PACKING H3&4
7/25/2024 00:50	7/25/2024 00:51			Frac	Equalizing	0.02	Stimulation	Frac equalizing to well. Exceeded 30 min well switch PUMP MAINT 3310B PACKING H3&4
7/25/2024 00:51	7/25/2024 02:54			Frac	Fracturing	2.06	Stimulation	Frac operations Stage 34 IWHP: 4,927 / SICP: 5,485 START 20/20 FLUID ENDS END 20/20 FLUID ENDS
7/25/2024 02:54	7/25/2024 02:57			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/25/2024 02:57	7/25/2024 04:58			Standby	Well Shut In	2.02	Stimulation	Well shut in. Ready for Wireline
7/25/2024 04:58	7/25/2024 04:59			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/25/2024 04:59	7/25/2024 05:01			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/25/2024 05:01	7/25/2024 05:59			Wireline	WL Run	0.98	Stimulation	Wireline operations Stage 35
7/25/2024 06:00	7/25/2024 06:26			Wireline	WL Run	0.44	Stimulation	Wireline operations Stage 35
7/25/2024 06:26	7/25/2024 06:30			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/25/2024 06:30	7/25/2024 08:18			Standby	Well Shut In	1.80	Stimulation	Well shut in. Ready for Frac
7/25/2024 08:18	7/25/2024 08:20			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/25/2024 08:20	7/25/2024 08:30			Frac	Equalizing	0.16	Stimulation	Frac equalizing to well
7/25/2024 08:30	7/25/2024 10:19			Frac	Fracturing	1.82	Stimulation	Frac operations Stage 35 IWHP: 4,783/ SICP: 5,383 START 19/20 FLUID ENDS END 0/20 FLUID ENDS - TURBINE TRIPPED, FLUSHING WITH DIESELS ON REMOTE PAD

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/25/2024 10:19	7/25/2024 11:08			Frac	Unplanned Turbine Maintenance	0.81	Stimulation	Turbine tripped. Finish flushing well with pump down. DURING FLUSH LIFECYCLE HARD SHUT DOWN, 206BBLS AWAY FROM COMPLETE FLUSH, FINISHED JOB WITH DIESEL PUMPS ON TEXAS PAD
7/25/2024 11:08	7/25/2024 11:10			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/25/2024 11:10	7/25/2024 14:49			Standby	Well Shut In	3.66	Stimulation	Well shut in. Ready for Wireline
7/25/2024 14:49	7/25/2024 14:51			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/25/2024 14:51	7/25/2024 14:53			Wireline	Equalizing	0.02	Stimulation	Wireline stabbed on and equalizing pressure
7/25/2024 14:53	7/25/2024 16:00			Wireline	WL Run	1.12	Stimulation	Wireline operations Stage 36
7/25/2024 16:00	7/25/2024 16:01			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/25/2024 16:01	7/25/2024 19:42			Standby	Well Shut In	3.69	Stimulation	Well shut in. Ready for Frac
7/25/2024 19:42	7/25/2024 19:44			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/25/2024 19:44	7/25/2024 19:56			Frac	Preventive Maintenance	0.20	Stimulation	Frac pump maintenance
7/25/2024 19:56	7/25/2024 20:07			Frac	Pressure Test	0.19	Stimulation	Frac pressure testing and equalizing to well
7/25/2024 20:07	7/25/2024 20:50			Frac	Fracturing	0.70	Stimulation	Frac operations Stage 36
7/25/2024 20:50	7/25/2024 21:37			Frac	Unplanned Turbine Maintenance	0.78	Stimulation	LIFE CYCLE TRIPPED ALL FRAC EQUIPMENT
7/25/2024 21:37	7/25/2024 22:51			Frac	Fracturing	1.23	Stimulation	Frac operations Stage 36 Resume IWHP: 5,136/ SICP: 5,456 START 16/20 FLUID ENDS END 16/20 FLUID ENDS MIDSTAGE SHUTDOWN DUE TO LIFE CYCLE.
7/25/2024 22:51	7/25/2024 22:54			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/25/2024 22:54	7/25/2024 22:55			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline
7/25/2024 22:55	7/25/2024 22:58			Frac Tree	Well Switch Wireline	0.04	Stimulation	Switching for Wireline
7/25/2024 22:58	7/25/2024 22:59			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/25/2024 22:59	7/26/2024 00:06			Wireline	WL Run	1.12	Stimulation	Wireline operations Stage 37
7/26/2024 00:06	7/26/2024 00:09			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/26/2024 00:09	7/26/2024 05:59			Standby	Well Shut In	5.84	Stimulation	Well shut in. Ready for Frac
7/26/2024 06:00	7/26/2024 06:38			Standby	Well Shut In	0.65	Stimulation	Well shut in. Ready for Frac
7/26/2024 06:38	7/26/2024 06:40			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/26/2024 06:40	7/26/2024 06:57			Frac	Preventive Maintenance	0.28	Stimulation	Frac pump maintenance
7/26/2024 06:57	7/26/2024 07:01			Frac	Equalizing	0.07	Stimulation	Frac equalizing to well
7/26/2024 07:01	7/26/2024 08:49			Frac	Fracturing	1.79	Stimulation	Frac operations Stage 37 IWHP: 4,747/ SICP: 5,723 START 16/20 FLUID ENDS END 16/20 FLUID ENDS
7/26/2024 08:49	7/26/2024 08:52			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/26/2024 08:52	7/26/2024 09:05			Standby	Well Shut In	0.22	Stimulation	Well shut in. Ready for Wireline
7/26/2024 09:05	7/26/2024 09:06			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/26/2024 09:06	7/26/2024 09:09			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/26/2024 09:09	7/26/2024 10:20			Wireline	WL Run	1.18	Stimulation	Wireline operations Stage 38
7/26/2024 10:20	7/26/2024 10:21			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/26/2024 10:21	7/26/2024 12:52			Standby	Well Shut In	2.51	Stimulation	Well shut in. Ready for Frac
7/26/2024 12:52	7/26/2024 12:54			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/26/2024 12:54	7/26/2024 13:20			Frac	Preventive Maintenance	0.43	Stimulation	Frac pump maintenance
7/26/2024 13:20	7/26/2024 13:24			Frac	Pressure Test	0.07	Stimulation	Frac pressure testing and equalizing to well
7/26/2024 13:24	7/26/2024 13:29			Frac	Pressure Test	0.09	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch PROFRAC RIGGED IN 4 HEADS
7/26/2024 13:29	7/26/2024 15:14			Frac	Fracturing	1.76	Stimulation	Frac operations Stage 38 IWHP: 4,794/ SICP: 5,695 START 18/20 FLUID ENDS END 17/20 FLUID ENDS
7/26/2024 15:14	7/26/2024 15:19			Frac Tree	Well Switch Wellhead	0.08	Stimulation	Shutting in and bleeding off well
7/26/2024 15:19	7/27/2024 01:05			Standby	Well Shut In	9.76	Stimulation	Well shut in. Ready for Wireline
7/27/2024 01:05	7/27/2024 01:06			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/27/2024 01:06	7/27/2024 01:12			Wireline	Equalizing	0.11	Stimulation	Wireline stabbed on and equalizing pressure
7/27/2024 01:12	7/27/2024 02:39			Wireline	WL Run	1.45	Stimulation	Wireline operations Stage 39
7/27/2024 02:39	7/27/2024 02:41			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/27/2024 02:41	7/27/2024 05:59			Standby	Well Shut In	3.31	Stimulation	Well shut in. Ready for Frac
7/27/2024 06:00	7/27/2024 14:21			Standby	Well Shut In	8.36	Stimulation	Well shut in. Ready for Frac
7/27/2024 14:21	7/27/2024 14:23			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/27/2024 14:23	7/27/2024 14:39			Frac	Preventive Maintenance	0.27	Stimulation	Frac pump maintenance
7/27/2024 14:39	7/27/2024 14:47			Frac	Pressure Test	0.14	Stimulation	Frac pressure testing and equalizing to well
7/27/2024 14:47	7/27/2024 16:36			Frac	Fracturing	1.80	Stimulation	Frac operations Stage 39 IWHP: 4,554 / SICP: 5,500 START 18/20 FLUID ENDS END 16/20 FLUID ENDS
7/27/2024 16:36	7/27/2024 16:36			Frac Tree	Well Switch Wellhead	0.00		null
7/27/2024 16:36	7/27/2024 16:40			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
7/27/2024 16:40	7/27/2024 17:05			Standby	Well Shut In	0.42	Stimulation	Well shut in. Ready for Wireline
7/27/2024 17:05	7/27/2024 17:08			Frac Tree	Well Switch Wireline	0.05	Stimulation	Switching for Wireline
7/27/2024 17:08	7/27/2024 17:11			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/27/2024 17:11	7/27/2024 18:13			Wireline	WL Run	1.04	Stimulation	Wireline operations Stage 40
7/27/2024 18:13	7/27/2024 18:15			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/27/2024 18:15	7/27/2024 20:44			Standby	Well Shut In	2.47	Stimulation	Well shut in. Ready for Frac
7/27/2024 20:44	7/27/2024 20:46			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/27/2024 20:46	7/27/2024 20:49			Standby	Well Shut In	0.05	Stimulation	Well shut in. Ready for Frac
7/27/2024 20:49	7/27/2024 21:14			Frac	Priming Pumps	0.42	Stimulation	null
7/27/2024 21:14	7/27/2024 21:19			Frac	Pressure Test	0.08	Stimulation	Frac pressure testing and equalizing to well
7/27/2024 21:19	7/27/2024 21:22			Frac	Pressure Test	0.06	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch RIG IN 3307 & 3312
7/27/2024 21:22	7/27/2024 23:20			Frac	Fracturing	1.96	Stimulation	Frac operations Stage 40 IWHP: 4,886/ SICP: 5,557 START 18/20 FLUID ENDS END 18/20 FLUID ENDS
7/27/2024 23:20	7/27/2024 23:23			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/27/2024 23:23	7/27/2024 23:23			Standby	Well Shut In	0.00		null
7/27/2024 23:23	7/27/2024 23:25			Frac Tree	Well Switch Wireline	0.04	Stimulation	Switching for Wireline
7/27/2024 23:25	7/27/2024 23:28			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/27/2024 23:28	7/28/2024 00:32			Wireline	WL Run	1.07	Stimulation	Wireline operations Stage 41
7/28/2024 00:32	7/28/2024 00:34			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/28/2024 00:34	7/28/2024 03:57			Standby	Well Shut In	3.38	Stimulation	Well shut in. Ready for Frac
7/28/2024 03:57	7/28/2024 03:59			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/28/2024 03:59	7/28/2024 04:24			Frac	Preventive Maintenan ce	0.43	Stimulation	Frac pump maintenance
7/28/2024 04:24	7/28/2024 04:27			Frac	Equalizing	0.04	Stimulation	Frac equalizing to well
7/28/2024 04:27	7/28/2024 06:02			Frac	Fracturing	1.60	Stimulation	Frac operations Stage 41
7/28/2024 06:00	7/28/2024 06:16			Frac	Fracturing	0.28	Stimulation	Frac operations Stage 41 IWHP: 4,776/ SICP: 5,312 START 16/20 FLUID ENDS END 16/20 FLUID ENDS
7/28/2024 06:16	7/28/2024 06:20			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
7/28/2024 06:20	7/28/2024 06:23			Standby	Well Shut In	0.05	Stimulation	Well shut in. Ready for Wireline
7/28/2024 06:23	7/28/2024 06:24			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/28/2024 06:24	7/28/2024 06:27			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/28/2024 06:27	7/28/2024 07:42			Wireline	WL Run	1.25	Stimulation	Wireline operations Stage 42
7/28/2024 07:42	7/28/2024 07:44			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/28/2024 07:44	7/28/2024 10:22			Standby	Well Shut In	2.63	Stimulation	Well shut in. Ready for Frac
7/28/2024 10:22	7/28/2024 10:24			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/28/2024 10:24	7/28/2024 10:54			Frac	Preventive Maintenan ce	0.50	Stimulation	Frac pump maintenance
7/28/2024 10:54	7/28/2024 11:06			Frac	Pressure Test	0.21	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch Comms cable on pump 9, Rigged out pump 6, Pressure test
7/28/2024 11:06	7/28/2024 12:49			Frac	Fracturing	1.71	Stimulation	Frac operations Stage 42 IWHP: 4,771/ SICP: 5,471 START 19/20 FLUID ENDS END 17/20 FLUID ENDS
7/28/2024 12:49	7/28/2024 12:52			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/28/2024 12:52	7/28/2024 12:54			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline
7/28/2024 12:54	7/28/2024 12:55			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/28/2024 12:55	7/28/2024 12:58			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/28/2024 12:58	7/28/2024 14:00			Wireline	WL Run	1.04	Stimulation	Wireline operations Stage 43
7/28/2024 14:00	7/28/2024 14:02			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/28/2024 14:02	7/28/2024 16:53			Standby	Well Shut In	2.84	Stimulation	Well shut in. Ready for Frac
7/28/2024 16:53	7/28/2024 16:55			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/28/2024 16:55	7/28/2024 17:25			Frac	Preventive Maintenan ce	0.50	Stimulation	Frac pump maintenance
7/28/2024 17:25	7/28/2024 17:25			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/28/2024 17:25	7/28/2024 17:28			Frac	Pressure Test	0.06	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min swap time RIG IN 3309, D-RING 3325B, REPLACE CHIKSAN ON 3313A

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/28/2024 17:28	7/28/2024 19:38			Frac	Fracturing	2.17	Stimulation	Frac operations Stage 43 IWHP: 5,029/ SICP: 5,429 START 19/20 FLUID ENDS END 19/20 FLUID ENDS
7/28/2024 19:38	7/28/2024 19:41			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/28/2024 19:41	7/28/2024 19:41			Standby	Well Shut In	0.00		null
7/28/2024 19:41	7/28/2024 19:43			Frac Tree	Well Switch Wireline	0.04	Stimulation	Switching for Wireline
7/28/2024 19:43	7/28/2024 19:47			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
7/28/2024 19:47	7/28/2024 20:50			Wireline	WL Run	1.05	Stimulation	Wireline operations Stage 44
7/28/2024 20:50	7/28/2024 20:51			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/28/2024 20:51	7/29/2024 00:17			Standby	Well Shut In	3.42	Stimulation	Well shut in. Ready for Frac
7/29/2024 00:17	7/29/2024 00:19			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/29/2024 00:19	7/29/2024 00:34			Frac	Preventive Maintenance	0.25	Stimulation	Frac pump maintenance
7/29/2024 00:34	7/29/2024 00:34			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/29/2024 00:34	7/29/2024 00:43			Frac	Pressure Test	0.15	Stimulation	Frac pressure testing and equalizing to well
7/29/2024 00:43	7/29/2024 02:42			Frac	Fracturing	1.99	Stimulation	IWHP: 4,780/ SICP: 5,510 START 16/20 FLUID ENDS END 17/20 FLUID ENDS
7/29/2024 02:42	7/29/2024 02:45			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/29/2024 02:45	7/29/2024 02:47			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/29/2024 02:47	7/29/2024 02:47			Standby	Well Shut In	0.00		null
7/29/2024 02:47	7/29/2024 02:49			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/29/2024 02:49	7/29/2024 03:51			Wireline	WL Run	1.03	Stimulation	Wireline operations Stage 45
7/29/2024 03:51	7/29/2024 03:53			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/29/2024 03:53	7/29/2024 05:59			Standby	Well Shut In	2.11	Stimulation	Well shut in. Ready for Frac
7/29/2024 06:00	7/29/2024 06:33			Standby	Well Shut In	0.56	Stimulation	Well shut in. Ready for Frac
7/29/2024 06:33	7/29/2024 06:35			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/29/2024 06:35	7/29/2024 06:53			Frac	Preventive Maintenance	0.29	Stimulation	Frac pump maintenance
7/29/2024 06:53	7/29/2024 07:02			Frac	Pressure Test	0.15	Stimulation	Frac pressure testing and equalizing to well
7/29/2024 07:02	7/29/2024 08:47			Frac	Fracturing	1.75	Stimulation	Frac operations Stage 45 IWHP: 5,025/ SICP: 5,350 Start Stage: 17/20 FLUID ENDS End Stage: 17/20 FLUID ENDS
7/29/2024 08:47	7/29/2024 08:50			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/29/2024 08:50	7/29/2024 09:10			Standby	Well Shut In	0.33	Stimulation	Well shut in. Ready for Wireline
7/29/2024 09:10	7/29/2024 09:11			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/29/2024 09:11	7/29/2024 09:12			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/29/2024 09:12	7/29/2024 10:13			Wireline	WL Run	1.01	Stimulation	Wireline operations Stage 46
7/29/2024 10:13	7/29/2024 10:16			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/29/2024 10:16	7/29/2024 13:23			Standby	Well Shut In	3.11	Stimulation	Well shut in. Ready for Frac
7/29/2024 13:23	7/29/2024 13:25			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/29/2024 13:25	7/29/2024 13:36			Frac	Preventive Maintenance	0.19	Stimulation	Frac pump maintenance
7/29/2024 13:36	7/29/2024 13:39			Frac	Equalizing	0.06	Stimulation	Frac equalizing to well
7/29/2024 13:39	7/29/2024 15:21			Frac	Fracturing	1.69	Stimulation	Frac operations Stage 46 IWHP: 4,868/ SICP: 5,436 Start Stage: 18/20 FLUID ENDS End Stage: 17/20 FLUID ENDS
7/29/2024 15:21	7/29/2024 15:24			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/29/2024 15:24	7/29/2024 15:32			Standby	Well Shut In	0.14	Stimulation	Well shut in. Ready for Wireline
7/29/2024 15:32	7/29/2024 15:33			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/29/2024 15:33	7/29/2024 15:35			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/29/2024 15:35	7/29/2024 16:32			Wireline	WL Run	0.95	Stimulation	Wireline operations Stage 47
7/29/2024 16:32	7/29/2024 16:34			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/29/2024 16:34	7/29/2024 19:52			Standby	Well Shut In	3.29	Stimulation	Well shut in. Ready for Frac
7/29/2024 19:52	7/29/2024 19:54			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/29/2024 19:54	7/29/2024 20:22			Frac	Preventive Maintenance	0.47	Stimulation	Frac pump maintenance
7/29/2024 20:22	7/29/2024 20:24			Frac	Pressure Test	0.03	Stimulation	Frac pressure testing and equalizing to well
7/29/2024 20:24	7/29/2024 20:30			Frac	Pressure Test	0.11	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch REBUILD CHECK VALVES, PACKING ON 6A
7/29/2024 20:30	7/29/2024 22:24			Frac	Fracturing	1.91	Stimulation	Frac operations Stage 47 IWHP: 4,806 / SICP: 5,298 START 20/20 FLUID ENDS END 20/20 FLUID ENDS
7/29/2024 22:24	7/29/2024 22:27			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/29/2024 22:27	7/29/2024 22:27			Standby	Well Shut In	0.00		null
7/29/2024 22:27	7/29/2024 22:28			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/29/2024 22:28	7/29/2024 22:30			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
7/29/2024 22:30	7/29/2024 23:28			Wireline	WL Run	0.96	Stimulation	Wireline operations Stage 48
7/29/2024 23:28	7/29/2024 23:30			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/29/2024 23:30	7/30/2024 02:51			Standby	Well Shut In	3.35	Stimulation	Well shut in. Ready for Frac
7/30/2024 02:51	7/30/2024 02:53			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/30/2024 02:53	7/30/2024 03:17			Frac	Preventive Maintenance	0.39	Stimulation	Frac pump maintenance
7/30/2024 03:17	7/30/2024 03:19			Frac	Equalizing	0.04	Stimulation	Frac equalizing to well
7/30/2024 03:19	7/30/2024 04:58			Frac	Fracturing	1.66	Stimulation	Frac operations Stage 48 IWHP: 4,933 / SICP: 5,564 Start Stage: 19/20 FLUID ENDS End Stage: 19/20 FLUID ENDS
7/30/2024 04:58	7/30/2024 05:01			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/30/2024 05:01	7/30/2024 05:03			Standby	Well Shut In	0.04	Stimulation	Well shut in. Ready for Wireline
7/30/2024 05:03	7/30/2024 05:05			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/30/2024 05:05	7/30/2024 05:06			Wireline	Equalizing	0.02	Stimulation	Wireline stabbed on and equalizing pressure
7/30/2024 05:06	7/30/2024 05:59			Wireline	WL Run	0.89	Stimulation	Wireline operations Stage 49
7/30/2024 06:00	7/30/2024 06:06			Wireline	WL Run	0.10	Stimulation	Wireline operations Stage 49

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/30/2024 06:06	7/30/2024 06:07			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/30/2024 06:07	7/30/2024 08:31			Standby	Well Shut In	2.40	Stimulation	Well shut in. Ready for Frac
7/30/2024 08:31	7/30/2024 08:33			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/30/2024 08:33	7/30/2024 08:41			Frac	Preventive Maintenan ce	0.13	Stimulation	Frac pump maintenance
7/30/2024 08:41	7/30/2024 08:44			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/30/2024 08:44	7/30/2024 10:18			Frac	Fracturing	1.56	Stimulation	Frac operations Stage 49 IWHP: 4,753 / SICP: 5,543 Start Stage: 19/20 FLUID ENDS End Stage: 19/20 FLUID ENDS
7/30/2024 10:18	7/30/2024 10:21			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/30/2024 10:21	7/30/2024 10:23			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/30/2024 10:23	7/30/2024 10:23			Standby	Well Shut In	0.00		null
7/30/2024 10:23	7/30/2024 10:25			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/30/2024 10:25	7/30/2024 11:21			Wireline	WL Run	0.94	Stimulation	Wireline operations Stage 50
7/30/2024 11:21	7/30/2024 11:24			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/30/2024 11:24	7/30/2024 13:04			Standby	Well Shut In	1.67	Stimulation	Well shut in. Ready for Frac
7/30/2024 13:04	7/30/2024 13:06			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/30/2024 13:06	7/30/2024 13:11			Frac	Equalizing	0.07	Stimulation	Frac equalizing to well. EAST COMPRESSOR SHUTDOWN
7/30/2024 13:11	7/30/2024 14:50			Frac	Fracturing	1.65	Stimulation	Frac operations Stage 50 IWHP: 4,667 / SICP: 5,282 Start Stage: 20/20 FLUID ENDS End Stage: 20/20 FLUID ENDS ISIP: 5,914
7/30/2024 14:50	7/30/2024 14:53			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/30/2024 14:53	7/30/2024 15:00			Standby	Well Shut In	0.12	Stimulation	Well shut in. Ready for Wireline
7/30/2024 15:00	7/30/2024 15:01			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/30/2024 15:01	7/30/2024 15:03			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/30/2024 15:03	7/30/2024 16:00			Wireline	WL Run	0.95	Stimulation	Wireline operations Stage 51
7/30/2024 16:00	7/30/2024 16:01			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/30/2024 16:01	7/30/2024 20:41			Standby	Well Shut In	4.66	Stimulation	Well shut in. Ready for Frac
7/30/2024 20:41	7/30/2024 20:43			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/30/2024 20:43	7/30/2024 20:59			Frac	Preventive Maintenan ce	0.26	Stimulation	Frac pump maintenance
7/30/2024 20:59	7/30/2024 20:59			Standby	Well Shut In	0.00		null
7/30/2024 20:59	7/30/2024 21:02			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
7/30/2024 21:02	7/30/2024 22:49			Frac	Fracturing	1.79	Stimulation	Frac operations Stage 51 IWHP: 4,892 / SICP: 5,411 START 18/20 FLUID ENDS END 18/20 FLUID ENDS
7/30/2024 22:49	7/30/2024 22:52			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/30/2024 22:52	7/30/2024 22:54			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
7/30/2024 22:54	7/30/2024 22:55			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/30/2024 22:55	7/30/2024 22:56			Wireline	Equalizing	0.02	Stimulation	Wireline stabbed on and equalizing pressure
7/30/2024 22:56	7/30/2024 23:48			Wireline	WL Run	0.85	Stimulation	Wireline operations Stage 52

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/30/2024 23:48	7/30/2024 23:49			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/30/2024 23:49	7/31/2024 03:02			Standby	Well Shut In	3.22	Stimulation	Well shut in. Ready for Frac
7/31/2024 03:02	7/31/2024 03:04			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/31/2024 03:04	7/31/2024 03:08			Frac	Preventive Maintenance	0.05	Stimulation	Frac pump maintenance
7/31/2024 03:08	7/31/2024 03:12			Frac	Equalizing	0.07	Stimulation	Frac equalizing to well
7/31/2024 03:12	7/31/2024 05:04			Frac	Fracturing	1.86	Stimulation	Frac operations Stage 52 IWHP: 4,919 / SICP: 5,235 START 20/20 FLUID ENDS END 20/20 FLUID ENDS
7/31/2024 05:04	7/31/2024 05:07			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/31/2024 05:07	7/31/2024 05:07			Standby	Well Shut In	0.00		null
7/31/2024 05:07	7/31/2024 05:09			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
7/31/2024 05:09	7/31/2024 05:10			Wireline	Equalizing	0.02	Stimulation	Wireline stabbed on and equalizing pressure
7/31/2024 05:10	7/31/2024 05:59			Wireline	WL Run	0.83	Stimulation	Wireline operations Stage 53
7/31/2024 06:00	7/31/2024 06:05			Wireline	WL Run	0.10	Stimulation	Wireline operations Stage 53
7/31/2024 06:05	7/31/2024 06:07			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/31/2024 06:07	7/31/2024 09:30			Standby	Well Shut In	3.38	Stimulation	Well shut in. Ready for Frac
7/31/2024 09:30	7/31/2024 09:32			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/31/2024 09:32	7/31/2024 09:45			Frac	Preventive Maintenance	0.22	Stimulation	Frac pump maintenance
7/31/2024 09:45	7/31/2024 09:48			Frac	Equalizing	0.04	Stimulation	Frac equalizing to well
7/31/2024 09:48	7/31/2024 11:23			Frac	Fracturing	1.59	Stimulation	Frac operations Stage 53 IWHP: 4,910 / SICP: 5,514 START 19/20 FLUID ENDS END 18/20 FLUID ENDS
7/31/2024 11:23	7/31/2024 11:26			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
7/31/2024 11:26	7/31/2024 11:28			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
7/31/2024 11:28	7/31/2024 11:29			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
7/31/2024 11:29	7/31/2024 11:31			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/31/2024 11:31	7/31/2024 12:25			Wireline	WL Run	0.89	Stimulation	Wireline operations Stage 54
7/31/2024 12:25	7/31/2024 12:26			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
7/31/2024 12:26	7/31/2024 15:41			Standby	Well Shut In	3.24	Stimulation	Well shut in. Ready for Frac
7/31/2024 15:41	7/31/2024 15:43			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/31/2024 15:43	7/31/2024 16:07			Frac	Preventive Maintenance	0.40	Stimulation	Frac pump maintenance
7/31/2024 16:07	7/31/2024 16:13			Frac	Pressure Test	0.10	Stimulation	Frac pressure test and equalizing to well.
7/31/2024 16:13	7/31/2024 16:22			Frac	Pressure Test	0.15	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well swap. Multi-chem Unload chemicals for AST
7/31/2024 16:22	7/31/2024 18:08			Frac	Fracturing	1.76	Stimulation	Frac operations Stage 54 Start Stage: 18/20 IWHP: 4815 / SICP: 5440 End Stage: 18/20 Fluid Ends
7/31/2024 18:08	7/31/2024 18:11			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
7/31/2024 18:11	7/31/2024 18:13			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
7/31/2024 18:13	7/31/2024 18:25			Frac Tree	Well Switch Wireline	0.20	Stimulation	Switching for Wireline
7/31/2024 18:25	7/31/2024 18:28			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
7/31/2024 18:28	7/31/2024 19:19			Wireline	WL Run	0.86	Stimulation	Wireline operations Stage 55
7/31/2024 19:19	7/31/2024 19:21			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
7/31/2024 19:21	7/31/2024 22:51			Standby	Well Shut In	3.49	Stimulation	Well shut in. Ready for Frac
7/31/2024 22:51	7/31/2024 22:53			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
7/31/2024 22:53	7/31/2024 23:23			Frac	Preventive Maintenance	0.50	Stimulation	Frac pump maintenance
7/31/2024 23:23	7/31/2024 23:23			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
7/31/2024 23:23	7/31/2024 23:34			Frac	Pressure Test	0.19	Stimulation	Frac pressure testing and equalizing to well. Exceeded 30 min well switch RO pump, head check, and test
7/31/2024 23:34	8/1/2024 01:18			Frac	Fracturing	1.74	Stimulation	Frac Operations Stage 55 Start Stage: 20/20 IWHP: 4842 / SICP: 5460 End Stage: 18/20 Fluid Ends
8/1/2024 01:18	8/1/2024 01:22			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
8/1/2024 01:22	8/1/2024 01:24			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
8/1/2024 01:24	8/1/2024 01:27			Frac Tree	Well Switch Wireline	0.04	Stimulation	Switching for Wireline
8/1/2024 01:27	8/1/2024 01:29			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
8/1/2024 01:29	8/1/2024 02:22			Wireline	WL Run	0.87	Stimulation	Wireline operations Stage 56
8/1/2024 02:22	8/1/2024 02:24			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
8/1/2024 02:24	8/1/2024 05:41			Standby	Well Shut In	3.28	Stimulation	Well shut in. Ready for Frac
8/1/2024 05:41	8/1/2024 05:43			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
8/1/2024 05:43	8/1/2024 05:53			Frac	Preventive Maintenance	0.17	Stimulation	Frac pump maintenance
8/1/2024 05:53	8/1/2024 05:59			Frac	Pressure Test	0.11	Stimulation	Frac pressure testing and equalizing to well
8/1/2024 06:00	8/1/2024 06:01			Frac	Pressure Test	0.02	Stimulation	Frac pressure testing and equalizing to well
8/1/2024 06:01	8/1/2024 07:33			Frac	Fracturing	1.55	Stimulation	Frac operations Stage 56 IWHP: 4,776 / SICP: 5,424 START 18/20 FLUID ENDS END 18/20 FLUID ENDS
8/1/2024 07:33	8/1/2024 07:37			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
8/1/2024 07:37	8/1/2024 07:40			Frac Tree	Well Switch Wireline	0.04	Stimulation	Switching for Wireline
8/1/2024 07:40	8/1/2024 07:40			Standby	Well Shut In	0.00		null
8/1/2024 07:40	8/1/2024 07:42			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
8/1/2024 07:42	8/1/2024 08:37			Wireline	WL Run	0.92	Stimulation	Wireline operations Stage 57
8/1/2024 08:37	8/1/2024 08:39			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
8/1/2024 08:39	8/1/2024 11:54			Standby	Well Shut In	3.24	Stimulation	Well shut in. Ready for Frac
8/1/2024 11:54	8/1/2024 11:56			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
8/1/2024 11:56	8/1/2024 12:18			Frac	Preventive Maintenance	0.37	Stimulation	Frac pump maintenance
8/1/2024 12:18	8/1/2024 12:25			Frac	Pressure Test	0.12	Stimulation	Frac pressure testing and equalizing to well
8/1/2024 12:25	8/1/2024 12:27			Frac	Frac Data Van	0.03	Stimulation	PROFRAC - PUMP MAINTENANCE, REBOOT DATA VAN

Time & Activity Summary_WV10

XCL RESOURCES

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
8/1/2024 12:27	8/1/2024 14:01			Frac	Fracturing	1.57	Stimulation	Frac operations Stage 57 IWHP: 4,600 / SICP: 5,583 START 18/20 FLUID ENDS END 18/20 FLUID ENDS
8/1/2024 14:01	8/1/2024 14:04			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
8/1/2024 14:04	8/1/2024 14:05			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline
8/1/2024 14:05	8/1/2024 14:06			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
8/1/2024 14:06	8/1/2024 14:08			Wireline	Equalizing	0.03	Stimulation	Wireline stabbed on and equalizing pressure
8/1/2024 14:08	8/1/2024 14:58			Wireline	WL Run	0.83	Stimulation	Wireline operations Stage 58
8/1/2024 14:58	8/1/2024 15:00			Frac Tree	Well Switch Wellhead	0.04	Stimulation	Shutting in and bleeding off well
8/1/2024 15:00	8/1/2024 18:29			Standby	Well Shut In	3.48	Stimulation	Well shut in. Ready for Frac
8/1/2024 18:29	8/1/2024 18:31			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
8/1/2024 18:31	8/1/2024 18:41			Frac	Preventive Maintenance	0.17	Stimulation	Frac pump maintenance
8/1/2024 18:41	8/1/2024 18:41			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
8/1/2024 18:41	8/1/2024 18:45			Frac	Equalizing	0.06	Stimulation	Frac equalizing to well
8/1/2024 18:45	8/1/2024 20:26			Frac	Fracturing	1.69	Stimulation	Frac Operations Stage 58 Start Stage: 18/20 IWHP: 4828 / SICP: 5597 End Stage: 18/20 Fluid Ends
8/1/2024 20:26	8/1/2024 20:31			Frac Tree	Well Switch Wellhead	0.07	Stimulation	Shutting in and bleeding off well
8/1/2024 20:31	8/1/2024 20:33			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
8/1/2024 20:33	8/1/2024 20:34			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
8/1/2024 20:34	8/1/2024 20:36			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
8/1/2024 20:36	8/1/2024 21:33			Wireline	WL Run	0.94	Stimulation	Wireline operations Stage 59
8/1/2024 21:33	8/1/2024 21:36			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
8/1/2024 21:36	8/2/2024 01:22			Standby	Well Shut In	3.77	Stimulation	Well shut in. Ready for Frac
8/2/2024 01:22	8/2/2024 01:24			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
8/2/2024 01:24	8/2/2024 01:38			Frac	Preventive Maintenance	0.23	Stimulation	Frac pump maintenance
8/2/2024 01:38	8/2/2024 01:38			Standby	Well Shut In	0.00		Well shut in. Ready for Frac
8/2/2024 01:38	8/2/2024 01:42			Frac	Equalizing	0.06	Stimulation	Frac equalizing to well
8/2/2024 01:42	8/2/2024 03:20			Frac	Fracturing	1.63	Stimulation	Frac Operations Stage 59 Start Stage: 18/20 IWHP: 4802 / SICP: 5504 End Stage: 18/20 Fluid Ends
8/2/2024 03:20	8/2/2024 03:23			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
8/2/2024 03:23	8/2/2024 03:25			Standby	Well Shut In	0.03	Stimulation	Well shut in. Ready for Wireline
8/2/2024 03:25	8/2/2024 03:26			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
8/2/2024 03:26	8/2/2024 03:28			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
8/2/2024 03:28	8/2/2024 04:22			Wireline	WL Run	0.89	Stimulation	Wireline operations Stage 60
8/2/2024 04:22	8/2/2024 04:24			Frac Tree	Well Switch Wellhead	0.03	Stimulation	Shutting in and bleeding off well
8/2/2024 04:24	8/2/2024 06:00			Standby	Well Shut In	1.60	Stimulation	Well shut in. Ready for Frac

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
8/2/2024 06:00	8/2/2024 09:13			Standby	Well Shut In	3.22	Stimulation	Well shut in. Ready for Frac
8/2/2024 09:13	8/2/2024 09:15			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
8/2/2024 09:15	8/2/2024 09:40			Frac	Preventive Maintenance	0.42	Stimulation	Frac pump maintenance
8/2/2024 09:40	8/2/2024 09:43			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
8/2/2024 09:43	8/2/2024 11:10			Frac	Fracturing	1.45	Stimulation	Frac operations Stage 60 IWHP: 4,645 / SICP: 5,600 START 17/20 FLUID ENDS END 17/20 FLUID ENDS
8/2/2024 11:10	8/2/2024 11:14			Frac Tree	Well Switch Wellhead	0.06	Stimulation	Shutting in and bleeding off well
8/2/2024 11:14	8/2/2024 11:15			Standby	Well Shut In	0.02	Stimulation	Well shut in. Ready for Wireline
8/2/2024 11:15	8/2/2024 11:16			Frac Tree	Well Switch Wireline	0.02	Stimulation	Switching for Wireline
8/2/2024 11:16	8/2/2024 11:19			Wireline	Equalizing	0.04	Stimulation	Wireline stabbed on and equalizing pressure
8/2/2024 11:19	8/2/2024 12:15			Wireline	WL Run	0.94	Stimulation	Wireline operations Stage 61
8/2/2024 12:15	8/2/2024 12:18			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
8/2/2024 12:18	8/2/2024 12:52			Standby	Well Shut In	0.58	Stimulation	Well shut in. Ready for Frac
8/2/2024 12:52	8/2/2024 12:54			Frac Tree	Well Switch Frac	0.03	Stimulation	Switching for Frac
8/2/2024 12:54	8/2/2024 13:04			Frac	Preventive Maintenance	0.16	Stimulation	Frac pump maintenance
8/2/2024 13:04	8/2/2024 13:07			Frac	Equalizing	0.05	Stimulation	Frac equalizing to well
8/2/2024 13:07	8/2/2024 14:03			Frac	Fracturing	0.93	Stimulation	Frac operations Stage 61 IWHP: 4,791 / SICP: 5,559 START 16/20 FLUID ENDS END 16/20 FLUID ENDS
8/2/2024 14:03	8/2/2024 14:06			Frac Tree	Well Switch Wellhead	0.05	Stimulation	Shutting in and bleeding off well
8/2/2024 14:06	8/2/2024 14:16			Standby	Well Shut In	0.16	Stimulation	Well shut in. Ready for Wireline
8/2/2024 14:16	8/2/2024 14:18			Frac Tree	Well Switch Wireline	0.03	Stimulation	Switching for Wireline
8/2/2024 14:18	8/2/2024 14:21			Wireline	Equalizing	0.05	Stimulation	Wireline stabbed on and equalizing pressure
8/2/2024 14:21	8/2/2024 15:15			Wireline	Set Kill Plug	0.90	Stimulation	Wireline operations. Setting Kill Plug
8/2/2024 15:15	8/2/2024 15:20			Frac Tree	Well Switch Wellhead	0.08	Stimulation	Shutting in and bleeding off well
8/2/2024 15:20	8/3/2024 05:59			Standby	Well Shut In	14.67	Stimulation	Well shut in. All frac operations completed.
8/29/2024 06:00	8/29/2024 10:00			RU/RD	Rig Up/Down	4.00		MIRU RANGER COIL AND SUPPORT,
8/29/2024 10:00	8/29/2024 14:30			Coil Tubing	Coil Tubing Unit	4.50		ISSUES WITH NEW INJECTOR HEAD HYDRAULIC FITTINGS AND COM CABLES.
8/29/2024 14:30	8/29/2024 16:00			RU/RD	Rig Up/Down	1.50		CONTINUE RU COIL. PU INJECTOR HEAD, CUT 25' OFF COIL, MU NEW COIL CONNECT, PULL TEST TO 35K, PRESSURE TEST TO 2,500 PSI, MU NEW FPDO BHA, FUNCTION TEST 2 BPM @ 1,200 PSI, 3 BPM @ 2,200 PSI, 4 BPM @ 3,600 PSI, STAB ON WELL, FLANGE BETWEEN FLOW CROSS AND SPOOL LEAKING. BHA: COIL CONNECT 3.13" OD X .96' DUAL BPV 3.13" OD X 1.83' DISCONNECT 3.13" OD X 2.68' CIRC SUB 3.13" OD X 2.07' WAVE FORCE 3.13" OD X 3.99' F5 MOTOR 3.13" OD X 13.37' BACK REAMER 3.70" OD X .70' TRI CONE BIT 3.75" OD X .40' TOTAL BHA LENGTH: 26'
8/29/2024 16:00	8/29/2024 18:00			Frac Tree	Frac Tree Leak	2.00		SWAP OUT RING GASKIT BETWEEN FLOW CROSS AND SPOOL,
8/29/2024 18:00	8/29/2024 18:15			Frac Tree	Frac Tree Leak	0.25		GREASE FITTING LEAKING ON HYDRUALIC MASTER VALVE @ 500 PSI, BLEED OFF & REPLACE FITTING
8/29/2024 18:15	8/29/2024 18:45			RU/RD	Rig Up/Down	0.50	Drill Out	PRESSURE TEST COIL AND FLOW BACK 500 LOW, 8,500 HIGH.

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
8/29/2024 18:45	8/29/2024 21:15			Coil Tubing	Run in hole	2.50	Drill Out	OWP: 4,536 PSI @ 18:41 RIH TO 150' BRING PUMP ON LINE 1 BPM IN/OUT, RIH TO 9,750' BRING RATE TO 3.5 BPM IN/OUT, WC 25K, RIH TO TAG KP @ 10,337
8/29/2024 21:15	8/29/2024 21:45			Coil Tubing	Milling	0.50	Drill Out	DRILL KILL PLUG DT - 30 MIN PP - 6556 PSI RP - 4335 PSI PR - 3.4 BPM RR - 3.0 BPM CK - 19 ADJ
8/29/2024 21:45	8/30/2024 00:30			Coil Tubing	Milling	2.75	Drill Out	DRILL PLUGS 1 - 5 OF 60 AVG DT - 0 MIN. AVG PT - 35 MIN AVG PP - 6,704 PSI AVG RP - 4,191 PSI AVG PR - 3.5 BPM AVG RR - 3.5 BPM AVG CK - 21 POSITIVE AVG SAND CONC - 0 %
8/30/2024 00:30	8/30/2024 01:30			Coil Tubing	Milling	1.00	Drill Out	DRILL PLUGS 6 - 10 OF 60 AVG DT - 0 MIN. AVG PT - 22.5 MIN AVG PP - 6851 PSI AVG RP - 4,154 PSI AVG PR - 3.5 BPM AVG RR - 3.5 BPM AVG CK - 21 POSITIVE AVG SAND CONC - 0 % SEND 15 BBL FW SWEEP AFTER PLUG 10
8/30/2024 01:30	8/30/2024 02:30			Coil Tubing	Milling	1.00	Drill Out	DRILL PLUGS 11 - 15 OF 60 AVG DT - 0 MIN. AVG PT - 11.8 MIN AVG PP - 6,823 PSI AVG RP - 3,982 PSI AVG PR - 3.5 BPM AVG RR - 3.5 BPM AVG CK - 21 POSITIVE AVG SAND CONC - 5% SEND 10 BBL FW SWEEP AFTER PLUG 15
8/30/2024 02:30	8/30/2024 03:15			Coil Tubing	Milling	0.75	Drill Out	DRILL PLUGS 16 - 20 OF 60 AVG DT - 0 MIN. AVG PT - 10.3 MIN AVG PP - 6,812 PSI AVG RP - 3,977 PSI AVG PR - 3.6 BPM AVG RR - 3.5 BPM AVG CK - 21 POSITIVE AVG SAND CONC - 6% SEND 20 BBL FW SWEEP AFTER PLUG 20
8/30/2024 03:15	8/30/2024 04:00			Coil Tubing	Milling	0.75	Drill Out	DRILL PLUGS 21 - 25 OF 60 AVG DT - 0 MIN. AVG PT - 10 MIN AVG PP - 6,885 PSI AVG RP - 4,000 PSI AVG PR - 3.7 BPM AVG RR - 3.5 BPM AVG CK - 21 POSITIVE AVG SAND CONC - 9% SEND 10 BBL FW SWEEP AFTER PLUG 25
8/30/2024 04:00	8/30/2024 05:15			Coil Tubing	Milling	1.25	Drill Out	DRILL PLUGS 26 - 30 OF 60 AVG DT - 0 MIN. AVG PT - 14.4 MIN AVG PP - 6,917 PSI AVG RP - 4,015 PSI AVG PR - 3.8 BPM AVG RR - 3.5 BPM AVG CK - 21 POSITIVE AVG SAND CONC - 7% SEND 30 BBL FW SWEEP AFTER PLUG 30

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
8/30/2024 05:15	8/30/2024 06:00			Coil Tubing	Milling	0.75	Drill Out	DRILL PLUGS 31 - 32 OF 60 AT TIME OF REPORT. AVG DT - 0 MIN. AVG PT - 15.5 MIN AVG PP - 7,020 PSI AVG RP - 4,033 PSI AVG PR - 3.8 BPM AVG RR - 3.8 BPM AVG CK - 22 POSITIVE AVG SAND CONC - 8%
8/30/2024 06:00	8/30/2024 06:30			Coil Tubing	Milling	0.50	Drill Out	DRILL PLUGS 33 - 35 OF 60 AVG DT - 0 MIN. AVG PT - 14.3 MIN AVG PP - 6,902 PSI AVG RP - 4,031 PSI AVG PR - 3.8BPM AVG RR - 3.8 BPM AVG CK - 3.8 POSITIVE AVG SAND CONC - 6% SEND 10 BBL FW SWEEP AFTER PLUG 35
8/30/2024 06:30	8/30/2024 07:45			Coil Tubing	Milling	1.25	Drill Out	DRILL PLUGS 36 - 40 OF 60 AVG DT - 0 MIN. AVG PT - 14.8 MIN AVG PP - 6,974 PSI AVG RP - 4,016 PSI AVG PR - 3.8 BPM AVG RR - 3.8 BPM AVG CK - 22 POSITIVE AVG SAND CONC - 4% SEND 30 BBL FW SWEEP AFTER PLUG 40
8/30/2024 07:45	8/30/2024 09:15			Coil Tubing	Milling	1.50	Drill Out	DRILL PLUGS 41 - 45 OF 60 AVG DT - 0 MIN. AVG PT - 16.8 MIN AVG PP - 6,924 PSI AVG RP - 4,049 PSI AVG PR - 3.8 BPM AVG RR - 3.8 BPM AVG CK - 22 POSITIVE AVG SAND CONC - 4% SEND 10 BBL FW SWEEP AFTER PLUG 45
8/30/2024 09:15	8/30/2024 10:30			Coil Tubing	Milling	1.25	Drill Out	DRILL PLUGS 46 - 50 OF 60 AVG DT - 0 MIN. AVG PT - 16.8 MIN AVG PP - 6,933 PSI AVG RP - 4,036 PSI AVG PR - 3.8 BPM AVG RR - 3.8 BPM AVG CK - 22 POSITIVE AVG SAND CONC - 3% SEND 30 BBL FW SWEEP AFTER PLUG 50
8/30/2024 10:30	8/30/2024 12:00			Coil Tubing	Milling	1.50	Drill Out	DRILL PLUGS 51 - 55 OF 60 AVG DT - 0 MIN. AVG PT - 16.6 MIN AVG PP - 6,852 PSI AVG RP - 4,060 PSI AVG PR - 4.0 BPM AVG RR - 3.8 BPM AVG CK - 22 POSITIVE AVG SAND CONC - 1% SEND 10 BBL FW SWEEP AFTER PLUG 55
8/30/2024 12:00	8/30/2024 14:15			Coil Tubing	Milling	2.25	Drill Out	DRILL PLUGS 56 - 60 OF 60 AVG DT - 0 MIN. AVG PT - 19.6 MIN AVG PP - 6,917 PSI AVG RP - 4,074 PSI AVG PR - 4.0 BPM AVG RR - 3.8 BPM AVG CK - 22 POSITIVE AVG SAND CONC - 1% SEND 90 BBL FW SWEEP AFTER PLUG 60. WASH TO TD AT 21,274'
8/30/2024 14:15	8/30/2024 22:30			Coil Tubing	Pull out of hole	8.25	Drill Out	21,274' WC 51K, POOH CHASING SWEEPS OUT, PUMP 10 BBL FW SWEEP EVERY 1,500' OF LAT & 30 BBL FW SWEEP AT HEEL, CONTINUE TO CIRCULATE OOH. BUMP UP AND WASH BOWL WSI AND SECURED. SIWHP - 4,232 PSI

XCL RESOURCES

Time & Activity Summary_WV10

Well Name	Lease	Government Authority	API/UWI	Pad Name
Goose 72-2423-23D	FEE	UDOGM	43013545560000	Texas Pad

Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Accounting ID
5,844.00	5,814.00	30.00	60104.01

Time Log

Start Date	End Date	Start Depth (ftKB)	End Depth (ftKB)	Code 1	Code 2	Dur (hr)	Phase	Com
8/30/2024 22:30	8/30/2024 23:15			Coil Tubing	Coil Tubing Unit	0.75	Drill Out	ND RANGER BOP'S, SWING TO THE GOOSE 52-2423-23E STAB ONTO WELL, CAMERON TORQUING BOP'S BREAK BOWEN CONNECTION PULL OFF WELL, BREAK DOWN FPDO BHA, CUT COIL CONNECT.
8/30/2024 23:15	8/31/2024 06:00			Standby	Well Shut In	6.75		WSI FOR PRODUCTION TREE INSTALL
9/2/2024 06:00	9/2/2024 09:00			Standby	Well Shut In	3.00		WSI WAITING FOR PRODUCTION TREE INSTALL
9/2/2024 09:00	9/2/2024 13:00			General Ops	Rigging In	4.00		FLUSH WELL HEAD AND BOWL WITH HOT OILER, RU HYDRAULIC LUBRICATOR, EQUALIZE LAND TBG HANGER/BPV WITH 2' PUP, BURST DISK & WIRELINE ENTRY GUIDE, RUN IN LOCK DOWN PINS AND PACKING GLANDS, ND HYDRAULIC LUBRICATOR, ND 7-1/16 MANUAL MASTER, PULL BOTH MANUAL & HYDRAULIC VALVES OFF TOGETHER, LAND PRODUCTION TREE, NU 7-1/16 10K FLANGE, TEST VOID WITH HAND PUMP,
9/2/2024 13:00	9/2/2024 13:15			General Ops	Rigging Out	0.25		BURST CERAMIC DISK @ 5,000 PSI, SIWP: 4,450.
9/2/2024 13:15	9/3/2024 06:00			Standby	Well Shut In	16.75		WSI TURN OVER TO PRODCUTION