



WCE: Bibersee.vanderKnaap.2001 (lcRux6T4mIrY0kwQeJs)



| | |
|--|---|
| geo_latitude: | 47.2067 |
| geo_longitude: | 8.4654 |
| geo_elevation: | |
| archiveType: | Lake |
| Category: | Pollen |
| CategorySpecific: | Pollen (calibrated) |
| paleoData_proxyGeneral: | pollen |
| paleoData_proxy: | pollen |
| paleoData_proxyDetail: | Infilled lake. Physiography: Ground moraines or drumlins. Surround |
| paleoData_variableName: | precipitation |
| climateInterpretation1_seasonalityGeneral: | Annual |
| climateInterpretation1_variable: | P |
| paleoData_units: | mm/a |
| chronData_agesN_12k: | 21 |
| chronData_agesMaxGap_12k: | 1460 |
| Source: | Legacy Climate v1.0 |
| pub1_title: | Vegetationsgeschichte und menschlicher Einfluss in der Umgebung |
| pub1_doi: | van der Knaap, W.O. and Van Leeuwen, J.F.N., 2001. Vegetationsg |
| pub2_doi: | 10.5194/essd-2022-38 |
| originalDataUrl: | https://doi.pangaea.de/10.1594/PANGAEA.930512 |