Algorithm for file updates in Python

Project description

The scenario involves regularly updating a file that gives security clearance for certain employees to access restricted content. Employees are restricted access based on their IP addresses. This algorithm allows easy filtering through the employee IP addresses to restrict employees without clearance from obtaining access to the restricted content.

Open the file that contains the allow list

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"

# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.

remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]

# First line of `with` statement
with open(import_file, "r") as file:
```

Read the file contents

```
# Assign `import_file` to the name of the file
import file = "allow list.txt"
# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.
remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]
# Build `with` statement to read in the initial contents of the file
with open(import_file, "r") as file:
  # Use `.read()` to read the imported file and store it in a variable named `ip_addresses`
    allowed list = file.read()
# Display `ip_addresses`
print(allowed_list)
ip address
192.168.25.60
192,168,205,12
192.168.97.225
192.168.6.9
192.168.52.90
192.168.158.170
192,168,90,124
192, 168, 186, 176
192.168.133.188
192.168.203.198
192.168.201.40
```

Convert the string into a list

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"

# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.

remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]

# Build `with` statement to read in the initial contents of the file

with open(import_file, "r") as file:

# Use `.read()` to read the imported file and store it in a variable named `ip_addresses`

ip_addresses = file.read()

# Use `.split()` to convert `ip_addresses` from a string to a list

ip_addresses = ip_addresses.split()

# Display `ip_addresses

print(ip_addresses)

['ip_addresses, '192.168.25.60', '192.168.205.12', '192.168.97.225', '192.168.6.9', '192.168.52.90', '192.168.158.170', '192.16
8.90.124', '192.168.186.176', '192.168.133.188', '192.168.203.198', '192.168.201.40', '192.168.218.219', '192.168.52.37', '192.
168.156.224', '192.168.60.153', '192.168.55.7', '192.168.69.116']
```

Iterate through the remove list

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"
# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.
remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]
# Build `with` statement to read in the initial contents of the file
with open(import_file, "r") as file:
  # Use `.read()` to read the imported file and store it in a variable named `ip_addresses`
  ip addresses = file.read()
# Use `.split()` to convert `ip_addresses` from a string to a list
ip_addresses = ip_addresses.split()
# Build iterative statement
# Name loop variable `element`
# Loop through `ip_addresses`
for element in ip_addresses:
    # Display `element` in every iteration
    print(element)
```

```
for element in ip_addresses:
    # Display `element` in every iteration
    print(element)

ip_address
```

```
192.168.25.60
192.168.205.12
192.168.97.225
192.168.6.9
192.168.52.90
192.168.158.170
192.168.90.124
192.168.186.176
192.168.133.188
192.168.203.198
192.168.201.40
192.168.218.219
192.168.52.37
192.168.156.224
192.168.60.153
192.168.58.57
192.168.69.116
```

Remove IP addresses that are on the remove list

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"
# Assign `remove list` to a list of IP addresses that are no longer allowed to access restricted information.
remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]
# Build `with` statement to read in the initial contents of the file
with open(import file, "r") as file:
  # Use `.read()` to read the imported file and store it in a variable named `ip_addresses`
  ip_addresses = file.read()
# Use `.split()` to convert `ip_addresses` from a string to a list
ip_addresses = ip_addresses.split()
# Build iterative statement
# Name loop variable `element`
# Loop through `ip_addresses`
for element in ip addresses:
  # Build conditional statement
  # If current element is in `remove_list`,
    if element in remove_list:
```

```
ip_addresses = ip_addresses.split()

# Build iterative statement
# Name loop variable `element`
# Loop through `ip_addresses`

for element in ip_addresses:

# Build conditional statement
# If current element is in `remove_list`,

if element in remove_list:

# then current element should be removed from `ip_addresses`

ip_addresses.remove(element)
# Display `ip_addresses`

print(ip_addresses)

['ip_addresses, '192.168.25.60', '192.168.205.12', '192.168.6.9', '192.168.52.90', '192.168.90.124', '192.168.186.176', '192.168.133.188', '192.168.203.198', '192.168.218.219', '192.168.52.37', '192.168.156.224', '192.168.60.153', '192.168.69.116']
```

Update the file with the revised list of IP addresses

```
# Assign `import_file` to the name of the file
import_file = "allow_list.txt"

# Assign `remove_list` to a list of IP addresses that are no longer allowed to access restricted information.

remove_list = ["192.168.97.225", "192.168.158.170", "192.168.201.40", "192.168.58.57"]

# Build `with` statement to read in the initial contents of the file

with open(import_file, "r") as file:

# Use `.read()` to read the imported file and store it in a variable named `ip_addresses`

ip_addresses = file.read()

# Use `.split()` to convert `ip_addresses` from a string to a list

ip_addresses = ip_addresses.split()

# Build iterative statement

# Name loop variable `element`
# Loop through `ip_addresses`
for element in ip_addresses:
```

```
for element in ip_addresses:

# Build conditional statement
# If current element is in `remove_list`,

if element in remove_list:

# then current element should be removed from `ip_addresses`

ip_addresses.remove(element)

# Convert `ip_addresses` back to a string so that it can be written into the text file

ip_addresses = " ".join(ip_addresses)

# Build `with` statement to rewrite the original file

with open(import_file, "w") as file:

# Rewrite the file, replacing its contents with `ip_addresses`

file.write(ip_addresses)
```

Summary