

References

- [1] S. Bastianini, C. Berteotti, A. Gabrielli, F. Del Vecchio, R. Amici, C. Alexandre, T. Scammell, M. Gazea, M. Kimura, V. Lo Martire, A. Silvani, and G. Zoccoli. Scoprisim: A new algorithm for automatic sleep scoring in mice. *Journal of Neuroscience Methods*, pages 277–284, 2014.
- [2] A. Blum and T. Mitchell. Combining labeled and unlabeled data with co-training. In *COLT*, pages 92–100, 1998.
- [3] A. M. Chan, S. T. Sun, E. H. Boto, and B. M. Wingeier. Automated seizure onset detection for accurate onset time determination in intracranial eeg. *Clinical Neurophysiology*, 119:2687–2696, 2008.
- [4] T. Dietterich. Ensemble Methods in Machine Learning. In *First International Workshop on Multiple Classifier Systems, Lecture Notes in Computer Science*, 2000.
- [5] C. Eiben, J. Siegel, J. Bale, S. Cooper, F. Khatib, B. Shen, Foldit Players, B. Stoddard, Z. Popovic, and D. Baker. Increased diels-alderase activity through backbone remodeling guided by foldit players. *Nature Biotechnology*, pages 190–192, 2012.
- [6] E. Law and L. von Ahn. Input-agreement: A new mechanism for data collection using human computation games. In *CHI*, pages 361–364, 2009.
- [7] E. Law and L. von Ahn. *Human Computation*. Morgan & Claypool Synthesis Series on Artificial Intelligence and Machine Learning, 2011.
- [8] A. Malhortra, M. Younes, S. Kuna, R. Benca, C. Kushida, J. Walsh, A. Hanlon, B. Staley, A. Pack, and G. Pien. Performance of an automated polysomnography scoring system versus computer-assisted manual scoring. *Sleep*, (4):573–582, 2013.
- [9] W. Mason and S. Suri. A guide to behavioral experiments on mechanical turk. *Behavior Research Methods*, 44(1):1–23, 2012.
- [10] M. Saab and J. Gotman. A system to detect the onset of epileptic seizures in scalp eeg. *Clinical Neurophysiology*, 116:427–442, 2005.
- [11] A. Shoeb and J. Guttag. Application of machine learning to epileptic seizure detection. In *International Conference on Machine Learning (ICML)*, 2010.
- [12] S. Vijayanarasimhan and K. Grauman. What’s it going to cost you? predicting effort vs. informativeness for multi-label image annotations. In *CVPR*, pages 1–8, 2009.
- [13] L. von Ahn. Duolingo: learn a language for free while helping to translate the web. In *IUI*, pages 1–2, 2013.
- [14] L. von Ahn and L. Dabbish. Labeling images with a computer game. In *CHI*, pages 319–326, 2004.
- [15] L. von Ahn and L. Dabbish. General techniques for designing games with a purpose. *Communication of the ACM*, pages 58–67, August 2008.
- [16] L. von Ahn, B. Maurer, C. McMillen, D. Abraham, and M. Blum. recaptcha: Human-based character recognition via web security measures. *Science*, 321:1465–1468, 2008.
- [17] S. Warby, S. Wendt, P. Welinder, E. Munk, O. Carrillo, H. Sorensen, P. Jennum, P. Peppard, P. Perona, and E. Mignot. Sleep-spindle detection: Crowdsourcing and evaluating performance of experts, non-experts and automated methods. *Nature Methods*, (11):385–392, 2014.

- [18] S. Wiebe, P. Camfield, N. Jette, and J. Burneo. Epidemiology of epilepsy: prevalence, impact, comorbidity and disparities. *Journal of Neurological Sciences*, 36(2):7–16, 2009.
- [19] Kyle W. Willett, Chris J. Lintott, Steven P. Bamford, Karen L. Masters, Brooke D. Simmons, Kevin R. V. Casteels, Edward M. Edmondson, Lucy F. Fortson, Sugata Kaviraj, William C. Keel, Thomas Melvin, Robert C. Nichol, M. Jordan Raddick, Kevin Schawinski, Robert J. Simpson, Ramin A. Skibba, Arfon M. Smith, and Daniel Thomas. Galaxy Zoo 2: detailed morphological classifications for 304122 galaxies from the Sloan Digital Sky Survey. *Monthly Notices of the Royal Astronomical Society*, September 2013.
- [20] T. Young, M. Palta, J. Dempsey, J. Skatrud, S. Weber S, and S. Badr. The occurrence of sleep-disordered breathing among middle-aged adults. *New England Journal of Medicine*, 328(17):1230–1235, 1993.
- [21] A. Zandi, M. Javidan, G. Dumont, and R. Tafreshi. Automated realtime epileptic seizure detection in scalp eeg recordings using an algorithm based on wavelet packet transform. *IEEE Transactions on Biomedical Engineering*, 57:1639–1651, 2010.
- [22] T Zhu, AEW Johnson, J Behar, and G D Clifford. Crowd-sourced annotation of ecg signals using contextual information. *Annals of Biomedical Engineering*, 2014.
- [23] T. Zhu, M. Osipov, T. Papastilianou, J. Oster, D. A. Clifton, and G. D. Clifford. An Intelligent Cardiac Health Monitoring and Review System. In *Appropriate Healthcare Technologies for Low Resource Settings (AHT), The 8th International Conference - Promoting access to healthcare through technology*, 2014.

Appendix




Figure 1: The Bhutan Epilepsy Project




Figure 2: Curio: A Platform for Mixed-Expertise Crowdsourcing




Figure 3: Normal wake EEG. Note the 8Hz dominant background frequency.




Figure 4: EEG in stage N2 sleep. Note the prominent sleep spindles (black box) and the dominant frequency $<8\text{Hz}$.




Figure 5: Abnormal burst-suppression background with brief bursts (box) punctuated by long periods of suppression. Note the interictal epileptiform discharges contained within the bursts.




Figure 6: Interictal discharges (black boxes) on a slow ($<8\text{Hz}$) background.




Figure 7: Single focal interictal discharge preceded by a normal spindle (black boxes) occurring in the context of otherwise normal stage N2 sleep.



Figure 8: Middle of a generalized seizure (the beginning and end are not seen on this page).