Instructor: Ann Clifton	Name:


Do not turn this page until told to do so.


You will have a total of 1 hour and 15 minutes to complete the exam. When specified, you **must** show all work to receive full credit. NO CALCULATOR/PHONE ALLOWED. Draw a pumpkin on this page if you read this.

Cheating of any kind on the exam will not be tolerated and will result in a grade of 0%.

#	score	out of	#	score	out of
1		4	9		6
2		4	10		6
3		4	11		14
4		4	12		20
5		4	13		16
6		6			
7		6	EC		5
8		6	Total		100

Remember: This exam has no impact on your worth as a human being. You got this!!!











True or False. No work/explanation required. True means ALWAYS true. 4pts each.

- 1. If L and c are real numbers and $\lim_{x\to c} f(x) = L$, then $\lim_{x\to c} \sqrt[n]{f(x)} = \sqrt[n]{L} = L^{1/n}$, n a positive integer.
- 2. If P(x) and Q(x) are polynomials, $Q(c) \neq 0$, then $\lim_{x \to c} \frac{P(x)}{Q(x)} = \frac{P(c)}{Q(c)}$.
- 3. If f is continuous at c and g is continuous at f(c), then the composite $g \circ f$ is continuous at c.
- 4. If $f(x) \leq g(x)$ for all x in some open interval containing c, except possibly at x = c itself, and the limits of f and g both exist as x approaches c, then $\lim_{x\to c} f(x) \leq \lim_{x\to c} g(x)$.
- 5. If the function f is continuous at x = c and g is a function of x, then f + g is continuous at x = c.

Multiple Choice. No work required. 6 points each. Choose the best answer. There is only one correct answer but you may choose up to *two*. If you choose two and one of the answers is correct, you will receive half the points.

6. Find the limit:

$$\lim_{y \to 2} \frac{y+2}{y^2 + 5y + 6}$$

- **A.** 0 **B.** 1/16
- C. 1/5 D. Does Not Exist
- 7. Find the average rate of change of the function over the given interval:

$$P(\theta) = \theta^2 - 4\theta + 5, [1, 2]$$


- **A.** -1/2 **B.** -1
- **C.** 3 **D.** 3/2

8. Find the limit:

$$\lim_{x \to -\infty} \left(\frac{x^2 + x - 1}{8x^2 - 3} \right)^{1/3}$$

- **A.** 0
- **B.** 1/2
- C. 1/9
- D. Does Not Exist

Use the graph below for questions 9 and 10.



- 9. Using the given graph, find $\lim_{x\to 0^+} f(x)$.
 - **A.** 0
- **B.** 1
- **C.** 2
- D. Does Not Exist
- 10. Using the given graph, determine whether the function f(x) is continuous at the point x = 2. Explain why or why not.
 - **A.** f(x) is NOT continuous at x = 2 as $f(2) \neq \lim_{x \to 2} f(x)$.
 - as $f(2) \neq \lim_{x \to 2} f(x)$.
 - C. f(x) IS continuous at x = 2 as $\lim_{x\to 2} f(x) = f(2)$.
- **B.** f(x) is NOT continuous at x = 2 as there is a jump discontinuity there.
- **D.** f(x) IS continuous at x = 2 as $\lim_{x\to 2^-} f(x) = \lim_{x\to 2^+} f(x)$.

Short Answer. You must show all work to receive full credit. If you need more space, use the provided scrap paper and write a note indicating where to find your work.

11. (14 points) Let

$$f(x) = \frac{x^3 + x^2 - 56x}{x + 8}.$$

(a) Does f(x) have a discontinuity? If so, is it removable?

(b) Use limit laws to evaluate

$$\lim_{x \to -8} \frac{x^3 + x^2 - 56x}{x + 8}.$$

12. (20 points) Find the derivative, f'(x), using the limit definition, for the function $f(x) = x^2 - x$.

13. (16 points) If

$$\lim_{x \to -2} \frac{f(x)}{x^2} = 1,$$

find

(a) $\lim_{x\to -2} f(x)$

(b) $\lim_{x\to -2} \frac{f(x)}{x}$

Extra Credit (5 points) No partial credit will be given for this problem. Give exact answers.

For the given function f(x) and values of L, c, and $\epsilon > 0$ determine the largest value for $\delta > 0$ such that $0 < |x - c| < \delta \Rightarrow |f(x) - L| < \epsilon$.

$$f(x) = 6x + 4,$$
 $L = 34,$ $c = 5,$ $\epsilon = 0.6$