



Climate TRACE Inventory November 2024 (Version 4)
Data Licensing, Schema, and Citation Guide

Permissions and Use:	All Climate TRACE data is freely available under the Creative Commons Attribution 4.0 International Public License, unless otherwise noted below.
Suggested citation format:	For sources from different sectors or global data accessed and downloaded, please cite as: Climate TRACE (2024), <i>Climate TRACE Emissions Inventory v4</i> , https://climatetrace.org [Date Accessed]. For sector-specific citations, see below.
Disclaimer:	The emissions models provide our current best estimates of emissions, and we are committed to continually increasing the accuracy of the models on all levels. Please review our terms of use (https://climatetrace.org/terms) and the sector-specific methodology documentation (https://climatetrace.org/downloads) before using the data.
	If you identify an error or would like to participate in our data validation process please contact us (coalition@climatetrace.org).

Files available:	Description
detailed_data_schema.csv	File with the mapping and explanation of what each data column means for all various subsectors.
<subsector-name>_emissions_sources.csv	File containing the emissions data at the emissions source level across all subsectors monitored by Climate TRACE.
<subsector-name>_country_emissions.csv	File containing the emissions data at the country level across all subsectors monitored by Climate TRACE.
<subsector-name>_emissions_sources_confidence.csv	File specifying the confidence classification of the reported data from emissions sources present on the file <subsector-name>_emissions_sources.csv
<subsector-name>_emissions_sources_ownership.csv	File containing the ownership information of the emissions sources on the file <subsector-name>_emissions_sources.csv
<subsector-name>_emissions_sources_ownership_data_source.csv	File specifying the various bibliographical sources of where the ownership data was collected from. Related to the information available on <subsector-name>_emissions_sources_ownership.csv
_geometries.gpkg	File containing the various locations of the emissions sources. Each layer of this file contains the location of the emissions sources of its respective subsector.

A full list of emissions sectors that Climate TRACE provides data for, is available on the website at <https://climatetrace.org/sectors>. For some sectors, Climate TRACE has geospatial data beyond what is included in this download package. To request that data, please [contact us](mailto:coalition@climatetrace.org) (coalition@climatetrace.org) .

v4 updates to the Climate TRACE inventory	
New subsectors added	heat-plants
	glass
	lime
	food-beverage-tobacco
	wood-and-wood-products
	textiles-leather-apparel
	other-metals
	other-chemicals
	other-mining-quarrying
	crop-residues
	manure-applied-to-soils
Current subsectors split into two subsectors	residential-on-site-fuel-usage ('residential and commercial-on-site-fuel-usage' in v3)
	non-residential-on-site-fuel-usage ('residential and commercial-on-site-fuel-usage' in v3)
	oil-and-gas-production ('oil-and-gas-production-and-transport' in v3)
	oil-and-gas-transport ('oil-and-gas-production-and-transport' in v3)
	domestic-wastewater-treatment-and-discharge ('wastewater-treatment-and-discharge' in v3)
	industrial-wastewater-treatment-and-discharge ('wastewater-treatment-and-discharge' in v3)
Subsectors renamed	petrochemicals-steam-cracking ('petrochemicals' in v3)
	iron-and-steel ('steel' in v3)
	enteric-fermentation-cattle-operation ('enteric-fermentation-cattle-feedlot' in v3)
	manure-management-cattle-operation ('manure-management-cattle-feedlot' in v3)

Metadata description for: <subsector-name>_emissions_sources.csv	
Data-attribute	Definition
source_id	The internal Climate TRACE identifier for each individual source of emissions. Every distinct emissions source is defined by a unique combination of facility name, country, source type, and subsector.
source_name	Name of the entity or source that produced the emissions. Where exact names were not available, Climate TRACE has created descriptive names based on source location.
source_type	Description of the emission source classification.
iso3_country	Corresponds to the ISO 3166-1 alpha-3 specification of the country where the entity is physically located.
sector	The high level sector that the subsectors fall under (i.e. Agriculture, Mineral Extraction, etc.)
subsector	The more granular sector name for the emissions being measured (i.e. rice-cultivation, copper-mining, etc.)
start_time	The time using Coordinated Universal Time (UTC) of emissions, either as an instance of start time of observation.
end_time	The time using Coordinated Universal Time (UTC) of emissions, either as an instance of end time of observation.
lat	Approximate latitude location of the source. When source is an aggregation of smaller emissions sources (e.g county, urban area etc), the latitude centroid of the geometry is provided.
lon	Approximate longitude location of the source. When source is an aggregation of smaller emissions sources (e.g county, urban area etc), the latitude centroid of the geometry is provided.
geometry_ref	Corresponds to the reference id to the geopackage file present in the downloads. This id allows matching the emissions source location with the location of the emissions source.
gas	Air emissions which are reported in metric tonnes. Climate TRACE reports greenhouse gas emissions from Carbon Dioxide (CO2), Methane (CH4) and Nitrous oxide (N2O) as well as all three gases combined and expressed in CO2-equivalents are available (100 year and 20 year time frame using IPCC Sixth Assessment Report (AR6) Global Warming Potentials). Climate TRACE reports the air pollutants: Particulate Matter (PM2.5), Black Carbon (BC), and Organic Carbon (OC), sulphur dioxide (SO2), Volatile Organic Compounds (VOCs), Carbon Monoxide (CO), Ammonia (NH3), and Nitrogen Oxides (NOx).
emissions_quantity	Quantity of gas emitted in metric tonnes. If reported quantity is zero, it means that gas is not emitted. If reported quantity is empty/null/N-A, data is not yet available.
temporal_granularity	Resolution of the data available.
activity	Activity of the entity producing the emissions, not including units. See definition of "capacity". Activity data are not available for some subsectors due to licensing restrictions.
activity_units	Units of reported "activity". Climate TRACE used SI base units and standard abbreviations when possible. https://www.nist.gov/pml/own/metric-si/si-units
emissions_factor	Emissions factor of reported activity. Emissions factors vary by sector, subsector, and source type. Emission factors data are not available for some subsectors due to licensing restrictions.
emissions_factor_units	Units of reported "emissions factor" field. Climate TRACE used SI base units and standard abbreviations when possible. https://www.nist.gov/pml/own/metric-si/si-units
capacity	Capacity of the entity producing emissions, not including units. Because 'capacity' has different definitions in different sectors. Please see the capacity units column for detailed information.
capacity_units	Units of reported "capacity" field. Climate TRACE used SI base units and standard abbreviations when possible. https://www.nist.gov/pml/own/metric-si/si-units
capacity_factor	Corresponds to the ratio of the actual source output (activity) to the source capacity. When data not available, this is not relevant for the subsector.
capacity_factor_units	Units of reported "capacity_factor" field. If units are not available, this is not relevant for the subsector.
other1	Additional data field available for the subsector. For description of this field and its meaning, please reference to other1_def. When this field is null,blank or na, no additional data is provided to the subsector.
other1_def	Definition of reported data of Other1 field.
other2	Additional data field available for the subsector. For description of this field and its meaning, please reference to other2_def. When this field is null, blank or na, no additional data is provided to the subsector.
other2_def	Definition of reported data of Other2 field.
other3	Additional data field available for the subsector. For description of this field and its meaning, please reference to other3_def. When this field is null, blank or na, no additional data is provided to the subsector.
other3_def	Definition of reported data of Other3 field.
other4	Additional data field available for the subsector. For description of this field and its meaning, please reference to other4_def. When this field is null, blank or na, no additional data is provided to the subsector.
other4_def	Definition of reported data of Other4 field.
other5	Additional data field available for the subsector. For description of this field and its meaning, please reference to other5_def. When this field is null, blank or na, no additional data is provided to the subsector.
other5_def	Definition of reported data of Other5 field.
other6	Additional data field available for the subsector. For description of this field and its meaning, please reference to other6_def. When this field is null, blank or na, no additional data is provided to the subsector.
other6_def	Definition of reported data of Other6 field.
other7	Additional data field available for the subsector. For description of this field and its meaning, please reference to other7_def. When this field is null, blank or na, no additional data is provided to the subsector.
other7_def	Definition of reported data of Other7 field.
other8	Additional data field available for the subsector. For description of this field and its meaning, please reference to other8_def. When this field is null, blank or na, no additional data is provided to the subsector.
other8_def	Definition of reported data of Other8 field.
other9	Additional data field available for the subsector. For description of this field and its meaning, please reference to other9_def. When this field is null, blank or na, no additional data is provided to the subsector.
other9_def	Definition of reported data of Other9 field.
other10	Additional data field available for the subsector. For description of this field and its meaning, please reference to other10_def. When this field is null, blank or na, no additional data is provided to the subsector.
other10_def	Definition of reported data of Other10 field.
created_date	Date emissions source was added to the Climate TRACE database.
modified_date	Last date on which any updates were made to the dataset for the specific source.

Metadata description for: <subsector-name>_country_emissions.csv	
Data-attribute	Definition
iso3_country	Corresponds to the ISO 3166-1 alpha-3 code for the country.
start_time	The time using Coordinated Universal Time (UTC) of emissions, either as an instance of start time of observation.
end_time	The time using Coordinated Universal Time (UTC) of emissions, either as an instance of end time of observation.
sector	The high level sector that the subsectors fall under (i.e. Agriculture, Mineral Extraction, etc.)
subsector	The more granular sector name for the emissions being measured (i.e. rice-cultivation, copper-mining, etc.)
gas	Air emissions which are reported in metric tonnes. Climate TRACE reports greenhouse gas emissions from Carbon Dioxide (CO2), Methane (CH4) and Nitrous oxide (N2O) as well as all three gases combined and expressed in CO2-equivalents are available (100 year and 20 year time frame using IPCC Sixth Assessment Report (AR6) Global Warming Potentials). Climate TRACE reports the following air pollutants: Particulate Matter (PM2.5), Black Carbon (BC), and Organic Carbon (OC), sulphur dioxide (SO2), Volatile Organic Compounds (VOCs), Carbon Monoxide (CO), Ammonia (NH3), and Nitrogen Oxides (NOx).
emissions_quantity	Quantity of gas emitted in metric tonnes. If reported quantity is zero, it means that gas is not emitted. If reported quantity is empty/null/N-A, data is not yet available.
emissions_quantity_units	Units of reported "emissions_quantity" field. Climate TRACE used SI base units and standard abbreviations when possible. https://www.nist.gov/pml/own/metric-si/si-units
temporal_granularity	Resolution of the data available.
created_date	Date country emissions quantity was added to the Climate TRACE database.
modified_date	Last date on which any updates were made to the dataset for the specific country.

Metadata description for: <subsector-name>_confidence.csv	
Data-attribute	Definition
source_id	The internal Climate TRACE identifier for each individual source of emissions. Every distinct source is defined by a unique combination of facility name, country, source type, and subsector.
source_name	Name of the entity or source that produced the emissions. Where exact names were not available, Climate TRACE has created descriptive names based on source location.
iso3_country	Corresponds to the ISO 3166-1 alpha-3 specification of the country where the entity is physically located.
sector	The high level sector that the subsectors fall under (i.e. Agriculture, Mineral Extraction, etc.)
subsector	The more granular sector name for the emissions being measured (i.e. rice-cultivation, copper-mining, etc.)
start_time	The time using Coordinated Universal Time (UTC) of emissions, either as an instance of start time of observation.
end_time	The time using Coordinated Universal Time (UTC) of emissions, either as an instance of end time of observation.
source_type	Qualitative confidence level for the emissions source type classification data available on the file <subsector-name>_emissions_sources.csv, when type data is reported. Entries that are available are: "very high", "high", "medium", "low" and "very low".
capacity	Qualitative confidence level for the emissions source capacity data available on the file <subsector-name>_emissions_sources.csv, when capacity data is reported. Entries that are available are: "very high", "high", "medium", "low" and "very low".
capacity_factor	Qualitative confidence level for the emissions source capacity factor data available on the file <subsector-name>_emissions_sources.csv, when capacity factor data is reported. Entries that are available are: "very high", "high", "medium", "low" and "very low".
activity	Qualitative confidence level for the emissions source activity data available on the file <subsector-name>_emissions_sources.csv, when activity data is reported. Entries that are available are: "very high", "high", "medium", "low" and "very low".
[gas]_emissions_factor	Qualitative confidence level for the emissions source [gas] emissions factor data available on the file <subsector-name>_emissions_sources.csv, when [gas] emissions factor data is reported. Entries that are available are: "very high", "high", "medium", "low" and "very low".

[gas]_emissions	Qualitative confidence level for the emissions source [gas] emissions data available on the file <subsector-name>_emissions_sources.csv, when [gas] emissions data is reported. Entries that are available are: "very high","high","medium","low" and "very low".
total_co2e_100gwp	Qualitative confidence level for the emissions source carbon dioxide equivalent on 100 year global warming potential (co2e_100gwp) emissions data available on the file <subsector-name>_emissions_sources.csv, when co2e_100gwp emissions data is reported. Entries that are available are: "very high","high","medium","low" and "very low".
total_co2e_20yrgwp	Qualitative confidence level for the emissions source carbon dioxide equivalent on 20 year global warming potential (co2e_20gwp) emissions data available on the file <subsector-name>_emissions_sources.csv, when co2e_20gwp emissions data is reported. Entries that are available are: "very high","high","medium","low" and "very low".
created_date	Date emissions source was added to the Climate TRACE database.
modified_date	Last date on which any updates were made to the dataset for the specific emissions source.

Metadata description for: <subsector-name>_emissions_sources_ownership.csv	
Data-attribute	Definition
source_id	The internal Climate TRACE identifier for each individual source of emissions. Every distinct source is defined by a unique combination of facility name, country, source type, and subsector.
source_name	Name of the entity or emission source that produced the emissions. Where exact names were not available, Climate TRACE has created descriptive names based on emission source location.
iso3_country	Corresponds to the ISO 3166-1 alpha-3 specification of the country where the emissions source is physically located.
sector	The high level sector that the subsectors fall under (i.e. Agriculture, Mineral Extraction, etc.)
subsector	The more granular sector name for the emissions being measured (i.e. rice-cultivation, copper-mining, etc.)
lat	Approximate latitude location of the source. When source is an aggregation of smaller emissions sources (e.g county, urban area etc), the latitude centroid of the geometry is provided.
lon	Approximate longitude location of the source. When source is an aggregation of smaller emissions sources (e.g county, urban area etc), the latitude centroid of the geometry is provided.
geometry_ref	Corresponds to the reference id to the geopackage file present in the downloads. This id allows matching the emissions source location with the location of the emissions source.
relationship	Describes the relationship between the emission source with the company. Entries are: operator or owner.
ultimate_parent_name	Corresponds to the highest level parent company identified.
ultimate_parent_id	Corresponds to the unique id of the ultimate parent name. This corresponds to a unique id created by Climate TRACE.
percent_interest_parent	Corresponds to the percent of ownership or operational control of the emission source.
company_name	Name of the lowest level identified owner or operator of the emission source.
company_id	Unique identifier of the lowest level identified owner or operator of the emissions source.
percent_interest_company	Percent interest of the company of the lowest level owner or operator.
interest_units	Corresponds to the units of how the percentage of ownership is being defined. Example: barrels of oil produced, emissions.
start_date	Starting date that ownership data is being reported.
end_date	Ending data that ownership data is being reported.
created_date	Date and time that ownership data was added to Climate TRACE database.
modified_date	Date and time that ownership data was modified on Climate TRACE database.
percent_company_datasource	Datasource establishing chain of ownership/operational interest from the lowest level owner/company to the emissions source.
percent_parent_datasource	Datasource establishing chain of ownership interest from the ultimate parent to the company or lowest level owner

Metadata description for: <subsector-name>_emissions_sources_ownership_data_source.csv	
Data-attribute	Definition
reference_id	Corresponds to the reference id value present on <subsector-name>_emissions_sources_ownership.csv file on columns percent_company_datasource and percent_parent_datasource.
created_date	Date and time that ownership data was added to Climate TRACE database.
modified_date	Date and time that ownership data was modified on Climate TRACE database.
recency	Defines the recency of the source's reports of which the ownership information was gathered.
url	URL of source of where ownership data was gathered.

Recommended citation format for data from a specific sector		
Power	Electricity generation	Freeman, J., Rouzbeh Kargar, A., Couture, H., Jeyaratnam, J., Lewis, J., Alvara, M., Koenig, H., Nakano, T., Davitt, A., Lewis, C., and McCormick, G.(2024). Power sector: Emissions from Electricity Generation. WattTime, USA Pixel Scientia Labs, USA and Global Energy Monitor, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Heat Plants	Freeman, J., Sridhar, L., and Alvara, M. (2024). Power sector- Emissions from Heat Plants. WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Buildings	Residential and Non-Residential Onsite Fuel Usage	Markakis, P., Gowdy, T.M., Sheng, Z., Lancellotti, B., Malof, J.M., and Bradbury, K., Building sector: Estimating Global, High-resolution Onsite Building Emissions. Nicholas Institute for Energy, Environment & Sustainability, Duke University, Dept. of Electrical & Computer Engineering, Duke University; and Dept. of Electrical Engineering and Computer Science, University of Missouri, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Manufacturing	Iron and Steel	Sinha, A. and Crane, V. (2024). Manufacturing and Industrial Processes sector: Iron & Steel Manufacturing Emissions. TransitionZero, UK, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Cement	Sinha, A. and Crane, V. (2024). Manufacturing and Industrial Processes sector: Cement Manufacturing Emissions. TransitionZero, UK, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Aluminum	Sinha, A. and Heal, J. (2024). Manufacturing and Industrial Processes sector: Aluminium Production Emissions. TransitionZero, UK, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Chemicals and Pulp and Paper	Sinha, A. and Heal, J. (2024). Manufacturing and Industrial Processes sector: Chemicals, and Pulp and Paper Emissions. TransitionZero, UK, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Petrochemicals Steam Cracking	Peltier, M., Fallurin, J., Wang, J., Conway, TJ, and Gordon, D. (2024). Manufacturing and Industrial Processes sector: Petrochemical Ethylene Steam Cracker Emissions. RMI, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Transport	Domestic and international shipping	Mayes, B., Powell, M., Knights, D., Schofield, M., and Mackereth, T. (2024). Transportation sector: Domestic and International Shipping Emissions. OceanMind, UK and the University of Minnesota, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Domestic and international aviation	McDonald, G., Kroodsmma, D., Carbo-Mestre, P., Powell, M., Wei, Z. (2024), Transportation sector: Emissions From Vessels With Low Information Availability. Global Fishing Watch (GFW) and the Environmental Markets Lab (emLab) at the University of California, Santa Barbara, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
		Saraswat, I. (2024). Transportation sector: Domestic and International Aviation Emissions. WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Road Transportation	Kott, T., Foster, K., Villafane-Delgado, M., Loschen, W., Sicurello, P., Ghebreselassie, M., Reilly, E., and Hughes, M. (2024). Transportation Sector - Global Road Emissions. The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Fossil Fuel Operations	Oil and gas production and transport	Schmeisser, L., Tecza, A., Huffman, M., Bylsma, S., Delang, M., Stanger, J., Conway, TJ, and Gordon, D. (2024). Fossil Fuel Operations Sector: Oil and Gas Production and Transport Emissions. RMI, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Oil Refining	Wang, J., Fallurin, J., Peltier, M., Conway, TJ, and Gordon, D. (2024). Fossil Fuel Operations Sector: Refining Emissions, RMI, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Coal Mining	Lewis, C., Tate, R.D., and Mei, D.L. (2024). Fuel Operations sector: Coal Mining Emissions Methodology. WattTime and Global Energy Monitor, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Mineral Extraction	Bauxite mining, copper mining, iron mining, rock and sand quarrying	Jolleys, M., Francis, S., Bahukhandi, V., Sundaram, S., Malik, M., Sharma, P., Hernandez, C., and Duddy, P.(2024). Mineral Extraction sector: Mining and Quarrying Emissions from Copper, Iron, Bauxite, Rock and Sand, Hypervine, UK, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Agriculture	Rice cultivation	Rudiyanto and Minasny, B. (2024). Rice Cultivation Emissions Estimates using Sentinel-1A/B and -2A/B. Universiti Malaysia Terengganu, Malaysia and the University of Sydney, Australia, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Enteric fermentation and Manure management (feedlot+daairy, source-level)	Rudiyanto and Minasny, B. (2024). Rice Cultivation Emission Estimates using MODIS. Universiti Malaysia Terengganu, Malaysia and the University of Sydney, Australia, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Enteric fermentation and Manure management (feedlot+daairy, country-level)	Davitt, A., Volpato, G., Cheng, X.F., Block, E., Raniga, K., Vandermal, J., Mendoza, A., McCrary, D., Sutherland, A., Rostami, R., Smith, M., Goodwin, B., Pluard, C., and Schiller, S. (2023). Enteric fermentation and manure management emissions from feedlots and dairies. WattTime, Harvard University, Synthetaic, Carbon Yield, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Enteric fermentation and Manure management (pastures)	Davitt, A., Lewis, C., Andoe-Leggett, M., Schiller, S. (2024). Agriculture sector- Country-level Enteric fermentation and Manure Management Emissions Estimates from Cattle Operations. WattTime, USA and Carbon Yield, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Synthetic Fertilizers	Brown, N., Jimenez, D., Rokisky, J., Davitt, A. and Reilly, E. (2024): Agriculture sector- Cattle Emissions from Enteric Fermentation and Manure Left on Pasture. The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, and WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Waste	Wastewater Treatment	Sharma, P. and Basso, B. (2024). Agriculture sector: Estimation of Direct Nitrous Oxide (N2O) Emissions from Synthetic Fertilizers. Department of Earth and Environmental Sciences, Michigan State University, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Solid Waste Disposal	Collins, G., Jain, A., Tulloch, P., Sicurello, P., Kirwan, E., Sridhar, L., Piatko, C., Reilly, E., Hughes, M. (2024). Waste sector: Emissions from Wastewater Treatment Plants. The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, Imperial College London, UK, Machine Learning and Env., Applied Research Consultant, CAN, and WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Forestry and Land Use	Water Reservoirs	Raniga, K., (2024). Waste Sector: Estimating CH4 Emissions from Solid Waste Disposal Sites. WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Net forest, grassland and wetland emissions	Hunter, H., Robinette, M., Brown, N., Sridhar, L., Lewis, C., and Reilly, E. (2024). Forestry and Land Use Change sector: Emissions from Reservoirs. The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, and WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Other Sectors		Yang, Y. and Saatchi, S. (2024). Forestry and Land Use Change sector: Net Forest & Mangrove, Net Grassland, and Net Wetland Carbon Stock Change - Living Biomass. CTrees, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
		Moore, D., Lewis, C., Sridhar, L., Raniga, K., Doctor, Z, and McCormick, G. (2024). Data-Informed Disaggregation and Implicit Estimation of Emissions in Other Sub-sectors. WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Post Processing for Global Emissions and Metadata Completeness		Collins, G., Nellis, A., Raniga, K., Brown, N., Pekala, M, Doctor, Z., Moore, D., Reilly, E., Hughes, M., McCormick, G. (2024). Spatial Disaggregation of Remainder Emissions. The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, and WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
		Raniga, K., Moore, D., Doctor, Z., Thomas, P., Saraswat, I., Collins, G., D., Nellis, A., Brown, N., Pekala, M, Rokisky, J., Lewis, C., Reilly, E., Hughes, M., McCormick, G. (2024). Spatial Disaggregation of Remainder Emissions. WattTime, USA, and The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
		Moore, D., Doctor, Z., Raniga, K., Lewis, C., Sridhar, L., Thomas, P., Saraswat, I., Collins, G., D., Nellis, A., Brown, N., Pekala, M, Rokisky, J., Lewis, C., Reilly, E., Hughes, M., McCormick, G. (2024). Completeness of Bottom-up Emissions Estimates and Associated Metadata. WattTime, USA, and The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Non GHG emissions		Collins, G., Robinette, M., Sridhar, L., Reilly, E., and Hughes, M. (2024). Non-Greenhouse Gas Emissions Estimates Across Sectors. The Johns Hopkins University Applied Physics Laboratory (JHU/APL), USA, and WattTime, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
Asset Ownership		Thomas, P., Saraswat, I., Raniga, K., Lewis, C., Freeman, J., Davitt, A., Schmeisser, L., Fallurin, J., Sinha, A., Heal, J., Crane, V., Jolleys, M., and McCormick, G., (2024). Climate TRACE Ownership Information: Source & Company-Level Ownership Methodology. WattTime and RMI, USA, TransitionZero and Hypervine, UK. Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]
	Source ownership	Mowat, A., Louis, G., Kapp, S., and Bird, M. (2024). Climate TRACE Ownership Information: Global Energy Monitor Methodology for Ownership Data. Global Energy Monitor, USA, Climate TRACE Emissions Inventory. https://climatetrace.org [Accessed date]

Detailed terms of use and licensing information	
All emissions data has been made available via Climate TRACE under the Creative Commons Attribution 4.0 International License (CC BY 4.0) with the following exceptions.	
The following datasets have been reproduced directly from their source. It is the sole responsibility of the data user to review the terms and conditions for all the above sources prior to using the data. The Climate TRACE Coalition makes no claims or warranties regarding the accuracy, completeness or licensing terms for these datasets.	

Country level emissions estimates for Other energy use, Railways, Other transportation, Other onsite fuel usage, Solid fuel transformation, Other fossil fuel operations, Other manufacturing, Solid waste disposal, Biological treatment of solid waste, Incineration and open burning of waste, and Fluorinated gases, Cropland fires (country and source level)	EDGAR (Emissions Database for Global Atmospheric Research) Community GHG Database , a collaboration between the European Commission, Joint Research Centre (JRC), the International Energy Agency (IEA), and comprising IEA-EDGAR CO2, EDGAR CH4, EDGAR N2O, EDGAR F-GASES version 8.0, (2023) European Commission, JRC (Datasets): https://edgar.jrc.ec.europa.eu/ The Community Emissions Data System (CEDS) developed by the Pacific Northwest National Laboratory(v_2024_07_08): https://www.pnnl.gov/projects/ceds .
Country level emissions estimates for Rice cultivation (in some geographies), Crop Residues, Manure Applied to Soils, Other Agricultural Soil Emissions, Enteric Fermentation- Other, and Manure Management - Other	FAO, 2024. FAOSTAT Climate Change: Agrifood systems emissions, Emissions Totals , http://www.fao.org/faostat/en/#data/GT
Source-level emissions estimates for some sources in the “Other manufacturing” sector	European Pollutant Release and Transfer Register : https://www.eea.europa.eu/data-and-maps/data/member-states-reporting-art-7-under-the-european-pollutant-release-and-transfer-register-e-prtr-regulation-23/european-pollutant-release-and-transfer-register-e-prtr-data-base US Environmental Protection Agency FLIGHT dataset : https://ghgdata.epa.gov/ghgp/main.do?site_preference=normal Israel Pollutant Release and Transfer Register : https://www.gov.il/en/departments/topics/prtr/govil-landing-page
Source-level emissions estimates for some sources under the “Solid Waste Disposal” sector	US Environmental Protection Agency FLIGHT dataset : https://ghgdata.epa.gov/ghgp/main.do?site_preference=normal US Environmental Protection Agency Landfill Methane Outreach Program : https://www.epa.gov/lmop (some landfills only) Canada Greenhouse Gas Reporting Program - Facility GHG Data : https://open.canada.ca/data/en/dataset/a8ba14b7-7f23-462a-bdbb-83b0ef629823 . European Pollutant Release and Transfer Register : https://www.eea.europa.eu/data-and-maps/data/member-states-reporting-art-7-under-the-european-pollutant-release-and-transfer-register-e-prtr-regulation-23/european-pollutant-release-and-transfer-register-e-prtr-data-base
Source ownership	Facility ownership information has been made available from a variety of sources, including primary sources such as company websites, secondary sources such as industry news articles, and aggregators such as PermID, OpenCorporates, and Wikipedia. A full list of data sources are included in the methodology documentation.

Geographic boundaries and names (iso3_country data attribute)	
The depiction and use of boundaries, geographic names and related data shown on maps and included in lists, tables, documents, and databases on Climate TRACE are generated from the following sources. The stated usage is not warranted to be error free and does not imply the expression of any opinion whatsoever on the part of Climate TRACE Coalition and its partners concerning the legal status of any country, area or territory or of its authorities, or concerning the delimitation of its borders.	
Country, state province, county/ district level	Global Administrative Areas (GADM) project (Version 4.1 released on 16 July 2022) along with their corresponding ISO3 codes, and with the following adaptations: - HKG (China, Hong Kong Special Administrative Region) and MAC (China, Macao Special Administrative Region) are reported at GADM level 0 (country/national); - Kosovo has been assigned the ISO3 code ‘XKX’; - XCA (Caspian Sea) has been removed from GADM level 0 and the area assigned to countries based on the extent of their territorial waters; - XAD (Akrotiri and Dhekelia), XCL (Clipperton Island), XPI (Paracel Islands) and XSP (Spratly Islands) are not included in the Climate TRACE dataset; - ZNC name changed to ‘Turkish Republic of Northern Cyprus’ at GADM level 0; - The borders between India, Pakistan and China have been assigned to these countries based on GADM codes Z01 to Z09. - Two IDs have been created for a region in UKR with missing IDs (at Level 1 and Level 2). - UNK added to GADM level 0 to denote 'unknown' countries, which primarily applies to dark vessels whose port locations are not known.
City level	The Global Human Settlements Layer - Functional Urban Areas (2019).