

[5.11.0] - 2026-09-23

ClimateTRACE,deprecation-warning

- The 'other-fossil-fuel-operations' subsector has been deprecated, as coal-mining, oil-and-gas-production, and oil-and-gas-transport will include all of the emissions previously captured by this subsector.

ClimateTRACE,multiple-sectors,post-processing

Added

- [Added] None

Changed

- [Changed] Non-team-submitted PM2.5 emissions data were generated using a new methodology that incorporates higher asset-level specificity, related to combustion/flaring/process/etc. splits. Affects all sectors *except* the following: cropland-fires, domestic-shipping, electricity-generation, international-shipping, non-residential-onsite-fuel-usage, residential-onsite-fuel-usage, and road-transportation.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

ClimateTRACE,individual-changelogs

agriculture,enteric-fermentation-cattle-operation

Added

- [Added] Indonesia (IDN) asset-level emissions for years 2015 to 2025. Total heads of cattle are based on 2024 province-level data and backfilled to 2015.

- [Added] 2025 emissions estimates for all individual cattle operations.

- [Added] 2025 county level emission estimates.

Changed

- [Changed] Current V5.11 coverage = 41 countries and an estimated 285,824 cattle operations (assets) identified. Previous V5.10 coverage = 40 countries and an estimated 285,517 cattle operations (assets) identified.

- [Changed] Imputed missing state counts for US beef and dairy cattle using U.S. Department of Agriculture (USDA) regional averages (if available), falling back to national averages. This includes estimating total heads of beef and dairy cattle, and estimating beef capacity factors.

- [Changed] Updated Australian and Canadian beef/dairy cattle estimates from national to territory/province-level averages. This includes estimating total heads of beef and dairy cattle, and estimating beef capacity factors.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] V5.10 may be missing cattle operation coverage in some counties, i.e. RUS, UKR, POL, and GBR. This has been fixed in V5.11.

- [Fixed] Operations that were assigned, solid storage manure management were silently skipped last release, V5.10. As a result, enteric fermentation emissions were not estimated for these operations. This has been fixed in V5.11.

Known Issues

- [Known Issues] AUS country-level emissions jump after 2019. This is because the mean dairy cattle count applied to identified operations is derived from two datasets whose reported year coverage doesn't overlap. As a result, 2015–2018 show a lower mean dairy cattle count relative to 2019 onward. This will be fixed in a future release.

- [Known Issues] Effort has been made to reduce duplicate operations in the U.S. and globally. In the U.S. this was caused when a reported state government CAFOs had location coordinates set away from the operation not within the operation. For example, at the end of the CAFO driveway leading into the operation or the owners home away from the CAFO. Further work will continue to deduplicate Climate TRACE cattle operations in the U.S.

- [Known Issues] Duplicates and false-positive locations can exist for this sector. If found, please let us know via email and provide the asset id and latitude and longitude information.

- [Known Issues] Certain cattle operations may be multiple cattle operations combined into one. As a result, the regression model overestimated the total head of cattle at these operations. Any beef cattle operation with a total head (capacity) greater than 40,000 had their capacity capped at 40,000. Additionally, any dairy farm operation with a total head (capacity) greater than 4,000 had their capacity capped at 4,000. These are marked in the 'other2' column. Future updates will address this issue.

agriculture,manure-management-cattle-operation

Added

- [Added] Indonesia (IDN) asset-level emissions for years 2015 to 2025. Total heads of cattle are based on 2024 province-level data and backfilled to 2015.
- [Added] 2025 emissions estimates for all individual cattle operations.
- [Added] 2025 county level emission estimates.

Changed

- [Changed] Updated underlying dataset to estimate climate zones to the Climatic Research Unit gridded Time Series (CRU TS) v4.10 NetCDF files (version June 7, 2026) from the University of East Anglia. CRU TS v4.10 was used to estimate monthly climate zones for years 2015 to 2025.
- [Changed] Current V5.11 coverage = 41 countries and an estimated 285,824 cattle operations (assets) identified. Previous V5.10 coverage = 40 countries and an estimated 285,517 cattle operations (assets) identified.
- [Changed] Imputed missing state counts for US beef and dairy cattle using U.S. Department of Agriculture (USDA) regional averages (if available), falling back to national averages. This includes estimating total heads of beef and dairy cattle, and estimating beef capacity factors.
- [Changed] Updated Australian and Canadian beef/dairy cattle estimates from national to territory/province-level averages. This includes estimating total heads of beef and dairy cattle, and estimating beef capacity factors.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] V5.10 may be missing cattle operation coverage in some counties, i.e. RUS, UKR, POL, and GBR. This has been fixed in V5.11.
- [Fixed] Fixed ef4 assignment to include wet climate values. Previously, dry climate values were assigned. This affects N2O emissions derived for locations in wet climates.
- [Fixed] N2O emissions for cattle operations using pasture management in multiple manure management systems (specifically in Western countries like AUS, CAN, and NZL) may have been omitted in V5.10. This has been resolved in V5.11.
- [Fixed] Operations that were assigned, solid storage manure management were silently skipped last release, V5.10. As a result, manure emissions were not estimated for these operations. This has been fixed in V5.11.

Known Issues

- [Known Issues] AUS
- [Known Issues] Effort has been made to reduce duplicate operations in the U.S. and globally. In the U.S. this was caused when a reported state government CAFOs had location coordinates set away from the operation not within the operation. For example, at the end of the CAFO driveway leading into the operation or the owners home away from the CAFO. Further work will continue to deduplicate Climate TRACE cattle operations in the U.S.
- [Known Issues] Duplicates and false-positive locations can exist for this sector. If found, please let us know via email and provide the asset id and latitude and longitude information.
- [Known Issues] Certain cattle operations may be multiple cattle operations combined into one. As a result, the regression model overestimated the total head of cattle at these operations. Any beef cattle operation with a total head (capacity) greater than 40,000 had their capacity capped at 40,000. Additionally, any dairy farm operation with a total head (capacity) greater than 4,000 had their capacity capped at 4,000. These are marked in the 'other2' column. Future updates will address this issue.
- [Known Issues] Manure emissions in conflict-affected regions with large cattle populations (e.g., Afghanistan, East Africa) may overestimate emissions due to IPCC 2019 animal waste management system regional defaults assigned. Future updates will implement country-specific MMS to resolve this issue.
- [Known Issues] Current country-level manure emissions assume a single climate zone and one multiple MMS type per cattle category (beef/dairy), potentially biasing CH₄ and N₂O emissions' estimates, especially in temperate climates (i.e. Russia and Canada) where CH₄ production is reduced in cooler/temperate climates. Future updates will improve accuracy by implementing multi-MMS allocations and refined country-specific climate zones.

agriculture,net-soil-organic-carbon

Added

- [Added] None

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] Asset-level activity values (tonnes change in soil organic carbon) for CH4 and N2O are incorrectly set to 0 across the board. For true activity values, users are pointed to the CO2 rows, which represent the true SOC change. To be fixed in V5.12.0.

- [Known Issues] GADM and city aggregation asset_activity, emissions_factor, and capacity_factor are incorrect. To be fixed in V5.12.0.

agriculture,rice-cultivation

Added

- [Added] Monthly disaggregation for 2021-2024 used the pattern of rice production modeled in 2025.

- [Added] Rice production data (SPAM 2020) appended as a new other4 field to 2021-2024, matched to assets at the GADM2 level and aggregated by summation to GADM1 and GADM0 assets. This data is not broken down to monthly values but appears as yearly values (rice yield per year for a given area).

- [Added] Coverage to 58 countries.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Removed

Fixed

- [Fixed] Corrected the emissions factor for North Korea (PRK) which lowered emissions going back to 2021.

- [Fixed] Corrected 2021-2024 production in China where northwestern provinces had misclassified other crops as rice. Validated this finding using external estimates and reported values.

Known Issues

- [Known Issues] 2021-2024 monthly data is not directly modeled, but extrapolated based on 2025 patterns. A future release will likely more directly model these values historically.

buildings,non-residential-onsite-fuel-usage

Added

- [Added] Data period extended for existing sources. Start_date 2026-07-01 to end_date 2026-07-31.

- [Added] Energy use intensity (capacity factor) is now delivered as annual layers. Start_date 2015-01-01 to end_date 2026-12-31.
- [Added] Biomass energy is now delivered as its own activity layer (other8), separate from the main activity layer. Start_date 2015-01-01 to end_date 2026-07-31.
- [Added] A biomass PM2.5 emissions factor is now delivered (other7). Start_date 2015-01-01 to end_date 2026-07-31.

Changed

- [Changed] Updated historical data for existing sources. Start_date 2015-01-01 to end_date 2026-06-30.
- [Changed] Building activity is now estimated with Microsoft TEMPO data. TEMPO supplies the building volume from which floor area is derived (previously the Global Human Settlement Layer volume data); The Global Human Settlement Layer data are still used only to classify the proportion of floor area in each grid cell between residential and nonresidential buildings, and to estimate the year-to-year growth of buildings for years TEMPO does not observe. Start_date 2015-01-01 to end_date 2026-12-31.
- [Changed] Energy use intensity (capacity factor) is now delivered as annual layers. Energy use intensity was rebuilt from national energy statistics and is now reported separately for fossil fuel and for biomass, in each of the residential and nonresidential sectors, for every year. The values are drawn from the U.S. Energy Information Administration (EIA), the United Nations Statistics Division (UNSD), the Africa Energy Database (AFREC) and the UN Food and Agriculture Organization (FAOSTAT). One result is a shift in the balance between residential and nonresidential emissions for most locations. Start_date 2015-01-01 to end_date 2026-07-31.
- [Changed] Biomass is now separated from fossil fuel at the energy use intensity level, so biomass and fossil energy are estimated independently as are the corresponding emissions. IPCC conventions are followed regarding whether emissions totals include only fossil emissions (as for CO2) or both fossil and biomass emissions (for other gases and pollutants). Start_date 2015-01-01 to end_date 2026-07-31.
- [Changed] Emissions were re-estimated against the EDGAR 2025 release, which revises residential and other-sectors emissions for most gases. Start_date 2015-01-01 to end_date 2026-07-31.

Deprecated

- [Deprecated] The biomass CO2, CH4 and N2O emissions layers (previously other7, other8 and other9) are no longer delivered. While other7 and other8 have been reassigned, other9 has been deprecated and is no longer used. Start_date 2015-01-01 to end_date 2026-07-31.

Fixed

- [Fixed] Resolved issue with orphaned emissions (grid cells with nonzero emissions and zero activity) that impacted a minor fraction of global emissions. Start_date 2015-01-01 to end_date 2026-07-31.

- [Fixed] Resolved a 1-cell (~1km) grid shift for several countries and pollutants. Start_date 2015-01-01 to end_date 2026-07-31.

Known Issues

- [Known Issues] The residential/nonresidential split still relies on Global Human Settlement Layer (GHSL) data for defining which buildings are residential or nonresidential, even though the building volume itself now comes from TEMPO. The definition used by GHSL for this tends to label more building area as residential than nonresidential. This may introduce a bias towards attributing additional emissions as residential rather than nonresidential. This has been present in all previous versions of this subsector.

- [Known Issues] The emissions factors are back-calculated from a combination of emissions data (disaggregated EDGAR) and activity data. This leads to some emissions factors being well-outside of a standard range of values for those quantities. This has been present in all previous versions of this subsector.

- [Known Issues] Regional totals for some very small territories that border a much larger emitter can include part of the neighbour's emissions and exceed that territory's own national total. This arises because national totals are distributed across a fine grid and then summed back up by country, and border cells are not resolved identically in both steps. This is most pronounced for Macau, Hong Kong and Syria. This has been present in all previous versions of this subsector.

- [Known Issues] Our statistical data on several countries report no energy use at all of one fuel in one sector, so the corresponding energy and emissions are zero for those countries. This has been present in all previous versions of this subsector.

- [Known Issues] There are several cases of orphaned emissions (emissions with no corresponding activity) due to following the IPCC convention that most gases and pollutants except CO2 report both fossil and biomass emissions together since our activity basis is fossil activity, this leads to a mismatch. This also prevents activity x emissions factors from achieving full equality with emissions. However, the biomass activity data are now reported (other8) and can be used to correct this issue and back out the appropriate fossil or biomass emissions factors. This has been present in all previous versions of this subsector.

buildings,residential-onsite-fuel-usage

Added

- [Added] Data period extended for existing sources. Start_date 2026-07-01 to end_date 2026-07-31.
- [Added] Energy use intensity (capacity factor) is now delivered as annual layers. Start_date 2015-01-01 to end_date 2026-12-31.
- [Added] Biomass energy is now delivered as its own activity layer (other8), separate from the main activity layer. Start_date 2015-01-01 to end_date 2026-07-31.
- [Added] A biomass PM2.5 emissions factor is now delivered (other7). Start_date 2015-01-01 to end_date 2026-07-31.

Changed

- [Changed] Updated historical data for existing sources. Start_date 2015-01-01 to end_date 2026-06-30.
- [Changed] Building activity is now estimated with Microsoft TEMPO data. TEMPO supplies the building volume from which floor area is derived (previously the Global Human Settlement Layer volume data); The Global Human Settlement Layer data are still used only to classify the proportion of floor area in each grid cell between residential and nonresidential buildings, and to estimate the year-to-year growth of buildings for years TEMPO does not observe. Start_date 2015-01-01 to end_date 2026-12-31.
- [Changed] Energy use intensity (capacity factor) is now delivered as annual layers. Energy use intensity was rebuilt from national energy statistics and is now reported separately for fossil fuel and for biomass, in each of the residential and nonresidential sectors, for every year. The values are drawn from the U.S. Energy Information Administration (EIA), the United Nations Statistics Division (UNSD), the Africa Energy Database (AFREC) and the UN Food and Agriculture Organization (FAOSTAT). One result is a shift in the balance between residential and nonresidential emissions for most locations. Start_date 2015-01-01 to end_date 2026-07-31.
- [Changed] Biomass is now separated from fossil fuel at the energy use intensity level, so biomass and fossil energy are estimated independently as are the corresponding emissions. IPCC conventions are followed regarding whether emissions totals include only fossil emissions (as for CO2) or both fossil and biomass emissions (for other gases and pollutants). Start_date 2015-01-01 to end_date 2026-07-31.
- [Changed] Emissions were re-estimated against the EDGAR 2025 release, which revises residential and other-sectors emissions for most gases. Start_date 2015-01-01 to end_date 2026-07-31.

Deprecated

- [Deprecated] The biomass CO2, CH4 and N2O emissions layers (previously other7, other8 and other9) are no longer delivered. While other7 and other8

have been reassigned, other9 has been deprecated and is no longer used.
Start_date 2015-01-01 to end_date 2026-07-31.

Fixed

- [Fixed] Resolved issue with orphaned emissions (grid cells with nonzero emissions and zero activity) that impacted a minor fraction of global emissions. Start_date 2015-01-01 to end_date 2026-07-31.
- [Fixed] Resolved a 1-cell (~1km) grid shift for several countries and pollutants. Start_date 2015-01-01 to end_date 2026-07-31.

Known Issues

- [Known Issues] The residential/nonresidential split still relies on Global Human Settlement Layer (GHSL) data for defining which buildings are residential or nonresidential, even though the building volume itself now comes from TEMPO. The definition used by GHSL for this tends to label more building area as residential than nonresidential. This may introduce a bias towards attributing additional emissions as residential rather than nonresidential. This has been present in all previous versions of this subsector.
- [Known Issues] The emissions factors are back-calculated from a combination of emissions data (disaggregated EDGAR) and activity data. This leads to some emissions factors being well-outside of a standard range of values for those quantities. This has been present in all previous versions of this subsector.
- [Known Issues] Regional totals for some very small territories that border a much larger emitter can include part of the neighbour's emissions and exceed that territory's own national total. This arises because national totals are distributed across a fine grid and then summed back up by country, and border cells are not resolved identically in both steps. This is most pronounced for Macau, Hong Kong and Syria. This has been present in all previous versions of this subsector.
- [Known Issues] Our statistical data on several countries report no energy use at all of one fuel in one sector, so the corresponding energy and emissions are zero for those countries. This has been present in all previous versions of this subsector.
- [Known Issues] There are several cases of orphaned emissions (emissions with no corresponding activity) due to following the IPCC convention that most gases and pollutants except CO2 report both fossil and biomass emissions together since our activity basis is fossil activity, this leads to a mismatch. This also prevents activity x emissions factors from achieving full equality with emissions. However, the biomass activity data are now reported (other8) and can be used to correct this issue and back out the appropriate fossil or biomass emissions factors. This has been present in all previous versions of this subsector.

forestry-and-land-use,forest-land-clearing

Added

- [Added] None

Changed

- [Changed] Updated 2026 Q1 emissions estimates using the newly updated 2025 emissions from 08/21/26 as baseline.
- [Changed] Updated emission factors for all emission types and revised disturbance masking. Fire masking was changed from Global Annual Burned Area Map (GABAM; Landsat product) product to MODIS Burned Area (MCD64) and Global Forest Loss Due to Fire (GFL; Hansen, Univ. Of Maryland GFC). While deforestation and degradation masking in the tropical region was updated to use CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) data. And the deforestation masking in the non-tropical region still sources from Global Forest Loss (Hansen, Univ. Of Maryland GFC). The annual dataset covers 2015-01-01 to 2025-12-31, and the quarterly dataset covers 2023-01-01 to 2025-12-31.
- [Changed] Fire masking was changed from GABAM to MCD64 and GFL, while deforestation and degradation masking was updated to use CTrees Integrated Deforestation, Degradation, and Regeneration data. The annual dataset covers 2015-01-01 to 2025-12-31, and the quarterly dataset covers 2023-01-01 to 2025-12-31.
- [Changed] Updated 2025 quarterly emissions estimates using newly available 2025 annual disturbance masks from the CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) dataset and Forest Loss from Global Forest Change (Hansen, Univ. Of Maryland GFC).

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issue] The 2026 quarterly emissions dataset utilizes CTrees 2026 land use change alert (LUCA) data as the basis for estimating disturbance-related emissions. The current 2026 quarterly emission estimates may not fully attribute specific disturbance types (deforestation, degradation, and fire) that occurred in 2026.
- [Known Issue] Unrealistic spike in emissions in Jan 2026 for over 50 USA assets.

forestry-and-land-use,forest-land-degradation

Added

- [Added] None

Changed

- [Changed] Updated 2026 Q1 emissions estimates using the newly updated 2025 emissions from 08/21/26 as baseline.

- [Changed] Updated emission factors for all emission types and revised disturbance masking. Fire masking was changed from Global Annual Burned Area Map (GABAM; Landsat product) product to MODIS Burned Area (MCD64) and Global Forest Loss Due to Fire (GFL; Hansen, Univ. Of Maryland GFC). While deforestation and degradation masking in the tropical region was updated to use CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) data. And the deforestation masking in the non-tropical region still sources from Global Forest Loss (Hansen, Univ. Of Maryland GFC). The annual dataset covers 2015-01-01 to 2025-12-31, and the quarterly dataset covers 2023-01-01 to 2025-12-31.

- [Changed] Updated 2025 quarterly emissions estimates using newly available 2025 annual disturbance masks from the CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) dataset and Forest Loss from Global Forest Change (Hansen, Univ. Of Maryland GFC).

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issue] The 2026 quarterly emissions dataset utilizes CTrees 2026 land use change alert (LUCA) data as the basis for estimating disturbance-related emissions. The current 2026 quarterly emission estimates may not fully attribute specific disturbance types (deforestation, degradation, and fire) that occurred in 2026.

forestry-and-land-use,forest-land-fires

Added

- [Added] None

Changed

- [Changed] Updated 2026 Q1 emissions estimates using the newly updated 2025 emissions from 08/21/26 as baseline.

- [Changed] Updated emission factors for all emission types and revised disturbance masking. Fire masking was changed from Global Annual Burned Area Map (GABAM; Landsat product) product to MODIS Burned Area (MCD64) and Global

Forest Loss Due to Fire (GFL; Hansen, Univ. Of Maryland GFC). While deforestation and degradation masking in the tropical region was updated to use CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDDR) data, the deforestation masking in the non-tropical region still sources from Global Forest Loss (Hansen, Univ. Of Maryland GFC). The annual dataset covers 2015-01-01 to 2025-12-31, and the quarterly dataset covers 2023-01-01 to 2025-12-31.

- [Changed] Updated 2025 quarterly emissions estimates using newly available 2025 annual disturbance masks from the CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDDR) dataset and Forest Loss from Global Forest Change (Hansen, Univ. Of Maryland GFC).

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issue] The 2026 quarterly emissions dataset utilizes CTrees 2026 land use change alert (LUCA) data as the basis for estimating disturbance-related emissions. The current 2026 quarterly emission estimates may not fully attribute specific disturbance types (deforestation, degradation, and fire) that occurred in 2026.

forestry-and-land-use,net-forest-land

Added

- [Added] None

Changed

- [Changed] The Copernicus land cover input was updated from the 2019 map to the 2015 map to align with the starting point of our project's time series (2015-current_year). Because Copernicus land cover data is only available for the 2015-2019 period, utilizing the 2015 baseline ensures that all subsequent emissions, removals, and net sector rasters are evaluated consistently from the origin year onward. This prevents backward projections onto earlier years and maintains methodological integrity across the entire 2015-current_year analysis window.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

forestry-and-land-use,net-shrubgrass

Added

- [Added] None

Changed

- [Changed] The Copernicus land cover input was updated from the 2019 map to the 2015 map to align with the starting point of our project's time series (2015-current_year). Because Copernicus land cover data is only available for the 2015-2019 period, utilizing the 2015 baseline ensures that all subsequent emissions, removals, and net sector rasters are evaluated consistently from the origin year onward. This prevents backward projections onto earlier years and maintains methodological integrity across the entire 2015-current_year analysis window.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

forestry-and-land-use,net-wetland

Added

- [Added] None

Changed

- [Changed] The Copernicus land cover input was updated from the 2019 map to the 2015 map to align with the starting point of our project's time series (2015-current_year). Because Copernicus land cover data is only available for the 2015-2019 period, utilizing the 2015 baseline ensures that all subsequent emissions, removals, and net sector rasters are evaluated consistently from the origin year onward. This prevents backward projections onto earlier years and maintains methodological integrity across the entire 2015-current_year analysis window.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

forestry-and-land-use,removals

Added

- [Added] None

Changed

- [Changed] The Copernicus land cover input was updated from the 2019 map to the 2015 map to align with the starting point of our project's time series (2015-current_year). Because Copernicus land cover data is only available for the 2015-2019 period, utilizing the 2015 baseline ensures that all subsequent emissions, removals, and net sector rasters are evaluated consistently from the origin year onward. This prevents backward projections onto earlier years and maintains methodological integrity across the entire 2015-current_year analysis window.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

forestry-and-land-use,shrubgrass-fires

Added

- [Added] None

Changed

- [Changed] Updated 2026 Q1 emissions estimates using the newly updated 2025 emissions from 08/21/26 as baseline.

- [Changed] Updated emission factors for all emission types and revised disturbance masking. Fire masking was changed from Global Annual Burned Area Map (GABAM; Landsat product) product to MODIS Burned Area (MCD64) and Global Forest Loss Due to Fire (GFL; Hansen, Univ. Of Maryland GFC). While deforestation and degradation masking in the tropical region was updated to use CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) data,

the deforestation masking in the non-tropical region still sources from Global Forest Loss (Hansen, Univ. Of Maryland GFC). The annual dataset covers 2015-01-01 to 2025-12-31, and the quarterly dataset covers 2023-01-01 to 2025-12-31.

- [Changed] Updated 2025 quarterly emissions estimates using newly available 2025 annual disturbance masks from the CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) dataset and Forest Loss from Global Forest Change (Hansen, Univ. Of Maryland GFC).

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issue] The 2026 quarterly emissions dataset utilizes CTrees 2026 land use change alert (LUCA) data as the basis for estimating disturbance-related emissions. The current 2026 quarterly emission estimates may not fully attribute specific disturbance types (deforestation, degradation, and fire) that occurred in 2026.

forestry-and-land-use,wetland-fires

Added

- [Added] None

Changed

- [Changed] Updated 2026 Q1 emissions estimates using the newly updated 2025 emissions from 08/21/26 as baseline.

- [Changed] Updated emission factors for all emission types and revised disturbance masking. Fire masking was changed from Global Annual Burned Area Map (GABAM; Landsat product) product to MODIS Burned Area (MCD64) and Global Forest Loss Due to Fire (GFL; Hansen, Univ. Of Maryland GFC). While deforestation and degradation masking in the tropical region was updated to use CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) data, the deforestation masking in the non-tropical region still sources from Global Forest Loss (Hansen, Univ. Of Maryland GFC). The annual dataset covers 2015-01-01 to 2025-12-31, and the quarterly dataset covers 2023-01-01 to 2025-12-31.

- [Changed] Updated 2025 quarterly emissions estimates using newly available 2025 annual disturbance masks from the CTrees Integrated Deforestation, Degradation, and Regeneration (CIDDR) dataset and Forest Loss from Global Forest Change (Hansen, Univ. Of Maryland GFC).

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issue] The 2026 quarterly emissions dataset utilizes CTrees 2026 land use change alert (LUCA) data as the basis for estimating disturbance-related emissions. The current 2026 quarterly emission estimates may not fully attribute specific disturbance types (deforestation, degradation, and fire) that occurred in 2026.

fossil-fuel-operations,coal-mining

Added

- [Added] Added ch4 and n2o fuel combustion emissions estimates to the other columns (other8 and other9, respectively), which replaced values for prior columns: Total Resource (Inferred, Indicated, Measured) and Primary Consumer, Destination Name. This data is still accessible via the GEM website for those interested.
- [Added] Updated the terajoule (TJ) fuel to tonnes of coal production ratio for India based on updated United Nations Framework Convention on Climate Change (UNFCCC) data. Emissions decreased 4.5% in India as compared to V5.10.0.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

fossil-fuel-operations,oil-and-gas-production

Added

- [Added] Data period calculated for all sources to the end of May 2026.
- [Added] CO2 emissions source percentage breakout between combustion (the burning of fuels onsite to either generate electricity or directly power

various processes), fugitives, flaring, and venting. Saved to columns 'other2', 'other3', 'other4', and 'other5', respectively.

- [Added] Greater coverage in the United States to include smaller assets both in states with large production volumes and newly covered states with low production volumes.

Changed

- [Changed] For assets in the United States, our primary data provider has incomplete production data for 2025 and 2026. For 2025 and 2026, United States data is duplicated from 2024 due to this lack of data.

- [Changed] Lag changed to 2 months to match other sectors due to the ease of copying earlier years.

- [Changed] Emissions intensity calculation methodology has changed to reduce variability and uncertainty. Further explanation can be found in methodology documentation for the oil and gas production and transportation sectors.

- [Changed] Some aggregation of assets outside of the United States changed to better account for similarities within the sector and data privacy requirements.

- [Changed] Grid electricity emissions not included in emissions.

Fixed

- [Fixed] Anomalous NMVOC emissions values in BIH corrected.

Known Issues

- [Known Issues] Outside of the United States, only annual production data is available, which are distributed based upon normal distributions of monthly production for various regions and countries. Changes have not yet been made to account for production disruptions in 2026 that deviate from the normal pattern. Annual production numbers are continuously being updated based on data from our providers and will be reflected in future updates with a note in the corresponding changelog.

- [Known Issues] Jumps in emissions between December and January are currently expected. Due to modelling being conducted on an annual basis, and monthly data being the result of splitting annual data, there are natural jumps in the data that will be centralized between different years.

- [Known Issues] Data for California prior to 2024 is unavailable presently due to source data issues.

- [Known Issues] Onsite electricity generation included in emissions.

fossil-fuel-operations,oil-and-gas-transport

Added

- [Added] Data period calculated for all sources to the end of May 2026.
- [Added] CO2 emissions source percentage breakout between combustion (the burning of fuels onsite to either generate electricity or directly power various processes), fugitives, flaring, and venting. Saved to columns 'other2', 'other3', 'other4', and 'other5', respectively. Note - 'other2' (combustion) is always 100% of the emissions.
- [Added] Greater coverage in the United States to include smaller assets both in states with large production volumes and newly covered states with low production volumes.

Changed

- [Changed] For assets in the United States, our primary data provider has incomplete production data for 2025 and 2026. For 2025 and 2026, United States data is duplicated from 2024 due to this lack of data.
- [Changed] Lag changed to 2 months to match other sectors due to the ease of copying earlier years.
- [Changed] Emissions intensity calculation methodology has changed to reduce variability and uncertainty. Further explanation can be found in methodology documentation for the oil and gas production and transportation sectors.
- [Changed] Some aggregation of assets outside of the United States changed to better account for similarities within the sector and data privacy requirements.
- [Changed] Grid electricity emissions not included in emissions.

Fixed

- [Fixed] Anomalous NMVOC emissions values in BIH corrected.

Known Issues

- [Known Issues] Outside of the United States, only annual production data is available, which are distributed based upon normal distributions of monthly production for various regions and countries. Changes have not yet been made to account for production disruptions in 2026 that deviate from the normal pattern. Annual production numbers are continuously being updated based on data from our providers and will be reflected in future updates with a note in the corresponding changelog.
- [Known Issues] Jumps in emissions between December and January are currently expected. Due to modelling being conducted on an annual basis, and monthly data being the result of splitting annual data, there are natural jumps in the data that will be centralized between different years. git s
- [Known Issues] Data for California prior to 2024 is unavailable presently due to source data issues.

- [Known Issues] Onsite electricity generation included in emissions.

manufacturing,aluminum

Added

- [Added] Full historical refresh (2021-present) of asset data, full refresh (2015-present) of country data - note that the actual emissions have not changed, only the distribution of emissions across scope 1 and 2 have changed.

Changed

- [Changed] Scope 1 now represents direct process emissions only; captive and grid electricity are both reported under Scope 2 (previously, captive power generation was included in Scope 1).

Deprecated

- [Deprecated] None

Known Issues

- [Known Issues] Asset emissions exceed country emissions in CHN, AUS, and USA. This will be fixed in a future release.

manufacturing,cement

Added

- [Added] Full refresh of asset-level emissions from 2021 to July 2026.
- [Added] Full refresh of country-level emissions from 2021 to July 2026.
- [Added] Updated the asset list based on the new release of the GEM Global Cement and Concrete Tracker.

Changed

- [Changed] Emissions factors now account for plant-level clinker substitution rate, kiln configuration (pre-calciner and preheater), and on-site waste heat recovery, where reported by GEM.
- [Changed] Adjusted the calibration curve between satellite detection and capacity factor using the latest available data.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

manufacturing,petrochemical-steam-cracking

Added

- [Added] None

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] Post-processing artifact results in country-level PM2.5 emissions discontinuity where 2015-2023 (~60-100 tonnes per year) and 2026 emissions are ~4-6x greater than 2024 and 2025 emissions (~18 tonnes per year).

manufacturing,pulp-and-paper

Added

- [Added] Full historical refresh (2015-present) of asset and country data.
- [Added] Zero-production months now included as explicit rows (previously omitted).

Changed

- [Changed] Scope 1 now represents direct process emissions only; captive and grid electricity are both reported under Scope 2 (previously, captive power generation was included in Scope 1).
- [Changed] Asset scope narrowed to pulp-producing and integrated mills (previously included standalone paper-only facilities).
- [Changed] Asset-level, technology-specific emissions factors replace the previous flat industry-wide factor.
- [Changed] Industrial Information Resources (IIR) data included alongside Spatial Finance Initiative (SFI). Previously SFI-only.

Deprecated

- [Deprecated] None

Known Issues

- [Known Issues] Asset identifiers differ substantially from prior submissions due to the source and scope changes above; this reflects intentional methodology improvements, not lost coverage.

- [Known Issues] One asset (An Hoa Pulp Mill, VNM) has no reported ownership data.

manufacturing,iron-and-steel

Added

- [Added] Added new month, July 2026 asset data level emissions.

- [Added] Added new month, July 2026 country level emissions.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

manufacturing,glass

Added

- [Added] Added 191 assets relative to V5.10.0.

Changed

- [Changed] Capacity (tonnes), activity (tonnes of output), and emissions factor (tonnes [GAS] per tonnes of output) units have been updated.

- [Changed] Asset type now represents the category of output (i.e. float glass vs. contained glass).

- [Changed] Estimate methodology now prioritizes constraining country-level production totals, by output.

Deprecated

- [Deprecated] Removed 88 assets relative to V5.10.0 (55 absent from the 2026 registry pull; 33 held, presumed closed).

Fixed

- [Fixed] Capacity factors are ≤ 1 everywhere and represent the product output for the year relative to the maximum for all years for that asset.

Known Issues

- [Known Issues] All float-glass plants are located at administrative centroids (flagged per row).

manufacturing, lime

Added

- [Added] Added 98 assets relative to V5.10.0.

Changed

- [Changed] Estimate methodology now prioritizes constraining country-level production totals, by output. Activity is anchored to U.S. Geological Survey (USGS) national lime production (82 countries), with the country factor derived as emissions $\div$ production.

- [Changed] Asset type now represents the category of output (e.g. quicklime, dolomitic lime, etc.).

Deprecated

- [Deprecated] Removed 57 assets relative to V5.10.0 (51 absent from the 2026 pull; 6 held, presumed closed).

Fixed

- [Fixed] Capacity factors are ≤ 1 everywhere and represent the product output for the year relative to the maximum for all years for that asset.

Known Issues

- [Known Issues] None

manufacturing, food-beverage-tobacco

Added

- [Added] Added 16,212 assets relative to V5.10.0.

Changed

- [Changed] Capacity (tonnes), activity (tonnes of output), and emissions factor (tonnes [GAS] per tonnes of output) units have been updated.

[Changed] Biogenic fermentation CO₂ is now included in emissions totals and the process share.

- [Changed] Asset type now represents the category of output (e.g. grain milling, brewery, etc.).

Deprecated

- [Deprecated] Removed 387 assets relative to V5.10.0 (180 absent from the 2026 pull; 205 held, presumed closed).

Fixed

- [Fixed] Capacity factors are ≤ 1 everywhere and represent the product output for the year relative to the maximum for all years for that asset.

Known Issues

- [Known Issues] None

manufacturing,textiles-leather-apparel

Added

- [Added] Added 9,254 assets relative to V5.10.0.

Changed

- [Changed] Capacity (tonnes), activity (tonnes of output), and emissions factor (tonnes [GAS] per tonnes of output) units have been updated.
- [Changed] Estimate methodology now prioritizes constraining country-level production totals, by output.
- [Changed] Asset type now represents the category of output (e.g. dyeing, finishing, etc.).

Deprecated

- [Deprecated] Removed 2 assets relative to V5.10.0.

Fixed

- [Fixed] Capacity factors are ≤ 1 everywhere and represent the product output for the year relative to the maximum for all years for that asset.

Known Issues

- [Known Issues] None

mineral-extraction,other-mining-quarrying

Added

- [Added] None

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

mineral-extraction,copper-mining

Added

- [Added] None

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issue] Country-level copper-mining co2e emissions show an unrealistic step change at 2019→2020 – global totals roughly double from ~34 Mt CO2e/yr (2015-2019) to ~53-68 Mt CO2e/yr (2020-2024), affecting many copper-producing countries simultaneously. Present since at least V4.0.

power,electricity-generation

Added

- [Added] Data period extended for existing sources. Start_date 2019-01-01 to end_date 2026-07-31.

Changed

- [Changed] Updated unit/plant level information due to manual research. These can result in changes to our estimates.
- [Changed] Updated GEM coal tracker, and oil/gas tracker (August 2026). These can result in changes to our estimates and plant catalog.
- [Changed] Updated ownership data from new GEM tracker updates.
- [Changed] Updated EIA860 monthly data. These can result in changes to our estimates and plant catalog.

Fixed

- [Fixed] None

Known Issues

- [Known Issues] For non-operational plants the data is reported as zero values for capacity, capacity factor, activity, emissions intensity, and emissions. The related uncertainties are also reported as zero. This is not strictly correct since there can be uncertainty in the operating status in a given month. Future work will better quantify the uncertainty when the plant is reported as non-operational.

transportation,domestic-aviation

Added

- [Added] Data period extended for existing sources. Start_date 2015-01-01 to end_date 2026-07-31.

- [Added] Added coverage. 13 new sources added, identified by International Air Transport Association (IATA) code: {'iata_GEB', 'iata_GWI', 'iata_HEZ', 'iata_INX', 'iata_IYO', 'iata_KGJ', 'iata_LMB', 'iata_NSA', 'iata_OQN', 'iata_ORK', 'iata_PMQ', 'iata_TBX', 'iata_UTA'}.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] None

transportation,non-broadcasting-vessels

Added

- [Added] Data period extended to cover 2026-07-01 through 2026-07-31. Non-broadcasting estimates for this period are placeholders that repeat the June 2026 values, as we are transitioning to the new Sentinel-1 products and have not yet reprocessed July detections (see Known issues).

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] We are transitioning to the new Sentinel satellite products. Until that transition is complete, non-broadcasting estimates for July 2026 remain placeholder values carried over from June 2026.

transportation,domestic-shipping

Added

- [Added] Data period extended. Start_date 2026-07-01 to 2026-07-31.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] OceanMind Invalid transmissions can cause interpolation of trips over extended data gaps which may result in large erroneous emissions spikes at a port at the time when the data gap ends

- [Known Issues] OceanMind Attribution of emissions to ports as 50/50 on trips with significant loitering can cause emissions reductions assigned to a port that is greater than the emissions assigned to that port

transportation,international-aviation

Added

- [Added] Data period extended for existing sources. Start_date 2015-01-01 to end_date 2026-07-31.

- [Added] Added coverage. 6 new sources added, identified by International Air Transport Association (IATA) code: {'iata_BGC', 'iata_DLZ', 'iata_ERS', 'iata_KSY', 'iata_NMI', 'iata_ZZU'}

Changed

- [Changed] None

Fixed

- [Fixed] None

transportation,international-shipping

Added

- [Added] Data period extended. Start_date 2026-07-01 to 2026-07-31.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

None

Known Issues

- [Known Issues] OceanMind Invalid transmissions can cause interpolation of trips over extended data gaps which may result in large erroneous emissions spikes at a port at the time when the data gap ends
- [Known Issues] OceanMind Attribution of emissions to ports as 50/50 on trips with significant loitering can cause emissions reductions assigned to a port that is greater than the emissions assigned to that port

transportation,road-transportation

Added

- [Added] Data period extended for existing sources. New end_date 2026-06-30.

Changed

- [Changed] Countries outside of the USA, CAN, PRI, and VIR will use updated PM2.5 modeling based on PM2.5 emission ratios derived from EDGAR. Most countries will see a noticeable increase in PM2.5 emissions.
- [Changed] Vehicle fuel mix was updated using road vehicle fleet information from the United Nations Economic Commission for Europe (UNECE) statistical database and various country-level inventories. Relative to the previous baseline, the portions of the vehicle fleet with EV and PHEV powertrains have been increased. Countries affected include: ALB, AUT, BEL, BGR, BIG, BMU, CAN, CHE, CYR, CZE, DEU, DNK, ESP, EST, FIN, FRA, GBR, GEO, GRC, GRL, HRV, HUN, IRL, ISL, ISR, ITA, KAZ, LIE, LTU, LUX, LVA, MDA, MKD, MLT, MNE, NLD, NOR, POL, PRT, ROU, SPM, SRB, SVK, SVN, SWE, TUR, UKR, USA, HKG, KOR, SGP, and UGY.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] Remove null `asset_identifier` rows in asset data.
- [Fixed] Anomalous jump in non-GHG emissions starting in January 2026 has been corrected.

Known Issues

- [Known Issues] spike in 2018 emissions in UZB may be a result of an issue with reported data.
- [Known Issues] Have not updated to the latest Climate TRACE patch of GADM data (v1.1.2).

waste,domestic-wastewater-treatment-and-discharge

Added

- [Added] Data period extended for existing sources. `Start_date` 2015-01-01 to `end_date` 2026-08-31.
- [Added] Preliminary emissions estimates for 5,403 satellite-identified assets in the following countries: CHN, IND, RUS, EGY, TUR, UKR, ARG, IRQ, GBR, IRN, MEX, KOR, POL, MAR, SAU, CHL, GRC, KAZ, ZAF, BRA, DZA, ROU, UZB, VNM, PAK, ISR, COL, BLR, TUN, HRV, BGR, VEN, BGD, BIH, HUN, MKD, THA, ARE, ECU, KGZ, OMN, SRB, SYR, ALB, CZE, TJK, USA, CUB, LBN, MNE, PER, QAT, TKM, LBY, MDA, SVK, EST, HND, LTU, AFG, BOL, IDN, KHM, LVA, NIC, and SLV. Preliminary emissions estimates `start_date` is 2015-01-01 to `end_date` 2026-08-31.

Changed

- [Changed] Added `other6` column with lagoon surface area estimations for centralized wastewater treatment assets in the U.S., only in cases where a pond was detected via satellite ML model and its location was placed with high confidence. Units are in square meters.

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] All wastewater treatment plants in the set of 5,403 new satellite-identified assets are assumed to treat domestic wastewater. Industrial wastewater treatment plants and water purification facilities have

not been filtered out, which will lead to an overestimate in asset emissions, in some cases causing the sum of asset-level emissions for a country to exceed estimated country-level emissions.

- [Known Issues] Inconsistent year-over-year population values for Kiribati in the underlying population source data are carried forward into country-level emissions estimates. To be addressed in future releases.

- [Known Issues] The dilution factor column (other1) relies on HydroWASTE values and will remain blank for non-HydroWASTE assets.

waste,industrial-wastewater-treatment-and-discharge

Added

- [Added] Data period extended for existing sources. Start_date 2026-05-01 to end_date 2026-08-31.

- [Added] 551 new assets- 482 assets that treat pulp wastewater and 69 assets that treat steel wastewater.

Changed

- [Changed] None

Deprecated

- [Deprecated] None

Fixed

- [Fixed] None

Known Issues

- [Known Issues] Potential duplicate assets.