



# Coronavirus COVID-19

## A descriptive Comparison between Countries

Countries: AT, Germany, Iceland, IT, Spain, UK, US

Data importet from Johns Hopkins CSSE: <https://github.com/CSSEGISandData/COVID-19>

Population data from: <https://covid.ourworldindata.org/data/ecdc/locations.csv>



## Contents

<b>1</b>	<b>COVID-19, Data Handling</b>	<b>4</b>
<b>2</b>	<b>COVID-19, Analysis from 2020-04-14</b>	<b>5</b>
2.1	COVID-19, Total Confirmed Cases, by Country	5
2.2	COVID-19, Total Confirmed Cases, Day 1 first day with $\geq 100$ cases, by Country	6
2.3	COVID-19, Total Confirmed Cases per million people, by Country	7
2.4	COVID-19, Active Cases per million people, by Country	8
2.5	COVID-19, Death Cases per million people, by Country	9
2.6	COVID-19, Case Fatality Rate, perc., by Country - from: 2020-04-14	10
2.7	Listing Case Fatality Rate (CFR) on 2020-04-14 - since start of COVID-19 outbreak	11
2.8	Listing Confirmed Cases, Active Cases, and Death Cases per million people on 2020-04-14	12
2.9	Derived Dataset - long Format: head(ALLSTATE)	13
2.10	Derived Dataset - long Format: str(ALLSTATE)	13
<b>A</b>	<b>Technical Details</b>	<b>14</b>
A.1	R Version	14
A.2	Active R packages	14
A.3	PDF $\LaTeX$	14
A.4	System Time	15
A.5	Warranty	15

## List of Tables

1	Listing of Countries/States in Dataset ALLSTATE	4
2	Listing Case Fatality Rate	11
3	Listing Confirmed Cases, Active Cases, and Death Cases per million people	12

## List of Figures

1	COVID 19 - Day 1 is first day with $\geq 1$ case in country	5
2	COVID 19 - Day 1 is first day with $\geq 100$ cases in country	6
3	COVID 19 - Day 1 is first day with $\geq 1$ case per million people in country	7
4	COVID 19 - Day 1 is first day with $\geq 1$ case per mio - Active = confirmed - death - recoverd	8
5	COVID 19 - Day 1 is first day with $\geq 1$ fatal case in country	9
6	COVID 19 - Case Fatality Rate - Total no of deaths / Total no of confrimed cases	10



```
# Options
options(replace.assign = TRUE, width = 80)

# disabling scientific notation in R;
options(scipen = 999)

# Set digit option;
options(digits = 2)

pdf.options(family = "Helvetica-Narrow")

# Define knitr chunk options;
opts_chunk$set(fig.width = 5,
               fig.height = 5,
               out.width = '12cm',
               fig.pos = 'H',
               fig.align = 'center',
               fig.path = './figure/Plot-',
               fig.keep = 'all',
               cache = FALSE,
               echo = TRUE,
               message = FALSE,
               warning = FALSE,
               dev = 'pdf')
# FALSE: no output of R code;
# FALSE: no output of R messages;
# FALSE: no output of warnings;
```

```
### Load R packages and Read SAS xpt files;
source("impsas_xpt.R")
```

```
### Read chunks;
read_chunk("00_chunks.R")

### Read R functions;
source("00_r_functions.R")
```



# 1 COVID-19, Data Handling

Data from United Kingdom: Anguilla, Bermuda, British Virgin Islands, Cayman Islands, Channel Islands, Falkland Islands (Islas Malvinas), Gibraltar, Isle of Man, Montserrat, Turks and Caicos Islands - not included (but population data for UK used; dataset *POPDATA*).

Data from Netherlands: Aruba, Bonaire, Sint Eustatius and Saba, Curacao, Sint Maarten - not included (but population data for Netherlands used; dataset *POPDATA*).

Data from France: French Guiana, French Polynesia, Guadeloupe, Martinique, Mayotte, New Caledonia, Reunion, Saint Barthelemy, Saint Pierre and Miquelon, St Martin - not included (but population data for France used; dataset *POPDATA*).

Minor corrections of inconsistencies for State Iceland:

If STATE="Iceland" and DATE="15Mar20"d then DEATH=0; \* instead of N=5;

If STATE="Iceland" and DATE="20Mar20"d then DEATH=1; \* instead of N=0;

Currently following countries (with population data) are in the derived dataset *ALLSTATE*:

Table 1: Listing of Countries/States in Dataset ALLSTATE

	STATE	POPUL
1	Austria	9006400
2	Belgium	11589616
3	France	65273512
4	Germany	83783945
5	Hungary	9660350
6	Iceland	341250
7	Italy	60461828
8	Netherlands	17134873
9	Norway	5421242
10	Portugal	10196707
11	Russia	145934460
12	Spain	46754783
13	Sweden	10099270
14	Switzerland	8654618
15	US	331002647
16	United Kingdom	67886004

All counties/states can be found in the derived (long dataset) dataset: *ALLDAYS* (w/o population data)

```
## Derive Date Today - will be used in headings with \Sexpr{myDATE};  
myDATE <- TODAY[1, 2]
```



## 2 COVID-19, Analysis from 2020-04-14

### 2.1 COVID-19, Total Confirmed Cases, by Country

```
cap <- "COVID 19 - Day 1 is first day with >=1 case in country"

#Select Sates (subset), e.g.;
df1STATES <- ALLSTATE %>% filter(STATE == "Austria" | STATE == "Germany" | STATE == "Iceland" |
  STATE == "Italy" | STATE == "Spain" | STATE == "United Kingdom" |
  STATE == "US")
# Dataset for CFR (%) - select countries;
df1TODAY <- TODAY %>% filter(STATE == "Austria" | STATE == "Germany" | STATE == "Iceland" |
  STATE == "Italy" | STATE == "Spain" | STATE == "United Kingdom" |
  STATE == "US")

# Master dataset (all countries/states in database)
#df1STATE <- ALLSTATE
#df1TODAY <- TODAY

xLab <- "Day"
yLab <- "Confirmed Cases"

ggplot(df1STATES, aes(x = DAY, y = CONFIRM)) +
  geom_line(aes(color = STATE), size = 1) +
  guides(color = guide_legend("State")) +
  labs(x = xLab, y = yLab) +
  theme_pubr()
```




Figure 1: COVID 19 - Day 1 is first day with  $\geq 1$  case in country



## 2.2 COVID-19, Total Confirmed Cases, Day 1 first day with $\geq 100$ cases, by Country

```
cap <- "COVID 19 - Day 1 is first day with  $\geq 100$  cases in country"
```

```
#df1STATES <- ALLSTATE
```

```
xLab <- "Day"
```

```
yLab <- "Confirmed Cases"
```

```
ggplot(df1STATES, aes(x = DAY100, y = CONFIRM)) +  
  geom_line(aes(color = STATE), size = 1) +  
  guides(color = guide_legend("State")) +  
  labs(x = xLab, y = yLab) +  
  theme_pubr()
```




Figure 2: COVID 19 - Day 1 is first day with  $\geq 100$  cases in country



## 2.3 COVID-19, Total Confirmed Cases per million people, by Country

```
cap <- "COVID 19 - Day 1 is first day with >=1 case per million people in country"

#df1STATES <- ALLSTATE
xLab <- "Day"
yLab <- "Confirmed cases per million people"

ggplot(df1STATES, aes(x = DAY1M, y = CONF_MIO)) +
  geom_line(aes(color = STATE), size = 1) +
  guides(color = guide_legend("State")) +
  labs(x = xLab, y = yLab) +
  theme_pubr()
```




Figure 3: COVID 19 - Day 1 is first day with  $\geq 1$  case per million people in country



## 2.4 COVID-19, Active Cases per million people, by Country

No of Active Cases = confirmed minus death minus recovered.

```
cap <- "COVID 19 - Day 1 is first day with >=1 case per mio - Active = confirmed - death - recoverd"

#df1STATES <- ALLSTATE
xLab <- "Day"
yLab <- "Active Cases per million people"

ggplot(df1STATES, aes(x = DAYDIS, y = DIS_MIO)) +
  geom_line(aes(color = STATE), size = 1) +
  guides(color = guide_legend("State")) +
  labs(x = xLab, y = yLab) +
  theme_pubr()
```




Figure 4: COVID 19 - Day 1 is first day with  $\geq 1$  case per mio - Active = confirmed - death - recoverd





## 2.5 COVID-19, Death Cases per million people, by Country

```
cap <- "COVID 19 - Day 1 is first day with >=1 fatal case in country"

#df1STATES <- ALLSTATE
xLab <- "Day"
yLab <- "Death cases per million people"

ggplot(df1STATES, aes(x = DAY_DTH, y = DTH_MIO)) +
  geom_line(aes(color = STATE), size = 1) +
  guides(color = guide_legend("State")) +
  labs(x = xLab, y = yLab) +
  theme_pubr()
```




Figure 5: COVID 19 - Day 1 is first day with  $\geq 1$  fatal case in country



## 2.6 COVID-19, Case Fatality Rate, perc., by Country - from: 2020-04-14

```
cap <- "COVID 19 - Case Fatality Rate - Total no of deaths / Total no of confrimed cases"

#df1TODAY <- TODAY
xLab <- "Country"
yLab <- "Case Fatality Rate (perc.)"

ggplot(data = df1TODAY, aes(x = STATE, y = CFR_PRC, col = STATE, fill = STATE)) +
  geom_bar(stat = "identity") +
  labs(y = yLab, x = "") +
  theme(axis.text.x = element_text(angle = 45, hjust = 1)) +
  theme(legend.position = "none")
```




Figure 6: COVID 19 - Case Fatality Rate - Total no of deaths / Total no of confrimed cases



## 2.7 Listing Case Fatality Rate (CFR) on 2020-04-14 - since start of COVID-19 outbreak

```
df3 <- TODAY %>%
  select(STATE, POPUL, BEG_DT, TODAY, T_DY, DEATH_DT, DEATH, CONFIRM, CFR_PRC)

my_table <- xtable(df3, caption = "Listing Case Fatality Rate",
  align = "lrrrrrrrrrr", caption.placement = "top", digits = 0, label = "ListFR")

digits(my_table)[10] <- 1 # Percent (column with 1 digit);

print(my_table, caption.placement = "top", size = "small", include.rownames = TRUE,
  table.placement = "htb", tabular.environment = "longtable", floating = FALSE)
```

Table 2: Listing Case Fatality Rate

	STATE	POPUL	BEG_DT	TODAY	T_DY	DEATH_DT	DEATH	CONFIRM	CFR_PRC
1	Austria	9006400	2020-02-25	2020-04-14	50	2020-03-12 (d17)	384	14226	2.7
2	Belgium	11589616	2020-02-04	2020-04-14	71	2020-03-11 (d37)	4157	31119	13.4
3	France	65273512	2020-01-24	2020-04-14	82	2020-02-15 (d23)	15729	130253	12.1
4	Germany	83783945	2020-01-27	2020-04-14	79	2020-03-09 (d43)	3294	131359	2.5
5	Hungary	9660350	2020-03-04	2020-04-14	42	2020-03-15 (d12)	122	1512	8.1
6	Iceland	341250	2020-02-28	2020-04-14	47	2020-03-17 (d19)	8	1720	0.5
7	Italy	60461828	2020-01-31	2020-04-14	75	2020-02-21 (d22)	21067	162488	13.0
8	Netherlands	17134873	2020-02-27	2020-04-14	48	2020-03-06 (d9)	2945	27419	10.7
9	Norway	5421242	2020-02-26	2020-04-14	49	2020-03-14 (d18)	139	6623	2.1
10	Portugal	10196707	2020-03-02	2020-04-14	44	2020-03-17 (d16)	567	17448	3.2
11	Russia	145934460	2020-01-31	2020-04-14	75	2020-03-19 (d49)	170	21102	0.8
12	Spain	46754783	2020-02-01	2020-04-14	74	2020-03-03 (d32)	18056	172541	10.5
13	Sweden	10099270	2020-01-31	2020-04-14	75	2020-03-11 (d41)	1033	11445	9.0
14	Switzerland	8654618	2020-02-25	2020-04-14	50	2020-03-05 (d10)	1174	25936	4.5
15	US	331002647	2020-01-22	2020-04-14	84	2020-02-29 (d39)	25832	607670	4.3
16	United Kingdom	67886004	2020-01-31	2020-04-14	75	2020-03-05 (d35)	12107	93873	12.9



## 2.8 Listing Confirmed Cases, Active Cases, and Death Cases per million people on 2020-04-14

```
df4 <- TODAY %>%
  select(STATE, POPUL, CONF_MIO, DIS_MIO, DTH_MIO)

my_table <- xtable(df4, caption = "Listing Confirmed Cases, Active Cases,
  and Death Cases per million people",
  align = "lrrrrr", caption.placement = "top", digits = 0, label = "ListPerMio")

digits(my_table)[3] <- 0 # (popul));

print(my_table, caption.placement = "top", size = "small", include.rownames = TRUE,
  table.placement = "htb", tabular.environment = "longtable", floating = FALSE)
```

Table 3: Listing Confirmed Cases, Active Cases, and Death Cases per million people

	STATE	POPUL	CONF_MIO	DIS_MIO	DTH_MIO
1	Austria	9006400	1580	689	43
2	Belgium	11589616	2685	1734	359
3	France	65273512	1995	1313	241
4	Germany	83783945	1568	715	39
5	Hungary	9660350	157	131	13
6	Iceland	341250	5040	2119	23
7	Italy	60461828	2687	1725	348
8	Netherlands	17134873	1600	1414	172
9	Norway	5421242	1222	1190	26
10	Portugal	10196707	1711	1622	56
11	Russia	145934460	145	132	1
12	Spain	46754783	3690	1860	386
13	Sweden	10099270	1133	993	102
14	Switzerland	8654618	2997	1278	136
15	US	331002647	1836	1614	78
16	United Kingdom	67886004	1383	1204	178



## 2.9 Derived Dataset - long Format: head(ALLSTATE)

head(ALLSTATE)

##	STATE	DAY	DAY100	DAY1M	DAYDIS	DAY_DTH	DATE	CONF_MIO	DIS_MIO	DTH_MIO
## 1	Austria	1	NA	NA	NA	NA	2020-02-25	0.22	0.22	NA
## 2	Austria	2	NA	NA	NA	NA	2020-02-26	0.22	0.22	NA
## 3	Austria	3	NA	NA	NA	NA	2020-02-27	0.33	0.33	NA
## 4	Austria	4	NA	NA	NA	NA	2020-02-28	0.33	0.33	NA
## 5	Austria	5	NA	NA	NA	NA	2020-02-29	1.00	1.00	NA
## 6	Austria	6	NA	1	1	NA	2020-03-01	1.55	1.55	NA

##	CONFIRM	DEATH	RECOVER	DISEASE	CFR_PRC	POPUL
## 1	2	0	0	2	0	9006400
## 2	2	0	0	2	0	9006400
## 3	3	0	0	3	0	9006400
## 4	3	0	0	3	0	9006400
## 5	9	0	0	9	0	9006400
## 6	14	0	0	14	0	9006400

## 2.10 Derived Dataset - long Format: str(ALLSTATE)

str(ALLSTATE)

```
## 'data.frame': 1020 obs. of 16 variables:
## $ STATE : Factor w/ 16 levels "Austria","Belgium",...: 1 1 1 1 1 1 1 1 1 1 ...
## .. attr(*, "label")= chr "State"
## $ DAY : num 1 2 3 4 5 6 7 8 9 10 ...
## .. attr(*, "label")= chr "Day (>=1 case)"
## $ DAY100 : num NA NA NA NA NA NA NA NA NA NA ...
## .. attr(*, "label")= chr "Day (>=100 cases)"
## $ DAY1M : num NA NA NA NA NA NA 1 2 3 4 5 ...
## .. attr(*, "label")= chr "Day (>=1 cases per mio)"
## $ DAYDIS : num NA NA NA NA NA NA 1 2 3 4 5 ...
## .. attr(*, "label")= chr "Day (>=1 cases per mio) Active"
## $ DAY_DTH : num NA NA NA NA NA NA NA NA NA NA ...
## .. attr(*, "label")= chr "Day (>=1 case fatal)"
## $ DATE : Date, format: "2020-02-25" "2020-02-26" ...
## $ CONF_MIO: num 0.222 0.222 0.333 0.333 0.999 ...
## .. attr(*, "label")= chr "Confirmed (per mio)"
## $ DIS_MIO : num 0.222 0.222 0.333 0.333 0.999 ...
## .. attr(*, "label")= chr "Active (per mio)"
## $ DTH_MIO : num NA NA NA NA NA NA NA NA NA NA ...
## .. attr(*, "label")= chr "Death (per mio)"
## $ CONFIRM : num 2 2 3 3 9 14 18 21 29 41 ...
## .. attr(*, "label")= chr "Confirmed"
## $ DEATH : num 0 0 0 0 0 0 0 0 0 0 ...
## .. attr(*, "label")= chr "Death"
## $ RECOVER : num 0 0 0 0 0 0 0 0 0 0 ...
## .. attr(*, "label")= chr "Recovered"
## $ DISEASE : num 2 2 3 3 9 14 18 21 29 41 ...
## .. attr(*, "label")= chr "Active"
## $ CFR_PRC : num 0 0 0 0 0 0 0 0 0 0 ...
## .. attr(*, "label")= chr "Death per Confirmed (perc.)"
## $ POPUL : num 9006400 9006400 9006400 9006400 9006400 ...
## .. attr(*, "label")= chr "Population"
```



## A Technical Details

### A.1 R Version

```
R.Version()

## $platform
## [1] "x86_64-w64-mingw32"
##
## $arch
## [1] "x86_64"
##
## $os
## [1] "mingw32"
##
## $system
## [1] "x86_64, mingw32"
##
## $status
## [1] ""
##
## $major
## [1] "3"
##
## $minor
## [1] "6.1"
##
## $year
## [1] "2019"
##
## $month
## [1] "07"
##
## $day
## [1] "05"
##
## $`svn rev`
## [1] "76782"
##
## $language
## [1] "R"
##
## $version.string
## [1] "R version 3.6.1 (2019-07-05)"
##
## $nickname
## [1] "Action of the Toes"
```

### A.2 Active R packages

```
sessionInfo()

## R version 3.6.1 (2019-07-05)
## Platform: x86_64-w64-mingw32/x64 (64-bit)
## Running under: Windows 7 x64 (build 7601) Service Pack 1
##
## Matrix products: default
##
## locale:
## [1] LC_COLLATE=German_Austria.1252 LC_CTYPE=German_Austria.1252
## [3] LC_MONETARY=German_Austria.1252 LC_NUMERIC=C
## [5] LC_TIME=German_Austria.1252
##
## attached base packages:
## [1] stats      graphics  grDevices  utils      datasets  methods   base
##
## other attached packages:
## [1] RColorBrewer_1.1-2 car_3.0-5      carData_3.0-3 texreg_1.36.23
## [5] reporttools_1.1.2 ggthemes_4.2.0 survminer_0.4.6 ggpubr_0.2.4
## [9] magrittr_1.5      gridExtra_2.3  xtable_1.8-4   Hmisc_4.3-0
## [13] Formula_1.2-3     survival_3.1-7 lattice_0.20-38 forcats_0.4.0
## [17] stringr_1.4.0     dplyr_0.8.3    purrr_0.3.3    readr_1.3.1
## [21] tidyr_1.0.0       tibble_2.1.3   ggplot2_3.2.1  tidyverse_1.3.0
## [25] foreign_0.8-72    knitr_1.26
##
## loaded via a namespace (and not attached):
## [1] nlme_3.1-142      fs_1.3.1        lubridate_1.7.4
## [4] httr_1.4.1        tools_3.6.1     backports_1.1.5
## [7] R6_2.4.1          rpart_4.1-15    DBI_1.1.0
## [10] lazyeval_0.2.2    colorspace_1.4-1 nnet_7.3-12
## [13] withr_2.1.2       tidyselect_0.2.5 curl_4.3
## [16] compiler_3.6.1    cli_2.0.0        rvest_0.3.5
## [19] htmlTable_1.13.3  xml2_1.2.2       labeling_0.3
## [22] scales_1.1.0      checkmate_1.9.4  survMisc_0.5.5
## [25] digest_0.6.23     rio_0.5.16       base64enc_0.1-3
## [28] pkgconfig_2.0.3   htmltools_0.4.0  dbplyr_1.4.2
## [31] highr_0.8         htmlwidgets_1.5.1 rlang_0.4.2
## [34] readxl_1.3.1      rstudioapi_0.10  farver_2.0.1
## [37] generics_0.0.2    zoo_1.8-6        jsonlite_1.6
## [40] zip_2.0.4          acepack_1.4.1    Matrix_1.2-17
## [43] Rcpp_1.0.3         munsell_0.5.0    fansi_0.4.0
## [46] abind_1.4-5        lifecycle_0.1.0  stringi_1.4.3
## [49] grid_3.6.1         crayon_1.3.4     haven_2.2.0
## [52] splines_3.6.1      hms_0.5.2        zeallot_0.1.0
## [55] pillar_1.4.2       ggsignif_0.6.0   reprex_0.3.0
## [58] glue_1.3.1         evaluate_0.14    latticeExtra_0.6-28
## [61] data.table_1.12.8  modelr_0.1.5     vctrs_0.2.0
## [64] cellranger_1.1.0   gtable_0.3.0     km.ci_0.5-2
## [67] assertthat_0.2.1   xfun_0.11        openxlsx_4.1.4
## [70] broom_0.5.3        KMSurv_0.1-5     cluster_2.1.0
```

### A.3 PDF L<sup>A</sup>T<sub>E</sub>X

```
Sys.which("pdflatex")

##
##                                pdflatex
## "C:\\texlive\\2017\\bin\\win32\\pdflatex.exe"
```



## A.4 System Time

```
Sys.time()

## [1] "2020-04-15 18:51:36 CEST"
```

## A.5 Warranty

```
cat("This program and the derived dataset(s) come WITHOUT ANY WARRANTY")

## This program and the derived dataset(s) come WITHOUT ANY WARRANTY
```