



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL: 067 175 7603



CELL: 073 757 3540



EMAIL: info@trinityelectrical.co.za



ADDRESS: 9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH

VAT NO: 4150319921

CO REG NO: 2024/208358/07



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

COMPANY PROFILE & PRODUCT CATALOGUE



ABOUT US

- ✓ Trinity Electrical & Lighting Supplies (Pty) Ltd is a trusted supplier of high-quality electrical, lighting, hardware, maintenance, and industrial essentials based in Chatsworth, Durban.
- ✓ We are committed to delivering reliable products, competitive pricing, and exceptional customer service to contractors, corporate companies, businesses, government entities, and the general public.
- ✓ At Trinity Electrical & Lighting Supplies (Pty) Ltd, we go beyond electrical and lighting products. We proudly supply a comprehensive range of hardware, maintenance, and industrial essentials, providing dependable supply solutions to meet the diverse requirements of customers across a wide range of industries.
- ✓ As a supplier registered on the Government Central Supplier Database (CSD) and a Level 1 B-BBEE Contributor, we strive to build lasting relationships by offering quality products, professional service, and consistent support to our valued customers.



COMMITTED TO YOUR CONVENIENCE

At Trinity Electrical & Lighting Supplies (Pty) Ltd, we understand that projects do not always stop at closing time.

To better support our customers, contractors, and businesses, we are open **7 days a week**, with **after-hours assistance available by arrangement** for urgent supply requirements.



COMPREHENSIVE SUPPLY SOLUTIONS

- ✓ At Trinity Electrical & Lighting Supplies (Pty) Ltd, we do more than supply electrical and lighting products.
- ✓ We are committed to assisting our customers by supplying a comprehensive range of hardware, maintenance, industrial, and operational essentials to meet their business requirements.
- ✓ If a product is not readily available in stock, our team will make every reasonable effort to supply it through our trusted supplier network, providing customers with a convenient and dependable one-stop procurement solution.
- ✓ Our objective is to simplify procurement by offering customers a single point of contact for their electrical, lighting, hardware, maintenance, and business supply needs.



WHY CHOOSE US

- ✓ Wide range of quality products under one roof
- ✓ Competitive pricing
- ✓ Reliable stock availability
- ✓ Expert advice & friendly service
- ✓ Fast & reliable delivery
- ✓ Level 1 B-BBEE Contributor
- ✓ Registered on the Central Supplier Database (CSD)



VISION

To become a leading supplier in South Africa, known for quality products, excellent service, and long-term client relationships.



MISSION

To supply reliable, high-quality electrical, lighting, hardware, & maintenance products while delivering **OUTSTANDING** service and value to every **CLIENT**.



CENTRAL SUPPLIER
DATABASE

SUPPLIER NO: MAAA1573781



INTEGRITY
Honest & transparent



QUALITY
Trusted products



OUR VALUES
Our clients first



EXCELLENCE
Dependable service

PLEASE TURN OVER TO VIEW OUR COMPLETE PRODUCT CATALOGUE

PAGE
01



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CONTENTS

03	CONNECTOR BLOCKS	51	HEAD LAMPS & TORCHES
04	TERMINALS, ISOLATORS & COPPER	52	SOLAR LIGHTING
05	LUGS	53	SOLAR
06	FERRULES	54	PREPAID WATER & ELECTRICITY METERS
07	CABLE GLANDS	55	HAZARDOUS AREAS & MINING
08	TYPES OF CABLE CONNECTORS	56	AUDIO & VISUAL ALARMS
09	CIRCUIT BREAKERS, FUSES & SWITCH GEAR	57	BATTERIES FOR EVERYDAY NEED
10	SURGE & NOISE PROTECTION	58	PVC CONDUITS, FITTINGS & ACCESSORIES
11	MOULDED CASE CIRCUIT BREAKERS (MCCB)	59	TRUNKINGS
12	CIRCUIT BREAKER ACCESSORIES	60	CABLE LADDERS & CABLE TRAYS
13	ENCLOSURES & FITTINGS	61	GEYSERS
14	DISTRIBUTION BOARDS	62	INSTANT WATER HEATERS
15	DISTRIBUTION BOARD ACCESSORIES	63	PLUMBING
16	DISTRIBUTION BOARD PANEL ACCESSORIES	64	STOVE PLATES & STOVE SWITCHES
17	PUSH BUTTONS & PILOT LIGHTS	65	OVEN ELEMENTS & OVEN SWITCHES
18	INSTRUMENTS & TELEMETRY	66	TYPES OF HEATING ELEMENTS
19	CONTACTOR ACCESSORIES	67	HOUSE WIRES
20	OVERLOAD RELAYS	68	SURFIX CABLES
21	TYPES OF FUSES	69	FANS, BUG KILLERS & HYGIENE
22	TYPES OF FUSE HOLDERS	70	TYPES OF HEATERS
23	RELAYS & BASES	71	HOUSE WIRES
24	AUTOMATION PRODUCTS	72	FLAT SURFIX CABLES
25	CAPACITORS	73	ROUND SURFIX CABLES
26	CAPACITORS & PFC	74	ECC CABLES
27	TYPES OF SENSORS	75	ARMoured CABLES
28	LEVEL CONTROL & PUMPS	76	WELDING CABLES
29	TEMPERATURE CONTROLS	77	TRAILING CABLES
30	TYPES OF ELECTRIC MOTORS	78	PANEL WIRES
31	MOTOR CONTROL & MOTORS	79	TYPES OF MULTIMETERS
32	GATE MOTORS & ACCESSORIES	80	TYPES OF ELECTRICAL TESTERS
33	TYPES OF TRANSFORMERS	81	TEST INSTRUMENTS, TOOLS & GENSETS
34	POWER SUPPLIES, TRANSFORMERS & UPS	82	HARDWARE CONSUMABLES
35	TYPES OF INVERTERS	83	TYPES OF TAPES
36	EARTHING & LIGHTNING PROTECTION ITEMS	84	ADHESIVES
37	WIRING ACCESSORIES	85	PAINTS & SPRAY PAINTS
38	LIGHT SWITCHES, PLUG SOCKETS & DIMMER SWITCHES	86	PAINT ACCESSORIES
39	TYPES OF SWITCHES	87	FASTENERS
40	LIMIT & PRESSURE SWITCHES & SENSORS	88	TYPES OF SAFETY ITEMS
41	AUTOMOTIVE	89	POWER TOOLS
42	CRANE & VEHICLE CONTROLS	90	TYPES OF HAND TOOLS
43	TYPES OF PLUGTOPS	91	CABLE TIES
44	CEE INDUSTRIAL PLUGS & SOCKETS	92	CABLE TIE ACCESSORIES
45	LIGHT FITTINGS	93	ABRASIVES
46	LIGHTING	94	LADDERS
47	FANCY INDOOR LIGHTING	95	MAINTENANCE CONSUMABLES
48	FANCY OUTDOOR LIGHTING	96	HAND WASH & RELATED PRODUCTS
49	LED LAMPS & TUBES	97	POWERFUL CLEANING DETERGENTS
50	LAMP HOLDERS	98	TOILET PAPER & RELATED ITEMS
		99	MACHINE CLEANING DETERGENTS
		100	MACHINE CLEANING EQUIPMENT



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
02



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CONNECTOR BLOCKS

Connector blocks are used to connect two or more wires together securely and safely.

1. TYPES OF CONNECTOR BLOCKS

Screw Terminal Block



Wires are secured by tightening screws.

Barrier Terminal Block



Has barriers between connections for isolation and safety.

Push-in Terminal Block



Wires are inserted and held by spring pressure, no screws required.

Spring Clamp Terminal Block



Uses spring tension to secure wires, vibration resistant.

Distribution Block



Used to distribute power from one input to multiple outputs.

Din Rail Terminal Block



Mounted on DIN rail, commonly used in control panels.

PCB Terminal Block



Mounted on PCB for wire connections.

2. CONNECTOR BLOCKS BY POLES

2-Pole



3-Pole



4-Pole



6-Pole



12-Pole



3. CONNECTOR BLOCKS BY COLOR

White



Black



Blue



Red



Yellow



Green



4. CONNECTOR BLOCKS IN USE



Used in electrical control panels



Power distribution connections



Industrial automation applications



PCB wire connections

5. FEATURES

- ✓ Provides secure and reliable electrical connections
- ✓ Available in various types, pole counts and colors
- ✓ Easy to install and maintain
- ✓ Suitable for a wide range of industrial and domestic applications

6. MATERIALS

Insulating Body



(Nylon / Polyamide)

Conductive Parts



(Brass / Copper)

Screws



(Steel)

7. BENEFITS

- ✓ Safe and reliable connections
- ✓ High electrical conductivity
- ✓ Corrosion and heat resistant
- ✓ Durable and long lasting
- ✓ Cost effective solutions



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
03



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TERMINALS, ISOLATORS & COPPER

QUALITY CONNECTIONS • SAFE • RELIABLE • HIGH CONDUCTIVITY

TERMINALS – RING



• Red • Blue • Yellow • Black • Uninsulated

TERMINALS – SPADE (FORK)



• Red • Blue • Yellow • Black • Uninsulated

TERMINALS – PIN



• Red • Blue • Yellow • Black • Grey

TERMINALS – BUTT CONNECTORS



• Red • Blue • Yellow • Clear

TERMINALS – QUICK DISCONNECTS



• Male • Female • Fully Insulated • Piggy Back

TERMINALS – CORD END (BOOTLACE FERRULES)



• 0.5mm² • 1.0mm² • 1.5mm² • 2.5mm²
• 4.0mm² • 6.0mm² • 10mm²

SCREW TERMINAL BLOCKS



• Polyamide (PA) • Various Pole Configurations
• Easy Installation • High Temperature Resistance

DISTRIBUTION TERMINAL BLOCKS



• Neutral • High Current
• Multiple Connections • DIN Rail Mount

BATTERY TERMINALS



• Positive (+) • Negative (-) • Corrosion resistant
• Brass Construction • Secure Connection

ISOLATORS



Main Switch
Enclosed



Rotary Isolator
IP65



Changeover Switch



Load Break
Isolator



DC Isolator
2 Pole



AC Isolator
4 Pole



Safety Isolator
with Lock

COPPER PRODUCTS

COPPER LUGS



• Tinned Copper
• Heavy Duty
• SABS Approved

COPPER LINKS



• High Conductivity
• Tin Plated
• Various Sizes

COPPER BUSBARS



• Electrolytic Copper
• Tinned or Untinned
• Custom Sizes Available

COPPER FLEXIBLE CONNECTORS



• High Flexibility
• Excellent Conductivity
• Vibration Resistant

COPPER EARTH RODS



• High Purity Copper
• Corrosion Resistant
• Various Lengths



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
04



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

LUGS

Lugs are used to terminate cables and connect them to electrical equipment using bolts or screws. They ensure secure, reliable and efficient electrical connections.

1. TYPES OF LUGS

Ring Lugs	Fork (Spade) Lugs	Pin Lugs	Butt Lugs	Double Hole Lugs	90° Angle Lugs	Bi-Metal Lugs
Used for securing cables to studs or bolts.	Used for quick connection and disconnection.	Used with pin-type terminals and switches.	Used to join two cables together.	Used when extra mechanical support is required.	Used in tight spaces or where cables need to change direction.	Aluminum barrel with copper palm for joining aluminum cables to copper terminals.

2. LUGS BY MATERIAL

Copper Lugs	Aluminum Lugs	Tinned Copper Lugs
High conductivity, corrosion resistant.	Lightweight, economical.	Tin coating for extra corrosion resistance.

3. LUGS BY SIZE (EXAMPLE)



4. LUGS IN USE



5. LUGS WITH INSULATION SLEEVES



6. KEY FEATURES

Provides secure and reliable connection	Easy to install with crimping tools
High electrical conductivity	Available in various sizes and types
Withstands high current and voltage	Strong mechanical strength
Heat and corrosion resistant	Suitable for copper and aluminum cables

7. COMMON APPLICATIONS



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
05



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

FERRULES

Ferrules are metal sleeves used to terminate stranded wires to improve conductivity, prevent fraying, and ensure secure connections.

1. TYPES OF FERRULES

Insulated Ferrules (Single Wire)



Used for terminating a single stranded wire. Insulation provides protection and color coding.

Twin Ferrules (Double Wire)



Designed for terminating two stranded wires in one ferrule. Saves space in terminal blocks.

Uninsulated Ferrules



Bare metal ferrules without insulation. Used where insulation is not required.

Bootlace Ferrules (Long Barrel)



Longer barrel for deep insertion in terminal blocks with thick housings.

Cord End Ferrules



Used for flexible cords and larger wire sizes. Provides strain relief and secure termination.

Special Ferrules



Special designs for specific applications and non-standard connections.

2. FERRULES BY COLOR (INSULATED)



0.25mm² 0.34mm² 0.50mm² 0.75mm² 1.0 mm² 1.0 mm² 1.5 mm² 2.5 mm² 4.0 mm² 6.0 mm² 10.0 mm²

3. FERRULES IN USE



Inserted into terminal block for a secure connection.



Provides a reliable and tidy wire termination.



Crimped using a ferrule crimping tool.

4. FERRULES BY SIZE (EXAMPLE)



0.5 mm² 0.75mm² 1.0 mm² 1.5 mm² 2.5 mm² 4.0 mm² 6.0 mm² 10.0 mm² 16.0 mm² 25.0 mm²

5. KEY FEATURES



Prevents wire strand fraying



Ensures secure and reliable connections



Improves electrical conductivity



Heat and corrosion resistant



Compatible with standard terminal blocks



Available in various sizes and types



Made from tin-plated copper



Resistant to corrosion and vibrations

6. FERRULES ACCESSORIES



Heat Gun



Shrink Tubing Assortment Kit



End Caps



Heat Shrink Connectors



Cable Markers (Shrinkable)



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
06



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CABLE GLANDS

Cable glands provide secure entry and strain relief for cables entering electrical enclosures. They protect against dust, moisture, vibration and ensure safe, reliable connections in various environments.

1. TYPES OF CABLE GLANDS

Brass Glands	Nickel Plated Brass Glands	Stainless Steel Glands	Nylon Glands	Black Nylon Glands	Metric Glands	PG Glands
						
Strong and durable. Ideal for standard industrial applications.	Corrosion resistant with excellent mechanical strength.	Superior corrosion resistance. Suitable for harsh environments.	Lightweight, economical and resistant to chemicals.	UV resistant and suitable for outdoor applications.	Designed for metric threads and standard applications.	Designed for PG threads and legacy installations.

2. CABLE GLANDS BY THREAD TYPE

Metric Thread	PG Thread	NPT Thread
		
Commonly used in modern installations.	Widely used in existing systems.	Tapered thread for secure sealing.

3. FEATURES & BENEFITS

-  Provides strain relief and cable protection
-  Protects against dust, water and environmental factors
-  Reduces vibration and prevents cable damage
-  Easy to install and maintain
-  Available in various sizes, materials and thread types
-  Operating temperature: -40 °C to +100 °C
-  High mechanical strength and long service life

4. CABLE GLANDS IN USE



5. CABLE GLANDS BY MATERIAL

Brass	Stainless Steel	Nylon
		
High strength and excellent durability.	Excellent corrosion resistance.	Lightweight and cost effective.

6. CABLE GLANDS BY IP RATING

IP 65	IP 66	IP 67	IP 68
			
Dust tight and protected against water jets.	Dust tight and protected against strong water jets.	Dust tight and protected against temporary immersion.	Dust tight and protected against continuous immersion.

7. AVAILABLE SIZES



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
07**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CABLE CONNECTORS

Cable connectors are used to join, terminate and secure electrical cables.

They ensure safe, reliable and efficient electrical connections.

1. CRIMP CONNECTORS (For Secure Terminations)

RING
TERMINAL



For bolting to
studs or terminals

SPADE (FORK)
TERMINAL



For quick
disconnects

PIN
TERMINAL



For equipment
with pin terminals

BUTT
CONNECTOR



For joining
two wires

PARALLEL
SPLICE



For joining
two wires in parallel

FARALLE
DISCONNECT



For quick
disconnects

MALE
DISCONNECT



For quick
disconnects

BULLET
CONNECTOR



For connecting
male to female

CU TUBULAR
LUG



For heavy duty
cable connections

2. MECHANICAL CONNECTORS (For Joining & Supporting)

SPLIT BOLT
CONNECTOR



For joining
copper cables

PARALLEL
GROOVE CLAMP



For parallel
cable connections

C TYPE
CONNECTOR



For screwing
service cables

SHEAR BOLT
CONNECTOR



For secure
low voltage
connections

3. INSULATION DISPLACEMENT CONNECTORS (IDC)

IDC
CONNECTOR



For quick tapping
without stripping

IDC TAP
CONNECTOR



For tapping a wire
from main cable

BUTT SPLICE
IDC



For joining
two wires

4. CORD & CABLE CONNECTORS

GLAND CABLE
CONNECTOR



For sealing and
securing cables

WAGO
CONNECTOR



For compact
wire connections

SCREW TERMINAL
BLOCK



For multiple
cable terminations

5. HEAVY DUTY / INDUSTRIAL CONNECTORS

BIMETALLIC
LUG



For Al/Cu cable
connections

COMPRESSION
CONNECTOR



For joining
Al or Cu cables

CABLE JOINTER



For inline cable
joints with
insulation

HEAT SHRINK
TERMINAL



For sealed and
insulated
terminations

6. TWIST-ON WIRE CONNECTORS

STANDARD
WIRE NUT



For general
wire connections

WING NUT



For solid and
stranded wires

WEATHERPROOF
WIRE NUT



For outdoor
connections

7. SPECIAL PURPOSE CONNECTORS

COAXIAL
CONNECTOR (F)



For TV / CATV
cables

RJ45 MODULAR
CONNECTOR



For network
cables (Ethernet)

MC4 SOLAR
CONNECTOR



For solar PV
cable connections

WATERPROOF
CONNECTOR



For waterproof
cable connections



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
08



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— CIRCUIT BREAKERS, FUSES & SWITCHGEAR —

MINIATURE CIRCUIT BREAKERS (MCB)



1 Pole MCB 2 Pole MCB 3 Pole MCB 4 Pole MCB

MOULDED CASE CIRCUIT BREAKERS (MCCB)



Thermal Magnetic MCCB Electronic MCCB Adjustable MCCB

AIR CIRCUIT BREAKERS (ACB)



Fixed Type ACB Drawout Type ACB

RESIDUAL CURRENT DEVICES (RCD)



2 Pole RCD 4 Pole RCD RCCB

EARTH LEAKAGE CIRCUIT BREAKERS (ELCB)



ELCB ELCB with Overcurrent Protection

ISOLATOR SWITCHES



Enclosed Isolator Changeover Switch Modular Isolator

FUSES



HRC Cartridge Fuses NH Type Fuses D Type (Neozed) Fuses Fuse Holders

FUSE SWITCH DISCONNECTORS



NH Fuse Switch Disconnecter DIN Rail Mount Fuse Switch Front Operated Fuse Switch

DISTRIBUTION BOARDS



Flush Mount DB Boards Surface Mount DB Boards Weatherproof DB Boards

SURGE PROTECTION DEVICES (SPD)



Type 1 SPD Type 2 SPD Type 3 SPD DC Surge Protector

CHANGEOVER SWITCHES



Manual Changeover Switch Automatic Changeover Switch

SWITCHGEAR ACCESSORIES



Shunt Trip Release Auxiliary Contacts Rotary Handle Terminal Covers



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
09



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— SURGE & NOISE PROTECTION —

SURGE PROTECTION DEVICES (SPD) – AC



Type 1
Class I
Lightning Current
Arrester



Type 2
Class II
Surge Arrester



Type 2
Class II
Surge Arrester



Type 2
Class II
Plug-in SPD



Type 3
Class III
Surge Arrester

- Protects against lightning strikes and transient overvoltages
- Thermal disconnection for safe protection
- Reduces risk of equipment damage and downtime
- Visual status indication

SURGE PROTECTION DEVICES (SPD) – DC / PV



DC SPD
1000V DC
Type 2



DC SPD
1500V DC
Type 2



PV SPD
String Protection
Type 2



DC SPD
Plug-in
Type 2

- Designed for solar PV systems
- Protects inverters and PV equipment
- High DC voltage capability
- Compliant with IEC/EN standards

SURGE PROTECTION – DATA & SIGNAL



Data Line SPD
(RJ45)



Coaxial SPD
(TV / CCTV)



Signal Line SPD
(2 Pair / 4 Pair)

- Protects communication and data lines
- Low insertion loss, high-speed performance
- Ideal for CCTV, LAN, RS485, Telephone lines

SURGE PROTECTION – POWER DISTRIBUTION



Type 2 SPD
Distribution Board
Mount



Type 2 SPD
3 Pole



Type 2 SPD
3P + N

- Protects mains power distribution systems
- Reduces surge related failures
- Easy DIN rail installation

NOISE FILTERS (EMI / RFI FILTERS)



Single Phase
Noise Filter



Three Phase
Noise Filter

- Reduces electrical noise and interference
- Improves equipment performance
- Extends equipment life

HOW TO SELECT THE RIGHT SPD

Type 1 (Class I)	For locations with high risk of direct lightning strike.	
Type 2 (Class II)	For distribution boards and sub-distribution panels.	
Type 3 (Class III)	For sensitive equipment and end-of-line protection.	
DC / PV SPD	For solar PV systems and DC applications.	
Data & Signal SPD	For data, communication and signal line protection.	

TYPICAL APPLICATIONS



Homes & Residences



Commercial Buildings



Industrial Plants



Solar PV Systems



CCTV & Security Systems



Data & Network Systems



HVAC & Control Systems



Medical & Laboratory
Equipment



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
10**



TRINITY ELECTRICAL & LIGHTING SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

MOULDED CASE CIRCUIT BREAKERS (MCCB)

Moulded Case Circuit Breakers (MCCB) are designed to protect electrical circuits from overload, short circuit and fault currents. They are used in low voltage power distribution systems in commercial, industrial and residential installations.

1. TYPES OF MOULDED CASE CIRCUIT BREAKERS

3 POLE MCCB



Used for three phase circuits.

4 POLE MCCB



Used for three phase with neutral circuits.

ADJUSTABLE THERMAL MAGNETIC MCCB



Adjustable long time (overload) and short time (short circuit) protection settings.

ELECTRONIC TRIP MCCB



Microprocessor based for precise protection and settings.

HIGH BREAKING CAPACITY MCCB



Suitable for high fault current applications.

2. FEATURES

- Protects against overload, short circuit and fault currents.
- High breaking capacity.
- Compact and rugged construction.
- Thermal magnetic or electronic trip units available.
- Suitable for AC applications.
- Available in various frame sizes and current ratings.

3. APPLICATIONS



Industrial power distribution



Commercial buildings



Panel boards and switchboards



Machinery and equipment protection



Generator and power backup systems

4. COMMON SPECIFICATIONS

Parameter	Typical Values
Rated Current (In)	16A to 1600A (and above)
Number of Poles	3 Pole / 4 Pole
Rated Operational Voltage (Ue)	415V AC / 690V AC
Rated Insulation Voltage (Ui)	750V / 1000V
Impulse Withstand Voltage (Uimp)	8kV / 12kV
Breaking Capacity (Icu)	25kA to 100kA (depending on rating)
Trip Unit	Thermal Magnetic / Electronic
Standards	IEC 60947-2



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
11



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— CIRCUIT BREAKER ACCESSORIES —



SHUNT TRIP

Trips the circuit breaker remotely when energized. Ensures safety and control.



AUXILIARY CONTACT

Provides indication of the breaker's status (ON/OFF). Used for signaling and control.



UNDERVOLTAGE RELEASE

Trips the breaker when voltage falls below a set level. Prevents equipment damage.



MOTOR OPERATED MECHANISM

Enables remote ON/OFF operation of the circuit breaker. Increases convenience and safety.



ALARM CONTACT

Provides alarm signal when the breaker trips. Enhances system monitoring.



ROTARY HANDLE (OPERATOR)

Allows manual operation of the breaker from outside the panel.



MECHANICAL INTERLOCK

Prevents two breakers from being turned ON at the same time. Ensures operational safety.



ELECTRICAL INTERLOCK

Electrically prevents two breakers from being turned ON at the same time.



TERMINAL SHIELD

Protects against accidental contact with live terminals. Improves safety.




TERMINAL EXTENSION

Extends terminal connections for easier installation. Provides secure connections.



LOCKING DEVICE

Locks the breaker in OFF position to prevent unauthorized operation (LOTO).



PHASE BARRIER

Insulates between phases. Prevents flashover and short circuits.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
12



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— ENCLOSURES & FITTINGS —

QUALITY ENCLOSURES & FITTINGS FOR EVERY INSTALLATION

1



PVC ENCLOSURES

2



MILD STEEL ENCLOSURES

3



STAINLESS STEEL ENCLOSURES

4



JUNCTION BOXES

5



ADAPTABLE BOXES

6



DIN RAILS

7



CABLE GLANDS

8



CAM LOCKS

9



HINGES

10



METER BOXES

11



DISTRIBUTION BOARDS

12



19" WALL MOUNT CABINETS



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
13



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

DISTRIBUTION BOARDS

SAFE • RELIABLE • PROTECTED • BUILT TO LAST



SAFETY
FIRST



FIRE
RETARDANT



HIGH
PERFORMANCE



SABS
APPROVED

TYPES OF DISTRIBUTION BOARDS

SURFACE MOUNT DB



- Surface mounted on wall
- Easy to install
- Suitable for residential & commercial use

FLUSH MOUNT DB



- Mounted inside the wall
- Neat and flush finish
- Ideal for modern installations

METAL DISTRIBUTION BOARD



- Strong metal enclosure
- High impact resistance
- Ideal for industrial & commercial use

WEATHERPROOF DB (IP65)



- Dust & water resistant (IP65)
- For outdoor & harsh environments
- Corrosion resistant

CHANGEOVER DB



- For switching between mains & generator
- Ensures uninterrupted power supply

COMMON FEATURES

- ✓ High quality, flame retardant enclosure
- ✓ Pre-wired with circuit breakers
- ✓ Earth & neutral bars included
- ✓ Easy cable entry & installation
- ✓ Neat, safe and reliable distribution
- ✓ Complies with SANS/IEC standards
- ✓ Available in various ways & configurations

APPLICATIONS

- Residential Buildings
- Commercial Buildings
- Industrial Facilities
- Schools & Hospitals
- Retail & Offices

WAYS / CONFIGURATIONS AVAILABLE

2 WAY DB



4 WAY DB



6 WAY DB



8 WAY DB



12 WAY DB



18 WAY DB



24 WAY DB




INTERNAL COMPONENTS



- Main Switch (Disconnect)
- RCD / RCCB (Residual Current Device)
- MCBs (Miniature Circuit Breakers)
- Neutral Bar
- Earth Bar

TYPICAL CONNECTION DIAGRAM



STANDARD SPECIFICATIONS

Rated Voltage	230/400V AC
Rated Current (In)	Up to 125A
Short Circuit Capacity (Icn)	6kA / 10kA
Frequency	50Hz
Enclosure Material	ABS / Metal
Protection Degree	IP20 (Indoor) / IP65 (Outdoor)
Standards	SANS 61439-3 / IEC 61439-3



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
14



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

DISTRIBUTION BOARD ACCESSORIES

NEUTRAL LINK



Provides a common point for all neutral connections.
Ensures safe and organized wiring.

EARTH LINK



Provides a common point for all earth connections.
Ensures safe and reliable earthing.

CABLE GLAND



Secures and seals cables entering enclosures.
Protects against dust and moisture.

BLANKING PLATE



Covers unused ways in distribution boards.
Enhances safety and appearance.

DIN RAIL



Standard mounting rail for modular devices.
Easy to install and durable.

TERMINAL BLOCK



Connects and distributes electrical connections efficiently.
Available in various sizes.

FERRULE



Provides secure and reliable connection of stranded wires.
Improves safety and performance.

AUXILIARY CONTACT



Provides auxiliary signaling for circuit breakers.
Used for control and indication.

SHUNT TRIP



Trips the circuit breaker remotely when a signal is received.

SURGE PROTECTION DEVICE



Protects electrical systems and equipment from voltage surges.
Enhances safety and reliability.

ISOLATOR



Provides safe isolation of electrical circuits for maintenance.
Ensures safety and compliance.

DISTRIBUTION BOARD ENCLOSURE



Protects and houses circuit breakers and electrical components.
Available in various sizes.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
15



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

DISTRIBUTION BOARD PANELS ACCESSORIES

High Quality Accessories for Safe, Reliable & Efficient Electrical Installations

DIN RAIL CHANNEL



- Standard 35mm DIN rail
- High strength & corrosion resistant
- For mounting MCBs, RCCBs, Contactors & other devices

NEUTRAL LINK



- Provides neutral connections
- Available in single, double & three phase
- Insulated base for safety

EARTH LINK



- Provides earth connections
- High conductivity & corrosion resistant
- Insulated base for safety

MCB BLANKING PLATE



- Fills empty ways in DB
- Enhances safety & appearance
- Reduces risk of accidental contact

GLAND PLATE



- For secure cable entry
- With pre-cut or adjustable gland openings
- Ensures neat & safe wiring

CABLE GLANDS



- Protects cables from dust, moisture & strain
- Different sizes available
- IP65 protection

TERMINAL BLOCKS



- For safe and organized connections
- Available in various sizes & configurations
- Easy to install on DIN rail

BUSBAR



- Distributes power efficiently
- Copper bars with tin plating
- Available in single, double & multiple pole

BUSBAR SUPPORT INSULATORS



- Supports busbars securely
- High insulation & heat resistance
- Ensures safe clearance

DOOR LOCK



- Secures DB panel doors
- Prevents unauthorized access
- Durable & easy to operate

DOOR HINGE



- Strong & durable hinges
- Smooth door operation
- Easy to install

INSULATED SLEEVES



- Insulates wire ends
- Improves connection safety
- Available in different sizes & colors

WIRE DUCT / CABLE TRUNKING



- For neat and organized wiring
- Slotted design for easy wiring
- Available in various sizes

MARKING TAGS & LABELS



- Easy identification of wires & devices
- Improves safety & maintenance
- Various sizes & types

SPARE TIRER / FUSE HOLDER



- Holds spare fuses
- Keeps spares organized & safe
- Easy to mount

FAN & FILTER



- Improves ventilation
- Reduces heat & maintains temperature
- Fan with filter for dust protection

VOLT METER / AMMETER



- Monitors voltage & current
- Digital display for accuracy
- Easy panel mounting

PANEL MOUNTING SCREWS



- For mounting devices & accessories
- High quality & rust resistant
- Various sizes available



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
16



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

PUSH BUTTONS & PILOT LIGHTS

RELIABLE • DURABLE • HIGH PERFORMANCE

PUSH BUTTONS



PUSH BUTTON STATIONS



PUSH BUTTON ACCESSORIES



PILOT LIGHTS (LED)



PILOT LIGHT ACCESSORIES



PILOT LIGHT INDICATION VOLTAGES



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
17



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

INSTRUMENTS & TELEMETRY

MEASURE • MONITOR • CONTROL • COMMUNICATE

VOLTMETERS



- Digital AC Voltmeters
- Digital DC Voltmeters
- Analogue Panel Voltmeters
- Multi-Range Models

AMMETERS



- Digital AC Ammeters
- Digital DC Ammeters
- Analogue Panel Ammeters
- Multi-Range Models

FREQUENCY METERS



- Digital Frequency Meters
- Analogue Frequency Meters
- Wide Measuring Range
- 45 – 65 Hz Models

ENERGY METERS



- Single Phase Energy Meters
- Three Phase Energy Meters
- MID Approved Models
- kWh / kVAh Measurement

POWER ANALYSERS



- Multi-Parameter Measurement
- Power Quality Analysis
- Harmonics Measurement
- Data Logging & Reporting

CURRENT TRANSFORMERS (CTs)



- Split-Core CTs
- Solid-Core CTs
- Wide Range of Ratios
- Class 0.5, 1.0 & 3.0

PANEL METERS



- Multi-Function Meters
- Harmonic Size
- Easy Installation
- Modbus Communication

DATA LOGGERS



- Standalone Data Loggers
- Multi-Channel Inputs
- Long-Term Data Storage
- USB / SD Card Downloads

GSM TELEMETRY UNITS



- Remote Monitoring
- SMS & GPRS / 4G Communication
- Digital & Analogue Inputs
- Relay Outputs



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
18**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CONTACTOR ACCESSORIES

Enhance the performance, protection and reliability of your contactors.

AUXILIARY CONTACT BLOCKS



- Add-on contacts for control and signalling.
- Easy front mounting.

THERMAL OVERLOAD RELAYS



- Protect motors from overload and phase failure.
- Adjustable current settings.

SURGE SUPPRESSORS



- Suppress voltage spikes and protect coil.
- AC and DC options available.

MECHANICAL INTERLOCKS



- Prevents simultaneous operation of two contactors.
- Ensures electrical safety.

COIL TERMINAL COVERS



- Protects coil terminals from accidental contact.
- Improves safety and insulation.

TERMINAL SHROUDS



- Insulates power terminals for safety.
- Reduces risk of short circuits.

SPACERS



- Maintain clearance between contactors.
- Improves cooling and performance.

DIN RAIL ADAPTERS



- Allows easy mounting on DIN rails.
- Quick and secure installation.

LUG KITS



- Easy connection of cables to contactor terminals.
- Reliable and secure fit.

SEALABLE COVERS



- Prevents unauthorized operation.
- Ideal for maintenance and lockout/tagout.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
19



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

OVERLOAD RELAYS

Overload relays protect motors and electrical circuits from damage caused by excessive current or overload by tripping the circuit or contactor.

1. THERMAL OVERLOAD RELAY



Uses a bimetallic strip that heats up with excess current. When it bends beyond a limit, it trips the relay.

- Common, economical and widely used.

2. ELECTRONIC OVERLOAD RELAY



Uses electronic sensors and a microcontroller to monitor current. Offers precise adjustment and features like phase loss, unbalance and trip class.

- More accurate and feature-rich.

3. THERMISTOR (PTC) OVERLOAD RELAY



Works with PTC thermistor sensors embedded in the motor windings. Trips when temperature rises beyond the limit.

- Provides motor temperature protection.

4. CURRENT TRANSFORMER (CT) OVERLOAD RELAY



Monitors current through an external current transformer. Suitable for high current applications and separate mounting.

5. SOLID STATE OVERLOAD RELAY



Uses solid state components (no moving parts) to detect overload. Fast response, long life and high reliability.

- Ideal for harsh environments.

6. MANUAL RESET OVERLOAD RELAY



Requires manual reset after an overload trip. Ensures the fault is cleared before restarting.

7. AUTOMATIC RESET OVERLOAD RELAY



Automatically resets after the overload condition is removed. Useful for temporary overloads.

- Not suitable where manual check is required.

8. DIFFERENTIAL OVERLOAD RELAY



Detects imbalance (difference) in currents between phases. Protects against phase failure, unbalance and locked rotor.

9. SMART OVERLOAD RELAY



Advanced relay with digital monitoring, communication capability (Modbus, Profinet, etc.) and data logging.

- Used in modern and Industry 4.0 systems.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
20



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF FUSES

Fuses protect electrical circuits and equipment from damage caused by overcurrent or short circuits.

1. Cartridge Fuse	2. Glass Tube Fuse	3. Blade Fuse	4. Mini Blade Fuse	5. Micro Blade Fuse	6. SMD Fuse
					
General purpose fuse used in a variety of applications.	Used for low current applications. The element is visible through the glass.	Common in automotive applications. Easy to replace, available in different ratings.	Smaller version of blade fuse used in vehicles and electronics.	More compact than mini blade fuse, used in modern vehicles.	Surface mount fuse used on printed circuit boards.
7. Slow Blow Fuse	8. Fast Blow Fuse	9. High Voltage Fuse	10. Automotive Fuse	11. Thermal Fuse	12. Resettable (PTC) Fuse
					
Has a time-delay characteristic. Handles temporary overloads.	Trips quickly when current exceeds rating. Used in sensitive circuits.	Designed for high voltage applications such as transformers and industrial equipment.	High current fuse used in automotive systems for short circuit protection.	Opens at a specific temperature. Used for overheating protection.	Resets automatically after fault is cleared. Used for overcurrent protection.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
21



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF FUSE HOLDERS

1. In-Line Fuse Holder
(Blade Type)



Used with blade fuses in automotive and DC applications. Easy to install in-line with wires and weather-resistant options available.

2. Panel Mount Fuse Holder
(Glass Tube Type)



Holds glass tube fuses. Mounted through a panel with a threaded nut. Common in electronic equipment and control panels.

3. PCB Mount Fuse Holder
(Glass Tube Type)



For glass tube fuses. Soldered onto printed circuit boards. Used in power supplies and electronic devices.

4. Panel Mount Fuse Holder
(Blade Type)



Panel mount holder for blade fuses. Provides easy access and is commonly used in automotive and industrial panels.

5. In-Line Fuse Holder
(Glass Tube Type)



Used with glass tube fuses in-line with wiring. Available in various sizes and current ratings.

6. Fuse Block / Holder
(Multi-Position)



Holds multiple blade fuses in a single block. Used in automotive, marine, and industrial power distribution applications.

7. DIN Rail Mount
Fuse Holder



Mounts on standard DIN rails. Used with cylindrical fuses. Ideal for industrial control panels and distribution systems.

8. Bolt-Down Fuse Holder
(MEGA / MIDI Type)



For high-current MEGA or MIDI fuses. Bolt-down design for secure connections in inverters, converters, and power systems.

9. Cartridge Fuse Holder
(Industrial Type)



Holds cartridge (class H, J, R, etc.) fuses. Used in industrial and commercial power distribution equipment.

10. Waterproof In-Line
Fuse Holder



Sealed design for harsh environments. Protects fuse and connections from water, dust, and corrosion.

11. Surface Mount Fuse
Holder (SMD Type)



Surface mount holder for SMD fuses. Used in modern electronics and compact PCB designs.

12. Snap-In Fuse Holder
(Round Type)



Snap-in mounting for quick installation. Accepts glass tube fuses. Common in appliances and consumer electronics.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
22



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

RELAYS AND BASES


RELAYS

TYPE: MY2
DPDT - 8 PIN



Coil Voltage: 12VDC, 24VDC,
110VAC, 220VAC
Contact Rating: 5A 250VAC /
5A 30VDC

DIMENSIONS (mm)




TYPE: LY2
DPDT - 8 PIN



Coil Voltage: 12VDC, 24VDC,
110VAC, 220VAC
Contact Rating: 5A 250VAC /
5A 30VDC

DIMENSIONS (mm)




TYPE: MK3P
3PDT - 11 PIN



Coil Voltage: 12VDC, 24VDC,
110VAC, 220VAC
Contact Rating: 10A 250VAC /
10A 30VDC

DIMENSIONS (mm)




TYPE: MY4
4PDT - 14 PIN



Coil Voltage: 12VDC, 24VDC,
110VAC, 220VAC
Contact Rating: 5A 250VAC /
5A 30VDC

DIMENSIONS (mm)




BASES / SOCKETS

TYPE: PYF08A
FOR 11 PIN RELAY



Rated: 10A 250VAC
Screw Terminal

DIMENSIONS (mm)




TYPE: PYF11A
FOR 11 PIN RELAY



Rated: 10A 250VAC
Screw Terminal

DIMENSIONS (mm)




TYPE: PYF14A
FOR 14 PIN RELAY



Rated: 10A 250VAC
Screw Terminal

DIMENSIONS (mm)




TYPE: PYF08A-E
FOR 8 PIN RELAY (DIN RAIL)



Rated: 10A 250VAC
Screw Terminal
DIN Rail Mount

DIMENSIONS (mm)



Note: All dimensions are approximate and for reference only.

Unit: mm



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
23



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— AUTOMATION PRODUCTS —

PLC CONTROLLERS



Siemens
S7-1200

Allen-Bradley
MicroLogix

Delta
DVP Series

HMI & OPERATOR PANELS



Weintek
cMT Series

Siemens
KTP Series

Delta
DOP Series

VARIABLE SPEED DRIVES (VSD)



Danfoss
VLT Series

ABB
ACS Series

Schneider
Altivar Series

SERVO SYSTEMS



Delta
ASDA Series

Mitsubishi
MR-JE Series

Siemens
SINAMICS V90

INDUSTRIAL RELAYS



Omron
MY Series

Finder
56 Series

Schneider
RXM Series

TIMERS



Omron
H3CR Series

Finder
80 Series

Schneider
RE17 Series

TEMPERATURE CONTROLLERS



Autonics
TC Series

Omron
ESCC Series

Delta
DTA Series

COUNTERS & TACHOMETERS



Autonics
CT Series

Omron
H7CX Series

Schneider
XC Series

SENSORS



Inductive
Proximity Sensor

Photoelectric
Sensor

Capacitive
Proximity Sensor

ENCODERS



Incremental
Encoder

Absolute
Encoder

Hollow Shaft
Encoder

INDUSTRIAL COMMUNICATION



Ethernet
Switches

Modbus
Gateways

I/O
Modules

SIGNAL CONDITIONERS



Temperature
Transmitter

Isolator
Converter

Signal
Repeater

POWER SUPPLIES



24V DC
Power Supply

DIN Rail
Power Supply

Industrial
Power Supply

INDICATORS & ANNUNCIATIONS



LED
Indicators

Annunciator
Panels

Tower
Lights

MOTION CONTROL



Step Drivers &
Motors

Servo Drives
& Motors

Motion
Controllers



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
24



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CAPACITORS



RELIABLE PERFORMANCE



PREMIUM QUALITY



WIDE RANGE OF APPLICATIONS

For Industrial, Commercial & Electronic Applications



HIGH QUALITY

Manufactured to strict standards for long life and reliability.



WIDE TEMPERATURE RANGE

Operates in extreme conditions.



HIGH VOLTAGE CAPACITY

Available in a variety of voltages and values.



VERSATILE USE

Suitable for motors, HVAC, power supplies, lighting, appliances and more.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
25



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CAPACITORS & PFC

High Quality Products for Power Factor Correction & Energy Efficiency

POWER CAPACITORS



- General Purpose (Dry Type)
- Heavy Duty
- Low Loss, Self-Healing Dielectric
- Aluminium Can Construction
- Terminals: Faston / Screw
- Ratings: 1 ~ 50 kVAR, 230V ~ 525V

CAPACITOR BANKS



- Fixed Capacitor Banks
- Automatic Capacitor Banks
- Detuned Capacitor Banks
- Wall / Floor / Panel Mounting
- Pre-Wired & Tested Assemblies
- Ratings: 5 ~ 1000 kVAR

APFC RELAYS / CONTROLLERS



- Automatic Power Factor Controllers
- 6, 8, 12 & 14 Step Models
- LED / LCD Display
- Programmable Settings
- Alarm & Protection Functions
- RS485 / Modbus Communication

HARMONIC FILTERS



- Detuned Reactors (P5, P7, P14)
- Active Harmonic Filters
- Harmonic Mitigation Solutions
- Reduce THD & System Distortion
- Protect Capacitors & Equipment
- Improve Power Quality

REACTOR CHOKES



- Detuned Reactors
- Line Reactors
- Output Reactors
- DC Link Reactors
- Iron Core / Air Core
- Ratings: 1 ~ 1000 kVAR

1 POWER FACTOR CORRECTION SYSTEMS



- Automatic PFC Panels
- Custom Built Solutions
- Modular & Scalable Design
- Complete Protection & Control
- Reduce Penalties & Save Energy
- Suitable for All Applications

CAPACITOR ACCESSORIES



Discharge
Resistors



Capacitor
Contactors



HRC Fuse Links
& Holders



Current
Transformers



Cooling
Fans



Warning Labels
& Accessories



Terminal Blocks
& Connectors



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
26



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF SENSORS

👁️ DETECT • 📏 MEASURE • 🖥️ MONITOR • ⚙️ AUTOMATE

TEMPERATURE SENSORS



- Measure heat / cold
- Thermistor, RTD, Thermocouple
- Wide temperature range

HUMIDITY SENSORS



- Measure air moisture
- Digital output
- High accuracy & stability

PRESSURE SENSORS



- Measure gas / liquid pressure
- Gauge, Absolute, Differential
- For industrial & automotive use

PROXIMITY SENSORS



- Detect presence of objects
- Inductive, Capacitive, Magnetic
- Non-contact detection

PHOTOELECTRIC SENSORS



- Detect objects using light
- Through-beam, Retro-reflective
- Fast response, long range

ULTRASONIC SENSORS




- Measure distance with sound waves
- Non-contact ranging
- Accurate & reliable

IR SENSORS



- Detect IR light / objects
- Obstacle avoidance, Line tracking
- Widely used in automation

LIGHT SENSORS




- Measure light intensity
- LDR, Photodiode, Photoresistor
- Auto brightness, day/night detect

SOUND SENSORS



- Detect sound / noise levels
- Analog / Digital output
- Used in alarms, automation

ACCELERATION SENSORS



- Measure acceleration & motion
- Tilt, Shock, Vibration detection
- Used in navigation, safety

GYRO SENSORS



- Measure angular velocity
- Detect orientation & rotation
- Used in robotics, drones

MAGNETIC SENSORS



- Detect magnetic fields
- Hall Effect, Magnetoresistive
- Position, speed, current sensing

GAS SENSORS




- Detect gases in environment
- MQ series, Electrochemical
- For safety & air quality

FLAME SENSORS



- Detect presence of fire / flame
- Fast response
- Used in safety systems

MOISTURE SENSORS



- Measure moisture in soil / materials
- Used in agriculture, automation
- Corrosion resistant probe

FORCE / LOAD SENSORS



- Measure force, weight, pressure
- Strain gauge based
- Used in weighing, robotics

FLOW SENSORS



- Measure liquid / gas flow rate
- Hall Effect based
- Used in water systems, pumps

LEVEL SENSORS



- Detect liquid level
- Float, Capacitive, Ultrasonic
- Tank level monitoring

WIRE DUCT / CABLE TRUNKING



MARKING TAGS & LABELS



SPARE TIRER / FUSE HOLDER



FAN & FILTER



VOLT METER / AMMETER



PANEL MOUNTING SCREWS



KEY FEATURES



High Accuracy



Fast Response



Low Power Consumption



Wide Compatibility



Wide Integration

WIDE APPLICATIONS



Industrial Automation



Robotics



Automotive



Smart Home



Healthcare



Agriculture



IoT Devices



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

SUPPLIER NO :
MAAA1573781

PAGE
27



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— LEVEL CONTROL & PUMPS —

RELIABLE SOLUTIONS FOR LIQUID LEVEL MANAGEMENT & PUMP APPLICATIONS

FLOAT SWITCHES



Cable Float
Switch

Piggyback Float
Switch

Vertical Float
Switch

LEVEL SENSORS



Conductive
Level Sensor

Hydrostatic
Level Sensor

Ultrasonic
Level Sensor

LEVEL CONTROLLERS



Single Level
Controller

Multi Level
Controller

Digital Level
Controller

FLOW SWITCHES



Paddle Type
Flow Switch

Inline
Flow Switch

Plastic
Flow Switch

PRESSURE SWITCHES



Adjustable
Pressure Switch

Differential
Pressure Switch

High Pressure
Switch

SUBMERSIBLE PUMPS



Stainless Steel
Submersible Pump

Sewage
Submersible Pump

Drainage
Submersible Pump

CENTRIFUGAL PUMPS




End Suction
Pump

Close Coupled
Pump

Vertical
Multistage Pump

BOOSTER PUMP SYSTEMS



Booster Pump Set
(Single / Multi Pump)

DOSING & CHEMICAL PUMPS



Dosing Pump

Peristaltic
Dosing Pump

Chemical
Dosing Pump

PUMP CONTROLLERS



Automatic Pump
Controller

Digital Pump
Controller

Pressure Pump
Controller

ACCESSORIES



Check
Valve

Foot Valve
with Strainer

Pressure
Tank

Pressure
Gauge

CABLES & FLOAT ACCESSORIES



Float Switch
Cable

Float Switch
Weight

Cable
Clamp



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
28



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TEMPERATURE CONTROLS

COMPLETE TEMPERATURE & ENVIRONMENTAL CONTROL SOLUTIONS

1 THERMOSTATS



CAPILLARY THERMOSTATS

Wide range of capillary thermostats for heating, cooling & refrigeration applications.



MECHANICAL THERMOSTATS

Reliable mechanical room thermostats for temperature control in HVAC & industrial applications.



DIGITAL THERMOSTATS

Electronic room thermostats with accurate temperature sensing and easy adjustment.



PIPE THERMOSTATS

Clamp-on pipe thermostats for temperature control of pipes and vessels.

2 TEMPERATURE CONTROLLERS



PID CONTROLLERS

Advanced PID controllers for precise process temperature control.



DIGITAL TEMPERATURE CONTROLLERS

On/Off and multi-function digital controllers for a wide range of applications.



PROCESS CONTROLLERS

High performance process controllers with multiple input/output options.



PANEL CONTROLLERS

Panel mount temperature controllers in various sizes to suit your application.

3 TEMPERATURE PROBES



PT100 PROBES

High accuracy PT100 platinum resistance temperature sensors.



RTD SENSORS

Industrial RTD sensors for accurate temperature measurement.



THERMOCOUPLES

K, J, T type thermocouples with connectors and extensions.

4 TEMPERATURE & HUMIDITY CONTROL



HYGROSTATS

Mechanical hygrostats for humidity control applications.



HUMIDITY SENSORS

Wall & duct mounted humidity sensors for HVAC systems.



TEMP. & HUMIDITY CONTROLLERS

Digital controllers for simultaneous temperature & humidity control.



DUCT SENSORS

Duct mounted temperature & humidity sensors.

5 REFRIGERATION CONTROLLERS



ELIWELL CONTROLLERS

Eliwell range of refrigeration controllers for commercial & industrial use.



DIXELL CONTROLLERS

Dixell controllers for refrigeration, cold rooms and HVAC systems.



DEFROST TIMERS

Electromechanical & digital defrost timers for refrigeration systems.



COLD ROOM CONTROLLERS

Complete range of cold room controllers and accessories.

6 SOLAR WATER HEATING CONTROLLERS



DIFFERENTIAL CONTROLLERS

Solar differential temperature controllers for efficient system performance.



SOLAR GEYSER CONTROLLERS

Controllers designed specifically for solar water heating systems.



PROBE SETS

Solar probe sets with sensors, pockets & mounting accessories.



TIMER MODULES

Solar timer modules for boost, circulation & auxiliary control.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
29**



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— TYPES OF ELECTRIC MOTORS —

A WIDE RANGE OF MOTORS FOR INDUSTRIAL, COMMERCIAL & SPECIALISED APPLICATIONS

AC INDUCTION MOTOR



Most common motor used in industrial applications.

SINGLE-PHASE INDUCTION MOTOR



Used in applications where single-phase power is available.

DC MOTOR



Speed can be controlled easily; used in a wide range of applications.

BLDC MOTOR



High efficiency, low maintenance; used in precision applications.

SERVO MOTOR



High precision and quick response; used in robotics and automation.

STEPPER MOTOR



Moves in precise steps; used in positioning applications.

SYNCHRONOUS MOTOR



Operates at constant speed synchronized with supply frequency.

CAPACITOR START MOTOR



Provides high starting torque; used in pumps and compressors.

UNIVERSAL MOTOR



High speed, light weight; used in power tools and appliances.

GEAR MOTOR



Motor with gearbox; provides high torque at low speed.

BRAKE MOTOR



Built-in brake holds the load when power is off.

EXPLOSION PROOF MOTOR



Designed for hazardous environments with flammable gases or dust.

VERTICAL MOTOR



Shaft is in vertical position; used in vertical applications.

SUBMERSIBLE MOTOR



Sealed for underwater use; used in pumps and borewells.

FRACTIONAL HP MOTOR



Small power motors used in appliances and small equipment.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
30



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

MOTOR CONTROL & MOTORS

COMPLETE RANGE FOR MOTOR STARTING, PROTECTION & MOTION

CONTACTORS



Mini Contactors (6A - 16A) Standard Contactors (9A - 630A) Heavy Duty Contactors (115A - 800A) AC / DC Contactors

OVERLOAD RELAYS



Thermal Overload Relays Electronic Overload Relays Manual & Auto Reset Relays

MOTOR PROTECTION CIRCUIT BREAKERS



Manual Motor Starters (MMS) Motor Protection Circuit Breakers Magnetic Motor Protectors

MOTOR STARTERS



Direct On Line Starters (DOL) Star Delta Starters Reversing Starters Forward / Reverse Starters

VARIABLE SPEED DRIVES (VSD)



General Purpose VSD Vector Control VSD Heavy Duty VSD Compact VSD

SOFT STARTERS



Compact Soft Starters Advanced Soft Starters Heavy Duty Soft Starters

MOTORS - AC



Single Phase Motors Three Phase Motors Brake Motors High Efficiency Motors (IE3 / IE4)

MOTORS - DC & SPECIALITY



DC Motors Servo Motors Stepper Motors

GEARBOXES



Worm Gearboxes Helical Gearboxes Planetary Gearboxes

ISOLATORS & SWITCHES



Rotary Isolators Load Break Switches Changeover Switches Safety Switches

MOTOR CONTROL ACCESSORIES



Auxiliary Contacts Timer Relays Phase Monitors Current Transformers

TERMINAL BLOCKS & BUSBARS



Screw Terminal Blocks DIN Rail Terminal Blocks Copper Busbars



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
31



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— GATE MOTORS AND ACCESSORIES —



SECURE YOUR PROPERTY



RELIABLE PERFORMANCE



EASY TO USE



BUILT TO LAST

GATE MOTORS

SLIDING GATE MOTORS



- For gates up to 500kg / 1000kg
- Smooth start and stop
- Built in receiver
- Manual override with key
- 24V DC - Battery backup compatible



SWING GATE MOTORS



- For gates up to 2m / 300kg per leaf
- Powerful and reliable
- Easy installation
- Manual release with key
- 24V DC - Battery backup compatible



UNDERGROUND GATE MOTORS



- Hidden installation
- For gates up to 3.5m per leaf
- Strong and durable
- Manual release with key
- 230V / 24V DC options available



HIGH SPEED SLIDING MOTORS



- High speed operation
- For gates up to 1000kg
- Advanced digital controller
- Built in receiver
- Battery backup compatible



INDUSTRIAL GATE MOTORS



- Heavy duty for large gates
- For gates up to 2000kg
- Continuous duty operation
- Advanced control board
- 230V / 3 Phase options



BARRIER GATE MOTORS



- Ideal for traffic control
- Adjustable speed
- Manual release
- 24V DC - Battery backup compatible
- Boom lengths: 3m - 6m



ACCESSORIES

REMOTE CONTROLS



- 1, 2, 3 & 4 Button remotes
- Rolling code technology
- Long range

RECEIVERS



- External / Internal receivers
- Multi-channel options
- Compatible with most motors

SAFETY BEAMS



- Infrared photocells
- Weather resistant
- Enhances safety

FLASHING LIGHTS



- LED and Xenon options
- High visibility
- Built in antenna

KEY SWITCHES



- Surface & flush mount
- Manual override
- Weather resistant

DIGITAL KEYPADS



- Access control
- PIN code operation
- Backlit options

BATTERY BACKUP KITS



- 12V Battery & charger
- Keeps gate working
- During power failure

RACKS



- Nylon or Steel racks
- Various lengths
- High strength

BRACKETS & MOUNTING KIT



- Adjustable brackets
- Complete mounting kits
- Easy to install

SPARE PARTS



- Gears, covers, springs
- Limit switches & more
- Genuine quality parts

LOOPS & DETECTORS



- Vehicle loop detectors
- 6m / 10m loop wire
- Detects vehicles

POSTS & PEDESTALS



- For photocells & keypads
- Strong and durable
- Various heights

BOOM GATE ACCESSORIES



- Boom extensions
- Springs & hinges
- Reflective stickers

WARNING SIGNS



- Highly visible
- Various designs
- Improves safety



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
32



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

DIFFERENT TYPES OF TRANSFORMERS



**OIL FILLED
POWER TRANSFORMER**



**DRY TYPE
TRANSFORMER**



**ISOLATION
TRANSFORMER**



**AUTO
TRANSFORMER**



**CURRENT
TRANSFORMER (CT)**



**POTENTIAL / VOLTAGE
TRANSFORMER (PT)**



**CONTROL
TRANSFORMER**



**SINGLE PHASE
TRANSFORMER**



**THREE PHASE
TRANSFORMER**



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
33



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— POWER SUPPLIES, TRANSFORMERS & UPS —

RELIABLE POWER SOLUTIONS FOR INDUSTRIAL, COMMERCIAL & BACKUP APPLICATIONS

SWITCH MODE POWER SUPPLIES



DIN Rail SMPS Panel Mount SMPS Enclosed SMPS Slim Line SMPS

AC-DC POWER SUPPLIES



Single Output AC-DC Dual Output AC-DC Industrial AC-DC Open Frame AC-DC

DC-DC CONVERTERS



Non-Isolated DC-DC Isolated DC-DC DIN Rail DC-DC Waterproof DC-DC

BATTERY CHARGERS



12V Battery Charger 24V Battery Charger Intelligent Battery Charger Industrial Battery Charger

UPS SYSTEMS



Offline UPS Line Interactive UPS Online Double Conversion UPS Rack Mount UPS

INVERTERS



Pure Sine Wave Inverter Modified Sine Wave Inverter Solar Inverter Industrial Inverter

TRANSFORMERS



Control Transformer Dry Type Transformer Oil Filled Transformer Toroidal Transformer

ISOLATION TRANSFORMERS



Single Phase Isolation Three Phase Isolation Step Up Transformer Step Down Transformer

AUTO TRANSFORMERS



Single Phase Variac Three Phase Variac Motorised Variac Compact Variac

VOLTAGE STABILIZERS



Relay Type Stabilizer Servo Motor Stabilizer Static Stabilizer Three Phase Stabilizer

BATTERIES



Sealed Lead Acid Battery AGM Deep Cycle Battery Gel Battery Lithium Battery

POWER MANAGEMENT



Power Factor Controller Energy Meter Power Analyzer Automatic Transfer Switch

DC POWER SUPPLY UNITS



Single Output DC PSU Dual Output DC PSU Multi Output DC PSU Programmable DC PSU

RECTIFIERS



Thyristor Rectifier IGBT Based Rectifier Battery Charger Rectifier Industrial Rectifier

ACCESSORIES



Cooling Fan DC Connector DIN Rail Mounting Kit DC Fuse Holder



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
34



TRINITY ELECTRICAL & LIGHTING SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF INVERTERS

HOME INVERTER



For home backup power

SOLAR INVERTER



Converts DC from
solar panels to AC power

PURE SINE WAVE INVERTER



Provides clean & stable
power for sensitive devices

UPS INVERTER



Uninterrupted power
supply for offices & IT

TUBULAR BATTERY INVERTER



Long backup with
tubular batteries

POWER INVERTER (CAR INVERTER)



Converts 12V DC (car)
to 230V AC power

HYBRID INVERTER



Works with solar, battery
& grid power

OFF GRID INVERTER



Ideal for areas
without grid power

GRID TIE INVERTER



Feeds solar power
to the grid

PORTABLE INVERTER



Portable power for
outdoor & emergency use

USES



Home Backup



Solar Power
Systems



Offices



Hospitals



Shops



Industries



Camping & Outdoor



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
35



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— EARTHING & LIGHTNING PROTECTION ITEMS —

EARTHING ELECTRODES



Copper Bonded
Earthing Electrode



GI Earthing
Electrode



Copper
Earthing Plate



Copper
Earthing Strip

EARTHING ACCESSORIES



G Type
Earthing Clamp



Cable to Rod
Earthing Clamp



Earth Bar

EARTHING WIRES & STRIPS



PVC Insulated
Earthing Wire



Bare Copper
Earthing Wire



Copper
Earthing Braid

EARTHING PITS & COMPOUNDS



Earthing Pit



Earthing Compound

LIGHTNING AIR TERMINALS



Conventional
Air Terminal



Early Streamer
Emission (ESE)
Air Terminal



Stainless Steel
Air Terminal

DOWN CONDUCTORS



Copper Down
Conductor Strip



Copper Down
Conductor Cable

TESTING & ACCESSORIES



Earth Resistance
Tester



Test Link



Exothermic
Welding Kit

LIGHTNING PROTECTION ACCESSORIES



Air Terminal
Base Clamp



Down Conductor
Pipe Clamp



Lightning Protection
Tape with Clamp



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
36



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— WIRING ACCESSORIES —

ADAPTORS, MULTIPLUGS, EXTENSION CORDS, PLUGTOPS, LIGHT SWITCHES AND PLUG SOCKETS

COMPLETE RANGE MULTICOLOUR



Multi Adaptor



6 Way Multi Plug
with Surge Protection



10m Heavy Duty
Extension Lead



16A Heavy Duty
Plug Top



1 Lever Switch with
16A Socket + 2 USB Ports



16A Clear Solid
Brass Plug Top



2 x 16A Adaptor



16A High Surge
Protection Plug



16A Rubber Socket



16A Red Plug Top



16A White Plug Top



1 Lever
Light Switch



2 Lever
Light Switch



3 Lever
Light Switch



4 Lever
Light Switch



Blank Plate
4 x 2



Blank Plate
4 x 4



16A Socket + 2 Pin Euro
Socket + 2 x 2 Pin Socket



16A Double Socket
with 2 Switches



2 x 16A Sockets +
2 Switches - Surface Box



Stove Isolator
4 x 2



Stove Isolator
4 x 4



Switch Socket
1 x 16A - 4 x 4

WIRING CONSUMABLES



Cable Ties



Ferrules



Cable Glands



PVC Electrical Tapes



Terminal
Blocks

ADHESIVES & MAINTENANCE



PVC
Cement



Silicone
Spray



Contact
Cleaner



De-rust
Lubricant
Spray

CABLE ACCESSORIES



Connector
Strips



Junction
Boxes



PVC
Trunking



Slotted
Trunking



Flexible
Conduit



Rigid
Conduit



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
37



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— LIGHT SWITCHES, PLUG SOCKETS & DIMMER SWITCHES—

LIGHT SWITCHES

1 GANG 1 WAY



- Controls a light from one location.
- 10AX – 250V~

1 GANG 2 WAY



- Controls a light from two locations.
- 10AX – 250V~

2 GANG 1 WAY



- Controls two lights from one location.
- 10AX – 250V~

2 GANG 2 WAY



- Controls two lights from two locations.
- 10AX – 250V~

INTERMEDIATE SWITCH



- Used between two 2-way switches.
- 10AX – 250V~

BELL PUSH



- Momentary switch for door bell.
- 10A – 250V~

WATERPROOF SWITCH



- For outdoor or damp locations.
- 10AX – 250V~

PLUG SOCKETS

1 GANG 5A SOCKET



- 5A – 250V~
- For small appliances.

1 GANG 15A SOCKET



- 15A – 250V~
- For high power appliances.

2 GANG 15A SOCKET



- 15A – 250V~
- For high power appliances.

1 GANG UNIVERSAL SOCKET



- 13A – 250V~
- Accepts multiple plug types.

2 GANG UNIVERSAL SOCKET



- 13A – 250V~
- Accepts multiple plug types.

SCHUKO SOCKET



- 16A – 250V~
- With earth connection (Type F).

WATERPROOF SOCKET



- IP66 Rated
- For outdoor or damp locations.

DIMMER SWITCHES

ROTARY DIMMER



- Smooth rotary control for adjusting brightness.
- 220-240V~ 50Hz

PUSH ON / OFF ROTARY DIMMER



- Push to ON/OFF, rotate to dim.
- 220-240V~ 50Hz

TOUCH DIMMER



- Touch control with memory function.
- 220-240V~ 50Hz

SMART DIMMER



- App / voice control compatible.
- 220-240V~ 50Hz

LED DIMMER



- Designed for LED lighting.
- 220-240V~ 50Hz

DIMMER FEATURES



Adjusts light intensity to create the perfect ambience.



Helps save energy and extends lamp life.



Built-in protection against overload, overheat and short circuit.



Ideal for LED, incandescent and dimmable CFL lighting.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
38



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

– TYPES OF SWITCHES –

ONE SWITCH – MANY SOLUTIONS

1. TOGGLE SWITCH



- Simple ON/OFF operation
- High current capacity
- Used in industrial & automotive
- SPST, SPDT, DPDT types

2. ROCKER SWITCH



- Easy ON/OFF operation
- Compact & stylish
- Widely used in appliances
- Illuminated options available

3. PUSH BUTTON SWITCH



- Momentary or latching action
- Start, stop, reset functions
- Used in control panels, machines
- Various colors & shapes

4. SELECTOR SWITCH



- Multi-position operation
- Maintained action
- Ideal for control & automation
- 2, 3, 4 position options

5. SLIDE SWITCH



- Side to side ON/OFF or changeover
- Compact size
- Used in electronics & gadgets
- SPDT, DPDT options

6. DIP SWITCH



- Multiple switches in one package
- For configuration settings
- Used in electronics, PC boards
- 2 to 12 positions

7. KEY SWITCH



- Operated with key for security
- Prevents unauthorized access
- Used in machines, panels
- 2 or 3 position options

8. MICRO SWITCH



- High precision operation
- Quick action & reliable
- Used in appliances, limits
- Long mechanical life

9. LIMIT SWITCH



- Detects position or presence
- Used in automation, conveyors
- Robust & reliable
- Various actuator types

10. PRESSURE SWITCH



- Operates on pressure changes
- Used in compressors, pumps
- Adjustable settings
- Normally Open / Closed types

11. FLOAT SWITCH



- Detects liquid level
- Used in tanks, sump, pumps
- Automatic pump control
- Cable type or vertical type

12. THERMAL SWITCH



- Operates on temperature
- Protects from overheating
- Used in motors, heaters
- Auto reset or manual reset

13. ROTARY SWITCH



- Multiple positions
- Used in control circuits
- Strong & durable
- Cam operated mechanism

14. FOOT SWITCH



- Hands-free operation
- Used in machinery, tools
- Momentary or maintained
- Heavy duty types

15. REED SWITCH



- Magnetic operated
- No physical contact
- Long life, high reliability
- Used in sensors, alarms

16. TOUCH SWITCH



- Touch sensitive operation
- Stylish & modern design
- Used in home, office, lighting
- Capacitive touch technology

17. PROXIMITY SWITCH



- Detects objects without contact
- High speed & reliable
- Used in automation, robotics
- Inductive, capacitive types

18. EMERGENCY STOP SWITCH



- For emergency safety
- Latching push lock
- Used in machines, industries
- Twist or pull to release

COMMON RATINGS



VOLTAGE

12V DC –
440V AC



CURRENT

0.1A –
50A+



TEMPERATURE

–40°C to
125°C



PROTECTION

IP65 / IP67 /
IP68

APPLICATIONS



INDUSTRIAL



ELECTRONICS



AUTOMOTIVE



AUTOMATION



HOME
APPLIANCES



MARINE

CHOOSE THE RIGHT SWITCH

- ✓ Consider Voltage & Current Rating
- ✓ Select Type as per Application
- ✓ Check Environmental Conditions
- ✓ Ensure Quality & Safety Standards



CENTRAL SUPPLIER

DATABASE

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
39



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

LIMIT & PRESSURE SWITCHES & SENSORS

PRECISE DETECTION, CONTROL & PROTECTION FOR INDUSTRIAL APPLICATIONS

1 LIMIT SWITCHES



MINIATURE LIMIT SWITCHES
Compact and reliable limit switches for precision position detection in confined spaces.



STANDARD LIMIT SWITCHES
Robust limit switches designed for general industrial and heavy duty applications.



HEAVY DUTY LIMIT SWITCHES
High strength limit switches built to withstand harsh environments and demanding conditions.



LIMIT SWITCH BOXES
Protective enclosures for limit switches with position indicator for valve and actuator applications.



FOOT OPERATED SWITCHES
Durable foot operated limit switches for hands free control and industrial applications.

2 PRESSURE SWITCHES



MECHANICAL PRESSURE SWITCHES
Adjustable mechanical pressure switches for air, water and oil applications.



DIFFERENTIAL PRESSURE SWITCHES
Detects pressure difference between two points for air and fluid systems.



VACUUM SWITCHES
Reliable vacuum switches for monitoring and protecting vacuum systems.



HIGH PRESSURE SWITCHES
Designed for high pressure applications with precise set point and long life performance.



LOW PRESSURE SWITCHES
Sensitive low pressure switches for accurate monitoring and system protection.

3 PRESSURE TRANSMITTERS



GENERAL PURPOSE PRESSURE TRANSMITTERS
Compact and accurate transmitters for a wide range of industrial applications.



INDUSTRIAL PRESSURE TRANSMITTERS
High performance transmitters for demanding industrial environments.



SANITARY PRESSURE TRANSMITTERS
Hygienic design transmitters suitable for food, beverage and pharmaceutical industries.



FLUSH DIAPHRAGM PRESSURE TRANSMITTERS
Ideal for viscous, slurry and contaminated media applications.



SUBMERSIBLE LEVEL TRANSMITTERS
Reliable level measurement for tanks, boreholes, reservoirs, lend open water applications.

4 PROXIMITY & POSITION SENSORS



INDUCTIVE PROXIMITY SENSORS
Non-contact detection of metal objects for industrial automation applications.



CAPACITIVE PROXIMITY SENSORS
Detects metal and non-metal objects including liquids, powders and solids.



PHOTOELECTRIC SENSORS
Accurate optical detection sensors for object, level and presence detection applications.



MAGNETIC REED SWITCHES
Reliable position sensing using magnetic actuation for doors, cylinders and industrial equipment.



ULTRASONIC SENSORS
Non-contact detection using sound waves for distance, level and object detection.



CENTRAL SUPPLIER DATABASE

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
40



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

AUTOMOTIVE

QUALITY ELECTRICAL COMPONENTS FOR AUTOMOTIVE APPLICATIONS

1 SWITCHES & RELAYS



ROCKER SWITCHES
Durable rocker switches for automotive and accessory applications.



AUTOMOTIVE RELAYS
High performance relays for vehicle and equipment control systems.



TOGGLE SWITCHES
Heavy duty toggle switches for reliable operation in vehicle systems.



PUSH BUTTON SWITCHES
Momentary and latching push button switches for various automotive uses.



FLASHER UNITS
Indicator flasher units for cars, trucks and trailers.

2 FUSES & FUSE HOLDERS



BLADE FUSES
Standard blade fuses in various ratings for vehicle protection.



BLADE FUSE HOLDERS
In-line blade fuse holders for secure and convenient fuse installation.



GLASS FUSES
Glass fuses for automotive and electronic circuit protection.



BOLT DOWN FUSE HOLDERS
Bolt down fuse holders for high current applications and secure mounting.



MEGA FUSES
High current mega fuses suitable for automotive and heavy duty use.

3 BATTERY & POWER ACCESSORIES



BATTERY TERMINALS
Brass battery terminals for secure and reliable power connections.



BATTERY ISOLATORS
Battery isolator switches for vehicle and equipment power management.



CIGARETTE LIGHTER SOCKETS
12V cigarette lighter sockets for powering accessories.



CIGARETTE LIGHTER PLUGS
12V cigarette lighter plugs for mobile power applications.



BATTERY MASTER SWITCHES
Heavy duty master switches for main battery isolation and safety.

4 TERMINALS & CONNECTORS



RING TERMINALS
Insulated ring terminals for secure and reliable electrical connections.



SPADE TERMINALS
Insulated spade terminals for automotive wiring applications.



BULLET CONNECTORS
Bullet connectors for quick and reliable wire connections.



FEMALE DISCONNECTS
Female disconnect terminals for easy and secure wiring connections.



HEAT SHRINK TERMINALS
Heat shrink terminals for waterproof and secure electrical connections.

5 CABLES & ACCESSORIES



AUTOMOTIVE CABLE
High quality automotive cable for reliable power and wiring applications.



SPLIT CONDUIT
Flexible split conduit for wire protection in vehicle and equipment installations.



CABLE TIES
Heavy duty cable ties for securing and organising wires and cables.



HEAT SHRINK TUBING
Heat shrink tubing for insulation and wire protection.



RUBBER GROMMETS
Rubber grommets for protecting wires through panels and bulkheads.



ENHANCED SAFETY



EASY INSTALLATION



ORGANIZED WIRING



DURABLE & RELIABLE



PREMIUM QUALITY



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
41



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CRANE & VEHICLE CONTROLS

RELIABLE SOLUTIONS FOR LIFTING, MOVEMENT & ON-ROAD APPLICATIONS

1 CONTROL STATIONS & PENDANT STATIONS



PENDANT STATIONS

Ergonomic pendant stations for crane and hoist applications.



CONTROL STATIONS

Rigged control stations for industrial and mobile equipment.



PUSH BUTTON STATIONS

Modular and complete push button stations built for tough use.



EMERGENCY STOP STATIONS

Emergency stop stations with positive latching for maximum safety.



FOOT SWITCHES

Heavy duty foot switches for hands-free control of equipment.

2 LIMIT & SAFETY SWITCHES



LIMIT SWITCHES

Precision limit switches for position detection and control.



SAFETY LIMIT SWITCHES

Safety limit switches with positive opening NC contacts.



ROPE PULL SWITCHES

Emergency stop rope pull switches for long travel protection.



SAFETY SWITCHES

Interlock and safety switches for guarding and access control.



POSITION SWITCHES

Heavy duty position switches for harsh industrial environments.

3 CONTACTORS & RELAYS



CONTACTORS

AC contactors for crane motors and control applications.



OVERLOAD RELAYS

Thermal overload relays for motor protection and safety.



INTERMEDIATE RELAYS

Plug-in relays for interface and signal multiplying.



SOLID STATE RELAYS

High performance SSR for reliable switching and long life.



TIME DELAY RELAYS

On delay, off delay and interval timers for crane control sequences.

4 VEHICLE & MOBILE EQUIPMENT CONTROLS



IGNITION SWITCHES

Heavy duty ignition switches for vehicles and machinery.



ROCKER SWITCHES

Waterproof rocker switches for vehicle and mobile use.



FUSE BOXES

Blade fuse boxes for automotive and mobile systems.



CONNECTORS & PLUGS

Heavy duty connectors and plugs for vehicles and trailers.



BEACONS & WARNING LIGHTS

Warning beacons and strobe lights for safety and visibility.

5 CRANE APPLICATION ACCESSORIES



FESTOON SYSTEMS

Cable festoon systems for smooth power supply to moving equipment.



CABLE REELS

Spring and motorised cable reels for power and control cables.



ELECTROMAGNETIC BRAKES

DC electromagnetic brakes for load holding and braking.



VFD DRIVES

Variable frequency drives for speed control of crane mechanisms.



JOYSTICK CONTROLLERS

Multi-axis joystick controllers for precise equipment control.



ENHANCED SAFETY



EASY INSTALLATION



ORGANIZED WIRING



DURABLE & RELIABLE



PREMIUM QUALITY



CENTRAL SUPPLIER
DATABASE

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
42



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF PLUGTOPS

ACCORDING TO CURRENT RATING AND PIN CONFIGURATION

5 AMP PLUGTOPS (220V – 250V~)				16 AMP PLUGTOPS (220V – 250V~)			
2 PIN (5A)		3 PIN (5A)		2 PIN (16A)		3 PIN (16A)	
PLUG							
	5A, 2 Pin Plug Round Pin	5A, 2 Pin Plug Round Pin (Black)	5A, 3 Pin Plug Round Pin	5A, 3 Pin Plug Round Pin (Black)	16A, 2 Pin Plug Round Pin	16A, 2 Pin Plug Round Pin (Blue)	16A, 3 Pin Plug Round Pin (Blue)
SOCKET							
	5A, 2 Pin Socket (Flush Type)	5A, 2 Pin Socket (Surface Type)	5A, 3 Pin Socket (Flush Type)	5A, 3 Pin Socket (Surface Type)	16A, 2 Pin Socket (Flush Type)	16A, 2 Pin Socket (Surface Type) (Blue)	16A, 3 Pin Socket (Flush Type)

FEATURES

- High Quality Brass Pins
- Heat Resistant Body
- Screw Terminals for Secure Connection
- Durable & Long Lasting
- Suitable for Home, Commercial & Industrial Use

5 AMP SPECIFICATIONS

Rated Current	5 Amp
Rated Voltage	220V – 250V~
No. of Pins	2 Pin / 3 Pin
Pin Type	Round
Body Material	Polycarbonate
Application	Light Load Appliances

16 AMP SPECIFICATIONS

Rated Current	16 Amp
Rated Voltage	220V – 250V~
No. of Pins	2 Pin / 3 Pin
Pin Type	Round
Body Material	Polycarbonate
Application	Heavy Load Appliances

APPLICATIONS

- Home Appliances
- Office & Commercial Use
- Industrial Equipment
- Power Tools
- Generators & Machinery



ALWAYS USE THE RIGHT RATED PLUG & SOCKET FOR SAFETY AND PERFORMANCE



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
43



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CEE INDUSTRIAL PLUGS & SOCKETS

RELIABLE POWER CONNECTIONS FOR INDUSTRIAL & COMMERCIAL APPLICATIONS



HIGH QUALITY
Built to Last



WATER & DUST PROOF
IP44 / IP67 Protection



SAFE & SECURE
Compliant to EU
Standards



EASY INSTALLATION
Quick & Simple
Wiring

CURRENT	16A	16A	16A	32A	63A	125A	63A
VOLTAGE	110V 2P+E	230V 2P+E	400V 3P+E	400V 3P+E	400V 3P+E	400V 3P+E	500V 3P+N+E
PLUGS (Male)							
SOCKETS (Female)							

POLARITY & CONFIGURATIONS

2P+E (110V / 230V)	3P+E (400V)	3P+N+E (500V)
2 Poles + Earth	3 Poles + Earth	3 Poles + Neutral + Earth

VOLTAGE COLOR CODING (IEC 60309-2)

VOLTAGE	CURRENT	COLOR	POLARITY	FREQUENCY
110V	16A	Yellow	2P+E	50/60Hz
230V	16A / 32A	Blue	2P+E	50/60Hz
400V	16A / 32A / 63A / 125A	Red	3P+E	50/60Hz
500V	63A	Red	3P+N+E	50/60Hz

PROTECTION DEGREES

IP44



Splash Proof
Suitable for indoor
& outdoor use

IP67



Waterproof
Dust tight & suitable
for harsh environments

APPLICATIONS



FEATURES

- High impact resistance
- Nickel plated brass pins
- Heat resistant contacts
- Screw terminals for secure connection
- Cable gland for strain relief
- Flame retardant material

STANDARDS



Conforms to
IEC 60309-1
IEC 60309-2



ALWAYS USE THE RIGHT RATED PLUG & SOCKET FOR SAFETY AND PERFORMANCE



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
44



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— LIGHTING —

QUALITY LIGHTING SOLUTIONS FOR EVERY APPLICATION

1 HIGHBAYS



LED Highbays



INDUSTRIAL Highbays



COMMERCIAL Highbays



DIE-CAST Highbays



ECONOMY Highbays

2 FLOOD LIGHTS



LED FLOOD LIGHTS



FLOOD LIGHTS
WITH SENSOR



SLIM FLOOD LIGHTS



MODULAR
FLOOD LIGHTS

3 STREET LIGHTS



LED STREET LIGHTS



SOLAR STREET
LIGHTS



ECONOMY
STREET LIGHTS

4 DOMESTIC & COMMERCIAL LIGHTING



CEILING
LIGHTS



DOWNLIGHTS



LED PANEL
LIGHTS



LED LINEAR
LIGHTS



WALL
LIGHTS

5 DECORATIVE LIGHTING



CHANDELIERS



PENDANT
LIGHTS



WALL
LIGHTS

6 LIGHT SOURCES



LED LAMPS



CFL LAMPS



DISCHARGE
LAMPS (HID)



LED TUBES



LED STICK
LAMP



INDUCTION
LAMPS



LED
DOWNLIGHTER LAMPS

7 SPECIALISED LIGHTING



EMERGENCY
LIGHTS



EXIT SIGNS



LED STRIP
LIGHTS



SOLAR FLOOD
LIGHTS



GARDEN
LIGHTS



TRACK
LIGHTS



INGROUND
LIGHTS



WALL WASHER
LIGHTS



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
45



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

LIGHT FITTINGS

THE RIGHT LIGHTING FOR EVERY SPACE AND APPLICATION



QUALITY
BUILT TO LAST



EFFICIENCY
ENERGY SAVING



VERSATILITY
BUILT FOR EVERY
ENVIRONMENT

INDUSTRIAL & COMMERCIAL



HIGH BAY



VAPOUR TIGHT



LED BATTEN



LED PANEL



FLOOD LIGHT



BULKHEAD



EMERGENCY LIGHT

OUTDOOR LIGHTING



STREET LIGHT



WALL PACK



BOLLARD LIGHT



SPIKE LIGHT



SOLAR LIGHT



WALL LIGHT



INGROUND LIGHT

INDOOR LIGHTING



LED DOWNLIGHT



TRACK LIGHT



PENDANT LIGHT



CEILING LIGHT



WALL LIGHT



ADJUSTABLE SPOTLIGHT



CHANDELIER

SPECIALTY LIGHTING



CLEANROOM LIGHT



EXPLOSION PROOF LIGHT



LOW BAY



TRI-PROOF LIGHT



EXIT SIGN LIGHT



STEP LIGHT



MOTION SENSOR LIGHT



DURABLE & RELIABLE
Built for tough
conditions



WEATHER RESISTANT
IP rated for
protection



ENERGY EFFICIENT
Save energy,
reduce costs



WIDE RANGE
Proolutions for
every need



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
46



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

• FANCY INDOOR LIGHTING •

• ELEGANCE • STYLE • AMBIENCE •

CHANDELIERS	PENDANT LIGHTS	CEILING LIGHTS	RECESSED DOWNLIGHTS	SPOT LIGHTS / TRACK LIGHTS
WALL SCONCES	LED STRIP LIGHTS (COVE)	LINEAR LED LIGHTS	DECORATIVE TABLE LAMPS	FLOOR LAMPS
MODERN LED PANELS	RING PENDANTS	GLOBE PENDANTS	MIRROR LIGHTS	STEP / STAIR LIGHTS

• LIGHTING AMBIENCE •

WARM WHITE	COOL WHITE	NATURAL WHITE	RGB MOOD LIGHTING	DIMMABLE LIGHTING

FEATURES

- ENERGY EFFICIENT
- LONG LIFE
- FLICKER FREE
- HIGH CRI
- STYLISH & DURABLE



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
47



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

FANCY OUTDOOR LIGHTING

ILLUMINATE • ENHANCE • ELEVATE



QUALITY
BUILT TO LAST



EFFICIENCY
ENERGY SAVING



VERSATILITY
BUILT FOR EVERY
ENVIRONMENT

WALL LIGHTS	UP & DOWN LIGHTS	PATHWAY LIGHTS	BOLLARD LIGHTS	GROUND RECESSED LIGHTS	SPIKE / SPOT LIGHTS
TREE UPLIGHTS	LANDSCAPE LIGHTS	STEP LIGHTS	DECK & PATIO LIGHTS	POOL LIGHTING	FENCE LIGHTS

FEATURES



WEATHER RESISTANT
Built to withstand all
weather conditions



ENERGY EFFICIENT
LED technology for
low energy consumption



DURABLE & LONG LASTING
High quality materials for
long life & reliability



EASY INSTALLATION
Suitable for various
outdoor applications



ENHANCES SAFETY & SECURITY
Well lit spaces for safety
and peace of mind

PERFECT FOR



VILLAS



GARDENS



DRIVEWAYS



PATHWAYS



WALLS & FENCES



POOL AREAS



DECKS & PATIOS



HOTELS & RESORTS



COMMERCIAL SPACES




LANDSCAPES

LIGHT COLOUR OPTIONS



WARM WHITE
2700K - 3000K



NEUTRAL WHITE
4000K



COOL WHITE
6000K



RGB COLOR
MULTI COLOR



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
48



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

LED LAMPS & TUBES

Brighter • Smarter • More Efficient • Longer Life

LED LAMPS

A60 BULB	B22 BULB	CANDLE BULB	GLOBE BULB	MR16 SPOTLIGHT	GU10 SPOTLIGHT
9W / 12W / 15W E27 / B22 220-240V~ 50Hz	9W / 12W / 15W B22 220-240V~ 50Hz	5W / 7W E14 / B22 220-240V~ 50Hz	12W / 18W / 22W E27 / B22 220-240V~ 50Hz	5W / 7W GU5.3 12V AC / DC	5W / 7W GU10 220-240V~ 50Hz
PAR20 / PAR30	R63 REFLECTOR	COLOUR CHANGING	DIMMABLE BULB	FILAMENT LED	T BULB
9W / 12W / 18W E27 220-240V~ 50Hz	7W / 9W E27 220-240V~ 50Hz	9W E27 / B22 220-240V~ 50Hz	9W / 12W / 15W E27 / B22 220-240V~ 50Hz	4W / 6W / 8W E27 / B22 220-240V~ 50Hz	20W / 30W / 40W E27 / B22 220-240V~ 50Hz

LED TUBES

T8 LED TUBES (With Starter)



9W • 18W • 22W
2ft • 4ft • 5ft
G13 Base
220-240V~ 50Hz

T8 LED TUBES (Direct AC)



9W • 18W • 22W
2ft • 4ft • 5ft
G13 Base
220-240V~ 50Hz

T5 LED TUBES



9W • 14W • 20W
2ft • 3ft • 4ft
G5 Base
220-240V~ 50Hz

KEY FEATURES



High
Energy
Efficiency



Long
Life
(Up to 50,000
Hours)



Eco
Friendly
No Mercury



Flicker
Free
Comfort
Lighting



Instant
Start
No
Warm-up

APPLICATIONS



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
49

BENEFITS

- ✓ Saves up to 80% energy compared to traditional lighting
- ✓ Lower maintenance cost
- ✓ Better brightness and light quality
- ✓ Safe for eyes
- ✓ Environmentally responsible



**CHOOSE LED
FOR A BETTER
TOMORROW**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

LAMP HOLDERS & ACCESSORIES


RELIABLE CONNECTION. SAFE ILLUMINATION.

E27 BATTEN HOLDER  Screw Type (E27) 250V~ 4A	B22 BATTEN HOLDER  Bayonet Type (B22) 250V~ 4A	E14 HOLDER  Screw Type (E14) 250V~ 2A	GU10 HOLDER  For GU10 Lamps 250V~ 2A	MR16 HOLDER  For MR16 Lamps 12V / 24V	PORCELAIN HOLDER  Heat Resistant 250V~ 4A
BAKELITE HOLDER  Heat Resistant 250V~ 4A	ANGLE HOLDER  Wall / Angle Mount 250V~ 4A	PENDANT HOLDER  With Cord Grip 250V~ 4A	CEILING ROSE HOLDER  Ceiling Mount 250V~ 4A	WEATHERPROOF HOLDER  Weather Resistant IP54 Rated	FLUORESCENT TUBE HOLDER  For T8 / T12 Tubes 250V~ 2A
STARTER HOLDER  For Fluorescent Starters 220-240V~	G9 HOLDER  For G9 Lamps 250V~ 2A	R7S HOLDER  For R7s Lamps 250V~ 4A	MINI SKIRTED HOLDER  Screw Type (E27) Skirted Base	PILLAR HOLDER  Screw Type (E27) Pillar Base	DECORATIVE HOLDER  Stylish Design 250V~ 4A

KEY FEATURES

 HIGH QUALITY MATERIAL Made from premium quality materials for long life and heat resistance.	 SAFE & RELIABLE Heat resistant, shock proof and built for safety in all environments.	 EASY INSTALLATION Simple design for quick and easy installation without hassle.	 WIDE COMPATIBILITY Compatible with a wide range of lamp types and wattages.	 WIDE APPLICATION Ideal for home, commercial and industrial use in various settings.
---	---	---	---	---

APPLICATIONS

  HOME LIGHTING Perfect for indoor and decorative lighting.	  COMMERCIAL Reliable performance for offices, shops and showrooms.	  INDUSTRIAL Built to withstand demanding industrial environments.	  DECORATIVE Enhance the beauty of any decor with stylish holders.	  HOSPITALITY Ideal for hotels, restaurants and guest houses.
--	---	--	---	---



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
50



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

HEAD LAMPS & TORCHES

LIGHTING SOLUTIONS FOR EVERY NEED

HEAD LAMPS



COB LED HEADLAMP

Wide beam for
close range



LED HEADLAMP

Bright & energy
efficient



RECHARGEABLE HEADLAMP

USB rechargeable



MULTI LED HEADLAMP

Multiple LEDs for
extra brightness



SENSOR HEADLAMP

Wave sensor for
hands-free use

TORCHES



PEN TORCH

Compact &
pocket size



MINI TORCH

Small size,
high brightness



TACTICAL TORCH

Durable &
water resistant



RECHARGEABLE TORCH

USB rechargeable
battery



LONG RANGE TORCH

Powerful beam for
long distance



SPOTLIGHT TORCH

Wide & powerful
spot beam



EMERGENCY TORCH

Ideal for power
cuts & camping

FEATURES



HIGH BRIGHTNESS

Powerful
illumination



ENERGY EFFICIENT

Longer
battery life



WATER RESISTANT

Built for tough
conditions



USB RECHARGEABLE

Convenient
charging



DURABLE BUILD

Designed to
last



LIGHTWEIGHT

Easy to
carry



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
51



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

SOLAR LIGHTING

CLEAN • GREEN • ENERGY SAVING

HOW IT WORKS



- 1. Solar Panel**
Absorbs sunlight during the day and converts it into electrical energy.
- 2. Charge Controller**
Regulates the voltage and current from the solar panel and protects the battery from overcharging.
- 3. Battery**
Stores energy during the day for use during the night.
- 4. LED Light**
Automatically turns on at dusk and provides bright lighting at night.

TYPES OF SOLAR LIGHTS



KEY FEATURES

- Uses clean and renewable solar energy
- No electricity bills
- Easy to install (Excludes wiring)
- Automatic operation (Dusk to dawn)
- Low maintenance and long life
- Environmentally friendly

COMPONENTS



BENEFITS

- ✓ Reduces carbon footprint
- ✓ Reliable lighting even during power outages
- ✓ Ideal for remote and off-grid locations
- ✓ High brightness LED for better visibility
- ✓ Saves energy and money

APPLICATIONS



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
52



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

SOLAR

COMPLETE SOLAR POWER SOLUTIONS FOR HOMES, BUSINESSES & INDUSTRY

SOLAR PANELS



Monocrystalline Solar Panel
Polycrystalline Solar Panel
Half Cell Solar Panel

SOLAR INVERTERS



Off-Grid Inverter
Hybrid Inverter
Grid-Tie Inverter
Three Phase Inverter

SOLAR BATTERIES



Lithium Iron Phosphate Battery
Rack Mounted Lithium Battery
Deep Cycle Gel Battery

SOLAR CHARGE CONTROLLERS



PWM Charge Controller
MPPT Charge Controller
Dual Battery Charge Controller

SOLAR COMBINER BOXES



DC Combiner Box
DC Combiner Box with Surge Protection

MOUNTING STRUCTURES



Tin Roof Mounting
Tile Roof Mounting
Ground Mount Structure

SOLAR CABLES & ACCESSORIES



Solar PV Cable (Red/Black)
Solar MC4 Connector
Branch Connector
Cable Clip

DC PROTECTION DEVICES



DC Fuse Holder
DC Circuit Breaker
DC Surge Protection Device
DC Isolator Switch

MONITORING & COMMUNICATION



System Monitoring Display
Wi-Fi Dongle
Data Logger / Monitoring Unit

SOLAR LIGHTING



Solar Street Light
Solar Flood Light
Solar Wall Light
Solar Garden Light

POWER STATION & PORTABLE SOLAR



Portable Power Station
Foldable Solar Panel
All-in-One Solar Power System

SOLAR KITS



Off-Grid Solar Kit
Hybrid Solar Kit
Complete Solar Power System



**CENTRAL SUPPLIER
DATABASE**

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
53



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za




ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

PREPAID WATER METER



PREPAID ELECTRICITY METER



CENTRAL SUPPLIER
DATABASE

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE

54



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

HAZARDOUS AREAS & MINING

RELIABLE & CERTIFIED SOLUTIONS FOR DANGEROUS & DEMANDING ENVIRONMENTS

1 EXPLOSION PROOF ENCLOSURES & EQUIPMENT



EXPLOSION PROOF JUNCTION BOXES

Robust enclosures for safe termination and connection in hazardous areas.



EXPLOSION PROOF CONTROL STATIONS

Flameproof control stations for switching and control in hazardous environments.



EXPLOSION PROOF SWITCHES

Flameproof switches suitable for isolating and controlling electrical circuits.



EXPLOSION PROOF SOCKET OUTLETS

Flameproof socket outlets for safe power distribution in hazardous areas.



EXPLOSION PROOF TERMINAL BOXES

Secure terminal enclosures for wiring and distribution in explosive atmospheres.

2 LIGHTING FOR HAZARDOUS AREAS



EXPLOSION PROOF LED FLOODLIGHTS

High efficiency LED floodlights for hazardous area illumination.



EXPLOSION PROOF LED HIGH BAYS

Powerful LED high bays designed for industrial and mining environments.



EXPLOSION PROOF FLUORESCENT FITTINGS

Reliable fluorescent fittings for hazardous and corrosive areas.



EXPLOSION PROOF EMERGENCY LIGHTS

Maintained and non-maintained emergency lighting solutions.



EXPLOSION PROOF EXIT SIGNS

Durable exit signs for safe evacuation in hazardous locations.

3 CABLE GLANDS & ACCESSORIES



EXPLOSION PROOF CABLE GLANDS

Certified cable glands for secure cable entry in hazardous areas.



DOUBLE COMPRESSION CABLE GLANDS

Enhanced cable sealing and strain relief for demanding applications.



EARTH TAGS & KITS

Earth tags and bonding kits for effective earthing in hazardous areas.



STOPPING PLUGS & BLANKING PLUGS

Brass stopping and blanking plugs for unused entries and maintenance.



LOCKNUTS & ACCESSORIES

Quality locknuts and accessories for secure installations.

4 MINING EQUIPMENT



MINING PLUGS

Rugged plugs designed for heavy duty mining applications.



MINING SOCKET OUTLETS

Robust socket outlets for safe and reliable power connections underground.



PORTABLE POWER DISTRIBUTION BOXES

Portable power distribution solutions for mining and industrial sites.



ISOLATION & SAFETY TRANSFORMERS

Isolation and safety transformers for personnel and equipment protection.



MINING CABLE EXTENSION REELS

Heavy duty cable reels for safe power extension in mining environments.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
55



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES



AUDIO & VISUAL ALARMS



Audible & Visual Signaling Solutions for Safety & Alert Applications

1 SIRENS & BUZZERS



ELECTRONIC SIRENS
High output electronic sirens for industrial alarm applications.



PANEL BUZZERS
Compact buzzers for control panels and machinery.



HORN SIRENS
Loud horn sirens for long distance audible warning.



MULTI-TONE SIRENS
Selectable tone sirens with multiple sound options.



PIEZO BUZZERS
Reliable piezo buzzers for continuous audible alarms.

2 FLASHING BEACONS



LED BEACONS
Energy efficient LED beacons for high visibility.



XENON BEACONS
High intensity xenon flashing beacons for critical alerts.



ROTATING BEACONS
360° rotating beacons for maximum warning visibility.



MULTI-VOLTAGE BEACONS
12V / 24V / 220V beacons suitable for various applications.



EXPLOSION PROOF BEACONS
Flameproof beacons for hazardous and explosive environments.

3 COMBINATION UNITS



SOUND & LIGHT UNITS
Combined audible and visual alarms for effective alerting.



COMPACT ALARM UNITS
Space saving combination alarms for panels and machines.



WEATHERPROOF ALARMS
IP65 weatherproof units for outdoor and harsh environments.



WALL MOUNT ALARMS
Easy to install wall mount audio visual alarms.



INDUSTRIAL ALARM UNITS
Heavy duty combination units for industrial applications.

4 ACCESSORIES



MOUNTING BRACKETS
Durable brackets for easy installation.



BEACON GUARDS
Protective guards for extra safety.



SIGNAL TOWERS
Multi-segment towers for status indication.



CONNECTORS & FITTINGS
Quality fittings for secure alarm installations.



TRANSFORMERS
Power transformers for alarm systems.

5 APPLICATIONS



INDUSTRIAL PLANTS



MANUFACTURING



CONSTRUCTION



WAREHOUSES



FIRE & SECURITY



MINING & QUARRIES



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
56



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

BATTERIES FOR EVERY NEED



RELIABLE POWER



LONG LASTING



HIGH PERFORMANCE



MAINTENANCE FREE*



ECO FRIENDLY OPTIONS

AUTOMOTIVE BATTERIES

Cars, Bakkies, SUVs



- High cranking power
- Maintenance free
- Reliable starting power
- Long life performance

DEEP CYCLE BATTERIES

Solar, Inverters, UPS, Golf Carts



- Designed for deep discharge
- Ideal for solar & inverter use
- Long cycle life
- Heavy duty performance

AGM BATTERIES

Start-Stop, UPS, Marine



- Spill proof & leak proof
- Fast recharge
- Vibration resistant
- Maintenance free

GEL BATTERIES

Solar, Wheelchairs, Marine



- Maintenance free
- Deep cycle performance
- Good for extreme temperatures
- Safe & reliable

MOTORCYCLE BATTERIES

Bikes, Quad Bikes, Scooters



- High cranking power
- Vibration resistant
- Maintenance free
- Compact & powerful

LITHIUM BATTERIES

Lithium Iron Phosphate (LiFePO₄)



- Ultra long life
- Lightweight
- High efficiency
- Built-in BMS protection

INVERTER BATTERIES

Home, Office, Business



- Tubular technology
- Long backup time
- Low maintenance
- High reliability

TUBULAR BATTERIES

Long Backup Applications



- Extra thick plates
- Long life & durability
- More backup cycles
- Low maintenance

LEAD ACID BATTERIES

General Purpose Use



- Cost effective
- Reliable performance
- Wide range of sizes
- Proven technology

SEALED MAINTENANCE FREE BATTERIES

UPS, Alarms, Emergency Lights



- No topping up required
- Leak proof
- Any position installation
- Reliable standby power

INDUSTRIAL BATTERIES

Floor Machines, Equipment



- Built for heavy duty use
- High durability
- Excellent cycle life
- High performance

SPECIALTY BATTERIES

Alarms, Medical, Tools, etc.



- Wide range of sizes
- For small devices
- Reliable & long lasting
- Alkaline & Lithium options

BATTERY APPLICATIONS



AUTOMOTIVE



SOLAR & INVERTERS



UPS SYSTEMS



MARINE



MOTORCYCLES



INDUSTRIAL



GOLF CARTS



MEDICAL



SECURITY SYSTEMS



POWER TOOLS



EMERGENCY LIGHTS

CHOOSE THE RIGHT BATTERY



Match the right battery to your application



Check the correct voltage (V) and capacity (Ah)



Consider backup batteries for safety and performance

BATTERY MAINTENANCE TIPS



Keep terminals clean & tight



Keep batteries charged



Store in a cool, dry place



Avoid deep discharge



Use correct charger



WE RECYCLE BATTERIES

Protect our environment. Recycle your old batteries responsibly.



QUALITY YOU CAN TRUST



POWER YOU CAN RELY ON



BUILT FOR PERFORMANCE



AVAILABLE IN MULTIPLE SIZES & CAPACITIES



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE

57



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES


PVC CONDUITS, FITTINGS & ACCESSORIES

PVC CONDUITS (PIPES)



SIZE (mm)	NOMINAL SIZE (inch)
20	1/2"
25	3/4"
32	1"
40	1 1/4"
50	1 1/2"

COUPLINGS (SOCKETS)



20mm 25mm 32mm



40mm 50mm

MALE ADAPTORS (PLAIN TO THREADED)



20mm (1/2") 25mm (3/4") 32mm (1")



40mm (1 1/4") 50mm (1 1/2")

BENDS (ELBOWS)




20mm (1/2") 25mm (3/4") 32mm (1")



40mm (1 1/4") 50mm (1 1/2")

BENDS (SWEEP / LONG RADIUS)



20mm (1/2") 25mm (3/4") 32mm (1")



40mm (1 1/4") 50mm (1 1/2")

TEE CONNECTORS



20mm 25mm 32mm



40mm 50mm

JUNCTION BOXES (ROUND)



20mm 25mm 32mm




40mm 50mm

SURFACE BOXES (SQUARE & RECTANGULAR)



86mm x 86mm 100mm x 100mm



146mm x 86mm 146mm x 100mm

CABLE CLIPS (SADDLE TYPE)



4mm 6mm 8mm



10mm 12mm 16mm

CABLE CLIPS (ROUND TYPE)



5mm 6mm 8mm



10mm 12mm 16mm

FEATURES & BENEFITS

- DURABLE**
Made from high quality PVC material for long lasting use.
- CORROSION RESISTANT**
Resistant to rust, chemicals and moisture.
- FIRE RETARDANT**
Self-extinguishing safe for electrical installations.
- WIDE APPLICATION**
Suitable for residential, commercial and industrial use.

APPLICATIONS

- Electrical wiring systems
- Indoor and outdoor installations
- Concrete encased and surface wiring
- Industrial plants and factories
- Residential and commercial buildings



QUALITY YOU CAN TRUST



POWER YOU CAN RELY ON



BUILT FOR PERFORMANCE



AVAILABLE IN MULTIPLE SIZES & CAPACITIES



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
58



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TRUNKINGS

SAFE • DURABLE • RELIABLE • EASY TO INSTALL

PVC TRUNKING



- Made from high quality PVC
- Lightweight & durable
- Corrosion & impact resistant
- Ideal for wiring installations

Sizes Available (mm):

16x16 20x10 25x16 25x25
30x15 40x16 40x25 50x25
50x50 75x50 100x50

SURFACE METAL TRUNKING



- Made from high quality steel
- Powder coated finish
- Strong & durable
- Suitable for heavy duty wiring

Sizes Available (mm):

25x25 40x25 50x25 50x50
75x50 75x75 100x50 100x100

ALUMINIUM TRUNKING



- High grade aluminium
- Corrosion resistant
- Lightweight & strong
- Ideal for modern installations

Sizes Available (mm):

25x16 40x16 40x25 50x25
50x50 75x50 100x50

FLOOR TRUNKING



- Designed for floor installations
- High load bearing capacity
- Protects cables from damage
- Sleek & low profile design

Sizes Available (mm):

75x18 75x25 100x18 100x25
100x38 150x25 150x50

SLOTTED TRUNKING (WIRING DUCT)



- Slotted design for easy wiring
- Excellent heat dissipation
- Flexible & easy to modify
- Widely used in control panels

Sizes Available (mm):

25x25 30x30 40x40 50x50
60x60 80x80 100x100

TRUNKING ACCESSORIES

EXTERNAL ELBOW



INTERNAL ELBOW



FLAT ANGLE



TEE



END CAP



COUPLER



REDUCER



FEATURES & BENEFITS



Protects cables & wires



Easy to install & maintain



Fire retardant* options available



Long lasting performance



Neat & professional finish



Safe & eco-friendly materials

COMMON APPLICATIONS



Residential Wiring



Office Installations



Industrial Wiring



Control Panels



Retail & Commercial



Data & Communication



QUALITY YOU CAN TRUST



POWER YOU CAN RELY ON



BUILT FOR PERFORMANCE



AVAILABLE IN MULTIPLE SIZES & CAPACITIES



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
59



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CABLE LADDERS & CABLE TRAYS

SAFE • STRONG • RELIABLE • EASY TO INSTALL

CABLE LADDERS


Heavy duty support system for cables with excellent strength, ventilation and easy maintenance.



FEATURES

- High strength & durability
- Excellent ventilation
- Lightweight yet strong
- Easy to install & maintain
- Suitable for heavy duty power cables
- Hot dip galvanized / Powder coated finishes available
- Suitable for indoor & outdoor installations

TYPES OF CABLE LADDERS



STANDARD SPECIFICATIONS (CABLE LADDERS)


Width (mm)	Side Rail Height (mm)	Rung Spacing (mm)	Material Thickness (mm)		Standard Length (mm)	Finish
			Side Rail	Rung		
150	50 / 75 / 100	300	2.0 / 2.5	1.6 / 2.0	3000	Pre-Galvanized / Hot Dip Galvanized / Powder Coated
300	50 / 75 / 100	300	2.0 / 2.5	1.6 / 2.0	3000	
450	50 / 75 / 100	300	2.5 / 3.0	1.6 / 2.0	3000	
600	50 / 75 / 100	300	2.5 / 3.0	1.6 / 2.0	3000	

APPLICATIONS



CABLE TRAYS


Versatile cable support system for safe routing and protection of cables.



FEATURES

- Protects cables from damage & dust
- Wide range of types & sizes
- Easy to install & modify
- Suitable for power & control cables
- Hot dip galvanized / Powder coated finishes available
- Suitable for indoor & outdoor installations

TYPES OF CABLE TRAYS



STANDARD SPECIFICATIONS (CABLE TRAYS)

Width (mm)	Side Rail Height (mm)	Material Thickness (mm)		Standard Length (mm)	Finish
		Side Rail	Bottom		
50	25 / 50 / 75 / 100	1.0 / 1.2 / 1.5	1.0 / 1.2	2500 / 3000	Pre-Galvanized / Hot Dip Galvanized / Powder Coated
100	25 / 50 / 75 / 100	1.0 / 1.2 / 1.5	1.0 / 1.2	2500 / 3000	
150	25 / 50 / 75 / 100	1.0 / 1.2 / 1.5	1.0 / 1.2	2500 / 3000	
200	25 / 50 / 75 / 100	1.0 / 1.2 / 1.5	1.0 / 1.2	2500 / 3000	
300	25 / 50 / 75 / 100	1.0 / 1.2 / 1.5	1.0 / 1.2	2500 / 3000	

APPLICATIONS



HIGH STRENGTH
& DURABILITY



EXCELLENT CABLE
SUPPORT



CORROSION
RESISTANT



EASY TO INSTALL
& MAINTAIN



COST EFFECTIVE
SOLUTION



COMPLIES WITH
INTERNATIONAL STANDARDS



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
60



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSHIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

INSTANT WATER HEATERS (Point of Use)

INSTANT HOT WATER • ENERGY EFFICIENT • SAFE & RELIABLE • COMPACT & STYLISH

KWIKHOT 3.5KW 220V- 50Hz	KWIKHOT 5.5KW 220V- 50Hz	KWIKHOT 7KW 220V- 50Hz	KWIKHOT 9KW 220V- 50Hz	KWIKHOT 12KW 220V- 50Hz	KWIKHOT 15KW 220V- 50Hz
- Power: 3.5kW - Instant hot water - Compact & stylish design - Overheat protection - Ideal for kitchen / basin	- Power: 5.5kW - Instant hot water - Compact & stylish design - Overheat protection - Ideal for kitchen / basin	- Power: 7kW - Instant hot water - Compact & stylish design - Overheat protection - Ideal for kitchen / basin	- Power: 9kW - Instant hot water - Compact & stylish design - Overheat protection - Ideal for kitchen / basin	- Power: 12kW - Digital temperature display - Touch control operation - Overheat & dry heat protection - Ideal for kitchen / basin	- Power: 15kW - Digital temperature display - Touch control operation - Overheat & dry heat protection - Ideal for kitchen / basin

INSTANT HOT WATER SHOWER HEADS

KWIKHOT BASIC 3.5KW - 220V-	KWIKHOT PLUS 5.5KW - 220V-	KWIKHOT DELUXE 7kW - 220V-	KWIKHOT ADVANCE 9kW - 220V-	KWIKHOT PREMIUM 12kW - 220V-	KWIKHOT LUXURY 15kW - 220V-
- Instant hot water - Easy to install 3 Spray Settings - Overheat protection - Water saving design	- Instant hot water - Easy to install 3 Spray Settings - Overheat protection - Water saving design	- Instant hot water - Easy to install 5 Spray Settings - Overheat protection - Water saving design	- Instant hot water - Easy to install 5 Spray Settings - Overheat protection - Water saving design	- Instant hot water - Easy to install 5 Spray Settings - Overheat protection - Water saving design	- Instant hot water - Easy to install 6 Spray Settings - Overheat protection - Water saving design

HOT WATER, DONE RIGHT!



RELIABLE



DURABLE



EFFICIENT



SAFE



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
62



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

GEYSERS

RELIABLE • DURABLE • EFFICIENT • SAFE

PROUDLY
SOUTH AFRICAN



GEYSER RANGE

50 LITRE

100 LITRE

150 LITRE

200 LITRE



HORIZONTAL

- Compact design
- High pressure resistance
- Superior insulation
- Energy efficient
- 600 kPa rated pressure



HORIZONTAL

- Compact design
- High pressure resistance
- Superior insulation
- Energy efficient
- 600 kPa rated pressure



HORIZONTAL

- Compact design
- High pressure resistance
- Superior insulation
- Energy efficient
- 600 kPa rated pressure



VERTICAL

- Compact design
- High pressure resistance
- Superior insulation
- Energy efficient
- 600 kPa rated pressure

GEYSER ACCESSORIES

TP VALVE



Temperature & Pressure
Relief Valve

DRAIN COCK



For easy draining
of your geyser

VACUUM BREAKER



Prevents back siphoning
of water

EXPANSION CONTROL
VALVE (600kPa)



Protects geyser from
excess pressure

GEYSER ELEMENTS



Available in 2.4kW, 3.0kW,
3.6kW

GEYSER THERMOSTAT



Adjustable thermostat
for precise control

GEYSER BLANK FLANGE



With gasket

GEYSER ANODES



Magnesium anode for
corrosion protection

TECHNICAL SPECIFICATIONS

Model	Capacity	Dimensions (mm)		Rated Pressure	Element	Voltage	Recovery Time (At 45°C)	Weight (Empty)
		Diameter	Length/Height					
50 L Horizontal	50 Litre	410	770	600 kPa	2.4 kW	230 V	1h 45min	20 kg
100 L Horizontal	100 Litre	460	950	600 kPa	3.0 kW	230 V	2h 15min	28 kg
150 L Horizontal	150 Litre	460	1 250	600 kPa	3.0 kW	230 V	2h 45min	38 kg
200 L Vertical	200 Litre	520	1 300	600 kPa	3.6 kW	230 V	3h 15min	46 kg

GEYSER CABLE



Heat resistant cable
(2.5mm² / 4mm²)

ISOLATOR SWITCH



20A Double Pole
Isolator

GEYSER DRIP TRAY



Protects ceilings and
floors from leaks

WALL BRACKETS



Heavy duty brackets
for safe installation

RECOMMENDED INSTALLATION DIAGRAM



PLEASE NOTE

- Installation must comply with SANS 10252-1
- Use only approved geyser accessories
- Regular maintenance prolongs the life of your geyser
- Always use a qualified plumber for installation

HOT WATER, DONE RIGHT!



RELIABLE



DURABLE



EFFICIENT



SAFE



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
61



TRINITY
ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

Plumbing



**CENTRAL SUPPLIER
DATABASE**

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE

63



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

STOVE PLATES (RED DOT) & STOVE SWITCHES

HIGH QUALITY • DURABLE • RELIABLE • SAFE

STOVE PLATES (RED DOT)

150mm PLATE



- 1000W
- 220-240V ~ 50/60Hz
- High quality cast iron
- Even heat distribution
- Long lasting performance

180mm PLATE



- 1500W
- 220-240V ~ 50/60Hz
- High quality cast iron
- Even heat distribution
- Long lasting performance

220mm PLATE



- 2000W
- 220-240V ~ 50/60Hz
- High quality cast iron
- Even heat distribution
- Long lasting performance

FEATURES & BENEFITS



SUITABLE FOR



DOMESTIC STOVES

COMMERCIAL STOVES

ELECTRIC COOKERS

OVENS WITH HOTPLATES

STOVE SWITCHES

SINGLE POLE
STOVE SWITCH



- 4 Position (0-3)
- 16A 250V~
- High quality contacts
- Easy to install

DOUBLE POLE
STOVE SWITCH



- 7 Position (0-6)
- 16A 250V~
- High quality contacts
- Easy to install

ENERGY REGULATOR
SWITCH



- 6 Position Energy Regulator
- 13A 250V~
- Smooth operation
- Long service life

OVEN FUNCTION
SWITCH



- Multi Function
- 16A 250V~
- High quality contacts
- Easy to install

OVEN THERMOSTAT
SWITCH



- Temperature Control
- 50°C - 250°C
- 16A 250V~
- Accurate & Reliable

PUSH BUTTON
IGNITION SWITCH



- Momentary Action
- 16A 250V~
- Durable & Reliable
- Easy to install

SELECTOR SWITCH
(ENERGY)



- Multi Position
- 16A 250V~
- High quality contacts
- Long service life

ROTARY SWITCH
REPLACEMENT



- Universal Fit
- 16A 250V~
- Durable Construction
- Easy Replacement

FEATURES & BENEFITS



SAFETY FIRST

Always disconnect power before installing
or replacing stove plates or switches.



USE GENUINE QUALITY PRODUCTS
For safe, efficient and reliable cooking.



**PERFORMANCE
YOU CAN TRUST!**



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
64



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

OVEN ELEMENTS & OVEN SWITCHES

High Quality • Durable • Reliable Performance

OVEN ELEMENTS

BAKE ELEMENT



- Even heat distribution
- High quality material
- Long lasting performance

GRILL ELEMENT



- Fast and efficient heating
- Corrosion resistant
- Easy to install

FAN FORCED ELEMENT



- Ideal for fan forced ovens
- Consistent temperature
- Premium quality

RAPID HEAT ELEMENT



- Rapid heat up
- Energy efficient
- Heavy duty construction

BASE ELEMENT



- Uniform base heating
- Durable and reliable
- Long service life

OVEN LAMP



- High temperature resistant
- Bright and clear light
- Long lasting

FEATURES & BENEFITS



HIGH HEATING EFFICIENCY

Designed for optimal heat output and even cooking.



DURABLE & RELIABLE

Made from premium materials for long lasting performance.



EASY TO INSTALL

Perfect fit and easy replacement for most oven models.



HEAT & CORROSION RESISTANT

Built to withstand high temperatures and corrosion.

OVEN SWITCHES

OVEN FUNCTION SWITCH



- Multiple cooking functions
- Smooth operation
- Long mechanical life

OVEN TEMPERATURE SWITCH



- Accurate temperature control
- High precision
- Durable & reliable

OVEN SELECTOR SWITCH



- Multi position control
- Heavy duty contacts
- Easy to install

OVEN TIMER SWITCH



- Precise timing control
- Easy to set
- Long service life

OVEN PUSH BUTTON SWITCH



- Momentary action
- High electrical rating
- Sturdy construction

OVEN FAN SWITCH



- Controls cooling fan
- Reliable performance
- High durability

FEATURES & BENEFITS



HIGH QUALITY MATERIALS

Built with premium components for maximum reliability.



SAFE & RELIABLE OPERATION

Designed for safe operation and long term durability.



PRECISE CONTROL & PERFORMANCE

Ensures accurate temperature and function control.



WIDE COMPATIBILITY

Suitable for most brands and models of ovens.

SUITABLE FOR

BUILT-IN OVENS



FREESTANDING OVENS



COMMERCIAL OVENS



CONVECTION OVENS



IDEAL FOR

HOME OVENS



COMMERCIAL KITCHENS



BAKERIES



RESTAURANTS



SAFETY FIRST

Always disconnect power before installing or replacing any oven elements or switches. Installation should be done by a qualified technician.



QUALITY YOU CAN TRUST, PERFORMANCE YOU CAN RELY ON!



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
65



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF HEATING ELEMENTS



1. Tubular Heating Element



Metal sheath (usually stainless steel) contains the heating wire, used for water, air, and liquid heating.

2. Coil Heating Element



Wire wound in a coil or spiral shape, used in toasters, ovens, and space heaters.

3. Cartridge Heating Element



Compact cylindrical element inserted into holes, used in dies, molds, and machines.

4. Strip (Ribbon) Heating Element



Flat resistance strip or ribbon, used in toasters, hair dryers, and appliances.

5. Ceramic Heating Element



Resistance wire embedded in ceramic; provides even heating and high insulation.

6. Quartz (Infrared) Heating Element



Quartz tube with resistance wire; emits infrared heat, used in heaters and heat lamps.

7. Immersion Heating Element



Designed to be immersed in liquids for direct heating of water or oils.

8. Sheathed (Mineral Insulated) Element



Resistance wire compacted in MgO insulation inside a metal sheath; robust and high temperature.

9. Flexible Heating Element



Flexible silicone rubber element, used for surface heating applications.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
66



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

NICHROME WIRE



1. Nichrome Wire Coil



2. Nichrome Wire on Spool



3. Nichrome Wire Close-up



4. Nichrome Wire (Different Gauges)

_____	24 SWG
_____	22 SWG
_____	20 SWG
_____	18 SWG
_____	16 SWG



Nichrome wire is an alloy of Nickel and Chromium, known for its high resistivity, excellent heat resistance, and durability. It is widely used in heating elements and resistive applications.

5. Nichrome Wire in Heating Elements / Applications



Heating element coil



Toaster heating element



Room heater



Electric stove heater



Wire wound resistor

6. Nichrome Wire Packaging



Key Features

- High resistance
- Withstands high temperatures
- Resists oxidation and corrosion
- Long life and reliable performance



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
67



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF FANS



1. Ceiling Fan



Used for air circulation and cooling in rooms.

2. Table Fan



Portable fan placed on tables for personal cooling.

3. Pedestal Fan



Height adjustable fan used for cooling large areas.

4. Wall Fan



Mounted on walls to save space and provide airflow.

5. Exhaust Fan



Removes hot, stale, or humid air from a space.

6. Ventilation Fan



Used for general ventilation in homes or industries.

7. Wall Mounted Fan



Oscillating fan mounted on walls for wide air coverage.

8. Stand Fan



Floor standing fan without height adjustment.

9. Tower Fan



Sleek design fan that delivers powerful and quiet airflow.

10. Box Fan



Square shaped fan used for floor or window.

11. Industrial Fan



High power fan used in factories and warehouses.

12. Propeller Fan



Moves large volumes of air with high efficiency.

13. Blower Fan



Used to move air in HVAC systems and machines.

14. Centrifugal Fan



Air is forced to move outward by centrifugal force.

15. Axial Fan



Air flows parallel to the fan shaft; used in ducts and coolers.

16. Inline Duct Fan



Installed in ducts to boost airflow.

17. Cross Flow Fan



Provides wide and uniform airflow across a surface.

18. Cooling Fan (Computer Fan)



Used to cool electronic components and devices.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
68



TRINITY ELECTRICAL & LIGHTING SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

— FANS, BUG KILLERS & HYGIENE —

QUALITY PRODUCTS FOR COMFORT, PROTECTION & CLEANLINESS

1 CEILING FANS



3 BLADE
CEILING FAN



4 BLADE
CEILING FAN



DECORATIVE
CEILING FAN



REMOTE CONTROL
CEILING FAN



INDUSTRIAL
CEILING FAN

2 EXTRACTOR FANS



100 mm
EXTRACTOR FAN



150 mm
EXTRACTOR FAN



WINDOW
EXTRACTOR FAN



CEILING
EXTRACTOR FAN



METAL
EXHAUST FAN

3 BUG KILLERS



ELECTRIC
BUG KILLER



FLY KILLER
UNIT



INSECT
ZAPPER



STICKY
FLY TRAP



PORTABLE
MOSQUITO KILLER

4 HYGIENE



SOAP
DISPENSERS



HAND
DRYERS



PAPER TOWEL
DISPENSERS



SANITISER
DISPENSERS



AIR
FRESHENERS

5 HEATERS & VENTILATION



FAN
HEATERS



PANEL
HEATERS



BATHROOM
HEATERS



WALL
HEATERS



PORTABLE
FANS



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
69



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF HEATERS

1. Fan Heater



Blows warm air using an internal heating element and fan.

2. Convector Heater



Heats air by natural convection; warm air rises and cool air enters.

3. Oil Filled Radiator



Oil inside retains heat for longer and provides steady warmth.

4. Micathermic Heater



Mica insulation with heating element provides quick and efficient heating.

5. Halogen Heater



Halogen lamp heats up quickly and provides instant warmth.

6. Infrared Heater



Emits infrared radiation that directly warms objects and people.

7. Ceramic Heater



Ceramic heating element provides fast and energy-efficient heating.

8. PTC Heater



PTC (Positive Temperature Coefficient) controls temperature automatically.

9. Water Heater (Geyser)



Heats and stores water for bath and other domestic use.

10. Room Heater (Blower Heater)



Blows hot air with high power; suitable for large spaces.

11. Quartz Heater



Quartz tubes heat up and provide effective radiant warmth.

12. Industrial Duct Heater



Heats air in ducts; used in industrial HVAC and process applications.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
70



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

HOUSE WIRES

SAFE • RELIABLE • DURABLE • HIGH PERFORMANCE



100%
COPPER



FLAME
RETARDANT



HIGH
SAFETY



RoHS
COMPLIANT



IS 694
CML - #940123

1.5mm ² (Single Core PVC Insulated Wire)	2.5mm ² (Single Core PVC Insulated Wire)	4.0mm ² (Single Core PVC Insulated Wire)	6.0mm ² (Single Core PVC Insulated Wire)	10mm ² (Single Core PVC Insulated Wire)	16mm ² (Single Core PVC Insulated Wire)	25mm ² (Single Core PVC Insulated Wire)
CROSS SECTION	CROSS SECTION	CROSS SECTION	CROSS SECTION	CROSS SECTION	CROSS SECTION	CROSS SECTION
Conductor : 1.5mm ²	Conductor : 2.5mm ²	Conductor : 4.0mm ²	Conductor : 6.0mm ²	Conductor : 10mm ²	Conductor : 16mm ²	Conductor : 25mm ²
Strands : 30/0.25 mm	Strands : 50/0.25 mm	Strands : 56/0.30 mm	Strands : 84/0.30 mm	Strands : 80/0.40 mm	Strands : 126/0.40 mm	Strands : 196/0.40 mm
Insulation : PVC	Insulation : PVC	Insulation : PVC	Insulation : PVC	Insulation : PVC	Insulation : PVC	Insulation : PVC
Voltage : 450/750V	Voltage : 450/750V	Voltage : 450/750V	Voltage : 450/750V	Voltage : 450/750V	Voltage : 450/750V	Voltage : 450/750V
Max. Temp. : 70°C	Max. Temp. : 70°C	Max. Temp. : 70°C	Max. Temp. : 70°C	Max. Temp. : 70°C	Max. Temp. : 70°C	Max. Temp. : 70°C
Standard : IS 694	Standard : IS 694	Standard : IS 694	Standard : IS 694	Standard : IS 694	Standard : IS 694	Standard : IS 694

AVAILABLE COLOURS



Other colours available on request



TECHNICAL DATA

Size (mm ²)	Conductor Strands (No./mm)	Conductor Diameter (mm)	Insulation Thickness (mm)	Overall Diameter (mm) (Approx.)	Current Carrying Capacity in Conduit (Amps)	Max. DC Resistance at 20°C (Ω/km) (Max.)
1.5	30/0.25	1.38	0.7	2.80	15	12.10
2.5	50/0.25	1.78	0.8	3.40	21	7.41
4.0	56/0.30	2.25	0.8	3.90	28	4.61
6.0	84/0.30	2.76	0.8	4.60	36	3.08
10	80/0.40	3.60	1.0	5.60	50	1.83
16	126/0.40	4.50	1.0	6.60	68	1.15
25	196/0.40	5.80	1.2	8.20	89	0.727

APPLICATIONS

- House Wiring
- Power Socket Outlets
- Lighting Circuits
- Air Conditioners
- Distribution Boards
- Electrical Appliances



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
71**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

FLAT SURFIX CABLES

WITH EARTH, LIVE & NEUTRAL

1.0mm²

Flat Suffix Cable



Cross Section



L N E
LIVE NEUTRAL EARTH

Size : 1.0mm²
Voltage : 300/500V
Core : 3 Core

1.5mm²

Flat Suffix Cable



Cross Section




L N E
LIVE NEUTRAL EARTH

Size : 1.5mm²
Voltage : 300/500V
Core : 3 Core

2.5mm²

Flat Suffix Cable



Cross Section



L N E
LIVE NEUTRAL EARTH

Size : 2.5mm²
Voltage : 300/500V
Core : 3 Core

4.0mm²

Flat Suffix Cable



Cross Section



L N E
LIVE NEUTRAL EARTH

Size : 4.0mm²
Voltage : 300/500V
Core : 3 Core

6.0mm²

Flat Suffix Cable



Cross Section




L N E
LIVE NEUTRAL EARTH

Size : 6.0mm²
Voltage : 300/500V
Core : 3 Core



FEATURES

- High quality copper conductor
- Flame retardant PVC insulation
- Neat & easy surface installation
- Safe & reliable performance



APPLICATIONS

- House Wiring
- Lighting Circuits
- Socket Outlets
- Electrical Appliances



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
72



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

SURFIX CABLES

High quality PVC insulated and sheathed cables for safe and reliable electrical installations.

SURFIX SINGLE CORE CABLES



APPLICATIONS

- For internal wiring in conduits and trunking
- For lighting circuits
- For power distribution

VOLTAGE GRADE
450/750V

SURFIX TWIN CORE CABLES



APPLICATIONS

- For domestic and commercial wiring
- For power and lighting circuits

VOLTAGE GRADE
450/750V

SURFIX THREE CORE CABLES



APPLICATIONS

- For three phase power supply systems
- For industrial and commercial installations

VOLTAGE GRADE
450/750V

SURFIX FOUR CORE CABLES



APPLICATIONS

- For three phase with neutral installations
- For power distribution and sub-circuits

VOLTAGE GRADE
450/750V

SURFIX FIVE CORE CABLES



APPLICATIONS

- For three phase with neutral and earth
- For industrial and commercial wiring

VOLTAGE GRADE
450/750V

SURFIX MULTI CORE CONTROL CABLES




APPLICATIONS

- For control, signal and instrumentation circuits
- For industrial automation and control systems

VOLTAGE GRADE
450/750V

CONSTRUCTION



AVAILABLE SIZES

Sizes (mm²):

0.5 0.75 1.0 1.5 2.5 4.0 6.0 10 16 25 35 50 70 95 120 150



FEATURES & BENEFITS



Flame Retardant
Enhanced safety in case of fire



High Quality PVC
Durable, tough and long lasting



Flexible Conductor
Easy to install and bend



High Insulation Resistance
Ensures safe and reliable performance



Complies with Standards
Manufactured as per national and international standards

TECHNICAL SPECIFICATIONS

Parameter	Specification	Test Method
Voltage Grade	450/750V	IS 694 : 2010
Conductor	Flexible Copper, Class 2	IS 8130
Insulation	PVC (Polyvinyl Chloride)	IS 5831
Sheath	PVC (Flame Retardant)	IS 5831
Flame Retardant	IEC 60332-1	IEC 60332-1
Temperature Rating	70°C	IS 694 : 2010

COLOUR CODE

Single Core



Twin Core



Three Core



Four Core



Five Core



Multi Core (Control Cable)



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
73



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

ECC CABLES

Extra-Covered Concentric - High Safety, High Performance



1. ECC SINGLE CORE CABLE (COPPER CONDUCTOR)



Application:
For general wiring in
conduits, indoor and
outdoor installations.

Voltage Grade
450/750V

Sizes Available (mm²)

1.5 2.5 4 6 10 16 25 35
50 70 95 120 150 185 240

2. ECC TWIN CORE CABLE (COPPER CONDUCTOR)



Application:
For single phase power and
lighting circuits.

Voltage Grade
450/750V

Sizes Available (mm²)

1.5 2.5 4 6 10 16 25 35
50 70 95 120 150 185 240

3. ECC THREE CORE CABLE (COPPER CONDUCTOR)



Application:
For three phase power supply
and distribution.

Voltage Grade
450/750V

Sizes Available (mm²)

1.5 2.5 4 6 10 16 25 35
50 70 95 120 150 185 240

4. ECC FOUR CORE CABLE (COPPER CONDUCTOR)



Application:
For three phase with neutral
supply and control circuits.

Voltage Grade
450/750V

Sizes Available (mm²)

1.5 2.5 4 6 10 16 25 35
50 70 95 120 150 185 240

5. ECC FIVE CORE CABLE (COPPER CONDUCTOR)



Application:
For three phase with neutral
and earth for power and
distribution.

Voltage Grade
450/750V

Sizes Available (mm²)

1.5 2.5 4 6 10 16 25 35
50 70 95 120 150 185 240

6. ECC MULTI CORE CABLES (COPPER CONDUCTOR)



Application:
For control, signal and
instrumentation circuits.

Voltage Grade
450/750V

Sizes Available (mm²)

0.75 1 1.5 2.5 4 6 10 16
25 35 50 70 95 120 150

CONSTRUCTION



FEATURES & BENEFITS

- High Safety**
Concentric conductor acts as an
earth continuity path.
- Fault Protection**
Reduces risk of electric shock
and fire hazards.
- Mechanical Protection**
Extra covering provides excellent
mechanical strength.
- Moisture & Corrosion Resistant**
PVC sheathing protects against
moisture, chemicals and corrosion.
- Long Life & Reliable**
Durable and reliable for long
term performance.

TECHNICAL SPECIFICATIONS

Voltage Grade	450/750V
Conductor	Flexible Copper, Class 2 (IS 8130)
Insulation	PVC Compound (IS 5831)
Inner Sheath	PVC Compound (IS 5831)
Concentric Conductor	Annealed Copper Wires
Outer Sheath	PVC Compound (IS 5831)
Flame Retardant	IEC 60332-1
Temperature Rating	70°C
Standard	IS 694 : 2010

AVAILABLE SIZES (mm²)

0.75	1	1.5	2.5
4	6	10	16
25	35	50	70
95	120	150	185
240	300	400	500

Note: Other sizes available
on request.

APPLICATIONS

- Residential & Commercial Buildings
- Power Distribution Systems
- Industrial Installations
- Indoor / Outdoor Wiring
- In Conduits, Trunking & Ducts
- Hazardous & Damp Locations

SAFETY FIRST

Always use genuine ECC cables
for safe and reliable installations.



Concentric Conductor
Provides continuous earth
path for extra safety.



Flame Retardant
High flame retardant
PVC outer sheath.



Strong & Durable
Extra covering gives
high mechanical
protection.



Standard Compliant
Manufactured as per
IS 694:2010 and
international standards.

**ECC - EXTRA SAFETY,
EXTRA PROTECTION**



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
74



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES



ARMOURED CABLES

Strong Protection. Maximum Safety. Reliable Performance.



1. SINGLE CORE ARMoured CABLE



APPLICATION

For power distribution in conduits, underground and industrial installations.

VOLTAGE GRADE

450/750V, 600/1000V

2. TWO CORE ARMoured CABLE



APPLICATION

For single phase power and lighting circuits.

VOLTAGE GRADE

450/750V, 600/1000V

3. THREE CORE ARMoured CABLE



APPLICATION

For three phase power supply and distribution.

VOLTAGE GRADE

600/1000V, 1.1kV

4. FOUR CORE ARMoured CABLE



APPLICATION

For three phase with neutral supply and control circuits.

VOLTAGE GRADE

600/1000V, 1.1kV

5. MULTI CORE ARMoured CABLE



APPLICATION

For control, signal and instrumentation circuits.

VOLTAGE GRADE

600/1000V, 1.1kV

6. XLPE INSULATED ARMoured CABLE



APPLICATION

For high performance, high temperature and heavy duty power installations.

VOLTAGE GRADE

1.1kV, 3.3 kV, 6.6 kV, 11 kV, 33 kV

CONSTRUCTION OF ARMoured CABLE



OUTER SHEATH ARMOUR INNER SHEATH INSULATION BEDDING CONDUCTOR

PVC / FR / LSZH Galvanized Steel PVC PVC / XLPE FILLER Stranded Copper

Protects against: Wires / Steel Tape Bedding layer for: High quality Provides shape High conductivity
moisture, chemicals Provides mechanical protection of core Insulation for: and support copper for efficient
and abrasion: protection against and armour: safe operation: to the core: current flow.
Impact and crushing.

FEATURES & BENEFITS



MECHANICAL PROTECTION

Steel armour protects against physical damage and external impact.



MOISTURE RESISTANT

Protects against moisture, water and chemical exposure.



FIRE RETARDANT OPTIONS

Available in FR / FRLS / LSZH for enhanced fire safety.



HIGH SAFETY

Reduces risk of short circuit and ensures reliable performance.



DURABLE & LONG LASTING

Designed for long service life even in harsh environments.

TECHNICAL SPECIFICATIONS

Voltage Grade	450/750V, 600/1000V, 1.1kV, 3.3kV, 6.6kV, 11kV, 33kV
Conductor	Stranded Annealed Copper (Class 2)
Insulation	PVC / XLPE
Inner Sheath	PVC
Armour	Galvanized Steel Wire / Steel Tape
Outer Sheath	PVC / FR / LSZH
Temperature Rating	70°C / 90°C (XLPE)
Standards	IEC 60502-1 IS 1554 (Part 1)
Core Identification	As per IEC / IS Standard

STANDARD SIZES (mm²)

No. of Cores	Available Sizes (mm ²)
1 Core	1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630, 800, 1000
2 Core	1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300
3 Core	1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400
4 Core	1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400
Multi Core	As per requirement

Note: Other sizes and voltages available on request.

APPLICATIONS



POWER DISTRIBUTION

For power supply in industrial, commercial and residential installations.



INDUSTRIAL PLANTS

Suitable for harsh environments and heavy duty applications.



UNDERGROUND INSTALLATIONS

Ideal for direct burial and underground duct installations.



OIL & GAS / MARINE

Used in offshore platforms, marine and coastal areas.



INFRASTRUCTURE PROJECTS

For railways, airports, tunnels, metro and other infrastructure.

TYPES OF ARMOUR

STEEL WIRE ARMOUR (SWA)



- High tensile strength
- Excellent mechanical protection
- Suitable for outdoor and direct burial

STEEL TAPE ARMOUR (STA)



- Compact and flexible
- Better for underground in ducts
- Cost effective solution

WHY CHOOSE ARMoured CABLES?



Superior Protection



High Mechanical Strength



Water & Corrosion Resistant



Fire Safe Options



Long Service Life



SAFETY WARNING

Use correct cable size and type as per load requirement. Improper installation can cause electric shock, fire and equipment damage. Installation should be done by qualified personnel only.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
75



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

WELDING CABLES

BUILT TO DELIVER. MADE TO LAST.

High performance welding cables designed for maximum conductivity, flexibility and durability.



EXCELLENT CONDUCTIVITY
High quality copper conductor for superior current flow and efficiency.



HEAVY DUTY & DURABLE
Tough rubber insulation resists abrasion, heat, oil and chemicals.



FLEXIBLE & EASY TO HANDLE
Designed for excellent flexibility in all working conditions.



HEAT & FLAME RESISTANT
Withstands high temperatures and tough environments.



BUILT TO STANDARDS
Manufactured to meet international quality and safety standards.



FINE STRANDED
COPPER



STRONG
INSULATION



MAXIMUM
DURABILITY



HIGH CURRENT
CAPACITY



IDEAL FOR:



FABRICATION



SHIPBUILDING



INDUSTRIAL



CONSTRUCTION



MAINTENANCE & REPAIR



POWERING PERFORMANCE. ENSURING SAFETY. | WELDING CABLES YOU CAN TRUST.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
76



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

ORANGE TRAILING CABLES

HEAVY DUTY • FLEXIBLE • DURABLE • SAFE & RELIABLE

3 CORE ORANGE TRAILING CABLE



CROSS SECTION



BROWN - LIVE
BLUE - NEUTRAL
GREEN/YELLOW - EARTH

CORES	: 3 CORE
CONDUCTOR	: HIGH QUALITY COPPER
INSULATION	: PVC (POLYVINYL CHLORIDE)
SHEATH	: PVC - ORANGE
VOLTAGE	: 450/750V
APPLICATION	: POWER TOOLS, MACHINERY, INDUSTRIAL & OUTDOOR USE

AVAILABLE SIZES

1.0mm² | 1.5mm² | 2.5mm² | 4mm² | 6mm²

4 CORE ORANGE TRAILING CABLE



CROSS SECTION



BROWN - LIVE 1
BLACK - LIVE 2
GREY - NEUTRAL
GREEN/YELLOW - EARTH

CORES	: 4 CORE
CONDUCTOR	: HIGH QUALITY COPPER
INSULATION	: PVC (POLYVINYL CHLORIDE)
SHEATH	: PVC - ORANGE
VOLTAGE	: 450/750V
APPLICATION	: THREE PHASE EQUIPMENT, MACHINERY & INDUSTRIAL USE

AVAILABLE SIZES

1.0mm² | 1.5mm² | 2.5mm² | 4mm² | 6mm²

6 CORE ORANGE TRAILING CABLE



CROSS SECTION



BROWN - LIVE 1
BLACK - LIVE 2
GREY - LIVE 3
BLUE - NEUTRAL
GREEN/YELLOW - EARTH
RED - AUXILIARY / CONTROL

CORES	: 6 CORE
CONDUCTOR	: HIGH QUALITY COPPER
INSULATION	: PVC (POLYVINYL CHLORIDE)
SHEATH	: PVC - ORANGE
VOLTAGE	: 450/750V
APPLICATION	: CONTROL, POWER & INDUSTRIAL EQUIPMENT

AVAILABLE SIZES

1.0mm² | 1.5mm² | 2.5mm² | 4mm² | 6mm²



HIGH DURABILITY
Tough & long lasting



FLEXIBLE
Easy to handle & install



WEATHER RESISTANT
Suitable for all conditions



FLAME RETARDANT
Enhanced safety



RELIABLE PERFORMANCE
For heavy duty use



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
77



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

PANEL WIRES

HIGH QUALITY • FLEXIBLE • RELIABLE • SAFE



RoHS
COMPLIANT



FLAME
RETARDANT



100%
COPPER



IS 694
CM/L - 9100098207

0.5mm²



0.75mm²



1.0mm²



1.5mm²



2.5mm²



4.0mm²



6.0mm²



SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

SPECIFICATIONS

Conductor : Annealed Copper
(Class S)
Insulation : PVC (FR)
Voltage : 450/750V
Temperature : 70°C
Standard : IS 694

COLOURS AVAILABLE



COLOURS AVAILABLE



COLOURS AVAILABLE



COLOURS AVAILABLE



COLOURS AVAILABLE



COLOURS AVAILABLE



COLOURS AVAILABLE



APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring

APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring

APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring

APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring

APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring

APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring

APPLICATIONS

Control panels, Switchgears,
Relays, MCBs, Starters,
Instrumentation &
Internal Wiring



TECHNICAL DATA

Size (mm ²)	Strands No./mm	Conductor Diameter (mm)	Insulation Thickness (mm)	Overall Diameter (mm)	Current Carrying Capacity (Amps) in Air
0.5	16/0.20	0.92	0.4	1.70	6
0.75	24/0.20	1.12	0.4	1.90	10
1.0	32/0.20	1.28	0.4	2.10	14
1.5	30/0.25	1.55	0.4	2.50	18
2.5	50/0.25	2.00	0.5	3.10	24
4.0	56/0.30	2.50	0.6	3.80	32
6.0	84/0.30	3.00	0.7	4.60	42

FEATURES

- Highly Flexible for Easy Wiring
- Flame Retardant PVC Insulation
- High Insulation Resistance & Dielectric Strength
- 100% High Purity Copper Conductor
- Safe, Reliable & Long Lasting



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
78



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF MULTIMETERS

1. DIGITAL MULTIMETER



Measures AC/DC voltage, current, resistance, continuity, diode, capacitance, frequency, temperature, etc.

2. ANALOG MULTIMETER



Uses a needle and scale to display measurements. Simple and reliable.

3. CLAMP MULTIMETER



Measures current using a clamp without breaking the circuit. Also measures voltage, resistance, continuity, etc.

4. AUTO-RANGING MULTIMETER



Automatically selects the measurement range. Easy to use and convenient.

5. TRUE RMS MULTIMETER



Accurate measurements for both linear and non-linear loads. Ideal for modern electrical systems.

6. INSULATION MULTIMETER



Measures insulation resistance of cables, motors, transformers, and electrical equipment.

7. DIGITAL MULTIMETER WITH TEMPERATURE



Measures temperature using thermocouple along with other electrical parameters.

8. PEN-TYPE MULTIMETER



Compact, pen-style design. Ideal for quick voltage tests and basic measurements.

9. SMART MULTIMETER



Smartphone connectivity, data logging, and advanced features via mobile apps.

10. MULTIFUNCTION INSTALLATION TESTER



Tests electrical installations for safety: RCD, loop impedance, continuity, insulation, voltage, and more.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
79**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF ELECTRICAL TESTERS

1. VOLTAGE TESTER



Checks AC/DC voltage in sockets, wiring and circuits.

2. NEON TESTER



Indicates the presence of voltage with a neon lamp.

3. CONTINUITY TESTER



Checks continuity in circuits. Beeps when the circuit is complete.

4. SOCKET TESTER



Tests wiring condition of sockets and outlets.

5. PHASE SEQUENCE TESTER



Determines phase sequence in three-phase power systems.

6. EARTH / GROUND TESTER



Measures earth/ground resistance for electrical safety.

7. INSULATION TESTER



Measures insulation resistance of wires, cables and equipment.

8. RCD TESTER



Tests operation of RCDs / RCCBs for trip current and trip time.

9. LOOP IMPEDANCE TESTER



Measures loop impedance to verify fault levels and protective device operation.

10. CLAMP METER (TESTER)



Measures current, voltage, resistance and more without breaking the circuit.

11. NON-CONTACT VOLTAGE TESTER



Detects AC voltage without any physical contact. Safe and easy to use.

12. CABLE TESTER



Tests RJ45, RJ11 and other cables for continuity, open, short and wire order.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
80**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TEST INSTRUMENTS, TOOLS & GENSETS

PROFESSIONAL EQUIPMENT FOR ACCURATE TESTING, EFFICIENT WORK & RELIABLE POWER

1 TEST INSTRUMENTS



DIGITAL MULTIMETERS
Accurate and reliable multimeters for voltage, current, resistance and continuity testing.



CLAMP METERS
Measure AC/DC current without breaking the circuit. Ideal for industrial and electrical applications.



INSULATION TESTERS
High voltage insulation testers for testing resistance of cables, motors and equipment.



EARTH TESTERS
Measure earth resistance to ensure safe and reliable earthing installations.



PHASE ROTATION INDICATORS
Quick and easy phase sequence and motor rotation testing.



VOLTAGE TESTERS
Non-contact and contact voltage testers for safe and quick fault finding.

2 TOOLS & ACCESSORIES



INSULATED SCREWDRIVERS
VDE insulated screwdrivers for safe electrical installations.



PLIERS & CUTTERS
High quality pliers, cutters and long nose for accurate and general use.



WIRE STRIPPERS
Adjustable wire strippers for accurate and clean wire stripping.



CRIMPING TOOLS
Professional crimping tools for lugs, connectors and terminals.



CABLE CUTTERS
Heavy duty cable cutters for copper and aluminium cables.



TOOL KITS
Complete tool kits for electricians and maintenance professionals.

3 PORTABLE GENSETS



PETROL GENSETS
Reliable petrol generators for home, industrial and commercial use.



DIESEL GENSETS
Fuel efficient diesel generators for heavy duty and continuous use.



INVERTER GENSETS
Quiet and compact inverter generators for sensitive electronics.



SILENT GENSETS
Low noise enclosed generators ideal for offices, hospitals and residential areas.



WELDING GENSETS
Generators with built-in welding capability for on-site applications.

4 GENERATOR ACCESSORIES



ATS PANELS
Automatic transfer switch panels for seamless power changeover.



DISTRIBUTION BOXES
Portable distribution boxes with overload protection and multiple outlets.



FUEL CANS
Durable fuel cans for safe storage and transport of fuel.



GENERATOR COVERS
Heavy duty covers to protect generators from dust, rain and harsh conditions.



EXTENSION LEADS
Heavy duty extension leads and cable reels for power distribution.



MAINTENANCE KITS
Genuine maintenance kits for optimal generator performance.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
81



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

HARDWARE CONSUMABLES

QUALITY YOU CAN TRUST • EVERYDAY ESSENTIALS • BUILT FOR EVERY JOB

SCREWS	BOLTS & NUTS	NAILS	RAWLPLUGS & ANCHORS	WASHERS	RIVETS	ROOFING & SEALING
 - Chipboard Screws - Wood Screws - Machine Screws - Self Drilling Screws - Drywall Screws	 - Hex Bolts - Coach Bolts - Set Screws - Nuts (Hex, Nyloc, Dome) - Washers	 - Round Wire Nails - Masonry Nails - Roofing Nails - Panel Pins - Concrete Nails	 - Nylon Rawlplugs - Shield Anchors - Cavity Anchors - Concrete Anchors - Hollow Wall Anchors	 - Flat Washers - Spring Washers - Fender Washers - Rubber Washers	 - Pop Rivets - Aluminium Rivets - Stainless Steel Rivets	 - Roofing Screws - Sealing Washers - Roof Nuts & Bolts - Butyl Seal Tape
HOOKS & EYES	CHAINS & ACCESSORIES	WALL FIXINGS	CABLE TIES & CLIPS	DOOR & WINDOW FIXINGS	ABRASIVES	DRILL BITS & ACCESSORIES
 - Screw Eyes - Cup Hooks - Eye Bolts - Gate Hooks	 - Short Link Chain - Long Link Chain - Tornbuckles - Shackles	 - Picture Hooks - Mirror Clips - Frame Fixings - Wall Plugs	 - Cable Ties (Black & White) - Cable Clips - Saddles - Tie Mounts	 - Hinges - Brackets - Window Fasteners - Screw Eyes	 - Sanding Discs - Flap Discs - Sandpaper Rolls - Grinding Stones	 - Masonry Drill Bits - HSS Drill Bits - Wood Drill Bits - Hole Saws - Chucks & Adapters
ADHESIVES & SEALANTS	TAPES	LUBRICANTS & SPRAYS	CUTTING & GRINDING	POWDER & CHEMICALS	ROPE & TWINE	WELDING CONSUMABLES
 - Silicone Sealants - Construction Adhesives - Epoxy Adhesives - Super Glue - Contact Adhesives	 - Insulation Tape - Duct Tape - Masking Tape - Double Sided Tape - Aluminium Foil Tape	 - Multi Purpose Lubricant - Penetrating Oil - Silicone Spray - Grease - Rust Remover	 - Cutting Discs - Grinding Discs - Stone Cutting Discs - Diamond Blades	 - Wall Putty - Tile Adhesive - Cement - Concrete Additives	 - Nylon Rope - Polypropylene Rope - Braided Rope - Builders Twine	 - Welding Rods - Welding Wire - Cutting Rods - Gas Welding Accessories

MISCELLANEOUS CONSUMABLES



WIDE RANGE
All your needs in one place



PREMIUM QUALITY
Built to last



RELIABLE & DURABLE
For professionals & DIY



GREAT VALUE
Affordable & dependable



ALWAYS IN STOCK
Ready when you need it



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
82



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF TAPE

Masking Tape



For painting and
light masking

Duct Tape



Strong and durable
for repairs

Packing Tape



For sealing boxes
and packages

Scotch Tape
(Transparent Tape)



For everyday office
and home use

Electrical Tape



For insulating wires
and electrical work

Painter's Tape
(Blue Tape)



For clean removal on
walls and surfaces

Double-Sided Tape



For mounting and
attaching objects

Foil Tape



For sealing and
insulation (HVAC, etc.)

Filament Tape



For heavy strapping
and reinforcement

Anti-Slip Tape



For traction on stairs
and slippery surfaces

Cloth Tape
(Gaffer Tape)



For stage, studio, and
heavy-duty use

Reflective Tape



For safety and
high visibility

Kapton Tape



For high-temperature
and electrical insulation

Butyl Tape



For sealing and
waterproofing

Masking Film
with Tape



For protecting large
areas while painting



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
83



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

ADHESIVES

STRONG BOND. LASTING PERFORMANCE.

High performance adhesives
for every application.



STRONG & RELIABLE
Superior bonding strength
you can count on.



VERSATILE APPLICATION
Suitable for a wide range
of materials and surfaces.



WEATHER & CHEMICAL RESISTANT
Built to withstand harsh
environments and conditions.



FAST SETTING OPTIONS
Save time with quick
curing formulas.



EASY TO USE
User friendly products for
professional results.



IDEAL FOR:



CONSTRUCTION
Bond and seal a variety
of building materials.



INDUSTRIAL
Reliable solutions for
demanding applications.



AUTOMOTIVE
High strength bonding
for automotive use.



HOME & DIY
Perfect for repairs,
crafts and projects.



ELECTRICAL
Safe and effective
insulation and bonding.



QUALITY ADHESIVES FOR EVERY NEED. STRONG TODAY. STRONG TOMORROW.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
84



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES



PAINTS & SPRAY PAINTS

COLOUR YOUR WORLD • PROTECT • BEAUTIFY • LASTING QUALITY



PROTECTION



COLOUR



QUALITY



DURABILITY

PREMIUM PAINTS

PVA
Interior Walls



- Smooth matt finish
- Easy to apply
- Excellent coverage
- For interior use

ACRYLIC PVA
Interior & Exterior



- Durable & washable
- Good hide & coverage
- Weather resistant
- For interior & exterior

WALL & ALL
Exterior Walls



- Long lasting protection
- Excellent weather resistance
- Dirt resistant
- Attractive matt finish

ENAMEL
Doors, Trims & Metal



- High gloss finish
- Tough & durable
- Excellent flow & levelling
- For wood & metal

GLOSS ENAMEL
Premium Quality



- Superior high gloss
- Long lasting durability
- Excellent adhesion
- For interior & exterior

ROOF PAINT
For Roof Surfaces



- Heat reflective
- Waterproof protection
- Weather resistant
- For roofs & concrete

WOOD VARNISH
Interior & Exterior



- Beautiful wood finish
- Protects & enhances wood
- Water & stain resistant
- Clear glossy finish

AVAILABLE SIZES



1 Litre



5 Litre



20 Litre

SURFACE APPLICATION GUIDE



Interior Walls



Exterior Walls



Ceilings



Wood



Metal



Concrete



Roofs



Doors & Trims



Fences & Gates

FEATURES



Excellent Coverage



Easy to Apply



Long Lasting



Weather Resistant



Washable



Low Odour

SPRAY PAINTS

GENERAL PURPOSE
ALL PURPOSE SPRAY PAINT



SPECIALITY SPRAY PAINTS

GLOSS FINISH MATT FINISH METALLIC FINISH HEAT RESISTANT PRIMER GALVANISING



FLUORESCENT SPRAY PAINTS



IDEAL FOR

- Metal Surfaces
- Plastic Surfaces
- Automotive
- DIY Projects
- Home & Garden

FAST DRYING

HIGH COVERAGE

INDOOR & OUTDOOR

EXCELLENT ADHESION

RUST PROTECTION

QUICK DRYING

BRIGHT COLOURS

HIGH VISIBILITY

AVAILABLE IN A WIDE RANGE OF COLOURS



HIGH QUALITY FORMULA EXCELLENT FINISH VALUE FOR MONEY



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
85



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

PAINT ACCESSORIES

✓ QUALITY | ✓ DURABLE | 👍 EASY TO USE | 💧 PROFESSIONAL FINISH

PAINT BRUSHES



- Premium bristles
- Smooth finish
- Wooden / Plastic handle
- Various sizes: 1", 1 1/2", 2", 2 1/2", 3", 4"

PAINT ROLLERS



- Even & consistent coverage
- For emulsion & other paints
- Various sizes: 100mm, 150mm, 230mm, 250mm

ROLLER REFILLS



- High quality fabric
- High paint pick-up
- Lint free
- Various sizes available

TRAY SETS



- Durable plastic
- Easy to clean
- 230mm & 100mm sets
- Deep well holds more paint

EXTENSION POLES



- Aluminium
- Adjustable length
- Fits most roller frames
- Sizes: 1.2m, 2.0m, 3.0m

PAINT PADS



- Ideal for smooth surfaces
- For emulsion & gloss paints
- Reusable
- Different sizes

MASKING TAPES



- Clean sharp paint lines
- Easy removal
- No residue
- Various widths: 18mm, 24mm, 36mm, 48mm, 72mm

DUST SHEETS



- Protects floors & furniture
- Lightweight & durable
- Plastic / Canvas
- Various sizes available

SANDING PAPER



- Smooth surface preparation
- Aluminium Oxide
- Various grits: 40, 60, 80, 120, 180, 240, 320, 400

FILLING KNIVES / SCRAPERS



- Stainless steel blade
- For filling, scraping & smoothing
- Various sizes: 25mm, 50mm, 75mm, 100mm, 150mm

PAINT STIRRERS



- Mix paints & coatings evenly
- Wood / Metal
- Various sizes

PAINT KETTLES



- Durable plastic
- Easy to carry & pour
- Various sizes: 1 Litre, 2 Litre, 3.5 Litre, 5 Litre

MISCELLANEOUS ACCESSORIES

PAINT GRID



- Removes excess paint
- Fits most trays

CORNER ROLLER



- For corners & hard to reach areas

MINI ROLLER



- Ideal for small areas & touch-ups

PAINT EDGER



- Perfect edges around trims

PUTTY FILLER



- For cracks & holes
- Ready to use

DROP CLOTH



- Heavy duty
- Protects from spills

SAFETY EQUIPMENT

GLOVES



- Protects hands
- Comfortable fit

SAFETY GOGGLES



- Protects eyes
- Clear vision

DUST MASK



- Protects from dust & fumes

OVERALLS



- Keeps clothes clean

CLEANING ITEMS

PAINT BRUSH CLEANER



- Cleans brushes & rollers

CLOTHS



- Reusable
- Multi-purpose



HIGH QUALITY MATERIALS



BETTER COVERAGE & FINISH



LONG LASTING & DURABLE



EASY TO USE FOR EVERYONE



VALUE FOR MONEY



CENTRAL SUPPLIER DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO:
4150319921

CO REG NO:
2024/208358/07

PAGE 86



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

FASTENERS

STRONG. RELIABLE. BUILT TO LAST.

High quality fasteners for every application.



PREMIUM QUALITY

Manufactured to meet strict industry standards.



SUPERIOR STRENGTH

Durable and dependable performance you can trust.



WIDE RANGE

Extensive selection for industrial, commercial and residential use.



CORROSION RESISTANT

Coated and built to withstand harsh environments.



INDUSTRIAL

Built for heavy duty applications.



COMMERCIAL

Reliable solutions for every project.



RESIDENTIAL

Quality fasteners for everyday needs.



FAST DELIVERY

Quick and dependable service.

THE RIGHT FASTENER. THE RIGHT SOLUTION.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208558/07

**PAGE
87**



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

SAFETY ITEMS

Personal Protection Equipment (PPE)

SAFETY HELMET



Protects head from impact and falling objects.

SAFETY GOGGLES



Protects eyes from dust, splashes and chemicals.

SAFETY GLASSES



Protects eyes from flying particles and debris.

FACE SHIELD



Protects face from splashes, sparks and debris.

EAR PLUGS



Reduces exposure to harmful noise levels.

EAR MUFFS



Protects ears in high noise environments.

DUST MASK



Filters dust and non-toxic particles from the air.

RESPIRATOR MASK



Protects from hazardous fumes, gases and vapors.

HI-VIS VEST



Improves visibility in low light and high traffic areas.

SAFETY GLOVES



Protects hands from cuts, abrasions and chemicals.

SAFETY SHOES



Protects feet from impact, punctures and slips.

SAFETY BOOTS



Protects feet and legs from hazards and chemicals.

FIRE EXTINGUISHER



Used to put out fires in emergencies.

FIRST AID KIT



Used to administer initial treatment for injuries.

SAFETY HARNESS



Protects against falls when working at heights.

SAFETY LINE



Used with harness to prevent falls.

FALL ARRESTER



Stops falls and reduces impact during a fall.

WET FLOOR SIGN



Alerts people to slippery or wet areas.



SAFETY
FIRST



Use the right
PPE for the job.



Inspect before use
and ensure good
condition.



Follow safety rules
and training.



Report hazards
and unsafe
conditions.



Stay safe.
Work safe.
Go home safe.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
88



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

POWER TOOLS



DRILL



CORDLESS DRILL



ROTARY HAMMER



ANGLE GRINDER



CIRCULAR SAW



JIGSAW



RECIPROCATING SAW



MITER SAW



ORBITAL SANDER



BELT SANDER



ROUTER



HEAT GUN



DEMOLITION HAMMER



IMPACT DRIVER



PLANER



BLOWER



POLISHER



NAIL GUN



CUT-OFF SAW



AIR COMPRESSOR



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
89



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TYPES OF HAND TOOLS

MEASURING TOOLS



Tape Measure Steel Rule Vernier Caliper

MARKING TOOLS



Try Square Scriber Center Punch Marker

STRIKING TOOLS



Ball Peen Hammer Claw Hammer Rubber Mallet

SCREWDRIVERS



Slotted Phillips Pozidriv Torx Hex

PLIERS



Combination Long Nose Pliers Diagonal Cutting Pliers Slip Joint Pliers Locking Pliers

WRENCHES



Open End Wrench Ring Spanner Combination Adjustable Wrench

SOCKET WRENCHES



Ratchet Handle Socket Extension Bar Universal Joint

CUTTING TOOLS



Hack Saw Utility Knife Tin Snips

FASTENING TOOLS



Allen Key Set Spanner Socket Set

GRIPPING TOOLS



G-Clamp Bench Vice Locking C-Clamp

MISCELLANEOUS TOOLS



Hand File Chisel Punch Set Wire Brush

ELECTRICAL TOOLS



Insulated Pliers Voltage Tester Wire Stripper

CUTTING PLIERS



Bolt Cutter Cable Cutter End Cutting Plier

TORQUE TOOLS



Torque Wrench Torque Screwdriver

TAPPING & THREADING TOOLS



Tap Die Tap Wrench Die Stock

GARDENING TOOLS



Pruning Shears Trowel Weeding Fork



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
90



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CABLE TIES

Cable ties (also known as zip ties) are used to bundle and secure cables and wires.

1. Standard Cable Tie 2. Heavy Duty Cable Tie 3. Releasable Cable Tie 4. Mounting Hole Cable Tie 5. Push Mount Cable Tie 6. Marker Cable Tie



General purpose tie
for indoor use.



Stronger and wider for
heavy applications.



Can be opened and
reused.



Has a hole for screw
mounting.



Push mount design for quick
installation in panels.



Write or label for
identification.

7. Cable Ties by Color



Black



White



Red



Blue



Yellow



Green



Natural (Nylon)

8. Cable Ties by Size (Width)



2.5 mm 3.6 mm 4.8 mm 7.6 mm 9.0 mm 12.7 mm

9. Cable Tie in Use



10. Cable Tie Packaging



Key Features:

- Made from nylon (Polyamide 66)
- Resistant to UV, heat and corrosion
- Available in various sizes, colors and types for different applications
- High tensile strength
- Easy to install by hand or tool



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
91



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

CABLE TIES & ACCESSORIES



High Quality
Nylon Material



UV Resistant
(Outdoor Use)



High Temperature
Resistance



Strong & Durable
Locking



Flame Retardant
(UL 94 V-2)



Easy to Use &
Install

TYPES OF CABLE TIES

1. NYLON CABLE TIE (NATURAL)



- General purpose
- Indoor use
- Available in various sizes

2. NYLON CABLE TIE (BLACK)



- General purpose
- UV resistant (Black)
- Indoor & outdoor use

3. COLORED CABLE TIES



- Easy identification
- Color coding
- Indoor use

4. HEAVY DUTY CABLE TIES



- Extra strong & thick
- For heavy applications
- High tensile strength

5. RELEASABLE / REUSABLE CABLE TIES



- Releasable & reusable
- Adjustable
- Cost effective

6. STAINLESS STEEL CABLE TIES



- Excellent strength
- Corrosion & heat resistant
- For extreme environments

7. MOUNTABLE CABLE TIES



- With mounting hole
- Secure fixing with screw
- Panel or wall mounting

CABLE TIE ACCESSORIES

1. CABLE TIE MOUNTS (ADHESIVE)



- Self adhesive backing
- Quick & easy installation
- For flat surfaces

2. CABLE TIE MOUNTS (SCREW TYPE)



- Screw mounting
- Strong & secure fixing
- For high vibration areas

3. CABLE TIE MOUNT BASE



- For heavy duty support
- Used with standard ties
- Screw mount

4. EDGE CLIP / P-CLAMP



- Secure cables on edges
- Protects from abrasion
- For panels & frames

5. CABLE TIE HOLDER



- Organize & hold cable ties
- Keeps workplace tidy
- Wall or panel mount

6. CABLE TIE GUN / TENSION TOOL



- Tension & cut tie flush
- Adjustable tension
- Saves time & effort

7. CABLE TIE IDENTIFICATION TAG



- Write or print labels
- Identify cable bundles
- Easy marking

8. SPIRAL CABLE WRAP



- Bundle & protect wires
- Flexible & durable
- Neat cable management

MATERIAL & SPECIFICATIONS

Material	Nylon 6.6 / Stainless Steel
Operating Temp.	-40°C to 85°C (Nylon) -80°C to 538°C (SS)
Flammability	UL 94 V-2 (Nylon)
Color	Natural, Black, UV Black, Red, Blue, Yellow, Green, etc.
Size Range	2.5mm to 12.7mm Width 100mm to 1200mm Length
Tensile Strength	Up to 1140 N (Varies by size)

APPLICATIONS

Electrical & Wiring	Automotive	Industrial	Telecom	Construction
Panel Building	Home & Office	Solar Installations	HVAC	Cable Management

HOW TO USE

1	2	3
Insert the tail through the head.	Pull and tighten to desired tension.	Cut off excess tail using tool.

BENEFITS ✓ Strong & Reliable ✓ Cost Effective ✓ Corrosion Resistant ✓ UV Resistant (Black) ✓ Easy Installation ✓ Wide Range of Sizes & Types



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
92**



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

ABRASIVES

Essential Tools for Grinding, Cutting, Finishing & Polishing

BONDED ABRASIVES



Grinding Wheel



Cut-off Wheel



Flap Disc



Depressed Center Wheel



Cup Wheel



Diamond Blade



Sharpening Wheel

COATED ABRASIVES



Abrasive Paper
(Sheets)



Abrasive Paper
(Rolls)



Flap Wheel



Coated Disc

ABRASIVE BELTS



Sanding Belt



Narrow Belt

SUPER ABRASIVES



Diamond Grinding Wheel



CBN Wheel



Diamond Cutting Disc



CBN Inserts

ABRASIVE STONES & BLOCKS



Grinding Stone



Oil Stone



Abrasive Block

NON-WOVEN ABRASIVES



Scouring Pad



Non-Woven Roll



Non-Woven Flap Wheel



Unitized Wheel

POLISHING & FINISHING



Polishing Wheel



Felt Wheel



Polishing Compound



HIGH PERFORMANCE
Maximum efficiency
& durability



PRECISE FINISH
Smooth & consistent
results



WIDE RANGE
For every application
& industry



QUALITY ASSURED
Tested for safety
& reliability



BUILT TO LAST
Longer life & superior
performance



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
93



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

LADDERS

REACH HIGHER. WORK SAFER.

High quality ladders built for strength, stability and long lasting performance.



BUILT FOR SAFETY

Tested to meet and exceed industry safety standards.



STRONG & DURABLE

Heavy duty construction for maximum strength and reliability.



SLIP RESISTANT

Anti-slip steps and feet provide secure footing on every climb.



LIGHTWEIGHT DESIGN

Easy to carry, set up and reposition on the job.



VERSATILE USE

A wide range of styles for every professional and home application.



IDEAL FOR:



HOME

Maintenance, repairs and improvement projects.



CONSTRUCTION

Built for the demands of job sites and tough environments.



INDUSTRIAL

Reliable performance for industrial and facility maintenance.



ELECTRICAL

Safe and stable access for electrical and utility work.



MAINTENANCE

Perfect for daily maintenance and facility upkeep.



CLIMB WITH CONFIDENCE. QUALITY LADDERS FOR EVERY JOB.



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
94



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

MAINTENANCE CONSUMABLES

✓ QUALITY PRODUCTS ✓ RELIABLE PERFORMANCE ✓ EVERYDAY SOLUTIONS

LUBRICANTS & OILS	CLEANERS & DEGREASERS	ADHESIVES & SEALANTS	TAPES	SPRAYS	THREADLOCKERS & SEALANTS
 • Multi-Purpose Lubricants • Penetrating Oils • Gear Oils • Chain Lubricants • Compressor Oils	 • All Purpose Cleaners • Degreasers • Industrial Cleaners • Hand Cleaners • Brake & Parts Cleaners	 • Silicone Sealants • Acrylic Sealants • Epoxy Adhesives • Threadlockers • Instant Adhesives	 • Insulation Tape • Duct Tape • Masking Tape • Double Sided Tape • Anti-Slip Tape	 • Spray Paints • Zinc & Galvanising Sprays • Contact Cleaners • Silicone Sprays • Rust Protectors	 • Threadlockers • Pipe Thread Sealants • Gasket Sealants • Anaerobic Adhesives
WORKSHOP ESSENTIALS	FASTENERS & FIXINGS	ABRASIVES	ELECTRICAL CONSUMABLES	PLUMBING CONSUMABLES	RUST & CORROSION PROTECTION
 • Workshop Wipes • Cleaning Cloths • Cable Ties • Rags & Towels • Shop Accessories	 • Self Tapping Screws • Machine Screws & Nuts • Washers • Wall Plugs • Rivets	 • Cutting Discs • Grinding Discs • Flap Discs • Sanding Sheets • Wire Brushes	 • Electrical Tape • Cable Lugs • Heat Shrink • Crimp Terminals • Wire Connectors	 • PTFE Tape • Pipe Sealants • Compression Fittings • Washers • O-Rings	 • Rust Converters • Rust Preventatives • Anti-Corrosion Coatings • Underbody Coatings
PAINTING & DECORATING	GLOVES & PPE	CLEANING & HYGIENE	BATTERIES	GASKETS & SEALS	CABLES & WIRING ACCESSORIES
 • Paint Brushes • Roller Covers • Paint Trays • Drop Sheets • Painters Plastic	 • Work Gloves • Disposable Gloves • Safety Glasses • Dust Masks • Ear Plugs	 • Paper Towels • Hand Cleaners • Disinfectants • Soaps • Bin Liners	 • Alkaline Batteries • Zinc Carbon Batteries • Rechargeable Batteries • Button Cells	 • Rubber O-Rings • Fibre Washers • Gaskets • Sealing Rings • Assorted Kits	 • Electrical Wire • Cable Clips • Conduit • Junction Boxes • Cable Glands



**CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT**
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
95



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

HAND WASH & RELATED PRODUCTS



HAND WASH

Cleans hands effectively and keeps them fresh.



HAND WASH

Gently cleanses and moisturizes for soft and smooth hands.



ANTIBACTERIAL HAND WASH

Protects from germs and bacteria, ensures hygiene.



FOAM HAND WASH

Soft foam formula for a gentle and rich wash.



HERBAL HAND WASH

Enriched with herbal extracts, gentle and skin-friendly.



SOAP DISPENSER

Hygienic dispenser for liquid hand wash.



SS SOAP DISPENSER

Durable and rust-proof for long-lasting use.



HAND SANITIZER

Kills 99.9% germs without water. Instant protection.



HAND SANITIZER (POCKET)

Pocket size sanitizer for on-the-go protection.



HAND SANITIZER (REFILL)

Refill pack for dispensers, economical and effective.



HAND WIPES

Convenient wipes for clean and germ-free hands.



PAPER HAND TOWELS

Soft and absorbent towels for quick hand drying.



AUTOMATIC DISPENSER

Touch-free operation for better hygiene and convenience.



PAPER TOWEL DISPENSER

Wall-mounted dispenser for paper hand towels.



HAND WASH REFILL

Value refill pack for regular use and savings.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
96



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

POWERFUL CLEANING. PROFESSIONAL RESULTS.

DETERGENTS YOUR COMPANY CAN TRUST.

CLEANER SPACES. HEALTHIER WORKPLACES.

- ✓ HIGH PERFORMANCE FORMULAS
- ✓ EFFECTIVE & RELIABLE
- ✓ SAFE FOR EMPLOYEES
- ✓ BULK SIZES & VALUE PRICING
- ✓ SUPPORTING BUSINESSES EVERY DAY



SOLUTIONS FOR EVERY INDUSTRY
OFFICES • RESTAURANTS • SCHOOLS
HEALTHCARE • MANUFACTURING & MORE



CENTRAL SUPPLIER
DATABASE
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
97



TRINITY

ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:

067 175 7603



CELL:

073 757 3540



EMAIL:

info@trinityelectrical.co.za



ADDRESS:

9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

TOILET PAPER & RELATED ITEMS



TOILET PAPER ROLL

Standard soft toilet paper for daily use.



TOILET PAPER (JUMBO ROLL)

Large rolls ideal for high traffic washrooms.



TOILET PAPER (MULTI PACK)

Value pack of multiple rolls for home or commercial use.



TOILET PAPER HOLDER

Wall-mounted holder to hold toilet paper roll.



TOILET PAPER DISPENSER

Hygienic dispenser for commercial washrooms.



TOILET TISSUE (SHEET)

Interfold toilet tissue sheets for dispensers.



FACIAL TISSUE

Soft and absorbent tissues for personal care.



WET WIPES

Moist wipes for personal hygiene and refreshing.



PAPER TOWEL ROLL

Multi-purpose towel roll for cleaning and drying.



PAPER TOWEL DISPENSER

Dispenser for paper towel sheets or rolls.



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
98



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

MACHINE CLEANING DETERGENTS

CLEAN MACHINES. MAXIMIZE PERFORMANCE.

High performance cleaning solutions designed to remove dirt, grease, oil, coolant and tough residues with ease.



POWERFUL CLEANING

Formulated to break down and remove tough oils, grease, coolant and grime.



SAFE & EFFECTIVE

Effective on a wide range of metals and machine surfaces. Operator and machine friendly.



VERSATILE APPLICATION

Suitable for manual cleaning, soak tanks, ultrasonic cleaners and pressure washers.



PREVENTS BUILD UP

Regular use helps prevent residue build up and keeps machines running efficiently.



IMPROVES MACHINE LIFE

Clean machines perform better and last longer.



IDEAL FOR:



CNC MACHINES

Keep machines clean for precise performance.



MANUFACTURING

Remove oils, grease and industrial contaminants.



INDUSTRIAL PLANTS

Maintain equipment and improve operational life.



MAINTENANCE SHOPS

Perfect for cleaning parts, tools and work areas.



AUTOMOTIVE

Effective for engine parts and workshop cleaning.



MARINE & TRANSPORT

Removes salt, oil and tough marine residues.



**CENTRAL SUPPLIER
DATABASE**

FOR GOVERNMENT

SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

PAGE
99



TRINITY ELECTRICAL & LIGHTING

SUPPLIES (PTY) LTD



YOUR 1 STOP SUPPLY SHOP



TEL:
067 175 7603



CELL:
073 757 3540



EMAIL:
info@trinityelectrical.co.za



ADDRESS:
9 STATESMAN DRIVE,
HAVENSIDE, CHATSWORTH



ELECTRICAL, LIGHTING, HARDWARE & MAINTENANCE SUPPLIES

MACHINE CLEANING EQUIPMENT

Essential equipment for effective and efficient cleaning of industrial machinery

1. HIGH PRESSURE WASHER



- Removes grease, oil, dirt and stubborn grime
- Adjustable pressure for different surfaces
- Electric or fuel powered options

2. STEAM CLEANER



- Uses high-temperature steam to dissolve grease and sanitize
- Chemical-free cleaning
- Ideal for sensitive or food-grade equipment

3. INDUSTRIAL VACUUM CLEANER



- Removes liquid, sludge, and fine debris
- Suitable for wet and dry applications
- Keeps work area clean and safe

4. PARTS WASHER



- Cleans machine parts in a contained system
- Uses detergent or solvent solution
- Manual, semi-automatic, or automatic options

5. FOAM SPRAYER



- Applies cleaning foam for better cling and dwell time
- Ideal for vertical surfaces and heavy grease
- Adjustable foam and spray settings

6. CHEMICAL CLEANERS & DEGREASERS



- Formulated to break down oil, grease, and residues
- Alkaline, neutral, or solvent-based options
- Safe for specific materials and surfaces

7. BRUSHES & SCRUBBERS



- Manual cleaning of hard-to-reach areas
- Various bristle types and stiffness
- Long-handled options for safety and reach

8. MICROFIBER CLOTHS & WIPES



- Removes dust, oil, and fine residues
- Reusable and lint-free
- Safe for delicate surfaces and parts

9. AIR BLOW GUN



- Blows away dust, chips, and loose debris
- Reaches tight and inaccessible areas
- Connects to compressed air system

10. SAFETY & PROTECTIVE EQUIPMENT



- Protects personnel from chemicals, heat, noise, and slips
- Includes gloves, goggles, aprons, boots, and more
- Essential for safe cleaning operations



BEST PRACTICES



Lockout/Tagout
machines before
cleaning



Follow equipment
and chemical
manufacturer
instructions



Use the right
equipment and
chemical for
the job



Dispose of waste
and wastewater
responsibly



Inspect and maintain
cleaning equipment
regularly



**CENTRAL SUPPLIER
DATABASE**
FOR GOVERNMENT
SUPPLIER NO: MAAA1573781

VAT NO :
4150319921

CO REG NO :
2024/208358/07

**PAGE
100**