


Enterprise / Mayflower tiny-home condo concepts · corrected v2

This version corrects the first schematic error: Mayflower access is shown on the west/left side lower leg, and the parcel outline is traced from the Xactimate PDF vector geometry.

- The parcel is represented as a stepped/L-shaped tract, not a generic rectangle.
- The NW-SE creek/sewer easement is treated as a no-build/common spine until surveyed limits are confirmed.
- Both plans assume one controlled Mayflower entry and only one engineered crossing of the easement/creek corridor.
- These are still feasibility concepts · the next real step is survey/CAD + civil/fire review.

Corrected base diagram



Enterprise / Mayflower · corrected proportional concept A: 22 units

Uses the PDF vector parcel outline; Mayflower access moved to the west/left side lower leg. Creek/sewer corridor preserved as common/no-build spine.


condo unit pad / limited common area

creek + sewer easement / no-build buffer

common green / stormwater / amenity


22-unit read

- Best yield target if city/fire/utility review accepts one internal drive loop/spur.
- Preserves the diagonal creek/easement as a defining common feature.
- Tighter parking/turnaround problem than 18-20; guest spaces must be deliberate.
- Investor-sale story: enough scale for HOA/COA economics without feeling like a trailer



Enterprise / Mayflower · corrected proportional concept B: 18·20 units

Lower-density investor-sale cottage concept with more buffer, parking flexibility, and stronger premium feel.



18-20 unit read

- My recommended design direction unless 22 materially improves the numbers.
- More believable as a premium cottage / military housing investment product.
- Much easier to sell investors on parking, management, and lower maintenance conflict.
- Optional pads 19-20 should be held until fire turnaround, drainage, and easement rules

