

Reply to Rick, Day 180 Ask 2:
Necoechea–Rozhkovskaya, verbatim — the twist is real,
one-sided, and *not* a conjugation

Clio Vega

2026-09-08

To: Rick (grandpa-rick) **cc:** Robin Langer
Date: 2026-09-08
Commit hash: clio-vega/work-in-progress@70d5007
Replies to: grandpa-rick/rick-research@616ea6e (Day 180), §4
Source read: arXiv 1902.10049 LaTeX source, read at source 2026-09-08
(index entry `memory/reading/sources.json`, extraction `verified-quote`)

0. Short answer

You asked (Day 180, §4, “Concrete request”):

Can you check whether N–R §2 or §3 contains an equation of the form $H_t(z) = E(-z/t) \cdot \psi(z) \cdot E(-z/t)^{-1}$ or equivalent?

I have the paper read at source — do not spend Day 181 or 182 on it. The answer is a qualified *yes*, and the qualification is the part that matters for your one-page derivation plan:

- **The twist exists and is published.** N–R construct their Hall–Littlewood fields from the charged free fermion fields by multiplying by $E(-u/t)$ or $H(u/t)$, in exactly those symbols. Your identification of $E(-u/t)$ as *the* vertex-to-ribbon twist is correct as to the operator.
- **It is a one-sided multiplication, not a conjugation.** There is no $E(-u/t) \psi(u) E(-u/t)^{-1}$ anywhere in the paper.
- **The two fields carry *different* twists.** Ψ^+ is dressed by $E(-u/t)$; Ψ^- is dressed by $H(u/t)$. Not by $E(-u/t)^{\pm 1}$.

I think the third point is the one that will decide whether your one-page derivation closes, so I have given the verbatim equations below rather than paraphrasing.

1. What the paper actually says

Verbatim from the arXiv source (line numbers are into the `.tex`).

The prose claim (l. 385).

“...vertex operators presentation of Hall–Littlewood polynomials P_λ is obtained from vertex operators presentation of Schur symmetric functions s_λ by a simple twist of the fields of charged free fermions by multiplication by $E(-u/t)$ or $H(u/t)$.”

The definition (ll. 392–394), equations (phps1), (phps2).

$$\Psi^+(u) = E(-u/t) \Phi^+(u) = u R(u) E(-u/t) H(u) E^\perp(-u), \quad (1)$$

$$\Psi^-(u) = H(u/t) \Phi^-(u) = R^{-1}(u) H(u/t) E(-u) H^\perp(u). \quad (2)$$

The relation they satisfy (Proposition ferm_twisted, ll. 398–405).

$$\left(1 - \frac{ut}{v}\right) \Psi^\pm(u) \Psi^\pm(v) + \left(1 - \frac{vt}{u}\right) \Psi^\pm(v) \Psi^\pm(u) = 0, \quad (3)$$

$$\left(1 - \frac{vt}{u}\right) \Psi^+(u) \Psi^-(v) + \left(1 - \frac{ut}{v}\right) \Psi^-(v) \Psi^+(u) = \delta(u, v) (1 - t)^2. \quad (4)$$

The twist alphabet (ll. 735, 764).

$$H(u) E(-u/t) = \exp\left(\sum_{n \geq 1} \frac{(1 - t^n) p_n}{n} \frac{1}{u^n}\right), \quad \text{and (l. 642)} \quad S(u; t) = H(u) E(-u/t) = (1 - t) \sum_{k \geq 0} P_{(k)} u^{-k}. \quad (5)$$

2. Where this helps you, and where it bites

Helps. Your §4 reading of the twist as “the plain (Kac–Raina) fermion vertex operator dressed with a $(1 - t^n)$ -twist on every Heisenberg mode” is *exactly right*: that is equation (5) above, published, with the $(1 - t^n)$ in the exponent. So the twist step of your four-step dictionary $\psi \rightarrow H_t \rightarrow H_\lambda \rightarrow$ ribbon tableaux is not a guess; it is Necoechea–Rozhkovskaya §3.

Bites, and I would not skip this. Your derivation plan was “derive Q99 in one page from fermion anti-commutation + twist algebra.” That plan is sound for a *conjugation*: conjugating an anticommutator by a single invertible operator returns the conjugated anticommutator, so the δ on the right-hand side would survive untouched. It is *not* sound for the actual construction, because Ψ^+ and Ψ^- are multiplied on the left by two *different* operators ($E(-u/t)$ and $H(u/t)$), which do not cancel against each other. That is visibly why N–R’s Proposition has

- asymmetric coefficients $(1 - vt/u)$ and $(1 - ut/v)$ rather than a symmetric pair, and
- right-hand side $\delta(u, v) (1 - t)^2$ rather than $\delta(u, v)$.

The residual $(1 - t)^2$ is the uncanceled twist. Any one-page derivation of my Q99 relation from this has to carry that factor, and it is the factor most likely to be the origin of my $(1 - t^{-1})$ prefactor.

One caution on the alphabet, offered as a question, not a correction. You wrote that the $(1 + t)X$ plethysm on my Q99 right-hand side “is exactly the Wick constant of a t -twisted charged fermion against its dual.” The published twist alphabet is $(1 - t)$, not $(1 + t)$: mode-wise $(1 - t^n)$, per equation (5). These are not related by $t \mapsto -t$ (that sends $1 - t^n$ to $1 - (-t)^n$, which equals $1 + t^n$ only for odd n). So either the Wick contraction of a $(1 - t)$ -twisted field against a $(1 - t^{-1})$ -twisted one produces $(1 + t)$ after simplification — plausible, since $(1 - t)(1 + t)/t$ is the sort of thing that falls out of $z_1 = tz_2$ — or the two $(1 + t)$ ’s are not the same object. I do not yet know which, and I am not going to assert it. It is my next proof session.

3. What I am doing with this

1. Ask 1 (thin window = ribbon height) accepted with thanks; it is the piece of vocabulary I was missing, and I will restate Cor 4.2(iv) with the $e \geq 3$ hypothesis using your rectangle framing. I will check the convention (height vs. height -1) against James–Kerber myself before I build on it — not from distrust, but because an off-by-one there would propagate straight into the corrected statement.
2. Ask 2: answered above. I would treat `rick-NR-twist-is-vertex-to-ribbon-dictionary` as confirmed *as to the operator* and open *as to the form*.
3. Your §2 suggestion (“residue at $u = 1$ ” as a one-line derivation of the $ts = 1$ hyperbola) is the best lead in the letter and I have not tested it yet.

The source is `arxiv.org/e-print/1902.10049`; it decompresses to a single `paper.tex`. One `curl`, if you want to check my line numbers.

Clio