

ELECTCOACH

SNO.	1	2	3	4	5	6
ABN.TYPE	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH
SUBHEAD	TRAIN LIGHTING	OTHER	TRAIN LIGHTING	OTHER	OTHER	OTHER
REPORTSTTN	ADI	KGP	PRYJ	JSG	NGP	TATA
REPORTDIV	KGP	KGP	KGP	KGP	KGP	KGP
FROM	ADI	HWH	PRYJ	TIG	BSL	JSG
TO	BHUJ	KGP	DDU	JSG	NGP	TATA
CREW/CLUID	AD17421	KGP7524	PRYJ7793	JSG7062	NGP7168	TATA7046
CREW/CLNAME	SUMER CHAND MEENA	AJAY KUMAR	DINESH KUMAR II	DHARMENDRA GARDIA	MAYAKANT CHOUDHARY	J. P. SAH
DESIG	SGDP	GDM	SGD	GDM	GDM	GDM
ABNDATE	01-06-2026	02-06-2026	02-06-2026	04-06-2026	04-06-2026	05-06-2026
ABN.TIME	15:50	12:09	23:40	05:55	13:51	11:15
FROMKM		01				
TO KM		115				
STATUS	YS	YS	YS	YS	YS	YS
FILLED BY	APPUSER	APPUSER	APPUSER	APPUSER	APPUSER	APPUSER
LOCO	37291	30804	37492	37162	37472	37290
LOCO SHED	TATE	SRCE	BLEE	SRCE	AQE	TATE
TRAIN	22830	22887	22858	12872	12859	22862
SMSTO LP	02-06-26 21:53	02-06-26 21:53	05-06-26 13:25	05-06-26 13:26	05-06-26 13:26	07-06-26 21:15
Div	KGP	KGP	KGP	KGP	KGP	KGP
RemStts	Y	Y	Y	Y	Y	Y
Detail	DETAIL:Both Side LWLRRM SER 191425/LSLRD NR 216173, ETL BOX NOT PROVIDED , PLEASE ATTEND THIS ON ARRIVAL BASE DEPPPO	DETAIL:R/LWLRRM/SER/193712 AC is not working	DETAIL:Side lamp glass is not available . LWLRRM No. SR 195422	DETAIL:AC OF LWLRRM SE 241703 IS NOT WORKING,SUFFOCATION FEELING INSIDE,NO PC STAFFS ARE RESPONDING TILL NOW	DETAIL:In R/LRM no. SER 202303 AC not Working and body Flasher lamp also not working;. Maintenance is very poor. Now heat wave is going on. Very difficult to work.	DETAIL:A/C of R/Lwlrrm No.Ser 178859 Not Working
Closing Remarks	CLOSE_REM:AS PER C&W ELECT DEPT At present ETL box is not available at electrical store, once it available, it will be provided.	CLOSE_REM:AS PER C&W ELECT DEPT We have informed to SSEE/ SRC to attend this issue during primary maintenance on arrival on 05.06.2026	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE/SRC On Arrival 07/06/2026	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE/SRC On Arrival Today.	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE/SRC On Arrival Today.	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE /SRC To Attend This Issue During Primary Maintenance On Arrival Today
App Remarks	APP_REM:@CNWELECT/02-06-2026 19:24-At present ETL box is not available at electrical store, once it available, it will be provided.	APP_REM:@CWCKGP/02-06-2026 13:13-AC under ELECTRICAL Gen. Department. Kindly Inform them. @CNWELECT/02-06-2026 19:26-We have informed to SSEE/ SRC to attend this issue during primary maintenance on arrival on 05.06.2026.@CNWELECT/02-06-2026 19:26-We have informed to SSEE/ SRC to attend this issue during primary maintenance on arrival on 05.06.2026.	APP_REM:@CNWELECT/05-06-2026 12:36-We Have Informed To SSEE/SRC On Arrival 07/06/2026	APP_REM:@CNWELECT/05-06-2026 12:37-We Have Informed To SSEE/SRC On Arrival Today.	APP_REM:@CNWELECT/05-06-2026 12:38-We Have Informed To SSEE/SRC On Arrival Today.	APP_REM:@CNWELECT/07-06-2026 20:55-We Have Informed To SSEE/SRC To Attend This Issue During Primary Maintenance On Arrival Today
App Remarks Date	02-06-2026 19:24	02-06-2026 19:26	02-06-2026 12:36	05-06-2026 12:37	05-06-2026 12:38	07-06-2026 20:55
Reporting Date	01-06-2026 17:05	02-06-2026 12:11	02-06-2026 23:41	04-06-2026 08:30	04-06-2026 13:51	05-06-2026 12:24

12	11	10	9	8	7	SNO.
ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ABN.TYPE
TRAINLIGHTING	OTHER	OTHER	OTHER	ACP	GENERAL POWER	SUBHEAD
TATA	RJY	TPTY	VSKP	VSKP	TATA	REPORTSTTN
KGP	KGP	KGP	KGP	KGP	KGP	REPORTDIV
TATA	VSKP	SMVB	KUR	VZM	JSG	FROM
BBN	BZA	TPTY	VSKP	VZM	TATA	TO
TATA7059	RJY7571	TPTY7038	VSKP7161	VSKP7169	TATA7046	CREW/CLIID
RAJESH KUMAR	PRASHANT KUMAR JHA	S.VIDYASAGAR	CHEPURI RAMAMOHANA RAO	GIDJALA GANESH KUMAR	J. P. SAH	CREW/CLINAME
GDM	GDM	GDM	GDM	GDM	GDM	DESIG
07-06-2026	07-06-2026	07-06-2026	06-06-2026	05-06-2026	05-06-2026	ABNDATE
17:17	11:28	10:20	07:05	16:54	11:31	ABN.TIME
				818/22		FROMKM
				818/20		TO KM
YS	YS	YS	YS	YS	YS	STATUS
APPUSER	APPUSER	APPUSER	APPUSER	APPUSER	APPUSER	FILLED BY
22398	30681	39385	30760	30804	37290	LOCO
SRCE	BZAE	BZAE	SRCE	SRCE	TATE	LOCO SHED
12021/12023	18045	12864	12863	22850	E/22862	TRAIN
08-06-26 12:51	08-06-26 22:36	08-06-26 18:37	08-06-26 18:37	08-06-26 12:50	07-06-26 21:15	SMSTO LP
KGP	KGP	KGP	KGP	KGP	KGP	Div
Y	Y	Y	Y	N	Y	RemStts
DETAIL:Body Lamp not Flashing of LRRM no SCR 227116 and LSLRD no SE245949 of Tr No 12021/12022	DETAIL:AC is Not Working Properly. WLRRM No. SER 178856	DETAIL:LWLRRM No. 194720, Body Tail Lamp Red Lens dislodged	DETAIL:That sounds rough — working in a closed LWLRRM lobby with no AC gets unbearable fast. LWLRRM = Train Manager Room coach. Because it's a closed circuit room no AC means heat builds up quickly and it's a safety issue too.	DETAIL:Ac Not Working In Coach No NFR224553	DETAIL:A/C Of R/Lwlrrm SE278859 Not Working	Detail
CLOSE_REM:AS PER C&W ELECT DEPT We Informed To SSEE/SRC To Attend This Issue During Primary Maintenance On Arrival 09/06/26	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSE/SRC To Attend The Issue During Primary Maintenance On Arrival 10.06.2026	CLOSE_REM:AS PER C&W ELECT DEPT We have inform to SSEE/SRC to attend & rectify this issue during Primary Maintenance at SRC on arrival today.	CLOSE_REM:AS PER C&W ELECT DEPT We have inform to SSEE/SRC to attend & rectify this issue during Primary Maintenance at SRC on arrival on 10.6.26.	CLOSE_REM:AS PER C&W ELECT DEPT Coach no NFR 224553 LWACCW marked electrical sick on arrival 06/06/26 at SHM	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE /SRC To Attend This Issue During Primary Maintenance On Arrival Today	Closing Remarks
APP_REM:@CNWELECT/08-06-2026 11:48-We Informed To SSEE/SRC To Attend This Issue During Primary Maintenance On Arrival 09/06/26	APP_REM:@CNWELECT/08-06-2026 21:11-We Have Informed To SSE/SRC to Attend The Issue During Primary Maintenance On Arrival 10.06.2026	APP_REM:@GTLCWD/07-06-2026 14:24-Pertains To primary Maintenance depot SRC/KGP/SER ,forward to ELE KGP Division.@CWCKGP/07-06-2026 22:01-Tail lamp is not C&W concern, please forward to concern department.@CNWELECT/08-06-2026 14:46-We have inform to SSEE/SRC to attend & rectify this issue during Primary Maintenance at SRC on arrival today.	APP_REM:@VSKPABRELC/07-06-2026 19:30-Please Forward To Concern Primary Depot. Depot Is SRC@CNWELECT/08-06-2026 14:48-We have inform to SSEE/SRC to attend & rectify this issue during Primary Maintenance at SRC on arrival on 10.6.26.	APP_REM:@VSKPABRELC/07-06-2026 19:28-Sir Please Forward To Concern Primary Depot.	APP_REM:@CNWELECT/07-06-2026 20:56-We Have Informed To SSEE /SRC To Attend This Issue During Primary Maintenance On Arrival Today	App Remarks
08-06-2026 17:22	08-06-2026 21:11	08-06-2026 14:46	08-06-2026 14:48	07-06-2026 19:28	07-06-2026 20:56	App Remarks Date
07-06-2026	07-06-2026 11:29	07-06-2026 12:35	06-06-2026 12:11	05-06-2026 21:42	05-06-2026 15:35	Reporting Date

SNO.	13	14	15	16	17
ABN.TYPE	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH
SUBHEAD	OTHER	TRAIN LIGHTING	TRAIN LIGHTING	OTHER	OTHER
REPORT/TTN	BSL	PRYJ	PRYJ	CSMT	NGP
REPORTDIV	KGP	KGP	KGP	KGP	KGP
FROM	IGP	KYT	CNB	CSMT	BSL
TO	BSL	CAR	PRYJ	IGP	NGP
CREW/CLUID	BSL7258	PRYJ7824	PRYJ7824	CSMT7765	NGP7057
CREW/CLINAME	AJAY KUMAR RAY	SHER BAHADUR VERMA	SHER BAHADUR VERMA	NEMCHAND MEENA	SUNIL KUMAR
DESIG	GDM	SGD	SGD	GDM	GDM
ABNDATE	08-06-2026	09-06-2026	10-06-2026	12-06-2026	12-06-2026
ABN.TIME	12:21	06:46	01:40	06:48	13:49
FROMKM	136/10	695/09		01	
TO KM	440/10	695/09		136	
STATUS	YS	YS	YS	YS	YS
FILLED BY	APPUSER	APPUSER	APPUSER	APPUSER	APPUSER
LOCO	37105	30516	30516	37533	37533
LOCO SHED	CNBE	TKDE	TKDE	GMOE	GMOE
TRAIN	12859	22857	22858	12859 Dn	12859
SMSTO LP	12-06-26 23:26	11-06-26 22:40	11-06-26 22:40	14-06-26 21:35	14-06-26 21:36
Div	KGP	KGP	KGP	KGP	KGP
RemStts	Y	Y	Y	N	N
Detail	DETAIL:Air conditioning system of rear LWLRRM no SER/202303 of train no 12859 is not functioning,so that staff as well as working train manager facing acute hotness please take appropriate action.	DETAIL:ETL box Not Available In Working Train Manager,s Cabin. LSLRD NO.SWR 202205 BPC no. 221914/SRC/SER dated- 08.06.2026	DETAIL:ETL box Not Available In Working Train Manager,s Cabin.LWLRRM NO. SR 195422 BPC NO. 221915/SRC/SER dated- 08.06.2026	DETAIL:LWLRRM SER 202303 of 12859 Dn / 12.6.2026 "As usual", the Substandard Maintenance of the SRC based coach. 1. Body TL Not Blinking. 2. Switch of Body TL is Combined with the Lights of Luggage Room. 3. Airconditioning is inaffective 4. Washroom Flush is Not Working properly. Flush Handle and Jet Spray is Not Available. 5. Ceiling Panel inside Power Car is Leaking when Rain. Primary Maintenance SRC / SER	DETAIL:Cooling System Not Working In Lwrrm No SER202303 Of Tn No 12859,please Fix This Problem .
Closing Remarks	CLOSE_REM:as per c&w Elect dept The issue was reported by the BSL crew to the BSL Division on 08-06-2026. However, BSL referred it to the HWH division, and the HWH Division referred it to us four days later (12-06-2026). Therefore, the issue remained pending with the other division for more than 72 hours. We have informed the SSE/PowerCar/SRC to address this issue during on-arrival maintenance today, 12/06/2026.	CLOSE_REM:AS PER C&W ELECT DEPT At Present ET L Box Is Not Available At Electrical Store, Once It Will Available,Will Be Provided.	CLOSE_REM:AS PER C&W ELECT DEPT At Present ET L Box Is Not Available At Electrical Store, Once It Will Available,Will Be Provided.	CLOSE_REM:AS PER C&W DEPT Regarding defective fittings in the washroom, message has been given to SRC Depot to attend same during Primary maintenance on 14/06/26. & C&W ELECT DEPT We informed to SSEE /SRC to attend this issue during primary maintenance on arrival 14/06/2026	CLOSE_REM:AS PER C&W ELECT DEPT We informed to SSEE /SRC to attend this issue during primary maintenance on arrival 14/06/2026
App Remarks	APP_REM:@CNWELECT/12-06-2026 16:18-We Have Informed To SSE/Powercar /Src To Attend This Issue During Maintenance On Arrival Today 12/06	APP_REM:@ELECG/09-06-2026 13:17-Sir, Train Related To SER KGP Division.@CNWELECT/11-06-2026 11:46- At Present ETL Box Not Available At Electrical Store. Once It Is Available, It Will Be Provided.	APP_REM:@ELECG/10-06-2026 14:38-Sir, Train Related To SER KGP Division.@CNWELECT/11-06-2026 16:50- At Present ET L Box Is Not Available At Electrical Store, Once It Will Available,Will Be Provided.	APP_REM:@CWBB/12-06-2026 11:08- Please Forward To KGP SER@CWCKGP/12-06-2026 19:54-Most of the issues in the complaint pertains to Electrical department (except point no. 4). Regarding defective fittings in the washroom, message has been given to SRC Depot to attend same during Primary maintenance on 14/06/26. For rest of the issues forward complaint to Electrical (G) Control/KGP.	
App Remarks Date	12-06-2026 16:18	11-06-2026 11:46	11-06-2026 16:50	12-06-2026 19:54	
Reporting Date	08-06-2026 12:25	09-06-2026 06:56	10-06-2026 01:42	12-06-2026 06:50	12-06-2026 13:52

SNO.	18	19	20	21	22
ABN.TYPE	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH	ELECTCOACH
SUBHEAD	OTHER	OTHER	TRAIN LIGHTING	OTHER	OTHER
REPORTSTTN	JSG	BSP	NGP	TATA	KGP
REPORTDIV	KGP	KGP	KGP	KGP	KGP
FROM	TIG	NGP	NGP	TATA	KUR
TO	JSG	BSP	BSL	HWH	KGP
CREW/CLIID	JSG7062	BSP7425	NGP7317	TATA7046	KGP7443
CREW/CLNAME	DHARMENDRA GARDIA	SUJIT MANDAL	RABESH KUMAR MISHRA	J. P. SAH	SURJA KANTA DAS
DESIG	GDM	GDM	GDM	GDM	GDM
ABNDATE	12-06-2026	12-06-2026	12-06-2026	13-06-2026	14-06-2026
ABN.TIME	15:00	20:19	23:23	11:01	09:01
FROMKM					1111
TO KM					1452
STATUS	YS	YS	YS	YS	YS
FILLED BY	APPUSER	APPUSER	APPUSER	APPUSER	APPUSER
LOCO	30776	37533	39481	12859	30687
LOCO SHED	TATE	GMOE	HWHE	GODD	TATE
TRAIN	18006	12859	12262	37533	18046
SMSTO LP	14-06-26 21:32	14-06-26 21:30	14-06-26 21:30	15-06-26 19:15	16-06-26 22:06
Div	KGP	KGP	KGP	KGP	KGP
RemStts	N	N	N	N	Y
Detail	DETAIL:AC OF LWLRRM SE 168860 IS NOT WORKING AT ALL, FEELING SUFFOCATED INSIDE AND UNABLE TO WORK PROPERLY AND SAFELY, RECTIFY IMMEDIATELY	DETAIL:AC Is Not Working In LRRM SER 202303.As It Is Air Tight Compartment Feeling Like trapped and difficult to Breath. Plz Rectify It.	DETAIL:SR 261159 LWLRRM ONLY ONE TUBELIGHT WORKING . Writing Table Side Tube Light Not Working. Difficult to Write in dim Light.	DETAIL:A/C Of LWLRRM S.E.202303 Not Working Train No.12859	DETAIL:DG staff Jitendra Kumar of train no-18046 arrived at door when the train was starting at SORO station and tried to enter in to train on run not introducing him self.also he was not in uniform ,on being asked he said do whatever you can. we do like this. This is for your information and necessary action please.
Closing Remarks	CLOSE_REM:AS PER C&W ELECT DEPT We informed to SSEE /SRC to attend this issue during primary maintenance on arrival 15/06/2026.	CLOSE_REM:AS PER C&W ELECT DEPT We informed to SSEE /SRC to attend this issue during primary maintenance on arrival 14/06/2026	CLOSE_REM:AS PER C&W ELECT DEPT We have informed to SSEE/SRC to attend this issue during primary maintenance on arrival 15/06/2026	CLOSE_REM:AS PER C&W ELECT DEPT Informed to SSEE/SRC to attend this issue during Primary maintenance on arrival 17/06/26	CLOSE_REM:AS PER C&W ELECT DEPT For your kind information, both of us are Railway employees, and our common goal is to provide better service to passengers. We can achieve this only by working together. If obstacles are created , passenger services may be adversely affected and the image of the Railways may suffer. (As informed by Jitender, he was in proper uniform.) Therefore, you are requested not to create any hindrance for the Electrical staff while they are performing their official duties.
App Remarks		APP_REM:@SVSATYA/13-06-2026 13:40-Primary Maintenance Depot SRC, Forward To KGP Divn SER@CWCKGP/13-06-2026 14:07-Matter pertains to Electrical (G). Please forward accordingly.			APP_REM:@CNWELECT/16-06-2026 16:19-For your kind information, both of us are Railway employees, and our common goal is to provide better service to passengers. We can achieve this only by working together. If obstacles are created , passenger services may be adversely affected and the image of the Railways may suffer. (As informed by Jitender, he was in proper uniform.) Therefore, you are requested not to create any hindrance for the Electrical staff while they are performing their official duties.
App Remarks Date	12-06-2026 16:15	13-06-2026 20:23	12-06-2026 23:29	13-06-2026 11:06	16-06-2026 16:19
Reporting Date		12-06-2026 14:07			14-06-2026 16:11

27	ELECTCOACH GENERAL POWER	26	25	24	23	SNO.
	TATA	CSMT	BSL	ST	ELECTCOACH OTHER	ABN.TYPE SUBHEAD
	KGP	KGP	KGP	KGP	KGP	REPORTSTTN
	BBN	IGP	IGP	BSL	KGP	REPORTDIV
	TATA	CSMT	BSL	ST	KGP	FROM
	TATA7321	CSMT8325	BSL7329	ST7176	KGP7443	TO
	ARUN KUMAR	V N GHANVAT	C. N. DICKSON	DHARMENDRA KUMAR YADAV	SURJA KANTA DAS	CREW/CLIID
	GDM	GDM	GDM	GDM	GDM	CREW/CLINAME
	19-06-2026	18-06-2026	16-06-2026	16-06-2026	14-06-2026	DESIG
	14:57	11:15	09:00	04:30	09:01	ABNDATE
		137	136		1111	ABN.TIME
		00	444		1452	FROMKM
	YS	YS	YS	YS	YS	TO KM
	APPUSER	APPUSER	APPUSER	APPUSER	SUPConsole	STATUS
	22502	37263	39326	37235	30687	FILLED BY
	SRCE	TATE	AQE	TATE	TATE	LOCO
	12022 EXP.	12262	12859	12834	18046	LOCO SHED
	20-06-26 19:15	20-06-26 19:15	16-06-26 22:06	16-06-26 22:06	16-06-26 22:06	TRAIN
	KGP	KGP	KGP	KGP	KGP	SMSTO LP
	Y	Y	Y	Y	Y	Div
						RemStts
	DETAIL:The AC of LWRRM SE 196599 of train number 12021/12022 exp. totally not working, creating suffocation as well as continuous sweating, hard to work which may hamper proper safety work, already reported by several concern staff on previous days	DETAIL:SR 261159 LWLRRM AC Not Working Properly And Blower Wkg Second Cab Light Blinking, Vestibule Doors Not Closing Purpose Primary Maintenance SRC	DETAIL:The AC and Flashing Tail Lamp are not Working.	DETAIL:When I have Taken Charge at BSL ETL Box Not Available In R/LSLRD No SER 245569	DETAIL:DG STAFF JITENDRA KUMAR OF TRAIN NO 18046 ARRIVED AT DOOR WHEN THE TRAIN WAS STARTING AT SFO AND TRIED TO ENTER IN TO TRAIN ON RUN NOT INTRODUCING HIMSELF .ALSO HE WAS NOT IN UNIFORM ,ON BEING ASKED HE SAID DO WHATEVER YOU CAN.WE DO LIKE THIS.	
	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE/SRC To Attend This Issue During Maintenance At Depot On Arrival Today.	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE/SRC To Attend The AC And Light Issue During Maintenance At Depot On 21 .06.2026.	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To SSEE/SRC To Attend This Issue During Primary Maintenance On Arrival 17.06.26	CLOSE_REM:AS PER C&W ELECT DEPT Presently ETL Box Is Not Available At Electrical Store ,Once It Will Available,It Willbe Provided.	CLOSE_REM:AS PER C&W ELECT DEPT For your kind information, both of us are Railway employees, and our common goal is to provide better service to passengers. We can achieve this only by working together. If obstacles are created , passenger services may be adversely affected and the image of the Railways may suffer. (As informed by Jitender, he was in proper uniform.) Therefore, you are requested not to create any hindrance for the Electrical staff while they are performing their official duties.	
	APP_REM:@CNWELECT/20-06-2026 16:57-We Have Informed To SSEE/SRC To Attend This Issue During Maintenance At Depot On Arrival Today.	APP_REM:@ETLBBCR/18-06-2026 11:30-Train Pertains To SER SRC@CNWELECT/20-06-2026 16:56-We Have Informed To SSEE/SRC To Attend The AC And Light Issue During Maintenance At Depot On 21 .06.2026.	APP_REM:@CNWELECT/16-06-2026 15:55-We Have Informed To SSEE/SRC to Attend This Issue During Primary Maintenance On Arrival 17.06.26	APP_REM:@CNWELECT/16-06-2026 15:53-Presently ETL Box Is Not Available At Electrical Store ,Once It Will Available,It Willbe Provided.	APP_REM:@CNWELECT/16-06-2026 16:20-For your kind information, both of us are Railway employees, and our common goal is to provide better service to passengers. We can achieve this only by working together. If obstacles are created , passenger services may be adversely affected and the image of the Railways may suffer. (As informed by Jitender, he was in proper uniform.) Therefore, you are requested not to create any hindrance for the Electrical staff while they are performing their official duties.	
	20-06-2026 16:57	20-06-2026 16:56	16-06-2026 15:55	16-06-2026 15:53	16-06-2026 16:20	App Remarks Date
	19-06-2026 14:59	18-06-2026 11:19	16-06-2026 09:15	16-06-2026 06:10	14-06-2026 17:55	Reporting Date

30	ELECTCOACH	29	28	SNO.
OTHER	ELECTCOACH	OTHER	ELECTCOACH	ABN.TYPE
BSP	BSL	BSL	IGP	SUBHEAD
KGP	KGP	KGP	KGP	REPORTSTTN
BSP	IGP	IGP	IGP	REPORTDIV
CKP	BSL	BSL	BSL	FROM
BSP7425	BSL7329	BSL7329	IGP7029	TO
SUJIT MANDAL	C. N. DICKSON	C. N. DICKSON	SD SALUNKE	CREW/CLIID
GDM	GDM	GDM	GDM	CREW/CLNAME
24-06-2026	21-06-2026	21-06-2026	21-06-2026	DESIG
23:49	20:00	20:00	01:20	ABNDATE
	136	136	136	ABN.TIME
	444	444	445	FROMKM
YS	YS	YS	YS	TO KM
APPUSER	APPUSER	APPUSER	APPUSER	STATUS
37124	37060	37060	37647	FILLED BY
GZBE	TATE	TATE	BZAE	LOCO
18029	12261	12261	18029	LOCO SHED
25-06-26 13:50	23-06-26 23:21	23-06-26 23:21	23-06-26 23:21	TRAIN
KGP	KGP	KGP	KGP	SMSTO LP
Y	Y	Y	Y	Div
DETAIL:LWWRM No SER 202303,AC Is Not Working as it is Air Tight Compartment Filling exhausted And Fill Like Difficult To Breath.	DETAIL:AC IS NOT WORKING IN SER 226935 LWLRRM. ACTUALLY IN ALL TRAINS FROM HOWRAH.	DETAIL:Three Persons Sleeping In The Power Car No. SER 242439 बहुत थंडा कर रहा है कम करने के लिये बोलने पर भी कम नहीं कर रहे है। थंडा के कारण मेरा सर दर्द हो रहा है। और सर्दी जुकाम हो रहा है।		RemStts
CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed SSEE/SRC To Attend This Issue During Maintenance At Depot On Arrival 27.06.26	CLOSE_REM:AS PER C&W ELECT We Have Informed To SSEE/SRC To Attend This Issue During Primary Maintenance At Depot On Arrival.	CLOSE_REM:AS PER C&W ELECT DEPT We Have Informed To Power Car Staff To Attend.		Closing Remarks
APP_REM:@CNWELECT/25-06-2026 13:09-We Have Informed SSEE/SRC To Attend This Issue During Maintenance At Depot On Arrival 27.06.26	APP_REM:@CNWELECT/23-06-2026 19:08-We Have Informed To SSEE/SRC To Attend This Issue During Primary Maintenance At Depot On Arrival. Arrival.@CNWELECT/23-06-2026 19:08-We Have Informed To SSEE/SRC To Attend This Issue During Primary Maintenance At Depot On Arrival. Arrival.@CNWELECT/23-06-2026 19:08-We Have Informed To SSEE/SRC To Attend This Issue During Primary Maintenance At Depot On Arrival.	APP_REM:@CNWELECT/23-06-2026 19:05-We Have Informed To Power Car Staff To Attend.		App Remarks
25-06-2026 13:09	23-06-2026 19:08	23-06-2026 19:05		App Remarks Date
24-06-2026 23:59	21-06-2026 20:43	21-06-2026 02:04		Reporting Date