

DLF Aquifer: The Final Story

Katherine Kott, Susan Harum, Kat Hagedorn, Tom Habing DLF Spring Forum, Raleigh, NC May 5, 2009

Aquifer accomplishments

- Research and best practices
 - Metadata guidelines
 - Tools inventory
 - Metadata crosswalks
 - Digital library assessment
 - Interoperability
 - Collaboration
- American Social History Online (funded project)
 - Open source code
 - Web site and services for scholars

Best practices for collaboration

- Define and scope project/insure resource match
- Create a framework
- Define participation and governance

- Organize volunteer effort (skills)
- Be aware of participant priorities
- Select workable tools
- Celebrate success!



The DATA

How we worked with the metadata you provided

Kat Hagedorn – khage@umich.edu

Many institutions contributed

- California Digital Library
- Columbia University
- Cornell University
- Emory University
- Harvard University
- Indiana University
- Library of Congress
- New York University
- Northwestern University
- PBS / Florida Center for Library Automation

- Stanford University
- University of Chicago
- University of Illinois at Urbana-Champaign
- University of Michigan
- University of Minnesota
- University of Pennsylvania
- University of Southern California
- University of Tennessee at Knoxville
 THANK YOU!

The numbers

- 18 institutions
- 175 repositories (OAI sets)
- 514,708 MODS records
- 253,631 records describing images
- 175,990 records describing texts
 - similar to proportion of descriptive records in OAIster (majority of images)

The big arrow is OAI

Repositories providing MODS

Michigan harvests and transforms

Aggregate
MODS data
made available

Some things we changed

- Michigan performed some "added value" of the harvested records:
 - links to existing thumbnails, if available
 - an appropriate provenance container
 - e.g., <originDescription altered="true" harvestDate="2008-07-22T:16:14:44">
 - inclusion of data repository name
 - e.g., University of Michigan Library Repository: Making of America

Hand-off

- Then it was Tom's—he harvested the aggregate MODS data and made it available at www.dlfaquifer.org
- But before that could happen...

What metadata librarians live for

- Decisions on search, sort, display of fields
- Most problematic:
 - dateskeyDate, dateIssued,copyrightDate, dateCreated, ...
 - URL mods/location/url vs. mods/identifier
 - subject indexes for geographic and topical subjects (e.g., subject vs. genre)

All ducks in a row

www.dlfaquifer.org



Title The salamander safe. A millerite preparing for the 23rd of April 🗎 🕈

Creator Sinclair, Thomas S., ca. 1805-1881

Date Issued 1843

Collection Library of Congress Digitized Historical Collections: Cartoon Prints, American, 1766-1876

Abstract A playful caricature of a Millerite, an adherent of the Adventist preacher William Miller who pr

Fire Proof Chest," stocked with a ham, a fan (hanging on the door of the safe), cheese, brandlet it come! I'm ready." The "salamander safe," probably a trade name of the period, is named

holocaust) without harm.

Subject Miller, William; 1782-1849

Millerite movement

Publication monographic

Genre graphic; Caricatures.; Lithographs.

Identifier LC-USZ62-23784 DLC, hdl:loc.pnp/cph.3a24747

Language English

Location Library of Congress Prints and Photographs Division Washington, D.C. 20540 USA

Note Title appears as it is written on the item.

[Printed by Thomas Sinclair, Philadelphia] Entered . . . 1843 by T[homas] Sinclair . . . Pa.

The Library's impression of the print was deposited for copyright prior to the expected day of Published in: American political prints, 1766-1876 / Bernard F. Reilly. Boston: G.K. Hall, 199

Physical Description graphic; 1 print : lithograph on wove paper ; 26.6 x 29.4 cm. (image)

Classification PC/US - 1843.S613, no. 1

Resource Type still image

URL http://hdl.loc.gov/loc.pnp/cph.3a24747 □>

Related Item Weitenkampf, p. 73

Murrell, p. 159

MODS Levels of Adoption

- Created by the Metadata Working Group
- Each level indicated to data providers what could be done with their data
- Differing levels of conformance
 - in general Levels 1 and 2 were met more often than not, Levels 3-5 were more spotty
 - specifically—URLs, titles and type of resource
 were included by most repositories
 - keyDate used by only 14% of the repositories

Over to Tom

• To test conformance to the Levels of Adoption, used samples of each institution's records in the MODS and Asset Action Explorer...

Contact

- Thanks!
- Kat Hagedorn, khage@umich.edu
- Digital Library Production Service, University of Michigan Libraries





MODS and Asset Action Explorer

Check your MODS records against the DLF Aquifer MODS Guidelines Levels of Adoption

http://ratri.grainger.uiuc.edu/aax/

Tom Habing -- thabing@uiuc.edu

Asset Actions (not the primary focus of this presentation)

✓ View Asset Actions (2 records)

Image Asset Action: 19568FordFairlane [thabing] [11/6/2008 10:22:42 PM] View Delete

1958 Ford Fairlane Adieu

Image Asset Action: BullRingJuarez [thabing] [11/13/2008 10:45:07 PM] View Delete

Bull Ring Juarez, Chihuahua



View Collect



View Collect

Pages: 1

MODS Levels of Adoption

http://wiki.dlib.indiana.edu/confluence/x/q24

- 1. Allows users to cite the resource
- 2. Allows users to perform basic searches and filtering
- 3. Allows users to browse and group search results
- 4. Allows users to perform more precise searches
- 5. Allows users to effectively evaluate resources



Schematron

```
<sch:pattern id="p1" >
 <sch:title>Level 1</sch:title>
 <sch:p>Allows users to cite the resource.</sch:p>
 <sch:rule id="p1-mods" context="mods:mods">
  <sch:assert id="p1-mods-location" role="REQ"</pre>
   test="count(mods:location/mods:url[string-length(normalize-
   space(.))>0])>0">
    One or more location elements with a url subelement is required.
  </sch:assert>
 </sch:rule>
</sch:pattern>
```

Get an account

I ILLINOIS	MODS and Asset Actio	on Explorer Login
	Sign Up for Your New Note: Password must be at least sever at least one numeric and one special cha User Name: Password: Confirm Password:	n characters and include
	E-mail:	Create User vice MODS Guidelines Asset Action Wiki Collectus Help

Upload some MODS records

IILLINOIS	MODS and Asset Action Explorer	thabing	Home Change Password Logout				
My Uploaded Records All Up	oloaded Records All Uploaded MODS Collections						
MODS or Asset Action File modsCollection uploads) Autogenerate a MODS rec	Browse Upload Nar cordIdentifier if needed.	me	(Only applicable to				
XML Schema validation is against version 3.3 of the MODS XML schema; you may get an error if your MODS file has a version attribute different than this. You can safely ignore this error.							
	About This Service MOI	OS Guidelines A	Asset Action Wiki Collectus Help				

Will automatically be validated against MODS XML Schema

Select a record to check

I L L I N O I S MODS and Asset Action Explorer

thabing Home Change Password Logout

Upload New Record My Uploaded Records All Uploaded Records

MODS Record: dlc.12023971

Check Aquifer Levels of Adoption Validate Against XML Schema MODS XML

Uploaded by thabing on 10/31/2008 12:14:46 PM

Title Information

Dud leaves home Title

Title Information: Alternative (displayLabel="Variant title in Library of Congress video collection:")

Title Us fellers: "Dud leaves home"

Title Information: Alternative (displayLabel="Copyright title:")

Goldwyn-Bray Pictographs, no. 7009 Title

Name:Personal

Name Part Carlson, Wallace

Name Part:Date d. 1967

Role

Role Term:Text animation,

Role

Check the record

Level 1

Requirements for MODS Level of Adoption 1: Minimum for participation: Allows users to cite the resource.



[REQ] count(mods:location/mods:url[string-length(normalize-space(.))>0])>0

p1-mods-location: One or more location elements with a url subelement is required.

Location: /*[local-name()='mods' and namespace-uri()='http://www.loc.gov/mods/v3']



 $[REQIFAPP]\ count (mods: access Condition[string-length (normalize-length)] and the condition of the condi$

space(.))>0])>0

p1-mods-accessCondition: The accessCondition element is required if anything other than completely unrestricted. Location: /*[local-name()='mods' and namespace-uri()='http://www.loc.gov/mods/v3']

Level 2

Select a whole collection to check



MODS and Asset Action Explorer

thabing Home Change Password Logout

Upload New Record My Uploaded Records All Uploaded Records All Uploaded MODS Collections

MODS Collection DAG (146 records) Check Aquifer Levels of Adoption

MODS Record: 2007675782 [thabing] [1/10/2009 10:02:26 AM] View Delete

[Stephen Arnold Douglas, head-and-shoulders portrait, slightly to left]

MODS Record: 2004664182 [thabing] [1/10/2009 10:02:27 AM] <u>View Delete</u>

[James J. Mapes, head-and-shoulders portrait, facing left]

MODS Record: 2004664011 [thabing] [1/10/2009 10:02:28 AM] View Delete

[John Alexander Kennedy, half-length portrait, three-quarters to left, eyes front]

MODS Record: 2004663911 [thabing] [1/10/2009 10:02:28 AM] <u>View Delete</u>

[Jacob Collamer, half-length portrait, three-quarters to left]

MODS Record: 2004663870 [thabing] [1/10/2009 10:02:29 AM] View Delete

[Bishop Frederic Baraga, three-quarter length portrait, facing three-quarters to right, seated, in clerical robes, holding his Dictionary of the Otchipwe Language]

Check them all and create a report



thabing Home Change Password Logout

Upload New Record My Uploaded Records All Uploaded Records All Uploaded MODS Collections

Aquifer Levels of Adoption for MODS Collection 52 (146 records)

Hover your mouse over the Assert/Report IDs and Roles for more information.

Pass/Fail Record Counts By Rule Download CSV

(passed plus failed plus not checked equals the number of records)

Assert/Report ID	Role	Records Passed	Records Failed	Not Checked/Applicable	
p1-mods-accessCondition	6	146	0	0	
p1-mods-location	83	146	0	0	
p1-mods-name	<u>A</u>	146	0	0	
p1-mods-originInfo	6	146	0	0	
p1-mods-titleInfo	83	146	0	0	
p2-mods-language	6	146	0	0	
p2-mods-physicalDescription	8	146	0	0	
p2-mods-physicalDescription-internetMediaType	8	0	146	0	
n2-mods-subject		96	50	n	

Download as a CSV if desired

...or two reports

Pass/Fail Rules	$_{\rm By}$	Record	<u>Download</u>	<u>.CSV</u>

Record ID	p1-mods-accessCondition	p1-mods-location	p1-mods-name🣤	p1-mods-				
<u>2004663863</u>	Passed	Passed	Passed	F				
<u>2004663864</u>	Passed	Passed	Passed	F				
<u>2004663866</u>	Passed	Passed	Passed	F				
<u>2004663868</u>	Passed	Passed	Passed	F				
<u>2004663870</u>	Passed	Passed	Passed	F				
<u>2004663873</u>	Passed	Passed	Passed	F				
<u>2004663878</u>	Passed	Passed	Passed	F				
<u>2004663881</u>	Passed	Passed	Passed	F				
2004663882	Passed	Passed	Passed	I				

• •

ı	<u>2007675782</u>	Passed	Passed	Passed	I
	RECORDS FAILED COUNT	0	0	0	

Download as a CSV if desired

Rinse and repeat

- To protect the innocent, delete your embarrassingly nonconformist records
- Fix all the problems
- Upload them again and check for errors
- Repeat until you are 100% conformant

Celebrate

- By making your records OAI harvestable and having them added to the DLF ASHO Portal.
- Register with the UIUC OAI data provider registry:
 - http://gita.grainger.uiuc.edu/registry/
- and the DLF Collections Registry:
 - http://dlf.grainger.uiuc.edu/dlfcollectionsregistry/

Thanks

Tom Habing — <u>thabing@uiuc.edu</u>



University of Illinois at Urbana-Champaign Grainger Engineering Library Information Center



Assessment Activities Final Report

Susan Harum
Business Analyst
American Social History Online

Assessment Activities 2008-2009

- Interviews
- Focus Groups
- Surveys
- Semester long classroom study
- Google Analytics data

Expected Outcomes

- Improving Access for Scholars
- Stimulating New Research Questions
- Supporting Interdisciplinary Study
- Supporting Cross-Regional Research
- Increasing Digital Collection Use
- Model Development.

Methodology- SWG Collaborative Work

- *ASHO* web site and Commercial Search Katherine Skinner, Emory University, Chris Bourg, Stanford University, and Deb Holmes-Wong, University of Southern California
- *ASHO* web site and Metasearch Susan Harum, University of Illinois at Urbana-Champaign
- ASHO web site and Zotero Jason Phillips, New York University
- Google Analytics analysis of *ASHO* use Susan Harum, University of Illinois at Urbana-Champaign

ASHO Strengths

- Aggregated content across different archives that provide cross-collection searching
- The "vettedness" of the materials
- The number of visual resources (images)
- The metasearch feature
- The faceted browsing and searching, especially the facets associated with dates

Feature Strengths

- Collection pages good look and feel and useful for determining value of individual collections quickly
- Thumbnails on the results pages used for determining the usefulness of the resource
- Metasearch feature in particular the rare and important resources available through Google Book Search
- Browsing and searching facets

Overall

Interviewees indicated that they would willingly use this resource now in their teaching and in their research so long as the **content body continued to increase** such that they would find more relevant resources over time.

Experienced researchers and graduate students both saw *American Social History Online* as a valuable tool for use in the classroom and as a set of services that could be used to introduce undergraduates to the wealth and range of primary material that is available

ASHO Weaknesses

- The small size of the *American Social History Online* collection
- Interface issues

Overall

• Interviewees indicated that they would willingly use this resource now in their teaching and in their research so long as the content body continued to increase such that they would find more relevant resources over time.

Google Analytics

- What outreach and communication efforts help referral trends so that we can promote the site efficiently?
- What features are important to the users?
- Does the ASHO site help promote traffic to our partnering organization's (collection contributors) sites?
- Is it possible to see if the MODS levels of adoption help users find items?

Traffic

- ASHO site has had a consistent increase in traffic, both overall and of its pageviews, including an increase in the length of time users are spending on the site.
- The number of increased pageviews and the increased time spent on the site means not just that traffic is up but that users are finding useful content.

Tracking Referrals – what has worked

- Blogging by project members (on Aquifer project blog and individual project member blogs)
- Referrals by DLF site
- Entries on libsite.org, Wikipedia digital libraries page (for history)
- Project slides on slideshare.com
- Links from participating institution sites

Outreach?

• Inconclusive, but:

Data shows a consistent improvement in traffic with a more dramatic increase at the end of October 2008

High number of users typing address in directly (equals referrals from other sites) could be an indicator of presence at historian and library conferences have helped communicate about the site

Anecdotal evidence from assessment and conferences demonstrates that increasingly the site is being found and used by historians, especially those needing visual and primary sources for teaching

Large jump in users at the end of October 2008 after concentration of outreach and assessment activities

Features Most Used (From Top Content, Entrance Paths and Map Overlay)

- Quick Search feature on home page
- Faceted browsing feature on the homepage, which allows the user to browse subjects, places and dates (by century)
- Collection pages (browse content and verify provenance)
- Facets for breaking down a search

Features Not Widely Used

- Openid login
- Zotero
- Collectus
- Timeline
- Geomap

Top Exit Pages

- Majority of visitors leave after investigating the home page, executing a single quick search, or browsing through the collections page.
- However, those that end up spending more time on the site go to specific items in the database.
- The Top Exit pages feature exits to unique items by the fifth entry on down. This means that the ASHO site helps to promote traffic to our collection contributors' site where the item is maintained.

Metadata?

- Faceted browsing feature on the homepage most popular place for users to begin after quickly using the quick search feature (LOA level 3 <subject> with specific subelements, i.e. <geographic> ("highly recommended" in Guidelines; LOA level 3). This was used to create the Places browse from the front page, and also the place, city and state filters to limit search results.
- Content Drilldown pageviews whose "search URL" contained "decade" or "year" comprised 13.9% of the total 35,029 pageviews.
- Pageviews containing "geographic" "city_state" or "=state" comprised 14.5% of pageviews. (Note that some pageviews utilized both temporal and geographic facets or facet tags).

Conclusion

- Assessment shows that *American Social History Online* collections and services are perceived as useful, especially in introducing undergraduate students to the wealth of primary materials available for study.
- Continuing to grow and develop *American Social History Online* collections services offers interesting challenges and opportunities in keeping both scholars and the digital library community interested in *American Social History Online*

Where is Aquifer now?

- Products developed through American Social History Online being maintained by University of Illinois at Urbana-Champaign
 - Web site
 - Collections registry
- Standards and best practices
 - MODS metadata guidelines migration to LoC
 - Other documentation???

Thank you for your interest

- Questions or comments?
- For more information--kkott@stanford.edu