

Prioritized Validation Use Cases (SHW Order/Contract Validation)



NOW
90-Day MVP

data-first | Good → Better

**Engage Support request request**
request assignment · data retrieval

**CRAD validation validation**

**BP eligibility check check**

**PO check**

**SOVA validation**

**Price / Config validation**

TBD

pending confirmation

**Credit check**

TBD

pending confirmation

Start with narrow, repeatable validations where actions are driven by available data (Good → Better).



NEXT
Post-MVP Expansion

Better → Best

**Enabling TLS**
with existing SHW validations

**Engage Support Flow**
end-to-end intake + routing

**Document understanding at scale**
complex attachments

**Complete credit check**

**ROL**

**IGF**

**Others**

Firm Up update
guardrails-controlled write-back

extend with new SoR connectors, configuration layer, and supervised write-back capability.



LATER
Scale & Productize

Best + ADK

Standard Core

 Policy Rules	 Audit Trail
 Workflow	 Connectors
 Exceptions	 KPIs

Config Layer (brand driven)

 Thresholds	 Templates
 Routing	 Data Maps

TLS > ESW > DSW > Consulting


Build once, deploy many • Market-ready asset

Validation maturity path: Good (advisory) → Better (supervised updates) → Best (automated w/ control gates) • Same backbone, configured per brand

90-Day MVP — Test : Readiness SHW Order Validation MPV and Inventory Update API

Phase 1: Validation

A Foundation Scope & Standards	Top 5 Validations CRAD BP Eligibility PO Check SOVA ES Requests Access Credit Check Price/Configuration	MVP Definition ✓ Inputs + SoR source ✓ Expected action (happy/fail) ✓ Known exceptions + Evidence	Maturity & Governance →Good Better Best (Automated) Std: Global vs geo-specific logic with exception governance.
B Infrastructure Data, Env & APIs	Access & Roles Test Environment • Run permissions • Approval gates • Change rules defined	SoR Retrieval Mapped per validation field: Real-time Snapshot + Evidence	API Strategy to be Defined by CIO Read APIs – SHW Order Validation Where? How? Performance w/ fallback Write APIs - SHW Order Validation Access, Guardrails & audit trails Write APIs TLS Inventory Update Conga and S4 Access, Guardrails & audit trails
C Execution Testing & Governance	Test Packs ✓ Happy path scenarios ✗ Fail cases & negative tests ! Edge cases & exceptions (Prefer back-testing set)	E2E Flow Trigger Retrieve→ Validate Results→ Evidence Action→	Controls Logging Rules Snaps Owner



Strategic Context

⚠ Why Now (Urgency)

Agent delayed; write-back is the missing link.
Leadership mandates 90-day API delivery.
Read APIs exist; Write APIs to systems missing.
Validations currently stuck as "informational".

🎯 Goal & Outcomes

Push validated results to Conga & SAP S/4HANA.
Consistent pattern: classify, map, write, audit.
Deliver stable, production-ready solution in 90 days.

Governance & Controls

📈 Success Measures

% of updates successfully written end-to-end.
Reduced manual re-entry & rework.
Confirmed posting evidence for audits.
Reduced total time (validation to update).
Clear visibility of failures & retries.

🛡 Guardrails / NFRs

Security: Least privilege, secure auth
Audit: Full trace (payload/time/outcome)
Reliability: Retries, timeouts, degradation
Idempotency: No duplicate writes on retry
Observability: Dashboards & failure alerts

Delivery Workstreams

1. Core Enablement: Common flow, routing, status, traceability

2. Conga Stream: Write-back for Cancellation

3. SAP Stream A: Relocation, Drop In, Drop Out

4. SAP Stream B: Maintained by Change, Install/WED, Sys Num

5. Testing: 5. Testing: End-to-end validation & operational readiness

Scope & Routing Map

📁 CONGA

Cancellation

📁 SAP S/4HANA

6 Types

• Relocation

• Maintained by Change

• Drop In

• Drop Out

• Install/WED Change

• System Num Change

In Scope

Request Type Classification & Routing
Payload Mapping & Confirmation Logic
Audit Logging, Retries, Idempotency

Personas: Agent User, Process Owner, Integration Eng, BC

Definition of Done (90-Day)

Agent executes write-back for Conga (Cancellation) & SAP S/4HANA (6 types).

Defined payload mapping & endpoint for each type.

Integration supports idempotency & error handling.

Standardized success/failure status to Agent.

Audit logging for every attempt (Who/What/Outcome).

Runbook & support model exist for incidents.

Delivery meets 90-day requirement for scope.

Risks & Dependencies

🔗 Dependencies

SAP S/4HANA & Conga write endpoints/auth.
Agent providing validated inputs.
Env readiness & security approvals.

⚠ Risks

Payload mapping complexity per request type.
Auth delays for SAP/Conga.
Confirmation ambiguity & error handling gaps.

Owner: CIO BPT

Inv Business Owner: Umberto Tandura

Assumption: ERP = SAP S/4HANA; Read APIs sufficient.

Key SMEs: SAP/Conga Focals, Ops, Audit

*Named owner per endpoint req.

Establish API strategy and integration foundation for SHW order validation

Epic Intent: Establish a long-term, consistent API approach (read + write) to enable automated SHW order validations. The flow starts from Engage Support, pulls context from source systems, runs rules, returns evidence-ready results, and writes back outcomes to SAP S/4HANA. Focus is on scalability, traceability, and audit readiness.

Strategic Foundation

Delivery Ready



Strategic Context

Problem & Opportunity

Validations rely on fragmented, non-standard data access.
Manual processes are brittle, risky for audit, and hard to scale.
Missing evidence & inconsistent logic creates control risk.

Goals & Outcomes

Standardize **Read/Write APIs** for reliability.
Ensure traceable results (Pass/Fail + Evidence).
Build reusable model for long-term scaling.

Governance & Controls

Success Measures

Increased % of scenarios on standard APIs.
Reduced manual data collection effort.
Reliable evidence capture (100% trace).
Stable write-back & retrieval performance.

Guardrails / NFRs

Audit: Traceability
Version: Contracts/POs
Resilience: Retries
Log: Monitoring
Sec: Access Control
Supp: Clear Owners

Delivery Workstreams

1. Define API Standards (Contracts, Auth, Obs)
2. Engage Support Trigger Interface
3. Read APIs (Order/Context Pulls)
4. Source System Onboarding Pattern
5. Document Retrieval Interface
6. Results API + Traceability Model
7. Write-back API (SAP S/4HANA)
8. Observability Package (Dashboards)
9. Ownership & Support Model

Scope Definition

In Scope

API Strategy (Read/Write)
Integration Patterns
Standardized Results
Logging/Evidence/Versioning
Ownership Model

Out of Scope

Individual Rule Definitions
Full UI/UX Design
Replatforming Sources

Personas

Validator (Ops), Process Owner (Audit), Engineering, Engage Support System.

Definition of Done (AC)

Engage Support triggers flow via ID & receives response.
Read API pulls required data via defined contracts.
Write-back to SAP S/4HANA implemented & verified.
Results format standardized: Pass/Fail + Why + Evidence.
Logging, snapshots, and versioning are verifiable.
Ownership documented for all interfaces.
API standards documented (naming, auth, error handling).

Risks & Dependencies

Dependencies

SAP S/4HANA alignment.
Upstream system access/approvals.
Validation engine contracts.

Risks

Inconsistent data quality.
Security/Auth complexity.
Scope creep (all integrations).


Owner:
Product/Program Owner

Key SMEs:
ES, SAP, API, Compliance

EngageSupport Data Pulling for SHW Order Validation Agent

Epic Intent: Enable phased retrieval of ES request data & attachments. Evolving from **MVP** (Request # search + attachment metadata) to **Better** (Identity-based assigned list) to **End-state** (Queue browsing, Self-assignment, & Full Attachment Content retrieval) to support downstream validations.

- Foundational Capability
- Future Operating Model



Strategic Context

Problem & Opportunity

Validations need fast access to correct ES request & linked context.
Lack of attachment access stalls agents; manual work required.
Foundational capability for future "Agent as Workspace" model.
EngageSupport is central entry point; integrations must start here.

Goals & Outcomes

Retrieve ES Request + Linked Order Context reliably.
Enable retrieval modes: ID (MVP) -> Assigned -> Queue (End).
Attachments Phase 1: List + Metadata (Near-term).
Attachments Phase 2: Full Content Ingestion (Long-term).
Ensure Audit/Traceability for all document access.

Governance & Controls

Success Measures

Reduced time to retrieve usable summary/attachments.
Higher % validations started fully inside agent.
Reduced manual doc hunting & escalations.
Complete audit trail for data/doc access.
Adoption of identity-based retrieval & self-assignment.
Reliable availability of attachment meta/content.

Guardrails / NFRs

Trace: Consistent IDs
Contracts: Versioned Schema
Audit: Access & Content Log
Reliability: Retries/Timeouts
Doc Policy: Controlled Handling

Delivery Workstreams

1. ES Request # Validation + Messaging
2. Auth / AuthZ (SSO + Entitlements)
3. Retrieve Request Details + References
4. Build Summary Data Schema + Mappings
5. Attachments Phase 1: List + Meta Display
6. Attachments Phase 2: Content Retrieval/Ingest
7. "My Assigned" Retrieval Workflow
8. Queue Listing & Visibility Rules
9. Self-Assignment Write-back to ES
10. Observability, Traceability, Runbook
11. Ownership Model Support Docs

Scope Definition

Summary Data Structure (Draft)

ES Request ID, Master Order #, Customer Name/No, BP/Direct, Opp Owner, Ship/Sold-to Party, ES Metadata (Status, Priority, Assignment).

In Scope

ES Request Retrieval (ID validation)
Auth (SSO/Roles) & Authorization
Summary Data Presentation
Atch: List+Meta (P1) -> Content (P2)
"My Assigned" & Queue Visibility
Audit Logging & Traceability

Out of Scope

Downstream doc analysis logic
Full ES UI Redesign
SAP/ERP Write-back
Parsing rules (downstream)

Personas :Validator, Queue Lead, Compliance, Eng, BC

Definition of Done (AC)

MVP: ID input -> Auth Retrieval -> Summary + Atch List.
Auth enforced BEFORE data/meta return.
Summary includes agreed draft fields, structured output.
Attachments List shows correct filenames + metadata.
"My Assigned" flow works (if in scope) or planned.
Queue visibility rules defined for End-state.
Self-assignment updates ES correctly & audits.
Long-term: Agent can retrieve attachment CONTENT (or secure ref).
Access controls apply to attachment content retrieval.
Logging exists for every access/doc action.
Ownership & support model documented.

Risks, Dependencies & Assumptions

Dependencies
ES APIs (Search, Detail, Atch).
Identity/SSO Integration.
Schema Agreements.
Doc Policy Agreements.

Risks
Privacy/Data Exposure.
Large Attachment Size/Perf.
Queue Race Conditions.
Parsing Readiness.

Assumptions
ES format stable; Roles exist; Meta available; Summary fields adjustable; Background data usage.


Owner: Product/Program
Key SMEs: ES Focal, Security, Queue Ops, Doc Policy, Agent UX, Audit.
Owner
**Req retrieval, queue, & doc handling need owners.*

CRAD Validation — MVP Flow and Immediate Operational Handling

MVP RELEASE

AGENT-DRIVEN MODEL

Epic Intent: Deliver MVP CRAD validation starting from EngageSupport request. Uses ES CRAD as validation source, applies differentiated logic for BP/Direct orders, and provides required warnings, user guidance, and requester communication based on results.



STRATEGIC CONTEXT

Problem & Opportunity

CRAD impacts manufacturing & delivery timing.
Wrong/missing CRAD creates operational issues.
Need auditable MVP from ES request source.

Goals & Outcomes

Start validation from ES request context.
Differentiated logic for BP vs Direct.
BP: Validate Past/Future status.
Direct: Doc check & instruction guidance.

MVP SCOPE

IN SCOPE

Start from ES Request
ES CRAD as Source
BP vs Direct Split
Past/Future Warnings
Requester Emails

OUT OF SCOPE

Upstream Redesign
Platform Redesign
SAP Write-back (MVP)
Planning Logic



Personas

Q2C Users, Sellers, Requesters/Request Owners.

GOVERNANCE & CONTROLS

Success Measures

Reduced manual CRAD validation effort.
Faster Pass/Past/Future determination.
Higher BP vs Direct handling consistency.
Traceability of warnings & notifications.

Guardrails / NFRs

Audit: Traceable Result
Consistency: Std Guidance
Reliability: Stable Logic

Evidence: Stored Notifs

DETAILED MVP LOGIC

BP Path Logic:

Check Past: If Yes -> Warn, Set Current. Check Future: If Yes -> Warn, Set Future + Email Requester.

Direct Path Logic:

Check Doc: If No -> Warn, Set Current + Email. If Match -> Continue. If Mismatch -> Set Doc Date. Finally Check Past/Future -> Warn/Email as needed.

DELIVERY WORKSTREAMS (MVP)

1. Core CRAD Logic (ES Data Read)

2. BP Path: Past/Future Eval & Set

3. Direct Path: Doc Check & Guidance

4. Requester Email Notification Service

5. Audit Logging & Evidence Capture

6. MVP User Instruction UI

RISKS & DEPENDENCIES

Dependencies

ES Request & CRAD Data Availability.
Normalization Agreement.
Requester Communication Capability.

Risks

Incomplete ES Data (Manual fallback).
Inconsistent notification handling.
Incorrect Past/Future logic impacts planning.

Owner:
TBD

Key SMEs:
ES, Ops, Q2C


Automate Business Partner Eligibility Check (MVP with EngageSupport prevalidation)

Epic Intent: Deliver automated BP Eligibility Check starting from **EngageSupport request already retrieved in agent**. Uses existing ES prevalidation for Tier 1 & 2 status. MVP handles Pass/Fail with email integration, standard template, & evidence retention. Future enables one-time agreement.

Phased Delivery

Agent-Driven Model

MVP Flow: Operational Decision & Failed-Path Handling



Strategic Context

💡 Problem & Opportunity

BP eligibility is critical commercial control.
Manual follow-up creates delays/inconsistency.
Need to surface results & automate next action.
Practical MVP with room for future expansion.

🎯 End-State Objective

Determine BP vs Direct (Direct = N/A).
Use ES Prevalidation as core evidence.
Confirm Tier 1 & Tier 2 both eligible.
Trigger Ops step + Preserve evidence.
Optional one-time agreement path.

Scope Definition

In Scope

Start from ES Request in Agent
Identify BP vs Direct (Skip Direct)
Retrieve ES Preval (T1/T2 Status)
MVP Failed Path: Email + Evidence
Future: One-time Agreement

Out of Scope

Rebuilding Preval Logic
BP Policy Redesign
Full Automated Agreement
Replacing Seller Workflow

👥 Personas

Q2C Users, Sellers, Business Partners

Governance & Controls

📈 Success Measures

Reduced manual interpretation effort.
Faster communication on failed cases.
Higher consistency & traceability.
Better auditability (preserved evidence).

🛡️ Guardrails / NFRs

Audit: Traceable Result
Consistency: Standard Msg
Reliability: Stable Status

Evidence: Stored Comms
Sec: RBAC for BP Data
Own: Clear Templates

Definition of Done (AC)

Flow starts from ES Request in Agent context.
Determine BP vs Direct; Direct marked N/A.
BP uses ES Prevalidation (Tier 1/2 Data).
Returns Pass if both eligible; Fail if mismatch.
MVP Failed Path: Informs User & Triggers Action.
Email integration uses Standard Template.
Communication & Result preserved as Evidence.
Failed validations route to standard operational path.
Future one-time agreement path defined.
Ownership & Support model documented.

Delivery Workstreams

1. Core BP Decisioning (ES Context + Preval)
2. MVP Failed-Path (Email + Template + Evidence)
3. Future Enhancement (One-Time Agreement)
4. Testing & Readiness (Ops & Support Model)

Assumptions

ES Request already retrieved in agent (start point).
ES contains relevant Preval & Tier 1/2 Status.
MVP focuses on surfacing + automating follow-up.
Failed path remains in standard pending flow.
Future releases may add one-time agreement.

Risks & Dependencies

🔗 Dependencies

ES Preval Data Avail.
Tier 1/2 Info Access.
Email Integration.
Standard Template.
Evidence Storage.

⚠️ Risks

Incomplete Preval Data.
Email Integration Delay.
Lack of Template.
Scope Expansion.
Unclear Follow-up Owner.

Owner:
TBD

Key SMEs:
ES, Ecosystem, Q2C, BPO


Automate Purchase Order validation using GPO tool (MVP to end-state with waiver, PO availability, and coverage checks)

Epic Intent: Automated PO validation starts from the [EngageSupport request already retrieved in the agent](#). Uses GPO tool to determine PO customer status & waiver eligibility. Phased delivery (MVP to End-State) covers PO availability, validity, coverage, & waiver handling, aligned with the agent-driven validation model.

Phased Delivery

Agent-Driven Model

MVP Flow



Future / End-State



Strategic Context

Problem & Opportunity

Manual PO checks cause delays & inconsistent decisions.
Need structured, auditable process for PO requirement.
Automation aligns with agent-driven validation model.
Critical for MVP immediate support & long-term automation.

End-State Objective

Complete validation determining:
Customer is PO Customer?
PO Available & Valid?
PO Covers Amount?
Waiver Eligible if missing?

Governance & Controls

Success Measures

Reduced manual effort for PO requirement check.
Faster decisioning for Q2C users.
Higher % of cases automated.
Clear separation of BP vs Direct handling.
Improved auditability of PO decisions.

Guardrails / NFRs

Audit: Traceable Decisions
Sec: RBAC for Customer Data
Obs: Visible Failures

Consist: Standard Framework
Reliab: Stable Outcomes
Own: Defined Policy Rules

Delivery Workstreams

1. Core PO Decisioning (ES Context + GPO + Waiver)
2. MVP Operational Flow (BP vs Direct + User Guide)
3. Future PO Enhancement (Attachment + Validity)
4. End-State Completion (Coverage + Action)
5. Testing & Readiness (Decision Path Validation)

Assumptions

ES Request already retrieved in agent (starting point).
Customer data available from ES context.
GPO Tool determines PO Customer status.
MVP focuses on initial flow w/ user confirmation.
Future iterations expand validation depth.

Scope Definition

In Scope

Start from ES Request in Agent
GPO Tool Connection
PO Customer & Waiver Check
BP vs Direct Handling
Phased Outcomes (Pass/Fail)

Out of Scope

Full BP Process Redesign
Commercial Policy Redesign
Deep Document Parsing (MVP)
Non-PO Order Logic

Personas

Q2C Users, Sellers, Business Partners

Definition of Done (AC)

Flow starts from ES Request already in Agent.
GPO Tool connection evaluates PO Customer status.
Waiver eligibility logic implemented correctly.
MVP supports outcomes for Non-PO, Waiver, BP, Direct.
Future iteration defined (Attachment + Validation).
Standardized outcomes: Pass / Warning / Pending / Failed.
Audit logging for all decision paths.
End-state objective defined (Coverage/Validity).
Ownership & support model documented.

Risks & Dependencies

Dependencies

GPO Tool Access.
ES Request Data.
Waiver Rule Set.
PO Attachments.

Risks

Policy Ambiguity (Waiver).
Missing Attachments.
Validity Criteria Unclear.

Owner

†BD

Key SMEs:


GPO, Q2C, Seller, BP, Audit

Automate SOVA Check (MVP with ES vs SAP S/4HANA comparison)

Epic Intent: Automated SOVA Check confirms machine configuration validity by comparing **EngageSupport (ES)** and **SAP S/4HANA**. If discrepancy exists, **SAP S/4HANA is the trusted source**. MVP **trusted source**. MVP directs failed cases to IBM Sales Manual Agent; future releases integrate it directly. The intent is to define the best source and approach for SOVA check.

Phased Validation

Trusted Source Model



Strategic Context

Problem & Opportunity

SOVA confirms machine config validity.
ES data not fully reliable; manual cross-check today.
Automation needed for consistency & speed.
Path to IBM Sales Manual Agent integration.

End-State Objective
Start from ES request, compare sources, use SAP S/4HANA as trusted source, return Pass/Fail. Future: Integrate IBM Sales Manual Agent directly into validation flow with guided resolution.

Scope Definition

In Scope	Out of Scope
Start from ES Request	Rebuilding SOVA Logic
Compare ES vs SAP S/4HANA	Replacing Sales Manual
Trusted Source Logic	Sales Policy Redesign
MVP: Link for Failed Cases	Full Auto Downstream
Future: Direct Integration	

Personas
Q2C Users, Sellers, Requesters, BPs , Techline

Governance & Controls

Success Measures

Reduced manual cross-checking effort.
Higher consistency using trusted source.
Faster Pass/Fail determination.
Improved traceability of outcomes.

Guardrails / NFRs

Audit: Traceable Result	Evidence: Stored Actions
Consistency: Trusted Rule	Sec: RBAC for SOVA
Reliability: Stable logic	Own: Clear Logic

Definition of Done (AC)

Flow starts from ES Request in Agent.
Retrieves SOVA from ES & SAP S/4HANA.
Compares results; if mismatch, SAP is trusted.
Returns Pass/Fail based on trusted source.
MVP: Failed cases get link to IBM Sales Manual Agent.
Manual action path clear & evidence preserved.
Future integration path defined for direct use.
Ownership & support model documented.

Delivery Workstreams

1. Core SOVA Validation (ES vs SAP S/4HANA)
2. MVP Failed-Path (Link to IBM Sales Manual Agent)
3. Future Enhancement (Direct Integration)
4. Testing & Readiness (Source Logic Validation)

Assumptions

ES Request already in agent (starting point).
Teams don't consider ES SOVA fully reliable.
SAP S/4HANA is trusted source on mismatch.
MVP focuses on surfacing result + link.

Risks & Dependencies


Dependencies ES/SAP Data Access. Trusted Source Agree. Sales Manual Access. Link Capability.	Risks Data Inconsistency. Rule Application. Manual Friction (MVP). Weak Evidence.
Owner: TBD	SMEs: ES, SAP, Sales Manual, Ops

Establish Price Validation capability (MVP multi-system comparison and price validity)

HIGH-LEVEL CAPABILITY

MULTI-SYSTEM VALIDATION

Epic Intent: High-level capability starting from EngageSupport request to validate pricing consistency across key systems (e-pricer, SAP quote, ERP). Confirms pricing and configuration alignment and guides next action when mismatches are identified. MVP enables core comparison and validity check; Better/Best evolves to broader automation and approval initiation.



STRATEGIC CONTEXT

Problem & Opportunity

Price validation involves multiple systems and complex handoffs. Manual cross-checking creates rework and interpretation risk. Need structured validation connecting relevant systems. Goal: Define high-level capability without locking detail too early.

Goals & Outcomes

Connect key systems (e-pricer, SAP Quote, S4, ES) for validation. Enable comparison across approved/quoted/transactional sources. MVP: Compare e-pricer vs SAP quote configuration, price and & check validity. Better/Best: Automate approval initiation for deviations.

END-STATE OBJECTIVE

Target State: A structured, traceable pricing validation capability starting from the agent that connects all relevant systems to automatically validate alignment.

Identify deviations/mismatches/exceptions automatically. Support automatic initiation of approval paths. Preserve result and decision path as evidence.

SCOPE DEFINITION

IN SCOPE

Start from Agent Context
Multi-System Connect
Compare Pricing Inputs
MVP: e-pricer vs SAP Quote x ES
Better: Auto Approvals

OUT OF SCOPE

Detailed Pricing Rules
Commercial Policy Redesign
Rebuilding Pricing Tools
Geo-Specific Variations

Actors

Q2C Users, Sellers, Pricing Stakeholders, Business Partners.

GOVERNANCE & CONTROLS

Success Measures

Reduced manual effort comparing pricing across systems. Faster time to determine if pricing is aligned. Higher consistency in validation outcomes. Better visibility into mismatches and exceptions.

Guardrails / NFRs

Audit: Traceable Outcomes
Logic: Common Model
Reliability: Stable Connects

Data: Evidence Retention
Sec: RBAC Access
Own: Clear Ownership

DEFINITION OF DONE (AC)

Flow starts from EngageSupport request in agent. Retrieves pricing context from key systems. MVP compares e-pricer details vs SAP quote. Validates price validity & returns clear result. Clear next action path for mismatches identified. Result & action path retained as evidence. Better/Best automation path defined (Approvals). Ownership and support model documented. Actions in case of deviations documented, available properly and standardize

DELIVERY & RISKS

Delivery Workstreams


1. Core Price Validation Framework
2. MVP/Stretched Goal Validation (e-pricer vs SAP)
3. Better/Best Automated Validation Complete Validation
4. Testing & Readiness

Key Risks

Data inconsistency across systems surfaces mismatches. Authoritative source definition clarity is critical. Actions in case of deviations documented properly and standardize

Automate Credit Check validation (Direct orders) using Credit Check Tool with audit evidence

Epic Intent: Automated validation classifying Direct vs BP orders. For **Direct** (> \$500K / New Customer), queries Credit Check Tool to confirm 1) record exists and 2) record passes validity criteria. Returns Pass/Fail + Evidence and logs audit.



Strategic Context

Problem & Opportunity

Credit checks rely on manual lookups & interpretation.
Inconsistent decisions cause rework & risk.
Need audit-ready evidence for every check.
Critical operational gate requiring clear governance.

Goals & Outcomes

Automate Direct vs BP classification gate.
Automate applicability: >\$500K, New Customer, Exemptions.
Standardize 2-step validation: Existence + Validity.
Produce Pass/Fail + Why + Evidence Trace.

Governance & Controls

Success Measures

Reduced manual lookup time for Direct cases.
Higher % auto-determined decisions end-to-end.
Complete audit trail for decision path & evidence.
Reduced escalations from inconsistent decisions.
Reusable decision pattern established.

Guardrails / NFRs

Audit: Log every path

Version: Policy Logic

Ops: Monitoring

Evidence: Snapshots

Sec: Access Control

Own: Clear Policy Owner

Delivery Workstreams

1. Data intake and required fields

2. Order type classification: Direct vs BP

3. Direct applicability rules (threshold, exempt, new)

4. Credit Tool integration (API, Auth)

5. Record existence logic

6. Pass/validity rule (Amt ≥ TCV)

7. Results schema: Pass/Fail/Why/Evidence

8. Missing/ Insufficient check messaging

9. Audit logging & Monitoring

10. Ownership model & Runbook

Policy Note:

Validity criteria (Credit Amt ≥ Order TCV) must be confirmed/approved by Credit BPO.
This is versioned business logic.

Scope Definition

In Scope

Direct vs BP Classification
Applicability Logic (\$500K/New)
Credit Tool Integration
2-Step Validation (Exist/Pass)
Audit Logging & Evidence
Interim BP Routing

Out of Scope

Full BP Logic (Future)
Credit Approval Process Design
Deep Field Comparisons
UI Redesign

Actors

Validator (Ops), Credit Stakeholders, Credit BPO, Audit/Compliance, Engineering.

Definition of Done (AC)

Order type (Direct/BP) classified & recorded.
Applicability logic implemented & traceable.
Credit Tool integration stable with error handling.
Two-step validation (Exist + Pass) working.
Validity Rule: Credit Amt ≥ Order TCV implemented.
Results: PASS/FAIL + Why + Evidence Reference.
Clear next actions for missing/insufficient checks.
Audit logging for all outcomes.
BP path routed/flagged with interim handling.
Ownership & support model documented.

Risks & Dependencies

Dependencies

Access to Credit Check Tool.
Record identification agreement.
Credit BPO Approval of validity criteria.
Ask Q2C integration for closure.

Risks

Policy ambiguity (exemption/pass logic).
Data mismatch (Order vs Credit Record).
Tool/API downtime.
BP logic undefined too long.

Assumptions

Thresholds available; BP/Direct determinable; Pass rule is Amt ≥ TCV.

Owner: Product Owner

Owner Note: Policy & Tool ownership required.

Key SMEs:

Ask Q2C, Credit BPO, Tool Focal

CRAD Validation — Better / Best Release Expansion and SAP S/4HANA Update

BETTER / BEST RELEASE

SAP S/4HANA INTEGRATION

Better / Best Objective: Strengthen validation by reading PO/Contract, identifying CRAD, comparing with EngageSupport, and pushing final validated result to SAP S/4HANA (confirm or update) after user confirmation.



END-STATE VALIDATION OBJECTIVE

Target state for complete, auditable CRAD validation:
Start from ES Request in Agent (Initial Source).
Apply distinct BP vs. Direct logic.
Validate against PO/Contract availability for Direct.
Evaluate Past/Future/Acceptable status.
Push Final Result to SAP S/4HANA (Confirm/Update).

DEFINITION OF DONE (BETTER/BEST)

Document-based validation path defined (Read PO/Contract & Compare).
SAP S/4HANA update path defined (Confirm or Update SAP value).
User confirmation step defined before SAP update.
Audit logging for all key outcomes and actions.
Ownership and support model documented.

DELIVERY WORKSTREAMS

- 1. Better/Best Document Validation** Read PO/Contract, Identify Date, Compare w/ ES, Strengthen Outcome.
- 2. Better/Best SAP S/4HANA Update** Define Confirmation Path, Confirm/Update SAP Logic, UX Alignment.
- 3. Testing & Readiness** Validate BP/Direct Paths, Warnings, Operational Readiness.

EXPANDED SCOPE

IN SCOPE

Read PO/Contract Data
Identify Delivery Date/CRAD
Compare vs. EngageSupport
Determine Validated Outcome

Update SAP S/4HANA

Assumption

Better/Best releases strengthen validation via document data. Final CRAD is usable to update SAP S/4HANA.

OUT OF SCOPE

Full UI/UX of Final Update
Broader Mfg/Delivery Planning

DEPENDENCIES & RISKS

Dependencies

Contract/PO data availability.
SAP S/4HANA integration availability.
User confirmation UX design.

Risks

Hard-to-identify document dates expands scope.

Incorrect synchronization affects downstream planning.

STAKEHOLDERS & OWNERSHIP

Owner: TBD

Key SMEs:
EngageSupport, SAP S/4HANA, Q2C, Ops/BPO, Audit, Comms Focal

Requirement: CRAD logic, notifications, evidence, and SAP update handling must each have defined owners.

Establish SHW Order Validation success metrics, KPI framework, and value realization reporting

Epic Intent: Define/implement the success measurement framework for SHW Order Validation to prove operational impact, quality, compliance, adoption, and business value. Establish KPI model, data collection, and reporting for MVP and beyond, including **ROI (Return on Investment)** and **TCO (Total Cost of Ownership)**.



Strategic Context

Problem & Opportunity

Need proof of value; anecdotal success is hard to defend.
Without defined KPIs, impact cannot be measured.
Standardized approach needed for compliance/financials.

Define early to capture correct data from MVP start.

Goals & Outcomes

Complete KPI framework across 5 dimensions.
Standardized definitions & auditable metrics.
Enable ongoing pilot & performance reporting.
Quantify business value via **ROI & TCO**.

Personas

Ops Mgrs, BPOs, Audit, Leadership, Finance, Product Team.

Scope Definition

In Scope

KPI Catalog & Glossary
Formulas & Calc Logic
Baseline Comparison
Data Source Mapping
ROI/TCO Methodology
Ownership Model

Out of Scope

Pixel-perfect UI Design
Broader Enterprise Finance
Non-SHW Metrics
Replacing ext. analytics

Governance & Risks

Dependencies	Risks
Source Access (Logs).	Metric Ambiguity.
BPO Agreement.	Missing Baseline.
Baseline Data avail.	ROI Complexity.

Traceability	Auditability	Consistency
Data Qual	Versioning	Governance

KPI Framework (Measurement Pillars)

1. Efficiency / Throughput

Metrics: Cycle Time, % Pending vs Blocked, Hours Saved (FTE Impact).

2. Quality / Correctness

Metrics: Accuracy (vs Expected), False Positives rate, False Negatives rate.

3. Risk & Compliance

Metrics: KCFR 201 Results (Control Improvement), Evidence Completeness.

4. Adoption / User Experience

Metrics: Usage Rate, Default Set Coverage, User Satisfaction (Pulse).

5. Financial Value / Investment

Metrics: ROI (Value vs Cost), TCO (Build/Operate/Maintain Cost).

Success Measures

Program-Level

Improved speed/throughput.
Better decision quality.
Stronger control evidence.
ROI/TCO visibility.

Epic-Level

Definitions documented.
Data points mapped.
MVP reporting live.
Stakeholder value approval.

Definition of Done (AC)

Framework defined across all 5 categories.
Each KPI has documented logic & data mapping.
Baseline vs Post-Implementation model defined.
Reporting covers Efficiency, Quality, Risk, Adoption, Finance.
Logging requirements identified for all calcs.
KPI Ownership defined (biz/data/review owner).
Audit-sensitive metrics traceable.
ROI & TCO methodology documented.
Framework supports MVP & future expansion.

Delivery Workstreams

1. Define KPI Catalog & Glossary
2. Establish Metric Formulas & Rules
3. Map Data Sources & Logging Fields
4. Build Baseline Comparison Model
5. Operational Metrics Reporting
6. Quality Metrics Reporting
7. Compliance Metrics Reporting
8. Adoption & User Feedback Reporting
9. Value Model realization (ROI + TCO)
10. Executive Scorecard / Reporting
11. Governance Model & Review
12. Ownership & Support Docs