

JWST Questions for AI

1. Is there a JWST Cepheid Super-Nova catalogue
2. What is the typical range of frequencies or periods for Cepheids
3. Have there been any experiments (acquisition windows) to detect Cepheids
4. JWST Variable Frequency Sample Windows

Experiment:1 Dependent on Cepheid_Period: t
Sample_Count: n, Sample_Period_On: x, Sample_Period_Off: y

Sample: N	Accumulate ON: 1sec	OFF: 1sec
Sample: M	Accumulate ON: 1sec	OFF: 2sec
Sample: L	Accumulate ON: 1sec	OFF: 3sec
Sample: K	Accumulate ON: 1sec	OFF: 4sec

Alternative

Sample: N	Accumulate ON: 1sec	OFF: 1sec
Sample: M	Accumulate ON: 2sec	OFF: 1sec
Sample: L	Accumulate ON: 3sec	OFF: 1sec
Sample: K	Accumulate ON: 4sec	OFF: 1sec

Alternative

Sample: N	Accumulate ON: 10sec	OFF: 10sec
Sample: M	Accumulate ON: 20sec	OFF: 20sec
Sample: L	Accumulate ON: 30sec	OFF: 30sec
Sample: K	Accumulate ON: 40sec	OFF: 40sec

Using Period: and possible subtracting normalized accumulates can Cepheid candidates be detected

Can an inverse FFT or COSine Transform be used to detect candidates

Can HHT Intrinsic Mode Functions be used for non stationary Cepheid anomalies