



SAMPLE BASELINE REPORT

Harbour & Vale Solicitors LLP

Public website baseline | Illustrative customer report

Your website today, recorded clearly.

Regstead has mapped the important public-facing information we could observe across this sample law-firm website. This report creates a structured baseline that future monitoring can compare against.

- 46 public pages observed
- 9 linked documents mapped
- 3 public forms identified
- 8 regulatory and transparency surfaces recorded

SCAN DATE	12 September 2026
WEBSITE	www.harbourvale.example
MONITORING PROFILE	Law firms - England & Wales v1.0
REPORT ID	SAMPLE-LAW-001

SAMPLE DATA This report uses a fictional law firm and illustrative findings. It demonstrates the intended Regstead customer experience; it is not an assessment of a real organisation.

OVERVIEW

Baseline summary

A concise view of what Regstead observed, what merits review and what could not yet be confirmed.

87/100 WEBSITE HEALTH	18 DETECTED	2 REVIEW	1 POTENTIAL ISSUE
---------------------------------	-----------------------	--------------------	-----------------------------

The Website Health score is a monitoring aid, not a compliance score. It combines technical availability, discoverability and selected public-information signals so that changes can be prioritised consistently over time.

What stands out

- The main regulatory and client-information surfaces were discoverable, including SRA details, complaints information, Legal Ombudsman references and service pricing.
- One linked client-care document returned a confirmed 404 response and should be reviewed.
- Probate pricing contains a disbursement reference that would benefit from a quick human review for clarity.
- The SRA digital badge was visible in static page content, but its operational state could not be confirmed without browser execution.

Priority actions

PRIORITY	RECOMMENDED ACTION	STATUS
1	Replace or remove the broken client-care PDF link.	POTENTIAL ISSUE
2	Review probate disbursement wording for clarity.	REVIEW
3	Manually verify the live SRA badge once.	COULD NOT CONFIRM

REGULATORY SURFACE

What Regstead found and where

Regstead records the public locations of important information so later scans can tell whether it has moved, changed or disappeared.

SURFACE	OBSERVED LOCATION	STATUS	CONFIDENCE
SRA number	Footer + legal information	DETECTED	High
SRA digital badge	Footer	COULD NOT CONFIRM	Medium
Complaints procedure	/complaints	DETECTED	High
Legal Ombudsman information	/complaints	DETECTED	High
SRA conduct/complaints information	/complaints	DETECTED	High
Pricing hub	/our-fees	DETECTED	High
Privacy notice	/privacy	DETECTED	High
Contact / enquiry forms	Contact + service pages	DETECTED	High

How to read this section

A surface marked Detected means Regstead found evidence at a public location during this scan. "Could not confirm" means the evidence was insufficient for a stronger conclusion. It does not mean the item is missing.

Why this matters over time

If a future redesign removes the complaints link from navigation, replaces the pricing hub or changes an SRA reference, Regstead can compare the new observation with this baseline instead of starting from scratch.

PRICING & SERVICES

Published information by service

Regstead records observable pricing and service-information signals. These are monitoring signals, not a legal opinion on sufficiency.

SERVICE	APPLICABILITY	STATUS	OBSERVED SIGNALS
Residential conveyancing	High	DETECTED	Fees/range, VAT, disbursements, stages and indicative timescale observed. Supervisor information linked via team page.
Probate	High	REVIEW	Fee examples, VAT, included work and stages observed. One disbursement description merits human review.
Employment - employee claims	Medium	REVIEW	Charging basis and indicative fees observed. Supervisor association is less explicit than other service pages.
Immigration	Low	NOT APPLICABLE	No current consumer immigration service identified during the baseline crawl.

Baseline facts Regstead will remember

3	6	4	2
SERVICE AREAS	PRICING PAGES	PRICING DOCS	QUOTE / ENQUIRY FLOWS
On future scans, Regstead can compare page presence, document presence, key structured facts and material content hashes against this baseline.			

WEBSITE HEALTH

Technical and enquiry-journey baseline

These checks help distinguish regulatory-content changes from ordinary website breakage.

CHECK	STATUS	OBSERVATION
HTTPS / certificate	HEALTHY	Public pages served over HTTPS.
Priority-page availability	HEALTHY	Key pricing, complaints and contact pages returned successful responses.
Broken internal links	POTENTIAL ISSUE	One linked client-care PDF returned HTTP 404.
Public forms	HEALTHY	Three forms detected; form presence and structure recorded.
Contact information	HEALTHY	Telephone/email/address signals found consistently.
Robots / crawl access	HEALTHY	No baseline restriction prevented priority discovery.
Browser-rendered elements	COULD NOT CONFIRM	Dynamic badge operation requires browser execution beyond this baseline scan.

Enquiry journey

- Contact form observed on the main contact page.
- Conveyancing quote / enquiry route observed and recorded.
- Probate enquiry call-to-action observed on the service page.
- No customer account or private system was accessed; Regstead monitors public-facing website information only.

FINDINGS

What needs attention

Each finding states the evidence observed and avoids turning uncertainty into a compliance conclusion.

01 Linked client-care PDF returned 404

POTENTIAL ISSUE High confidence

Evidence: A link from the public legal-information area pointed to /media/client-care-guide.pdf. A direct recheck returned HTTP 404.

Recommended action: Replace the link, restore the document or remove the reference if it is no longer required.

02 Probate disbursement wording

REVIEW Medium confidence

Evidence: The probate page lists a third-party fee within the overall pricing section, but the relationship between the firm fee and third-party charge is not especially clear from the extracted text.

Recommended action: Review the wording in context. No breach is asserted; this is a clarity prompt for human review.

03 SRA badge operational state

COULD NOT CONFIRM Medium confidence

Evidence: A badge element/link was observed in static page content. The baseline scanner did not execute browser-side behaviour, so live badge operation was not tested.

Recommended action: Verify the badge manually once. Browser-based verification can be added in a later product capability.

04 Employment supervisor association

REVIEW Medium confidence

Evidence: Relevant team/supervision information exists elsewhere on the website, but the baseline did not confidently associate it with the employment pricing page.

Recommended action: Consider making the supervising person or role easier to associate with the published service information.

ONGOING MONITORING

What happens after the baseline

The first scan tells you what exists today. Regstead Monitor is designed to remember it and compare future observations against it.

1	BASELINE	Regstead stores structured facts about important pages, documents, forms and regulatory surfaces.
2	RESCAN	A scheduled scan revisits the public website using the same conservative evidence rules.
3	COMPARE	New observations are compared with the previous baseline and scan history.
4	ALERT	Meaningful changes are surfaced as new, changed, confirmed problem, removed or not observed.

Illustrative future change

EVENT	CLASSIFICATION	WHAT REGSTEAD WOULD SAY
Week 2	CHANGED	Probate pricing content materially changed; review the new wording.
Week 5	NOT OBSERVED	Complaints page was not reached during this scan. Regstead does not call it removed.
Week 6	CONFIRMED PROBLEM	Previously linked complaints page now returns HTTP 404 on recheck.

The key principle

NOT OBSERVED is not the same as REMOVED. Regstead escalates certainty only when the evidence supports it.

METHOD & SCOPE

How this sample report should be used

Regstead is designed as an evidence-led monitoring service. Human judgement remains part of the process.

Status meanings

Detected: Regstead found sufficient public evidence for the monitored signal.

Review: Evidence exists, but interpretation or clarity benefits from human review.

Potential issue: A stronger observable problem was found, such as a confirmed broken link. This is still not a legal conclusion.

Could not confirm: The available evidence was insufficient for a reliable yes/no conclusion.

Not applicable: The monitored rule or service category does not appear applicable based on the current evidence.

Scope of this baseline

- Publicly accessible website information only.
- No login, private system, customer account or protected content accessed.
- Static HTML and linked-document presence were evaluated; PDF content parsing and browser execution are not represented in this sample baseline.
- Findings are based on observable evidence at the time of scan and may change when the website changes.

Important disclaimer

Regstead does not provide legal advice and does not certify regulatory compliance.

This report identifies observable website signals, technical conditions and changes that may merit review. Organisations remain responsible for determining their legal and regulatory obligations and for deciding what action, if any, is appropriate.

What a customer receives

- A branded baseline report like this one.
- A Regulatory Surface inventory showing where important information was found.
- Recurring monitoring and structured change history.
- Alerts focused on meaningful changes rather than routine website noise.
- Clear uncertainty language when Regstead cannot confirm something reliably.

YOUR WEBSITE CHANGES. REGSTEAD NOTICES.

Monitor what matters.