

Tryton By Example

-

Tryton installation & usage
for first time administrators & users

-

Ancillaries

Github - <https://github.com/clixwise/tryton-by-example>

Version of presentation : [5.0](#)

Version of Tryton : 5.8

Verified for execution on : Windows 10 & Powershell 7

Licence : [CC BY 4.0](#)

Author : Marc Rottiers

Table of Contents

Attachment	Managing attachments
Note	Managing notes

Attachment

Configuration Wizard

Companies

1 / 1

Filters Search

Party Currency

COM01 Euro

Add... Manage...

Attachments (COM01)									
<div> <div>↔</div> <div><</div> <div>1/1</div> <div>></div> <div>+</div> <div>🗑</div> <div>↶</div> </div>									
✓	Name	Summary	Last User	Last Modifica...	Last Modifica... Time	Type	Data	Link	
✓	Tryton 5.8 - Doc 05.80 - Features.Co					Data ▾	12.00 KB	📄	✕

Configuration Wizard

Application Error

```
Traceback (most recent call last):
  File "/usr/local/lib/python37/dist-packages/trytond/wsgipy", line 116, in dispatch_request
    return endpoint(request, **requestview_args)
  File "/usr/local/lib/python37/dist-packages/trytond/protocols/dispatcherpy", line 48, in rpc
    request, database_name, *requestrpc_params)
  File "/usr/local/lib/python37/dist-packages/trytond/wsgipy", line 83, in auth_required
    return wrapped(*args, **kwargs)
  File "/usr/local/lib/python37/dist-packages/trytond/protocols/wrapperspy", line 131, in wrapper
    return func(request, pool, *args, **kwargs)
  File "/usr/local/lib/python37/dist-packages/trytond/protocols/dispatcherpy", line 181, in _dispatch
    result = rpcresult(meth(*c_args, **c_kwargs))
  File "/usr/local/lib/python37/dist-packages/trytond/ir/resourcepy", line 76, in create
    records = super().create(vlist)
  File "/usr/local/lib/python37/dist-packages/trytond/model/modelsqlpy", line 159, in wrapper
    return func(cls, *args, **kwargs)
  File "/usr/local/lib/python37/dist-packages/trytond/model/modelsqlpy", line 664, in create
    fieldset(cls, fname, *fargs)
  File "/usr/local/lib/python37/dist-packages/trytond/model/fields/binarypy", line 113, in set
    filestoreset(value, prefix) if value else None, None]
  File "/usr/local/lib/python37/dist-packages/trytond/filestorepy", line 35, in set
    os.makedirs(dirname, 0o770)
  File "/usr/lib/python37/ospy", line 211, in makedirs
    makedirs(head, exist_ok=exist_ok)
  File "/usr/lib/python37/ospy", line 211, in makedirs
    makedirs(head, exist_ok=exist_ok)
  File "/usr/lib/python37/ospy", line 221, in makedirs
    mkdir(name, mode)
PermissionError: [Errno 13] Permission denied: '/var/lib/trytond/db/tryt20'
```

<https://bugs.tryton.org/issue1721>

<https://bugs.tryton.org/issue4201>

<https://hg.tryton.org/trytond/file/20f6cdea9808/trytond/ir/attachment.py#l148>

You must give write permission to user running trytond to this directory or change the data_path in the config file.

<https://bugs.tryton.org/issue59>

Notes

Attaching a « Note »

Parties associated to Purchases -

↔ < 1 / 1 > + ↓ ↺ 📎 🗨️ 🌀 🔗 🖨️ ✉️

Name: SUP01

Code: 3

Active: ☒

General

Supplier

Identifiers

Banking

Relations

Accounting

Stock

Notes (SUP01)

↔ < 1 / 1 > + 🗑️ ↶

Resource: Party

🔗 SUP01

Unread:

☐

SUP01 Note

OK

Parties associated to Purchases -

↔ < 1 / 1 > + ↓ ↺ 📎 🗨️ 0/1 🌀 🔗 🖨️ ✉️

Name: SUP01

Code: 3

Active: ☒

General

Supplier

Identifiers

Banking

Relations

Accounting

Stock