洋流號 / DSS Taipei Current

FULL BUILD

67 numbered steps

348 catalog pieces

348 rigid pieces
2 suspension bands + craft cord
Custom stickers supplied separately




DRAFT FOR FIT REVIEW


Complete illustrated sequence. Digital connection review is separate from physical fit, grip and suspension testing.


An independent fan design for use with genuine LEGO® bricks. Not affiliated with, sponsored by, or endorsed by the LEGO Group.
Full credits on the website

Our contributions: CC BY-SA 4.0

Read the pictures, then dry-fit







01 NEW PARTS

Blue outline = new.

02 CALLOUTS

2× = two copies.

03 DRY-FIT


Check fit; do not force.

Print stickers at 100%; check the 20 mm ruler. Bands and cord are outside the rigid count. The cabin driver is omitted.

Test-build edition: full insertion replay, physical grip, suspension travel and handling strength remain unverified.

Our contributions: CC BY-SA 4.0

Chapters and parts




01 / Chassis frame

1 - 4




02 / Suspension and underside

5 - 12




03 / Floor and lower body

13 - 16



04 / Body sides and wheel arches

17 - 32



05 / Tailgate and front body

33 - 39



06 / Cabin and figures

40 - 46



07 / Road wheels

47 - 47



08 / Rear platform and helm

48 - 54




09 / Speakers

55 - 55




10 / Larger triangular flag

56 - 57




11 / Rear banner and life rings

58 - 60



12 / Stickers and launch configuration

61 - 64




13 / Figures and final placement

65 - 67

Our contributions: CC BY-SA 4.0

1 Chassis core

PARTS IN THIS STEP



2 x 32018

Black



2 x 2780

Black




Our contributions: CC BY-SA 4.0

1 Tie both beams with the square plates


Panel 4 / 8

PARTS IN THIS STEP



2 x 3031

Light Bluish Gray




Our contributions: CC BY-SA 4.0

1 Add the centre and front ties


Panel 5 / 8

PARTS IN THIS STEP




1 x 3020

Dark Orange



2 x 3021

Light Bluish Gray




Our contributions: CC BY-SA 4.0

1 Fit both small round plates

Panel 6 / 8

PARTS IN THIS STEP



2 x 6141

Orange




Our contributions: CC BY-SA 4.0

1 Cap the centre and frame ends


Panel 7 / 8

PARTS IN THIS STEP




1 x 3020

Dark Orange



1 x 3022

Black



Our contributions: CC BY-SA 4.0


1 Build the chassis core

Panel 8 / 8

1 x COMPLETED UNIT

chassis core

13 pieces / no new loose parts




Check both pins are seated and all tie plates are fitted.

Our contributions: CC BY-SA 4.0


2 Build the rear frame supports

PARTS IN THIS STEP




2 x 3460

Black




2 x 18671

Light Bluish Gray



1 x 3022


Black



Our contributions: CC BY-SA 4.0


3 Fit the lower rear bumper face

PARTS IN THIS STEP



1 x 87079


Black



Our contributions: CC BY-SA 4.0


4 Extend the longitudinal plates toward the front

PARTS IN THIS STEP



2 x 3460


Black




Our contributions: CC BY-SA 4.0

5 Rear left suspension unit

5a. Rear left inner arm and pivot





1 x 32140

Black



1 x 32556b

Tan

5b. Rear left outer arm





1 x 2780

Black



1 x 32140

Black

5c. Rear left wheel pin and ball pin





1 x 32556b

Tan




1 x 6628

Black

Our contributions: CC BY-SA 4.0

5 Rear left suspension unit




1×




Our contributions: CC BY-SA 4.0

6 Rear right suspension unit


6a. Rear right inner arm and pivot





1 x 32140


Black



1 x 32556b

Tan


6b. Rear right outer arm





1 x 2780

Black




1 x 32140

Black

6c. Rear right wheel pin and ball pin





1 x 32556b

Tan




1 x 6628

Black

Our contributions: CC BY-SA 4.0

6 Rear right suspension unit




1×




Our contributions: CC BY-SA 4.0

7 Front left suspension unit


7a. Front left inner arm and pivot





1 x 32140

Black



1 x 32556b

Tan

7b. Front left outer arm





1 x 2780

Black




1 x 32140

Black

7c. Front left wheel pin and ball pin





1 x 32556b

Tan



1 x 6628

Black

Our contributions: CC BY-SA 4.0

7 Front left suspension unit




1×




Our contributions: CC BY-SA 4.0

8 Front right suspension unit


8a. Front right inner arm and pivot





1 x 32140

Black



1 x 32556b

Tan


8b. Front right outer arm





1 x 2780

Black




1 x 32140

Black

8c. Front right wheel pin and ball pin





1 x 32556b

Tan




1 x 6628

Black

Our contributions: CC BY-SA 4.0

8 Front right suspension unit




1×



Our contributions: CC BY-SA 4.0

9 Fit the two suspension bands

PARTS IN THIS STEP



2× x37 · one loop per side.

Our contributions: CC BY-SA 4.0

10 Fit the two rear underside dishes


Panel 1 / 2

PARTS IN THIS STEP



2 x 2654a

Trans Clear



Turn the chassis over for underside work.

Our contributions: CC BY-SA 4.0

10 Fit the remaining rear and centre underside dishes


Panel 2 / 2

PARTS IN THIS STEP



2 x 2654a

Trans Clear




Leave the front underside dish off until the lower bumper is complete.

Our contributions: CC BY-SA 4.0


11 Fit the rear socket plate

Panel 1 / 2

PARTS IN THIS STEP



1 x 98263
Light Bluish Gray




Keep the front work area open.

Our contributions: CC BY-SA 4.0

11 Start the front lower bumper on the table


Panel 2 / 2

PARTS IN THIS STEP



1 x 3710

Dark Bluish Gray



Build the bumper separately: brackets, cap, slopes, then trim.

Our contributions: CC BY-SA 4.0


12 Fit both front brackets

Panel 1 / 8

PARTS IN THIS STEP



2 x 99207
Black




Fit the brackets to the lower tie before adding the upper cap plate.

Our contributions: CC BY-SA 4.0

12 Cap the front brackets with the upper plate


Panel 2 / 8

PARTS IN THIS STEP



1 x 3710

Dark Bluish Gray




Do this after both brackets are in place.

Our contributions: CC BY-SA 4.0

12 Fit the two lower front slopes


Panel 3 / 8

PARTS IN THIS STEP



2 x 85984

Light Bluish Gray




Add them to the bracket faces before the outer bumper trim.

Our contributions: CC BY-SA 4.0


12 Fit the two outer bumper slopes

Panel 4 / 8

PARTS IN THIS STEP



2 x 4286
Black




Keep the centre tile separate for the next panel.

Our contributions: CC BY-SA 4.0

12 Fit the centre bumper tile


Panel 5 / 8

PARTS IN THIS STEP



1 x 2431

Black



Complete the lower bumper before adding the front underside dish.


Our contributions: CC BY-SA 4.0

12 Locate the receiving structure

Panel 6 / 8

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


12 Fit the complete front lower bumper

Panel 7 / 8

1 x COMPLETED UNIT

front lower bumper

9 pieces / no new loose parts



Fit the cap to the front ties. Support the chassis; leave the front dish off.

Our contributions: CC BY-SA 4.0

12 Fit the front transparent underside dish last

Panel 8 / 8

PARTS IN THIS STEP



1 x 2654a

Trans Clear




Turn over. Fit the front dish after the complete bumper.

Our contributions: CC BY-SA 4.0


13 Install both floor plates

Turn: Studs up

PARTS IN THIS STEP



2 x 3036
Dark Bluish Gray



Our contributions: CC BY-SA 4.0

14 Build the rear floor spacers

Turn: Underside

PARTS IN THIS STEP



8 x 6141
Dark Bluish Gray



Our contributions: CC BY-SA 4.0


15 Build the front floor spacers

PARTS IN THIS STEP



8 x 6141

Dark Bluish Gray




Our contributions: CC BY-SA 4.0


16 Build the bed floor and supports

Turn: Studs up


PARTS IN THIS STEP




1 x 6179
Black



1 x 3020
Dark Orange



4 x 3023b
Black




Our contributions: CC BY-SA 4.0


17 Start with the orange running-board plate

Panel 1 / 16 **2x / parts for one copy**

PARTS IN THIS STEP



1 x 3666
Dark Orange




Our contributions: CC BY-SA 4.0


17 Fit the two lower brackets

Panel 2 / 16 **2x / parts for one copy**

PARTS IN THIS STEP



2 x 93274
Black




Our contributions: CC BY-SA 4.0


17 Fit the three black side slopes

Panel 3 / 16 **2x / parts for one copy**

PARTS IN THIS STEP



3 x 85984
Black



Our contributions: CC BY-SA 4.0


17 Fit the orange end caps

Panel 4 / 16 **2x / parts for one copy**

PARTS IN THIS STEP



2 x 54200
Dark Orange




Our contributions: CC BY-SA 4.0

17 Hold the loose upper rail with its underside exposed


Panel 5 / 16

PARTS IN THIS STEP



1 x 3666

Dark Orange



Keep this rail separate from the lower carrier until all its brackets are fitted.

Our contributions: CC BY-SA 4.0

17 Fit the mounting bracket to the loose rail


Panel 6 / 16

PARTS IN THIS STEP



1 x 99207

Black



Support the loose rail. Fit this bracket before attaching the rail.

Our contributions: CC BY-SA 4.0

17 Fit the remaining brackets while the underside is open


Panel 7 / 16

PARTS IN THIS STEP



2 x 99207

Black



All brackets for this rail must be in place before installation on the lower carrier.


Our contributions: CC BY-SA 4.0

17 Locate the receiving structure

Panel 8 / 16

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


17 Fit this completed upper rail unit to the lower carrier

Panel 9 / 16

1 x COMPLETED UNIT

left upper rail 1

4 pieces / no new loose parts




Align the mounting brackets. Keep the other rail separate until its brackets are complete.

Our contributions: CC BY-SA 4.0


17 Hold the loose upper rail with its underside exposed

Panel 10 / 16

PARTS IN THIS STEP



1 x 3710
Dark Orange



Keep this rail separate from the lower carrier until all its brackets are fitted.

Our contributions: CC BY-SA 4.0

17 Fit the mounting bracket to the loose rail


Panel 11 / 16

PARTS IN THIS STEP



1 x 99207

Black



Support the loose rail. Fit this bracket before attaching the rail.

Our contributions: CC BY-SA 4.0

17 Fit the remaining brackets while the underside is open


Panel 12 / 16

PARTS IN THIS STEP



1 x 99207

Black



All brackets for this rail must be in place before installation on the lower carrier.


Our contributions: CC BY-SA 4.0

17 Locate the receiving structure

Panel 13 / 16

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


17 Fit this completed upper rail unit to the lower carrier

Panel 14 / 16

1 x COMPLETED UNIT

left upper rail 2

3 pieces / no new loose parts



Align the mounting brackets. Keep the other rail separate until its brackets are complete.


Our contributions: CC BY-SA 4.0

17 Locate the receiving structure

Panel 15 / 16

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


17 Install the left side carrier

Panel 16 / 16

1 x COMPLETED UNIT

left side carrier

15 pieces / no new loose parts



Align both floor supports before seating the completed carrier.


Our contributions: CC BY-SA 4.0

18 Hold the loose upper rail with its underside exposed


Panel 5 / 16

Use the second base from step 17

PARTS IN THIS STEP



1 x 3666
Dark Orange



Keep this rail separate from the lower carrier until all its brackets are fitted.

Our contributions: CC BY-SA 4.0

18 Fit the mounting bracket to the loose rail


Panel 6 / 16

PARTS IN THIS STEP



1 x 99207

Black



Support the loose rail. Fit this bracket before attaching the rail.

Our contributions: CC BY-SA 4.0

18 Fit the remaining brackets while the underside is open


Panel 7 / 16

PARTS IN THIS STEP



2 x 99207

Black



All brackets for this rail must be in place before installation on the lower carrier.


Our contributions: CC BY-SA 4.0

18 Locate the receiving structure

Panel 8 / 16

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


18 Fit this completed upper rail unit to the lower carrier

Panel 9 / 16

1 x COMPLETED UNIT

right upper rail 1

4 pieces / no new loose parts




Align the mounting brackets. Keep the other rail separate until its brackets are complete.

Our contributions: CC BY-SA 4.0


18 Hold the loose upper rail with its underside exposed

Panel 10 / 16

PARTS IN THIS STEP



1 x 3710
Dark Orange



Keep this rail separate from the lower carrier until all its brackets are fitted.

Our contributions: CC BY-SA 4.0

18 Fit the mounting bracket to the loose rail


Panel 11 / 16

PARTS IN THIS STEP



1 x 99207

Black



Support the loose rail. Fit this bracket before attaching the rail.

Our contributions: CC BY-SA 4.0

18 Fit the remaining brackets while the underside is open


Panel 12 / 16

PARTS IN THIS STEP



1 x 99207

Black



All brackets for this rail must be in place before installation on the lower carrier.


Our contributions: CC BY-SA 4.0

18 Locate the receiving structure

Panel 13 / 16

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


18 Fit this completed upper rail unit to the lower carrier

Panel 14 / 16

1 x COMPLETED UNIT

right upper rail 2

3 pieces / no new loose parts



Align the mounting brackets. Keep the other rail separate until its brackets are complete.


Our contributions: CC BY-SA 4.0

18 Locate the receiving structure

Panel 15 / 16

RECEIVING STRUCTURE

No new parts. Set the completed unit aside.



Locate the mounting points. Keep the completed unit separate.

Our contributions: CC BY-SA 4.0


18 Install the right side carrier

Panel 16 / 16

1 x COMPLETED UNIT

right side carrier

15 pieces / no new loose parts



Align both floor supports before seating the completed carrier.

Our contributions: CC BY-SA 4.0


19 Fit all four wheel arches

PARTS IN THIS STEP



4 x 98282


White




Our contributions: CC BY-SA 4.0

20 Install the rear bed

20a. Start with the rear bed plate







1 x 3795

Black

20b. Fit the plate under the bed






1 x 3020

Dark Orange

20c. Fit the three rear cross brackets






3 x 44728

Dark Bluish Gray

20d. Fit both rear corner brackets






2 x 99207

Black

Our contributions: CC BY-SA 4.0

20 Install the rear bed

20e. Tie the bed with both long rails






2 x 3460


Black

Our contributions: CC BY-SA 4.0

20 Install the rear bed




1×



Our contributions: CC BY-SA 4.0


21 Fit the two round rear trims

PARTS IN THIS STEP



2 x 18654


Dark Bluish Gray




Our contributions: CC BY-SA 4.0

22 Build the rear bumper strip layers


PARTS IN THIS STEP




1 x 3710
Dark Bluish Gray



1 x 3710
Dark Orange



2 x 3666
Dark Bluish Gray




Our contributions: CC BY-SA 4.0

23 Finish the rear bumper

PARTS IN THIS STEP



2 x 92280
Black



2 x 3023b
Black




2 x 14719
Black



2 x 6091
Black




1 x 3069b
White




Our contributions: CC BY-SA 4.0

24 Build the left side panels


PARTS IN THIS STEP




1 x 3022
Black



1 x 3023b
Black




1 x 3023b
Dark Orange



1 x 15068
Dark Orange




2 x 85984
Dark Orange




Our contributions: CC BY-SA 4.0

25 Finish the left side trim


PARTS IN THIS STEP




3 x 3069b
Dark Orange



1 x 87079
Dark Orange




1 x 3068b
Dark Orange




Our contributions: CC BY-SA 4.0

26 Build the right side panels


PARTS IN THIS STEP




1 x 3022
Black




1 x 3023b
Black




1 x 3023b
Dark Orange



1 x 15068
Dark Orange




2 x 85984
Dark Orange




Our contributions: CC BY-SA 4.0

27 Finish the right side trim

PARTS IN THIS STEP




3 x 3069b
Dark Orange



1 x 87079
Dark Orange




1 x 3068b
Dark Orange




Our contributions: CC BY-SA 4.0

28 Finish the rear wheel-arch caps


PARTS IN THIS STEP




4 x 3023b
Dark Orange



2 x 4081b
Black




2 x 3070b
Dark Orange




Our contributions: CC BY-SA 4.0

29 Finish the front wheel-arch caps

PARTS IN THIS STEP




4 x 3023b
Dark Orange



2 x 4081b
Black




2 x 3069b
Dark Orange



Our contributions: CC BY-SA 4.0


30 Cap the rear side rails

PARTS IN THIS STEP



2 x 85984


Black




Our contributions: CC BY-SA 4.0

31 Tie the upper body sides


PARTS IN THIS STEP




2 x 3460
Black



2 x 3666
Dark Orange




2 x 3710
Dark Orange



Our contributions: CC BY-SA 4.0

32 Finish the upper body strips


PARTS IN THIS STEP




2 x 85984
Dark Orange



2 x 54200
Dark Orange




2 x 3023b
Black




Our contributions: CC BY-SA 4.0

33 Fit the rear tailgate

33a. Lay out the tailgate backing plates





1 x 3795


Black



2 x 3022

Black

33b. Fit the two handles






2 x 60478

Black

33c. Finish the two tailgate strips






2 x 6636


Dark Orange

Our contributions: CC BY-SA 4.0

33 Fit the rear tailgate




1×




Our contributions: CC BY-SA 4.0

34 Build the front body core

PARTS IN THIS STEP



1 x 3001
Yellow




1 x 3020
Dark Orange



2 x 3005
Black




2 x 6141
Orange




Our contributions: CC BY-SA 4.0

35 Build the front face supports


PARTS IN THIS STEP



3 x 44728
Dark Bluish Gray




1 x 3002
Dark Orange



Our contributions: CC BY-SA 4.0


36 Fit the lamp housings and lower slopes

PARTS IN THIS STEP




2 x 3002

Black



2 x 3665b


Dark Orange



Our contributions: CC BY-SA 4.0

37 Build the front grille


PARTS IN THIS STEP



1 x 3020
Black



4 x 2412b
Black




Our contributions: CC BY-SA 4.0

38 Fit both curved bumpers and headlights

PARTS IN THIS STEP




4 x 49307
Black



2 x 3070b
Black




2 x 3070b
Trans Clear




Our contributions: CC BY-SA 4.0

39 Build the hood supports


PARTS IN THIS STEP




1 x 3031
Light Bluish Gray




2 x 3022
Black



1 x 3666
Black




1 x 3710
Dark Orange




Our contributions: CC BY-SA 4.0

40 Build the cabin floor


PARTS IN THIS STEP




1 x 3037
Light Bluish Gray



2 x 3040b
Light Bluish Gray




1 x 3020
Dark Orange




Our contributions: CC BY-SA 4.0

41 Fit the dashboard, steering and seat

PARTS IN THIS STEP



1 x 30136
Dark Bluish Gray



2 x 2412b
Dark Bluish Gray




1 x 3829a
Light Bluish Gray



1 x 3828
Black




1 x 4079
Black




Our contributions: CC BY-SA 4.0

42 Build the rear cab pillars and glazing


PARTS IN THIS STEP



4 x 3004
Dark Orange




4 x 87552
Trans Black



Our contributions: CC BY-SA 4.0

43 Tie and cap the rear cab frame


PARTS IN THIS STEP




1 x 3666
Dark Orange




2 x 54200
Dark Orange



1 x 3710
Dark Bluish Gray




1 x 3710
Dark Orange




Our contributions: CC BY-SA 4.0

44 Fit the windscreen and roof support


PARTS IN THIS STEP




1 x 92583
Trans Black



1 x 3666
Black




1 x 2431
Black




Our contributions: CC BY-SA 4.0

45 Fit the hood and upper tiles


PARTS IN THIS STEP




1 x 52031
Dark Orange



1 x 3068b
White




2 x 3069b
Dark Orange



Our contributions: CC BY-SA 4.0

46 Fit the removable white cab roof

PARTS IN THIS STEP



1 x 52031

White




Our contributions: CC BY-SA 4.0

47 Fit all four completed wheels

4×

47a. Wheel rim





1 x 55981

Black

47b. Fit the tyre around the rim





1 x 92402

Black

Our contributions: CC BY-SA 4.0

47 Fit all four completed wheels



4×




Our contributions: CC BY-SA 4.0

48 Fit the four platform risers

4×

48a. Start with one black 2 x 2 plate






1 x 3022

Black

48b. Stack the second plate






1 x 3022


Black

Our contributions: CC BY-SA 4.0

48 Fit the four platform risers




4×




Our contributions: CC BY-SA 4.0

49 Fit the tan rear platform

PARTS IN THIS STEP




1 x 3958
Tan




Our contributions: CC BY-SA 4.0

50 Fit the white enclosure mounting plates

PARTS IN THIS STEP




2 x 3034
White



Our contributions: CC BY-SA 4.0

51 Fit the helm console

51a. Helm base plate







1 x 3022

Reddish Brown

51b. Fit the helm pedestal







1 x 3003

Reddish Brown

51c. Fit the helm bearing spacer






1 x 3023b

Reddish Brown

51d. Fit the Technic bearing brick






1 x 3700

Reddish Brown

Our contributions: CC BY-SA 4.0

51 Fit the helm console

51e. Fit the ship wheel






1 x 4790

Reddish Brown

Our contributions: CC BY-SA 4.0

51 Fit the helm console



1×




Our contributions: CC BY-SA 4.0

52 Fit both side shield panels

3×


52a. White lower strip



1 x 3666

White

52b. Fit the clear panel






1 x 59349

Trans Clear

52c. Fit the white top cap




1 x 3666


White

Our contributions: CC BY-SA 4.0

52 Slide inward → lower



1 plate above




Slide in ↓


Rails go on afterward.

Our contributions: CC BY-SA 4.0

52 Fit both side shield panels



2×




Slide inward one plate high, then lower.


Our contributions: CC BY-SA 4.0

53 Fit the remaining front shield panel

1× ← 52



1×



Use the remaining copy.


Our contributions: CC BY-SA 4.0

54 Fit the two outboard nautical rails

PARTS IN THIS STEP



2 x 4083
White




Our contributions: CC BY-SA 4.0

55 Fit both roof speakers

2×

55a. Speaker base plate






1 x 3022

Black

55b. Fit both side-stud bricks






2 x 4070

Black

55c. Fit both speaker cones






2 x 6141

Dark Bluish Gray

55d. Fit the smooth top tile






1 x 3068b

Black

Our contributions: CC BY-SA 4.0

55 Fit both roof speakers




2×



Our contributions: CC BY-SA 4.0

56 Fit the sail mast and supports

PARTS IN THIS STEP




1 x 3022
White



2 x 3062b
White


1 x 4095
Black




Our contributions: CC BY-SA 4.0

57 Clip the flag to the mast


57a. Lay out the two Reddish Orange wedge plates





1 x 65426


Reddish Orange



1 x 65429

Reddish Orange

57b. Tie both wedges with the smooth 2 x 2 tile






1 x 3068b

Reddish Orange

57c. Fit both clips behind the wedges






2 x 61252

Black

Our contributions: CC BY-SA 4.0

57 Clip the flag to the mast



1×




Our contributions: CC BY-SA 4.0

58 Fit the rear mast foot and open-stud collar

PARTS IN THIS STEP



1 x 3062b
White



1 x 3794b
White



1 x 85861
White




Our contributions: CC BY-SA 4.0


59 Fit the rear mast and both flags

PARTS IN THIS STEP

1 x 76348
Black



2 x 2335
White




Our contributions: CC BY-SA 4.0

60 Fit both life rings

2×

60a. Life-ring mount






1 x 15712

White

60b. Fit the red life ring





1 x 30340

Red

Our contributions: CC BY-SA 4.0

60 Fit both life rings



2×



Our contributions: CC BY-SA 4.0

61 Apply the hood sticker

PARTS IN THIS STEP



Two films. Upper film spans all three level tiles.

Our contributions: CC BY-SA 4.0

62 Apply the individual banner stickers

PARTS IN THIS STEP



洋 above / 流 below / both faces.

Our contributions: CC BY-SA 4.0

63 Apply the triangular flag tile sticker

PARTS IN THIS STEP



White print on clear film.

Our contributions: CC BY-SA 4.0

64 Fit the dangling decorative cord

PARTS IN THIS STEP



Thread four rings; tie loosely. Keep clear of wheels.

Our contributions: CC BY-SA 4.0

65 Candidate minifigure



1× preassembled



Preassembled.

Our contributions: CC BY-SA 4.0

66 Complete 小英 with the speech bubble

66a. Preassembled 小英





1×

Preassembled

66b. Attach the two-sided speech bubble



1 x 30374

White



1 x 2335


White

Our contributions: CC BY-SA 4.0

66 Complete 小英 with the speech bubble



1×



Our contributions: CC BY-SA 4.0

67 Place the figures in the final scene

PARTS IN THIS STEP



Our contributions: CC BY-SA 4.0

PRINT AT ACTUAL SIZE

Campaign sticker placement guide

For printing, use the separate vector print-and-cut sheets. This page is a fitting guide. The upper hood film spans three level tiles. Keep clips, studs and the step down to the curved hood clear.

H1 / whole upper character



30.16 x 15.76 mm

H2 / curved hood + white strip



30.16 x 16.11 mm

Banner 1 / face 1



15.76 x 15.76 mm

Banner 1 / face 2



15.76 x 15.76 mm

Banner 2 / face 1



15.76 x 15.76 mm

Banner 2 / face 2



15.76 x 15.76 mm

Wedge flag - white / clear



14.40 x 14.40 mm


Hood: apply H1 as one clear film across the white centre tile and both level orange side tiles. Do not cut at their internal seams. H2 keeps the straight white strip on the curved hood; keep it separate from H1 at the height change. Square flags: printed Reddish Orange backgrounds on White parts, both faces. Wedge: white emblem on clear film.

20 mm

Our contributions: CC BY-SA 4.0

PRINT AT ACTUAL SIZE

One banner / two speech-bubble faces





Face 1



Face 2

Print at 100%. Both banner faces are 15.36 × 15.36 mm. Apply to opposite sides of one White 2335 flag. Keep both clips clear.



Jacket / clear film
14.8 mm lower edge × 11.6 mm high



20 mm scale check


Custom graphics by CL Kao. The figure is a likeness approximation; real hand/bar grip remains untested.

Our contributions: CC BY-SA 4.0


Parts list 1 / 6




2 x 14719
Black




2 x 15068
Dark Orange




2 x 15712
White



2 x 18654
Dark Bluish Gray




2 x 18671
Light Bluish Gray




3 x 2335
White



4 x 2412b
Black



2 x 2412b
Dark Bluish Gray




2 x 2431
Black




5 x 2654a
Trans Clear




6 x 2780
Black




1 x 3001
Yellow




2 x 3002
Black



1 x 3002
Dark Orange




1 x 3003
Reddish Brown




4 x 3004
Dark Orange




2 x 3005
Black



1 x 30136
Dark Bluish Gray




1 x 3020
Black




6 x 3020
Dark Orange

Our contributions: CC BY-SA 4.0


Parts list 2 / 6




2 x 3021
Light Bluish Gray




18 x 3022
Black




1 x 3022
Reddish Brown




1 x 3022
White




10 x 3023b
Black




1 x 3023b
Reddish Brown



10 x 3023b
Dark Orange




3 x 3031
Light Bluish Gray




2 x 3034
White



2 x 30340
Red




2 x 3036
Dark Bluish Gray



1 x 3037
Light Bluish Gray


1 x 30374
White



2 x 3040b
Light Bluish Gray



3 x 3062b
White




2 x 3068b
Black




2 x 3068b
Dark Orange



1 x 3068b
Reddish Orange




1 x 3068b
White




10 x 3069b
Dark Orange

Our contributions: CC BY-SA 4.0

Parts list 3 / 6




1 x 3069b
White




2 x 3070b
Black



2 x 3070b
Trans Clear




2 x 3070b
Dark Orange




2 x 32018
Black



8 x 32140
Black




8 x 32556b
Tan




8 x 3460
Black




2 x 3626cp87
Yellow




2 x 3665b
Dark Orange




2 x 3666
Black




7 x 3666
Dark Orange




2 x 3666
Dark Bluish Gray




6 x 3666
White




1 x 3700
Reddish Brown




7 x 3710
Dark Orange




4 x 3710
Dark Bluish Gray



1 x 3794b
White



2 x 3795
Black



2 x 3815c01
Black

Our contributions: CC BY-SA 4.0

Parts list 4 / 6



1 x 3818
Dark Blue



1 x 3818
Light Bluish Gray



1 x 3819
Dark Blue



1 x 3819
Light Bluish Gray




4 x 3820
Yellow



1 x 3828
Black



1 x 3829a
Light Bluish Gray




1 x 3958
Tan



4 x 4070
Black



1 x 4079
Black




4 x 4081b
Black




2 x 4083
White

1 x 4095
Black



2 x 4286
Black




6 x 44728
Dark Bluish Gray




1 x 4790
Reddish Brown



4 x 49307
Black



1 x 52031
Dark Orange



1 x 52031
White




8 x 54200
Dark Orange

Our contributions: CC BY-SA 4.0

Parts list 5 / 6



4 x 55981
Black




3 x 59349
Trans Clear




2 x 60478
Black




2 x 6091
Black




2 x 61252
Black




20 x 6141
Dark Bluish Gray



4 x 6141
Orange




1 x 6179
Black



1 x 62711
Black




1 x 65426
Reddish Orange



1 x 65429
Reddish Orange



4 x 6628
Black




2 x 6636
Dark Orange


1 x 76348
Black




1 x 85861
White




8 x 85984
Black




6 x 85984
Dark Orange



2 x 85984
Light Bluish Gray




1 x 87079
Black



2 x 87079
Dark Orange

Our contributions: CC BY-SA 4.0

Parts list 6 / 6




4 x 87552
Trans Black




2 x 92280
Black




4 x 92402
Black



1 x 92583
Trans Black




4 x 93274
Black



1 x 973
Light Bluish Gray



1 x 973p5i
White



1 x 98263
Light Bluish Gray



4 x 98282
White




1 x 98385
Black



14 x 99207
Black


Our contributions: CC BY-SA 4.0

Checks and remaining physical tests




DIGITAL COVERAGE

348 rigid parts, introduced once. MPD poses and inventory match.




MAST + PLATFORM

Dry-fit clips and mount. Support the chassis; do not lift by equipment.



SUSPENSION

Fit both bands. Check wheel clearance and suspension travel.



CORD + STICKERS

Check threading, knot slack and paper fit before final application.

Full credits on the website →

Targeted digital fit checks only. Full continuous assembly replay, physical grip, stiffness and handling strength remain unverified.

Our contributions: CC BY-SA 4.0