洋流號 / DSS Taipei Current

FULL BUILD

67 numbered steps

348 catalog pieces



348 rigid pieces
2 suspension bands + craft cord
Custom stickers supplied separately

DRAFT FOR FIT REVIEW

Complete illustrated sequence. Digital connection review is separate from physical fit, grip and suspension testing.

An independent fan design for use with genuine LEGO® bricks. Not affiliated with, sponsored by, or endorsed by the LEGO Group.

Full credits on the website

BEFORE BUILDING

Read the pictures, then dry-fit





01 NEW PARTS

Blue outline = new.

02 CALLOUTS

2× = two copies.

03 DRY-FIT

Check fit; do not force.

Print stickers at 100%; check the 20 mm ruler. Bands and cord are outside the rigid count. The cabin driver is omitted.

Test-build edition: full insertion replay, physical grip, suspension travel and handling strength remain unverified.

Chapters and parts



01 / Chassis frame

1 - 4

02 / Suspension and underside

5 - 12



03 / Floor and lower body

13 - 16



04 / Body sides and wheel arches

17 - 32



05 / Tailgate and front body

33 - 39

06 / Cabin and figures

40 - 46

07 / Road wheels

47 - 47



08 / Rear platform and helm

48 - 54

09 / Speakers

55 - 55

10 / Larger triangular flag

56 - 57

11 / Rear banner and life rings

58 - 60

12 / Stickers and launch configuration

61 - 64

13 / Figures and final placement

65 - 67

1



2 x 32018

2 x 2780



Chassis ties

1.4





2 x 3031

1.5





1 x 3020



2 x 3021

Complete the chassis core

1.6





2 x 6141

1.7





1 x 3020



1 x 3022

1.8

1x unit



2 Build the rear frame supports




2 x 3460


2 x 18671


1 x 3022

3 Fit the lower rear bumper face




1 x 87079

4

4 Extend the longitudinal plates toward the front





2 x 3460

5

1x / one-copy parts


2 x 32140


2 x 32556b


1 x 2780


1 x 6628

1



2



3



5 / 1x



6

1x / one-copy parts


2 x 32140


2 x 32556b


1 x 2780


1 x 6628

1



2



3



6 / 1x



7

1x / one-copy parts


2 x 32140


2 x 32556b


1 x 2780


1 x 6628

1



2



3



7 / 1x



8

1x / one-copy parts


2 x 32140


2 x 32556b


1 x 2780


1 x 6628

1



2



3



8 / 1x



9

9 Fit the two suspension bands



2x x37 / one loop per side

Underside dishes

10.1



2 x 2654a

10.2



2 x 2654a

Rear support / separate bumper seed

11.1





1 x 98263

11.2





1 x 3710

Bumper / layers

12.1





2 x 99207

12.2





1 x 3710

12.3





2 x 85984

Bumper / trim

12.4





2 x 4286

12.5





1 x 2431

Bumper installation / front dish last

12.6





Detail

12.7

1x unit





Detail

12.8



1 x 2654a

13 / 14

13 Install both floor plates





2 x 3036

14 Build the rear floor spacers



8 x 6141

15 / 16

15 Build the front floor spacers





8 x 6141

16 Build the bed floor and supports





1 x 6179



1 x 3020



4 x 3023b

Lower carrier / 2x

A17 + A18 / 2x / one-copy parts


1 x 3666


2 x 93274


3 x 85984


2 x 54200

17.1



17.2



17.3



17.4



A18 reserved for step 18

Four-piece rail / 2x

B17 + B18 / 2x / one-copy parts



1 x 3666



3 x 99207

17.5



17.6



17.7



B18 reserved for step 18

Three-piece rail / 2x

C17 + C18 / 2x / one-copy parts


1 x 3710


2 x 99207

C17 / 1



C17 / 2



C17 / 3



C18 / 1



C18 / 2



C18 / 3



C18 reserved for step 18

Carrier 17 / attach the completed rails

17.8

A17





Detail

17.9

B17





Detail

17.13

A+B17





Detail

17.14

C17





Detail

Carrier 17 / vehicle attachment

17.15 **Truck17**





Detail

17.16 **A+B+C17**





Detail

Carrier 18 / attach the completed rails

18.8

A18





Detail

18.9

B18





Detail

18.13

A+B18





Detail

18.14

C18





Detail

Carrier 18 / vehicle attachment

18.15

Truck18





Detail

18.16

A+B+C18





Detail

19

19 Fit all four wheel arches





4 x 98282

Rear bed / lower layers

20.1





1 x 3795

20.2





1 x 3020

20.3





3 x 44728

20

1x / one-copy parts


1 x 3795


1 x 3020


3 x 44728

2 x 99207


2 x 3460

1



2



20 / 1x



21 / 22

21 Fit the two round rear trims



2 x 18654

22 Build the rear bumper strip layers





1 x 3710



1 x 3710



2 x 3666

23 / 24

23 Finish the rear bumper




2 x 92280


2 x 3023b


2 x 14719


2 x 6091


1 x 3069b

24 Build the left side panels




1 x 3022


1 x 3023b


1 x 3023b


1 x 15068


2 x 85984

25 / 26

25 Finish the left side trim




3 x 3069b


1 x 87079


1 x 3068b

26 Build the right side panels




1 x 3022


1 x 3023b


1 x 3023b


1 x 15068


2 x 85984

27 / 28

27 Finish the right side trim




3 x 3069b


1 x 87079


1 x 3068b

28 Finish the rear wheel-arch caps




4 x 3023b


2 x 4081b


2 x 3070b

29 / 30

29 Finish the front wheel-arch caps




4 x 3023b


2 x 4081b


2 x 3069b

30 Cap the rear side rails




2 x 85984

31 / 32

31 Tie the upper body sides




2 x 3460


2 x 3666


2 x 3710

32 Finish the upper body strips




2 x 85984


2 x 54200


2 x 3023b

33

1x / one-copy parts


1 x 3795


2 x 3022


2 x 60478


2 x 6636

1



2



3



33 / 1x



34 / 35

34 Build the front body core




1 x 3001


1 x 3020


2 x 3005


2 x 6141

35 Build the front face supports




3 x 44728


1 x 3002

36 / 37

36 Fit the lamp housings and lower slopes





2 x 3002



2 x 3665b

37 Build the front grille





1 x 3020



4 x 2412b

38 / 39

38 Fit both curved bumpers and headlights




4 x 49307


2 x 3070b


2 x 3070b

39 Build the hood supports




1 x 3031


2 x 3022


1 x 3666


1 x 3710

40 / 41

40 Build the cabin floor





1 x 3037



2 x 3040b



1 x 3020

41 Fit the dashboard, steering and seat





1 x 30136



2 x 2412b



1 x 3829a



1 x 3828



1 x 4079

42 / 43

42 Build the rear cab pillars and glazing





4 x 3004



4 x 87552

43 Tie and cap the rear cab frame





1 x 3666



2 x 54200



1 x 3710



1 x 3710

44 / 45

44 Fit the windscreen and roof support




1 x 92583


1 x 3666


1 x 2431

45 Fit the hood and upper tiles




1 x 52031


1 x 3068b


2 x 3069b

46

46 Fit the removable white cab roof





1 x 52031

Wheels / platform risers

47 / 4x

1 x 55981

1 x 92402

1



2



Before



After / outer face



Inner face

48 / 4x



2 x 3022

1



2







49 / 50

49 Fit the tan rear platform





1 x 3958

50 Fit the white enclosure mounting plates



2 x 3034

Helm / support

51.1





1 x 3022

51.2





1 x 3003

51.3





1 x 3023b

51

1x / one-copy parts


1 x 3022


1 x 3003


1 x 3023b


1 x 3700


1 x 4790

1



2



51 / 1x



52

2x / one-copy parts



2 x 3666



1 x 59349

1



2



3



52 / 2x



Shield attachment



1 plate above



Slide inward, then lower

53 / 54

53 Build 1 more shield / recipe 52



Build 1 more / recipe 52



2 x 3666



1 x 59349

54 Fit the two outboard nautical rails



2 x 4083

55

2x / one-copy parts


1 x 3022


2 x 4070


2 x 6141


1 x 3068b

1



2



3



4



55 / 2x



56

56 Fit the sail mast and supports





1 x 3022

2 x 3062b

1 x 4095

57

1x / one-copy parts


1 x 65426


1 x 65429


1 x 3068b


2 x 61252

1



2



3



57 / 1x



58 / 59

58 Fit the rear mast foot and open-stud collar




1 x 3062b


1 x 3794b


1 x 85861

59 Fit the rear mast and both flags




1 x 76348


2 x 2335

Life rings / hood sticker

60 / 2x



1 x 15712

1 x 30340

1



2



Before



After





61



Two films / keep the height change clear

Banner stickers

62

1



2





洋 above / 流 below / both faces

63 / 64

63 Apply the triangular flag tile sticker



White print on clear film.

64 Fit the dangling decorative cord



Thread four rings; tie loosely. Keep clear of wheels.

Figures

65 / 1x preassembled



66 / 1x preassembled



1 x 30374



1 x 2335



67

67 Place the figures in the final scene



PRINT AT ACTUAL SIZE

Campaign sticker placement guide

For printing, use the separate vector print-and-cut sheets. This page is a fitting guide. The upper hood film spans three level tiles. Keep clips, studs and the step down to the curved hood clear.

H1 / whole upper character



30.16 x 15.76 mm

H2 / curved hood + white strip



30.16 x 16.11 mm

Banner 1 / face 1



15.76 x 15.76 mm

Banner 1 / face 2



15.76 x 15.76 mm

Banner 2 / face 1



15.76 x 15.76 mm

Banner 2 / face 2



15.76 x 15.76 mm

Wedge flag - white / clear



14.40 x 14.40 mm

Hood: apply H1 as one clear film across the white centre tile and both level orange side tiles. Do not cut at their internal seams. H2 keeps the straight white strip on the curved hood; keep it separate from H1 at the height change. Square flags: printed Reddish Orange backgrounds on White parts, both faces. Wedge: white emblem on clear film.

20 mm

PRINT AT ACTUAL SIZE

One banner / two speech-bubble faces





Face 1



Face 2

Print at 100%. Both banner faces are 15.36 × 15.36 mm. Apply to opposite sides of one White 2335 flag. Keep both clips clear.



Jacket / clear film
14.8 mm lower edge × 11.6 mm high

20 mm scale check

Custom graphics by CL Kao. The figure is a likeness approximation; real hand/bar grip remains untested.

Parts list 1 / 6



2 x 14719

Black



2 x 15068

Dark Orange



2 x 15712

White



2 x 18654

Dark Bluish Gray



2 x 18671

Light Bluish Gray



3 x 2335

White



4 x 2412b

Black



2 x 2412b

Dark Bluish Gray



2 x 2431

Black



5 x 2654a

Trans Clear



6 x 2780

Black



1 x 3001

Yellow



2 x 3002

Black



1 x 3002

Dark Orange



1 x 3003

Reddish Brown



4 x 3004

Dark Orange



2 x 3005

Black



1 x 30136

Dark Bluish Gray



1 x 3020

Black



6 x 3020

Dark Orange

Parts list 2 / 6



2 x 3021

Light Bluish Gray



18 x 3022

Black



1 x 3022

Reddish Brown



1 x 3022

White



10 x 3023b

Black



1 x 3023b

Reddish Brown



10 x 3023b

Dark Orange



3 x 3031

Light Bluish Gray



2 x 3034

White



2 x 30340

Red



2 x 3036

Dark Bluish Gray



1 x 3037

Light Bluish Gray



1 x 30374

White



2 x 3040b

Light Bluish Gray



3 x 3062b

White



2 x 3068b

Black



2 x 3068b

Dark Orange



1 x 3068b

Reddish Orange



1 x 3068b

White



10 x 3069b

Dark Orange

Parts list 3 / 6



1 x 3069b

White



2 x 3070b

Black



2 x 3070b

Trans Clear



2 x 3070b

Dark Orange



2 x 32018

Black



8 x 32140

Black



8 x 32556b

Tan



8 x 3460

Black



2 x 3626cp87

Yellow



2 x 3665b

Dark Orange



2 x 3666

Black



7 x 3666

Dark Orange



2 x 3666

Dark Bluish Gray



6 x 3666

White



1 x 3700

Reddish Brown



7 x 3710

Dark Orange



4 x 3710

Dark Bluish Gray



1 x 3794b

White



2 x 3795

Black



2 x 3815c01

Black

Parts list 4 / 6



1 x 3818

Dark Blue



1 x 3818

Light Bluish Gray



1 x 3819

Dark Blue



1 x 3819

Light Bluish Gray



4 x 3820

Yellow



1 x 3828

Black



1 x 3829a

Light Bluish Gray



1 x 3958

Tan



4 x 4070

Black



1 x 4079

Black



4 x 4081b

Black



2 x 4083

White



1 x 4095

Black



2 x 4286

Black



6 x 44728

Dark Bluish Gray



1 x 4790

Reddish Brown



4 x 49307

Black



1 x 52031

Dark Orange



1 x 52031

White



8 x 54200

Dark Orange

Parts list 5 / 6



4 x 55981

Black



3 x 59349

Trans Clear



2 x 60478

Black



2 x 6091

Black



2 x 61252

Black



20 x 6141

Dark Bluish Gray



4 x 6141

Orange



1 x 6179

Black



1 x 62711

Black



1 x 65426

Reddish Orange



1 x 65429

Reddish Orange



4 x 6628

Black



2 x 6636

Dark Orange



1 x 76348

Black



1 x 85861

White



8 x 85984

Black



6 x 85984

Dark Orange



2 x 85984

Light Bluish Gray



1 x 87079

Black



2 x 87079

Dark Orange

Parts list 6 / 6



4 x 87552

Trans Black



2 x 92280

Black



4 x 92402

Black



1 x 92583

Trans Black



4 x 93274

Black



1 x 973

Light Bluish Gray



1 x 973p5i

White



1 x 98263

Light Bluish Gray



4 x 98282

White



1 x 98385

Black



14 x 99207

Black

Checks and remaining physical tests

DIGITAL COVERAGE

348 rigid parts, introduced once. MPD poses and inventory match.



MAST + PLATFORM

Dry-fit clips and mount. Support the chassis; do not lift by equipment.



SUSPENSION

Fit both bands. Check wheel clearance and suspension travel.

CORD + STICKERS

Check threading, knot slack and paper fit before final application.

Full credits on the website →

Targeted digital fit checks only. Full continuous assembly replay, physical grip, stiffness and handling strength remain unverified.