colors.R.


carlloga

2021-06-10


```
pacman::p_load(ggplot2, dplyr, tidyr)
scenario = c("base", "scen1", "scen2", "scen3")
comparison = c("BAU", "ALT", "ALT", "ALT")
auto = c(70,60,65,30)
auto_toll = c(5,0,0,42)
rail = c(10,30,15,11)
bus = c(9,4,15,8)
air = c(11,6,5,9)
data_example = data.frame(scenario, comparison, auto, auto_toll, rail, bus, air)
data_example = data_example %>% pivot_longer(cols = c(auto, auto_toll, rail, bus, air),
                                             values to = "share", names to = "Mode")
data_example = data_example %>% mutate(mode_scenario = paste(Mode, comparison, sep = "-"))
ld_mode_order = c("auto", "auto_toll", "bus", "rail", "air")
data_example$Mode = factor(data_example$Mode, levels = ld_mode_order)
data_example$comparison = factor(data_example$comparison, levels = c("BAU", "ALT"))
# colors_ld_modes =c("auto" = "#C7C7C7", "auto_toll" = "#6D6D6D", "rail" = "#F31111",
# "bus" = "#69E11C", "air" = "blue")
#
\# ggplot(data_example, aes(x = scenario, y = share, fill = mode)) +
   geom_bar(stat = "identity", position = "fill") +
   scale_fill_manual(values = colors_ld_modes) + theme_bw()
\# ggplot(data_{example}, aes(x = scenario, y = share, color = mode, group = mode)) +
  geom_line(stat = "identity", size = 1.5) + geom_point(size = 3) +
  scale_color_manual(values = colors_ld_modes) + theme_bw()
# colors_ld_modes =c("auto" = "#C7C7C7", "auto_toll" = "#3B3B3B", "rail" = "#CA4D4D",
                      "bus" = "#6EA46E", "air" = "#536077")
#
\# ggplot(data_example, aes(x = scenario, y = share, fill = Mode)) +
  geom_bar(stat = "identity", position = position_fill(reverse = T)) +
  scale_fill_manual(values = colors_ld_modes) + theme_bw() +
```

```
xlab("Scenario") + ylab("Modal share (%)") +
#
   theme(legend.position = "bottom") +
#
    qqtitle("Option 1 - Self explanatory colors")
#
#
# ggplot(data_example %>% filter(scenario == "base" | scenario == "scen1"),
#
         aes(x = Mode, y = share, alpha = comparison, fill = Mode, color = Mode)) +
   geom_bar(stat = "identity", position = position_dodge2(), size = 1) +
   scale_fill_manual(values = colors_ld_modes, name = "Mode") +
#
#
   scale_color_manual(values = colors_ld_modes, name = "Mode") +
#
   scale\_alpha\_manual(values = c("BAU" = 1, "ALT" = 0.5), quide = "none") +
#
   theme bw() +
  xlab("Scenario") + ylab("Modal share (%)") +
#
   theme(legend.position = "bottom") +
#
   qqtitle("Option 1 - Self explanatory colors")
#
# linetype_ld_modes =c("auto" = "solid", "auto_toll" = "dotted", "rail" = "solid",
                       "bus" = "solid", "air" = "solid")
#
#
#
\# ggplot(data_example, aes(x = scenario, y = share, color = Mode, group = Mode, linetype = Mode)) +
   geom_line(stat = "identity", size = 1.5) + geom_point(size = 4) +
  scale_color_manual(values = colors_ld_modes) +
#
   scale linetype manual(values = linetype ld modes) +
#
#
   theme bw() +
   guides(color = guide_legend(override.aes = list(size = 1) ) ) +
#
   theme(legend.position = "bottom")+
   xlab("Scenario") + ylab("Modal share (%)") +
#
#
   ggtitle("Option 1 - Self explanatory colors")
#
colors_ld_modes =c("auto" = "#aaaaaa", "auto_toll" = "#2d2d2d", "rail" = "#764c6e",
                    "bus" = "#bdc9bb", "air" = "#83adb5")
ggplot(data_example, aes(x = scenario, y = share, fill = Mode )) +
  geom_bar(stat = "identity", position = position_fill(reverse = T)) +
  scale_fill_manual(values = colors_ld_modes) + theme_bw()+
  xlab("Scenario") + ylab("Modal share (%)") + theme(legend.position = "bottom") +
 ggtitle("Modal share by scenario")
```

Modal share by scenario



Modal share by scenario – before/after comparison



```
linetype ld modes =c("auto" = "dotted", "auto toll" = "dotted", "rail" = "solid",
                      "bus" = "solid", "air" = "solid")
\# ggplot(data_example, aes(x = scenario, y = share, color = Mode, group = Mode, linetype = Mode)) +
   geom_line(stat = "identity", size = 1.5) + geom_point(size = 4) +
   scale_color_manual(values = colors_ld_modes) +
   scale_linetype_manual(values = linetype_ld_modes) +
#
#
   theme_bw() +
#
   quides(color = quide_legend(override.aes = list(size = 1) ) ) +
   theme(legend.position = "bottom")+
    xlab("Scenario") + ylab("Modal share (%)")+
    ggtitle("Option 2a - Serious colors")
linetype_ld_modes =c("auto" = "solid", "auto_toll" = "solid", "rail" = "dotted",
                      "bus" = "dotted", "air" = "dotted")
ggplot(data_example, aes(x = scenario, y = share, color = Mode, group = Mode, linetype = Mode)) +
  geom_line(stat = "identity", size = 1.5) + geom_point(size = 4) +
  scale color manual(values = colors ld modes) +
  scale_linetype_manual(values = linetype_ld_modes) +
  theme_bw() +
```

```
guides(color = guide_legend(override.aes = list(size = 1) ) ) +
theme(legend.position = "bottom")+
xlab("Scenario") + ylab("Modal share (%)") +
ggtitle("Line plot")
```

Line plot

