

Nombre de la solución: Lopez.Carlos.2D.TP4

Alumno: Carlos López.

Descripción de funcionalidad y pantallas:

La solución consiste en un sistema de ventas para una distribuidora de artículos de computación y del hogar (permite realizar ventas de artículos de estos dos tipos). Las ventas se realizan de dos formas, por una parte, se procesan de manera automática a partir de un archivo en formato Xml que contiene órdenes de compra realizadas por las tiendas solicitantes. Por otra parte, se pueden realizar ventas directas mediante un formulario. Adicionalmente, la solución brinda la posibilidad de cargar nuevos artículos de cualquiera de las dos categorías antes mencionadas.

Procesamiento automático de ventas: El procesamiento automático de las ventas, como ya se mencionó se realiza a partir de un archivo, sin embargo, la pantalla principal permite hacer un monitoreo de la evolución de este procesamiento en tiempo real.

Menu Principal

Ventas Externas Pendientes

IdVenta	IdTienda	IdArticulo	Cantidad	Monto	EstadoVenta
546	2	11	2	1200	Pendiente
547	2	4	3	24000	Pendiente
551	4	4	2	16000	Pendiente
552	2	4	3	24000	Pendiente
553	1	4	2	16000	Pendiente

Ventas Externas Procesadas

IdVenta	IdTienda	IdArticulo	Cantidad	Monto	EstadoVenta
544	1	11	2	1200	Rechazada
545	1	11	2	1200	Rechazada


Cargar Nueva Venta

Cargar Nuevo Artículo

Monto total Ventas Procesadas:


2400

Procesamiento manual de ventas: Como se mencionó también se permite realizar ventas de manera manual mediante un formulario. A este se accede haciendo click en el botón **Cargar Nueva Venta** del formulario Menú Principal. Esta función no anula el monitoreo del procesamiento automático.



The image shows a dialog box titled "NuevaVenta" with a close button (X) in the top right corner. Inside the dialog, there are three main sections: "Seleccione la tienda" with a dropdown menu showing "Garbarino Cabildo", "Seleccione el Articulo" with a dropdown menu showing "Heladera Tophouse", and "Ingrese la cantidad solicitada:" followed by a text input field. At the bottom center, there is an "Aceptar" button.

Carga de nuevos artículos: También se permite cargar artículos mediante un formulario al que se accede haciendo click en el botón **Cargar Nuevo Artículo**. Al igual que en el caso de la venta manual este proceso no impide seguir monitoreando el procesamiento automático.



The image shows a dialog box titled "CargarArticulo" with a close button (X) in the top right corner. Inside the dialog, there are four main sections: "Ingrese el nombre del articulo" followed by a text input field, "Ingrese la cantidad del articulo" followed by a text input field, "Ingrese el precio unitario" followed by a text input field, and "Seleccione el tipo de articulo" followed by a dropdown menu showing "Computacion". At the bottom center, there is an "Aceptar" button.

Tanto las Ventas como los Artículos generados se graban en la base de datos “Distribuidora” cuyo script se incluye más adelante en este documento. Esta base de datos está compuesta por tres tablas: Artículo, Venta, Tienda. En esta última se encuentran cargadas las tiendas que realizan las solicitudes de artículos a la distribuidora. Las columnas de las tablas están definidas como se muestra a continuación:

<div>dbo.Articulo</div> <div>Columns</div> <div><div>Id (numeric(18,0), not null)</div><div>Nombre (nvarchar(50), not null)</div><div>Stock (numeric(18,0), not null)</div><div>Precio (numeric(18,2), not null)</div><div>Tipo (nvarchar(50), not null)</div></div>	<div>dbo.Tienda</div> <div>Columns</div> <div><div>Id (numeric(18,0), not null)</div><div>Nombre (nvarchar(50), not null)</div><div>Direccion (nvarchar(50), not null)</div><div>Telefono (nvarchar(50), not null)</div></div>
<div>dbo.Venta</div> <div>Columns</div> <div><div>Id (numeric(18,0), not null)</div><div>IdTienda (numeric(18,0), not null)</div><div>IdArticulo (numeric(18,0), not null)</div><div>Cantidad (numeric(18,0), not null)</div><div>Monto (numeric(18,2), not null)</div><div>EstadoVenta (nvarchar(50), not null)</div></div>	

La solución cuenta también con una **aplicación de consola** que permite ir probando en una serie de pasos las funcionalidades principales antes descritas. La misma se encontrará en el proyecto Test.

Temas implementados:

El desarrollo de la aplicación cubre los temas vistos durante la segunda parte de la cursada de la siguiente manera:

- **Excepciones:** La solución cuenta con un proyecto de biblioteca de clases con tres tipos de excepciones distintas que sirven para manejar posibles errores durante la ejecución. En el manejo de procesos que involucren la entrada de datos se verá implementada la excepción de tipo *InputException*. En procesos que involucren requerir artículos y controlar el Stock se verá la implementación de la *StockException* y en los casos en los que se manejan archivos se verá la implementación de la *ArchivosException*.
- **Test Unitarios:** La solución cuenta con un proyecto de Test Unitarios en el que se realizan dos tipos de prueba: una en la que se prueban casos en los que se debe arrojar alguna de las excepciones antes nombradas, y otra en la que se prueban algunos de los métodos utilizados en las funciones principales.
- **Tipos Genéricos:** Se utilizó tipos genéricos en el manejo de archivos mediante una interfaz.
- **Interfaces:** Se verá el uso de una interfaz que es utilizada en el manejo de archivos.
- **Archivos:** La solución cuenta con un proyecto de biblioteca de clases en el que se manejan las clases Texto y Xml que son utilizadas para:

- Deserializar las órdenes de compra y cargar ventas.
- Grabar un ticket de venta en las ventas manuales.
- Grabar un archivo de texto que funciona como log de ventas rechazadas por estos insuficiente.

Se adjuntan en el proyecto muestras de dichos archivos así como el archivo *Xml* que será tomado la carpeta especial “desktop” por la aplicación para dar inicio al procesamiento automático. Los archivos de texto serán generados en esta misma carpeta.

- **SQL y Bases de Datos:** Como se mostró antes, todos los datos son guardados en tablas diseñadas para tal fin. Se realizan consultas del tipo Insert, Update y Select, se puede encontrar dichas consultas en la clase *HelperBD* la cual es estática y maneja todos los métodos que interactúan con la base.
- **Hilos:** El procesamiento automático de las ventas se realiza mediante un hilo parametrizado que itera hasta procesar todas las ventas pendientes. Tanto en la pantalla principal como en el proyecto de consola denominado Test se pueden ver las implementaciones de esta funcionalidad.
- **Eventos y Delegados:** La solución cuenta con el evento *ventaRechazada* el cual se lanza cuando una venta no pudo ser procesada debido a stock insuficiente. Este evento permite, mediante el uso de un delegado, accionar el método que añade los datos de dicha venta a un archivo de texto que funciona como un log de ventas rechazadas.
- **Métodos de Extensión:** Se creó el método de extensión *CalcularTotalVentasProcesadas* que se encontrará en la clase estática *QueueExtension*. Este método extiende la funcionalidad de una *Queue* permitiendo calcular el monto total en dinero de las ventas procesadas por el proceso automático.

Script de la base de datos Distribuidora:

```
USE [master]
GO
/***** Object: Database [Distribuidora]   Script Date: 30/11/2020 00:36:41 *****/
CREATE DATABASE [Distribuidora]
CONTAINMENT = NONE
ON PRIMARY
( NAME = N'Distribuidora', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\Distribuidora.mdf' , SIZE = 8192KB ,
MAXSIZE = UNLIMITED, FILEGROWTH = 65536KB )
LOG ON
( NAME = N'Distribuidora_log', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL15.SQLEXPRESS\MSSQL\DATA\Distribuidora_log.ldf' , SIZE = 8192KB ,
MAXSIZE = 2048GB , FILEGROWTH = 65536KB )
WITH CATALOG_COLLATION = DATABASE_DEFAULT
GO
ALTER DATABASE [Distribuidora] SET COMPATIBILITY_LEVEL = 150
GO
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [Distribuidora].[dbo].[sp_fulltext_database] @action = 'enable'
```

```
end
GO
ALTER DATABASE [Distribuidora] SET ANSI_NULL_DEFAULT OFF
GO
ALTER DATABASE [Distribuidora] SET ANSI_NULLS OFF
GO
ALTER DATABASE [Distribuidora] SET ANSI_PADDING OFF
GO
ALTER DATABASE [Distribuidora] SET ANSI_WARNINGS OFF
GO
ALTER DATABASE [Distribuidora] SET ARITHABORT OFF
GO
ALTER DATABASE [Distribuidora] SET AUTO_CLOSE OFF
GO
ALTER DATABASE [Distribuidora] SET AUTO_SHRINK OFF
GO
ALTER DATABASE [Distribuidora] SET AUTO_UPDATE_STATISTICS ON
GO
ALTER DATABASE [Distribuidora] SET CURSOR_CLOSE_ON_COMMIT OFF
GO
ALTER DATABASE [Distribuidora] SET CURSOR_DEFAULT GLOBAL
GO
ALTER DATABASE [Distribuidora] SET CONCAT_NULL_YIELDS_NULL OFF
GO
ALTER DATABASE [Distribuidora] SET NUMERIC_ROUNDABORT OFF
GO
ALTER DATABASE [Distribuidora] SET QUOTED_IDENTIFIER OFF
GO
ALTER DATABASE [Distribuidora] SET RECURSIVE_TRIGGERS OFF
GO
ALTER DATABASE [Distribuidora] SET DISABLE_BROKER
GO
ALTER DATABASE [Distribuidora] SET AUTO_UPDATE_STATISTICS_ASYNC OFF
GO
ALTER DATABASE [Distribuidora] SET DATE_CORRELATION_OPTIMIZATION OFF
GO
ALTER DATABASE [Distribuidora] SET TRUSTWORTHY OFF
GO
ALTER DATABASE [Distribuidora] SET ALLOW_SNAPSHOT_ISOLATION OFF
GO
ALTER DATABASE [Distribuidora] SET PARAMETERIZATION SIMPLE
GO
ALTER DATABASE [Distribuidora] SET READ_COMMITTED_SNAPSHOT OFF
GO
ALTER DATABASE [Distribuidora] SET HONOR_BROKER_PRIORITY OFF
GO
ALTER DATABASE [Distribuidora] SET RECOVERY SIMPLE
GO
```

```

ALTER DATABASE [Distribuidora] SET MULTI_USER
GO
ALTER DATABASE [Distribuidora] SET PAGE_VERIFY CHECKSUM
GO
ALTER DATABASE [Distribuidora] SET DB_CHAINING OFF
GO
ALTER DATABASE [Distribuidora] SET FILESTREAM( NON_TRANSACTED_ACCESS =
OFF )
GO
ALTER DATABASE [Distribuidora] SET TARGET_RECOVERY_TIME = 60 SECONDS
GO
ALTER DATABASE [Distribuidora] SET DELAYED_DURABILITY = DISABLED
GO
ALTER DATABASE [Distribuidora] SET ACCELERATED_DATABASE_RECOVERY = OFF
GO
ALTER DATABASE [Distribuidora] SET QUERY_STORE = OFF
GO
USE [Distribuidora]
GO
/***** Object: Table [dbo].[Articulo]  Script Date: 30/11/2020 00:36:41 *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Articulo](
    [Id] [numeric](18, 0) IDENTITY(1,1) NOT NULL,
    [Nombre] [nvarchar](50) NOT NULL,
    [Stock] [numeric](18, 0) NOT NULL,
    [Precio] [numeric](18, 2) NOT NULL,
    [Tipo] [nvarchar](50) NOT NULL
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[Tienda]  Script Date: 30/11/2020 00:36:41 *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON
GO
CREATE TABLE [dbo].[Tienda](
    [Id] [numeric](18, 0) IDENTITY(1,1) NOT NULL,
    [Nombre] [nvarchar](50) NOT NULL,
    [Direccion] [nvarchar](50) NOT NULL,
    [Telefono] [nvarchar](50) NOT NULL
) ON [PRIMARY]
GO
/***** Object: Table [dbo].[Venta]  Script Date: 30/11/2020 00:36:41 *****/
SET ANSI_NULLS ON
GO
SET QUOTED_IDENTIFIER ON

```

```

GO
CREATE TABLE [dbo].[Venta](
    [Id] [numeric](18, 0) IDENTITY(1,1) NOT NULL,
    [IdTienda] [numeric](18, 0) NOT NULL,
    [IdArticulo] [numeric](18, 0) NOT NULL,
    [Cantidad] [numeric](18, 0) NOT NULL,
    [Monto] [numeric](18, 2) NOT NULL,
    [EstadoVenta] [nvarchar](50) NOT NULL
) ON [PRIMARY]
GO
SET IDENTITY_INSERT [dbo].[Articulo] ON

```

```

INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(1 AS
Numeric(18, 0)), N'Heladera Tophouse', CAST(46 AS Numeric(18, 0)), CAST(15000.00 AS
Numeric(18, 2)), N'Hogar')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(2 AS
Numeric(18, 0)), N'Cocina El Fuego', CAST(60 AS Numeric(18, 0)), CAST(10000.00 AS
Numeric(18, 2)), N'Hogar')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(3 AS
Numeric(18, 0)), N'Horno SuperMarca', CAST(45 AS Numeric(18, 0)), CAST(18000.00 AS
Numeric(18, 2)), N'Hogar')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(4 AS
Numeric(18, 0)), N'Horno Microondas', CAST(0 AS Numeric(18, 0)), CAST(8000.00 AS
Numeric(18, 2)), N'Hogar')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(5 AS
Numeric(18, 0)), N'Heladera Superfrio', CAST(56 AS Numeric(18, 0)), CAST(35000.00 AS
Numeric(18, 2)), N'Hogar')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(6 AS
Numeric(18, 0)), N'Televisor Latele', CAST(68 AS Numeric(18, 0)), CAST(38000.00 AS
Numeric(18, 2)), N'Hogar')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(7 AS
Numeric(18, 0)), N'Monitor Dell', CAST(75 AS Numeric(18, 0)), CAST(32000.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(8 AS
Numeric(18, 0)), N'Monitor Hp', CAST(50 AS Numeric(18, 0)), CAST(28000.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(9 AS
Numeric(18, 0)), N'Teclado Hp', CAST(136 AS Numeric(18, 0)), CAST(4000.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(10 AS
Numeric(18, 0)), N'Teclado RedDragon', CAST(100 AS Numeric(18, 0)), CAST(6000.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(11 AS
Numeric(18, 0)), N'Mouse Logitech', CAST(0 AS Numeric(18, 0)), CAST(600.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(12 AS
Numeric(18, 0)), N'Mouse SuperRaton', CAST(150 AS Numeric(18, 0)), CAST(800.00 AS
Numeric(18, 2)), N'Computacion')

```

```

INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(13 AS
Numeric(18, 0)), N'Auriculares Sony', CAST(200 AS Numeric(18, 0)), CAST(2500.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(14 AS
Numeric(18, 0)), N'Mouse Genius', CAST(400 AS Numeric(18, 0)), CAST(780.00 AS
Numeric(18, 2)), N'Computacion')
INSERT [dbo].[Articulo] ([Id], [Nombre], [Stock], [Precio], [Tipo]) VALUES (CAST(15 AS
Numeric(18, 0)), N'Mouse inalambrico', CAST(100 AS Numeric(18, 0)), CAST(800.00 AS
Numeric(18, 2)), N'Computacion')
SET IDENTITY_INSERT [dbo].[Articulo] OFF
GO
SET IDENTITY_INSERT [dbo].[Tienda] ON

```

```

INSERT [dbo].[Tienda] ([Id], [Nombre], [Direccion], [Telefono]) VALUES (CAST(1 AS
Numeric(18, 0)), N'Garbarino Cabildo', N'Av. Cabildo 2323', N'1153393658')
INSERT [dbo].[Tienda] ([Id], [Nombre], [Direccion], [Telefono]) VALUES (CAST(2 AS
Numeric(18, 0)), N'Garbarino Centro', N'Av. 9 de Julio 1234', N'1153393675')
INSERT [dbo].[Tienda] ([Id], [Nombre], [Direccion], [Telefono]) VALUES (CAST(3 AS
Numeric(18, 0)), N'Tienda Mia', N'Av. 4, 2222', N'1153393660')
INSERT [dbo].[Tienda] ([Id], [Nombre], [Direccion], [Telefono]) VALUES (CAST(4 AS
Numeric(18, 0)), N'La tienda Dot', N'Los frailes, 1952', N'1153393784')
INSERT [dbo].[Tienda] ([Id], [Nombre], [Direccion], [Telefono]) VALUES (CAST(5 AS
Numeric(18, 0)), N'TecnoTienda', N'Av. El obelisco, 195', N'1123593784')
INSERT [dbo].[Tienda] ([Id], [Nombre], [Direccion], [Telefono]) VALUES (CAST(6 AS
Numeric(18, 0)), N'Tienda Hogar', N'Av. Libertador, 1235', N'1123592356')
SET IDENTITY_INSERT [dbo].[Tienda] OFF
GO
SET IDENTITY_INSERT [dbo].[Venta] ON

```

```

INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(1 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(3 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(36000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(2 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(3 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(36000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(3 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(2 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(4 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(0 AS Numeric(18, 0)), CAST(0.00 AS Numeric(18, 2)), N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(5 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(35000.00 AS Numeric(18, 2)),
N'Conforme')

```


[illegible]

```

INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(113 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(114 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(115 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(116 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(117 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(118 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(119 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(120 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(121 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(122 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(123 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(124 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')

```

```

INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(125 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(126 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(127 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(128 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(129 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(130 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(131 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(132 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(133 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(134 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(135 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(176 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')

```

```

INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(177 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(550 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(180 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(181 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(182 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(554 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(555 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(188 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(206 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(208 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(294 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(295 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2000 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')

```

[illegible]

```

INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(15 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(16 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(17 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(18 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(12000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(136 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(137 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(138 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(139 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(140 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(141 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(142 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(146 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')

```

[illegible]

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(232 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(284 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(293 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(326 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(19 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(20 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(2 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(21 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(3 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(36000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(22 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(23 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(24 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
```

GO

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(25 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
```

```
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(26 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
```



```

Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(27 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(28 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(29 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(30 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(31 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(32 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(33 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(2 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(34 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(3 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(36000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(35 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(36 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(37 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(38 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS

```

[illegible]

```

Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(45 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(46 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(47 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(48 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(49 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(50 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(51 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(52 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(53 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(54 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(55 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(56 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS

```

```

Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(57 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(58 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(59 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(60 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(61 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(62 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(63 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(64 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(65 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(66 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(67 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(68 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS

```

```

Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(69 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(70 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(71 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(72 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(73 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(74 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(75 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(76 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(77 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(78 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(79 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(80 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS

```

```

Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(81 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(82 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(83 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(84 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(85 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(86 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(1200.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(87 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(88 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(89 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(90 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(91 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(92 AS Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(4 AS

```

```

Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(24000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(93 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(4 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(16000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(94 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(95 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(96 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(11 AS
Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(1800.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(193 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(535 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(195 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(536 AS Numeric(18, 0)), CAST(4 AS Numeric(18, 0)), CAST(5 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(70000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(537 AS Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(541 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(5 AS Numeric(18, 0)), CAST(20000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(542 AS Numeric(18, 0)), CAST(6 AS Numeric(18, 0)), CAST(9 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(8000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(404 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS

```

```

Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(417 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(443 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(365 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(430 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(456 AS Numeric(18, 0)), CAST(3 AS Numeric(18, 0)), CAST(6 AS
Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(38000.00 AS Numeric(18, 2)),
N'Conforme')
INSERT [dbo].[Venta] ([Id], [IdTienda], [IdArticulo], [Cantidad], [Monto], [EstadoVenta])
VALUES (CAST(504 AS Numeric(18, 0)), CAST(1 AS Numeric(18, 0)), CAST(1 AS
Numeric(18, 0)), CAST(2 AS Numeric(18, 0)), CAST(30000.00 AS Numeric(18, 2)),
N'Conforme')
SET IDENTITY_INSERT [dbo].[Venta] OFF
GO
USE [master]
GO
ALTER DATABASE [Distribuidora] SET READ_WRITE
GO

```