#### Ruby on Rails

Lauri Jutila & Matias Korhonen



#### First a little about Ruby

## "Ruby is designed to make programmers happy"

#### puts "Hello World"

## Designed for people, not machines

# Takes the best features of many programming languages (Smalltalk, Perl, Lisp...)

- Dynamic, strong typing
- Object-oriented
- Automatic memory management

#### Everything is an object

#### Ruby on Rails

# Ruby on Rails is an open-source web framework that's optimised for developer happiness and sustainable productivity

Ruby on Rails is an open-source web framework that's optimised for developer happiness and sustainable productivity

#### The elevator pitch

- Convention over configuration
- DRY Don't Repeat Yourself
- MVC architecture

#### And also

- Good tools
- A good community
- Good culture


#### This also goes for Ruby

#### Rails Structure




```
USING Spillerets (Z.i.Z)
Using actionpack (3.2.3)
Using mime-types (1.18)
Using polyglot (0.3.3)
Using treetop (1.4.10)
Using mail (2.4.4)
Using actionmailer (3.2.3)
Using arel (3.0.2)
Using tzinfo (0.3.33)
Using activerecord (3.2.3)
Using activeresource (3.2.3)
Using bundler (1.1.rc.7)
Using coffee-script-source (1.3.1)
Using execjs (1.3.0)
Using coffee-script (2.2.0)
Using rack-ssl (1.3.2)
Using json (1.6.6)
Using rdoc (3.12)
Using thor (0.14.6)
Using railties (3.2.3)
Using coffee-rails (3.2.2)
Using jquery-rails (2.0.2)
Using rails (3.2.3)
Using sass (3.1.15)
Using sass-rails (3.2.5)
Using sqlite3 (1.3.5)
Using uglifier (1.2.4)
Your bundle is complete! Use `bundle show [gemname]` to see where a bundled gem is installed.
```


```
\sim/Programming — zsh — 76×77
  tt@Poseidon -/Programming * rails new awesome_blog
Using from /Users/matt/.railsrc
     create
     create README.rdoc
     create Rakefile
     create config.ru
     create .gitignore
     create Gemfile
     create app
     create app/assets/images/rails.png
     create app/assets/javascripts/application.js
     create app/assets/stylesheets/application.css
     create app/controllers/application_controller.rb
     create app/helpers/application_helper.rb
     create app/mailers
     create app/models
     create app/views/layouts/application.html.erb
     create app/mailers/.gitkeep
     create app/models/.gitkeep
     create config
     create config/routes.rb
     create config/application.rb
     create config/environment.rb
     create config/environments
     create config/environments/development.rb
     create config/environments/production.rb
     create config/environments/test.rb
     create config/initializers
     create config/initializers/backtrace_silencers.rb
     create config/initializers/inflections.rb
     create config/initializers/mime_types.rb
     create config/initializers/secret_token.rb
     create config/initializers/session_store.rb
     create config/initializers/wrap_parameters.rb
     create config/locales
     create config/locales/en.yml
     create config/boot.rb
     create config/database.yml
     create db
     create db/seeds.rb
     create doc
     create doc/README_FOR_APP
     create lib
     create lib/tasks
     create lib/tasks/.gitkeep
     create lib/assets
     create lib/assets/.gitkeep
     create log
     create log/.gitkeep
     create public
     create public/404.html
     create public/422.html
     create public/500.html
     create public/favicon.ico
     create public/index.html
     create public/robots.txt
     create script
     create script/rails
     create test/fixtures
     create test/fixtures/.gitkeep
     create test/functional
     create test/functional/.gitkeep
     create test/integration
     create test/integration/.gitkeep
     create test/unit
     create test/unit/.gitkeep
     create test/performance/browsing_test.rb
     create test/test_helper.rb
     create tmp/cache
     create tmp/cache/assets
     create vendor/assets/javascripts
     create vendor/assets/javascripts/.gitkeep
     create vendor/assets/stylesheets
     create vendor/assets/stylesheets/.gitkeep
     create vendor/plugins
     create vendor/plugins/.gitkeep
       run bundle install
```



Why so many files?



#### The app directory



#### Every Rails app will always look like this.

Unless the developer has really screwed up.



Code: <a href="https://github.com/ljuti/aalto-on-rails">https://github.com/ljuti/aalto-on-rails</a>


#### Where to go? How to learn?

#### Best Resources


- Rails Guides: <a href="http://guides.rubyonrails.org">http://guides.rubyonrails.org</a>
- RailsCasts: <a href="http://railscasts.com">http://railscasts.com</a>
- Ruby Toolbox: <a href="https://www.ruby-toolbox.com">https://www.ruby-toolbox.com</a>
- Why Ruby? <a href="http://j.mp/WhyRuby">http://j.mp/WhyRuby</a>
- IRC: The #rubyonrails channel on irc.freenode.net

#### The Best Books


### Agile Web Development with Rails (4th edition)



## Programming Ruby 1.9 (3rd edition)



### Learn to Program (2nd edition)



# KiSKO

LABS

- Established in 2007
- We only do Ruby
- There are now 9 of us:
  - 3 designers
  - 3 developers + the 2 founders
- Everybody knows how to code.

## lauri@kiskolabs.com @ljuti

#### matias@kiskolabs.com @matiaskorhonen

#### Helsinki Ruby Brigade



http://rubybrigade.fi

#### Frozen Rails 2012



September 20 – 21 http://2012.frozenrails.eu