

STUDYID = D3253C00001

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Enrolment (ENROL)

Generated On: 2022 Nov 21 10:23

(Version:AZ12:11 Date:2012-11-08)

Enrolment code

Study part code

SV = Subject Visits

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Visit Dates (VISIT)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:07 Date:2018-07-26)

Visit date

Fixed Unit: yyyy mon dd

SVSTDTC

SVENDTC

What was the contact mode?

Remote-audio ☐

Remote-video ☐

On-site visit ☐

Home visit ☐

Other ☐

SVCNTMOD

If Other, specify

SVCNTMOD

DS = Disposition

DM = Demographics

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Informed Consent (CONSENT)

Generated On: 2022 Nov 21 10:23

DSSCAT = PATIENT

(Version:AZ18:03 Date:2018-08-24)

Protocol version

DSCAT = PROTOCOL MILESTONE

DSSPID

Date Subject signed main informed consent

Fixed Unit: yyyy mon dd

DSTERM = MAIN INFORMED CONSENT

**DSDECOD = INFORMED
CONSENT OBTAINED**

DSSTDTC

RFICDTC

Optional consent category

Family doctor can be
informed about research
study ☒

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Coded personal data to be
used for other medical,
healthcare or scientific
related research purposes ☐

Unused parts of samples
used for further research ☐

Extra samples to look at
DNA ☐

Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

Family doctor can be
informed about research
study ☐

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Coded personal data to be
used for other medical,
healthcare or scientific
related research purposes ☒

Unused parts of samples
used for further research ☐

Extra samples to look at
DNA ☐

Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

DS = Disposition

Continued from page 3

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Informed Consent (CONSENT)
Generated On: 2022 Nov 21 10:23

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐Unused parts of samples used for further research ☒Extra samples to look at DNA ☐Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐Unused parts of samples used for further research ☐Extra samples to look at DNA ☒Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

DS = Disposition

Continued from page 3

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Informed Consent (CONSENT)
Generated On: 2022 Nov 21 10:23

		Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐
DSCAT = OTHER EVENT	DSTERM	Unused parts of samples used for further research ☐
	DSDECOD	Extra samples to look at DNA ☐
		Study specific ☒
Study specific consent category		
Optional consent obtained	If checked No, no records shall be submitted to DS	No ☐ Yes ☐
Date of optional consent		Fixed Unit: yyyy mon dd
		DSSTDTC

DS = Disposition

DSSCAT = PATIENT

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Informed Consent, Rescreening (CONSENT1)

Generated On: 2022 Nov 21 10:23

SUPPDS.QVAL where QNAM = MODULE

(Version:AZ18:03 Date:2018-08-24)

DSCAT = PROTOCOL MILESTONE

Protocol version

DSSPID

Date Subject re-signed main informed consent

DSSTDTC

Fixed Unit: yyyy mon dd

DSTERM = RESCREENED INFORMED CONSENT

**DSDECOD = RESCREENED
INFORMED CONSENT OBTAINED**

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☒

Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐

Unused parts of samples used for further research ☐

Extra samples to look at DNA ☐

Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

Coded personal data to be used for other medical, healthcare or scientific related research purposes ☒

Unused parts of samples used for further research ☐

Extra samples to look at DNA ☐

Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

DS = Disposition

Continued from page 6

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Informed Consent, Rescreening (CONSENT1)
Generated On: 2022 Nov 21 10:23

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐Unused parts of samples used for further research ☒Extra samples to look at DNA ☐Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐Unused parts of samples used for further research ☐Extra samples to look at DNA ☒Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent obtained

If checked No, no records shall be submitted to DS

No ☐Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

DS = Disposition

Continued from page 6

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Informed Consent, Rescreening (CONSENT1)
Generated On: 2022 Nov 21 10:23

		Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐
DSCAT = OTHER EVENT	DSTERM	Unused parts of samples used for further research ☐
	DSDECOD	Extra samples to look at DNA ☐
		Study specific ☒
Study specific consent category _____		
Optional consent obtained		No ☐
		Yes ☐
		If checked No, no records shall be submitted to DS
Date of optional consent _____		Fixed Unit: yyyy mon dd
		DSSTDTC

DS = Disposition

DSSCAT = PATIENT

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Informed Consent) Protocol Amendment (CONSENT2)

Generated On: 2022 Nov 21 10:23

SUPPDS.QVAL where QNAM = MODULE

(Version:AZ18:03 Date:2018-08-24)

DSCAT = PROTOCOL MILESTONE

Protocol version

DSSPID

Date Subject signed main informed consent

DSSTDTC

Fixed Unit: yyyy mon dd

DSTERM = INFORMED CONSENT OF PROTOCOL AMENDMENT

**DSDECOD = AMENDMENT
INFORMED CONSENT OBTAINED**

Optional consent category

Family doctor can be
informed about research
study

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Coded personal data to be ☐
used for other medical,
healthcare or scientific
related research purposes
Unused parts of samples ☐
used for further research
Extra samples to look at ☐
DNA
Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent/assent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

Family doctor can be ☐
informed about research
study

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Coded personal data to be ☒
used for other medical,
healthcare or scientific
related research purposes
Unused parts of samples ☐
used for further research
Extra samples to look at ☐
DNA
Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent/assent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

DS = Disposition

Continued from page 9

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Informed Consent) Protocol Amendment (CONSENT2)

Generated On: 2022 Nov 21 10:23

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐

Unused parts of samples used for further research ☒

Extra samples to look at DNA ☐

Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent/assent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐

Unused parts of samples used for further research ☐

Extra samples to look at DNA ☒

Study specific ☐

Study specific consent category

[NOT SUBMITTED]

Optional consent/assent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

DS = Disposition

Continued from page 9

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Informed Consent) Protocol Amendment (CONSENT2)

Generated On: 2022 Nov 21 10:23

		Coded personal data to be used for other medical, healthcare or scientific related research purposes	☐
DSCAT = OTHER EVENT	DSTERM	Unused parts of samples used for further research	☐
	DSDECOD	Extra samples to look at	☐
		DNA	☐
		Study specific	☒
Study specific consent category			
Optional consent/assent obtained			
		If checked No, no records shall be submitted to DS	No ☐
			Yes ☐
Date of optional consent		Fixed Unit: yyyy mon dd	
		DSSTDTC	

DS = Disposition

DSSCAT = PATIENT

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Optional Informed Consent) Induced Sputum Procedure (CONSENT3)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:03 Date:2018-08-24)

Protocol version

DSCAT = PROTOCOL MILESTONE

DSSPID

Date Subject signed main informed consent

Fixed Unit: yyyy mon dd

DSTERM /DSDECOD = INDUCED SPUTUM PROCEDURE INFORMED CONSENT OBTAINED

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐

Unused parts of samples used for further research ☐

Extra samples to look at DNA ☐

Study specific ☒

Study specific consent category

Mechanistic Substudy Induced Sputum Procedure

Optional consent/assent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

DS = Disposition		DSSCAT = PATIENT	SUPPDS.QVAL where QNAM = MODULE
D3253C00001_Version 12.00_21NOV2022: Unique			
Form: (Optional Informed Consent) Tissue Biopsy (CONSENT4)			
Generated On: 2022 Nov 21 10:23			
(Version:AZ18:03 Date:2018-08-24)			
Protocol version	DSCAT = PROTOCOL MILESTONE	DSSPID	
Date Subject signed main informed consent	Fixed Unit: yyyy mon dd		
DSTERM /DSDECOD = TISSUE BIOPSY INFORMED CONSENT OBTAINED		DSSTDTC	
Optional consent category	Family doctor can be informed about research study ☐ Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐ Unused parts of samples used for further research ☐ Extra samples to look at DNA ☐ Study specific ☒		
DSCAT = OTHER EVENT	DSTERM	DSDECOD	
Study specific consent category	Mechanistic Substudy Tissue Biopsy		
Optional consent/assent obtained	No ☐ Yes ☐		
If checked No, no records shall be submitted to DS			
Date of optional consent	Fixed Unit: yyyy mon dd		
		DSSTDTC	

DS = Disposition

DSSCAT = PATIENT

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Optional Informed Consent) Whole Blood Sample (CONSENT5)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:03 Date:2018-08-24)

Protocol version

DSCAT = PROTOCOL MILESTONE

DSSPID

Date Subject signed main informed consent

Fixed Unit: yyyy mon dd

DSTERM /DSDECOD = WHOLE BLOOD SAMPLE INFORMED CONSENT OBTAINED

DSSTDTC

Optional consent category

DSCAT = OTHER EVENT

DSTERM

DSDECOD

Family doctor can be informed about research study ☐

Coded personal data to be used for other medical, healthcare or scientific related research purposes ☐

Unused parts of samples used for further research ☐

Extra samples to look at DNA ☐

Study specific ☒

Study specific consent category

Mechanistic Substudy Whole Blood Sample

Optional consent/assent obtained

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent

Fixed Unit: yyyy mon dd

DSSTDTC

IE = Inclusion/Exclusion Criteria Not Met

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Inclusion/Exclusion Criteria Not Met (IE)

Generated On: 2022 Nov 21 10:23

SUPPIE.QVAL where QNAM = MODULE

(Version:AZ17:10 Date:2018-04-25)

Did the subject meet all eligibility criteria?

No ☐

If checked Yes/Not Applicable, no records shall be submitted to IE

Yes ☐

Not Applicable ☐

If No, identifier(s) of each failed criterion

What is the identifier of the criterion the subject did not meet ?

IETESTCD

What was the category of failed criterion?

IECAT

Inclusion ☐

Exclusion ☐

IE = Inclusion/Exclusion Criteria Not Met

SUPPIE.QVAL where QNAM = MODULE

DS = Disposition

DM = Demographics

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Inclusion/Exclusion Criteria Not Met (IE1)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:10 Date:2018-04-25)

Did the subject meet all eligibility criteria?

No ☐

If checked Yes/Not Applicable, no records shall be submitted to IE

Yes ☐

Not Applicable ☐

If No, identifier(s) of each failed criterion and please withdraw subject and fill in study disposition (termination) form

What is the identifier of the criterion the subject did not meet ?

IETESTCD

What was the category of failed criterion?

DSSCAT = RANDOMIZATION

IECAT

Inclusion ☐

Exclusion ☐

Was subject allocated a randomization code? ☒

No ☐

DSTERM where DSDECOD = RANDOMIZED

DSCAT = PROTOCOL MILESTONE

Yes ☐

If Yes, randomization code

SUPPDM.QVAL where QNAM = PATIENT

DSREFID

Date of randomization

Fixed Unit: yyyy mon dd

DSSTDTC

Time of randomization

Fixed Unit: 24-hour clock

IE = Inclusion/Exclusion Criteria Not Met

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Inclusion/Exclusion Criteria Not Met at V17 (IE2)

Generated On: 2022 Nov 21 10:23

SUPPIE.QVAL where QNAM = MODULE

(Version:AZ17:10 Date:2018-04-25)

Does the patient meet the eligibility criteria for OLE?

No ☐

If checked Yes/Not Applicable, no records shall be submitted to IE

Yes ☐

Not Applicable ☐

What is the identifier of the criterion the subject did not meet ?

IETESTCD

What was the category of failed criterion?

IECAT

Inclusion ☐

Exclusion ☐

DM = Demographics**D3253C00001_Version 12.00_21NOV2022: Unique****Form: Demographics (DM)****Generated On: 2022 Nov 21 10:23**

(Version:AZ1905 2019-05-24)

'Date of birth' and 'Sex' will be integrated via IVRS/IWRS system and 'Age' will be autocalculated

What is the Subject's date of birth?

Fixed Unit: yyyy mon dd

BRTDTC

What is the Subject's age?

AGE

What is the age unit used?

Days ☐Hours ☐Weeks ☐Months ☐Years ☒**AGEU**

What is the sex of the Subject?

SEXMale ☐Female ☐Do you consider the patient to be Hispanic/Latino or not
Hispanic/Latino?**ETHNIC**Hispanic or Latino ☐Not Hispanic or Latino ☐

Which racial designation best describes patient?

Black or African American ☐Native Hawaiian or other ☐Pacific Islander ☐American Indian or Alaska ☐Native ☐Asian ☐White ☐Other ☐**RACE**

What was the Other race?

SUPPDM.QVAL where QNAM = RACEOTH

MH = Medical History

SUPPMH.QVAL where QNAM = MODULE

FA = Findings About Events or Interventions

SUPPFA.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Assessment of Cardiovascular Risk (CVRA)

Generated On: 2022 Nov 21 10:23

FACAT =
CARDIOVASCULAR RISK
ASSESSMENT HISTORY

MHCAT = CARDIOVASCULAR RISK
ASSESSMENT HISTORY

(Version:ID15:04 Date:2015-04-30)

Assessment date

Fixed Unit: yyyy mon dd

FADTC

MHSTDTC

Various risk factors for atherosclerosis will be assessed according to the Adult

Treatment Panel

(ATP) III Guidelines.

Cardiovascular Risk Assessments

MHSCAT = DIABETES MELLITUS

Medical history of diabetes melitus

MHPRESP = Y

MHOCCUR

No ☐

Yes ☐

MHTERM = DIABETES MELLITUS

MHSTAT

MHREASND = NOT DONE

Not done ☐

Currently required therapy for diabetes

FASCAT = DIABETES MELLITUS

No ☐

FAOBJ = DIABETES MELLITUS TREATMENT REQUIRED

FAORRES

Yes ☐

FATEST = Occurrence Indicator

FATESTCD = OCCUR

FASTAT

FAREASND

Not done ☐

Medical history of hypertension

MHSCAT = HYPERTENSION

No ☐

MHTERM = HYPERTENSION

MHPRESP = Y

MHOCCUR

Yes ☐

MHSTAT

MHREASND = NOT DONE

Not done ☐

Currently required therapy for hypertension

FASCAT = HYPERTENSION

No ☐

FAOBJ = HYPERTENSION TREATMENT REQUIRED

FAORRES

Yes ☐

FATEST = Occurrence Indicator

FATESTCD = OCCUR

FASTAT

FAREASND

Not done ☐

Medical history of hyperlipidemia

MHSCAT = HYPERLIPIDEMIA

No ☐

MHTERM = HYPERLIPIDEMIA

MHPRESP = Y

MHOCCUR

Yes ☐

MHSTAT

MHREASND = NOT DONE

Not done ☐

Currently required therapy for hyperlipidemia

FASCAT = HYPERLIPIDEMIA

No ☐

FAOBJ = HYPERLIPIDEMIA TREATMENT REQUIRED

FAORRES

Yes ☐

FATEST = Occurrence Indicator

FATESTCD = OCCUR

FASTAT

FAREASND

Not done ☐

Cigarette smoking (past or current or none)

MHSCAT = CIGARETTE SMOKING

No ☐

MHTERM = CIGARETTE SMOKING

MHPRESP = Y

MHOCCUR

Yes ☐

MHSTAT

MHREASND = NOT DONE

Not done ☐

Presence of clinical atherosclerosis disease that confers high risk for cardiovascular disease events

(Check all that apply)

MHSCAT = PRESENCE OF CLINICAL ATHEROSCLEROTIC DISEASE

History of myocardial infarction

MHTERM = MYOCARDIAL INFARCTION

Yes ☐

History of unstable angina

MHTERM = UNSTABLE ANGINA

MHOCCUR

Yes ☐

History of coronary revascularization (CABG and/or PCI)

MHPRESP = Y

Yes ☐

MHTERM = CORONARY REVASCULARIZATION

D3253C00001_Version

12.00_21NOV2022 (39097)

19 of 207

MH = Medical History

Continued from page 19

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Assessment of Cardiovascular Risk (CVRA)

Generated On: 2022 Nov 21 10:23

History of symptomatic carotid artery disease	MHTERM = SYMPTOMATIC CAROTID ARTERY	Yes ☐
History of heart failure	MHTERM = HEART FAILURE	Yes ☐
History of stroke	MHTERM = STROKE	MHOCCUR Yes ☐

QS = Questionnaires**SUPPQS.QVAL where QNAM = MODULE****D3253C00001_Version 12.00_21NOV2022: Unique****Form: Birmingham Vasculitis Activity Score (BVASV3)****Generated On: 2022 Nov 21 10:23****QSSCAT = GENERAL**

(Version:MP1908 2019-08-27)

Questionnaire name **QSCAT** Birmingham Vasculitis Activity Score

Assessment date Fixed Unit: yyyy mon dd

QSDTCGeneral None **QSTEST** **QSORRES where QSTESTCD = BVAS301** Yes ☐Myalgia **QSTEST** **QSORRES where QSTESTCD = BVAS302** Yes ☐Myalgia score (defaulted, no entry required) **QSTEST** **QSORRES where QSTESTCD = BVAS303**Arthralgia/arthritis **QSTEST** **QSTEST** **QSORRES where QSTESTCD = BVAS304** Yes ☐Arthralgia/arthritis score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS305**Fever $\geq 38^{\circ}\text{C}$ **QSTEST** **QSTEST** **QSORRES where QSTESTCD = BVAS306** Yes ☐Fever $\geq 38^{\circ}\text{C}$ score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS307**Weight loss ≥ 2 kg **QSTEST** **QSTEST** **QSORRES where QSTESTCD = BVAS308** Yes ☐Weight loss ≥ 2 kg score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS309**General total score (derived, no entry required) **QSORRES where QSTESTCD = BVAS310**Cutaneous None **QSTEST** **QSTEST** **QSORRES where QSTESTCD = BVAS311** Yes ☐Infarct **QSTEST** **QSORRES where QSTESTCD = BVAS312** Yes ☐Infarct score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS313**Purpura **QSTEST** **QSORRES where QSTESTCD = BVAS314** Yes ☐Purpura score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS315**Ulcer **QSTEST** **QSORRES where QSTESTCD = BVAS316** Yes ☐Ulcer score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS317**Gangrene **QSTEST** **QSORRES where QSTESTCD = BVAS318** Yes ☐Gangrene score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS319**Other skin vasculitis **QSTEST** **QSORRES where QSTESTCD = BVAS320** Yes ☐Other skin vasculitis score (defaulted, no entry required) **QSTEST** **QSORRES where QSTESTCD = BVAS321**Cutaneous total score (derived, no entry required) **QSORRES where QSTESTCD = BVAS322**Mucous Membranes / eyes None **QSTEST** **QSORRES where QSTESTCD = BVAS323** Yes ☐Mouth ulcers **QSTEST** **QSORRES where QSTESTCD = BVAS324** Yes ☐Mouth ulcers score (defaulted, no entry required) **QSORRES where QSTESTCD = BVAS325**

QS = Questionnaires

Continued from page 21

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Birmingham Vasculitis Activity Score (BVASV3)****Generated On: 2022 Nov 21 10:23**

Genital ulcers	QSTEST	QSORRES where QSTESTCD = BVAS326	Yes ☐
Genital ulcers score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS327	
Adnexal inflammation	QSTEST	QSORRES where QSTESTCD = BVAS328	Yes ☐
Adnexal inflammation score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS329	
Significant proptosis	QSTEST	QSORRES where QSTESTCD = BVAS330	Yes ☐
Significant proptosis score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS331	
Scleritis/Episcleritis	QSTEST	QSORRES where QSTESTCD = BVAS332	Yes ☐
Scleritis/Episcleritis score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS333	
Conjunctivitis/Blepharitis/Keratitis		QSORRES where QSTESTCD = BVAS334	Yes ☐
Conjunctivitis/Blepharitis/Keratitis score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS335	
Blurred vision	QSTEST	QSORRES where QSTESTCD = BVAS336	Yes ☐
Blurred vision score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS337	
Sudden visual loss	QSTEST	QSORRES where QSTESTCD = BVAS338	Yes ☐
Sudden visual loss score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS339	
Uveitis	QSTEST	QSORRES where QSTESTCD = BVAS340	Yes ☐
Uveitis score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS341	
Retinal changes	QSTEST	QSORRES where QSTESTCD = BVAS342	Yes ☐
Retinal changes score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS343	
Mucous membranes/eyes total score (derived, no entry required)		QSORRES where QSTESTCD = BVAS344	
ENT			Yes ☐
None	QSTEST	QSORRES where QSTESTCD = BVAS345	
Bloody nasal discharge/crusts/ulcers/granulomata		QSORRES where QSTESTCD = BVAS346	Yes ☐
Bloody nasal discharge/crusts/ulcers/granulomata score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS347	
Paranasal sinus involvement	QSTEST	QSORRES where QSTESTCD = BVAS348	Yes ☐
Paranasal sinus involvement score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS349	
Subglottic stenosis	QSTEST	QSORRES where QSTESTCD = BVAS350	Yes ☐
Subglottic stenosis score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS351	
Conductive hearing loss	QSTEST	QSORRES where QSTESTCD = BVAS352	Yes ☐

QS = Questionnaires

Continued from page 21

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Birmingham Vasculitis Activity Score (BVASV3)

Generated On: 2022 Nov 21 10:23

Conductive hearing loss score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS353	
Sensorineural hearing loss	QSTEST	QSORRES where QSTESTCD = BVAS354	Yes ☐
Sensorineural hearing loss score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS355	
ENT total score (derived, no entry required)		QSORRES where QSTESTCD = BVAS356	
Chest None	QSTEST	QSORRES where QSTESTCD = BVAS357	Yes ☐
Wheeze	QSTEST	QSORRES where QSTESTCD = BVAS358	Yes ☐
Wheeze score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS359	
Nodules or cavities	QSTEST	QSORRES where QSTESTCD = BVAS360	Yes ☐
Nodules or cavities score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS361	
Pleural effusion/pleurisy	QSTEST	QSORRES where QSTESTCD = BVAS362	Yes ☐
Pleural effusion/pleurisy score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS363	
Infiltrate	QSTEST	QSORRES where QSTESTCD = BVAS364	Yes ☐
Infiltrate score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS365	
Endobronchial involvement	QSTEST	QSORRES where QSTESTCD = BVAS366	Yes ☐
Endobronchial involvement score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS367	
Masive haemoptysis/alveolar haemorrhage		QSORRES where QSTESTCD = BVAS368	Yes ☐
Masive haemoptysis/alveolar haemorrhage score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS369	
Respiratory failure	QSTEST	QSORRES where QSTESTCD = BVAS370	Yes ☐
Respiratory failure score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS371	
Chest total score (derived, no entry required)		QSORRES where QSTESTCD = BVAS372	
Cardiovascular None	QSTEST	QSORRES where QSTESTCD = BVAS373	Yes ☐
Loss of pulses	QSTEST	QSORRES where QSTESTCD = BVAS374	Yes ☐
Loss of pulses score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS375	
Valvular heart disease	QSTEST	QSORRES where QSTESTCD = BVAS376	Yes ☐
Valvular heart disease score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS377	
Pericarditis	QSTEST	QSORRES where QSTESTCD = BVAS378	Yes ☐
Pericarditis score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS379	

QS = Questionnaires

Continued from page 21

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Birmingham Vasculitis Activity Score (BVASV3)

Generated On: 2022 Nov 21 10:23

Ischaemic cardiac pain	QTEST	QSORRES where QTESTCD = BVAS380	Yes ☐
Ischaemic cardiac pain score (defaulted, no entry required)	QTEST	QSORRES where QTESTCD = BVAS381	
Cardiomyopathy	QTEST	QSORRES where QTESTCD = BVAS382	Yes ☐
Cardiomyopathy score (defaulted, no entry required)		QSORRES where QTESTCD = BVAS383	
Congestive cardiac failure	QTEST	QSORRES where QTESTCD = BVAS384	Yes ☐
Congestive cardiac failure score (defaulted, no entry required)	QTEST	QSORRES where QTESTCD = BVAS385	
Cardiovascular total score (derived, no entry required)		QSORRES where QTESTCD = BVAS386	
Abdominal None	QTEST	QSORRES where QTESTCD = BVAS387	Yes ☐
Peritonitis	QTEST	QSORRES where QTESTCD = BVAS388	Yes ☐
Peritonitis score (defaulted, no entry required)	QTEST	QSORRES where QTESTCD = BVAS389	
Bloody diarrhoea	QTEST	QSORRES where QTESTCD = BVAS390	Yes ☐
Bloody diarrhoea score (defaulted, no entry required)		QSORRES where QTESTCD = BVAS391	
Ischaemic abdominal pain	QTEST	QSORRES where QTESTCD = BVAS392	Yes ☐
Ischaemic abdominal pain score (defaulted, no entry required)	QTEST	QSORRES where QTESTCD = BVAS393	
Abdominal total score (derived, no entry required)		QSORRES where QTESTCD = BVAS394	
Renal None	QTEST	QSORRES where QTESTCD = BVAS395	Yes ☐
Hypertension	QTEST	QSORRES where QTESTCD = BVAS396	Yes ☐
Hypertension score (defaulted, no entry required)		QSORRES where QTESTCD = BVAS397	
Proteinuria >1+	QTEST	QSORRES where QTESTCD = BVAS398	Yes ☐
Proteinuria >1+ score (defaulted, no entry required)		QSORRES where QTESTCD = BVAS399	
BVAS3100-RE-Haematuria ≥ 10 RBCs/hpf or if dipstick result is ≥ "++"	QTEST	QSORRES where QTESTCD = BVAS3100	Yes ☐
BVAS3101-RE-Haematuria ≥ 10 RBCs/hpf Scr or if dipstick result is ≥ "++"	QTEST	QSORRES where QTESTCD = BVAS3101	
Serum creatinine 125-249 umol/L	QTEST	QSORRES where QTESTCD = BVAS3102	Yes ☐
Serum creatinine 125-249 umol/L score (defaulted, no entry required)	QTEST	QSORRES where QTESTCD = BVAS3103	
Serum creatinine 250-499 umol/L	QTEST	QSORRES where QTESTCD = BVAS3104	Yes ☐
Serum creatinine 250-499 umol/L score (defaulted, no entry required)	QTEST	QSORRES where QTESTCD = BVAS3105	

QS = Questionnaires

Continued from page 21

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Birmingham Vasculitis Activity Score (BVASV3)****Generated On: 2022 Nov 21 10:23**

Serum creatinine ≥ 500 umol/L	QSTEST	QSORRES where QSTESTCD = BVAS3106	Yes ☐
Serum creatinine ≥ 500 umol/L score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3107	
Rise in serum creatinine >30%/ fall in creatinine clearance >25%	QSTEST	QSORRES where QSTESTCD = BVAS3108	Yes ☐
Rise in serum creatinine >30%/ fall in creatinine clearance >25% score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS3109	
Renal total score (derived, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3110	
Nervous system None	QSTEST	QSORRES where QSTESTCD = BVAS3111	Yes ☐
Headache	QSTEST	QSORRES where QSTESTCD = BVAS3112	Yes ☐
Headache score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3113	
Meningitis	QSTEST	QSORRES where QSTESTCD = BVAS3114	Yes ☐
Meningitis score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3115	
Organic confusion	QSTEST	QSORRES where QSTESTCD = BVAS3116	Yes ☐
Organic confusion score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS3117	
Seizures (not hypertensive)	QSTEST	QSORRES where QSTESTCD = BVAS3118	Yes ☐
Seizures (not hypertensive) score defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3119	
Cerebrovascular accident	QSTEST	QSORRES where QSTESTCD = BVAS3120	Yes ☐
Cerebrovascular accident score defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3121	
Spinal cord lesion	QSTEST	QSORRES where QSTESTCD = BVAS3122	Yes ☐
Spinal cord lesion score defaulted, no entry required)		QSORRES where QSTESTCD = BVAS3123	
Cranial nerve palsy	QSTEST	QSORRES where QSTESTCD = BVAS3124	Yes ☐
Cranial nerve palsy score (defaulted, no entry required)		QSORRES where QSTESTCD = BVAS3125	
Sensory peripheral neuropathy	QSTEST	QSORRES where QSTESTCD = BVAS3126	Yes ☐
Sensory peripheral neuropathy score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3127	
Mononeuritis multiplex	QSTEST	QSORRES where QSTESTCD = BVAS3128	Yes ☐
Mononeuritis multiplex score (defaulted, no entry required)	QSTEST	QSORRES where QSTESTCD = BVAS3129	
Nervous system total score (derived, no entry required)		QSORRES where QSTESTCD = BVAS3130	
Other None	QSTEST	QSORRES where QSTESTCD = BVAS3131	Yes ☐
Other01, specify	QSTEST	QSORRES where QSTESTCD = BVAS3133	

QS = Questionnaires

Continued from page 21

**D3253C00001_Version 12.00_21NOV2022: Unique
Form: Birmingham Vasculitis Activity Score (BVASV3)****Generated On: 2022 Nov 21 10:23**

Other02, specify	QTEST	QSORRES where QTESTCD = BVAS3135
Other03, specify	QTEST	QSORRES where QTESTCD = BVAS3137
Other04, specify	QTEST	QSORRES where QTESTCD = BVAS3139
Disease status		Active (new/worse) ☐
QTEST	QSORRES where QTESTCD = DISSTAT	Persistent ☐

Total score (derived, no entry required)

Ref. Reproduced from [Modification and validation of
the Birmingham Vasculitis Activity Score (version 3),
Mukhtyar C et al, 68:1827-1832, copyright2009] with
permission from BMJ Publishing Group Ltd.

QTEST

QSORRES where
QTESTCD = TOTSCORE

Now Derivation

[NOT SUBMITTED]

QS = Questionnaires

SUPPQS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vasculitis Damage Index (VDI)

Generated On: 2022 Nov 21 10:23

(Version: MP1908 2019-08-14)

Questionnaire name **QSCAT** Vasculitis Damage Index

Assessment date Fixed Unit: yyyy mon dd

Assessment time **QSDTC** Fixed Unit: 24-hour clockMusculoskeletal **QSSCAT = MUSCULOSKELETAL**None **QSTEST** **QSORRES where QSTESTCD = VDIMU00** Yes ☐Significant muscle atrophy or weakness **QSORRES where QSTESTCD = VDIMU01** Yes ☐Deforming/erosive arthritis **QSTEST** **QSORRES where QSTESTCD = VDIMU02** Yes ☐Osteoporosis/vertebral collapse **QSORRES where QSTESTCD = VDIMU03** Yes ☐Avascular necrosis **QSTEST** **QSORRES where QSTESTCD = VDIMU04** Yes ☐Osteomyelitis **QSTEST** **QSORRES where QSTESTCD = VDIMU05** Yes ☐Skin/Mucous membranes **QSSCAT = SKIN/MUCOUS MEMBRANES**None **QSTEST** **QSORRES where QSTESTCD = VDISM00** Yes ☐Alopecia **QSTEST** **QSORRES where QSTESTCD = VDISM01** Yes ☐Cutaneous ulcers **QSTEST** **QSORRES where QSTESTCD = VDISM02** Yes ☐Mouth ulcers **QSTEST** **QSORRES where QSTESTCD = VDISM03** Yes ☐Ocular **QSSCAT = OCULAR**None **QSTEST** **QSORRES where QSTESTCD = VDIOC00** Yes ☐Cataract **QSTEST** **QSORRES where QSTESTCD = VDIOC01** Yes ☐Retinal change **QSTEST** **QSORRES where QSTESTCD = VDIOC02** Yes ☐Optic atrophy **QSTEST** **QSORRES where QSTESTCD = VDIOC03** Yes ☐Visual impairment/diplopia **QSTEST** **QSORRES where QSTESTCD = VDIOC04** Yes ☐Blindness in one eye **QSTEST** **QSORRES where QSTESTCD = VDIOC05** Yes ☐Blindness in second eye **QSTEST** **QSORRES where QSTESTCD = VDIOC06** Yes ☐Orbital wall destruction **QSTEST** **QSORRES where QSTESTCD = VDIOC07** Yes ☐ENT **QSSCAT = ENT**None **QSTEST** **QSORRES where QSTESTCD = VDIEN00** Yes ☐Hearing loss **QSTEST** **QSORRES where QSTESTCD = VDIEN01** Yes ☐Nasal blockage/chronic discharge/crusting Yes ☐

QS = Questionnaires

Continued from page 27

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vasculitis Damage Index (VDI)

Generated On: 2022 Nov 21 10:23

	Nasal bridge collapse/septal perforation	QSORRES where QSTESTCD = VDIEN03	Yes ☐
QSTEST	Chronic sinusitis/radiological damage	QSORRES where QSTESTCD = VDIEN04	Yes ☐
	Subglottic stenosis (no surgery)	QSORRES where QSTESTCD = VDIEN05	Yes ☐
	Subglottic stenosis (with surgery)	QSORRES where QSTESTCD = VDIEN06	Yes ☐
	Pulmonary	QSSCAT = PULMONARY	
	None	QSTEST QSORRES where QSTESTCD = VDIPU00	Yes ☐
	Pulmonary hypertension	QSTEST QSORRES where QSTESTCD = VDIPU01	Yes ☐
	Pulmonary fibrosis	QSTEST QSORRES where QSTESTCD = VDIPU02	Yes ☐
	Pulmonary infarction	QSTEST QSORRES where QSTESTCD = VDIPU03	Yes ☐
	Pleural fibrosis	QSTEST QSORRES where QSTESTCD = VDIPU04	Yes ☐
	Chronic asthma	QSTEST QSORRES where QSTESTCD = VDIPU05	Yes ☐
	Chronic breathlessness	QSTEST QSORRES where QSTESTCD = VDIPU06	Yes ☐
	Impaired lung function	QSTEST QSORRES where QSTESTCD = VDIPU07	Yes ☐
	Cardiovascular	QSSCAT = CARDIOVASCULAR	
	None	QSORRES where QSTESTCD = VDICA00	Yes ☐
	Angina angioplasty	QSORRES where QSTESTCD = VDICA01	Yes ☐
QSTEST	Myocardial infarction	QSORRES where QSTESTCD = VDICA02	Yes ☐
	Subsequent myocardial infarction	QSORRES where QSTESTCD = VDICA03	Yes ☐
	Cardiomyopathy	QSORRES where QSTESTCD = VDICA04	Yes ☐
	Valvular disease	QSORRES where QSTESTCD = VDICA05	Yes ☐
	Pericarditis $\geq$ 3 mths or pericardectomy	QSORRES where QSTESTCD = VDICA06	Yes ☐
	Diastolic BP $\geq$ 95 or requiring antihypertensives	QSORRES where QSTESTCD = VDICA07	Yes ☐
	Peripheral vascular disease	QSSCAT = PERIPHERAL VASCULAR DISEASE	
	None	QSORRES where QSTESTCD = VDIPV00	Yes ☐
	Absent pulses in one limb	QSORRES where QSTESTCD = VDIPV01	Yes ☐
QSTEST	2nd episode of absent pulses in one limb	QSORRES where QSTESTCD = VDIPV02	Yes ☐
	Major vessel stenosis	QSORRES where QSTESTCD = VDIPV03	Yes ☐
	Claudication >3 mths	QSORRES where QSTESTCD = VDIPV04	Yes ☐
	Minor tissue loss	QSORRES where QSTESTCD = VDIPV05	Yes ☐

QS = Questionnaires

Continued from page 27

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vasculitis Damage Index (VDI)

Generated On: 2022 Nov 21 10:23

	Major tissue loss	QSORRES where QSTESTCD = VDIPV06	Yes ☐
QSTEST	Subsequent major tissue loss	QSORRES where QSTESTCD = VDIPV07	Yes ☐
	Complicated venous thrombosis	QSORRES where QSTESTCD = VDIPV08	Yes ☐
	Gastrointestinal	QSSCAT = GASTROINTESTINAL	
	None	QSORRES where QSTESTCD = VDIGA00	Yes ☐
	Gut infarction/resection	QSORRES where QSTESTCD = VDIGA01	Yes ☐
	Mesenteric insufficiency/pancreatitis	QSORRES where QSTESTCD = VDIGA02	Yes ☐
QSTEST	Chronic peritonitis	QSORRES where QSTESTCD = VDIGA03	Yes ☐
	Oesophageal stricture/surgery	QSORRES where QSTESTCD = VDIGA04	Yes ☐
	Renal	QSSCAT = RENAL	
	None	QSORRES where QSTESTCD = VDIRE00	Yes ☐
	Estimated/measured GFR $\leq$ 50%	QSORRES where QSTESTCD = VDIRE01	Yes ☐
QSTEST	Proteinuria $\geq$ 0.5g/24hr	QSORRES where QSTESTCD = VDIRE02	Yes ☐
	End stage renal disease	QSORRES where QSTESTCD = VDIRE03	Yes ☐
	Neuropsychiatric	QSSCAT = NEUROPSYCHIATRIC	
	None	QSORRES where QSTESTCD = VDINE00	Yes ☐
	Cognitive impairment	QSORRES where QSTESTCD = VDINE01	Yes ☐
	Major psychosis	QSORRES where QSTESTCD = VDINE02	Yes ☐
QSTEST	Seizures	QSORRES where QSTESTCD = VDINE03	Yes ☐
	Cerebrovascular accident	QSORRES where QSTESTCD = VDINE04	Yes ☐
	2nd cerebrovascular accident	QSORRES where QSTESTCD = VDINE05	Yes ☐
	Cranial nerve lesion	QSORRES where QSTESTCD = VDINE06	Yes ☐
	Peripheral neuropathy	QSORRES where QSTESTCD = VDINE07	Yes ☐
	Transverse myelitis	QSORRES where QSTESTCD = VDINE08	Yes ☐
	Other	QSSCAT = OTHER	
	None	QSORRES where QSTESTCD = VDIOT00	Yes ☐
	Gonadal failure	QSORRES where QSTESTCD = VDIOT01	Yes ☐
QSTEST	Marrow failure	QSORRES where QSTESTCD = VDIOT02	Yes ☐
	Diabetes	QSORRES where QSTESTCD = VDIOT03	Yes ☐
	Chemical cystitis	QSORRES where QSTESTCD = VDIOT04	Yes ☐

QS = Questionnaires

Continued from page 27

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Vasculitis Damage Index (VDI)****Generated On: 2022 Nov 21 10:23**Malignancy QSORRES where QSTESTCD = VDIOT05 Yes ☐**QSTEST** Other QSORRES where QSTESTCD = VDIOT06 Yes ☐If Other, specify SUPPQS.QVAL where QNAM = QSVDIOSTotal VDI score (derived, no entry required) QSORRES where QSTESTCD = VDIOT05

Ref. Reproduced from [Development of comprehensive disease assessment in systemic vasculitis, Flossmann O et al, 66:283-292, copyright2007] with permission from BMJ Publishing Group Ltd

FA = Findings About Events or Interventions

SUPPFA.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Disease History (EGPAHSMP)

FAOBJ = EGPA

Generated On: 2022 Nov 21 10:23

(Version:MP1909 2019-09-02)

Category for finding (defaulted, no entry required) FACAT EGPA Disease History

First appearance of EGPA symptoms date Fixed Unit: yyyy mon dd

FATEST

FAORRES where FATESTCD = EGPASYDT

EGPA first diagnosed date Fixed Unit: yyyy mon dd

FATEST

FAORRES where FATESTCD = EGPADGDT

EGPA disease type: FASCAT = EGPA DISEASE TYPE

Relapsing (RL) No ☐

FATEST

FAORRES where FATESTCD = EGPATYRL

Yes ☐Does the patient fulfil the OCS maintenance requirement of ≥ 7.5 mg/day during relapse? No ☐

[NOT SUBMITTED]

Yes ☐Refractory (RF) No ☐

FATEST

FAORRES where FATESTCD = EGPATYRF

Yes ☐Does the patient fulfil the refractory EGPA OCS maintenance requirement of ≥ 7.5 mg/day? No ☐

[NOT SUBMITTED]

Yes ☐

EGPA disease characteristics: FASCAT = EGPA DISEASE CHARACTERISTICS

Asthma No ☐

FATEST

FAORRES where FATESTCD = EGPADAS

Yes ☐Eosinophilia No ☐

FATEST

FAORRES where FATESTCD = EGPADEO

Yes ☐Biopsy evidence of EOS vascular/ inflammation No ☐

FATEST

FAORRES where FATESTCD = EGPADBI

Yes ☐Neuropathy (M/P/MD/NCA) No ☐

FATEST

FAORRES where FATESTCD = EGPADNE

Yes ☐Pulmonary infiltrates (NF) No ☐

FATEST

FAORRES where FATESTCD = EGPADPI

Yes ☐Sino-nasal abnormality No ☐

FATEST

FAORRES where FATESTCD = EGPADSN

Yes ☐Cardiomyopathy (ECG/MRI) No ☐

FATEST

FAORRES where FATESTCD = EGPADCA

Yes ☐Glomerulonephritis No ☐

FATEST

FAORRES where FATESTCD = EGPADGL

Yes ☐

FA = Findings About Events or Interventions

Continued from page 31

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Disease History (EGPAHSMP)

Generated On: 2022 Nov 21 10:23

Alveolar hemorrhage	No	☐
FATEST	FAORRES where FATESTCD = EGPADAH	Yes ☐
Palpable purpura	No	☐
FATEST	FAORRES where FATESTCD = EGPADPP	Yes ☐
ANCA positive	No	☐
FATEST	FAORRES where FATESTCD = EGPADAN	Yes ☐
Number of relapses over past 2 years	0	☐
	1	☐
	2	☐
FATEST	FAORRES where FATESTCD = NOREL2YR	3-5 ☐
	>5	☐
	Not known	☐
Immunosuppressive therapy used since diagnosis	No	☐
FATEST	FAORRES where FATESTCD = IMMTHRPY	Yes ☐
	Not known	☐

QS = Questionnaires

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Relapse (EGPARLMP)

Generated On: 2022 Nov 21 10:23

SUPPQS.QVAL where QNAM = MODULE

(Version:MP1908 2019-08-23)

Category of findings about

QSCAT

EGPA Relapse

Assessment date

Fixed Unit: yyyy mon dd

Assessment time

QSDTC

Fixed Unit: 24-hour clock

EGPA relapse?

QSTEST

QSORRES where QSTESTCD = EGPA1000

No ☐Yes ☐

EGPA relapse reason

Active vasculitis (BVAS > 0) ☐

QSORRES where QSTESTCD = EGPA1000

Active asthma symptoms and/or signs with a corresponding worsening in ACQ-6 score ☐

QSTEST

QSORRES where QSTESTCD = EGPA1200

Active nasal and/or sinus disease, with a corresponding worsening in at least one of the sino-nasal symptom questions (SSQ) ☐

QSORRES where QSTESTCD = EGPA1300

An increase in OCS therapy (>4mg prednisolone total daily dose or equivalent)

QSTEST

QSORRES where QSTESTCD = EGPA1110/EGPA1210/EGPA1310

No ☐Yes ☐

An increase in OCS therapy date (>4mg prednisolone total daily dose or equivalent)

Fixed Unit: yyyy mon dd

QSTEST

QSORRES where QSTESTCD = EGPA1111/EGPA1211/EGPA1311

An increased dose or additional of an immunosuppressive agent

QSTEST

QSORRES where QSTESTCD = EGPA1120/EGPA1220/EGPA1320

No ☐Yes ☐

An increased dose or additional of an immunosuppressive agent date

Fixed Unit: yyyy mon dd

QSTEST

QSORRES where QSTESTCD = EGPA1121/EGPA1221/EGPA1321

Hospitalization

QSTEST

QSORRES where QSTESTCD = EGPA1130/EGPA1230/EGPA1330

No ☐Yes ☐

Hospitalization date

Fixed Unit: yyyy mon dd

QSTEST

QSORRES where QSTESTCD = EGPA1131/EGPA1231/EGPA1331

BVAS score supporting to EGPA relapse

QSTEST

QSORRES where QSTESTCD = EGPA1140

ACQ6 assessment date lead to EGPA relapse

Fixed Unit: yyyy mon dd

D3253C00001_Version

QSTEST

QSORRES where QSTESTCD = EGPA1240

33 of 207

12.00_21NOV2022 (39097)

QS = Questionnaires

Continued from page 33

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Relapse (EGPARLMP)

Generated On: 2022 Nov 21 10:23

SSQ assessment date lead to EGPA relapse

Fixed Unit: yyyy mon dd

QSTEST

QSORRES where QSTESTCD = EGPA1340

Is this an organ / life-threatening relapse?

No ☐

QSTEST

QSORRES where QSTESTCD = EGPA1400

Yes ☐

FA = Findings About Events or Interventions

CE = Clinical Events

SUPPCE.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Remission (EGPARMMP)

SUPPFA.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:MP1909 2019-09-02)

Category for findings about

FACAT

EGPA Remission

Assessment date

Fixed Unit: yyyy mon dd

FADTC

CEDTC

Assessment time

Fixed Unit: 24-hour clock

Any EGPA remission?

No ☐

CETERM = EGPA REMISSION

CEPRES = Y

CEOCCUR

Yes ☐

EGPA remission reason

BVAS = 0 with OCS dose ☐
≤ 4mg/day

FATEST

BVAS=1 with OCS dose ≤ ☐
4 mg/day or no other
significant clinical
intervention or
investigation

FAOBJ = EGPA REMISSION

FAORRES where FATESTCD = REASON

MH = Medical History

MHCAT = MEDICAL HISTORY

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Medical History (MH)

Generated On: 2022 Nov 21 10:23

SUPPMH.QVAL where QNAM = MODULE

(Version:AZ19:01 2019-01-23)

Has the subject experienced any past and/or concomitant diseases?

If checked No, no records shall be submitted to MH

No ☐

Yes ☐

Medical history verbatim term

MHTERM

Condition ongoing?

MHENRTPT = BEFORE

No ☐

MHENRTPT = ONGOING

Yes ☐

Start date of condition

Fixed Unit: yyyy mon dd

MHSTDTC

End date of condition

Fixed Unit: yyyy mon dd

MHENDTC

Any current medication?

SUPPMH.QVAL where QNAM = MHCURM

No ☐

Yes ☐

MedDRA Lowest Level Term Code

MHLLTCD

MedDRA Lowest Level Term Name

MHLLT

MedDRA Preferred Term Code

MHPTCD

MedDRA Preferred Term Name

MHDECOD

MedDRA High Level Term Code

MHHLTCD

MedDRA High Level Term Name

MHHLT

MedDRA High Level Group Term Code

MHHLGTC

MedDRA High Level Group Term Name

MHHLGT

MedDRA System Organ Class Code

MHSOCCD

MHBDSYCD

MedDRA System Organ Class Name

MHBODSYS

MHSOC

MedDRA Version

SUPPMH.QVAL where QNAM = MEDDRAV

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Blood Sample (ASMPERF)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:07 2018-10-15)

Blood Sample collected No ☐
Yes ☐

Assessment(s) type CLAB ☒
LAB ☐
LABU ☐
DECG ☐
ECG ☐
Brief physical examination ☐
Spirometry ☐
Ultrasound ☐
Body plethysmography ☐
Cognitive test ☐
CGM device upload ☐
Ophthalmological examination ☐
MRI ☐
Tonography ☐
Pap test ☐
Nasal Endoscopy ☐
Ambulatory blood pressure monitoring ☐
Investigator reported tumor response ☐
PD-L1 ☐
Brain MRI/CT ☐
Bone scan-scintigraphy ☐
TACE evaluation MRI ☐
TACE evaluation CT ☐
PET Scan ☐
CT Scan ☐
X-Ray ☐

if not, specify the reason _____
Assessment date _____ Fixed Unit: yyyy mon dd

Accession ID _____

D3253C00001_Version
12.00_21NOV2022 (39097)

37 of 207

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Blood Sample (ASMPERF)

Generated On: 2022 Nov 21 10:23

Comment

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Urine Sample (ASMPERF1)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:07 2018-10-15)

Urine sample collected? No ☐
Yes ☐

Assessment(s) type CLAB ☒
LAB ☐
LABU ☐
DECG ☐
ECG ☐
Brief physical examination ☐
Spirometry ☐
Ultrasound ☐
Body plethysmography ☐
Cognitive test ☐
CGM device upload ☐
Ophthalmological examination ☐
MRI ☐
Tonography ☐
Pap test ☐
Nasal Endoscopy ☐
Ambulatory blood pressure monitoring ☐
Investigator reported tumor response ☐
PD-L1 ☐
Brain MRI/CT ☐
Bone scan-scintigraphy ☐
TACE evaluation MRI ☐
TACE evaluation CT ☐
PET Scan ☐
CT Scan ☐
X-Ray ☐

If No, specify the reason

Assessment date

Fixed Unit: yyyy mon dd

Accession ID

D3253C00001_Version
12.00_21NOV2022 (39097)

39 of 207

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Urine Sample (ASMPERF1)

Generated On: 2022 Nov 21 10:23

Comment

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Spirometry with Reversibility (ASMPERF2)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:07 2018-10-15)

Spirometry test taken? No ☐
Yes ☐

Assessment(s) type CLAB ☐
LAB ☐
LABU ☐
DECG ☐
ECG ☐
Brief physical examination ☐
Spirometry ☒
Ultrasound ☐
Body plethysmography ☐
Cognitive test ☐
CGM device upload ☐
Ophthalmological examination ☐
MRI ☐
Tonography ☐
Pap test ☐
Nasal Endoscopy ☐
Ambulatory blood pressure monitoring ☐
Investigator reported tumor response ☐
PD-L1 ☐
Brain MRI/CT ☐
Bone scan-scintigraphy ☐
TACE evaluation MRI ☐
TACE evaluation CT ☐
PET Scan ☐
CT Scan ☐
X-Ray ☐

if No, specify the reason

Assessment date

Fixed Unit: yyyy mon dd

Assessment time

Fixed Unit: 24-hour clock

D3253C00001_Version

41 of 207

12.00_21NOV2022 (39097)

No need to map according to AZ Standard SDTM Guide

**D3253C00001_Version 12.00_21NOV2022: Unique
Form: Spirometry with Reversibility (ASMPERF2)
Generated On: 2022 Nov 21 10:23**

Comment

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Spirometry (ASMPERF3)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:07 2018-10-15)

Spirometry test taken? No ☐
Yes ☐

Assessment(s) type CLAB ☐
LAB ☐
LABU ☐
DECG ☐
ECG ☐
Brief physical examination ☐
Spirometry ☒
Ultrasound ☐
Body plethysmography ☐
Cognitive test ☐
CGM device upload ☐
Ophthalmological examination ☐
MRI ☐
Tonography ☐
Pap test ☐
Nasal Endoscopy ☐
Ambulatory blood pressure monitoring ☐
Investigator reported tumor response ☐
PD-L1 ☐
Brain MRI/CT ☐
Bone scan-scintigraphy ☐
TACE evaluation MRI ☐
TACE evaluation CT ☐
PET Scan ☐
CT Scan ☐
X-Ray ☐

if No, specify the reason

Assessment date

Fixed Unit: yyyy mon dd

Assessment time

Fixed Unit: 24-hour clock

D3253C00001_Version

43 of 207

12.00_21NOV2022 (39097)

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Spirometry (ASMPERF3)

Generated On: 2022 Nov 21 10:23

Comment

EG = ECG Test Results

SUPPEG.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: ECG (ASMPERF4)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:07 2018-10-15)

Assessment(s) performed

EGTEST

EGSTAT = NOT DONE where EGTESTCD = EGALL

No ☐

Yes ☐

Assessment(s) type

CLAB ☐

LAB ☐

LABU ☐

DECG ☐

ECG ☒

EGCAT

Brief physical examination ☐

Spirometry ☐

Ultrasound ☐

Body plethysmography ☐

Cognitive test ☐

CGM device upload ☐

Ophthalmological ☐

examination ☐

MRI ☐

Tonography ☐

Pap test ☐

Nasal Endoscopy ☐

Ambulatory blood pressure ☐

monitoring ☐

Investigator reported ☐

tumor response ☐

PD-L1 ☐

Brain MRI/CT ☐

Bone scan-scintigraphy ☐

TACE evaluation MRI ☐

TACE evaluation CT ☐

PET Scan ☐

CT Scan ☐

X-Ray ☐

if No, specify the reason

EGREASND

Assessment date

Fixed Unit: yyyy mon dd

EGDTC

EG = ECG Test Results

D3253C00001_Version 12.00_21NOV2022: Unique

Form: ECG (ASMPERF4)

Generated On: 2022 Nov 21 10:23

Assessment time **EGDTC**

Fixed Unit: 24-hour clock

Comment

normal ☐

SUPPEG.QVAL where QNAM = EGSPFY

abnormal, not clinically
significant ☐

abnormal, clinically
significant ☐

Comment

[NOT SUBMITTED]

AE = Adverse Events

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Adverse Events (AE)

SUPPAE.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:AZ1901 2019-01-23)

Any adverse events

If checked No, no records shall be submitted to AE

No ☐Yes ☐

If any Serious Adverse Event is indicated as Yes, please fill in an electronic SERAE Report Form in RAVE within 24 hours

AE No.

AESPID

Adverse Event

AETERM

Date AE started

Fixed Unit: yyyy mon dd

AESTDTC

Date AE stopped

Fixed Unit: yyyy mon dd

AEENDTC

AE onset during or after first OLE dose

SUPPAE.QVAL where QNAM = AESTDSE

Yes ☐

Outcome

AEOUT

Recovered/resolved ☐Recovering/resolving ☐Recovered/resolved with sequelae ☐Not recovered/not resolved ☐Fatal ☐

Serious

AESER

No ☐Yes ☐

Maximum AE intensity

AESEV

Mild ☐Moderate ☐Severe ☐

Action taken, investigational product

AEACN

Dose not changed ☐Drug interrupted ☐Drug permanently discontinued ☐Not applicable ☐

AE caused Subject to withdraw from the study

No ☐

SUPPAE.QVAL where QNAM = AEWD

Yes ☐

Investigational product

SUPPAE.QVAL where QNAM = IP

Benra/Mepo

Reasonable possibility AE caused by IP

AEREL

No ☐Yes ☐

AE = Adverse Events

Continued from page 47

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Adverse Events (AE)

Generated On: 2022 Nov 21 10:23

AE required treatment

AECONTRT

No ☐Yes ☐

MedDRA Lowest Level Term Code	AELLTCD	
MedDRA Lowest Level Term Name	AELLT	
MedDRA Preferred Term Code	AEPTCD	
MedDRA Preferred Term Name	AEDECOD	
MedDRA High Level Term Code	AEHLTCD	
MedDRA High Level Term Name	AEHLT	
MedDRA High Level Group Term Code	AEHLGTC	
MedDRA High Level Group Term Name	AEHLGT	
MedDRA System Organ Class Code	AESOC	AEBDSYCD
MedDRA System Organ Class Name	AESOC	AEBODSYS
MedDRA Version	SUPPAE.QVAL where QNAM = MEDDRAV	
CTCAE Version	SUPPAE.QVAL where QNAM = CTCAEV	
RCTC AE Version	SUPPAE.QVAL where QNAM = RCTCAEV	
Initial email sent	[NOT SUBMITTED]	

AE = Adverse Events

D3253C00001_Version 12.00_21NOV2022: Unique

Form: AZ Aware of SAE (AZAWSAE)

Generated On: 2022 Nov 21 10:23

(Version:AZ13:11 Date:2013-11-19)

AE number(from AE)

AESPID

Adverse event

AETERM

Date AZ aware of serious AE

Fixed Unit: yyyy mon dd

SUPPAE.QVAL where QNAM = SAEAZDTC

Please send an e-mail alert to patient safety

[NOT SUBMITTED]

Yes ☐

Initial email sent

[NOT SUBMITTED]

CM = Concomitant/Prior Medications

SUPPCM.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Prior and Concomitant Medications (CM)

Generated On: 2022 Nov 21 10:23

**CMCAT = PRIOR AND
CONCOMITANT MEDICATIONS**

(Version:AZ17:05 2018-10-22)

Any Medication?

If checked No, no records shall be submitted to CM

No ☐

Yes ☐

Medication number

CMSPID

Medication verbatim name

CMTRT

Medication route of administration

CMROUTE

- Intramuscular ☐
- Auricular (OTIC) ☐
- Buccal ☐
- Dental ☐
- Intrathoracic ☐
- Enteral ☐
- Epidural ☐
- Respiratory (Inhalation) ☐
- Intra-arterial ☐
- Intra-articular ☐
- Intracaudal ☐
- Intradermal ☐
- Intraocular ☐
- Intraperitoneal ☐
- Intraspinal ☐
- Intrathecal ☐
- Urethral ☐
- Intravenous ☐
- Intraventricular ☐
- Nasal ☐
- Ophthalmic ☐
- Oral ☐
- Parenteral ☐
- Rectal ☐
- Subcutaneous ☐
- Sublingual ☐
- Topical ☐
- Transdermal ☐
- Oromucosal ☐

CM = Concomitant/Prior Medications

Continued from page 50

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Prior and Concomitant Medications (CM)
Generated On: 2022 Nov 21 10:23

**CMCAT = PRIOR AND
CONCOMITANT MEDICATIONS**

	CMROUTE	Vaginal	☐
		Cutaneous	☐
		Unknown	☐
		Not Applicable	☐
		Other	☐

Total daily dose

CMDOSTOT

Dose unit

CMDOSUg ☐mg ☐ug ☐ng ☐mg/kg ☐mg/m2 ☐ug/kg ☐ug/m2 ☐mL ☐L ☐IU ☐kIU ☐IU/kg ☐% ☐mEq ☐mmol ☐umol ☐MBq ☐mCi ☐Tablet ☐Capsule ☐Puff ☐gtt ☐Unknown ☐Other ☐

Dose unit, other

SUPPCM.QVAL where QNAM = CMDOSUO

Multiple drug

SUPPCM.QVAL where QNAM = CMMULTYes ☐

Medication dosing frequency

CMDOSFRQQD ☐

CM = Concomitant/Prior Medications

Continued from page 50

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Prior and Concomitant Medications (CM)
Generated On: 2022 Nov 21 10:23

**CMCAT = PRIOR AND
CONCOMITANT MEDICATIONS**

CMDOSFRQ		BID ☐
2 Times per week ☐		QM ☐
		PRN ☐
		QH ☐
		Q2H ☐
		Q4H ☐
		QOD ☐
		TID ☐
3 Times per week ☐		Every 4 weeks ☐
		QID ☐
4 Times per week ☐		Every 3 weeks ☐
		Once ☐
		Every week ☐
		Every 2 weeks ☐
		Unknown ☐
1 Time per week ☐		Other ☐
Medication dosing frequency, other		SUPPCM.QVAL where QNAM = CMDSFRQO
Treatment start date	Fixed Unit: yyyy mon dd CMSTDTC	
Treatment stop date	Fixed Unit: yyyy mon dd CMENDTC	
Treatment continues	No ☐	
CMENRTPT = ONGOING	CMENPT = STUDY TERMINATION	Yes ☐
Reason for therapy	CMINDC	
Therapy reason	Disease under study ☐	
SUPPCM.QVAL where QNAM = CMREAS	Prophylaxis ☐	
	Medical history ☐	
	Physician preference/not ae ☐	
	Adverse event ☐	

CM = Concomitant/Prior Medications

Continued from page 50

D3253C00001_Version 12.00_21NOV2022: Unique
Form: Prior and Concomitant Medications (CM)
Generated On: 2022 Nov 21 10:23

**CMCAT = PRIOR AND
CONCOMITANT MEDICATIONS****SUPPCM.QVAL where QNAM = CMREAS**

Lab abnormality ☐
Vital signs abnormality ☐
Prophylaxis, other ☐
Surgery/Procedures ☐
Other ☐

Other prophylaxis specification	SUPPCM.QVAL where QNAM = INDCOTH
Therapy reason, other	SUPPCM.QVAL where QNAM = CMREAS
AE number for which medication taken	SUPPCM.QVAL where QNAM = CMAENO
Medical history condition(s) number for which medication taken	SUPPCM.QVAL where QNAM = CMAENO
Medication code	SUPPCM.QVAL where QNAM = CMCD
Medication dictionary text	SUPPCM.QVAL where QNAM = CMDTXT
Medication dictionary text 2	SUPPCM.QVAL where QNAM = CMDTXT2
Medication dictionary text 3	SUPPCM.QVAL where QNAM = CMDTXT3
Medication dictionary text 4	SUPPCM.QVAL where QNAM = CMDTXT4
Medication dictionary text 5	SUPPCM.QVAL where QNAM = CMDTXT5
Medication dictionary text 6	SUPPCM.QVAL where QNAM = CMDTXT6
Medication dictionary text 7	SUPPCM.QVAL where QNAM = CMDTXT7
Medication dictionary text 8	SUPPCM.QVAL where QNAM = CMDTXT8
ATC code	CMCLASCD
ATC dictionary text	CMCLAS
Preferred Name (Seq2=1)	CMDECOD
Preferred Name 2 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD2
Preferred Name 3 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD3
Preferred Name 4 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD4
Preferred Name 5 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD5
Preferred Name 6 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD6
Preferred Name 7 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD7
Preferred Name 8 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD8
Pref. Grouping Term (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP
Pref. Grouping Term 2 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP2
Pref. Grouping Term 3 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP3
Pref. Grouping Term 4 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP4
Pref. Grouping Term 5 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP5
Pref. Grouping Term 6 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP6
Pref. Grouping Term 7 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP7

CM = Concomitant/Prior Medications

Continued from page 50

**D3253C00001_Version 12.00_21NOV2022: Unique
Form: Prior and Concomitant Medications (CM)****CMCAT = PRIOR AND
CONCOMITANT MEDICATIONS****Generated On: 2022 Nov 21 10:23**

Pref. Grouping Term 8 (Seq1=1 and Seq2=1)

SUPPCM.QVAL where QNAM = CMGROUP8

Active Ingredient 1

SUPPCM.QVAL where QNAM = INGRED1

Active Ingredient 2

SUPPCM.QVAL where QNAM = INGRED2

Drug Dictionary Version

SUPPCM.QVAL where QNAM = DRGDICTV

CM = Concomitant/Prior Medications

CMCAT = SYSTEMIC CORTICOSTEROIDS

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Systemic Corticosteroids (ECSYSCRT)

SUPPCM.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:RE1908 2019-08-23)

Study period SUPPCM.QVAL where QNAM = CMVISNO Follow-up ☐
Screening ☐
Double-blind ☐
Open-label extension ☐

Medication number CMSPID

Medication or therapy CMTRT

Adverse Event number SUPPCM.QVAL where QNAM = CMAENO

Route CMROUTE Oral ☐
Intravenous ☐
Intramuscular ☐
Intra-articular ☐
Rectal ☐
Other ☐

If Other, specify SUPPCM.QVAL where QNAM = CMROUSP

Dose per administration 1 SUPPCM.QVAL where QNAM = CMDOSE1

Dose per administration 2 should only be used for
entering the 2nd dose when Medication dosing frequency
is QOD

Dose per administration 2 SUPPCM.QVAL where QNAM = CMDOSE2

Total daily dose CMDOSTOT

Dose unit CMDOSU mg ☐

Multiple drug SUPPCM.QVAL where QNAM = CMMULT Yes ☐

Frequency CMDOSFRQ QD ☐

BID ☐

QOD ☐

Every week ☐

2 times per week ☐

Every 2 weeks ☐

Every 3 weeks ☐

Every 4 weeks ☐

Once ☐

TID ☐

QID ☐

PRN ☐

CM = Concomitant/Prior Medications

Continued from page 55

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Systemic Corticosteroids (ECSYSCRT)

Generated On: 2022 Nov 21 10:23

		CMDOSFRQ	Other ☐
If Other, specify	SUPPCM.QVAL where QNAM = CMDOSFRQ		
Treatment start date	Fixed Unit: yyyy mon dd CMSTDTC		
Treatment end date	Fixed Unit: yyyy mon dd CMENDTC		
Treatment ongoing	No ☐		
CMENRTPT = ONGOING	CMENPT = STUDY TERMINATION	Yes ☐	
Action taken	Dose not changed ☐		
SUPPCM.QVAL where QNAM = CMACN	Dose increased ☐		
	Dose reduced ☐		
	Drug permanently discontinued ☐		
Action reason	SUPPCM.QVAL where QNAM = CMACTRS		
If Other, specify	SUPPCM.QVAL where QNAM = CMACTRSO		
Therapy reason	Disease under study ☐		
SUPPCM.QVAL where QNAM = CMREAS	Adverse Event ☐		
	Other ☐		
Therapy reason, other			
Medication code	SUPPCM.QVAL where QNAM = CMCD		
Medication dictionary text	SUPPCM.QVAL where QNAM = CMDTXT		
Medication dictionary text 2	SUPPCM.QVAL where QNAM = CMDTXT2		
Medication dictionary text 3	SUPPCM.QVAL where QNAM = CMDTXT3		
Medication dictionary text 4	SUPPCM.QVAL where QNAM = CMDTXT4		
Medication dictionary text 5	SUPPCM.QVAL where QNAM = CMDTXT5		
Medication dictionary text 6	SUPPCM.QVAL where QNAM = CMDTXT6		
Medication dictionary text 7	SUPPCM.QVAL where QNAM = CMDTXT7		
Medication dictionary text 8	SUPPCM.QVAL where QNAM = CMDTXT8		
ATC code	CMCLASCD		
ATC dictionary text	CMCLAS		
Preferred name (seq2=1)	CMDECOD		
Preferred name 2 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD2		
Preferred name 3 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD3		
Preferred name 4 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD4		
Preferred name 5 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD5		

CM = Concomitant/Prior Medications

Continued from page 55

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Systemic Corticosteroids (ECSYSCRT)****Generated On: 2022 Nov 21 10:23**

Preferred name 6 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD6
Preferred name 7 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD7
Preferred name 8 (seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD8
Pref. grouping term (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP
Pref. group term 2 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP2
Pref. group term 3 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP3
Pref. group term 4 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP4
Pref. group term 5 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP5
Pref. group term 6 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP6
Pref. group term 7 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP7
Pref. group term 8 (seq1=1 and seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP8
Active ingredient 1	SUPPCM.QVAL where QNAM = INGRED1
Active ingredient 2	SUPPCM.QVAL where QNAM = INGRED2
Drug dictionary version	SUPPCM.QVAL where QNAM = DRGDICTV

DS = Disposition	DSCAT = OTHER EVENT	SUPPDS.QVAL where QNAM = MODULE
D3253C00001_Version 12.00_21NOV2022: Unique		
Form: Withdrawal of Informed Consent (CONSWD)		
Generated On: 2022 Nov 21 10:23		
DSSCAT = PATIENT		
(Version:AZ18:03 Date:2018-04-12)		
Did Subject withdraw from the main informed consent		If checked No, no record shall be submitted to DS
DSTERM=MAIN INFORMED CONSENT WITHDRAWN	DSDECOD=MAIN CONSENT WITHDRAWN	No ☐
Date of main informed consent withdrawal		Yes ☐
		Fixed Unit: yyyy mon dd
		DSSTDTC
'Optional consent withdrawal category'. "Optional consent withdrawal for samples" refers to "Unused Parts of Samples Used for further research".		
Optional consent withdrawal category		DSTERM/DSDECOD
		Study specific ☐
		Optional consent withdrawal for samples ☒
Did Subject withdraw from the optional consent		No ☐
If checked No, no records shall be submitted to DS		Yes ☐
Date of optional consent withdrawal		Fixed Unit: yyyy mon dd
		DSSTDTC

DS = Disposition

DSCAT = OTHER EVENT

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Withdrawal of Optional Informed Consent) Induced Sputum Procedure (CONSWD1)

DSSCAT = PATIENT

Generated On: 2022 Nov 21 10:23

(Version:AZ18:03 Date:2018-04-12)

If checked No, no record shall be submitted to DS

Did Subject withdraw from the main informed consent

**DSTERM=MAIN INFORMED
CONSENT WITHDRAWN**

**DSDECOD=MAIN
CONSENT WITHDRAWN**

No ☐

Yes ☐

Date of main informed consent withdrawal

Fixed Unit: yyyy mon dd

DSSTDTC

Optional consent withdrawal category

DSTERM/DSDECOD

Study specific ☒

Optional consent withdrawal for samples ☐

Study specific consent category

Induced sputum procedure

Did Subject withdraw from the optional consent

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of optional consent withdrawal

Fixed Unit: yyyy mon dd

DSSTDTC

DS = Disposition[For Annotations see page 59](#)**D3253C00001_Version 12.00_21NOV2022: Unique****Form: (Withdrawal of Optional Informed Consent) Tissue Biopsy (CONSWD2)****Generated On: 2022 Nov 21 10:23**

(Version:AZ18:03 Date:2018-04-12)

Did Subject withdraw from the main informed consent No ☐Yes ☐

Date of main informed consent withdrawal Fixed Unit: yyyy mon dd

Optional consent withdrawal category Study specific ☒Optional consent withdrawal for samples ☐

Study specific consent category Tissue biopsy

Did Subject withdraw from the optional consent No ☐Yes ☐

Date of optional consent withdrawal Fixed Unit: yyyy mon dd

DS = Disposition[For Annotations see page 59](#)**D3253C00001_Version 12.00_21NOV2022: Unique****Form: (Withdrawal of Optional Informed Consent) Whole Blood Sample
(CONSWD3)****Generated On: 2022 Nov 21 10:23**

(Version:AZ18:03 Date:2018-04-12)

Did Subject withdraw from the main informed consent No ☐
Yes ☐

Date of main informed consent withdrawal Fixed Unit: yyyy mon dd

Optional consent withdrawal category Study specific ☒
Optional consent ☐
withdrawal for samples

Study specific consent category

Did Subject withdraw from the optional consent No ☐
Yes ☐

Date of optional consent withdrawal Fixed Unit: yyyy mon dd

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Phone Contact (CONTACT)

Generated On: 2022 Nov 21 10:23

(Version:AZ12:11 Date 2012-11-08)

Contact made No ☐
Yes ☐

If No, please specify reason _____

If Yes, please specify below _____

Contact date Fixed Unit: yyyy mon dd

DS = Disposition

DSCAT = DISPOSITION EVENT

DSSCAT = END OF TREATMENT

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Discontinuation of Investigational Product (DOSDISC)

Generated On: 2022 Nov 21 10:23

SUPPDS.QVAL where QNAM = MODULE

(Version: AZ17:05 Date: 2018-02-16)

If checked No, no records shall be submitted to DS

Has investigational product been prematurely and permanently discontinued?

No ☐

If checked Yes, DSDECOD, DSTERM see below

Yes ☐

If Yes, specify below

Date of Last Dose of Investigational Product

Fixed Unit: yyyy mon dd

DSTERM where DSDECOD = WITHDRAWAL BY SUBJECT

DSSTDTC

Main reason for investigational product discontinuation

Subject decision ☐

DSTERM where DSDECOD = ADVERSE EVENT

Adverse event ☐

DSTERM where DSDECOD = PROTOCOL DEVIATION

Severe non-compliance to protocol ☐

DSTERM where DSDECOD = CONDITION UNDER INVESTIGATION WORSENER

Condition under investigation worsened ☐

DSTERM where DSDECOD = LACK OF THERAPEUTIC RESPONSE

Lack of therapeutic response ☐

DSTERM where DSDECOD = DEVELOPMENT OF STUDY-SPECIFIC WITHDRAWAL CRITERIA

Development of study specific discontinuation criteria ☐

DSTERM where DSDECOD = LOST TO FOLLOW-UP

Subject lost to follow-up ☐

DSTERM where DSDECOD = ENROLMENT CULTURE OR SUSCEPTIBILITY RESULTS

Based on enrolment culture or susceptibility results ☐

DSTERM where DSDECOD = OTHER

Other ☐

Development of Study Specific Discontinuation Criteria

SUPPDS.QVAL where QNAM = DSSPFY

Please specify, if main reason is "Development of study specific discontinuation criteria" or "Other"

SUPPDS.QVAL where QNAM = DSSPFY

DS = Disposition

DM = Demographics

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique DSCAT = DISPOSITION EVENT

Form: Disposition (DS)

DSSCAT = END OF STUDY

Generated On: 2022 Nov 21 10:23

(Version:AZ14:09 Date:2016-06-21)

DSTERM where DSDECOD = ADVERSE EVENT

Completion or discontinuation date

Fixed Unit: yyyy mon dd

DSSTDTC

RFPENDTC

What was the subject's status?

Adverse event ☐

DSTERM where DSDECOD = COMPLETED Completed ☐

DSTERM where DSDECOD = DEATH Death ☐

DSTERM where DSDECOD = LACK OF EFFICACY Lack of efficacy ☐

DSTERM where DSDECOD = LOST TO FOLLOW-UP Lost to follow-up ☐

DSTERM where DSDECOD = NON-COMPLIANCE WITH STUDY DRUG Non-compliance with study drug ☐

DSTERM where DSDECOD = PHYSICIAN DECISION Physician decision ☐

DSTERM where DSDECOD = PREGNANCY Pregnancy ☐

DSDECOD = SCREEN FAILURE Screen failure ☐

DSTERM where DSDECOD = SITE TERMINATED BY SPONSOR Site terminated by sponsor ☐

DSTERM where DSDECOD = STUDY TERMINATED BY SPONSOR Study terminated by sponsor ☐

DSTERM where DSDECOD = TECHNICAL PROBLEMS Technical problems ☐

DSTERM where DSDECOD = WITHDRAWAL BY SUBJECT Withdrawal by subject ☐

DSTERM where DSDECOD = DEVELOPMENT OF STUDY-SPECIFIC WITHDRAWAL CRITERIA Development of study-specific withdrawal criteria ☐

DSTERM where DSDECOD = FAILURE TO MEET INCLUSION/EXCLUSION CRITERIA Failure to meet inclusion/exclusion criteria ☐

DSTERM where DSDECOD = OTHER Other ☐

If the subject's status is:

•Development of study-specific withdrawal criteria

•Other

please make sure that the 'Specify status' field is filled in.

Specify status

SUPPDS.QVAL where QNAM = DSTMOTH

Subject's status was related to a global/country situation

Yes ☐

SUPPDS.QVAL where QNAM = DSSPRELI

EX = Exposure

EC = Exposure as Collected

SUPPEX.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Exposure (EX)

SUPPEC.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:AZ1903 2019-04-16)

Was study drug administered?

If checked No, no records shall be submitted to EX

No ☐

Yes ☐

Study drug

EXTRT

benralizumab/placebo ☐

mepolizumab/placebo1 ☐

mepolizumab/placebo2 ☐

mepolizumab/placebo3 ☐

OLE benralizumab ☐

Study drug

Date of study drug administration

EXSTDTC

EXENDTC

Fixed Unit: yyyy mon dd

Time of study drug administration

ECSTDTC

ECENDTC

Fixed Unit: 24-hour clock

Study drug dose per administration

EXDOSE

ECDOSE

Study drug dose unit

EXDOSU

ECDOSU

mg ☐

Location for study drug administration

Arm ☐

EXLOC

ECLOC

Thigh ☐

Abdominal wall ☐

Laterality for study drug administration

EXLAT

ECLAT

Right ☐

Left ☐

Action taken, study drug

Dose not changed ☐

SUPPEC.QVAL where QNAM = ECACN

Drug interrupted ☐

Drug permanently ☐

discontinued

Not applicable ☐

If "Drug Interrupted", please specify

Adverse event ☐

Technical issue ☐

Subject decision ☐

Need for prohibited medical ☐

treatment

Other ☐

EXADJ

ECADJ

SUPPEX.QVAL where QNAM = EXADJDSC

If "Other", please specify

SUPPEC.QVAL where QNAM = ECADJDSC

AE number 1

SUPPEC.QVAL where QNAM = AESPID1

AE number 2

SUPPEC.QVAL where QNAM = AESPID2

EX = Exposure

EC = Exposure as Collected

Continued from page 65

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Exposure (EX)

Generated On: 2022 Nov 21 10:23

Study drug administration according to protocol

No ☐

SUPPEX.QVAL where QNAM
= EXADMSTA

SUPPEC.QVAL where QNAM = ECADMSTA

Yes ☐

If No, please specify

Reason not according to protocol

SUPPEC.QVAL where QNAM = ECNAPROT

Administration performed by

Health care professional ☐

Study Subject ☐

Caregiver ☐

Other ☐

SUPPEC.QVAL where QNAM = ECADPER

SUPPEX.QVAL where QNAM = EXADPER

If Other, specify

EX = Exposure

EC = Exposure as Collected

SUPPEX.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Overdose Report (OVERDOSE)

SUPPEC.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

EXCAT = OVERDOSE

ECCAT = OVERDOSE

(Version:AZ13:01 Date:2016-11-04)

Trade name/generic name/randomized treatment	EXTRT
Total dose	EXDOSE ECDOSE
Route	EXROUTE ECRROUTE Subcutaneous ☐
Total dose unit	EXDOSU ECDOSU mg ☐
Date overdose started	Fixed Unit: yyyy mon dd EXSTDTC ECSTDTC
Date overdose stopped	Fixed Unit: yyyy mon dd EXENDTC ECENDTC
Intentional overdose	SUPPEC.QVAL where QNAM = ODINTENT No ☐ Yes ☐
Overdose associated with AE	SUPPEC.QVAL where QNAM = ODAE No ☐ Yes ☐
Number for AE associated with overdose	SUPPEC.QVAL where QNAM = AESPID1
Number for AE associated with overdose	SUPPEC.QVAL where QNAM = AESPID2
CRF text for AE associated with overdose	SUPPEC.QVAL where QNAM = AETERM1
CRF text for AE associated with overdose	SUPPEC.QVAL where QNAM = AETERM2
Further information (for non SAE)	SUPPEC.QVAL where QNAM = SODAE
Initial email sent	[NOT SUBMITTED]
Initial email sent	[NOT SUBMITTED]

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Physical Examination (PE)

Generated On: 2022 Nov 21 10:23

(Version:AZ1609 2019-04-19)

If the physical finding started prior to enrolment, it must be recorded as medical history.

If the physical finding started or worsened after randomization, it must be recorded as an Adverse Event. Note findings meeting criteria for serious adverse events must be reported if started or worsened from day of signing the ICF

Was the physical examination performed?

No ☐

Yes ☐

What was the date of the physical examination?

Fixed Unit: yyyy mon dd

LB = Laboratory Test Results

LBCAT = PREGNANCY TEST

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Pregnancy Test (PREG)

SUPPLB.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version: AZ18:10 2018-10-11)

Assessment applicable for subject

If checked No, no records shall be submitted to LB

No ☐

Yes ☐

Sampling date

Fixed Unit: yyyy mon dd

LBDTC

Pregnancy test (urine) **LBSPEC = URINE**

LBORRES

Negative ☐

LBTEST = Choriogonadotropin Beta

LBTESTCD = HCG

Positive ☐

For a positive pregnancy test after first dose of study medication, fill in PREGREP (or the "Pregnancy Outcome Report Form" (Part 1)) and send to the AstraZeneca Monitor.

Initial Email Alert

[NOT SUBMITTED]

RP = Reproductive System Findings

RPCAT = PREGNANCY REPORT

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Pregnancy Report (PREGREP)

SUPPRP.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:AZ12:11 Date:2012-11-08)

Current pregnancy, **RPSCAT = CURRENT PREGNANCY**

Last menstrual period

Fixed Unit: yyyy mon dd

RPTTEST

RPORRES where RPTTESTCD = LMPSTDTC

Expected delivery

Fixed Unit: yyyy mon dd

RPTTEST

RPORRES where RPTTESTCD = EDLVRDTC

Subject using hormonal contraception (oral or implant)
or an IUD at time of conception

RPTTEST

**RPORRES where
RPTTESTCD = PRCNTR**

No ☐
Yes ☐

If Yes, please specify

SUPPRP.QVAL where QNAM = RPSPFY

Previous pregnancies, **RPSCAT= PREVIOUS PREGNANCIES**

Overall number

RPTTEST

RPORRES where RPTTESTCD = PRVPREGN

Number of normal deliveries

RPTTEST

RPORRES where RPTTESTCD = PRNDNX

Number of spontaneous miscarriages

RPTTEST

RPORRES where RPTTESTCD = SPABORTN

Number of other previous pregnancies

RPTTEST

RPORRES where RPTTESTCD = PROTHNX

If Others, please specify

SUPPRP.QVAL where QNAM = RPSPFY

Details of mother

RPSCAT= RISK FACTOR

Relevant pregnancy risk factor (smoking, alcohol, etc)

RPTTEST

**RPORRES where
RPTTESTCD = PRRISK**

Relevant family history

RPTTEST

RPORRES where RPTTESTCD = PRFAMHIS

RPSCAT = FAMILY HISTORY

AE = Adverse Events

DM = Demographics

SUPPAE.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Serious Adverse Event Report (SERAE)

Generated On: 2022 Nov 21 10:23

(Version: AZ17:04 Date: 2017-04-10)

AE number _____ **AESPID** _____

Adverse event _____ **AETERM** _____

Date AE met criteria for serious AE _____ Fixed Unit: yyyy mon dd

SUPPAE.QVAL where QNAM = SAEDTC

Date investigator aware of serious AE _____ Fixed Unit: yyyy mon dd

SUPPAE.QVAL where QNAM = SAEIADTC

AE is serious due to

Death _____ **AESDTH** No ☐
Yes ☐

Inpatient hospitalization or prolongation of existing
inpatient hospitalization _____ **AESHOSP** No ☐
Yes ☐

Congenital anomaly or birth defect _____ **AESCONG** No ☐
Yes ☐

Life threatening _____ **AESLIFE** No ☐
Yes ☐

Persistent or significant
disability/incapacity _____ **AESDISAB** No ☐
Yes ☐

Important medical event _____ **AESMIE** No ☐
Yes ☐

Date of hospitalization _____ Fixed Unit: yyyy mon dd

SUPPAE.QVAL where QNAM = SAEHODTC

Date of discharge _____ Fixed Unit: yyyy mon dd

SUPPAE.QVAL where QNAM = SAEDIDTC

Primary cause of death _____ **SUPPAE.QVAL where QNAM = DTHCAUS1**

Secondary cause of death _____ **SUPPAE.QVAL where QNAM = DTHCAUS2**

Date of death _____ Fixed Unit: yyyy mon dd

SUPPAE.QVAL where QNAM = SAEDDTC **DTHDTC**

Autopsy performed _____ **SUPPAE.QVAL where QNAM = SAEAU** No ☐
Yes ☐

SAE caused by other medication _____ **AERELNST** No ☐
Yes ☐

If Yes, please specify trade name(s) _____ **SUPPAE.QVAL where QNAM = AESMED**

AE = Adverse Events

Continued from page 71

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Serious Adverse Event Report (SERAE)

Generated On: 2022 Nov 21 10:23

SAE caused by study procedure(s)

SUPPAE.QVAL where QNAM = SAECAUSP

No ☐Yes ☐

If Yes, please specify procedure(s)

SUPPAE.QVAL where QNAM = SAESP

Description of AE

SUPPAE.QVAL where QNAM = AEDESC01

Description of AE

SUPPAE.QVAL where QNAM = AEDESC20

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category	Biomarkers/exploratory research/diagnostic, biofluid	☒
Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☐
	Blood draw	☒
	Bronchoscopy	☐
	Cadaveric retrieval	☐
	Colonoscopy	☐
	Core needle biopsy	☐
	Curettage biopsy	☐
	Dialysis	☐
	Effusion	☐
	Endoscopy	☐
	Enucleation, retropubic	☐
	Enucleation, suprapubic	☐
	Enucleation, unknown	☐
	Excisional biopsy	☐
	Exfoliated cytology	☐
	Exhaled	☐
	Exudate	☐
	Fine needle biopsy	☐
	Fractionated collection	☐
	Imprint cytology	☐
	Incisional biopsy	☐
	Induced	☐
	Infusion	☐
	Laparoscopic cholecystectomy	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

- Laparoscopic gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with axillary contents ☐
- Sub-total mastectomy without axillary contents ☐
- Surgically discarded ☐
- Swab ☐
- Total mastectomy ☐
- Trephine biopsy ☐
- TURP ☐
- Uroscopy ☐
- Vacuum assisted biopsy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☒
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☐
	Sputum spontaneous	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Bronchoalveolar lavage	☐
	Cells	☐
	Cerebrospinal fluid	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	PBMC	☐
	Pericardial fluid	☐
	Plasma	☐
	Plasma citrate	☐
	Plasma EDTA	☐
	Plasma heparin	☐
	Plasma K2 EDTA	☐
	Plasma K3 EDTA	☐
	Plasma Li heparin	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

	Plasma Na heparin	☐
	Pleural fluid	☐
	Serum	☒
	Sputum DTT	☐
	Sputum PBS	☐
	Sputum plug	☐
	Sputum unprocessed	☐
	Synovial fluid	☐
	Urine	☐
	Fluid	☐
	Not applicable	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☐
	Fresh frozen	☐
	Frozen	☒
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Sample collected	No	☐
	Yes	☐
Number of aliquots		
Date of collection	Fixed Unit: yyyy mon dd	
Time of collection	Fixed Unit: 24-hour clock	
Sample condition	Sample acceptable	☐
	Hemolyzed	☐
	Clotted	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection, comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Serum Biomarkers (SPCBEDB)

Generated On: 2022 Nov 21 10:23

	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☒
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐
	Extra samples to look at DNA	☐
	Study specific	☐
Destination system	AZ ABBA	☒
	Not applicable	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category	Biomarkers/exploratory research/diagnostic, biofluid	☒
----------------------------	--	----------------------------------

Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☐
	Blood draw	☐
	Bronchoscopy	☐
	Cadaveric retrieval	☐
	Colonoscopy	☐
	Core needle biopsy	☐
	Curettage biopsy	☐
	Dialysis	☐
	Effusion	☐
	Endoscopy	☐
	Enucleation, retropubic	☐
	Enucleation, suprapubic	☐
	Enucleation, unknown	☐
	Excisional biopsy	☐
	Exfoliated cytology	☐
	Exhaled	☐
	Exudate	☐
	Fine needle biopsy	☐
	Fractionated collection	☐
	Imprint cytology	☐
	Incisional biopsy	☐
	Induced	☐
	Infusion	☐
	Laparoscopic cholecystectomy	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

- Laparoscopic gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with axillary contents ☐
- Sub-total mastectomy without axillary contents ☐
- Surgically discarded ☐
- Swab ☒
- Total mastectomy ☐
- Trephine biopsy ☐
- TURP ☐
- Uroscopy ☐
- Vacuum assisted biopsy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☐
	Sputum spontaneous	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☒
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Bronchoalveolar lavage	☐
	Cells	☐
	Cerebrospinal fluid	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	PBMC	☐
	Pericardial fluid	☐
	Plasma	☐
	Plasma citrate	☐
	Plasma EDTA	☐
	Plasma heparin	☐
	Plasma K2 EDTA	☐
	Plasma K3 EDTA	☐
	Plasma Li heparin	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

	Plasma Na heparin	☐
	Pleural fluid	☐
	Serum	☐
	Sputum DTT	☐
	Sputum PBS	☐
	Sputum plug	☐
	Sputum unprocessed	☐
	Synovial fluid	☐
	Urine	☐
	Fluid	☒
	Not applicable	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☐
	Fresh frozen	☐
	Frozen	☒
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Sample collected	No	☐
	Yes	☐
Number of aliquots		
Date of collection	Fixed Unit: yyyy mon dd	
Time of collection	Fixed Unit: 24-hour clock	
Sample condition	Sample acceptable	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection, comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category		

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Nasal Secretion (SPCBEDB1)

Generated On: 2022 Nov 21 10:23

Extra samples for
additional study research ☐

Unused parts of samples
used for further research ☒

Extra samples for
additional study genetic
testing ☐

Unused parts of samples
for further genetic testing ☐

Extra samples to look at
DNA ☐

Study specific ☐

Destination system

AZ ABBA ☒

Not applicable ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category Biomarkers/exploratory research/diagnostic, biofluid ☒

Protocol schedule

Protocol Schedule

Sp-cell count ☒

Sp-C1q/IL5-CoLoc ☐

Sp-cells for RNA ☐

Sp-future PBS ☐

Sp-future DTT ☐

Sp-future cytospin ☐

Sample collected

No ☐

Yes ☐

Date of collection

Fixed Unit: yyyy mon dd

Time of collection

Fixed Unit: 24-hour clock

Sample condition

Sample acceptable ☐

Quantity less than expected ☐

Sample discarded ☐

Other ☐

Sample condition, other

Sample collection, comment

Date of processing

Fixed Unit: yyyy mon dd

Time of processing

Fixed Unit: 24-hour clock

Sample collection method

Timed collection ☐

Abdominoplasty ☐

Abscess ☐

Archived sample ☐

Arthroscopy ☐

Bi-lobectomy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

-
- Biopsy ☐
 - Blood draw ☐
 - Bronchoscopy ☐
 - Cadaveric retrieval ☐
 - Colonoscopy ☐
 - Core needle biopsy ☐
 - Curettage biopsy ☐
 - Dialysis ☐
 - Effusion ☐
 - Endoscopy ☐
 - Enucleation, retropubic ☐
 - Enucleation, suprapubic ☐
 - Enucleation, unknown ☐
 - Excisional biopsy ☐
 - Exfoliated cytology ☐
 - Exhaled ☐
 - Exudate ☐
 - Fine needle biopsy ☐
 - Fractionated collection ☐
 - Imprint cytology ☐
 - Incisional biopsy ☐
 - Induced ☒
 - Infusion ☐
 - Laparoscopic
cholecystectomy ☐
 - Laparoscopic
gynaecological surgery ☐
 - Lavage ☐
 - Mid-stream ☐
 - Modified radical
mastectomy ☐
 - Needle aspiration cytology ☐
 - Open gynaecological
surgery ☐
 - Open lobectomy ☐
 - Open segmentectomy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Open surgical biopsy	☐
	Perfusion	☐
	Pneumonectomy	☐
	(intrapericardial)	
	Post mortem	☐
	Punch biopsy	☐
	Radical mastectomy	☐
	Radical prostatectomy	☐
	Scallop excision	☐
	Scoop excision	☐
	Scrape	☐
	Secretion	☐
	Shave biopsy	☐
	Sleeve	☐
	Spontaneous	☐
	Sub-total mastectomy with	☐
	axillary contents	
	Sub-total mastectomy	☐
	without axillary contents	
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

Blood	☐
Blood citrate	☐
Blood EDTA	☐
Blood K2 EDTA	☐
Blood K3 EDTA	☐
Blood heparin	☐
Blood Na heparin	☐
Blood Li heparin	☐
Blood, umbilical artery	☐
Blood, umbilical venous	☐
Breast milk	☐
Bronchoalveolar lavage	☐
Cerebrospinal fluid	☐
Faeces	☐
Gastric fluid	☐
Lachrymal fluid	☐
Middle ear fluid	☐
Nasal lavage	☐
Pericardial fluid	☐
Pleural fluid	☐
Prostatic fluid	☐
Saliva	☐
Sinus secretion	☐
Sputum induced	☒
Sputum spontaneous	☐
Synovial fluid	☐
Urine	☐
Vomit	☐
Wound secretion	☐
Fluid	☐
Bone marrow aspirate	☐
cfDNA-BCT	☐
Biofluid processed	☒
Cells	☒
Sputum DTT	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Sputum PBS	☐
	Sputum plug	☐
Sample format	Cytospin	☒
	Formalin Fixed	☐
	Frozen	☐
	Cells Lysate	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐
	Extra samples to look at DNA	☐
	Study specific	☒
Study specific consent category	Mechanistic S-s	☐
Destination system	AZ ABBA	☒
	Not applicable	☐
Protocol schedule		
Protocol Schedule	Sp-cell count	☐
	Sp-C1q/IL5-CoLoc	☒
	Sp-cells for RNA	☐
	Sp-future PBS	☐
	Sp-future DTT	☐
	Sp-future cytospin	☐
Sample collected	No	☐
	Yes	☐

Date of collection Fixed Unit: yyyy mon dd

D3253C00001_Version

91 of 207

12.00_21NOV2022 (39097)

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

Time of collection Fixed Unit: 24-hour clock

Sample condition Sample acceptable ☐
Quantity less than ☐
expected
Sample discarded ☐
Other ☐

Sample condition, other

Sample collection, comment

Date of processing Fixed Unit: yyyy mon dd

Time of processing Fixed Unit: 24-hour clock

Sample collection method Timed collection ☐
Abdominoplasty ☐
Abscess ☐
Archived sample ☐
Arthroscopy ☐
Bi-lobectomy ☐
Biopsy ☐
Blood draw ☐
Bronchoscopy ☐
Cadaveric retrieval ☐
Colonoscopy ☐
Core needle biopsy ☐
Curettage biopsy ☐
Dialysis ☐
Effusion ☐
Endoscopy ☐
Enucleation, retropubic ☐
Enucleation, suprapubic ☐
Enucleation, unknown ☐
Excisional biopsy ☐
Exfoliated cytology ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

-
- Exhaled ☐
 - Exudate ☐
 - Fine needle biopsy ☐
 - Fractionated collection ☐
 - Imprint cytology ☐
 - Incisional biopsy ☐
 - Induced ☒
 - Infusion ☐
 - Laparoscopic cholecystectomy ☐
 - Laparoscopic gynaecological surgery ☐
 - Lavage ☐
 - Mid-stream ☐
 - Modified radical mastectomy ☐
 - Needle aspiration cytology ☐
 - Open gynaecological surgery ☐
 - Open lobectomy ☐
 - Open segmentectomy ☐
 - Open surgical biopsy ☐
 - Perfusion ☐
 - Pneumonectomy (intrapericardial) ☐
 - Post mortem ☐
 - Punch biopsy ☐
 - Radical mastectomy ☐
 - Radical prostatectomy ☐
 - Scallop excision ☐
 - Scoop excision ☐
 - Scrape ☐
 - Secretion ☐
 - Shave biopsy ☐
 - Sleeve ☐
 - Spontaneous ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Sub-total mastectomy with axillary contents	☐
	Sub-total mastectomy without axillary contents	☐
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☒
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Cells	☐
	Sputum DTT	☐
	Sputum PBS	☐
	Sputum plug	☒
Sample format	Cytospin	☐
	Formalin Fixed	☒
	Frozen	☐
	Cells Lysate	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Extra samples for additional study genetic testing ☐
	Unused parts of samples for further genetic testing ☐
	Extra samples to look at DNA ☐
	Study specific ☒
Study specific consent category	Mechanistic S-s
Destination system	AZ ABBA ☒
	Not applicable ☐
Protocol schedule	
Protocol Schedule	Sp-cell count ☐
	Sp-C1q/IL5-CoLoc ☐
	Sp-cells for RNA ☒
	Sp-future PBS ☐
	Sp-future DTT ☐
	Sp-future cytopsin ☐
Sample collected	No ☐
	Yes ☐
Date of collection	Fixed Unit: yyyy mon dd
Time of collection	Fixed Unit: 24-hour clock
Sample condition	Sample acceptable ☐
	Quantity less than expected ☐
	Sample discarded ☐
	Other ☐
Sample condition, other	
Sample collection, comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☐
	Blood draw	☐
	Bronchoscopy	☐
	Cadaveric retrieval	☐
	Colonoscopy	☐
	Core needle biopsy	☐
	Curettage biopsy	☐
	Dialysis	☐
	Effusion	☐
	Endoscopy	☐
	Enucleation, retropubic	☐
	Enucleation, suprapubic	☐
	Enucleation, unknown	☐
	Excisional biopsy	☐
	Exfoliated cytology	☐
	Exhaled	☐
	Exudate	☐
	Fine needle biopsy	☐
	Fractionated collection	☐
	Imprint cytology	☐
	Incisional biopsy	☐
	Induced	☒
	Infusion	☐
	Laparoscopic	☐
	cholecystectomy	☐
	Laparoscopic	☐
	gynaecological surgery	☐
	Lavage	☐
	Mid-stream	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

- Modified radical mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with axillary contents ☐
- Sub-total mastectomy without axillary contents ☐
- Surgically discarded ☐
- Swab ☐
- Total mastectomy ☐
- Trephine biopsy ☐
- TURP ☐
- Uroscopy ☐
- Vacuum assisted biopsy ☐
- VATS lobectomy ☐
- VATS segmentectomy ☐
- Washings ☐
- Wedge resection ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☒
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Cells	☒
	Sputum DTT	☐
	Sputum PBS	☐
	Sputum plug	☐
Sample format	Cytospin	☐
	Formalin Fixed	☐
	Frozen	☐
	Cells Lysate	☒
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐
	Extra samples to look at DNA	☐
	Study specific	☒
Study specific consent category	Mechanistic S-s	☐
Destination system	AZ ABBA	☒
	Not applicable	☐
Protocol schedule		
Protocol Schedule	Sp-cell count	☐
	Sp-C1q/IL5-CoLoc	☐
	Sp-cells for RNA	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Sp-future PBS ☒
	Sp-future DTT ☐
	Sp-future cytospin ☐
Sample collected	No ☐ Yes ☐
Date of collection	Fixed Unit: yyyy mon dd
Time of collection	Fixed Unit: 24-hour clock
Sample condition	Sample acceptable ☐ Quantity less than expected ☐ Sample discarded ☐ Other ☐
Sample condition, other	
Sample collection, comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock
Sample collection method	Timed collection ☐ Abdominoplasty ☐ Abscess ☐ Archived sample ☐ Arthroscopy ☐ Bi-lobectomy ☐ Biopsy ☐ Blood draw ☐ Broncoscopy ☐ Cadaveric retrieval ☐ Colonoscopy ☐ Core needle biopsy ☐ Curettage biopsy ☐ Dialysis ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

- Effusion ☐
- Endoscopy ☐
- Enucleation, retropubic ☐
- Enucleation, suprapubic ☐
- Enucleation, unknown ☐
- Excisional biopsy ☐
- Exfoliated cytology ☐
- Exhaled ☐
- Exudate ☐
- Fine needle biopsy ☐
- Fractionated collection ☐
- Imprint cytology ☐
- Incisional biopsy ☐
- Induced ☒
- Infusion ☐
- Laparoscopic ☐
- cholecystectomy ☐
- Laparoscopic ☐
- gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical ☐
- mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological ☐
- surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy ☐
- (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Scoop excision	☐
	Scrape	☐
	Secretion	☐
	Shave biopsy	☐
	Sleeve	☐
	Spontaneous	☐
	Sub-total mastectomy with axillary contents	☐
	Sub-total mastectomy without axillary contents	☐
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐

Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☒
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Cells	☐
	Sputum DTT	☐
	Sputum PBS	☒
	Sputum plug	☐
Sample format	Cytospin	☐
	Formalin Fixed	☐
	Frozen	☒
	Cells Lysate	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

Main consent category	Main consent including genetics ☐ Main consent excluding genetics ☒
Optional consent/assent category	Extra samples for additional study research ☐ Unused parts of samples used for further research ☐ Extra samples for additional study genetic testing ☐ Unused parts of samples for further genetic testing ☐ Extra samples to look at DNA ☐ Study specific ☒
Study specific consent category	Mechanistic S-s
Destination system	AZ ABBA ☒ Not applicable ☐
Protocol schedule	
Protocol Schedule	Sp-cell count ☐ Sp-C1q/IL5-CoLoc ☐ Sp-cells for RNA ☐ Sp-future PBS ☐ Sp-future DTT ☒ Sp-future cytopsin ☐
Sample collected	No ☐ Yes ☐
Date of collection	Fixed Unit: yyyy mon dd
Time of collection	Fixed Unit: 24-hour clock
Sample condition	Sample acceptable ☐ Quantity less than expected ☐ Sample discarded ☐ Other ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

Sample condition, other	
Sample collection, comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock
Sample collection method	Timed collection☐ Abdominoplasty☐ Abscess☐ Archived sample☐ Arthroscopy☐ Bi-lobectomy☐ Biopsy☐ Blood draw☐ Bronchoscopy☐ Cadaveric retrieval☐ Colonoscopy☐ Core needle biopsy☐ Curettage biopsy☐ Dialysis☐ Effusion☐ Endoscopy☐ Enucleation, retropubic☐ Enucleation, suprapubic☐ Enucleation, unknown☐ Excisional biopsy☐ Exfoliated cytology☐ Exhaled☐ Exudate☐ Fine needle biopsy☐ Fractionated collection☐ Imprint cytology☐ Incisional biopsy☐ Induced☒

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

- Infusion ☐
- Laparoscopic ☐
- cholecystectomy ☐
- Laparoscopic ☐
- gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical ☐
- mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological ☐
- surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy ☐
- (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with ☐
- axillary contents ☐
- Sub-total mastectomy ☐
- without axillary contents ☐
- Surgically discarded ☐
- Swab ☐
- Total mastectomy ☐
- Trephine biopsy ☐
- TURP ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Sputum induced	☒
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Cells	☐
	Sputum DTT	☒
	Sputum PBS	☐
	Sputum plug	☐
Sample format	Cytospin	☐
	Formalin Fixed	☐
	Frozen	☒
	Cells Lysate	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐
	Extra samples to look at DNA	☐
	Study specific	☒
Study specific consent category	Mechanistic S-s	
Destination system	AZ ABBA	☒

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Not applicable ☐
Protocol schedule	
Protocol Schedule	Sp-cell count ☐
	Sp-C1q/IL5-CoLoc ☐
	Sp-cells for RNA ☐
	Sp-future PBS ☐
	Sp-future DTT ☐
	Sp-future cytospin ☒
Sample collected	No ☐
	Yes ☐
Date of collection	Fixed Unit: yyyy mon dd
Time of collection	Fixed Unit: 24-hour clock
Sample condition	Sample acceptable ☐
	Quantity less than expected ☐
	Sample discarded ☐
	Other ☐
Sample condition, other	
Sample collection, comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock
Sample collection method	Timed collection ☐
	Abdominoplasty ☐
	Abscess ☐
	Archived sample ☐
	Arthroscopy ☐
	Bi-lobectomy ☐
	Biopsy ☐
	Blood draw ☐
	Bronchoscopy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

-
- Cadaveric retrieval ☐
 - Colonoscopy ☐
 - Core needle biopsy ☐
 - Curettage biopsy ☐
 - Dialysis ☐
 - Effusion ☐
 - Endoscopy ☐
 - Enucleation, retropubic ☐
 - Enucleation, suprapubic ☐
 - Enucleation, unknown ☐
 - Excisional biopsy ☐
 - Exfoliated cytology ☐
 - Exhaled ☐
 - Exudate ☐
 - Fine needle biopsy ☐
 - Fractionated collection ☐
 - Imprint cytology ☐
 - Incisional biopsy ☐
 - Induced ☒
 - Infusion ☐
 - Laparoscopic
cholecystectomy ☐
 - Laparoscopic
gynaecological surgery ☐
 - Lavage ☐
 - Mid-stream ☐
 - Modified radical
mastectomy ☐
 - Needle aspiration cytology ☐
 - Open gynaecological
surgery ☐
 - Open lobectomy ☐
 - Open segmentectomy ☐
 - Open surgical biopsy ☐
 - Perfusion ☐
 - Pneumonectomy
(intrapericardial) ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Post mortem	☐
	Punch biopsy	☐
	Radical mastectomy	☐
	Radical prostatectomy	☐
	Scallop excision	☐
	Scoop excision	☐
	Scrape	☐
	Secretion	☐
	Shave biopsy	☐
	Sleeve	☐
	Spontaneous	☐
	Sub-total mastectomy with axillary contents	☐
	Sub-total mastectomy without axillary contents	☐
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☐
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☒
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Cells	☒
	Sputum DTT	☐
	Sputum PBS	☐
	Sputum plug	☐
Sample format	Cytospin	☒
	Formalin Fixed	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Induced sputum (SPCBEDB2)

Generated On: 2022 Nov 21 10:23

	Frozen	☐
	Cells Lysate	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐
	Extra samples to look at DNA	☐
	Study specific	☒
Study specific consent category	Mechanistic S-s	☐
Destination system	AZ ABBA	☒
	Not applicable	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category	Biomarkers/exploratory research/diagnostic, biofluid	☒
----------------------------	--	----------------------------------

Protocol schedule

Protocol Schedule

Blood sodium citrate ☒

Blood EDTA ☐

Blood Heparin ☐

Sample collection method

Timed collection ☐

Abdominoplasty ☐

Abscess ☐

Archived sample ☐

Arthroscopy ☐

Bi-lobectomy ☐

Biopsy ☐

Blood draw ☒

Bronchoscopy ☐

Cadaveric retrieval ☐

Colonoscopy ☐

Core needle biopsy ☐

Curettage biopsy ☐

Dialysis ☐

Effusion ☐

Endoscopy ☐

Enucleation, retropubic ☐

Enucleation, suprapubic ☐

Enucleation, unknown ☐

Excisional biopsy ☐

Exfoliated cytology ☐

Exhaled ☐

Exudate ☐

Fine needle biopsy ☐

Fractionated collection ☐

Imprint cytology ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

- Incisional biopsy ☐
- Induced ☐
- Infusion ☐
- Laparoscopic ☐
- cholecystectomy
- Laparoscopic ☐
- gynaecological surgery
- Lavage ☐
- Mid-stream ☐
- Modified radical ☐
- mastectomy
- Needle aspiration cytology ☐
- Open gynaecological ☐
- surgery
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy ☐
- (intrapericardial)
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with ☐
- axillary contents
- Sub-total mastectomy ☐
- without axillary contents
- Surgically discarded ☐
- Swab ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Blood Citrate	☒
	Blood EDTA	☐
	Blood Heparin	☐
Biofluid processed	Blood Citrate	☒
	Blood EDTA	☐
	Blood Heparin	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☒
	Fresh frozen	☐
	Frozen	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐

Sample collected	No	☐
	Yes	☐

Date of collection	Fixed Unit: yyyy mon dd
--------------------	-------------------------

Time of collection	Fixed Unit: 24-hour clock
--------------------	---------------------------

Sample condition	Sample acceptable	☐
	Hemolyzed	☐
	Clotted	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐
	Other	☐

Sample condition, other	
-------------------------	--

Sample collection, comment	
----------------------------	--

Date of processing	Fixed Unit: yyyy mon dd
--------------------	-------------------------

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

Time of processing Fixed Unit: 24-hour clock

Laboratory ID Covance BioALab ☒
Other BioA Labs ☐

Main consent category Main consent including genetics ☐
Main consent excluding genetics ☒

Optional consent/assent category Extra samples for additional study research ☐
Unused parts of samples used for further research ☐
Extra samples for additional study genetic testing ☐
Unused parts of samples for further genetic testing ☐
Extra samples to look at DNA ☐
Study specific ☒

Study specific consent category Mechanistic sub-study
Destination system AZ ABBA ☒
Not applicable ☐

Protocol schedule
Protocol Schedule Blood sodium citrate ☐
Blood EDTA ☒
Blood Heparin ☐

Sample collection method Timed collection ☐
Abdominoplasty ☐
Abscess ☐
Archived sample ☐
Arthroscopy ☐
Bi-lobectomy ☐
Biopsy ☐
Blood draw ☒
Bronchoscopy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

-
- Cadaveric retrieval ☐
 - Colonoscopy ☐
 - Core needle biopsy ☐
 - Curettage biopsy ☐
 - Dialysis ☐
 - Effusion ☐
 - Endoscopy ☐
 - Enucleation, retropubic ☐
 - Enucleation, suprapubic ☐
 - Enucleation, unknown ☐
 - Excisional biopsy ☐
 - Exfoliated cytology ☐
 - Exhaled ☐
 - Exudate ☐
 - Fine needle biopsy ☐
 - Fractionated collection ☐
 - Imprint cytology ☐
 - Incisional biopsy ☐
 - Induced ☐
 - Infusion ☐
 - Laparoscopic ☐
 - cholecystectomy ☐
 - Laparoscopic ☐
 - gynaecological surgery ☐
 - Lavage ☐
 - Mid-stream ☐
 - Modified radical ☐
 - mastectomy ☐
 - Needle aspiration cytology ☐
 - Open gynaecological ☐
 - surgery ☐
 - Open lobectomy ☐
 - Open segmentectomy ☐
 - Open surgical biopsy ☐
 - Perfusion ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Pneumonectomy (intrapericardial)	☐
	Post mortem	☐
	Punch biopsy	☐
	Radical mastectomy	☐
	Radical prostatectomy	☐
	Scallop excision	☐
	Scoop excision	☐
	Scrape	☐
	Secretion	☐
	Shave biopsy	☐
	Sleeve	☐
	Spontaneous	☐
	Sub-total mastectomy with axillary contents	☐
	Sub-total mastectomy without axillary contents	☐
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Blood Citrate	☐
	Blood EDTA	☒
	Blood Heparin	☐
Biofluid processed	Blood Citrate	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Blood EDTA	☒
	Blood Heparin	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☒
	Fresh frozen	☐
	Frozen	☐
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	FFPE Unstained slides	☐
Sample collected	No	☐
	Yes	☐
Date of collection	Fixed Unit: yyyy mon dd	
Time of collection	Fixed Unit: 24-hour clock	
Sample condition	Sample acceptable	☐
	Hemolyzed	☐
	Clotted	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection, comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Extra samples to look at	☐
	DNA	☐
	Study specific	☒
Study specific consent category	Mechanistic sub-study	
Destination system	AZ ABBA	☒
	Not applicable	☐
Protocol schedule		
Protocol Schedule	Blood sodium citrate	☐
	Blood EDTA	☐
	Blood Heparin	☒
Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☐
	Blood draw	☒
	Bronchoscopy	☐
	Cadaveric retrieval	☐
	Colonoscopy	☐
	Core needle biopsy	☐
	Curettage biopsy	☐
	Dialysis	☐
	Effusion	☐
	Endoscopy	☐
	Enucleation, retropubic	☐
	Enucleation, suprapubic	☐
	Enucleation, unknown	☐
	Excisional biopsy	☐
	Exfoliated cytology	☐
	Exhaled	☐
	Exudate	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

- Fine needle biopsy ☐
- Fractionated collection ☐
- Imprint cytology ☐
- Incisional biopsy ☐
- Induced ☐
- Infusion ☐
- Laparoscopic cholecystectomy ☐
- Laparoscopic gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with axillary contents ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Sub-total mastectomy without axillary contents	☐
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Blood Citrate	☐
	Blood EDTA	☐
	Blood Heparin	☒
Biofluid processed	Blood Citrate	☐
	Blood EDTA	☐
	Blood Heparin	☒
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Formalin fixed	☐
	Fresh	☒
	Fresh frozen	☐
	Frozen	☐
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Sample collected	No	☐
	Yes	☐
Date of collection	Fixed Unit: yyyy mon dd	
Time of collection	Fixed Unit: 24-hour clock	
Sample condition	Sample acceptable	☐
	Hemolyzed	☐
	Clotted	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) Whole blood cell for phenotyping (SPCBEDB3)

Generated On: 2022 Nov 21 10:23

	Other ☐
Sample condition, other	
Sample collection, comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock
Laboratory ID	Covance BioALab ☒ Other BioA Labs ☐
Main consent category	Main consent including genetics ☐ Main consent excluding genetics ☒
Optional consent/assent category	Extra samples for additional study research ☐ Unused parts of samples used for further research ☐ Extra samples for additional study genetic testing ☐ Unused parts of samples for further genetic testing ☐ Extra samples to look at DNA ☐ Study specific ☒
Study specific consent category	Mechanistic sub-study
Destination system	AZ ABBA ☒ Not applicable ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category	Biomarkers/exploratory research/diagnostic, biofluid	☒
Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☐
	Blood draw	☒
	Bronchoscopy	☐
	Cadaveric retrieval	☐
	Colonoscopy	☐
	Core needle biopsy	☐
	Curettage biopsy	☐
	Dialysis	☐
	Effusion	☐
	Endoscopy	☐
	Enucleation, retropubic	☐
	Enucleation, suprapubic	☐
	Enucleation, unknown	☐
	Excisional biopsy	☐
	Exfoliated cytology	☐
	Exhaled	☐
	Exudate	☐
	Fine needle biopsy	☐
	Fractionated collection	☐
	Imprint cytology	☐
	Incisional biopsy	☐
	Induced	☐
	Infusion	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

- Laparoscopic cholecystectomy ☐
- Laparoscopic gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with axillary contents ☐
- Sub-total mastectomy without axillary contents ☐
- Surgically discarded ☐
- Swab ☐
- Total mastectomy ☐
- Trephine biopsy ☐
- TURP ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☒
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

	Sinus secretion	☐
	Sputum induced	☐
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐
	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Biofluid processed	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☒
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Bronchoalveolar lavage	☐
	Cells	☐
	Cerebrospinal fluid	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	PBMC	☐
	Pericardial fluid	☐
	Plasma	☐
	Plasma citrate	☐
	Plasma EDTA	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

	Plasma heparin	☐
	Plasma K2 EDTA	☐
	Plasma K3 EDTA	☐
	Plasma Li heparin	☐
	Plasma Na heparin	☐
	Pleural fluid	☐
	Serum	☐
	Sputum DTT	☐
	Sputum PBS	☐
	Sputum plug	☐
	Sputum unprocessed	☐
	Synovial fluid	☐
	Urine	☐
	Fluid	☐
	Not applicable	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☐
	Fresh frozen	☐
	Frozen	☐
	H&E stained slide	☐
	IHC slide	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☒
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Sample collected	No	☐
	Yes	☐
Number of aliquots		
Date of Collection	Fixed Unit: yyyy mon dd	
Time of Collection	Fixed Unit: 24-hour clock	
Sample condition	Sample acceptable	☐
	Hemolyzed	☐
	Clotted	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection, comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
D3253C00001_Version		134 of 207
12.00_21NOV2022 (39097)		

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection,Biomark,Diagn,Biofluid) PaxGene RNA tube (whole blood) (SPCBEDB4)

Generated On: 2022 Nov 21 10:23

Laboratory ID	Covance BioALab ☒
	Other BioA Labs ☐
Main consent category	Main consent including genetics ☐
	Main consent excluding genetics ☒
Optional consent/assent category	Extra samples for additional study research ☐
	Unused parts of samples used for further research ☒
	Extra samples for additional study genetic testing ☐
	Unused parts of samples for further genetic testing ☐
	Extra samples to look at DNA ☐
	Study specific ☐
Destination system	AZ ABBA ☒
	Not applicable ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category Biomarkers/Exploratory ☒
Research/Diagnostic, Solid
Tissue

Sample collected No ☐
Yes ☐

Number of samples taken

Date of collection Fixed Unit: yyyy mon dd

Time of collection Fixed Unit: 24-hour clock

Body system Cardiovascular ☐
Gastrointestinal ☐
Endocrine ☐
Reproductive ☐
Urinary ☐
Immune ☐
Hematopoietic and ☐
lymphatic system
Musculoskeletal ☐
Nervous ☐
Respiratory ☐
Integumentary ☐

Organ Abdomen ☐
Abdominal cavity ☐
Abdominal wall ☐
Adenoids ☐
Adrenal gland ☐
Anus ☐
Appendix ☐
Artery ☐
Bone ☐
Brain ☐
Breast ☐
Bronchus (main stem) ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

Cervix uteri ☐
Clitoris ☐
Colon ☐
Diaphragm ☐
Duodenum ☐
Ear ☐
Epididymis ☐
Eye ☐
Eyelid ☐
Face ☐
Fallopian tube ☐
Fat ☐
Gallbladder ☐
Ganglion ☐
Hair ☐
Heart ☐
Hypopharynx ☐
Ileum ☐
Jejunum ☐
Joint ☐
Kidney ☐
Lachrymal gland ☐
Large intestine ☐
Larynx ☐
Lip ☐
Liver ☐
Lung ☐
Lymph node ☐
Lymphatic gland ☐
Mammary gland ☐
Mesentery ☐
Mouth ☐
Muscle ☐
Nail ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

Nerve cranial	☐
Nerve peripheral	☐
Nose	☐
Oesophagus	☐
Oral cavity	☐
Oropharynx	☐
Ovary	☐
Pancreas	☐
Parathyroid gland	☐
Parotid gland	☐
Peritoneum	☐
Pharynx	☐
Pineal gland	☐
Pituitary	☐
Pleura	☐
Preputial gland	☐
Prostate gland	☐
Rectum	☐
Salivary gland	☐
Sebaceous gland	☐
Seminal vesicle	☐
Skeletal muscle	☐
Skin	☐
Small intestine	☐
Smooth muscle	☐
Soft tissue	☐
Spinal cord	☐
Spleen	☐
Stomach	☐
Sweat gland	☐
Testis	☐
Thymus gland	☐
Thyroid gland	☐
Tongue	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

	Tonsil	☐
	Trachea	☐
	Ureter	☐
	Urethra	☐
	Urinary bladder	☐
	Uterus	☐
	Vagina	☐
	Vas deferens	☐
	Vein	☐
	Vulva	☐
	Omentum	☐
	Unknown	☐
	Other (not specified)	☐
Sample condition	Sample acceptable	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection, comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☒
	Blood draw	☐
	Bronchoscopy	☐
	Cadaveric retrieval	☐
	Colonoscopy	☐
	Core needle biopsy	☐

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

- Curettage biopsy ☐
- Dialysis ☐
- Effusion ☐
- Endoscopy ☐
- Enucleation, retropubic ☐
- Enucleation, suprapubic ☐
- Enucleation, unknown ☐
- Excisional biopsy ☐
- Exfoliated cytology ☐
- Exhaled ☐
- Exudate ☐
- Fine needle biopsy ☐
- Fractionated collection ☐
- Imprint cytology ☐
- Incisional biopsy ☐
- Induced ☐
- Infusion ☐
- Laparoscopic ☐
- cholecystectomy ☐
- Laparoscopic ☐
- gynaecological surgery ☐
- Lavage ☐
- Mid-stream ☐
- Modified radical ☐
- mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological ☐
- surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy ☐
- (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

	Radical prostatectomy	☐
	Scallop excision	☐
	Scoop excision	☐
	Scrape	☐
	Secretion	☐
	Shave biopsy	☐
	Sleeve	☐
	Spontaneous	☐
	Sub-total mastectomy with axillary contents	☐
	Sub-total mastectomy without axillary contents	☐
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☒
	Fresh	☐
	Fresh frozen	☐
	Frozen	☐
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/ Assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐
	Extra samples for additional study genetic testing	☐
	Unused parts of samples for further genetic testing	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy IHC (SPCBEDT)

Generated On: 2022 Nov 21 10:23

Extra samples to look at ☐
DNA

Study specific ☒

Study specific consent category

Mechanistic S-s

Destination system

AZ ABBA ☒

Not applicable ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection, Genetics, Biofluid) Genetic Sample (SPCGB)

Generated On: 2022 Nov 21 10:23

Sample collection category	Genetics inherited, biofluid ☒
	Genetics somatic, biofluid ☐
Sample collection method	Timed collection ☐
	Abdominoplasty ☐
	Abscess ☐
	Archived sample ☐
	Arthroscopy ☐
	Bi-lobectomy ☐
	Biopsy ☐
	Blood draw ☒
	Bronchoscopy ☐
	Cadaveric retrieval ☐
	Colonoscopy ☐
	Core needle biopsy ☐
	Curettage biopsy ☐
	Dialysis ☐
	Effusion ☐
	Endoscopy ☐
	Enucleation, retropubic ☐
	Enucleation, suprapubic ☐
	Enucleation, unknown ☐
	Excisional biopsy ☐
	Exfoliated cytology ☐
	Exhaled ☐
	Exudate ☐
	Fine needle biopsy ☐
	Fractionated collection ☐
	Imprint cytology ☐
	Incisional biopsy ☐
	Induced ☐
	Infusion ☐
	Laparoscopic cholecystectomy ☐
	Laparoscopic gynaecological surgery ☐

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection, Genetics, Biofluid) Genetic Sample (SPCGB)

Generated On: 2022 Nov 21 10:23

- Lavage ☐
- Mid-stream ☐
- Modified radical mastectomy ☐
- Needle aspiration cytology ☐
- Open gynaecological surgery ☐
- Open lobectomy ☐
- Open segmentectomy ☐
- Open surgical biopsy ☐
- Perfusion ☐
- Pneumonectomy (intrapericardial) ☐
- Post mortem ☐
- Punch biopsy ☐
- Radical mastectomy ☐
- Radical prostatectomy ☐
- Scallop excision ☐
- Scoop excision ☐
- Scrape ☐
- Secretion ☐
- Shave biopsy ☐
- Sleeve ☐
- Spontaneous ☐
- Sub-total mastectomy with axillary contents ☐
- Sub-total mastectomy without axillary contents ☐
- Surgically discarded ☐
- Swab ☐
- Total mastectomy ☐
- Trephine biopsy ☐
- TURP ☐
- Uroscopy ☐
- Vacuum assisted biopsy ☐
- VATS lobectomy ☐
- VATS segmentectomy ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection, Genetics, Biofluid) Genetic Sample (SPCGB)

Generated On: 2022 Nov 21 10:23

	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Biofluid collected (parent sample)	Amniotic fluid	☐
	Ascites	☐
	Bile	☐
	Blood	☒
	Blood citrate	☐
	Blood EDTA	☐
	Blood K2 EDTA	☐
	Blood K3 EDTA	☐
	Blood heparin	☐
	Blood Na heparin	☐
	Blood Li heparin	☐
	Blood, umbilical artery	☐
	Blood, umbilical venous	☐
	Breast milk	☐
	Bronchoalveolar lavage	☐
	Cerebrospinal fluid	☐
	Faeces	☐
	Gastric fluid	☐
	Lachrymal fluid	☐
	Middle ear fluid	☐
	Nasal lavage	☐
	Pericardial fluid	☐
	Pleural fluid	☐
	Prostatic fluid	☐
	Saliva	☐
	Sinus secretion	☐
	Sputum induced	☐
	Sputum spontaneous	☐
	Synovial fluid	☐
	Urine	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection, Genetics, Biofluid) Genetic Sample (SPCGB)

Generated On: 2022 Nov 21 10:23

	Vomit	☐
	Wound secretion	☐
	Fluid	☐
	Bone marrow aspirate	☐
	cfDNA-BCT	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐
	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☒
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☐
	Fresh frozen	☐
	Frozen	☐
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection, Genetics, Biofluid) Genetic Sample (SPCGB)

Generated On: 2022 Nov 21 10:23

	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Sample collected	No	☐
	Yes	☐
Number of Samples		
Date of collection	Fixed Unit: yyyy mon dd	
Time of collection	Fixed Unit: 24-hour clock	
Sample condition	Sample acceptable	☐
	Hemolyzed	☐
	Clotted	☐
	Lipemic	☐
	Quantity less than expected	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒
Optional consent/assent category	Extra samples for additional study research	☐
	Unused parts of samples used for further research	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collection, Genetics, Biofluid) Genetic Sample (SPCGB)

Generated On: 2022 Nov 21 10:23

	Extra samples for additional study genetic testing ☐
	Unused parts of samples for further genetic testing ☐
	Extra samples to look at DNA ☒
	Study specific ☐
Destination system	AZ GENOTYPING ☒
	Az ABBA ☐
	Not applicable ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Biological Sample Collection,PK,Biofluid) Pharmacokinetic Samples (SPCPKB)

Generated On: 2022 Nov 21 10:23

Specimen collection category PK, biofluid ☒

Biofluid collected (parent sample) Blood ☒
Cerebrospinal fluid ☐
Faeces ☐
Urine ☐
Vomit ☐
Blood (anticoagulant) ☐
Other ☐

Biofluid processed Blood ☐
Cerebrospinal fluid ☐
Plasma ☐
Serum ☒
Urine ☐
Vomit ☐
Faeces ☐
Not applicable ☐
Other ☐

Sample collected No ☐
Yes ☐

Number of aliquots

Date of collection Fixed Unit: yyyy mon dd

Time of collection Fixed Unit: 24-hour clock

Sample condition Sample acceptable ☐
Hemolyzed ☐
Clotted ☐
Lipemic ☐
Quantity less than expected ☐
Sample discarded ☐
Other ☐

Sample condition, other

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Biological Sample Collection,PK,Biofluid) Pharmacokinetic Samples
(SPCPKB)

Generated On: 2022 Nov 21 10:23

Sample collection comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock
Laboratory ID	Covance BioALab ☐ Other BioA Labs ☒
Main consent category	Main consent including genetics ☐ Main consent excluding genetics ☒
Optional consent/assent category	Extra samples for additional study research ☐ Unused parts of samples used for further research ☒ Extra samples for additional study genetic testing ☐ Unused parts of samples for further genetic testing ☐ Extra samples to look at DNA ☐ Study specific ☐
Destination system	CLINBIOA ☒ Not applicable ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Biological Sample Collection,PK,Biofluid) ADA/nAB samples (SPCPKB1)

Generated On: 2022 Nov 21 10:23

(Version:AZ1901 2019-05-22)

Specimen collection category PK, biofluid ☒

Biofluid collected (parent sample) Blood ☒
Cerebrospinal fluid ☐
Faeces ☐
Urine ☐
Vomit ☐
Blood (anticoagulant) ☐
Other ☐

Biofluid processed Blood ☐
Cerebrospinal fluid ☐
Plasma ☐
Serum ☒
Urine ☐
Vomit ☐
Faeces ☐
Not applicable ☐
Other ☐

Sample collected No ☐
Yes ☐

Number of aliquotes

Date of collection Fixed Unit: yyyy mon dd

Time of collection Fixed Unit: 24-hour clock

Sample condition Sample acceptable ☐
Hemolyzed ☐
Clotted ☐
Lipemic ☐
Quantity less than expected ☐
Sample discarded ☐
Other ☐

Sample condition, other

D3253C00001_Version
12.00_21NOV2022 (39097)

152 of 207

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Biological Sample Collection,PK,Biofluid) ADA/nAB samples (SPCPKB1)

Generated On: 2022 Nov 21 10:23

Sample collection comment	
Date of processing	Fixed Unit: yyyy mon dd
Time of processing	Fixed Unit: 24-hour clock
Laboratory ID	Covance BioALab ☐ Other BioA Labs ☒
Main consent category	Main consent including genetics ☐ Main consent excluding genetics ☒
Optional consent/assent category	Extra samples for additional study research ☐ Unused parts of samples used for further research ☒ Extra samples for additional study genetic testing ☐ Unused parts of samples for further genetic testing ☐ Extra samples to look at DNA ☐ Study specific ☐
Destination system	CLINBIOA ☒ Not applicable ☐

VS = Vital Signs

SUPPVS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS)

Generated On: 2022 Nov 21 10:23

(Version:AZ1903 2019-03-22)

Were vital signs performed?

If checked No, then VSSTAT = NOT DONE

No ☐Yes ☐What was the date of the vital signs measurement? **VSDTC** Fixed Unit: yyyy mon dd

Field created for RSG to calculate height

[NOT SUBMITTED]

Field created for RSG to calculate weight

[NOT SUBMITTED]

Vital sign test name

VSTESTCD = TEMP**VSTEST**Temperature ☒**VSCAT = BODY
TEMPERATURE****VSTESTCD = WEIGHT**Weight ☐**VSTESTCD = SYSBP**Systolic blood pressure ☐**VSCAT = BODY
MEASUREMENT****VSTESTCD = DIABP**Diastolic blood pressure ☐**VSTESTCD = HEIGHT**Height ☐**VSTESTCD = PULSE**Pulse rate ☐**VSTESTCD = BMI**Respiratory rate ☐**VSCAT = PULSE
AND BLOOD
PRESSURE****VSCAT = RESPIRATORY****VSTESTCD = RESP**Body Mass Index ☐

Result

VSORRES

Unit

Kg ☐C ☒cm ☐mmHg ☐Beats/Min ☐Breaths/Min ☐kg/m2 ☐

Clinically significant

SUPPVS.QVAL where QNAM = VSCLSIG

Yes ☐

Vital sign test name

Temperature ☐Weight ☒Systolic blood pressure ☐Diastolic blood pressure ☐Height ☐Pulse rate ☐Respiratory rate ☐Body Mass Index ☐

Result

VS = Vital Signs

For Annotations see page 154

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS)

Generated On: 2022 Nov 21 10:23

Unit	Kg	☒
	C	☐
	cm	☐
	mmHg	☐
	Beats/Min	☐
	Breaths/Min	☐
	kg/m2	☐

Clinically significant	Yes	☐
------------------------	-----	-----------------------

Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☒
	Diastolic blood pressure	☐
	Height	☐
	Pulse rate	☐
	Respiratory rate	☐
	Body Mass Index	☐

Result	
--------	--

Unit	Kg	☐
	C	☐
	cm	☐
	mmHg	☒
	Beats/Min	☐
	Breaths/Min	☐
	kg/m2	☐

Clinically significant	Yes	☐
------------------------	-----	-----------------------

Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☐
	Diastolic blood pressure	☒
	Height	☐
	Pulse rate	☐
	Respiratory rate	☐
	Body Mass Index	☐

VS = Vital Signs

For Annotations see page 154

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS)

Generated On: 2022 Nov 21 10:23

Result	
Unit	Kg ☐
	C ☐
	cm ☐
	mmHg ☒
	Beats/Min ☐
	Breaths/Min ☐
	kg/m2 ☐
Clinically significant	Yes ☐

Vital sign test name	Temperature ☐
	Weight ☐
	Systolic blood pressure ☐
	Diastolic blood pressure ☐
	Height ☒
	Pulse rate ☐
	Respiratory rate ☐
	Body Mass Index ☐

Result	
Unit	Kg ☐
	C ☐
	cm ☒
	mmHg ☐
	Beats/Min ☐
	Breaths/Min ☐
	kg/m2 ☐
Clinically significant	Yes ☐

Vital sign test name	Temperature ☐
	Weight ☐
	Systolic blood pressure ☐
	Diastolic blood pressure ☐
	Height ☐
	Pulse rate ☒
	Respiratory rate ☐

VS = Vital Signs

For Annotations see page 154

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS)

Generated On: 2022 Nov 21 10:23

Body Mass Index

Result

Unit Kg

C

cm

mmHg

Beats/Min

Breaths/Min

kg/m2

Clinically significant Yes

Vital sign test name Temperature

Weight

Systolic blood pressure

Diastolic blood pressure

Height

Pulse rate

Respiratory rate

Body Mass Index

Result

Unit Kg

C

cm

mmHg

Beats/Min

Breaths/Min

kg/m2

Clinically significant Yes

Vital sign test name Temperature

Weight

Systolic blood pressure

Diastolic blood pressure

Height

Pulse rate

VS = Vital Signs[For Annotations see page 154](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS)

Generated On: 2022 Nov 21 10:23

	Respiratory rate	
	Body Mass Index	
Result		
Unit	Kg	
	C	
	cm	
	mmHg	
	Beats/Min	
	Breaths/Min	
	kg/m2	
Clinically significant	Yes	

VS = Vital Signs

For Annotations see page 154

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS1)

Generated On: 2022 Nov 21 10:23

(Version:AZ1903 2019-03-22)

Were vital signs performed? No ☐
Yes ☐

What was the date of the vital signs measurement? Fixed Unit: yyyy mon dd

Note: Please DO NOT complete BMI. BMI field is no longer applicable for this visit

Vital sign test name Temperature ☒
Weight ☐
Systolic blood pressure ☐
Diastolic blood pressure ☐
Height ☐
Pulse rate ☐
Respiratory rate ☐
Body Mass Index ☐

Result
Unit Kg ☐
C ☒
cm ☐
mmHg ☐
Beats/Min ☐
Breaths/Min ☐
kg/m2 ☐

Clinically significant Yes ☐

Vital sign test name Temperature ☐
Weight ☒
Systolic blood pressure ☐
Diastolic blood pressure ☐
Height ☐
Pulse rate ☐
Respiratory rate ☐
Body Mass Index ☐

Result
Unit Kg ☒

VS = Vital Signs[For Annotations see page 154](#)**D3253C00001_Version 12.00_21NOV2022: Unique****Form: Vital Signs (VS1)****Generated On: 2022 Nov 21 10:23**

	C	☐
	cm	☐
	mmHg	☐
	Beats/Min	☐
	Breaths/Min	☐
	kg/m2	☐
Clinically significant	Yes	☐

Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☒
	Diastolic blood pressure	☐
	Height	☐
	Pulse rate	☐
	Respiratory rate	☐
	Body Mass Index	☐

Result	
Unit	Kg ☐
	C ☐
	cm ☐
	mmHg ☒
	Beats/Min ☐
	Breaths/Min ☐
	kg/m2 ☐
Clinically significant	Yes ☐

Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☐
	Diastolic blood pressure	☒
	Height	☐
	Pulse rate	☐
	Respiratory rate	☐
	Body Mass Index	☐

Result	
--------	--

VS = Vital Signs[For Annotations see page 154](#)**D3253C00001_Version 12.00_21NOV2022: Unique****Form: Vital Signs (VS1)****Generated On: 2022 Nov 21 10:23**

Unit	Kg ☐
	C ☐
	cm ☐
	mmHg ☒
	Beats/Min ☐
	Breaths/Min ☐
	kg/m2 ☐
Clinically significant	Yes ☐

Vital sign test name	Temperature ☐
	Weight ☐
	Systolic blood pressure ☐
	Diastolic blood pressure ☐
	Height ☐
	Pulse rate ☒
	Respiratory rate ☐
	Body Mass Index ☐

Result	
Unit	Kg ☐
	C ☐
	cm ☐
	mmHg ☐
	Beats/Min ☒
	Breaths/Min ☐
	kg/m2 ☐
Clinically significant	Yes ☐

Vital sign test name	Temperature ☐
	Weight ☐
	Systolic blood pressure ☐
	Diastolic blood pressure ☐
	Height ☐
	Pulse rate ☐
	Respiratory rate ☒
	Body Mass Index ☐

VS = Vital Signs[For Annotations see page 154](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS1)

Generated On: 2022 Nov 21 10:23

Result	
Unit	Kg ☐
	C ☐
	cm ☐
	mmHg ☐
	Beats/Min ☐
	Breaths/Min ☒
	kg/m2 ☐
Clinically significant	Yes ☐
Vital sign test name	Temperature ☐
	Weight ☐
	Systolic blood pressure ☐
	Diastolic blood pressure ☐
	Height ☐
	Pulse rate ☐
	Respiratory rate ☐
	Body Mass Index ☒
Result	
Unit	Kg ☐
	C ☐
	cm ☐
	mmHg ☐
	Beats/Min ☐
	Breaths/Min ☐
	kg/m2 ☒
Clinically significant	Yes ☐

VS = Vital Signs

For Annotations see page 154

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Vital Signs (VS2)****Generated On: 2022 Nov 21 10:23**

(Version:AZ1903 2019-03-22)

Were vital signs performed? No ☐
Yes ☐

What was the date of the vital signs measurement? Fixed Unit: yyyy mon dd

Vital sign test name Temperature ☒
Weight ☐
Systolic blood pressure ☐
Diastolic blood pressure ☐
Height ☐
Pulse rate ☐
Respiratory rate ☐
Body Mass Index ☐

Result
Unit Kg ☐
C ☒
cm ☐
mmHg ☐
Beats/Min ☐
Breaths/Min ☐
kg/m2 ☐

Clinically significant Yes ☐

Vital sign test name Temperature ☐
Weight ☐
Systolic blood pressure ☒
Diastolic blood pressure ☐
Height ☐
Pulse rate ☐
Respiratory rate ☐
Body Mass Index ☐

Result
Unit Kg ☐
C ☐

VS = Vital Signs[For Annotations see page 154](#)**D3253C00001_Version 12.00_21NOV2022: Unique****Form: Vital Signs (VS2)****Generated On: 2022 Nov 21 10:23**

	cm	☐
	mmHg	☒
	Beats/Min	☐
	Breaths/Min	☐
	kg/m2	☐

Clinically significant	Yes	☐
------------------------	-----	--------------------------

Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☐
	Diastolic blood pressure	☒
	Height	☐
	Pulse rate	☐
	Respiratory rate	☐
	Body Mass Index	☐

Result	
--------	--

Unit	Kg	☐
	C	☐
	cm	☐
	mmHg	☒
	Beats/Min	☐
	Breaths/Min	☐
	kg/m2	☐

Clinically significant	Yes	☐
------------------------	-----	--------------------------

Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☐
	Diastolic blood pressure	☐
	Height	☐
	Pulse rate	☒
	Respiratory rate	☐
	Body Mass Index	☐

Result	
--------	--

Unit	Kg	☐
------	----	--------------------------

VS = Vital Signs[For Annotations see page 154](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Vital Signs (VS2)

Generated On: 2022 Nov 21 10:23

	C	☐
	cm	☐
	mmHg	☐
	Beats/Min	☒
	Breaths/Min	☐
	kg/m2	☐
Clinically significant	Yes	☐
Vital sign test name	Temperature	☐
	Weight	☐
	Systolic blood pressure	☐
	Diastolic blood pressure	☐
	Height	☐
	Pulse rate	☐
	Respiratory rate	☒
	Body Mass Index	☐
Result		
Unit	Kg	☐
	C	☐
	cm	☐
	mmHg	☐
	Beats/Min	☐
	Breaths/Min	☒
	kg/m2	☐
Clinically significant	Yes	☐

FA = Findings About Events or Interventions

SUPPFA.QVAL where QNAM = MODULE

HO = Healthcare Encounters

SUPPHO.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

HOPRESP = Y

Form: EGPA-Related Events, since Previous Visit (HEVENT)

Generated On: 2022 Nov 21 10:23

If checked No, no records shall be submitted to CM, HO

(Version:RE15:08 Date:2017-04-26)

Any health-related event

FACAT = EGPA RELATED EVENT

No ☐

FAOBJ = HEALTH RELATED EVENT

FATEST

FAORRES where
FATESTCD = OCCUR

Yes ☐

Ambulance transport

FATEST = Occurrence Indicator

No ☐

FAOBJ = AMBULANCE TRANSPORT

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of ambulance transports

FAORRES where FATESTCD = COUNT

FATEST

Hospitalization intensive care

HOOCUR

No ☐

HOTERM = HOSPITALIZATION
INTENSIVE CARE

Yes ☐

Number of days hospitalization intensive care

HODUR

Hospitalization general care

HOOCUR

No ☐

HOTERM = HOSPITALIZATION
GENERAL CARE

Yes ☐

Number of days hospitalization general care

HODUR

Emergency room visit

FATEST = Occurrence Indicator

No ☐

FAOBJ = EMERGENCY ROOM VISIT

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of emergency room visits

FAORRES where FATESTCD = COUNT

FATEST = Count

Hospital admission or emergency department > 24 hours

No ☐

FAOBJ = HOSPITAL ADM. OR EMERGENCY DEP. >24H

FATEST = Occurrence Indicator

Yes ☐

Number of hospital admission or emergency
department > 24 hours

FAORRES where FATESTCD = OCCUR

FAORRES where FATESTCD = COUNT

FATEST = Count

Emergency room visit date, first visit

Fixed Unit: yyyy mon dd

Emergency room visit date, second visit

Fixed Unit: yyyy mon dd

Emergency room visit date, third visit

Fixed Unit: yyyy mon dd

Visit to specialist

FATEST = Occurrence Indicator

No ☐

FAOBJ = VISIT TO SPECIALIST

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of visits to specialist

FAORRES where FATESTCD = COUNT

FATEST = Count

Visit to primary health care physician

FATEST = Occurrence Indicator

No ☐

FAOBJ = VISIT TO PRIMARY
HEALTH CARE PHYSICIAN

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of visits primary health care physician

FAORRES where FATESTCD = COUNT

FATEST
= Count

Other health care visit

FATEST = Occurrence Indicator

No ☐

FAOBJ = OTHER HEALTH CARE

FAORRES where FATESTCD = OCCUR

Yes ☐

D3253C00001_Version

166 of 207

12.00_21NOV2022 (39097)

FA = Findings About Events or Interventions

Continued from page 166

CM = Concomitant/Prior Medications

SUPPCM.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA-Related Events, since Previous Visit (HEVENT)

CMCAT = EGPA-RELATED EVENTS

Generated On: 2022 Nov 21 10:23

FAOBJ = OTHER HEALTH CARE

Number of other health care visits FAORRES where FATESTCD = COUNT FATEST = Count

Home visit physician

FATEST = Occurrence Indicator

No ☐

FAOBJ = HOME VISIT PHYSICIAN

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of home visits physician

FAORRES where FATESTCD = COUNT FATEST = Count

Home visit other health care

FATEST = Occurrence Indicator

No ☐

FAOBJ = HOME VISIT OTHER HEALTH CARE

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of home visits other health care

FAORRES where FATESTCD = COUNT FATEST = Count

Telephone call to physician

FATEST = Occurrence Indicator

No ☐

FAOBJ = TELEPHONE CALL TO PHYSICIAN

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of telephone calls to physician

FAORRES where FATESTCD = COUNT FATEST = Count

Telephone call to nurse

FATEST = Occurrence Indicator

No ☐

FAOBJ = TELEPHONE CALL TO NURSE

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of telephone calls to nurse

FAORRES where FATESTCD = COUNT FATEST = Count

Telephone contact with other physician/health care provider

FATEST = Occurrence Indicator

No ☐

FAOBJ=TELEPHONE CONTACT WITH OTH PHYS/HC PROVIDER

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of telephone contacts other physician/health care provider

FAORRES where FATESTCD = COUNT FATEST = Count

Spirometry

FATEST = Occurrence Indicator

No ☐

FAOBJ = SPIROMETRY

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of spirometry assessments

FAORRES where FATESTCD = COUNT FATEST = Count

Advanced pulmonary function test

FATEST = Occurrence Indicator

No ☐

FAOBJ = ADVANCED PULMONARY FUNCTION TEST

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of advanced pulmonary function tests

FAORRES where FATESTCD = COUNT FATEST = Count

Plain chest x-ray

FATEST = Occurrence Indicator

No ☐

FAOBJ = PLAIN CHEST X-RAY

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of plain chest x-ray assessments

FAORRES where FATESTCD = COUNT FATEST = Count

Computer tomography

FATEST = Occurrence Indicator

No ☐

FAOBJ = COMPUTER TOMOGRAPHY

FAORRES where FATESTCD = OCCUR

Yes ☐

Number of computer tomography assessment

FAORRES where FATESTCD = COUNT FATEST = Count

Oxygen initiated

FATEST = Occurrence Indicator

No ☐

FAOBJ = OXYGEN INITIATED

FAORRES where FATESTCD = OCCUR

Yes ☐

Oxygen initiated date

Fixed Unit: yyyy mon dd

CMTRT = OXYGEN

CMPRESP = Y

CMSTDTC

LB = Laboratory Tests Results**D3253C00001_Version 12.00_21NOV2022: Unique****Form: Local Laboratory, ESR (LB)****SUPPLB.QVAL where QNAM = MODULE****Generated On: 2022 Nov 21 10:23**

(Version:AZ18:11 Date:2018-11-27)

Was the sample collected?

LBSTATNo ☐Yes ☐

What was the lab specimen collection date?

Fixed Unit: yyyy mon dd

LBDTC

What was the lab panel name?

LBCATChemistry ☒Urinalysis ☐

What is the test name?

Erythrocyte, Sedimentation
Rate ☒**LBTEST**Serum Tryptase ☐pH (Urine) ☐Specific gravity ☐Ketone Bodies, Strip ☐Urobilinogen, Semiquant ☐

Laboratory result

LBORRES

Lower reference value

LBORNRL0

Upper reference value

LBORNRI

What were the units for the result?

LBORRESU

mm/h

LB = Laboratory Tests Results

SUPPLB.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Non-central Laboratory Test Results, Serum Tryptase (LB1)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:11 Date:2018-11-27)

Was the sample collected? **LBSTAT** No ☐
Yes ☐

What was the lab specimen collection date? Fixed Unit: yyyy mon dd
LBDC

What was the lab panel name? **LBCAT** Chemistry ☒
Urinalysis ☐

Protocol Schedule **LBTPT** End of anaphylaxis ☒
1h post anaphylaxis ☐
At discharge ☐

Protocol schedule

What is the test name? **LBTEST** Erythrocyte, Sedimentation ☐
Rate
Serum Tryptase ☒
pH (Urine) ☐
Specific gravity ☐
Ketone Bodies, Strip ☐
Urobilinogen, Semiquant ☐

Laboratory result **LBORRES**

Lower reference value **LBORNRL**

Upper reference value **LBORNRI**

What were the units for the result? **LBORRESU**

Units ug/mL ☐
LBORRESU ug/L ☐
ng/mL ☐

What was the lab panel name? **LBCAT** Chemistry ☒
Urinalysis ☐

Protocol Schedule **LBTPT** End of anaphylaxis ☐
1h post anaphylaxis ☒
At discharge ☐

Protocol schedule

What is the test name? **LBTEST** Erythrocyte, Sedimentation ☐
Rate
Serum Tryptase ☒

LB = Laboratory Tests Results

For Annotations see page 169

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Non-central Laboratory Test Results, Serum Tryptase (LB1)

Generated On: 2022 Nov 21 10:23

	pH (Urine)	☐
	Specific gravity	☐
	Ketone Bodies, Strip	☐
	Urobilinogen, Semiquant	☐
Laboratory result		
Lower reference value		
Upper reference value		
What were the units for the result?		
Units	ug/mL	☐
	ug/L	☐
	ng/mL	☐
What was the lab panel name?	Chemistry	☒
	Urinalysis	☐
Protocol Schedule	End of anaphylaxis	☐
	1h post anaphylaxis	☐
	At discharge	☒
Protocol schedule		
What is the test name?	Erythrocyte, Sedimentation Rate	☐
	Serum Tryptase	☒
	pH (Urine)	☐
	Specific gravity	☐
	Ketone Bodies, Strip	☐
	Urobilinogen, Semiquant	☐
Laboratory result		
Lower reference value		
Upper reference value		
What were the units for the result?		
Units	ug/mL	☐
	ug/L	☐
	ng/mL	☐

LB = Laboratory Tests Results

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Urinalysis Dipstick (LB2)

SUPPLB.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:AZ18:11 Date:2018-11-27)

Was the sample collected?

LBSTAT

No ☐Yes ☐

What was the lab panel name?

LBCAT

Chemistry ☐Urinalysis ☒

Visit type

SUPPLB.QVAL where QNAM=VISITYP

Scheduled ☐Unscheduled ☐

What was the lab specimen collection date?

Fixed Unit: yyyy mon dd

LB DTC

Glucose, Strip, Qual

LBTEST

LBORRES

NEG ☐POS ☐+ ☐++ ☐+++ ☐Non-hemolyzed trace ☐Hemolyzed trace ☐++++ ☐

Bilirubin (Urine)

LBTEST

LBORRES

NEG ☐POS ☐+ ☐++ ☐+++ ☐Non-hemolyzed trace ☐Hemolyzed trace ☐++++ ☐

Occult Blood (Urine)

LBTEST

LBORRES

NEG ☐POS ☐+ ☐++ ☐+++ ☐Non-hemolyzed trace ☐Hemolyzed trace ☐++++ ☐

LB = Laboratory Tests Results

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Urinalysis Dipstick (LB2)

SUPPLB.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

Protein, Strip, Qual

NEG ☐

POS ☐

+

++

+++

Non-hemolyzed trace

Hemolyzed trace

++++

LBTEST

LBORRES

Nitrite (Bacteria), Strip

NEG ☐

POS ☐

+

++

+++

Non-hemolyzed trace

Hemolyzed trace

++++

LBTEST

LBORRES

Leucocytes, Strip, Qual

NEG ☐

POS ☐

+

++

+++

Non-hemolyzed trace

Hemolyzed trace

++++

LBTEST

LBORRES

What is the test name?

Erythrocyte, Sedimentation Rate

Serum Tryptase

pH (Urine)

Specific gravity

Ketone Bodies, Strip

Urobilinogen, Semiquant

LBTEST

What was the result of the test?

LBORRES

Lower reference value

LBORNRL0

Upper reference value

LBORNRI

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Urinalysis Dipstick (LB2)****Generated On: 2022 Nov 21 10:23**

What were the units for the result?

What is the test name?

Erythrocyte, Sedimentation ☐
RateSerum Tryptase ☐pH (Urine) ☐Specific gravity ☒Ketone Bodies, Strip ☐Urobilinogen, Semiquant ☐

What was the result of the test?

Lower reference value

Upper reference value

What were the units for the result?

What is the test name?

Erythrocyte, Sedimentation ☐
RateSerum Tryptase ☐pH (Urine) ☐Specific gravity ☐Ketone Bodies, Strip ☒Urobilinogen, Semiquant ☐

What was the result of the test?

Lower reference value

Upper reference value

What were the units for the result?

What is the test name?

Erythrocyte, Sedimentation ☐
RateSerum Tryptase ☐pH (Urine) ☐Specific gravity ☐Ketone Bodies, Strip ☐Urobilinogen, Semiquant ☒

What was the result of the test?

Lower reference value

Upper reference value

What were the units for the result?

CE = Clinical Events

FA = Findings About Events or Interventions

FACAT = HELMINTH INFECTION

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Helminth Infection (HELMINTH)

SUPPFA.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

SUPPFA.QVAL where QNAM = MODULE

(Version:RE13:06 Date:2013-06-05)

Helminth infection confirmed

CETERM = HELMINTH INFECTION

CEOCCUR

No ☐

CEPRES = Y

If checked No, no records shall be submitted to FA

Yes ☐

If yes is selected, please complete section below

Note : Confirmatory test, other is only applicable, if Confirmatory test is 'Other biopsy' and 'Other'

Laboratory confirmed organism/infection

Taenia species ☐

FAOBJ = CONFIRMED INFECTION

FASCAT = FINDINGS

Ascaris lumbricoides ☐

Hookworms ☐

(Ancylostomata, Necator or Angiostrongylus)

Onchocerca species ☐

Schistosoma species ☐

Strongyloides stercoralis ☐

Toxicara species ☐

Trichuris species ☐

Wuchereria bancroft ☐

Other ☐

FATEST

FAORRES where FATESTCD = HELABC

FASCAT = KNOWN RISK FACTORS

Lab confirmed organism/infection, other

Known risk factors

Past medical history of Helminth infection

FATEST

FAOBJ = INFECTION HISTORY

FAORRES where FATESTCD = HELPHINF

No ☐

Yes ☐

Current or historical residence in an endemic area

FATEST

FAOBJ = RESIDENCE IN ENDEMIC AREA

FAORRES where FATESTCD = HELRESE

No ☐

Yes ☐

Recent travel to an endemic area

FATEST

FAOBJ = TRAVEL TO ENDEMIC AREA

FAORRES where FATESTCD = HELRTRVL

No ☐

Yes ☐

Close contact with a person with known Helminth infection

FATEST

FAOBJ = INFECTION CONTACT

FAORRES where FATESTCD = HELCONT

No ☐

Yes ☐

Helminth infection new or recurrent

New ☐

FAOBJ = INFECTION STATUS

Recurrent patient was previously treated for same Helminth while enrolled in this study ☐

FATEST

FAORRES where FATESTCD = HELINFST

FA = Findings About Events or Interventions

Continued from page 174

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Helminth Infection (HELMINTH)

Generated On: 2022 Nov 21 10:23

		Recurrent history of past infection with same Helminth prior to entry into the study	☐
Helminth infection associated with AE	FATEST	FAORRES where FATESTCD = HELASAE	No ☐
FAOBJ = HELMINTH INFECTION ASSOCIATED WITH AE			Yes ☐
Treatment prescribed	FATEST	FAORRES where FATESTCD = HELTRTP	No ☐
FAOBJ = INFECTION TREATMENT PRESCRIBED		FASCAT = TREATMENT	Yes ☐
Confirmatory tests	FAMETHOD	Stool sampling for intestinal parasites	☒
FAOBJ = HELMINTH INFECTION		Endoscopic insecton/biopsy	☐
FATEST		Serology	☐
FATESTCD = HELTST		Other biopsy	☐
		Other	☐
Confirmatory tests, other	FAMETHOD		
Confirmatory results	FAORRES where FATESTCD = HELTST	Negative	☐
		Positive	☐
		FASTAT = NOT DONE	Not done ☐
Confirmatory tests	FAOBJ = HELMINTH INFECTION	Stool sampling for intestinal parasites	☐
		Endoscopic insecton/biopsy	☒
FATEST		Serology	☐
FATESTCD = HELTST		Other biopsy	☐
		Other	☐
Confirmatory tests, other	FAMETHOD		
Confirmatory results	FAORRES where FATESTCD = HELTST	Negative	☐
		Positive	☐
		FASTAT = NOT DONE	Not done ☐
Confirmatory tests	FAOBJ = HELMINTH INFECTION	Stool sampling for intestinal parasites	☐
		Endoscopic insecton/biopsy	☐
FATEST		Serology	☒
FATESTCD = HELTST		Other biopsy	☐

FA = Findings About Events or Interventions

Continued from page 174

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Helminth Infection (HELMINTH)

Generated On: 2022 Nov 21 10:23

		Other ☐
Confirmatory tests, other		FAMETHOD
Confirmatory results	FAORRES where FATESTCD = HELTST	Negative ☐
	FASTAT = NOT DONE →	Positive ☐
		Not done ☐
Confirmatory tests		Stool sampling for intestinal parasites ☐
FAOBJ = HELMINTH INFECTION		Endoscopic ☐
		insection/biopsy ☐
FATEST	FATESTCD = HELTST	Serology ☐
	FAMETHOD →	Other biopsy ☒
		Other ☐
Confirmatory tests, other		FAMETHOD
Confirmatory results	FAORRES where FATESTCD = HELTST	Negative ☐
	FASTAT = NOT DONE →	Positive ☐
		Not done ☐
Confirmatory tests		Stool sampling for intestinal parasites ☐
		Endoscopic ☐
FAOBJ = HELMINTH INFECTION		insection/biopsy ☐
		Serology ☐
FATEST	FATESTCD = HELTST	Other biopsy ☐
	FAMETHOD →	Other ☒
Confirmatory tests, other		
Confirmatory results	FAORRES where FATESTCD = HELTST	Negative ☐
	FASTAT = NOT DONE →	Positive ☐
		Not done ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Unscheduled Assessments (UNS)

Generated On: 2022 Nov 21 10:23

Please choose the form(s) required for this unscheduled visit

Physical Examination (PE) form	_____
Vital Signs (VS1) form	_____
Assessment(s) Performed, (Spirometry) (ASMPERF3) form	_____
Assessment(s) Performed, (Blood Sample) (ASMPERF) form	_____
Birmingham Vasculitis Activity Score Version 3 (BVASV3) form	_____
Vasculitis Damage Index (VDI) form	_____
Biomarkers, Exploratory Research, Diagnostics, Biofluid (SPCBEDB2) form	_____
Urinalysis Dipstick (LB2) form	_____
Local Laboratory, ESR (LB) form	_____
Biomarkers, Exploratory Research, Diagnostics, Biofluid (SPCBEDB) form	_____
Biomarkers, Exploratory Research, Diagnostics, Biofluid (SPCBEDB1) form	_____
Biomarkers, Exploratory Research, Diagnostics, Solid Tissue (SPCBEDT) form	_____
EGPA Relapse (EGPARLMP) form	_____
EGPA Remission (EGPARMMP) form	_____
Assessment(s) Performed, (ECG) (ASMPERF4) form	_____
Biomarkers, Exploratory Research, Diagnostics, Solid Tissue (SPCBEDT1) form (Transcriptomics)	_____
Urine Sample (ASMPERF1)	_____
Blood Sample for additional eos (ASMPERF5)	_____

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Visit Dates (VISITx)

Generated On: 2022 Nov 21 10:23

(Version:AZ08:04 Date:2008-04-09)

Enrolment date

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Demography (DEMx)

Generated On: 2022 Nov 21 10:23

(Version:AZ06:06 Date:2006-06-15)

Date of birth

Fixed Unit: yyyy mmm dd

Sex

Male ☐

Female ☐

Informed Consent date

Rescreen Date

Rescreen Informed Consent date

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Eligibility Criteria (CRITx)

Generated On: 2022 Nov 21 10:23

(Version: AZ06:06 2006-11-14)

Randomization code

Date of randomization

Time at randomization

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: AZ Rave Case Handling (AZRCH)

Generated On: 2022 Nov 21 10:23

(Version:AZ06:11 Date:2008-05-30)

Country Code

Field created for Date of Death for RSG set up

Field created for Autopsy performed for RSG set up

No ☐

Yes ☐

AE Number(from AE)

Dummy field for AENO to default logline and no option
for new logline

1

Adverse Event (from AE)

Serious (from AE)

No ☐

Yes ☐

Date AE started (from AE)

Fixed Unit: yyyy mon dd

Date AE stopped (from AE)

Fixed Unit: yyyy mon dd

Outcome (from AE)

Recovered/resolved ☐

Recovering/resolving ☐

Recovered/resolved with
sequelae ☐

Not recovered/not resolved ☐

Fatal ☐

Do you consider whether there is a reasonable possibility
that the event may have been caused by the
investigational product

No ☐

Yes ☐

Date of hospitalization (from SERAE)

Fixed Unit: yyyy mon dd

Date of discharge (from SERAE)

Fixed Unit: yyyy mon dd

Death (from SERAE)

No ☐

Yes ☐

Life threatening (from SERAE)

No ☐

Yes ☐

In-patient hospitalization or prolongation of existing
(from SERAE)

No ☐

Yes ☐

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: AZ Rave Case Handling (AZRCH)

Generated On: 2022 Nov 21 10:23

Persistent or significant disability/incapacity (from SERAE) No ☐
Yes ☐

A congenital abnormality/birth defect (from SERAE) No ☐
Yes ☐

Important medical event(from SERAE) No ☐
Yes ☐

SAE Comments _____

Generate CASEID _____

CASEID (Reactions) _____

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: AZ Safety Case Summary (AZSCSR)

Generated On: 2022 Nov 21 10:23

(Version:AZ06:11 Date:2006-11-14)

CASEID (Populated from AZRCH)

Events Linked for the Case

Death No ☐

Yes ☐

Life threatening

No ☐

Yes ☐

In-patient hospitalization or prolongation of existing

No ☐

Yes ☐

Persistent or significant disability/incapacity

No ☐

Yes ☐

A congenital abnormality/birth defect

No ☐

Yes ☐

Important medical event

No ☐

Yes ☐

SAE Comments

Formatted CASEID

Please send Initial E2B file for the selected CASEID

E2B File Sent

Please Send Follow Up E2B File for the CASEID

Manual FollowUp Count

0

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

(Version:AZ18:12 Date:2018-12-06)

Sample collection category Biomarkers/Exploratory ☒
Research/Diagnostic, Solid
Tissue

Sample collected No ☐
Yes ☐

Number of samples taken

Date of collection Fixed Unit: yyyy mon dd

Time of collection Fixed Unit: 24-hour clock

Body system Cardiovascular ☐
Gastrointestinal ☐
Endocrine ☐
Reproductive ☐
Urinary ☐
Immune ☐
Hematopoietic and ☐
lymphatic system
Musculoskeletal ☐
Nervous ☐
Respiratory ☐
Integumentary ☐

Organ Abdomen ☐
Abdominal cavity ☐
Abdominal wall ☐
Adenoids ☐
Adrenal gland ☐
Anus ☐
Appendix ☐
Artery ☐
Bone ☐
Brain ☐
Breast ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

Bronchus (main stem)	☐
Cervix uteri	☐
Clitoris	☐
Colon	☐
Diaphragm	☐
Duodenum	☐
Ear	☐
Epididymis	☐
Eye	☐
Eyelid	☐
Face	☐
Fallopian tube	☐
Fat	☐
Gallbladder	☐
Ganglion	☐
Hair	☐
Heart	☐
Hypopharynx	☐
Ileum	☐
Jejunum	☐
Joint	☐
Kidney	☐
Lachrymal gland	☐
Large intestine	☐
Larynx	☐
Lip	☐
Liver	☐
Lung	☐
Lymph node	☐
Lymphatic gland	☐
Mammary gland	☐
Mesentery	☐
Mouth	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

-
- Muscle ☐
 - Nail ☐
 - Nerve cranial ☐
 - Nerve peripheral ☐
 - Nose ☐
 - Oesophagus ☐
 - Oral cavity ☐
 - Oropharynx ☐
 - Ovary ☐
 - Pancreas ☐
 - Parathyroid gland ☐
 - Parotid gland ☐
 - Peritoneum ☐
 - Pharynx ☐
 - Pineal gland ☐
 - Pituitary ☐
 - Pleura ☐
 - Preputial gland ☐
 - Prostate gland ☐
 - Rectum ☐
 - Salivary gland ☐
 - Sebaceous gland ☐
 - Seminal vesicle ☐
 - Skeletal muscle ☐
 - Skin ☐
 - Small intestine ☐
 - Smooth muscle ☐
 - Soft tissue ☐
 - Spinal cord ☐
 - Spleen ☐
 - Stomach ☐
 - Sweat gland ☐
 - Testis ☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

	Thymus gland	☐
	Thyroid gland	☐
	Tongue	☐
	Tonsil	☐
	Trachea	☐
	Ureter	☐
	Urethra	☐
	Urinary bladder	☐
	Uterus	☐
	Vagina	☐
	Vas deferens	☐
	Vein	☐
	Vulva	☐
	Omentum	☐
	Unknown	☐
	Other (not specified)	☐
Sample condition	Sample acceptable	☐
	Sample discarded	☐
	Other	☐
Sample condition, other		
Sample collection, comment		
Date of processing	Fixed Unit: yyyy mon dd	
Time of processing	Fixed Unit: 24-hour clock	
Sample collection method	Timed collection	☐
	Abdominoplasty	☐
	Abscess	☐
	Archived sample	☐
	Arthroscopy	☐
	Bi-lobectomy	☐
	Biopsy	☒
	Blood draw	☐

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

-
- Bronchoscopy ☐
 - Cadaveric retrieval ☐
 - Colonoscopy ☐
 - Core needle biopsy ☐
 - Curettage biopsy ☐
 - Dialysis ☐
 - Effusion ☐
 - Endoscopy ☐
 - Enucleation, retropubic ☐
 - Enucleation, suprapubic ☐
 - Enucleation, unknown ☐
 - Excisional biopsy ☐
 - Exfoliated cytology ☐
 - Exhaled ☐
 - Exudate ☐
 - Fine needle biopsy ☐
 - Fractionated collection ☐
 - Imprint cytology ☐
 - Incisional biopsy ☐
 - Induced ☐
 - Infusion ☐
 - Laparoscopic ☐
 - cholecystectomy
 - Laparoscopic ☐
 - gynaecological surgery
 - Lavage ☐
 - Mid-stream ☐
 - Modified radical ☐
 - mastectomy
 - Needle aspiration cytology ☐
 - Open gynaecological ☐
 - surgery
 - Open lobectomy ☐
 - Open segmentectomy ☐
 - Open surgical biopsy ☐

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

	Perfusion	☐
	Pneumonectomy	☐
	(intrapericardial)	
	Post mortem	☐
	Punch biopsy	☐
	Radical mastectomy	☐
	Radical prostatectomy	☐
	Scallop excision	☐
	Scoop excision	☐
	Scrape	☐
	Secretion	☐
	Shave biopsy	☐
	Sleeve	☐
	Spontaneous	☐
	Sub-total mastectomy with	☐
	axillary contents	
	Sub-total mastectomy	☐
	without axillary contents	
	Surgically discarded	☐
	Swab	☐
	Total mastectomy	☐
	Trephine biopsy	☐
	TURP	☐
	Uroscopy	☐
	Vacuum assisted biopsy	☐
	VATS lobectomy	☐
	VATS segmentectomy	☐
	Washings	☐
	Wedge resection	☐
	Plucking	☐
	Needle aspiration	☐
Sample format	Brushings	☐
	cDNA	☐
	Cell culture	☐
	Cells	☐

[No need to map according to AZ Standard SDTM Guide](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

	Cells suspension	☐
	Cells microarray	☐
	cRNA	☐
	Cytospin	☐
	DNA	☐
	DNA microarray	☐
	FFPE	☐
	FFPE shavings	☐
	Formalin fixed	☐
	Fresh	☐
	Fresh frozen	☐
	Frozen	☒
	H&E stained slide	☐
	IHC slide	☐
	Microarray	☐
	Microsomes	☐
	OCT embedded	☐
	Protein	☐
	Protein microarray	☐
	RNA	☐
	RNA microarray	☐
	Supernatant	☐
	Tissue microarray (TMA)	☐
	Unstained section	☐
	Cells frozen	☐
	Cells lysate	☐
	FFPE Block	☐
	FFPE Unstained slides	☐
Laboratory ID	Covance BioALab	☒
	Other BioA Labs	☐
Main consent category	Main consent including genetics	☐
	Main consent excluding genetics	☒

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: (Sample Collect,Biomark,Diagn,Solid Tissue) Biopsy transcriptomics
(SPCBEDT1)

Generated On: 2022 Nov 21 10:23

Optional consent/ Assent category

Extra samples for
additional study research ☐

Unused parts of samples
used for further research ☐

Extra samples for
additional study genetic
testing ☐

Unused parts of samples
for further genetic testing ☐

Extra samples to look at
DNA ☐

Study specific ☒

Study specific consent category

Mechanistic S-s

Destination system

AZ ABBA ☒

Not applicable ☐

MH = Medical History

MHCAT = GENERAL SURGICAL HISTORY

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Surgical History (HISS)

SUPPMH.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:AZ2004 2020-04-22)

Has subject undergone any relevant surgery or procedure?

If checked No, no records shall be submitted to MH

No ☐

Yes ☐

Surgical history verbatim term

MHTERM

Date of surgery

Fixed Unit: yyyy mon dd

MHSTDTC

Current medication

SUPPMH.QVAL where QNAM = MHCURM

No ☐

Yes ☐

If medication is currently being taken for any of the above surgeries/procedures, please fill in the Prior and Concomitant Medications (CM) Form.

MedDRA Lowest Level Term Code

MHLLTCD

MedDRA Lowest Level Term Name

MHLLT

MedDRA Preferred Term Code

MHPTCD

MedDRA Preferred Term Name

MHDECOD

MedDRA High Level Term Code

MHHLTCD

MedDRA High Level Term Name

MHHLT

MedDRA High Level Group Term Code

MHHLGTCD

MedDRA High Level Group Term Name

MHHLGT

MedDRA System Organ Class Code

MHSOCCD

MHBDSYCD

MedDRA System Organ Class Name

MHSOC

MHBODSYS

MedDRA version

SUPPMH.QVAL where QNAM = MEDDRAV

SV = Subject Visits**D3253C00001_Version 12.00_21NOV2022: Unique****Form: Visit Impacted By Pandemic (VISITP)****Generated On: 2022 Nov 21 10:23**

(Version:AZP2007 2020-07-13)

Was visit impacted by pandemic?

SVEPCHGINo ☐Yes ☐

If 'Yes', please complete below:

Visit number

VISITNUM

Visit status

SVREFIDPartially completed ☐Fully completed ☐Delayed ☐Not done ☐

Reason for visit impacted by pandemic

SVREASOCSubject decision due to pandemic concerns ☐Pandemic related logistic issues ☐Other ☐

If Other, specify

Contact mode

SVCNTMODRemote-audio ☐Remote-video ☐On-site visit ☐Other ☐

If Other, specify

EX = Exposure

EC = Exposure as Collected

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Exposure Pandemic (EXP)

Generated On: 2022 Nov 21 10:23

(Version:AZP2010 2020-10-12)

SUPPEC.QVAL where QNAM = ECEPCHGI

Was exposure impacted by pandemic?

SUPPEX.QVAL where QNAM = EXEPCHGI

No ☐

Yes ☐

If checked No, no records shall be submitted to EX, EC

If 'Yes', provide details below

Study drug

EXTRT

benralizumab/placebo ☐

mepolizumab/placebo1 ☐

ECTRT

mepolizumab/placebo2 ☐

mepolizumab/placebo3 ☐

OLE benralizumab ☐

Study drug

Visit number

VISITNUM

Start date of study drug administration

Fixed Unit: yyyy mon dd

SUPPEC.QVAL where
QAM = ECEPRELI

ECSTDTC

ECENDTC

EXSTDTC

EXENDTC

Any action taken for study drug related to pandemic

SUPPEX.QVAL where
QAM = EXEPRELI

Yes ☐

Study drug administration according to protocol

No ☐

SUPPEC.QVAL where QNAM = ECADMSTA

SUPPEX.QVAL where QNAM = EXADMSTA

Yes ☐

Study drug location status

SUPPEC.QVAL where QNAM = ECPATLOC

Site ☐

SUPPEX.QVAL where QNAM = EXPATLOC

Home ☐

Other ☐

If Other, specify

Administration performed by

Health care professional ☐

Study Subject ☐

Caregiver ☐

Other ☐

SUPPEX.QVAL where QNAM = EXADPER

SUPPEC.QVAL where QNAM = ECADPER

If Other, specify

CM = Concomitant/Prior Medications

SUPPCM.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Concomitant Medications Not Started Pandemic (CMNSP)

Generated On: 2022 Nov 21 10:23

**CMCAT = CONCOMITANT MEDICATIONS
NOT STARTED PANDEMIC**

(Version:AZP2005 2020-05-15)

Any medications not started?

If checked No, no records shall be submitted to CM

No ☐

Yes ☐

If Yes, provide details below

Medication number

CMSPID

Medication verbatim name

CMTRT

Planned start date

Fixed Unit: yyyy mon dd

CMSTDTC

Medication route of administration

CMROUTE

Intramuscular ☐

Auricular (OTIC) ☐

Buccal ☐

Dental ☐

Intrathoracic ☐

Enteral ☐

Epidural ☐

Respiratory (Inhalation) ☐

Intra-arterial ☐

Intra-articular ☐

Intracaudal ☐

Intradermal ☐

Intraocular ☐

Intraperitoneal ☐

Intraspinal ☐

Intrathecal ☐

Urethral ☐

Intravenous ☐

Intraventricular ☐

Nasal ☐

Ophthalmic ☐

Oral ☐

Parenteral ☐

Rectal ☐

Subcutaneous ☐

Sublingual ☐

CM = Concomitant/Prior Medications

Continued from page 195

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Concomitant Medications Not Started Pandemic (CMNSP)

Generated On: 2022 Nov 21 10:23

		Topical	☐
		Transdermal	☐
		Oromucosal	☐
		Vaginal	☐
		Cutaneous	☐
		Unknown	☐
		Not applicable	☐
		Other	☐
Reason for treatment not started		Subject decision due to	☐
		pandemic concerns	
	SUPPCM.QVAL where QNAM = CMREASOC	Pandemic related logistic	☐
		issues	
		Other	☐
If Other, specify	SUPPCM.QVAL where QNAM = CMREASOC		
Indication		CMINDC	
Therapy reason		Disease under study	☐
		Disease under study,	☐
		additional study drug	
		Disease under study,	☐
		run-in medication	
		Disease under study,	☐
		wash-out medication	
		Prophylaxis	☐
		Medical history	☐
		Physician preference/not	☐
		AE	
		Protocol defined	☐
		exacerbation of disease	
		under study	
		Adverse event	☐
		Lab abnormality	☐
		Vital signs abnormality	☐
		Disease under study,	☐
		clinical failure of study	
		therapy	
		Protocol allowed addition to	☐
		study therapy for specific	
		pathogen coverage	
		Prophylaxis, peri-procedure	☐

CM = Concomitant/Prior Medications

Continued from page 195

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Concomitant Medications Not Started Pandemic (CMNSP)

Generated On: 2022 Nov 21 10:23

	Prophylaxis, other	☐
	Superinfection	☐
	New infection	☐
SUPPCM.QVAL where QNAM = CMREAS	Disease under study, gout flare	☐
	Disease under study, gout prophylaxis	☐
	Pre-medication for oncological chemotherapy	☐
	Surgery/procedures	☐
	Other	☐
Other prophylaxis specification	SUPPCM.QVAL where QNAM = INDCOTH	
Therapy reason, other	SUPPCM.QVAL where QNAM = CMREAS	
AE number for which medication taken	SUPPCM.QVAL where QNAM = CMAENO	
Medical history condition(s) number for which medication taken	SUPPCM.QVAL where QNAM = CMMHNO	
Medication code	SUPPCM.QVAL where QNAM = CMCD	
Medication dictionary text	SUPPCM.QVAL where QNAM = CMDTXT	
Medication dictionary text 2	SUPPCM.QVAL where QNAM = CMDTXT2	
Medication dictionary text 3	SUPPCM.QVAL where QNAM = CMDTXT3	
Medication dictionary text 4	SUPPCM.QVAL where QNAM = CMDTXT4	
Medication dictionary text 5	SUPPCM.QVAL where QNAM = CMDTXT5	
Medication dictionary text 6	SUPPCM.QVAL where QNAM = CMDTXT6	
Medication dictionary text 7	SUPPCM.QVAL where QNAM = CMDTXT7	
Medication dictionary text 8	SUPPCM.QVAL where QNAM = CMDTXT8	
ATC code	CMCLASCD	
ATC dictionary text	CMCLAS	
Preferred name (Seq2=1)	CMDECOD	
Preferred name 2 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD2	
Preferred name 3 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD3	
Preferred name 4 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD4	
Preferred name 5 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD5	
Preferred name 6 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD6	
Preferred name 7 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD7	
Preferred name 8 (Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD8	
Pref. grouping term (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP	
Pref. grouping term 2 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP2	

CM = Concomitant/Prior Medications

Continued from page 195

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Concomitant Medications Not Started Pandemic (CMNSP)****Generated On: 2022 Nov 21 10:23**

Pref. grouping term 3 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP3
Pref. grouping term 4 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMDECOD4
Pref. grouping term 5 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP5
Pref. grouping term 6 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP6
Pref. grouping term 7 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP7
Pref. grouping term 8 (Seq1=1 and Seq2=1)	SUPPCM.QVAL where QNAM = CMGROUP8
Active Ingredient 1	SUPPCM.QVAL where QNAM = INGRED1
Active Ingredient 2	SUPPCM.QVAL where QNAM = INGRED2
Drug dictionary version	SUPPCM.QVAL where QNAM = DRGDICTV

DE = Device Events

DT = Device Tracking and Disposition

DI = Device Identifiers

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Device Malfunction (DEVMALFN)

SUPPDE.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23

(Version:RE2002 2020-02-28)

Device type

DIPARM

BA MDI ☐

pMDI ☐

Spirometry sensor ☐

FeNO monitoring device ☐

Symbicort adherium ☐

Ventolin adherium ☐

DIVAL where DIPARMCD = TYPE

Prefilled syringe ☒

Autoinjector ☐

Home monitoring system ☐

Oscillometer ☐

Tablet ☐

Not applicable ☐

Date of malfunction

Fixed Unit: yyyy mon dd

DESTDTC

DTSTDTC

Device given to Subject

No ☐

DTPARTY = SUBJECT

DTTERM = GIVEN TO SUBJECT

Yes ☐

Package ID

SPDEVID

SPDEVID

SPDEVID

Device malfunction associated with AE

No ☐

SUPPDE.QVAL where QNAM = DEVMAE

Yes ☐

AE number

SUPPDE.QVAL where QNAM = DEVAENO

DEPRES = Y

Reason for return

DECAT = MALFUNCTION

Device Malfunction ☐

DTTERM = Returned

DTPARTY = SPONSOR

Other ☐

If Other, specify

DETERM

DECAT = OTHER RETURN REASON

Unable to check contents of syringe

DETERM

DEOCCUR Yes ☐

Specify unable to check contents of syringe

SUPPDE.QVAL where QNAM = DESPFY

Drug product did not pass visual inspection (e.g. particulates, discoloration, etc.)

DEOCCUR Yes ☐

DETERM

SUPPDE.QVAL where QNAM = DESPFY

Specify drug product failed visual inspection

Unable to remove needle shield

DETERM

DEOCCUR Yes ☐

Specify unable to remove needle shield

SUPPDE.QVAL where QNAM = DESPFY

Needle was bent or broken (explain how this occurred)

DEOCCUR Yes ☐

Specify needle bent or broken

DETERM

SUPPDE.QVAL where QNAM = DESPFY

DE = Device Events

Continued from page 199

D3253C00001_Version 12.00_21NOV2022: Unique**Form: Device Malfunction (DEVMALFN)**

SUPPDE.QVAL where QNAM = MODULE

Generated On: 2022 Nov 21 10:23Only partial dose administered (provide explanation) DETERM DEOCCUR Yes ☐

Specify only partial dose administered SUPPDE.QVAL where QNAM = DESPFY

Needle guard safety feature did not activate DETERM DEOCCUR Yes ☐

Specify needle guard not activated SUPPDE.QVAL where QNAM = DESPFY

Any other failures DETERM DEOCCUR Yes ☐

Specify any other failures SUPPDE.QVAL where QNAM = DESPFY

If any additional information can be provided, comment SUPPDE.QVAL where QNAM = DESPFY

DS = Disposition

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Participation Options Post IP Discontinuation (PARTOPT)

Generated On: 2022 Nov 21 10:23

SUPPDS.QVAL where QNAM = MODULE

(Version:RE2011 2020-11-20)

DSCAT = PROTOCOL MILESTONE

Standardized disposition term

DSDECOD

Open label extension
decision



Description of study participation options

DSTERM

Study participation option selected

If checked No, no records shall be submitted to DS

No ☐

Yes ☐

Date of decision for study participation option

Fixed Unit: yyyy mon dd

DSSTDTC

No need to map according to AZ Standard SDTM Guide

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Blood Sample for additional eos (ASMPERF5)

Generated On: 2022 Nov 21 10:23

(Version:AZ17:07 2018-10-15)

Blood Sample collected? No ☐
Yes ☐

Assessment(s) type CLAB ☒
LAB ☐
LABU ☐
DECG ☐
ECG ☐
Brief physical examination ☐
Spirometry ☐
Ultrasound ☐
Body plethysmography ☐
Cognitive test ☐
CGM device upload ☐
Ophthalmological examination ☐
MRI ☐
Tonography ☐
Pap test ☐
Nasal Endoscopy ☐
Ambulatory blood pressure monitoring ☐
Investigator reported tumor response ☐
PD-L1 ☐
Brain MRI/CT ☐
Bone scan-scintigraphy ☐
TACE evaluation MRI ☐
TACE evaluation CT ☐
PET Scan ☐
CT Scan ☐
X-Ray ☐

if not, specify the reason

Assessment date

Fixed Unit: yyyy mon dd

Accession ID

D3253C00001_Version
12.00_21NOV2022 (39097)

202 of 207

No need to map according to AZ Standard SDTM Guide

**D3253C00001_Version 12.00_21NOV2022: Unique
Form: Blood Sample for additional eos (ASMPERF5)
Generated On: 2022 Nov 21 10:23**

Comment

DS = Disposition

[For Annotations see page 58](#)

D3253C00001_Version 12.00_21NOV2022: Unique

**Form: Withdrawal of Informed Consent Extra Samples to look at DNA
(CONSWD4)**

Generated On: 2022 Nov 21 10:23

(Version:AZ18:03 Date:2018-04-12)

Did Subject withdraw from the main informed consent No ☐
Yes ☐

Date of main informed consent withdrawal Fixed Unit: yyyy mon dd

Optional consent withdrawal category Study specific ☐
Optional consent withdrawal for samples ☒

Did Subject withdraw from the optional consent No ☐
Yes ☐

Date of optional consent withdrawal Fixed Unit: yyyy mon dd

DS = Disposition

SUPPDS.QVAL where QNAM = MODULE

D3253C00001_Version 12.00_21NOV2022: Unique

Form: Withdrawal of Informed Consent from Master ICF Version 6.0 (CONSWD5)

Generated On: 2022 Nov 21 10:23 **DSCAT = OTHER EVENT**

(Version:AZ2004 2020-05-29) **DSSCAT = CONSENT WITHDRAWN**

What was the Protocol milestone? (defaulted, no entry required) **Consent withdrawal required** **DSTERM**

Consent withdrawal category **Usage of Coded Data and Biosamples for Future Research** ☒
DSDECOD **Main consent withdrawal** ☐

Consent withdrawn **SUPPDS.QVAL where QNAM = OCONWD** ☐ N ☐ Y

Informed consent withdrawal date **Fixed Unit: yyyy mon dd** **DSSTDTC**

Consent withdrawal category **Usage of Coded Data and Biosamples for Future Research** ☐
DSDECOD **Main consent withdrawal** ☒

Consent withdrawn **SUPPDS.QVAL where QNAM = OCONWD** ☐ N ☐ Y

Informed consent withdrawal date **Fixed Unit: yyyy mon dd** **DSSTDTC**

QS = Questionnaires

[For Annotations see page 33](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Relapse (EGPARLMP1)

Generated On: 2022 Nov 21 10:23

(Version:MP1908 2019-08-23)

Category of findings about EGPA Relapse

Assessment date Fixed Unit: yyyy mon dd

Assessment time Fixed Unit: 24-hour clock

EGPA relapse? No ☐

Yes ☐

CE = Clinical Events

[For Annotations see page 35](#)

D3253C00001_Version 12.00_21NOV2022: Unique

Form: EGPA Remission (EGPARMMP1)

Generated On: 2022 Nov 21 10:23

(Version:MP1909 2019-09-02)

Category for findings about

EGPA Remission

Assessment date

Fixed Unit: yyyy mon dd

Assessment time

Fixed Unit: 24-hour clock

Any EGPA remission?

No ☐

Yes ☐