Visoka škola strukovnih studija za informacione i komunikacione tehnologije

## **WEB PROGRAMIRANJE 2**



**DOKUMENTACIJA** 

https://stephstore.000webhostapp.com/

Stefanovski Bojan

165/17

# Sadržaj

- 1. Uvod
  - a. Korišćeni programski jezici
  - b. Opis funkcionalnosti
    - i. Opis svih stranica
    - ii. Index.html
    - iii. Author.html
- 2. Organizacija
  - a. Slika sajta i Organizaciona šema
  - b. Mapa sajta
  - c. Slike stranica sa uputima
- 3. Kodovi
  - a. Sav CSS kod
  - b. Sav HTML kod za
    - i. Index.html
    - ii. Author.html
  - c. Javascript code

#### 1.Uvod

- a) Korišćeni programski i markup jezici:
  - HTML
  - CSS
  - JavaScript(native,jQuery,json,ajax)
  - Bootstrap biblioteka

#### b) Opis funkcionalnosti

- Sajt je sačinjen od 2 stranica (Index.html i Author.html) i responsive je
- Dinamički su ispisani neki elementi forme kao i svi produkti
- Odrađen filter i sort za produkte

#### i)Index.html


- Dinamički je ispisana DropDown lista u formi
- Dinamički se pojavljuju chekboxovi ako se pri popunjavanju forme označi "Yes"
- Na dnu stranice se nalaze dodatni linkovi za Robots.txt, Sitemap.xml,
   Stranicu autora i Dokumentaciju

## ii)Author.html

- Ovo je stranica sa slikom i kratkim opisom autora ovog sajta i dokumentacije
- Sa Home linkom se vraćamo na stranicu index.html

# 2) Organizacija

# a)Slika sajta i organizaciona šema



Na dnu index i author stranice se nalaze linkovi

Slike obe stranice se nalaze na sledećim stranicama







# About Us

Believes to see welcom. We are waivly producing Europe and we've perticiped in this part of find preparation. We also produce stone hind of herlings and also a proof, speciality eathed Genes by the recipie of an all great Chief. We hope good beging in surryingly lates! Dres special.

EXPLORE US







## Autor stranica





# About Author

Hello everybody! My name it Bojan Stefanovski, i'm coming from Serbia. This is my website for school presentation. Hope you'd enjoy 'sufring' on it! HF

GO BACK TO MAIN PAGE





Robots Sitemap Doc Author

Powered by 🏀 000webhost

### b) Mapa Sajta

```
▼<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
 ▼<url>
     <loc>https://stephstore.000webhostapp.com</loc>
     <changefreq>monthly</changefreq>
     <priority>0.93</priority>
     <lastmod>2019-03-13</lastmod>
   </url>
 ▼<url>
     <loc>https://stephstore.000webhostapp.com/index.html</loc>
     <changefreq>monthly</changefreq>
     <priority>0.92</priority>
     <lastmod>2019-03-13</lastmod>
   </url>
 ▼<url>
     <loc>https://stephstore.000webhostapp.com/author.html</loc>
     <changefreq>monthly</changefreq>
     <priority>0.85</priority>
     <lastmod>2019-03-13</lastmod>
   </url>
 ▼<url>
     <loc>https://stephstore.000webhostapp.com/cart.html</loc>
     <changefreq>monthly</changefreq>
     <priority>0.86</priority>
     <lastmod>2019-03-13</lastmod>
   </url>
 </urlset>
```

## 3) CSS Kod

```
@import url("https://fonts.googleapis.com/css?family=Kaushan+Script")
:root {
 --mainPink: ■#ef7998;
 --mainYellow: rgb(249, 228, 148);
 --mainWhite: ■#fff;
 --mainBlack: □#000;
 --mainBlue: ■#cca953;
 --yellowTrans: ■rgba(249, 228, 148, 0.5);
 --mainGrey: ☐ rgb(238, 238, 238);
body {
 font-family: "Kaushan Script", cursive;
 background: var(--mainWhite);
 color: var(--mainBlack);
.navbar-toggler {
 outline: none !important;
toggler-icon {
 font-size: 2.5rem;
 color: var(--mainBlue);
.nav-link {
 color: var(--mainBlue);
 font-size: 1.5rem;
 transition: all 0.5s ease-in-out;
.nav-link:hover {
 color: var(--mainBlack);
.cart-info__icon {
 color: var(--mainBlack);
 cursor: pointer;
.banner-title-one {
 color: var(--mainBlack);
```

```
#footer{
  background: var(--yellowTrans);
.banner-link:hover {
 background: var(--mainBlack);
  color: var(--mainBlue);
#visina{
 width: 100%;
 min-height: 600px;
.tabela-cart th {
  background: ■#000;
  color: □#fff;
  font-size: 16px;
  border-right: 1px solid ■#ded2d2;
  text-align: center;
  padding: 12px 0;
  letter-spacing: 1px;
  font-weight: normal;
.tabela-cart td {
 width: 25%;
 white-space: nowrap;
.tabela-cart th {
 font-size: 14px;
  padding: 12px 10px;
.tabela-cart td {
 text-align: center;
 padding: 7px;
  font-size: 14px;
  color: □#212121;
 tabela-cart td {
 border: 1px solid ■#CDCDCD;
```

```
.tabela-cart td {
 border: 1px solid ■#CDCDCD;
td.invert-image a img {
 width: 30%;
 margin: 0 auto;
.cart-item-remove:hover {
 transform: scale(1.1);
 color: var(--mainBlack);
#cart-item-price {
 font-size: 0.8rem;
.btn-pink {
 color: var(--mainBlue) !important;
 border-color: var(--mainBlue) !important;
.btn-black {
 color: var(--mainBlack) !important;
 border-color: var(--mainBlack) !important;
.btn-black:hover {
 color: var(--mainBlue) !important;
 background: var(--mainBlack) !important;
.btn-pink:hover {
 background: var(--mainBlue) !important;
 color: var(--mainBlack) !important;
.about-img__container {
 position: relative;
```

```
about-img__container::before {
 content: "";
 position: absolute;
 top: -1.5rem;
 left: -1.7rem;
 width: 100%;
 height: 100%;
 outline: 0.5rem solid var(--mainYellow);
 z-index: -1;
 transition: all 1s ease-in-out;
about-img_container:hover:before {
 top: 0;
 left: 0;
#forma {
 min-height: auto;
 background:var(--yellowTrans);
 padding: 5vw;
 color: ■#bac6db;
#tablicaForma {
 width: 40%;
 margin: 0 auto;
.sakriven {
 display: none;
.dugme {
 width:50%;
 margin: 0 auto;
#tablicaForma tr td{
 width: 20%;
.prostor {
 width: 10%;
#greskaIme, #greskaPhone, #greskaEmail {
 display: none;
```

```
#formaNaslov{
 width: 50%;
 min-height: 2vw;
 margin: 0 auto;
#formaNaslov h2{
 text-align: center;
 color: ■#738096;
.store {
 background: var(--mainGrey);
.img-container {
 position: relative;
 overflow: hidden;
 cursor: pointer;
store-img {
 transition: all 1s ease-in-out;
.img-container:hover .store-img {
 transform: scale(1.2);
.store-item-icon {
 position: absolute;
 bottom: 0;
 right: 0;
 padding: 0.75rem;
 background: var(--mainYellow);
 border-top-left-radius: 1rem;
 transition: all 1s ease-in-out;
 transform: translate(100%, 100%);
.img-container:hover .store-item-icon {
 transform: translate(0, 0);
.store-item-icon:hover {
 color: var(--mainWhite);
.store-item-value {
 color: --mainYellow;
```

#### b) Sav HTML kod za

i) Index.html

```
<!DOCTYPE html>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta http-equiv="X-UA-Compatible" content="ie=edge"</pre>
 <meta name="description" content="Burgers and other fastfood stuff">
 <meta name="keywords" content="Burgers,Bojan,Stefanovski,Food,Web Development,HTML,CSS,XML,JavaScript":</pre>
 <meta name="author" content="Stefanovski Bojan">
<link rel="icon" href="img/icon.png">
<link rel="stylesheet" href="css/bootstrap.min.css">
<link rel="stylesheet" href="css/style.css">
<link rel="stylesheet" href="css/all.css">
 <title>Steph Burger Store</title>
   <nav class="navbar navbar-expand-lg px-4">
     <a class="navbar-brand" href="#"><img src="img/logo.png" alt="sss"></a>
     <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#myNav">
       <span class="toggler-icon"><i class="fas fa-bars"></i></span>
     <div class="collapse navbar-collapse" id="myNav">
       class="nav-item active":
          <a class="nav-link" href="#">home</a>
         <a class="nav-link " href="author.html">author</a>
         <a class="nav-link" href="#forma">Order</a>
       <div class="nav-info-items d-none d-lg-flex ">
         <div class="nav-info align-items-center d-flex justify-content-between mx-lg-5">
           <span class="info-icon mx-lg-3"><i class="fas fa-phone"></i></span>
          + 381 68x xx78
```

```
<a href="#store" class="btn banner-link text-uppercase my-2">Go to menu!</a>
ection class="about py-5" id="about">
<div class="container":</pre>
 <div class="row">
     <div class="col-10 mx-auto col-md-6 my-5">
     <h1 class="text-capitalize">about <strong class="banner-title ">us</strong></h1>
class="my-4 text-muted w-75">Welcome to our website. We are mainly producing Burger and we're spetialized in this part of food pre
<a href="#" class="btn btn-outline-secondary btn-black text-uppercase ">Explore us</a>
     <div class="about-img_container">
    <img src="img/reklama-1.jpg" class="img-fluid" alt="">
ection id="store" class="store py-5">
<div class="container">
 <div class="row">
   <div class="col-10 mx-auto col-sm-6 text-center">
     <h1 class="text-capitalize">our <strong class="banner-title ">store</strong></h1>
```

```
section id="forma">
| <div id="formaNaslov">
    <h2>Fill your order</h2>
 <form action="#" method="GET">
    <table id="tablicaForma":
        Your Phone number
        <input type="text" name="number" size="25" id="phoneId"/>
        Food type

         Additional
         <td id="promena":
           <input type="radio" name="sugar" value="0"/>%nbsp;<span>Yes</span>
<input type="radio" name="sugar" value="1"/>%nbsp;<span style="color: | black">No</span>
      <input type="checkbox" name="additiveType" value="0"/>&nbsp;<span style="color: ■#bac6db">Mayo</span>
           <input type="submit" name="dugme" value="Order" class="dugme"/>&nbsp;
```

```
cfooter>
cfooter}
cfooter

cfooter
```

#### ii) author.html

```
!DOCTYPE html>
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta http-equiv="X-UA-Compatible" content="ie=edge"</pre>
 <meta name="description" content="Burgers and other fastfood stuff">
 <meta name="keywords" content="Burgers,Bojan,Stefanovski,Food,Web Development,HTML,CSS,XML,JavaScript">
 <meta name="author" content="Stefanovski Bojan"
 <link rel="icon" href="img/icon.png">
 <link rel="stylesheet" href="css/bootstrap.min.css">
 <link rel="stylesheet" href="css/style.css">
 <link rel="stylesheet" href="css/all.css">
 <title>Steph Burger Store</title>
   <nav class="navbar navbar-expand-lg px-4">
    <a class="navbar-brand" href="index.html"><img src="img/logo.png" alt="sss"></a>
     <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#myNav">
       <span class="toggler-icon"><i class="fas fa-bars"></i></span>
     <div class="collapse navbar-collapse" id="myNav">
      <a class="nav-link" href="index.html">home</a>
        class="nav-item">
          <a class="nav-link " href="#">author</a>
        <a class="nav-link" href="index.html">store</a>
       <div class="nav-info-items d-none d-lg-flex ">
        <!-- single info -->
         <div class="nav-info align-items-center d-flex justify-content-between mx-lg-5">
          <span class="info-icon mx-lg-3"><i class="fas fa-phone"></i></span>
          + 381 68x xx78
```

```
<div class="container-fluid">
  <div class="row max-height justify-content-center align-items-center author-pozadina">
   <div class="col-10 mx-auto banner text-center">
     <h1> <strong class="banner-title-one ">About author</strong></h1>
   /div
section class="about py-5" id="about">
<div class="container">
  <div class="row">
    <div class="col-10 mx-auto col-md-6 my-5">
     <h1 class="text-capitalize">about <strong class="banner-title ">author</strong></h1>
     Hello everybody! My name is Bojan Stefanovski, i'm coming from Serbia
     <a href="index.html" class="btn btn-outline-secondary btn-black text-uppercase ">Go back to main page
    <div class="col-10 mx-auto col-md-6 align-self-center my-5">
     <div class="about-img_container"</pre>
       <img src="img/authorSlika.jpg" class="img-fluid" alt="">
footer id="footer">
  <!-- navbarBott -->
  <nav class="navbar navbar-expand-lg px-4">
    <a class="navbar-brand" href="#"><img src="img/logo.png" alt="sss"></a>
    <div class="collapse navbar-collapse">
     <a class="nav-link" href="robots.txt">robots</a>
       <a class="nav-link " href="sitemap.xml">sitemap</a>
       class="nav-item">
        <a class="nav-link" href="documentation.pdf">doc</a>
       class="nav-item">
         <a class="nav-link" href="author.html">author</a>
```

### c) Sav JS kod

```
window.onload = function() {
    $.ajax({
        url : "data/products.json",
        success : function(data) {
            ucitajProdukte(data);
        error: function(status){
            console.log(status);
function ucitajProdukte(data) {
   let ispis = "";
    data.forEach(product => {
        ispis += jedanProdukt(product);
    document.querySelector("#store-items").innerHTML = ispis;
function jedanProdukt(p) {
    <div class="col-10 col-sm-6 col-lg-4 mx-auto my-3 store-item ${p.category.name}" data-item="${p.category.id}">
            <div class="img-container">
            <img src="${p.picture.src}" class="card-img-top store-img" alt="${p.picture.alt}">
                <i class="fas add-to-cart fa-shopping-cart">
</i></i>
                <h5 id="store-item-name">${p.name}</h5>
<h5 class="store-item-value">${p.price} <strong id="store-item-price" class="font-weight-bold"> RSD </strong></h5>
```

```
function filtrirajPoKategoriji(e) {
    e.preventDefault();
    const imeKat = this.dataset.filter;
    $.ajax({
      url: 'data/products.json',
      method: 'GET',
      dataType: 'json',
      success: function (posts) {
        let filtriraniPostovi = posts.filter(function (el) {
             return el.category.name == imeKat
        ucitajProdukte(filtriraniPostovi);
      error: function (status) {
        console.error(status);
  $(".sortBtn a").click(filtrirajPoKategoriji);
  $("#showAll").click(prikaziSve);
$("#sortByPrice").click(sortiranoPoCeni);
  function prikaziSve(){
    $.ajax({
        method: 'GET',
        dataType: 'json',
success : function(data) {
            ucitajProdukte(data);
        error: function(status){
            console.log(status);
```

```
function sortiranoPoCeni(){
      const sortiranNiz = [];
      $.ajax({
        url: 'data/products.json',
        method: 'GET',
        dataType: 'json',
        success : function(data) {
            sortiraniNiz = data.sort(function(a,b){
                return a.price - b.price;
            ucitajProdukte(sortiraniNiz);
        error: function(xhr,error,status){
            console.log(status);
$("#search-item").keyup(searchFunkcija);
function searchFunkcija(e){
    e.preventDefault();
    const unosKorisnika = this.value;
    $.ajax({
       url:"data/products.json",
        success: function(products){
        const searchPostovi = products.filter(p=> {
            if(p.name.toLowerCase().indexOf(unosKorisnika.toLowerCase())!== -1){
            if(p.category.name.toLowerCase().indexOf(unosKorisnika.toLowerCase())!== -1){
                return -1;
        })
        ucitajProdukte(searchPostovi);
```

```
function popuniListuFooter(){
   let nizRadio = ["Burger","HotDog","Gyros"];
    let ispis = `<select>
                   <option value="0" >Choose food</option>`;
                   nizRadio.forEach(function(el){
                      ispis+= `<option value="${el}">${el}</option>`
                    });
    ispis+="</select>";
    document.getElementById("foodIspis").innerHTML = ispis;
    document.getElementById("promena").addEventListener('change', function(){
       let nizSecer = document.getElementsByName("sugar");
       if(nizSecer[1].checked){
       document.querySelector("#additiveType").classList.add("sakriven");
       } else {
       document.querySelector("#additiveType").classList.remove("sakriven");
        });
```

```
document.querySelector(".dugme").addEventListener('click',function(e){
    e.preventDefault();
    let nizGreske = [];
    let reImePrezime = /^[A-Z][a-z]{2,11}(\s[A-Z][a-z]{2,15})+$/;
    let rePhone = /^06[\d]\-[\d]{3}\-[\d]{3,4}$/;
    let imePrezime = document.getElementById("imeId").value;
    let adresa = document.getElementById("adresaId").value;
    let phone =document.getElementById("phoneId").value;
    let greskaIme = document.getElementById("imeId");
    let greskaPhone = document.getElementById("phoneId");
    if(!reImePrezime.test(imePrezime)){
        greskaIme.style.border ="2px solid red";
    }else{
        greskaIme.style.border ="";
    };
    if(!rePhone.test(phone)){
        greskaPhone.style.border ="2px solid red";
        greskaPhone.style.border ="";
    if(localStorage){
        localStorage.setItem("ime",imePrezime);
        localStorage.setItem("adresa",adresa);
        localStorage.setItem("telefon",phone);
        else{
        console.log("Ne radi storage fff");
});
```

# **KRAJ!**