

# ConAn

## Typeset Conversation Analysis

Clemens Horch

February 12, 2015

### 1 Examples

Example 1 is a numbered conversation analysis example:

- (1)
- ```
1 Anton: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,  
2     sed diam nonumy eirmod tempor invidunt ut labore et dolore  
→ 3     magna aliquyam erat, [ sed diam ] voluptua.  
4 Zita:     [ ero eos et ]
```

`conan` environments can easily be mixed with `example` environments from the `covington` package. Both use the equation counter for numbering.

- (2) Covington Example

The next example is a `conan*` environment without numbering and custom line numbers.

```
2345 A: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,  
2346     sed diam nonumy eirmod tempor invidunt ut labore et dolore  
2347     magna aliquyam erat, [ sed diam ] voluptua.  
2348 B:     [ ero eos et ]
```

It is recommended to use ConAn with the `conan.py` preprocessor. (3) is an example for an automatically processed file.

- (3)
- ```
100 Anton: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,  
101     sed diam nonumy eirmod tempor invidunt ut labore et  
102     dolore magna aliquyam erat, [ sed diam ] voluptua. =  
103 Zita:     [ ero eos et ]  
→ 104     = Lorem ipsum dolor sit amet, consetetur sadipscing  
105     elitr, sed diam nonumy eirmod tempor invidunt.
```