

# ConAn

## Typeset Conversation Analysis

Clemens Horch

January 28, 2015

### 1 Examples

Example 1 is a numbered conversation analysis example:

```
(1)  1 Anton: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,  
      2      sed diam nonumy eirmod tempor invidunt ut labore et dolore  
      3      magna aliquyam erat, [ sed diam ] voluptua.  
      4 Zita:      ero eos et
```

`conan` environments can easily be mixed with `example` environments from the `covington` package. Both use the equation counter for numbering.

#### (2) Covington Example

The next example is a `conan*` environment without numbering and custom line numbers.

```
23 Anton: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,  
24      sed diam nonumy eirmod tempor invidunt ut labore et dolore  
25      magna aliquyam erat, [ sed diam ] voluptua.  
26 Zita:      ero eos et
```

It is recommended to use ConAn with the `conan.py` preprocessor. (3) is an example for an automatically processed file.

```
(3)  1 Anton: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,  
      2      sed diam nonumy eirmod tempor invidunt ut labore et dolore  
      3      magna aliquyam erat, [ sed diam ] voluptua.  
      4 Zita:      ero eos et
```