

ConAn

Typeset Conversation Analysis

Clemens Horch

February 13, 2015

1 Examples

Example 1 is a numbered conversation analysis example:

- (1)
- ```
1 Anton: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,
2 sed diam nonumy eirmod tempor invidunt ut labore et dolore
→ 3 magna aliquyam erat, [sed diam] voluptua.
4 Zita: ero eos et
```

`conan` environments can easily be mixed with `example` environments from the `covington` package. Both use the equation counter for numbering.

- (2) Covington Example

The next example is a `conan*` environment without numbering and custom line numbers.

```
2345 A: Lorem ipsum dolor sit amet, consetetur sadipscing elitr,
2346 sed diam nonumy eirmod tempor invidunt ut labore et dolore
2347 magna aliquyam erat, [sed diam] voluptua.
2348 B: ero eos et
```

It is recommended to use ConAn with the `conan.py` preprocessor. (3) is an example for an automatically processed file.

- (3)
- ```
100 Anton: Lorém ipsum dolor sit amet, consetetur sadipscing elitr,  
101      sed diam nonumy eirmod tempor invidunt ut labore et  
102      dolore magna aliquyam erat, [ sed diam ] voluptua. =  
103 Zita:      ero eos et  
→ 104      = Lorem ipsum dolor sit amet, consetetur sadipscing  
105      elitr, sed diam nonumy eirmod tempor invidunt.
```