



agenda




chapter III




push

notifications









spectrum of IT services





Microsoft cloud platform





Active Directory
Hyper-V
.NET/node/php/java/...
Visual Studio
System Center




Windows Azure








Virtual Machines can run both Windows and Linux operating systems. Create VMs from Virtual Hard Disk images stored as blobs. Create VHDs locally and upload them, choose from a stock gallery or modify a running VM and save the image to your personal gallery.




With Web Sites, you can share space in a VM or reserve an entire machine for your web site. You can create sites with both SQL Database and MySQL databases, as well as deploy popular open source software from a gallery. You can use the slider on the Windows Azure portal to scale out to more instances.


MOBILE SERVICES




MEDIA SERVICES








identity






Access Control Service (ACS)



Windows Azure Active Directory









push


notifications









storage options



Windows Azure mobile services






















push notifications




Single connecting between the device and the notification service

Bandwidth- and battery-friendly

No guarantee of delivery

subscribing to push

- (1) device requests a channel requesting app uses push client platform
- (2) *NS returns channel
- (3) device sends URL to service
 Channel URL is stored in cloud
- (4) service sends notification
- (5) *NS pushes to device




cloud-initiated to device


common pattern

cloud-initiated push to tell the device to call to a service

- (1) service sends notification
- (2) notification services pushes to device
- (3) device receives message and calls to a service
- (4) web role sends a response




overview push notification Windows 8




- (1) request channel URI
- (2) register with service
- (3) authenticate & push notification

different platforms – different services



iOS

Apple Push Notification Service (APNS)





Android
Cloud To Device Messaging (C2DM)

application persistency

push

notifications











device to device communication



- (1) device initiates data share
- (2) d2d services stores data and requests push notification for target device(s)
- (3) *NS notifies device(s)
- (4) device retrieves data from d2d service

device to device communication



- (1) Establish duplex communication channel (WebSocket/SignalR)
- (2) server pushes data to client


conclusion



the cloud enables core App capabilities

Windows Azure is Microsoft's cloud platform





it provides 1st class PaaS & laaS

and is open

