

APLICA AL RENGLÓN 2 · CÓDIGO ACP PPE-EYE-00027 · Lente de seguridad, oscuro



MP112PF

Memphis MP1 Series Safety Glasses
Wrap Around Lens Design^[3]
Easy to Wear Sporty, Lightweight
Design
Model 219 Eyeglass Lanyard
Included



** Coming Soon ** - MP119AF Indoor/Outdoor Lens
with UV-AF[®] Anti-Fog^[1] Coating **

Category*Safety Glasses*Primary Frame Material*Nylon*Series*Memphis (MP1)*^[2]Inner Packaging*Dozen White Box*

Product #	Frame Color	Lens Color	Lens Coating	Magnifier	VLT% ^[5]	Temple Color	Case Dimensions (cm)
MOMP110AF	Mossy Oak	Clear	UV-AF Anti-Fog		90	Mossy Oak	22.047 x 16.142 x 14.961
MP110	Black	Clear	Duramass Hard Coat		90	Black	22.500 x 15.500 x 15.000

MCR Safety
1255 Schilling Blvd. W.
Collierville, TN 38017 - USA

901.795.5810
800.955.6887
www.mcrcsafety.com/mp112pf



REQUISITOS DEL RENGLÓN RESALTADOS EN ESTA FICHA (numeral 9.1.3)

- [1] Recubrimiento antiempañante MAX6
[2] Ocular gris, serie Memphis MP1
[3] Policarbonato, diseño envolvente de lente única

- [4] Certificación ANSI Z87+
[5] VLT 13%: ocular oscuro

APLICA AL RENGLÓN 2 · CÓDIGO ACP PPE-EYE-00027 · Lente de seguridad, oscuro

MP112PF

Product #	Frame Color	Lens Color	Lens Coating	Magnifier	VLT% ^[5]	Temple Color	Case Dimensions (cm)
MP110AF	Black	Clear	UV-AF Anti-Fog		90	Black	22.500 x 16.000 x 15.000
MP110DC	Black	Clear	MAX36 Dual Coating		90	Black	22.500 x 16.000 x 15.000
MP110PF	Black	Clear	MAX6 ^[1] Anti-Fog		90	Black	23.000 x 16.000 x 15.000
MPH10	Black	Clear	Duramass Hard Coat	1.0	90	Black	23.000 x 16.000 x 15.000
MPH15	Black	Clear	Duramass Hard Coat	1.5	90	Black	22.047 x 16.142 x 14.961
MPH20	Black	Clear	Duramass Hard Coat	2.0	90	Black	16.000 x 22.500 x 15.000
MPH25	Black	Clear	Duramass Hard Coat	2.5	90	Black	22.047 x 16.142 x 14.961
MOMP112AF	Mossy Oak	Gray ^[2]	UV-AF Anti-Fog		13	Mossy Oak	22.500 x 16.000 x 15.000
MP112	Black	Gray	Duramass Hard Coat		13	Black	23.000 x 15.000 x 15.000
MP112AF	Black	Gray	UV-AF Anti-Fog		13	Black	22.500 x 16.000 x 15.000
MP112DC	Black	Gray	MAX36 Dual Coating		13	Black	22.500 x 16.000 x 15.000

MCR Safety
1255 Schilling Blvd. W.
Collierville, TN 38017 - USA

901.795.5810
800.955.6887
www.mcrcsafety.com/mp112pf

**REQUISITOS DEL RENGLÓN RESALTADOS EN ESTA FICHA (numeral 9.1.3)**

- [1] Recubrimiento antiempañante MAX6
[2] Ocular gris, serie Memphis MP1
[3] Policarbonato, diseño envolvente de lente única

- [4] Certificación ANSI Z87+
[5] VLT 13%: ocular oscuro

APLICA AL RENGLÓN 2 · CÓDIGO ACP PPE-EYE-00027 · Lente de seguridad, oscuro

MP112PF

Product #	Frame Color	Lens Color	Lens Coating	Magnifier	VLT%	Temple Color	Case Dimensions (cm)
MP112PF	Black	Gray ^[2]	MAX6 Anti-Fog ^[4]		13	Black	22.500 x 16.000 x 15.000
MPH10G	Black	Gray	Duramass Hard Coat	1.0	13	Black	22.047 x 16.142 x 14.961
MPH15G	Black	Gray	Duramass Hard Coat	1.5	13	Black	22.500 x 16.000 x 15.000
MPH20G	Black	Gray	Duramass Hard Coat	2.0	13	Black	23.000 x 16.000 x 15.000
MPH25G	Black	Gray	Duramass Hard Coat	2.5	13	Black	23.000 x 16.000 x 15.000
MP113 ^[5]	Black	Light Blue	Duramass Hard Coat		68	Black	16.000 x 22.500 x 15.000
MOMP114AF	Mossy Oak	Amber	UV-AF Anti-Fog		80	Mossy Oak	22.441 x 16.142 x 14.961
MP114	Black	Amber	Duramass Hard Coat		80	Black	22.047 x 16.142 x 14.961
MP114AF	Black	Amber	UV-AF Anti-Fog		80	Black	22.441 x 16.142 x 14.961
MP117	Black	Silver Mirror	Duramass Hard Coat		13	Black	22.047 x 16.142 x 14.961
MP118	Black	Blue Mirror	Duramass Hard Coat		13	Black	23.000 x 16.000 x 15.500

MCR Safety
1255 Schilling Blvd. W.
Collierville, TN 38017 - USA

901.795.5810
800.955.6887
www.mcrcsafety.com/mp112pf

**REQUISITOS DEL RENGLÓN RESALTADOS EN ESTA FICHA (numeral 9.1.3)**

- [1] Recubrimiento antiempañante MAX6
[2] Ocular gris, serie Memphis MP1
[3] Policarbonato, diseño envolvente de lente única

- [4] Certificación ANSI Z87+
[5] VLT 13%: ocular oscuro

APLICA AL RENGLÓN 2 · CÓDIGO ACP PPE-EYE-00027 · Lente de seguridad, oscuro



MP112PF

Product #	Frame Color	Lens Color	Lens Coating	Magnifier	VLT%	Temple Color	Case Dimensions (cm)
MP119	Black	I/O Clear Mirror	Duramass Hard Coat		36	Black	22.500 x 16.000 x 15.000
MP119AF	Black	I/O Clear Mirror	UV-AF Anti-Fog		36	Black	16.000 x 22.500 x 15.000
MDMP11B	Mossy Oak	Brown	Duramass Hard Coat		13	Mossy Oak	22.047 x 16.142 x 14.961
MP112G	Black	Gray G14 ^[4]	Duramass Hard Coat		14	Black	22.047 x 16.142 x 14.961
MP1120	Black	Green Filter 2.0	Duramass Hard Coat		30	Black	22.441 x 16.142 x 14.961
MP1130 ^[5]	Black	Green Filter 3.0	Duramass Hard Coat		12	Black	22.500 x 16.000 x 15.500
MP1150	Black	Green Filter 5.0	Duramass Hard Coat		2	Black	22.500 x 16.000 x 15.000

MCR Safety
1255 Schilling Blvd. W.
Collierville, TN 38017 - USA

901.795.5810
800.955.6887
www.mcrcsafety.com/mp112pf



REQUISITOS DEL RENGLÓN RESALTADOS EN ESTA FICHA (numeral 9.1.3)

- [1] Recubrimiento antiempañante MAX6
[2] Ocular gris, serie Memphis MP1
[3] Policarbonato, diseño envolvente de lente única

- [4] Certificación ANSI Z87+
[5] VLT 13%: ocular oscuro

MCR Safety MP112AF

Memphis MP1 Series Safety Glasses

Source: Product information published by MCR Safety (manufacturer) on its official website, www.mcrsafety.com. Text transcribed verbatim, without modification. Consulted: September 24, 2026.

[5]

Wrap Around Lens Design

Easy to Wear Sporty, Lightweight Design
Model 219 Eyeglass Lanyard Included

[2]

ANSI/ISEA Z87+ rated

Features

[1][4]

- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection
- Single lens, wrap-around design for unobstructed view
- Soft, flexible TPR temples and nose pad for added comfort
- Sporty, lightweight sunglass design frame that all industrial workers love to wear
- Meets ANSI/ISEA Z87.1-2025 standard
- Formerly known as Crews® Safety Glasses

[5]

[2][6]

Performance & Technical Specifications

[2]

Z87+	Yes
Lens Coating	Duramass Hard Coat, MAX36 Dual Coating, UV-AF Anti-Fog, MAX6 Anti-Fog
Ultraviolet Rays	100%
TAA Compliant	Yes
Cord Included	Yes
Eco-Friendly MFG	Yes
Series	Memphis (MP1)
Welding	Yes
Category	Safety Glasses

[3]

Part number offered: MP112AF

This document is a transcription of the manufacturer's publicly available product information, prepared by Elite Guard for reference and attached to the manufacturer's datasheet. It is not issued by MCR Safety.

Requisitos ACP (marcas en el margen) - Anotado por Elite Guard
[1] Polycarbonate lens [2] ANSI Z87.1 high impact (Z87+) [3] Antifog coating
[4] 99% UV protection [5] Side protection (diseño envolvente - apoyo parcial)
[6] Non-distortion vision (por conformidad con requisitos ópticos Z87.1)
No cubiertos en este documento: scratch resistant, dark lens (ver ficha MP112PF: Gray, VLT 13%), use instructions.

REQUISITOS DEL RENGLÓN RESALTADOS EN ESTA FICHA (numeral 9.1.3)

- [1] Recubrimiento antiempañante MAX6
- [2] Ocular gris, serie Memphis MP1
- [3] Policarbonato, diseño envolvente de lente única
- [4] Certificación ANSI Z87+
- [5] VLT 13%: ocular oscuro