

Agentic Runtime

From research to sandboxing POCs

Working Group update · Cloud Foundry Summit 2026

THE MISSION

Make agents feel native


The Agentic Runtime Working Group is exploring how AI agents and LLM-powered workloads can be **deployed, managed, secured, scaled, and observed** with Cloud Foundry's platform primitives.

Not a product roadmap yet.

We are building shared context before we build a settled answer.

MOMENTUM

Research to POCs



Repository snapshot · 63 PRs total · 43 merged · 20 open · 3 open issues

Sources: github.com/cloudfoundry/agnostic-runtime-notes · workshops/02-09-2026-workshop-minutes.md

THE WORKSHOP OUTPUT

Seven clusters. One first move.

01 Sandboxing

02 Identity & credentials

03 Observability / OTel

04 MCP facilitation

05 Agent ↔ app communication

06 Agentic buildpacks

07 Durable workloads

The themes emerged from contributions. The order is where we chose to start.

A SHARED MODEL

What is an agentic workload?



An app answers a request. An agent can choose an action, observe the result, and continue the loop.

THE AWKWARD TOOL

Some tools are not APIs

Remote service

Call an API. Send credentials. Receive a result. A familiar cloud-native boundary.

agent → service → result

Local execution

Run commands, edit files, execute generated code, or drive a browser.

agent → process + files + network

Many agent tools grew up close to a developer's desktop. That is useful, but it is not yet a managed runtime boundary.

THE FIRST PLATFORM BOUNDARY

Local execution breaks the model



- Which identity is acting?
- Which credentials and network paths are available?
- What gets isolated, observed, stopped, or cleaned up?

| To make the tool cloud-native, make execution an explicit managed boundary.

WHY SANDBOXING FIRST

A sandbox makes the boundary real



Isolate

processes and files

Govern

identity and policy

Observe

actions and output

Manage

lifecycle and cleanup

OpenSandbox research: PR #57 · AAIF project proposal #26 (open proposal, not an adopted architecture)

A CONVERSATION WITH THE POC LEADS

Demo placeholder

Sandboxed agent execution

Final scenario to be selected with the POC leads.

The point of the demo: make the execution boundary tangible.

JOIN THE NEXT PHASE

Bring a question. Test a boundary.

- Help test and shape the sandboxing POCs.
- Add research or an idea for the next clusters.
- Connect the work across Cloud Foundry, MCP, and AAIF communities.

Build the concrete thing early. Keep the answer open long enough for the community to improve it.

cloudfoundry.github.io/agnostic-runtime-notes