



1.1. The S3 bucket is created.




1.2. The student has submitted a screenshot showing all the website files uploaded to the newly created S3 bucket.

Static website hosting Enabled  Hosting type Bucket whoster enquests. Learn more  Bucket website or redirect requests. Learn more  Hosting type Bucket website endpoint  When you candigue your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. Learn more  This property your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. Learn more  This property is the static website or redirect requests. Learn more  This bucket to host a website or redirect requests. Learn more  This bucket to host a website or redirect requests. Learn more  This bucket to host as a website or redirect requests. Learn more  This bucket to host as tatic website Use this bucket endpoint as the web address. Learn more  The static website or redirect requests to another bucket or domain. Learn more  This property or customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  This is returned when an error occurs.  Error document - optional This is returned when an error occurs.  Error. Huml		
Enabled  Hosting type Bucket website endpoint When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. Learn more   Static website hosting Use this bucket to host a website or redirect requests. Learn more   Disable Enable  Hosting type Host a static website Use the bucket endpoint as the web address. Learn more  Redirect requests for an object Redirect requests for an object Redirect requests to another bucket or domain. Learn more  For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon 53 Block Public Access   Index document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.		
Bucket website endpoint When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. Learn more [2]  Thittp://my-068297750406-bucket.53-website.us-east-2.amazonaws.com [2]  Static website hosting Use this bucket to host a website or redirect requests. Learn more [2]  Static website hosting Disable Enable Hosting type Host a static website Use the bucket endpoint as the web address. Learn more [2]  Redirect requests for an object Redirect requests for an object Redirect requests to another bucket or domain. Learn more [2]  For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access [2]  Index document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.	_	
When you configure your bucket as a static website, the website is available at the AVS Region-specific website endpoint of the bucket. Learn more      Nttp://my-068297750406-bucket.53-website.us-east-2.amazonaws.com     Nttp://my-068297750406-bucket.53-website.us-east-2.amazonaws.com     Static website hosting		
Static website hosting  Jose this bucket to host a website or redirect requests. Learn more  Disable Enable Hosting type Host a static website Use the bucket endpoint as the web address. Learn more  Redirect requests for an object Redirect requests to another bucket or domain. Learn more  Redirect requests to another bucket or domain. Learn more  Using Amazon S3 Block Public Access  Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.		
Static website hosting  Disable Enable  Host a static website Use the bucket endpoint as the web address. Learn more Redirect requests for an object Redirect requests for an object Redirect requests to another bucket or domain. Learn more  For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Index document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.	<b>☐</b> http://my-068297	750406-bucket.s3-website.us-east-2.amazonaws.com 🖸
Static website hosting Disable Enable Hosting type Host a static website Use the bucket endpoint as the web address. Learn more Redirect requests for an object Redirect requests to another bucket or domain. Learn more For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access Using Amazon S3 Block Public Access The bucket. For more information, see Using Amazon S3 Block Public Access S4  Index document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.		
Disable Enable  Hosting type Host a static website Use the bucket endpoint as the web address. Learn more Redirect requests for an object Redirect requests to another bucket or domain. Learn more  For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Index document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.		_
Enable  Host a static website Use the bucket endpoint as the web address. Learn more  Redirect requests for an object Redirect requests to another bucket or domain. Learn more  From Your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Index document specify the home or default page of the website.  Index.html  Error document - optional this is returned when an error occurs.	Static website ho	sting
Host a static website Use the bucket endpoint as the web address. Learn more  Redirect requests for an object Redirect requests to another bucket or domain. Learn more  For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Mazon S3 Block Public Access  Modex document specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.	Disable	
Host a static website Use the bucket endpoint as the web address. Learn more Redirect requests for an object Redirect requests to another bucket or domain. Learn more For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Modex document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.	Enable	
Host a static website Use the bucket endpoint as the web address. Learn more Redirect requests for an object Redirect requests to another bucket or domain. Learn more For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Modex document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.		
Use the bucket endpoint as the web address. Learn more Redirect requests for an object Redirect requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer requests to another bucket or domain. Learn more Programmer readers to another bucket or domain. Learn more Programmer readers to another bucket or domain. Learn more Programmer requests to another bucket or do	losting type	
Redirect requests for an object Redirect requests to another bucket or domain. Learn more   For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access   Modex document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.	_	
For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access   Index document Specify the home or default page of the website.  Index.html  Error document - optional This is returned when an error occurs.	Use the bucket	endpoint as the web address. Learn more
readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access  Index document Specify the home or default page of the website.  index.html  Error document - optional This is returned when an error occurs.		
index.html  Error document - optional This is returned when an error occurs.	readable. Using Am	To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see azon S3 Block Public Access 🗹
Error document - optional This is returned when an error occurs.	specify the nome of	derault page of the website.
This is returned when an error occurs.	indev html	
error.html	index.html	
	Error document -	
	Error document - This is returned whe	

1.3. The S3 bucket is configured to support static website hosting.



1.4. The S3 bucket has an IAM bucket policy that makes the bucket contents publicly accessible.



1.5. CloudFront has been configured to retrieve and distribute website files.