



VOICE VIDEO OVER INTERNET PROTOCOL (VVoIP) SECURITY TECHNICAL IMPLEMENTATION GUIDE (STIG) REVISION HISTORY

Version 3, Release 11

28 April 2017

Developed by DISA for the DoD

	REVISION HISTORY				
Revision Number	Document Revised	Description of Change	Release Date		
V3R11	VVoIP STIG	- Update VVoIP STIG Overview to remove references to VTC STIG Modify VVoIP 6200 (V-19661) to reflect RFC 1918 NAT is no longer required Remove VVoIP 6335 (V-19672) to reflect RFC 1918 NAT is no longer required Move to the Voice Video Services Policy STIG VVoIP 1221 (V-21516), VVoIP 1222 (V-57951), VVoIP 1223 (V-57953), VVoIP 1800 (V-19627), VVoIP 5300 (V-19652), VVoIP 5310 (V-19654), and VVoIP 5320 (V-19651) Remove VVoIP 1510 (V-19672), VVoIP 1515 (V-19672), VVoIP 1600 (V-19656), VVoIP 1605 (V-19657), VVoIP 1730 (V-19626), VVoIP 1980 (V-21513), VVoIP 5305 (V-19653), VVoIP 5315 (V-19655), VVoIP 5525 (V-19633), VVoIP 5705 (V-19658), VVoIP 5710 (V-19659), VVoIP 5715 (V-19660), VVoIP 6335 (V-19672), VVoIP/VTC 1610 (V-21514), and VVoIP/VTC 1615 (V-21515).	28 April 2017		
V3R10	VVoIP STIG	 Modify VVoIP 6335 (V-19672) severity level to CAT III. Move VVT 2005 (V-21512) to the Voice Video Services Policy STIG and clarify implementation details. Move VVT 2010 (V-21509) to the Voice Video Services Policy STIG and clarify implementation details. Move VVT 2015 (V-21510) to the Voice Video Services Policy STIG and clarify implementation details. 	27 January 2017		
V3R9	VVoIP STIG	- Modify VVoIP 6200 (V-19661) clarifying responsibilities for boundary protection - Modify VVoIP 6340 (V-19673) clarifying stateful inspection for boundary protection	22 July 2016		

	REVISION HISTORY				
Revision Number	Document Revised	Description of Change	Release Date		
		- Modify VVoIP 6345 (V-19674) clarifying protocol inspection for boundary protection - Remove duplicate requirement (V-21516, Rule ID: 23725)			
V3R8	VVoIP STIG	- Modify VVoIP 5111 (V-21517) and VVoIP 5116 (V-21518) to clarify applicability of redundant and physically divergent paths	22 January 2016		
V3R7	VVoIP STIG	- Overview terms and language updated to be consistent with current documents - Modify VVoIP 5300 (V-19652), VVoIP 5305 (V-19653), VVoIP 5310(V-19654), VVoIP 5315 (V-19655), and VVoIP 5320 (V-19651) to clarify applicability to classified systems - Modify VVoIP 5600 (V-19635), VVoIP 5605 (V-19636), VVoIP 5610 (V-19637), VVoIP 5615 (V-19638), VVoIP 5620 (V-19639), VVoIP 5625 (V-19640), VVoIP 5635 (V-19642), VVoIP 5640 (V-19643), and VVoIP 5645 (V-19644) to clarify configuration of classified systems - Removed the Supplemental Procedures document from the DRSN STIG package. The Vulnerability Management System (VMS) is decommissioned, and VMS asset registration procedures no longer apply	23 October 2015		
V3R6	VVoIP STIG	- Define the terms Special-C2, C2, C2R, and non-C2 in the Overview document - Modify VVoIP 6200 (V-19661), VVoIP 6205 (V-19662), VVoIP 6210 (V-19663), and VVoIP 6215 (V-19664) to correct Check/Fix content	24 July 2015		
V3R5	VVoIP STIG	- Updated Supplemental Procedures for clarification of VMS asset creation - Removed VVoIP 5205 (V-8228) for RFC 1918 - Updated VVoIP 5200 (V-8227) for VLAN applicability - Updated VVoIP 5500 (V-8230), VVoIP 5505 (V-19562), VVoIP 5510 (V-19565),	23 January 2015		

REVISION HISTORY				
Revision Number	Document Revised	Description of Change	Release Date	
		VVoIP 5520 (V-19632), VVoIP 5525 (V-19633), and VVoIP 1720 (V-16096) to state VLAN segmentation details - Updated VVoIP 1035 (V-8256), VVoIP 1315 (V-16086), VVoIP 1320 (V-16088), VVoIP 1745 (V-16085), VVoIP 1750 (V-16087), VVoIP 1755 (V-19444), and VVT/VTC 1905 (V-16076) to comply with DISA Guidance 08 Aug 2014 - Updated VVoIP 1330 (V-16091), VVoIP 1335 (V-16090), VVoIP 1720 (V-16096), and VVoIP 1800 (V-1962) for UC soft client assured service stipulations - Updated VVoIP 7100 (ITSP) (V-19605) for approved voice ISP connections Removed V-19606, V-19607, V-19608, V-19609, V-19610, V-19611, V-19612, V-19613, V-19614, V-19615, V-19616, V-19617, V-19618, V-19619, and V-19620 redundant requirements for approved voice ISP connections Updated VVoIP 1221 (V-21516) to apply to Special-C2 users - Added VVoIP 1222 (V-57951) to apply to C2 users - Added VVoIP 1223 (V-57953) to apply to C2R and non-C2/admin users - Retained the Technical Guidance in the current VVoIP STIG package and separated policy into Voice Video Services Policy STIG V3R5		
V3R4	VVoIP STIG	- Updated Overview format - Updated VVoIP 1330 (V-16091) and VVoIP 1335 (V-16090) to clarify user consent and remove reference to DoDI 8500.2 - Added VVoIP 1340 (V-54691) to state required user consent text in the DoD Warning Banner - Added VVoIP 1345 (V-54693) to require acknowledgement of the DoD Warning Banner	24 October 2014	

	REVISION HISTORY				
Revision Number	Document Revised	Description of Change	Release Date		
V3R3	VVoIP STIG	 Updated Overview Create Supplemental Procedures document for additional instructions on asset creation Renamed VVoIP STIG Policy to Voice Video Services Policy STIG to clearly identify non-computing section Update VVoIP 5205 (V-8228) to correctly state RFC 1918 private address ranges Update VVoIP 1400 (V-8250) with configuration exchange to end points Add VVoIP 1410 (V-47735) and VVoIP 1415 (V-47753) encryption of configuration file transfers when using Cisco TFTP Update VVT 2005 (V-21512), VVT 2010 (V-21509), and VVT 2015 (V-21510) for clarity of F&ES guidance Update VVoIP 5235 (V-19630) DHCP scope discussion Update VVoIP 5515 (V-8323) to remove discussion of procedure guide no longer available 	25 April 2014		
V3R2	VVoIP STIG	- Added a Revision History - Updated Overview Added a note regarding the use of the term Local Session Controller (LSC) throughout the document set as meaning any and all VVoIP call/session controllers/managers or IP-PBXs - Updated Readme to include XCCDF file opening instructions and show the new XCCDF format for the Policy_Manual-STIG In VVoIP Policy STIG: - Revised VVoIP 5210 – Reduced to CAT III, and adjusted the verbiage for clarity - Revised VVoIP 1225 – Remove the commercial VoIP verbiage	27 August 2010		

REVISION HISTORY				
Revision	Document	Description of Change	Release Date	
Number	Revised		Kerease Date	
		- Converted the VMS VL05 format to XCCDF / .xml format and applied the "sort by STIG ID" style sheet - Added a note regarding the use of the term Local Session Controller (LSC) throughout the document set as meaning any and all VVoIP call/session controllers/managers or IP-PBXs		
		In VVoIP Technical STIG: - Revised VVoIP 5235 - Changed focus and verbiage as required to accommodate the change in VVoIP 5210 and the potential for a non-dedicated DHCP server - Added a note regarding the use of the term Local Session Controller (LSC) throughout the document set as meaning any and all VVoIP call/session controllers/managers or IP-PBXs - Regenerated the XCCDF / .xml format and applied the "sort by STIG ID" style sheet		
V3R1	VVoIP STIG	The VVoIP STIG V3R1 is a major update to the VoIP STIG V2R2. It merges/supersedes the PCCC STIG V1R1 and includes some guidance from the VTC STIG V1R1. The update areas are as follows: - VVoIP STIG guidance is in XCCDF generated from Vulnerability Management System (VMS) database Coverage extends to video associated with a voice communications session and the scope section discusses video in more detail The general policy guidance is largely unchanged Existing LAN requirements are more fully explained and new computing checks	23 December 2009	

REVISION HISTORY			
Revision Number	Document Revised	Description of Change	Release Date
		have been added to validate compliance with the defined architectural requirements. - New LAN requirements have been added in support of the VVoIP service availability and reliability for assured service and emergency life safety communications. - Existing enclave boundary requirements have been modified, updated, or rescinded. - New enclave boundary requirements and checks have been developed in support of the new DISN IP-based Voice Services (IPVS) program. - The PC Communications Client (PCCC) STIG guidance is merged with, and superseded by, the VVoIP STIG.	