

UNCLASSIFIED



BLACKBERRY OPERATING SYSTEM (OS) 10.3.x STIG CONFIGURATION TABLE

Version 1, Release 3

28 October 2016

Developed by BlackBerry, Ltd. and DISA for the DoD

UNCLASSIFIED

BLACKBERRY OS IT POLICY RULES, PROFILE SETTINGS, AND OTHER SERVER CONFIGURATIONS

Note: In Table 1, “Required” IT policy rule settings must be implemented by all DoD BlackBerry systems. “Optional” IT policy rule settings are recommended settings and may be changed to meet mission requirements.

Table 1: BlackBerry OS 10.3 – IT Policy Rules (BES 12.4)

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|----------------------------------|--------------|------------------------|------------------------|---|-----------------------------------|--|----------------------------------|--|
| 1.1 | Password required for work space | Password | Selected (box checked) | | | BB10-3X-000100 | X | | X |
| 1.2 | Minimum password length | Password | 6 | | | BB10-3X-000110 | X | X | X |
| 1.3 | Minimum password complexity | Password | | No Restriction | Local site can change setting based on mission needs. | | X | X | X |
| 1.4 | Security timeout | Password | 15 minutes | | | BB10-3X-000120 | X | X | X |
| 1.5 | Maximum password attempts | Password | 10 | | | BB10-3X-000140, BB10-3X-000940 | X | X | X |
| 1.6 | Minimum password history | Password | | {blank} | Local site can change setting based on mission needs. | | X | X | X |
| 1.7 | Minimum password age | Password | | {blank} | Local site can change setting based on mission needs. | | X | X | X |
| 1.8 | Require full device password | Password | | Selected (box checked) | May be a required setting depending on use case. See STIG requirement for more information. | BB10-3X-001000 | X | | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|--------------------|------------------------|---|----------------------------|--|----------------------------------|--|
| | | | | | Local site can change setting based on mission needs. | | | | |
| 1.9 | Define work space and device password behavior | Password | | User choice | This rule may not be visible if the previous rule is not selected. Local site can change setting based on mission needs. | | X | | X |
| 2.1 | Allow roaming | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 2.2 | Allow location services | Device functionality | | Allow | Local site can change setting based on mission needs. | | | X | X |
| 2.3 | Allow media card | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.4 | Allow camera | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.5 | Allow FM radio | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.6 | Allow mobile network | Device functionality | | Allow | Local site can change setting based on mission needs. | | | X | X |
| 2.7 | Allow mobile line | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.8 | Allow mobile | Device | | Selected (box | Local site can change | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|----------------------------|--------------------------------|--|----------------------------|--|----------------------------------|--|
| | voice mail | functionality | | checked) | setting based on mission needs. | | | | |
| 2.9 | Allow speakerphone | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.10 | Allow answering calls automatically | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.11 | Allow voice control | Device functionality | | Allow all | Local site can change setting based on mission needs. | | X | X | X |
| 2.12 | Allow BlackBerry assistant when locked | Device functionality | | Not Selected (box not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 2.13 | Allow voice dictation | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.14 | Allow voice dictation in work apps | Device functionality | Not Selected (not checked) | | | BB10-3X-020275 | X | | X |
| 2.15 | Allow wireless software updates | Device functionality | Selected (box checked) | Allow all | | BB10-3X-000380 | | X | X |
| 2.16 | Allow Wi-Fi | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.17 | Allow user created Wi-Fi profiles | Device functionality | | Selected (box checked) | This rule may not be visible if the previous rule is not selected. | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---------------------------------------|----------------------|----------------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | | | | | Local site can change setting based on mission needs. | | | | |
| 2.18 | Allow media sharing | Device functionality | | Selected (box checked) | This rule may not be visible if the previous rule is not selected. Local site can change setting based on mission needs. | | | X | X |
| 2.19 | Allow Miracast | Device functionality | | Selected (box checked) | This rule may not be visible if the previous rule is not selected. Local site can change setting based on mission needs. | | | X | X |
| 2.20 | Allow HDMI | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.21 | Allow NFC | Device functionality | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.22 | Allow transfer of work data using NFC | Device functionality | Not Selected (not checked) | | | BB10-3X-000990 | X | | X |
| 2.23 | Allow Bluetooth | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.24 | Allow Bluetooth A2DP | Device functionality | | Selected (box checked) | This rule may not be visible if the rule “Allow Bluetooth” is | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|----------------------------|------------------------|--|----------------------------|--|----------------------------------|--|
| | | | | | not selected. Local site can change setting based on mission needs. | | | | |
| 2.25 | Allow Bluetooth AVRCP | Device functionality | | Selected (box checked) | This rule may not be visible if the rule “Allow Bluetooth” is not selected. Local site can change setting based on mission needs. | | | X | X |
| 2.26 | Allow Bluetooth contacts transfer using PBAP | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000340 | | X | X |
| 2.27 | Allow Bluetooth discoverable mode | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000970 | | X | X |
| 2.28 | Allow Bluetooth file transfer using OBEX | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000980 | | X | X |
| 2.29 | Allow Bluetooth HFP | Device functionality | | Selected (box checked) | This rule may not be visible if the rule “Allow Bluetooth” is not selected. Local site can change setting based on | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|----------------------------|----------------------------|--|----------------------------|--|----------------------------------|--|
| | | | | | mission needs. | | | | |
| 2.30 | Allow Bluetooth MAP | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000340 | | X | X |
| 2.31 | Allow Bluetooth pairing | Device functionality | | Selected (box checked) | This rule may not be visible if the rule “Allow Bluetooth” is not selected. Local site can change setting based on mission needs. | | | X | X |
| 2.32 | Allow Bluetooth PAN profile | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. Local site can change setting based on mission needs. | BB10-3X-000340 | | X | X |
| 2.33 | Allow Bluetooth SPP | Device functionality | | Selected (box checked) | This rule may not be visible if the rule “Allow Bluetooth” is not selected. Local site can change setting based on mission needs. | | | X | X |
| 2.34 | Enforce Bluetooth SPP numeric comparison | Device functionality | | Not Selected (not checked) | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|--------------------|------------------------|---|----------------------------|--|----------------------------------|--|
| | | | | | Local site can change setting based on mission needs. | | | | |
| 2.35 | Enforce minimum Bluetooth passkey Length | Device functionality | | Selected (box checked) | <p>This rule may not be visible if the rule “Allow Bluetooth” is not selected.</p> <p>Local site can change setting based on mission needs.</p> | | | X | X |
| 2.36 | Minimum Bluetooth encryption key length | Device functionality | | 1 byte | <p>This rule may not be visible if the rule “Allow Bluetooth” is not selected.</p> <p>Local site can change setting based on mission needs.</p> | | | X | X |
| 2.37 | Allow Bluetooth Low Energy | Device functionality | | Selected (box checked) | <p>This rule may not be visible if the rule “Allow Bluetooth” is not selected.</p> <p>Local site can change setting based on mission needs.</p> | | | X | X |
| 2.38 | Allow Bluetooth Page Scan | Device functionality | | Selected (box checked) | <p>This rule may not be visible if the rule “Allow Bluetooth” is not selected.</p> | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|----------------------|----------------------------|--------------------|---|----------------------------|--|----------------------------------|--|
| | | | | | Local site can change setting based on mission needs. | | | | |
| 2.39 | Allow transfer of work contacts using Bluetooth PBAP or HFP | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000340 | X | | X |
| 2.40 | Allow transfer of work messages using Bluetooth MAP | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000340 | X | | X |
| 2.41 | Allow transfer work messages using Bluetooth MAP without prompt | Device functionality | Not Selected (not checked) | | This rule may not be visible if the previous rule is not selected. | BB10-3X-000340 | X | | X |
| 2.42 | Allow transfer of work files using Bluetooth OPP or a Wi-Fi Direct connection | Device functionality | Not Selected (not checked) | | This rule may not be visible if the rule “Allow Bluetooth” is not selected. | BB10-3X-000980 | X | | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|----------------------------|----------------------------|--|----------------------------|--|----------------------------------|--|
| 2.43 | Allow Mobile Hotspot mode and tethering | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 2.44 | Allow user created VPN profiles | Device functionality | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 2.45 | Custom name for “Switch to personal” setting | Device functionality | | Switch to personal | Agency can use agency specific label. Local site can change setting based on mission needs. | | | | X |
| 2.46 | Allow USB OTG mass storage | Device functionality | Not Selected (not checked) | | | BB10-3X-000250 | | X | X |
| 2.47 | Mobile data usage notification limit | Device functionality | | {blank} | Local site can change setting based on mission needs. | | | X | X |
| 2.48 | Early warning threshold | Device functionality | | {blank} | Local site can change setting based on mission needs. | | | X | X |
| 2.49 | Data usage cycle reset date | Device functionality | | {blank} | Local site can change setting based on mission needs. | | | X | X |
| 2.50 | Use BlackBerry compression for work email | Device functionality | | Not Selected (not checked) | Caution: may cause performance issues if selected. Local site can change setting based on | | X | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|----------------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | | | | | mission needs. | | | | |
| 2.5.1 | Hotspot Browser timeout | Device functionality | 15 minutes | | | BB10-3X-001060 | | X | X |
| 3.1 | Allow wireless service provider billing | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.2 | Allow wireless service provider apps | Apps | Not Selected (not checked) | | | BB10-3X-000290 | | X | X |
| 3.3 | Allow installing apps from other sources | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | | X |
| 3.4 | Email address for user requested work apps | Apps | | {blank} | Local site can change setting based on mission needs. | | X | | X |
| 3.5 | Allow Find More Contact Details | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.6 | Allow non-email accounts | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.7 | Allow other email messaging services | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | | |
| 3.8 | Allow | Apps | | Selected (box | Local site can change | | X | | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|--------------|----------------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | unified view for work and personal accounts and messages | | | checked) | setting based on mission needs. | | | | |
| 3.9 | Allow opening links in work email messages in the personal browser | Apps | Not Selected (not checked) | | | BB10-3X-020320 | X | | X |
| 3.10 | Allow IRM-protected email messages | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.11 | Allow forwarding or adding recipients to private messages | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.12 | Allow friendly names of recent contacts | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.13 | Display indicator for external email addresses | Apps | Selected (box checked) | | | BB10-3X-020280 | X | X | X |
| 3.14 | Display warning | Apps | | Not Selected (not checked) | Local site can change setting based on | | X | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|--------------|----------------------------|-----------------------------------|--|----------------------------|--|----------------------------------|--|
| | message for external email addresses | | | | mission needs. | | | | |
| 3.15 | External email domain allowed list | Apps | | Use setting specified by SysAdmin | Local site can change setting based on mission needs. | | X | X | X |
| 3.16 | External email domain restricted list | Apps | | Use setting specified by SysAdmin | Local site can change setting based on mission needs. | | X | X | X |
| 3.17 | Restrict Exchange ActiveSync and SCEP enrolment to TLS 1.2 | Apps | | Not Selected (not checked) | If feature is selected, may cause ActiveSync to not work if TLS 1.2 not supported. Site should use a version of ActiveSync that supports TLS 1.2 as soon as possible. Local site can change setting based on mission needs. | | X | X | X |
| 3.18 | Allow untrusted connections to the mail server | Apps | Not Selected (not checked) | | | BB10-3X-020330 | X | X | X |
| 3.19 | Initial email body size while roaming | Apps | | Full message body | Local site can change setting based on mission needs. | | | X | X |
| 3.20 | Initial email | Apps | | Full message | Local site can change | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|--------------|--------------------|-----------------------------------|---|----------------------------|--|----------------------------------|--|
| | body size on mobile network | | | body | setting based on mission needs. | | | | |
| 3.21 | Allow Hotspot Browser | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.22 | Force private browsing in the work browser | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.23 | Work browser home page | Apps | | Use setting specified by SysAdmin | Local site can change setting based on mission needs. | | X | X | X |
| 3.24 | Allow SSL version 3.0 in the work browser | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.25 | Allow join | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.26 | Allow PIN messages | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.27 | Allow SMS/MMS | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.28 | Allow SMS messages | Apps | | Allow send and receive | Local site can change setting based on mission needs. | | | X | X |
| 3.29 | Allow MMS messages | Apps | | Allow send and receive | Local site can change setting based on mission needs. | | | X | X |
| 3.30 | SMS/MMS | Apps | | {blank} | Local site can change | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|--------------|----------------------------|------------------------|---|----------------------------|--|----------------------------------|--|
| | signature | | | | setting based on mission needs. | | | | |
| 3.31 | Allow BBM | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.32 | Allow BBM Channels | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.33 | Allow BBM Video/BBM Voice | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.34 | Use BBM Protected | Apps | Selected (box checked) | | | BB10-3X-020265 | X | X | X |
| 3.35 | Allow BBM Video over work networks | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | X | | X |
| 3.36 | Allow sharing work data during BBM Video screen sharing | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | X | | X |
| 3.37 | Allow BlackBerry Maps | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.38 | Allow BlackBerry Protect | Apps | Not Selected (not checked) | | | BB10-3X-020340 | X | X | X |
| 3.39 | Allow YouTube for BlackBerry | Apps | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|--------------|--------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | Devices | | | | | | | | |
| 3.40 | Synchronize phone logs | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.41 | Synchronize PIN to PIN logs | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.42 | Synchronize SMS/MMS logs | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.43 | Synchronize BBM logs | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.44 | Synchronize video chat logs | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.45 | Force static IP address for BlackBerry World for Work | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.46 | Allow BlackBerry Blend | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 3.47 | Allow BlackBerry Blend to access work data | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | | X |
| 3.48 | Allow BlackBerry Blend access to the work | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|---|----------------------------|--|-----------------------------------|--|----------------------------------|--|
| | browser | | | | | | | | |
| 3.49 | Allow BlackBerry Blend access to work files | Apps | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 3.50 | Allow third-party apps to use BlackBerry Blend | Apps | Not Selected (not checked) | | | BB10-3X-020350 | X | X | X |
| 4.1 | Force personal space data encryption | Security and privacy | Selected (box checked) | | | BB10-3X-020300 | X | | X |
| 4.2 | Force media card encryption | Security and privacy | Selected (box checked)/ Not Selected (not checked)based on activation type | | Required “Selected” for “Work-Only” activation type. All other activation types, “Selected” or “Not Selected” may be enforced. | BB10-3X-000210, BB10-3X-000950 | X | X | X |
| 4.3 | Display organization notice after device restart | Security and privacy | Selected (box checked) | | The administrator must load the following message on the BES: I've read & consent to terms in IS user agreem't. Text must be exactly as listed. | BB10-3X-000240 | | X | X |
| 4.4 | Display | Security | | Not Selected | If used, message must | | X | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|----------------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | owner information on lock screen | and privacy | | (not checked) | not contain sensitive or personal information. Local site can change setting based on mission needs. | | | | |
| 4.5 | Allow lock screen preview of work content | Security and privacy | Not Selected (not checked) | | | BB10-3X-001050 | X | X | X |
| 4.6 | Allow app security timer reset | Security and privacy | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 4.7 | Wipe the device without network connectivity | Security and privacy | | 0 | Local site can change setting based on mission needs. | | | X | X |
| 4.8 | Wipe the work space without network connectivity | Security and privacy | | 0 | Local site can change setting based on mission needs. | | X | | X |
| 4.9 | Force network access control for work apps | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 4.10 | Allow personal apps to use work networks | Security and privacy | Not Selected (not checked) | | | BB10-3X-001010 | X | | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|----------------------|----------------------------|-----------------------------------|--|--------------------------------|--|----------------------------------|--|
| 4.11 | Allow personal apps to access work contacts | Security and privacy | Only BlackBerry Apps | | | BB10-3X-000930 | X | | X |
| 4.12 | Allow work apps to access shared files or content in the personal space | Security and privacy | | Selected (box checked) | Local site can change setting based on mission needs. | | X | | X |
| 4.13 | Work domains | Security and privacy | | Use setting specified by SysAdmin | Local site can change setting based on mission needs. | | X | X | X |
| 4.14 | Restrict development mode | Security and privacy | Selected (box checked) | | Note: The AO may approve user unrestricted access to app stores for downloading apps to the personal space and change this setting to “Not Selected”. | BB10-3X-000160, BB10-3X-000190 | X | X | X |
| 4.15 | Allow development mode access to work space | Security and privacy | Not Selected (not checked) | | This rule will not be visible if the previous rule is selected and is automatically set to “Not Selected” in that case. | BB10-3X-000190 | X | X | X |
| 4.16 | Allow BlackBerry Bridge to | Security and privacy | Not Selected (not checked) | | | BB10-3X-001040 | X | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|----------------------|--------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | access the work space | | | | | | | | |
| 4.17 | Allow computer to access device | Security and privacy | | Selected (box checked) | Local site can change setting based on mission needs. | | | X | X |
| 4.18 | Submit logs to BlackBerry | Security and privacy | | Selected (box checked) | Local site can change setting based on mission needs. | | X | X | X |
| 4.19 | Allow CCL data collection | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |
| 4.20 | Smart card password caching | Security and privacy | | Allow | Local site can change setting based on mission needs. | | X | X | X |
| 4.21 | Smart password entry | Security and privacy | | Allow | Local site can change setting based on mission needs. | | X | X | X |
| 4.22 | Lock on card removal | Security and privacy | | Allow | Local site can change setting based on mission needs. | | X | X | X |
| 4.23 | Smart card reader maximum Bluetooth range | Security and privacy | | 30% | Local site can change setting based on mission needs. | | X | X | X |
| 4.24 | Smart card reader PIN entry mode | Security and privacy | | Numeric | Local site can change setting based on mission needs. | | X | X | X |
| 4.25 | Two-factor authentication | Security and privacy | | Allow | Local site can change setting based on mission needs. | | | X | X |
| 4.26 | Assign two-factor | Security and | | Allow | Local site can change setting based on | | | | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|--------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | authentication for work | privacy | | | mission needs. | | | | |
| 4.27 | Two-factor authentication only for work space | Security and privacy | | Allow | Local site can change setting based on mission needs. | | | X | X |
| 4.28 | Force advanced data at rest protection | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 4.29 | Advanced data at rest protection timeout | Security and privacy | | 0 | This rule may not be visible if the previous rule is not selected. Local site can change setting based on mission needs. | | | X | X |
| 4.30 | Two-factor authentication for advanced data at rest protection | Security and privacy | | Not Selected (not checked) | This rule may not be visible if the rule “Advanced data at rest protection timeout” is not selected. Local site can change setting based on mission needs. | | | X | X |
| 4.31 | Allow non-FQDN domains as trusted domains for single sign- | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|----------------------|------------------------|----------------------------|--|----------------------------|--|----------------------------------|--|
| | on authentication | | | | | | | | |
| 4.32 | Allow single sign-on authentication using Kerberos for non-FQDN domains | Security and privacy | | Not Selected (not checked) | This rule may not be visible if the previous rule is not selected. Local site can change setting based on mission needs. | | X | X | X |
| 4.33 | Allow single sign-on authentication using NTLM for non-FQDN domains | Security and privacy | | Not Selected (not checked) | This rule may not be visible if the rule “I Allow non-FQDN domains as trusted domains for single sign-on authentication” is not selected. Local site can change setting based on mission needs. | | X | X | X |
| 4.34 | Enable NIAP Common Criteria functionality | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. Only applies to BES 12. | BB10-3X-020200 | | X | X |
| 4.35 | Event logging | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. Only applies to BES | BB10-3X-020210 | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--------------------------|----------------------|------------------------|--------------------|---|----------------------------|--|----------------------------------|--|
| | | | | | 12. | | | | |
| 4.36 | Info event logging | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. This rule is not to be visible if Event Logging is set to “Not Selected”. | BB10-3X-020230 | | X | X |
| 4.37 | Warning event logging | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. This rule is not to be visible if Event Logging is set to “Not Selected”. | BB10-3X-020260 | | X | X |
| 4.38 | Error event logging | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. This rule is not to be visible if Event Logging is set to “Not Selected”. | BB10-3X-020250 | | X | X |
| 4.39 | Successful event logging | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. This rule is not to be visible if Event Logging is set to “Not Selected”. | BB10-3X-020220 | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|---|----------------------|------------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| 4.40 | Failure event logging | Security and privacy | Selected (box checked) | | Placeholder for future BB10.3.3 IT policy rules. This rule is not to be visible if Event Logging is set to “Not Selected”. | BB10-3X-020240 | | X | X |
| 4.41 | Event log synchronization frequency | Security and privacy | 6 hours | | Placeholder for future BB10.3.3 IT policy rules. This rule is not to be visible if Event Logging is set to “Not Selected”. | BB10-3X-020270 | | X | X |
| 4.42 | Check certificate expiry for MDM connection | Security and privacy | Selected (box checked) | | | BB10-3X-020290 | | X | X |
| 4.43 | Allow backup and restore of device | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 4.44 | Allow backup and restore of work space | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | X | | X |
| 4.45 | Require dual layer data at rest | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |

| Rule Ref No. | Policy Rule | Policy Group | Setting - Required | Setting - Optional | Comments | Related Requirement Number | Activation Type: Work and Personal – Corporate | Activation Type: Work space only | Activation Type: Work and Personal – Regulated |
|--------------|--|----------------------|------------------------|----------------------------|---|----------------------------|--|----------------------------------|--|
| | encryption | | | | | | | | |
| 4.46 | Require NIAP compliance for SCEP servers | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |
| 4.47 | Allow use of preloaded trusted root certificates | Security and privacy | Selected (box checked) | | | BB10-3X-001070 | X | X | X |
| 4.48 | Allow microphone | Security and privacy | | Not Selected (not checked) | Local site can change setting based on mission needs. | | | X | X |