

NOOP_visualization

October 24, 2023

```
[6]: import matplotlib.pyplot as plt
import numpy as np
```



```
[17]: x_axis = []
y_axis = []
idx = 0
with open('../../NOP/NOP_params/visualization/exec.txt', 'r') as file:
    for line in file:
        y_axis.append(float(line.strip()))
        x_axis.append(idx)
        idx+=1

x_axis_2 = []
y_axis_2 = []
idx_2 = 0
with open('../../NOP/NOP_params/visualization/exec.txt', 'r') as file_2:
    for line in file_2:
        y_axis_2.append(float(line.strip()))
        x_axis_2.append(idx_2)
        idx_2+=1


figure, axis = plt.subplots(1,2,figsize=(14, 6))

# plt.rc('font', size=8)
axis[0].set_yticks(np.arange(0.05, max(y_axis)+0.05, step=0.005))
axis[0].set_xlabel('No. of Iterations')
axis[0].set_ylabel('Time Elapsed (milliseconds)')
# axis[0].set_text(36, 0.168, 'Representation of NOP execution with parameters')
axis[0].plot(x_axis,y_axis)
# plt.show()

# plt.rc('font', size=8)
axis[1].set_yticks(np.arange(0.05, max(y_axis_2)+0.05, step=0.005))
axis[1].set_xlabel('No. of Iterations')
axis[1].set_ylabel('Time Elapsed (milliseconds)')
axis[1].text(30, 0.16, 'Representation of NOP execution with no parameters')
axis[1].plot(x_axis_2,y_axis_2)
plt.show()
```



```
[14]: x_axis_2 = []
y_axis_2 = []
idx_2 = 0
with open('../NOP/NOP_params/visualization/exec.txt', 'r') as file_2:
    for line in file_2:
        y_axis_2.append(float(line.strip()))
        x_axis_2.append(idx_2)
        idx_2+=1
plt.rc('font', size=8)
plt.plot(x_axis_2,y_axis_2)
plt.yticks(np.arange(0.05, max(y_axis_2)+0.05, step=0.005))
plt.xlabel('No. of Iterations')
plt.ylabel('Time Elapsed (milliseconds)')
plt.text(30, 0.16, 'Representation of NOP execution with no parameters')
plt.show()
```



[]: