VAAL UNIVERSITY OF TECHNOLOGY

Inspiring thought. Shaping talent.

FACULTY: Applied and Computer Sciences
DEPARTMENT: Computer Sciences
SUBJECT: Information System 1.2/ Financial Information Systems 1.2
SUBJECT CODE: AIITY1A/AISIFA
LECTURER: Ms. N. Moyo
MODERATOR: Grace Thapeli
YEAR: 2026

ASSESSMENT NAME:	Assessment 3: Project Plan
ASSESSMENT DATE:	31 October 2026

STUDENT NUMBER	SURNAME AND INITIALS	SIGNATURE
226012484	Maja D.M.	
225205868	Nemalili T.	
226000927	Gabela S.	
226026134	Masithulela R.J.	
226061631	Khumalo N.K.	
226032309	Khambule N.	
226033518	Xulu A.A.L.	
225223919	Moema D.C.	

DECLARATION

We, *Domingos Marcelo Maja*

Thingahangwi Nemalili

Dimakatso Charmaine Moema

Amanda Asemahle Londeka Xulu

Rinaye Judy Masithulela

Nomfundo Khanyisile Khumalo

Sbongakonke Gabela

Nontombi Khambule

declare that the contents of this project represent our own unaided work, and that the project has not previously been submitted for academic examination towards any qualification. Furthermore, it represents our own opinions and not necessarily those of the Vaal University of Technology.

Signed		Date	30/10/2026
Signed		Date	30/10/2026
Signed		Date	30/10/2026
Signed		Date	30/10/2026
Signed		Date	30/10/2026
Signed		Date	30/10/2026

Signed  Date 30/10/2026

Signed  Date 30/10/2026

Table Of Content

Contents

DECLARATION 2
Table Of Content 4
1.Project Topic And Purpose 5
2. Project overview and objectives 5
3. Background 6
4. Importance of database management 6
5. Business rules 6
6. Entity Relationship Diagram (ERD) 7
7.SQL Database Development Lifecycle/ Working System 9

1. Project Topic And Purpose

A hotel must monitor rooms, guests, reservations, additional services, and payments simultaneously. When performed on paper or in separate spreadsheets, the identical guest information is entered repeatedly, two individuals can reserve the same room for conflicting dates, and invoices do not consistently reflect actual usage. Our team selected the Hotel Reservation Management System due to its relevance as a real-world challenge encountered daily by hotels, guesthouses, and lodges, along with its potential for us to effectively implement our knowledge of relational database design.

The impacted users include the front-desk personnel who enter bookings, managers requiring occupancy and revenue data, and guests who anticipate correct bills. A central Oracle database is anticipated to minimize data duplication, provide employees with swift access to up-to-date room availability, enhance booking and billing accuracy, and expedite reporting significantly.

2. Project overview and objectives

The Hotel Reservation Management System is a relational database that stores information about departments and staff, customers, room types and rooms, reservations, additional services, billing and payments. It was designed and implemented in Oracle SQL (Oracle Free SQL). The scope is the data layer only: tables, relationships, constraints, sample data and SQL queries for retrieval and reporting. A user interface is outside the scope of this project.

Key functions: capturing customers and reservations; recording which room is booked and for which dates; tracking room status; recording services used during a stay; generating a bill for each reservation; recording payments; and producing reports such as room-type popularity, monthly revenue, available rooms and longest stays.

Intended users: front-desk staff, hotel managers and administrators.

Objectives:

1. Design a normalized database of 10 related tables with primary keys, foreign keys and constraints.

2. Prevent invalid data, for example a check-out date earlier than the check-in date, through constraints.

3. Allow staff to list all currently available rooms with a single query.

4. Link every reservation to a customer, a room and the staff member who captured it.

5. Answer the four reporting questions: most booked room type, revenue for a month, available rooms, and longest stay by a customer.

3. Background

Insync Hotel is a mid-sized accommodation venue that serves business travellers, tourists, and event attendees. The hotel provides different types of rooms, event spaces, and dining options to satisfy the requirements of its guests. Daily tasks involve overseeing room bookings, facilitating guest arrivals and departures, assigning rooms, handling invoicing, and managing payment transactions.

At present, the hotel predominantly depends on manual record-keeping techniques like paper booking logs and spreadsheets to handle reservations and customer data. Team members log guest information, room reservations, and payments by hand, which can take a lot of time and is susceptible to mistakes.

With a rising guest count, the hotel faces various operational difficulties. Examples of these issues are double bookings, challenges in tracking room availability, lost customer records, delays in producing management reports, and inefficiencies in handling reservations and payments. These issues adversely impact on customer service and overall business efficiency, generating a demand for a computerized Hotel Reservation Management System.

4. Importance of database management

Data precision: data types and CHECK constraints guarantee that, for instance, prices are non-negative and room status contains only acceptable values.

Data integrity: primary keys uniquely distinguish each record, while foreign keys ensure a reservation can only link to an existing customer, room, and staff member. A bill cannot exist without a payment.

Minimized redundancy: customer, room, and room type information is saved once and referenced by ID, ensuring that a price change in ROOMTYPE affects all rooms of that kind.

Security: the DBMS enables the assignment of various privileges to different users, such as read-only access for managers and permission to insert for front-desk personnel.


Quick retrieval and reporting: SQL joins and aggregate functions access occupancy, revenue, and stay-length data in seconds rather than sifting through paper records.

5. Business rules

- A staff member handles one and only one department. and department is handled by one or many staff members.
- A parking space belongs to one and only one room, and room can have zero or many parking spaces.

- A payment is made by one and only one customer, and customer makes one or many payments.
- A room may have one or many reservations, and a reservation has one or many.
- A reservation belongs to one and only one customer, and customer makes one or many reservations
- A payment belongs to one and only one reservation, and reservation has one or many payments.
- A reservation is handled by one and only one staff member, and staff member handles one or many reservations.

6. Entity Relationship Diagram (ERD)


PAYMENT
PK payment_id
amount_due
date
payment_method
SETTLES
MAKES
RESERVATION
PK reservation_id
FK staff_id
FK customer_id
FK payment_id
reservation_date
check_in_date
check_out_date
status
HANDLES
STAFF
PK staff_id
last_name
frist_name
UK email
phone_number
role
hire_date
FK department
CUSTOMER
PK customer_id
last_name
first_name
email
address
phone_number
UK id_number
MAKES
CONTAINS
RESERVATION DETAILS
PK reservation_details_id
FK reservation_id
FK room_id
number_of_guest
EMPLOYES
DEPARTMENT
PK department_id
department_name
department_location
LISTED IN
PARKING
PK parking_id
parking_name
parking_slot
ALLOCATED
ROOM
PK room_id
floor_no
price
status
FK parking_id

7.SQL Database Development Lifecycle/ Working System

```
-- ====================================================
-- INNSYNC HOTEL DATABASE
-- ====================================================

CREATE TABLE DEPARTMENT (
    department_id NUMBER PRIMARY KEY,
    department_name VARCHAR2(100) NOT NULL,
    department_location VARCHAR2(100)
);
CREATE TABLE ROOM (
    room_id NUMBER PRIMARY KEY,
    room_type VARCHAR2(50),
    floor_no NUMBER,
    price NUMBER(10,2) NOT NULL,
    status VARCHAR2(30) DEFAULT 'Available'
);
CREATE TABLE CUSTOMER (
    customer_id NUMBER PRIMARY KEY,
    last_name VARCHAR2(50) NOT NULL,
    first_name VARCHAR2(50) NOT NULL,
    email VARCHAR2(100),
    address VARCHAR2(200),
    phone_number VARCHAR2(20),
    id_number VARCHAR2(20) UNIQUE
);
CREATE TABLE PAYMENT (
    payment_id NUMBER PRIMARY KEY,
    amount_due NUMBER(10,2) NOT NULL,
    payment_date DATE,
    payment_method VARCHAR2(30)
```

```
);
CREATE TABLE PARKING (
   parking_id NUMBER PRIMARY KEY,
   parking_name VARCHAR2(100),
   parking_slot VARCHAR2(20) NOT NULL,
   room_id NUMBER,
   CONSTRAINT fk_parking_room FOREIGN KEY (room_id) REFERENCES
ROOM(room_id)
);
CREATE TABLE STAFF (
   staff_id NUMBER PRIMARY KEY,
   last_name VARCHAR2(50) NOT NULL,
   first_name VARCHAR2(50) NOT NULL,
   email VARCHAR2(100) UNIQUE,
   phone_number VARCHAR2(20),
   role VARCHAR2(50),
   hire_date DATE,
   department_id NUMBER NOT NULL,
   CONSTRAINT fk_staff_department FOREIGN KEY (department_id)
REFERENCES DEPARTMENT(department_id)
);
CREATE TABLE RESERVATION (
   reservation_id NUMBER PRIMARY KEY,
   staff_id NUMBER NOT NULL,
   customer_id NUMBER NOT NULL,
   payment_id NUMBER,
   reservation_date DATE NOT NULL,
   check_in_date DATE NOT NULL,
   check_out_date DATE NOT NULL,
   status VARCHAR2(30) DEFAULT 'Pending',
   CONSTRAINT fk_reservation_staff FOREIGN KEY (staff_id) REFERENCES
STAFF(staff_id),
   CONSTRAINT fk_reservation_customer FOREIGN KEY (customer_id)
REFERENCES CUSTOMER(customer_id),
```

```
   CONSTRAINT fk_reservation_payment FOREIGN KEY (payment_id)
REFERENCES PAYMENT(payment_id),
   CONSTRAINT chk_reservation_dates CHECK (check_out_date > check_in_date)
);
CREATE TABLE RESERVATION_DETAILS (
   reservation_details_id NUMBER PRIMARY KEY,
   reservation_id NUMBER NOT NULL,
   room_id NUMBER NOT NULL,
   number_of_guest NUMBER NOT NULL,
   CONSTRAINT fk_details_reservation FOREIGN KEY (reservation_id)
REFERENCES RESERVATION(reservation_id),
   CONSTRAINT fk_details_room FOREIGN KEY (room_id) REFERENCES
ROOM(room_id),
   CONSTRAINT chk_number_guest CHECK (number_of_guest > 0)
);

-- 1. DEPARTMENT
INSERT INTO DEPARTMENT (department_id, department_name,
department_location)
 VALUES (1, 'Front Desk', 'Main Lobby');
INSERT INTO DEPARTMENT (department_id, department_name,
department_location)
VALUES (2, 'Housekeeping', 'Floor 1 Service Wing');
INSERT INTO DEPARTMENT (department_id, department_name,
department_location)
 VALUES (3, 'Catering', 'Ground Floor Restaurant');
INSERT INTO DEPARTMENT (department_id, department_name,
department_location)
VALUES (4, 'Maintenance', 'Basement Room B-02');
INSERT INTO DEPARTMENT (department_id, department_name,
department_location)
 VALUES (5, 'Security', 'West Wing Ground Floor');
INSERT INTO DEPARTMENT (department_id, department_name,
department_location)
```

```
 VALUES (6, 'Human Resources', 'Executive Block 3rd Floor');
INSERT INTO DEPARTMENT (department_id, department_name, department_location)
 VALUES (7, 'Finance', 'Executive Block 2nd Floor');
INSERT INTO DEPARTMENT (department_id, department_name, department_location)
 VALUES (8, 'IT', 'Tech Hub Room 102');
INSERT INTO DEPARTMENT (department_id, department_name, department_location)
 VALUES (9, 'Marketing', 'Annex Building 1st Floor');
INSERT INTO DEPARTMENT (department_id, department_name, department_location)
 VALUES (10, 'Guest Relations', 'Main Lobby Desk B');

-- 2. ROOM
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (1, 'Single', 1, 1200.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (2, 'Single', 1, 1200.00, 'Occupied');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (3, 'Single', 1, 1250.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (4, 'Double', 1, 1250.00, 'Maintenance');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (5, 'Double', 2, 1500.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (6, 'Double', 2, 1500.00, 'Occupied');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (7, 'Double', 2, 1550.00, 'Cleaning');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (8, 'Double', 2, 1550.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (9, 'Deluxe', 3, 2000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
```

```
 VALUES (10, 'Deluxe', 3, 2100.00, 'Occupied');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (11, 'Deluxe', 3, 2000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (12, 'Deluxe', 3, 2100.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (13, 'Family', 4, 2500.00, 'Occupied');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (14, 'Family', 4, 2600.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no,  price,  status)
 VALUES (15, 'Family', 4,  2500.00,  'Cleaning');
INSERT INTO ROOM (room_id,  room_type,  floor_no,  price,  status)
 VALUES (16,  'Family', 4,  2600.00,  'Available');
INSERT INTO ROOM (room_id,  room_type,  floor_no,  price,  status)
 VALUES (17,  'Suite', 5,  4000.00,  'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (18, 'Suite', 5, 4500.00, 'Occupied');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (19, 'Suite', 5, 5000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (20, 'Suite', 5, 5000.00, 'Reserved');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (21, 'Executive', 6, 6000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (22, 'Executive', 6, 6500.00, 'Occupied');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (23, 'Executive', 6, 6000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (24, 'Executive', 6, 7000.00, 'Reserved');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (25, 'Presidential', 7, 8000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (26, 'Presidential', 7, 8500.00, 'Occupied');
```

```
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (27, 'Presidential', 7, 9000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (28, 'Presidential', 7, 9500.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (29, 'Penthouse', 8, 12000.00, 'Reserved');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (30, 'Penthouse', 8, 15000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (31, 'Penthouse', 8, 20000.00,  'Occupied');
INSERT INTO ROOM (room_id,  room_type,  floor_no,  price,  status)
 VALUES (32,  'Single', 1,  1200.00,  'Available');
INSERT INTO ROOM (room_id,  room_type,  floor_no,  price,  status)
 VALUES (33,  'Double', 2,  1500.0 O ,  'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (34, 'Deluxe', 3, 2000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (35, 'Family', 4, 2500.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (36, 'Suite', 5, 4000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (37, 'Executive', 6, 6000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (38, 'Presidential', 7, 8000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (39, 'Penthouse', 8, 12000.00, 'Available');
INSERT INTO ROOM (room_id, room_type, floor_no, price, status)
 VALUES (40, 'Penthouse', 8, 15000.00, 'Available');

-- 3. CUSTOMER
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address,
phone_number, id_number)
```

VALUES (1, 'Mthembu', 'Lungile', 'lungile.mthembu@gmail.com', '12 Long St, Cape Town, 8001', '082 491 7832', '8005125001081');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (2, 'Steyn', 'Gerhard', 'gerhard.steyn@yahoo.co.za', '45 Vilakazi St, Soweto, 1804', '083 734 2190', '8503225001082');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (3, 'Chetty', 'Sanjeev', 'schetty@outlook.com', '78 Florida Rd, Durban, 4001', '072 156 8943', '8807155001083');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (4, 'Molefe', 'Tshepo', 'tshepo.m@gmail.com', '23 Jan Smuts Ave, Rosebank, 2196', '084 602 3318', '9209185001084');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (5, 'Oosthuizen', 'Christo', 'coosthuizen@hotmail.com', '101 Church St, Pretoria, 0002', '079 823 4501', '8102035001085');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (6, 'Moodley', 'Natasha', 'nmoodley@yahoo.co.za', '56 Beach Rd, Gqeberha, 6013', '083 310 6729', '8906115001086');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (7, 'Bester', 'Hendrik', 'hbester@gmail.com', '89 Stamford Hill Rd, Durban, 4001', '083 957 1044', '8308255001087');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (8, 'Nene', 'Sbusiso', 'snene@live.co.za', '34 Main Rd, Paarl, 7646', '072 448 9921', '9512045001088');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (9, 'Hendricks', 'Tashreeq', 'thendricks@domain.co.za', '67 Nelson Mandela Dr, Bloemfontein, 9301', '084 119 5673', '8704305001089');

```
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (10, 'Tshabalala', 'Nthabiseng', 'nthabi.t@gmail.com', '12 Rivonia Rd, Sandton, 2196', '082 776 2345', '9003015001090');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (11, 'Louw', 'Schalk', 'slouw@gmail.com', '88 Hatfield St, Cape Town, 8001', '083 201 8876', '8211125001091');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (12, 'Reddy', 'Priya', 'preddy@yahoo.co.za', '15 Oxford Rd, Parktown, 2193', '072 839 1120', '8809025001092');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (13, 'Mokoena', 'Karabo', 'kmokoena@outlook.com', '42 Umhlanga Rocks Dr, Durban, 4051', '084 550 3098', '9306145001093');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (14, 'Marais', 'Etienne', 'emarais@gmail.com', '9 Klerk St, Stellenbosch, 7600', '079 412 7654', '8007285001094');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (15, 'Sithole', 'Mandla', 'msithole@hotmail.com', '33 Lynnwood Rd, Pretoria, 0083', '072 963 0287', '8601055001095');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (16, 'Padayachee', 'Desigan', 'dpadayachee@yahoo.co.za', '74 Cape Rd, Mill Park, Gqeberha, 6001', '083 628 5531', '8911225001096');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (17, 'Venter', 'Liezel', 'lventer@gmail.com', '51 Musgrave Rd, Durban, 4001', '072 774 3902', '9405065001097');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
```

VALUES (18, 'Baloyi', 'Nhlanhla', 'nbaloyi@live.co.za', '29 Victoria St, George, 6529', '084 385 7610', '8207195001098');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (19, 'Meyer', 'Dirk', 'dmeyer@domain.co.za', '90 Kloof St, Cape Town, 8001', '079 559 8234', '8710035001099');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (20, 'Khanyile', 'Zama', 'zkhanyile@gmail.com', '14 Regent Rd, Sea Point, 8005', '082 108 9923', '9908155001100');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (21, 'Smith', 'Willem', 'wsmith@outlook.com', '63 William Nicol Dr, Bryanston, 2021', '083 872 4456', '8506175001101');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (22, 'Sibiya', 'Mbali', 'msibiya@yahoo.co.za', '77 Paul Kruger St, Polokwane, 0700', '072 234 6789', '0012055001102');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (23, 'Nel', 'Riaan', 'rnel@gmail.com', '18 Chief Albert Luthuli St, Pietermaritzburg, 3201', '084 901 2234', '8109305001103');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (24, 'Adams', 'Ashraf', 'aadams@hotmail.com', '82 Monument Rd, Kempton Park, 1619', '079 304 5567', '8304115001104');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (25, 'Maseko', 'Buhle', 'bmaseko@gmail.com', '36 Voortrekker Rd, Bellville, 7535', '082 657 8901', '9211195001105');

INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)

VALUES (26, 'Swanepoel', 'Ruan', 'rswanepoel@gmail.com', '95 Beyers Naude Dr, Randburg, 2194', '083 445 1123', '8702085001106');

```
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (27, 'Pillay', 'Sharmala', 'spillay@yahoo.co.za', '21 Elias Motsoaledi St, Nelspruit, 1200', '072 990 3345', '0208155001107');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (28, 'Cele', 'Bheki', 'bcele@outlook.com', '54 Walter Sisulu St, Potchefstroom, 2531', '084 223 7788', '8801015001108');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (29, 'van Zyl', 'Marize', 'mvanzyl@hotmail.com', '11 Strand St, Cape Town, 8001', '079 678 9012', '0910105001109');
INSERT INTO CUSTOMER (customer_id, last_name, first_name, email, address, phone_number, id_number)
 VALUES (30, 'Radebe', 'Kabelo', 'kradebe@gmail.com', '48 Helen Joseph St, Kimberley, 8301', '082 345 6789', '8407125001110');

-- PAYMENT
DELETE FROM PAYMENT;
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
VALUES (1, 250.00, DATE '2026-10-01', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (2, 450.50, DATE '2026-10-02', 'Debit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (3, 180.00, DATE '2026-10-03', 'Cash');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (4, 620.00, DATE '2026-10-04', 'EFT');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (5, 310.00, DATE '2026-10-05', 'Credit Card');
```

```
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (6, 500.00, DATE '2026-10-06', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (7, 150.00, DATE '2026-10-07', 'Instant EFT');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (8, 890.00, DATE '2026-10-08', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (9, 275.25, DATE '2026-10-09', 'Debit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (10, 410.00, DATE '2026-10-10', 'Cash');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (11, 320.00, DATE '2026-10-11', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (12, 195.00, DATE '2026-10-12', 'Debit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (13, 750.00, DATE '2026-10-13', 'EFT');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (14, 220.00, DATE '2026-10-14', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (15, 540.00, DATE '2026-10-15', 'Instant EFT');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (16, 160.00, DATE '2026-10-16', 'Cash');
```

```
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (17, 380.00, DATE '2026-10-17', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (18, 920.00, DATE '2026-10-18', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (19, 290.00, DATE '2026-10-19', 'Debit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (20, 430.00, DATE '2026-10-20', 'EFT');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (21, 610.00, DATE '2026-10-21', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (22, 175.50, DATE '2026-10-22', 'Cash');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (23, 800.00, DATE '2026-10-23', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (24, 340.00, DATE '2026-10-24', 'Debit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (25, 490.00, DATE '2026-10-25', 'Instant EFT');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (26, 300.00, DATE '2026-10-26', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (27, 210.00, DATE '2026-10-26', 'Debit Card');
```

```
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (28, 670.00, DATE '2026-10-27', 'Credit Card');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (29, 145.00, DATE '2026-10-27', 'Cash');
INSERT INTO PAYMENT (payment_id, amount_due, payment_date, payment_method)
 VALUES (30, 520.00, DATE '2026-10-28', 'EFT');

-- 5. PARKING
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (1, 'North Lot', 'A-01', 1);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (2, 'North Lot', 'A-02', 2);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (3, 'North Lot', 'A-03', 3);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (4, 'North Lot', 'A-04', 4);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (5, 'North Lot', 'A-05', 5);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (6, 'South Garage', 'B-10', 6);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (7, 'South Garage', 'B-11', 7);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (8, 'South Garage', 'B-12', 8);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (9, 'South Garage', 'B-13', 9);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (10, 'South Garage', 'B-14', 10);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (11, 'East Plaza', 'C-01', 11);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
```

```
 VALUES (12, 'East Plaza', 'C-02', 12);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (13, 'East Plaza', 'C-03', 13);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (14, 'East Plaza', 'C-04', 14);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (15, 'East Plaza', 'C-05', 15);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (16, 'Underground', 'P1-01', 16);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (17, 'Underground', 'P1-02', 17);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (18, 'Underground', 'P1-03', 18);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (19, 'Underground', 'P1-04', 19);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (20, 'Underground', 'P1-05', 20);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (21, 'Underground', 'P2-01', 21);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (22, 'Underground', 'P2-02', 22);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (23, 'VIP Deck', 'V-01', 23);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (24, 'VIP Deck', 'V-02', 24);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (25, 'VIP Deck', 'V-03', 25);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (26, 'West Annex', 'W-01', 26);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (27, 'West Annex', 'W-02', 27);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (28, 'West Annex', 'W-03', 28);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
```

```
 VALUES (29, 'West Annex', 'W-04', 29);
INSERT INTO PARKING (parking_id, parking_name, parking_slot, room_id)
 VALUES (30, 'West Annex', 'W-05', 30);
-- 6. STAFF
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (1, 'Ndlovu', 'Sipho', 'sipho.ndlovu@hotel.co.za', '082 491 0101', 'Receptionist', DATE '2021-03-15', 1);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (2, 'Botha', 'Johan', 'johan.botha@hotel.co.za', '083 734 0102', 'Housekeeper', DATE '2020-06-20', 2);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (3, 'Khumalo', 'Thabo', 'thabo.khumalo@hotel.co.za', '072 156 0103', 'Head Chef', DATE '2019-11-01', 3);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (4, 'van der Merwe', 'Pieter', 'pieter.vdmerwe@hotel.co.za', '084 602 0104', 'Maintenance Tech', DATE '2022-01-10', 4);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (5, 'Naidoo', 'Pravin', 'pravin.naidoo@hotel.co.za', '082 823 0105', 'Security Officer', DATE '2021-08-05', 5);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (6, 'Dlamini', 'Zanele', 'zanele.dlamini@hotel.co.za', '083 310 0106', 'HR Specialist', DATE '2018-04-12', 6);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (7, 'Pretorius', 'Willem', 'willem.pretorius@hotel.co.za', '072 957 0107', 'Accountant', DATE '2020-02-28', 7);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
```

```
 VALUES (8, 'Pillay', 'Kevin', 'kevin.pillay@hotel.co.za', '084 119 0108', 'Systems Admin', DATE '2022-09-15', 8);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (9, 'Mokoena', 'Lerato', 'lerato.mokoena@hotel.co.za', '082 776 0109', 'Marketing Manager', DATE '2021-05-22', 9);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (10, 'Coetzee', 'Anika', 'anika.coetzee@hotel.co.za', '083 201 0110', 'Concierge Lead', DATE '2023-01-08', 10);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (11, 'Sithole', 'Blessing', 'blessing.sithole@hotel.co.za', '072 839 0111', 'Receptionist', DATE '2022-03-19', 1);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (12, 'Venter', 'Jaco', 'jaco.venter@hotel.co.za', '084 550 0112', 'Housekeeper', DATE '2021-10-11', 2);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (13, 'Zulu', 'Bongani', 'bongani.zulu@hotel.co.za', '082 412 0113', 'Line Cook', DATE '2023-02-01', 3);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (14, 'Muller', 'Francois', 'francois.muller@hotel.co.za', '083 963 0114', 'Electrician', DATE '2020-07-14', 4);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (15, 'Mabaso', 'Jabulani', 'jabulani.mabaso@hotel.co.za', '072 628 0115', 'Guard', DATE '2019-09-30', 5);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (16, 'Fourie', 'Elize', 'elize.fourie@hotel.co.za', '084 774 0116', 'Recruiter', DATE '2022-11-05', 6);
```

```
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (17, 'Patel', 'Aadil', 'aadil.patel@hotel.co.za', '082 385 0117', 'Financial Analyst', DATE '2018-01-22', 7);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (18, 'Modise', 'Kagiso', 'kagiso.modise@hotel.co.za', '083 559 0118', 'Helpdesk Tech', DATE '2023-05-12', 8);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (19, 'Daniels', 'Wayne', 'wayne.daniels@hotel.co.za', '072 108 0119', 'Sales Rep', DATE '2021-04-18', 9);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (20, 'Mahlangu', 'Ayanda', 'ayanda.mahlangu@hotel.co.za', '084 872 0120', 'Guest Host', DATE '2022-08-09', 10);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (21, 'Jacobs', 'Brent', 'brent.jacobs@hotel.co.za', '082 234 0121', 'Night Auditor', DATE '2020-12-03', 1);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (22, 'Nkosi', 'Nomvula', 'nomvula.nkosi@hotel.co.za', '083 901 0122', 'Laundry Lead', DATE '2021-06-25', 2);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (23, 'Govender', 'Strini', 'strini.govender@hotel.co.za', '072 304 0123', 'Bartender', DATE '2022-04-14', 3);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
 VALUES (24, 'du Plessis', 'Henk', 'henk.duplessis@hotel.co.za', '084 657 0124', 'Plumber', DATE '2019-03-27', 4);
INSERT INTO STAFF (staff_id, last_name, first_name, email, phone_number, role, hire_date, department_id)
```

VALUES (25, 'Maseko', 'Siyabonga', 'siyabonga.maseko@hotel.co.za', '082 445 0125', 'Security Supervisor', DATE '2023-06-01', 5);

-- 7. RESERVATION

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (1, 1, 1, 1, DATE '2026-09-25', DATE '2026-10-01', DATE '2026-10-03', 'Checked Out');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (2, 2, 2, 2, DATE '2026-09-26', DATE '2026-10-02', DATE '2026-10-05', 'Checked In');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (3, 1, 3, 3, DATE '2026-09-27', DATE '2026-10-03', DATE '2026-10-04', 'Checked Out');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (4, 3, 4, 4, DATE '2026-09-28', DATE '2026-10-04', DATE '2026-10-06', 'Cancelled');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (5, 1, 5, 5, DATE '2026-09-29', DATE '2026-10-05', DATE '2026-10-07', 'Confirmed');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (6, 4, 6, 6, DATE '2026-09-30', DATE '2026-10-06', DATE '2026-10-08', 'Checked In');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (7, 2, 7, 7, DATE '2026-10-01', DATE '2026-10-07', DATE '2026-10-08', 'Checked Out');

INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)

```
VALUES (8, 5, 8, 8, DATE '2026-10-02', DATE '2026-10-08', DATE '2026-10-10',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (9, 1, 9, 9, DATE '2026-10-03', DATE '2026-10-09', DATE '2026-10-11',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (10, 3, 10, 10, DATE '2026-10-04', DATE '2026-10-10', DATE '2026-10-12',
'Checked In');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (11, 1, 11, 11, DATE '2026-10-05', DATE '2026-10-11', DATE '2026-10-13',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (12, 2, 12, 12, DATE '2026-10-06', DATE '2026-10-12', DATE '2026-10-14',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (13, 4, 13, 13, DATE '2026-10-07', DATE '2026-10-13', DATE '2026-10-15',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (14, 1, 14, 14, DATE '2026-10-08', DATE '2026-10-14', DATE '2026-10-16',
'Pending');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (15, 5, 15, 15, DATE '2026-10-09', DATE '2026-10-15', DATE '2026-10-17',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (16, 3, 16, 16, DATE '2026-10-10', DATE '2026-10-16', DATE '2026-10-18',
'Confirmed');
```

```
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (17, 1, 17, 17, DATE '2026-10-11', DATE '2026-10-17', DATE '2026-10-19', 'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (18, 2, 18, 18, DATE '2026-10-12', DATE '2026-10-18', DATE '2026-10-20', 'Pending');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (19, 4, 19, 19, DATE '2026-10-13', DATE '2026-10-19', DATE '2026-10-21', 'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (20, 1, 20, 20, DATE '2026-10-14', DATE '2026-10-20', DATE '2026-10-22', 'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (21, 5, 1, 21, DATE '2026-10-15', DATE '2026-10-21', DATE '2026-10-23', 'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (22, 3, 2, 22, DATE '2026-10-16', DATE '2026-10-22', DATE '2026-10-24', 'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (23, 1, 3, 23, DATE '2026-10-17', DATE '2026-10-23', DATE '2026-10-25', 'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
VALUES (24, 2, 5, 24, DATE '2026-10-18', DATE '2026-10-24', DATE '2026-10-26', 'Pending');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id, reservation_date, check_in_date, check_out_date, status)
```

```
VALUES (25, 4, 7, 25, DATE '2026-10-19', DATE '2026-10-25', DATE '2026-10-27',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (26, 1, 1, 26, DATE '2026-10-20', DATE '2026-10-26', DATE '2026-10-28',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (27, 3, 2, 27, DATE '2026-10-21', DATE '2026-10-27', DATE '2026-10-29',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (28, 5, 10, 28, DATE '2026-10-22', DATE '2026-10-28', DATE '2026-10-30',
'Checked In');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (29, 2, 12, 29, DATE '2026-10-23', DATE '2026-10-29', DATE '2026-10-31',
'Confirmed');
INSERT INTO RESERVATION (reservation_id, staff_id, customer_id, payment_id,
reservation_date, check_in_date, check_out_date, status)
VALUES (30, 1, 5, 30, DATE '2026-10-24', DATE '2026-10-30', DATE '2026-11-01',
'Confirmed');

-- 8. RESERVATION_DETAILS
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id,
room_id, number_of_guest)
 VALUES (1, 1, 1, 1);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id,
room_id, number_of_guest)
 VALUES (2, 2, 2, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id,
room_id, number_of_guest)
VALUES (3, 3, 3, 1);
```

```
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (4, 4, 4, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (5, 5, 5, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (6, 6, 6, 3);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (7, 7, 7, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (8, 8, 8, 4);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (9, 9, 9, 1);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (10, 10, 10, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (11, 11, 11, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (12, 12, 12, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (13, 13, 13, 3);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (14, 14, 14, 1);
```

```
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (15, 15, 15, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (16, 16, 16, 4);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (17, 17, 17, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (18, 18, 18, 3);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (19, 19, 19, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (20, 20, 20, 1);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (21, 21, 21, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (22, 22, 22, 3);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (23, 23, 23, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (24, 24, 24, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (25, 25, 25, 4);
```

```
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (26, 26, 26, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (27, 27, 27, 2);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (28, 28, 28, 1);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
 VALUES (29, 29, 29, 3);
INSERT INTO RESERVATION_DETAILS (reservation_details_id, reservation_id, room_id, number_of_guest)
VALUES (30, 30, 30, 2);

ALTER TABLE RESERVATION MODIFY status VARCHAR2(50);
ALTER TABLE CUSTOMER ADD phone_number VARCHAR2(13);
ALTER TABLE RESERVATION RENAME COLUMN status TO booking_status;
TRUNCATE TABLE RESERVATION;
SELECT r.reservation_id, c.customer_id, c.first_name, r.check_in_date, r.status FROM RESERVATION r INNER JOIN CUSTOMER c ON r.customer_id = c.customer_id;

COMMIT;
```