



KubeCon



CloudNativeCon

North America 2023





KubeCon



CloudNativeCon

North America 2023

Multi-Network, A New Level of Cluster Multi-Tenancy

Maciej Skrocki, Google

Doug Smith, Red Hat

Agenda



KubeCon



CloudNativeCon

North America 2023

- What is K8s Native Multi-networking?
 - Use cases
- User Journey
- What happens with CNI and Container Runtimes?
- Get involved!



Introduction



KubeCon



CloudNativeCon

North America 2023



Maciej Skrocki

- GKE/Anthos Networking team member @ Google



Doug Smith

- OpenShift Networking team member @ Red Hat
- Multus CNI maintainer
- Network Plumbing Working Group member
- Focus on analyzing gaps in containerized workloads for NFV, including container networking & orchestration (e.g. Kube & OpenShift)
- Blog: <https://dougbtv.com>




KubeCon



CloudNativeCon

———— North America 2023 ————



Multi-Network!

What is K8s Native Multi-Networking?



KubeCon




CloudNativeCon

North America 2023

One Lone Network Interface...

Today, by default, we have just one network interface on each pod, that pod is promised network connectivity among pods in the network...



What is K8s Native Multi-Networking?



KubeCon




CloudNativeCon

North America 2023

ALL THE NETWORKS!

With K8s Native Multi-networking, we can provide advanced connectivity to complex network topologies, in order to isolate traffic, connect to existing networks, and more.



Why now?



KubeCon



CloudNativeCon

North America 2023

It's about time

Kubernetes networking is pretty mature as a model, and has several stable implementations.

Kubernetes seems to have "crossed the chasm" and is being applied to more and more use-cases. Because of that we (hopefully) are better able to absorb some complexity than we were 5 years ago, considering extra complexity is a tax paid by ALL, so we need to be careful.






KubeCon



CloudNativeCon

———— North America 2023 ————



Use Cases

What is K8s Native Multi-Networking?



KubeCon




CloudNativeCon

North America 2023


Multi-tenancy!

We can associate pods with specific networks and allow connectivity only within a client network, leveraging isolation for use as a multi-tenant environment in a single cluster



Network Isolation

As a Cloud Native Network Function (CNF) vendor I require an additional interface to be provisioned into the Kubernetes Pod. Each of these interfaces has to be in an isolated network for regulatory compliance. The isolation has to be done on a Layer-2.



Use Cases: On-prem connectivity



KubeCon




CloudNativeCon

North America 2023

On-premise connectivity

In bare metal and hybrid cloud architectures, networks may exist before Kubernetes is implemented, and some workloads may need access to these existing networks.



Use Cases: Hot Pluggable Interfaces



KubeCon




CloudNativeCon

North America 2023

KubeVirt with hot pluggable interfaces

On traditional VM platforms, hot plugging an interface is a baseline assumption. In an organization's journey to cloud native, bringing feature parity for legacy VM workloads is crucial.



Use Cases: Pod-level link differentiation



KubeCon




CloudNativeCon

North America 2023

Pod-level link differentiation

As Cluster operator I wish to introduce QoS tiers via bandwidth management. I wish to control this on a per pod basis, and at the same time preserve all other Pod networking configuration and, have a single reference for that network.



Use Cases: Performance Hardware



KubeCon




CloudNativeCon

North America 2023

Performance Hardware

For performance networking use-cases, features of physical devices need to be utilized, as well as user-space networking (like DPDK), such as SR-IOV. Often times, Device Plugins need to add scheduler awareness about the hardware and resource availability on nodes.






KubeCon



CloudNativeCon

———— North America 2023 ————



User Journey

Define network with PodNetwork




KubeCon



CloudNativeCon

North America 2023

- simple and generic handle
- reference to custom resource
- no IPAM definition - handled externally



```
---
apiVersion: v1
kind: PodNetwork
metadata:
  name: dataplane
spec:
  provider: "k8s.cni.cncf.io/multus"
  parametersRefs:
  - group: k8s.cni.cncf.io
    kind: network-attachment-definitions
    name: dp-network
    namespace: default
```

Reference PodNetwork in Pod




KubeCon



CloudNativeCon

North America 2023

- expand Pod spec to list PodNetworks to attach
- additional, per-attachment configurability
- fully optional, using “default” PodNetwork



```
---
kind: Pod
metadata:
  name: pod1
spec:
  networks:
    - podNetworkName: default
      interfaceName: eth0
    - podNetworkName: dataplane
      interfaceName: net1
  [...]
```

Get the status



KubeCon



CloudNativeCon

North America 2023

- expand existing status

```
---
kind: Pod
metadata:
  name: pod1
spec:
  [...]
status:
  podIP: 192.168.5.54
  podIPs:
  - ip: 192.168.5.54
    podNetwork: default
    interfaceName: eth0
  - ip: 10.0.0.20
    podNetwork: dataplane
    interfaceName: net1
  [...]
```

Get PodNetwork the status



KubeCon



CloudNativeCon

North America 2023

- using standard kubernetes conditions
- add control to implementations

```
---
apiVersion: v1
kind: PodNetwork
metadata:
  name: dataplane
spec:
  [...]
status:
  conditions:
  - lastProbeTime: null
    lastTransitionTime: "2022-11-17T18:38:01Z"
    status: "True"
    type: Ready
  - lastProbeTime: null
    lastTransitionTime: "2022-11-17T18:38:01Z"
    status: "True"
    type: ParamsReady
```




KubeCon



CloudNativeCon

———— North America 2023 ————

CNI & Runtime Considerations



net-attach-def vs. k8s native multi-net



KubeCon



CloudNativeCon

North America 2023

Network Plumbing Working Group / Multus CNI *CNI JSON inside YAML and "out-of-tree"*

```
---
kind: Pod
metadata:
  name: pod1
  annotations:
    k8s.cni.cncf.io/networks: '{"name":
"media-net", "interface": "net1"}'
spec:
  [...]
```

```
---
kind: NetworkAttachmentDefinition
[...]
spec:
  conf: '{
    "type": "bridge",
    "name": "media-net",
    "ipam": {"type": "static"}
  }'
```

K8s Native Multi-networking / PodNetwork *All YAML and all "in tree"*

```
---
kind: Pod
metadata:
  name: pod1
spec:
  networks:
    - podNetworkName: media-net
      interfaceName: net1
  [...]
```

```
---
apiVersion: v1
kind: PodNetwork
metadata:
  name: media-net
spec:
  provider: "myprovider.io/application"
```

What happens to CNI & Multus?



KubeCon



CloudNativeCon

North America 2023



Multus CNI

Will still continue to operate as it does today.



Network Plumbing Working Group

Is looking to define its North Star and next steps



Container Runtimes

We need to see what happens next

Container Runtime




KubeCon



CloudNativeCon

North America 2023






KubeCon



CloudNativeCon

———— North America 2023 ————



Get Involved!

Where we're at today




KubeCon



CloudNativeCon

North America 2023

Current status and plan



All the links!



KubeCon



CloudNativeCon

North America 2023

Join us:

- kubernetes slack channel **#sig-network-multi-network**
- weekly community sync **Wednesdays 8am PST**
- meeting doc - <https://tinyurl.com/k8s-mn-sync>
- KEP PR - <https://github.com/kubernetes/enhancements/pull/3700>





PromCon
North America 2021

Session QR Codes will be
sent via email before the event

**Please scan the QR Code above
to leave feedback on this session**