





— North America 2023 —

# Kubernetes SIG Node Intro and Deep Dive

Sergey Kanzhelev, Google Mrunal Patel, Red Hat

#### **Previous updates from SIG Node**



- Covered up to 1.27 roadmap at KubeCon EU 2023
  - Recording (https://youtu.be/fsuwU94kuns)
  - Sched (https://sched.co/1HyU4)

#### Also:

Kubernetes SIG节点介绍和深入探讨 | Kubernetes SIG Node Intro and Deep Dive - Paco Xu, DaoCloud & Xiongxiong Yuan, Gitlab China

- Recording: <a href="https://youtu.be/6BTBViTUjwY">https://youtu.be/6BTBViTUjwY</a>
- Sched: <a href="https://sched.co/1PTJk">https://sched.co/1PTJk</a>



#### **Agenda**



- SIG Node overview and a current state
- Feature updates in 1.29
  - Sidecar
  - User Namespaces update
  - o conf.d
  - Images
    - Spit disk
    - parallel image pull
    - Image GC
- Deep dive: feature requests around container images
- Get Involved





— North America 2023


# SIG Node overview and a current state

#### **SIG Node Overview**



#### **SIG Node Areas**

- Kubelet
- Node and Pods Lifecycle
- Resource management
- Container runtimes



### SIG Charter & Subprojects



- <u>Charter</u>: We are responsible for the components that support the controlled interactions between pods and host resources.
- SIG Node is a vertical SIG
- Subprojects:
  - Kubelet
  - Container Runtime Interface (CRI)
  - Node Problem Detector
  - Kernel modules
  - o ... and more!

#### **SIG Node current state**



 Continue the drive to prevent perma-betas and features reliability

- A lot of experimentation!
  - 40 feature gates
    - 5 GA
    - 16 beta (3 in supported versions)
    - 19 alpha, many draft keps

#### SIG Node development directions



#### Two main development directions:

- New workload types
- Better understand the hardware
- Quality of life and other improvements





— North America 2023

## Feature Updates in 1.29

#### **Sidecar**



Sidecar beta - termination ordering
 Learn more at the talk

```
kind: Pod
spec:
   initContainers:
   - name: vault-agent
     image: hashicorp/vault:1.12.1
     restartPolicy: OnFailure
   - name: istio-proxy
     image: istio/proxyv2:1.16.0
     args: ["proxy", "sidecar"]
     restartPolicy: Always
     containers:
     ...
```

**November 9 ● 11:55am - 12:30pm:** Sidecar Containers Are Built-in to Kubernetes: What, How, and Why Now? - Todd Neal, Amazon & Sergey Kanzhelev, Google

#### User namespaces



 User namespaces alpha - PSA changes to allow user to be root inside a container when using user namespaces

hostUsers: false

### **Drop-in configuration**



 conf.d alpha - Allow drop-in files to customize kubelet configuration

#### **Images**



- Split disk alpha Better support for evictions and image GC when container images are on a separate disk from the root disk.
- Parallel image pulls beta MaxParallellmagePulls to control how many pulls are allowed in parallel.
- Image GC alpha ImageMaximumGCAge unused images older than configured age get GC'ed.





— North America 2023 -



#### Image pull in kubelet






North America 2023

Kubelet Runtime Got image? No, sry Pull it, pls Here

```
// ImageService defines the public APIs for managing images.
service ImageService {
    // ListImages lists existing images.
    rpc ListImages(ListImagesRequest) returns (ListImagesResponse) {}
    // ImageStatus returns the status of the image. If the image is not
   // present, returns a response with ImageStatusResponse.Image set to
   // nil.
    rpc ImageStatus(ImageStatusRequest) returns (ImageStatusResponse) {}
    // PullImage pulls an image with authentication config.
    rpc PullImage(PullImageRequest) returns (PullImageResponse) {}
   // RemoveImage removes the image.
    // This call is idempotent, and must not return an error if the image has
    // already been removed.
    rpc RemoveImage(RemoveImageRequest) returns (RemoveImageResponse) {}
    // ImageFSInfo returns information of the filesystem that is used to store images.
    rpc ImageFsInfo(ImageFsInfoReguest) returns (ImageFsInfoResponse) {}
```


#### Image pull in kubelet... contd





#### Images cleanup in kubelet... contd





#### **Images Working Group**



- Problem: Kubelet and Container Runtime areas of responsibility is not clearly defined:
  - Image Service API is separate from CRI Runtime API
  - Kubelet is responsible for getting creds, but the Runtime is responsible for mirrors
  - Kubelet knows about Pods metadata and images service doesn't
  - Kubelet tracks disk usage while Runtime is pluggable and has different patterns for the usage

Image Garbage Collection WG: <u>notes</u>

#### Missing features



- Download progress
- Better security
  - Sigstore validation
  - Image pull secrets
  - No-cache images
- Faster images download
  - Pre-fetch Pod images
  - Lazy download
  - Priority-based downloads





North America 2023



## **Get Involved!**

#### **Contribution Priorities**



- Stability first!
  - Tests > bug fixes/open issues > features
  - Test infrastructure monitoring and health
- Optimizations
- Features
- Improve the user and developer experience
  - Documentation
  - Enhance logging and metrics
  - Keeping on top of PRs/issues

#### **How to Contribute**



- Attend our SIG meetings!
  - SIG meetings cover features, KEPs, and more
  - CI/Triage meetings are a smaller, hands-on group
    - Good setting for learning how to triage, improve CI
- Participate in reviews, issues, and docs!
  - Triage Guide
  - Main Node PRs / Cl and Test Enhancements Board / Bugs
- Adopt new features and give feedback! \*\*
  - Testing in real environments is critical for graduating features

#### Where to find us



- SIG Meetings:
  - Regular meeting, weekly on Tuesdays at 10am Pacific Time
  - Cl/Triage meeting, weekly on
     Wednesdays at 10am Pacific Time
- Slack channel: #sig-node
- Mailing list: <u>kubernetes-sig-node</u>
- Chairs: Sergey Kanzhelev, Mrunal Patel
- TLs: Dawn Chen, Derek Carr, Mrunal Patel











— North America 2023



## Thank you!