




Підхід DATA Base First

1) Пакет EntityFramework





2) Создание бази даних







3) Добавление таблицы





4





- 4) executing update script on database 'NewDateBase_13_07_2020'...

Entity Data Model Wizard



Choose Your Database Objects and Settings

Which database objects do you want to include in your model?

- ☒  Tables
 - ☒  dbo
 - ☒  Table
 - ☐  Views
 - ☐  Stored Procedures and Functions

- ☐ Pluralize or singularize generated object names
- ☒ Include foreign key columns in the model
- ☐ Import selected stored procedures and functions into the entity model

Model Namespace:

NewDateBase_13_07_2020Model


< Previous

Next >

Finish

Cancel

MODEL FIRST



The Entity Data Model Designer lets you visualize and design your Entity Data Model.

Create new entities in the model by dragging items from the [Toolbox](#).

Add existing entities and relationships to this diagram by dragging them from the [Model Browser](#).

Entity Framework



- Pointer
- Association
- Entity
- Inheritance

There are no usable controls in this group. Drag an item onto this text to add it to the toolbox.

Entity1

- Properties
 - Id
- Navigation Properties

Активация Windows
Перейдите до розділу "Настройки", щоб активувати Windows.



Connection Properties



Enter information to connect to the selected data source or click "Change" to choose a different data source and/or provider.

Data source:

Microsoft SQL Server (SqlClient)

Change...

Server name:

(localdb)\MSSQLLocalDB

Refresh

Log on to the server

Authentication: Windows Authentication

User name:

Password:

☐ Save my password

Connect to a database

☒ Select or enter a database name:

Some_18_07

☐ Attach a database file:

Browse...

Logical name:

Advanced...

Test Connection

OK

Cancel

Generate Database Wizard



Summary and Settings

Save DDL As:

DDL

```
-----  
-- Entity Designer DDL Script for SQL Server 2005, 2008, 2012 and Azure  
-----  
-- Date Created: 07/13/2020 07:42:33  
-- Generated from EDMX file: C:\Users\Alexs\source\repos  
  \ConsoleApp1\ConsoleApp2\Model1.edmx  
-----  
  
SET QUOTED_IDENTIFIER OFF;  
GO  
USE [Some_18_07];  
GO  
IF SCHEMA_ID(N'dbo') IS NULL EXECUTE(N'CREATE SCHEMA [dbo]');  
GO  
  
-----  
-- Dropping existing FOREIGN KEY constraints  
-----
```

< Previous

Next >

Finish

Cancel

Model1.edmx.sql Model1.edmx [Diagram1]* NuGet: ConsoleApp2* Program.cs dbo.Table [Data]

Some_18_07

```
37 GO
38
39 -----
40 ---Creating all PRIMARY KEY constraints
41 -----
42
43 ---Creating primary key on [Id] in table 'Entity1Set'
44 ALTER TABLE [dbo].[Entity1Set]
45 ADD CONSTRAINT [PK_Entity1Set]
46 PRIMARY KEY CLUSTERED ([Id] ASC);
47 GO
48
49 -----
50 ---Creating all FOREIGN KEY constraints
```

128 % No issues found

T-SQL Message

Command(s) completed successfully.

128 % No issues found

Query executed successfully at 7:43:44 (localdb)\MSSQLLocalDB (13... DESKTOP-0K20LCS\Alexs ... Some_18_07 00:00:00 0 rows


Output


Show output from: Entity Data Model

```
4 using System.Text;
5 using System.Threading.Tasks;
6
7 namespace ConsoleApplication3
8 {
9     class Program
10     {
11         static void Main(string[] args)
12         {
13             using (MyModelContainer dbContainer = new MyModelContainer())
14             {
15                 dbContainer.PersonalInfoSet.Add(new PersonalInfo {FirstName = "Назар", LastName = "Рудь", Age = 2
16                 dbContainer.PersonalInfoSet.Add(new PersonalInfo {FirstName = "Алекс", LastName = "Шевчук", Age =
17                 dbContainer.SaveChanges();
18
19                 var list = dbContainer.PersonalInfoSet.ToList();
20
21                 foreach (var personalInfo in list)
22                 {
23                     info
24                     personalInfo
25                 }
26             }
27         }
28     }
29 }
```

ошибки. Вывод. Действия веб-публикации. Операции инструментальных средств для обработки языков

3) Code first





```
13 |
14 |
15 |
16 | ta.source=(LocalDb)\MSSQLLocalDB;initial catalog=ConsoleApp3.Model1fdfd1;integrated security=True;MultipleAc
17 |
18 |
```