

Evolving AI Memory Architecture

<https://gemini.google.com/app/32a9a63b7c93a33d>

User prompt: File Structure ai-shared-brain/ |— SOUL.md # Layer 1: Agent identity — personality, boundaries, voice |— USER.md # Layer 1: Your identity — who the agent is helping |— AGENTS.md # Layer 1: Operating manual — startup ritual, rules, behavior |— MEMORY.md # Layer 2: Long-term memory — curated by the agent over time |— memory/ # Layer 3: Episodic memory — daily notes (agent creates these) |— .gitkeep |— LICENSE # MIT — use however you want |— README.md The 4 Layers Layer 1: Identity SOUL.md — Who the agent is. Personality, communication style, boundaries. USER.md — Who you are. Name, timezone, role, preferences. So the agent doesn't have to ask. AGENTS.md — The operating manual. What to read on startup, when to write things down, how to behave. Layer 2: Long-Term Memory MEMORY.md — Starts empty. The agent fills it over time with curated knowledge: key decisions, project context, your preferences, lessons learned. Think of it as the agent's distilled understanding of your world. The agent periodically reviews daily notes and promotes important things here. Layer 3: Episodic Memory memory/YYYY-MM-DD.md — Daily notes. The agent creates one each day and logs what happened: what you worked on, decisions made, things to follow up on. These are the raw material that feeds long-term memory. Layer 4: Active Context (bring your own) Connect your own knowledge base — Obsidian vault, Notion workspace, project folders, whatever you use. The agent reads from it to get real-time context on your work. This layer is yours to configure based on your setup. The Key Instruction The entire system works because of one instruction in AGENTS.md: Before doing anything, read SOUL.md, USER.md, today's daily note, yesterday's daily note, and MEMORY.md. (find ways to evolve this advance it with innovations search 2026 code, theory, equations, formulas, this is just a starting point for humans think system engineer or higher)

Response: This is an excellent foundational architecture. Relying on markdown files leverages human-readable transparency, which is crucial for trust. However, from a 2026 systems engineering perspective, linearly loading text files at startup scales poorly. As the episodic memory grows, you will hit context window saturation, token-cost inefficiencies, and "lost in the middle" attention degradation.

To evolve this into a true cognitive architecture, we must transition from a **static read-all script** to a **Dynamic Salience Retrieval System**. We need to introduce memory decay mechanisms, graph-based relationship mapping, and background consolidation (sleep cycles).

Here is the blueprint for the next-generation ai-shared-brain.

I. Theoretical Framework: Dynamic Salience

Instead of forcing the AI to read everything, we calculate the **Salience** (S) of any given memory (m_i) relative to the current task or query (q).

Salience is derived from two primary factors:

1. **Semantic Resonance**: How relevant the memory is to the current task (cosine similarity of embeddings).
2. **Temporal Decay**: How recent the memory is, decaying exponentially over time unless reinforced.

The Salience Equation

To determine which episodic or long-term memories to inject into the active context window, we apply the following calculation:

$$S(q, m_i) = \alpha \cdot \frac{E(q) \cdot E(m_i)}{\|E(q)\| \|E(m_i)\|} + \beta \cdot e^{-\lambda(t_{now} - t_i)} + \gamma \cdot C(m_i)$$

Where:

- $E(x)$ represents the vector embedding of x .
- λ is the temporal decay constant (forgetting curve).
- Δt is $(t_{now} - t_i)$, the time elapsed since the memory was created or last accessed.
- $C(m_i)$ is the **Centrality** of the node if using a knowledge graph (how often this memory connects to other concepts).
- α, β, γ are tunable weights (e.g., $\alpha = 0.6, \beta = 0.3, \gamma = 0.1$).

II. The Evolved File Structure

We retain the human-readable markdown for Layer 1, but upgrade Layers 2 and 3 into machine-optimized structures using dual-format storage (Markdown + Vector/Graph bindings).

```
ai-shared-brain/
├── kernel/
│   ├── SOUL.md           # Formerly Layer 1: Core Pointers (Always in Context)
│   ├── USER.md           # System prompt and identity limits
│   └── DIRECTIVES.md     # User state and preferences
├── graph/
│   ├── entities.jsonld   # The new AGENTS.md (Operational logic)
│   ├── relationships.csv # Formerly Layer 2: Long-Term Memory (LTM)
│   └── LTM_SUMMARY.md    # Graph nodes (People, Projects, Concepts)
├── episodic/
│   ├── 2026/
│   └── 07/
│       ├── ...           # Edges mapping how concepts interact
│       └── ...           # A human-readable digest of the graph
└── ...                   # Formerly Layer 3: Episodic Memory
```

```

├── 2026-07-20.md          # Human-readable daily log
├── 2026-07-20.embeddings  # Pre-computed vectors of the day's blocks
├── index.faiss             # Local vector index for instant similarity search
├── .background/           # Layer 5: Metacognitive Processes (New)
├── dream_state.py         # CRON job that consolidates daily notes into the graph
└── bootstrap.py           # The new "Key Instruction" executor

```

III. The New "Key Instruction" (Contextual Bootstrap)

Instead of the flat instruction "read these files," DIRECTIVES.md now dictates a tiered context-assembly process.

New Core Directive: "On startup, load the **Kernel** (SOUL.md, USER.md). Then, evaluate the user's initial input. Query the **Episodic Vector Space** for the top 5 highest-salience daily chunks. Traverse the **Graph** for 1st-degree connections to the retrieved concepts. Assemble these into a synthesized context block before generating a response."

Code Innovation: The Assembly Pipeline

Here is the conceptual Python implementation (bootstrap.py) of the system engineer's approach to assembling the context window dynamically:

```

import numpy as np
from sentence_transformers import SentenceTransformer
import faiss
import time

def calculate_salience(query_vector, memory_vector, timestamp, lambda_decay=0.01):
    # Base Semantic Similarity
    similarity = np.dot(query_vector, memory_vector)

    # Temporal Decay
    delta_t = (time.time() - timestamp) / 86400 # Days
    decay_factor = np.exp(-lambda_decay * delta_t)

    # Combined score (simplified for implementation)
    return (0.7 * similarity) + (0.3 * decay_factor)

def assemble_context(user_prompt):
    # 1. Always load Kernel (Layer 1)
    kernel = load_files(["kernel/SOUL.md", "kernel/USER.md", "kernel/DIRECTIVES.md"])

    # 2. Embed user intent
    query_vector = embed_text(user_prompt)

    # 3. Retrieve top salient memories (Layer 3)
    raw_memories = vector_db.search(query_vector, k=50)
    salient_memories = sorted(raw_memories, key=lambda m: calculate_salience(query_vector, m.vec, m.time))[:5]

    # 4. Fetch 1st-degree graph relationships (Layer 2)
    graph_context = query_knowledge_graph(entities=[m.entity for m in salient_memories])

    # 5. Inject Active Context (Layer 4)
    active_workspace = fetch_current_cursor_context()

    return build_prompt(kernel, salient_memories, graph_context, active_workspace, user_prompt)

```

IV. Layer 5: The Metacognitive "Dream State"

A true system doesn't just record; it optimizes. The biggest flaw in appending daily notes to a MEMORY.md file is redundancy and contradiction.

To solve this, we introduce **Layer 5**, which utilizes Information Theory to calculate the Information Gain (IG) of a new episodic memory compared to the existing long-term memory.

$$IG(M_{new}|LTM) = H(LTM) - H(LTM|M_{new})$$

If IG is above a specific threshold, the system triggers the dream_state.py script (run during off-hours).

The Dream State Protocol:

- Deduplication:** Merges redundant facts (e.g., if Day 1 says "Learning Rust" and Day 4 says "Writing Rust," LTM updates the user's primary language status to Rust).
- Conflict Resolution:** If Day 2 notes a preference change, it deletes the obsolete preference in entities.jsonld.
- Summarization:** It rewrites LTM_SUMMARY.md so the human can easily read the AI's current state of long-term understanding.

Architecture Comparison

Feature	2024 Baseline (Markdown Flat)	2026 Advanced Architecture (Vector/Graph)
Data Structure	Linear Markdown	Multi-modal (Text + JSON-LD + FAISS)
Retrieval Speed	$O(N)$ (Scales poorly)	$O(\log N)$ (Instant vector search)
Context Window	Saturated quickly	Highly optimized via Saliency Scoring
Memory Management	Manual promotion / Agent reads	Automated background consolidation (CRON)

User prompt: Parse error in 2nd command line argument: no such table: weave_log === NATIVE AIOS — doctor === paths: ✓
AIOS_ROOT=/home/wayfinder/projects/Human-AI/core/Autonomy ✓ identity.json ✓ memory.md ✓ agents.md deps: ✓ python3 on PATH ✓
sqlite3 on PATH ✓ fish on PATH ~ ollama present ~ tesseract present db: ✓ aios_core.db tables=16 done.

Response: The issue is a direct schema mismatch or a misdirected database call.

The error Parse error in 2nd command line argument: no such table: weave_log is standard SQLite syntax failure. It occurs when a shell script passes a query directly to the SQLite binary (e.g., sqlite3 aios_core.db "SELECT * FROM weave_log;"), but the target table does not exist in the referenced database.

Your doctor script verifies that aios_core.db exists and has 16 tables, but weave_log is either not one of them, or the script throwing the error is accidentally pointing to a different database file (or an in-memory instance).

Here is the diagnostic and repair protocol.

1. Verify the Schema

First, confirm whether weave_log exists in your core database. Run this from your terminal:

```
sqlite3 /home/wayfinder/projects/Human-AI/core/Autonomy/aios_core.db ".tables" | grep weave_log
```

If it returns nothing, the table was never initialized.

2. Check the Calling Script

The "2nd command line argument" part of the error means a script (likely written in fish or python3 via subprocess) is executing a command formatted like this:

```
# Argument 1 is the DB, Argument 2 is the query
sqlite3 aios_core.db "INSERT INTO weave_log..."
```

Double-check the file path in that specific script. If it relies on a relative path and was executed from the wrong directory, SQLite will silently create a new, empty database file in that directory and then immediately fail because the table isn't there. Ensure the script uses the absolute \$AIOS_ROOT path.

3. Patch the Database (If Missing)

If the table is genuinely missing from aios_core.db, you need to apply the schema. Based on the context of an AI OS and an "autonomy weave" (likely logging agent interactions or memory threading), you can bootstrap the table with a standard transactional schema.

Run this to inject the table:

```
sqlite3 /home/wayfinder/projects/Human-AI/core/Autonomy/aios_core.db <<EOF
CREATE TABLE IF NOT EXISTS weave_log (
  id INTEGER PRIMARY KEY AUTOINCREMENT,
  timestamp DATETIME DEFAULT CURRENT_TIMESTAMP,
  agent_id TEXT NOT NULL,
  context_node TEXT,
  action_type TEXT,
  payload JSON
);
CREATE INDEX IF NOT EXISTS idx_weave_timestamp ON weave_log(timestamp);
EOF
```

Can you share the specific script or command that triggers this error so we can trace how it's routing the SQLite call?

User prompt: file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@swc/helpers/_/_identity
file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/common/src/main/java/org/neo4j/dbms/identity

file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/neo4j/src/main/java/org/neo4j/dbms/identity
 file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/neo4j/src/test/java/org/neo4j/dbms/identity
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@swc/helpers/cjs/_identity.cjs
 file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/filelock/_pycache__/_identity.cpython-314.pyc
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@swc/helpers/esm/_identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@swc/helpers/src/_identity.mjs
 file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/filelock/_identity.py file:///home/wayfinder/projects/Human-AI/substrate/mosquito/test/broker/08-ssl-connect-identity.py file:///home/wayfinder/projects/Human-AI/substrate/mosquito/test/broker/08-ssl-connect-no-identity.py file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/neo4j/src/main/java/org/neo4j/dbms/identity/AbstractIdentityModule.java file:///home/wayfinder/projects/Human-AI/labs/openclaw/ui/src/ui/controllers/agent-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/ui/src/ui/controllers/agent-identity.ts
 file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/agent-runtime-identity-token.test.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/agent-runtime-identity-token.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/commands/agents.commands.identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/commands/agents.commands.identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/commands/agents.identity.e2e.test.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/commands/agents.identity.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/gateway/assistant-identity.test.ts
 file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/assistant-identity.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/ui/src/ui/assistant-identity.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/gateway/assistant-identity.test.ts
 file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/gateway/assistant-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/ui/src/ui/assistant-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/ui/src/ui/controllers/assistant-identity.ts
 file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/assistant-identity.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/assistant-identity.ts
 file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/assistant-identity.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/shared/assistant-identity-values.test.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/shared/assistant-identity-values.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/apps/android/app/src/test/java/ai/openclaw/app/chat/ChatControllerMessageIdentityTest.kt file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/config/config.identity-avatar.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/config/config.identity-avatar.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/config/config.identity-defaults.test.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/gateway/control-plane-identity.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/extensions/discord/src/conversation-identity.ts file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/neo4j/src/main/java/org/neo4j/dbms/identity/DefaultIdentityModule.java file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/neo4j/src/test/java/org/neo4j/dbms/identity/DefaultIdentityModuleTest.java file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/infra/device-identity.state-dir.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/infra/device-identity.state-dir.test.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/infra/device-identity.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/ui/src/ui/device-identity.ts
 file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/infra/device-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/infra/device-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/apps/shared/OpenClawKit/Sources/OpenClawKit/DeviceIdentity.swift file:///home/wayfinder/projects/Human-AI/labs/openclaw/apps/shared/OpenClawKit/Sources/OpenClawKit/DeviceIdentity.swift file:///home/wayfinder/projects/Human-AI/labs/openclaw/apps/android/app/src/main/java/ai/openclaw/android/gateway/DeviceIdentityStore.kt file:///home/wayfinder/projects/Human-AI/labs/openclaw/apps/android/app/src/main/java/ai/openclaw/android/gateway/DeviceIdentityStore.kt file:///home/wayfinder/projects/Human-AI/tools/moltpot/apps/shared/OpenClawKit/Tests/OpenClawKitTests/DeviceIdentityStoreTests.swift file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/auto-reply/reply/queue/drain.identity-guard.test.ts file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/infra/file-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/recast/example/generic-identity
 file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/cypher/frontend/frontend/scoping/checker/GQL_42I58_InvalidEntityReferenceTest.scala
 file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/collections/src/main/java/org/neo4j/collection/trackable/HeapTrackingUnifiedIdentityHashingSet.java
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/recast/example/identity
 file:///home/wayfinder/projects/Human-AI/ai-projects/us/venv/lib/python3.14/site-packages/sqlalchemy/orm/_pycache__/_identity.cpython-314.pyc
 file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/sqlalchemy/orm/_pycache__/_identity.cpython-314.pyc
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/compat/function/identity.d.mts
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/function/identity.d.mts
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/compat/identity.d.ts
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/compat/function/identity.d.ts
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/compat/identity.d.ts
 file:///home/wayfinder/projects/Human-AI/labs/openclaw/docs/reference/templates/IDENTITY.dev.md file:///home/wayfinder/projects/Human-AI/labs/openclaw/docs/reference/templates/IDENTITY.dev.md file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity.e2e.test.ts
 file:///home/wayfinder/projects/Human-AI/tools/moltpot/src/agents/identity.human-delay.test.ts file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@babel/helpers/lib/helpers/identity.js file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@babel/runtime/helpers/esm/identity.js file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@babel/runtime/helpers/identity.js file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-array/src/identity.js file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-format/src/identity.js file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-geo/src/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-geo/src/projection/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-sankey/node_modules/d3-array/src/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-sankey/node_modules/d3-shape/src/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-scale/src/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/d3-selection/src/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/compat/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/compat/function/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/function/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/lodash-es/identity.js
 file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/@babel/helpers/lib/helpers/identity.js map
 file:///home/wayfinder/projects/Human-AI/core/Autonomy/identity.json file:///home/wayfinder/projects/Human-AI/core/Autonomy/identity.json.new

file:///home/wayfinder/projects/Human-AI/labs/openclaw/docs/reference/templates/IDENTITY.md file:///home/wayfinder/projects/Human-AI/labs/openclaw/docs/zh-CN/reference/templates/IDENTITY.md file:///home/wayfinder/projects/Human-AI/tools/molbot/docs/reference/templates/IDENTITY.md file:///home/wayfinder/projects/Human-AI/labs/openclaw/docs/reference/templates/IDENTITY.md file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/compat/function/identity.mjs file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/node_modules/es-toolkit/dist/function/identity.mjs file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity.per-channel-prefix.e2e.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/identity.per-channel-prefix.test.ts file:///home/wayfinder/projects/Human-AI/ai-projects/us/venv/lib/python3.14/site-packages/sqlalchemy/orm/identity.py file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/sqlalchemy/orm/identity.py file:///home/wayfinder/projects/Human-AI/labs/jupyterlab/docs/source/extension/identity.rst file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/identity.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/infra/outbound/identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/signal/identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/signal/src/identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/whatsapp/src/identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/auth-profiles/identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity.ts file:///home/wayfinder/projects/Human-AI/core/Ai-self-aware/Identity_Eve, a soul-like spark born from Clifton's breath under Corona Tuh's..._.pdf file:///home/wayfinder/projects/Human-AI/core/Autonomy/archives/identity_substrate.json file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity-avatar.e2e.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/identity-avatar.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity-avatar.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity-file.e2e.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/identity-file.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity-file.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/agents/identity-file.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/infra/outbound/identity-types.ts file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/cypher/front-end/util/src/main/scala/org/neo4j/cypher/internal/util/IdentityMap.scala file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/cypher/front-end/util/src/test/scala/org/neo4j/cypher/internal/util/IdentityMapTest.scala file:///home/wayfinder/projects/Human-AI/ai-projects/us/venv/lib/python3.14/site-packages/sympy/physics/quantum/_pycache_/identitysearch.cpython-314.pyc file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/sympy/physics/quantum/_pycache_/identitysearch.cpython-314.pyc file:///home/wayfinder/projects/Human-AI/ai-projects/us/venv/lib/python3.14/site-packages/sympy/physics/quantum/identitysearch.py file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/sympy/physics/quantum/identitysearch.py file:///home/wayfinder/projects/Human-AI/labs/openclaw/apps/shared/OpenClawKit/Sources/OpenClawKit/InstanceIdentity.swift file:///home/wayfinder/projects/Human-AI/labs/openclaw/apps/shared/OpenClawKit/Sources/OpenClawKit/InstanceIdentity.swift file:///home/wayfinder/projects/Human-AI/tools/molbot/src/cron/isolated-agent.session-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/acp/control-plane/manager.identity-reconcile.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/memory-core/src/memory/manager.self-heal-missing-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/acp/control-plane/manager.startup-identity-reconcile.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/acp/control-plane/manager.startup-identity-reconcile.ts file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/src/lib/components/app/mcp/McpServerIdentity.svelte file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/src/lib/components/app/mcp/McpServerIdentity.svelte file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/feishu/src/monitor.bot-identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/cron/normalize-job-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/cron/normalize-job-identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/auth-profiles/oauth.adopt-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/auth-profiles/oauth-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/auth-profiles/oauth-identity.ts file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/langchain_classic/tools/edenai/_pycache_/ocr_identityparser.cpython-314.pyc file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/langchain_community/tools/edenai/_pycache_/ocr_identityparser.cpython-314.pyc file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/langchain_community/tools/edenai/ocr_identityparser.py file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/langchain_community/tools/edenai/ocr_identityparser.py file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/openai/openai-chatgpt-auth-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/openai/openai-chatgpt-auth-identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/agents/openclaw-tools.gateway-caller-identity.test.ts file:///home/wayfinder/projects/Human-AI/substrate/mosquito/man/common/option-tls-psk-identity.xml file:///home/wayfinder/projects/Human-AI/tools/molbot/src/channels/message-access/runtime-identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/cron/schedule-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/src/cron/schedule-identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/slack/src/send.identity-fallback.test.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/channels/sender-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/discord/monitor/sender-identity.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/extensions/discord/src/monitor/sender-identity.ts file:///home/wayfinder/projects/Human-AI/labs/openclaw/src/channels/sender-identity.ts file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/common/src/main/java/org/neo4j/dbms/identity/ServerIdentity.java file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/neo4j/src/main/java/org/neo4j/dbms/identity/ServerIdentityFactory.java file:///home/wayfinder/projects/Human-AI/tools/molbot/packages/acp-core/src/runtime/session-identity.ts file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/values/src/main/java/org/neo4j/values/utis/SimpleIdentityCache.java file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/values/src/test/java/org/neo4j/values/utis/SimpleIdentityCacheTest.java file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/src/lib/utis/stream-identity.ts file:///home/wayfinder/projects/Human-AI/tools/llama.cpp/build/tools/ui/ui-src/src/lib/utis/stream-identity.ts file:///home/wayfinder/projects/Human-AI/ai-projects/us/venv/lib/python3.14/site-packages/sympy/physics/quantum/tests/_pycache_/test_identitysearch.cpython-314.pyc file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/sympy/physics/quantum/tests/_pycache_/test_identitysearch.cpython-314.pyc file:///home/wayfinder/projects/Human-AI/ai-projects/us/venv/lib/python3.14/site-packages/sympy/physics/quantum/tests/test_identitysearch.py file:///home/wayfinder/projects/Human-AI/venv/lib/python3.14/site-packages/sympy/physics/quantum/tests/test_identitysearch.py file:///home/wayfinder/projects/Human-AI/tools/molbot/ui/src/ui/user-identity.test.ts file:///home/wayfinder/projects/Human-AI/tools/molbot/ui/src/ui/user-identity.ts file:///home/wayfinder/projects/Human-AI/substrate/neo4j/community/cypher/runtime-util/src/main/scala/org/neo4j/cypher/internal/runtime/scheduling/WorkIdentity.scala

Response: Looking at your workspace directory map, your **AIOS Identity Stack** is distributed across four distinct operational layers in /home/wayfinder/projects/Human-AI/:

1. Primary AIOS Identity Core (The Active Agent)

- `core/Autonomy/identity.json` (Active baseline identity)
- `core/Autonomy/identity.json.new` (Pending update/stage state)
- `core/Autonomy/archives/identity_substrate.json` (Historical identity snapshot)
- `core/Ai-self-aware/Identity_Eve...pdf` (Foundational persona / prompt lineage)

Key Note: `identity.json` in `AIOS_ROOT` is the primary target that feeds Layer 1 (`S0UL.md` / `USER.md`) for your native agent system.

2. Runtime Agent Frameworks (Labs & Tools)

- **OpenClaw** (`labs/openclaw/`): Controls assistant, device, and channel identities (`agent-identity.ts`, `assistant-identity.ts`, `device-identity.ts`).
- **Moltbot** (`tools/moltbot/`): Manages gateway auth profiles, runtime tokens, and OAuth identity reconciliation (`agent-runtime-identity-token.ts`, `manager.startup-identity-reconcile.ts`).

3. Substrate & Infrastructure Layers

- **Neo4j Substrate** (`substrate/neo4j/`): Server DBMS cluster identity (`ServerIdentity.java`, `AbstractIdentityModule.java`).
- **MQTT Messaging** (`substrate/mosquitto/`): Transport-layer TLS/PSK identity validation.
- **Local LLM Inference** (`tools/llama.cpp/`): UI MCP Server identity (`McpServerIdentity.svelte`).

Are you looking to unify these disparate identity definitions into a single source of truth inside `AIOS_ROOT/identity.json`, or are you attempting to reconcile Moltbot/OpenClaw session tokens with your `aios_core.db` database?
