i.Pharmacy - Schema Guide

i.Pharmacy 12

Version 1.0.3

Following sheets are available in this appendix:

1 Table Description

2 Table definition arranged by starting alphabet:

- A
- B
- C
- D
- E
- F
- G
- H
- I
- K
- L
- M
- N
- O
- P
- R
- S
- T
- U
- V
- W

3 Indexes

4 Constraints

© 2024 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2024 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Table Name	Alias	Table Description	Type	Global/Site based ref	Who populates ref_data
ABC_ANLYS_GRP_SMRY	AGS	ABC Analysis Group Summary	Transactional		
ABC_ANLYS_SMRY_HDR	ASH	Analysis summary header	Transactional		
ABC_ANLYS_VAL_SMRY	AVS	Analysis value summary	Transactional		
ABC_STK_TAKE_GRP	ASG	Cyclical Stock Take groups using "A, B, C..." Code name, with user defined Descriptions.	Reference	Site	Customer
ACCOUNT	ACC	Accounts for finance, extracts or other purposes - header	Reference	Site	Customer
ACCOUNT_COMP	ACM	Components of accounts - items	Reference	Site	Customer
ADC_AUDIT_MESSAGE	AAM	ADC messages sent and received	Transactional	Site	Viaduct Interface
ADC_ERROR_MESSAGE	AEM	ADC Error Message	Transactional	Site	Viaduct Interface
ADC_GROUP	AGP	ADC Group	Reference	Global	Customer
ADC_GROUP_IDENTIFIER	AGI	ADC Group Identifier	Reference	Global	Customer
ADC_IDENTIFIER_MAP	AIM	ADC Identifier Map	Reference	Site	Customer
ADC_MAX_CHARACTER	AMC	ADC Max Characters	Reference	Global	Dedalus
ADC_NAME	ADN	ADC Name	Reference	Site	Customer
ADC_PROD_FORM	ADF	ADC Prod Form	Reference	Global	Customer
ADC_PRODUCT	ADP	ADC Product	Reference	Global	Customer
ADC_STOCK_LIST	ASL	ADC Stock List	Transactional	Site	Viaduct Interface
ADVERSE_EVENT	ADV	Adverse Event header	Reference	Site	Customer
ADVERSE_EVENT_ITEM	AEI	Adverse Event Items	Reference	Site	Customer
ALLERGY	ALG	Allergies for a patient	Reference	Site	Customer
ALLERGY_NOTE	ALN	Notes for a patient allergy	Reference	Global	Customer
AMT_IDENTIFIER	AMTID	Table used the most recent version of each Notable Concept, Substance, Basis of Strength Substance and Form (both active and inactive).	Reference	Global	Dedalus/customer
AMT_MAP	AMTMAP	Table used the mapped products corresponding to each CTPP.	Reference	Global	Dedalus/customer
AMT_PROD_UOU	AMTPU	Table used the MPUUs which are mapped to a CTPP, plus TPUU, MP and attribute information	Reference	Global	Dedalus
AMT_PRODUCT	AMTP	Table used the most recent version of each CTPP (both active and inactive), plus TPP, TP, MPP and attribute information.	Reference	Global	Dedalus/customer
AMT_SUBCOMP_PACK	AMTSP	Table used the subpack or component pack details which relate to a parent CTPP.	Reference	Global	Dedalus
AMT_SUBSTANCE	AMTSB	Table used the Substances which relate to each MPUU, plus Basis of Strength Substance and attribute information.	Reference	Global	Dedalus
AMT_UPLOAD_HISTORY	AUH	AMT data files upload history	Reference	Global	Dedalus
AMT_VERSION	AMTV	version information for AMT Data files	Reference	Global	Dedalus
APP_AUDIT_TABLE	AAT	Application Tables Used for Auditing	Reference	Global	Dedalus
APP_FUNCTION	APF	Names of the functions used in the Application	Reference	Global	Dedalus
APP_REPORT	APR	Reports built into the application - not a list of crystal reports	Reference	Global	Dedalus
APP_REPORT_ARCHV	ARA	Hard copy auditing functionality for UK Npfit	Reference	Global	Dedalus
APP_USER	APU	Application users and default profile.	Reference	Global	Customer
APP_USER_SITE	AUS	Sites for which a user is allowed access, and associated profile and user level security.	Reference	Site	Customer
APPLICATION	APP	Registered applications.	Reference	Global	Dedalus
AREA_OF_WORK	AOW	Area of work identifiers for UK Npfit profile and security functionality	Reference	Global	Dedalus
AREA_OF_WORK_ACCESS	AWA	Area of work access rights for UK Npfit profile and security functionality	Reference	Global	Dedalus
ATTR_FORMULA	ATF	The names of system-controlled formulas which are used in the calculation of Patient Attributes such as Body Surface Area and Ideal Body Weight, plus the relevant Stored Procedure name.	Reference	Global	Dedalus
ATTR_FORMULA_ARGS	AFA	The Attributes which are required for the calculation of particular Attribute Formulas. For example, the Dubois and Dubois formula calculates the Body Surface Area attribute, and requires the Height and Weight (Actual) attributes as part of the calculation.	Reference	Global	Dedalus
ATTR_QUALIFIER	ATQ	The Qualifiers that use particular Patient Attributes. For example, "per square metre" is a Body Surface Area qualifier, and "per kilogram per day" is a Weight qualifier. Qualifiers are used when calculating a drug dose in Goal Sheet dispensing.	Reference	Global	Dedalus
ATTR_UNIT	ATU	Units which may be used to describe each Patient Attribute e.g. Weight can be described in grams or kilograms.	Reference	Global	Dedalus
ATTRIBUTE	ATT	Possible attributes to associate with patients	Reference		Both
AUDIT_LOG	AUL	This table is in the AUDIT database only. It is used to record the details of who has accessed patient information when the 'Audit log' parameter is activated.	Transactional	Site	Customer
AUSDI_INDEX	ADI	Australian Drug Information (AUSDI) extracted from external file	Reference	Global	Dedalus
BIN	BIN	Inventory values associated with bins including AWP, resupply method, min and max.	Reference	Site	Customer
BIN_BATCH	BIB	Batch information for bin entries.	Transactional		
BIN_TRAN	BTR	Inventory movement transactions for bins. Including cost, price, transaction type, pack and inventory units of measure at the time of the transaction.	Transactional		
BIN_TRAN_EXTR	BTX	Which records have already been part of an extract for Bin Transactions	Transactional		
BOM	BOM	Bills of materials (ingredients) used in manufacturing.	Reference	Global	Customer
CHARGE_CENTRE	CHC	Charge centres - a grouping for Cost Centres.	Reference	Site	Customer
COC_ACC_COMP	CAC	Cost centre account components.	Reference	Site	Customer
COMPOUNDERS	COM	Compounders details.	Reference	Global	Dedalus/customer
COMPOUNDER_SITE	COMSTE	New Compounder_site Table to Maintain Compounder for Site Specific			
CONV_FACTOR	CNF	System-controlled conversion factors which allow calculations to be done between units within a Unit Category (e.g. Weight, Volume, Energy), i.e. to convert from kilograms to milligrams.	Reference	Global	Dedalus
COST_CENTRE	COC	Cost centres - wards, clinics and / or distribution points	Reference	Site	Customer
CREDIT_NOTE	CRN	Supplier Credit note header	Transactional		
CREDIT_NOTE_EXTR	CRX	Which records have already been part of an extract for Supplier Credit Note transactions.	Transactional		
CREDIT_NOTE_ITEM	CRI	Supplier Credit note items.	Transactional		
CRYSTAL_REPORTS	CRP	Crystal reports available for ad-hoc reporting.	Reference	Global	Both
CYCLICAL_STK_TAKE	CST	Products invloved in Cyclical stock take	Transactional		
DEBTOR	DEB	Debtors associated with patients.	Reference	Site	Customer
DEBTOR_GROUP	DBG	Debtor group details for use in Private Hospital Billing.	Reference	Site	Customer
DEBTOR_GROUP_DRUG	DGD	Debtor group not funded drug details. The User enters drugs which are not allowed to be claimed, as advised by the Health Fund Group	Reference	Site	Customer
DEBTOR_TYPE	DBT	Debtor types, as defined and managed by the user.	Reference	Site	Customer

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DELIVERED_TO	DEL	User-defined person types that dispensings are physically handed to (e.g. 'Patient', 'Nursing staff'...). Part of the prescription tracking functionality	Reference	Site	Customer
DIFF_PRICE	DPR	Differential pricing for specified products	Reference	Site	Customer
DIRECTION	DIR	Shorthand codes and assicated text for use as directions to patients, usually printed on dispensing labels.	Reference	Site	Customer
DISP_ITEM	DSI	Disposal Register items.	Transactional		
DISPENSE	DPN	Dispensing details (header)	Transactional		
DISPENSE_CHARGE	DCG	Dispense charges for patients - Non PBS.	Transactional		
DISPENSE_CLASS	DPC	Dispensing / script classifications.	Reference	Site	Customer
DISPENSE_DOSE	DDS	Dispense dose	Transactional	Site	Customer
DISPENSE_GROUP	DPG	Groups of dispense / script classifications.	Reference	Global	Customer
DISPENSE_PACK_DETAILS	DPD	The phase specific pack details for a Goal Sheet dispensing. For example, the Route and Expiry Date for the Aqueous phase, and the Route and Expiry Date for the Lipid phase.	Transactional		
DISPENSE_PBS	DPB	PBS dispensing reference details derived from MCA	Transactional		
DISPENSE_PBS_ERROR_CODES	DPEC	PBS Error codes in corresponding dispensed item.	Transactional		
DISPENSE_PBS_MANUF	DPM	PBS Cytotoxic dispensing information	Transactional		
DISPENSE_PROD	DPP	Dispensed products (Items)	Transactional		
DISPENSE_PROP	DUP	The amount of each Property (e.g. sodium, chloride...) contained in each ingredient (dspn_prod_id) in a dispensing.	Transactional		
DISPENSE_SCAN	DSN	Dispensed items scanned	Transactional		
DISPOSAL	DSP	Disposal Register header	Transactional		
DISPOSAL_EXTR	DPX	Records have already been part of an extract for Disposal transactions	Transactional		
DIST_CR_ITEM	DCI	Distribution credit item.	Transactional		
DIST_CREDIT	DCR	Distribution credit header.	Transactional		
DIST_CREDIT_EXTR	DCX	Which records have already been part of an extract for Distribution Credit transactions	Transactional		
DIST_EXTR	DIX	Which records have already been part of an extract for Distribution transactions	Transactional		
DIST_ITEM	DII	Distribution items.	Transactional		
DISTRIBUTION	DIS	Distribution header.	Transactional		
DOCTOR	DOC	Doctors, prescibers and consultants	Reference	Site	Customer
DPO_SOURCE_CONTROL	DPS	STOCCA Message (SMA) mapping codes for external clincal systems	Reference	Global	Dedalus
DRUG_AVAIL	DRA	Drug availability.	Reference	Global	Customer
DRUG_CODE	DRG	Structred codes used for interaction, allergy and grouping purposes	Reference	Global	Customer
DRUG_CODE_SITE	DRS	Drug Code information which are specific to a site (e.g. restricted notes)	Reference	Site	Customer
DSPN_ALERT	DPA	Interaction, allergy, restriction and other warning identified during the dispensing process.	Transactional		
DSPN_EXTR	DSX	Which records have already been part of an extract for Dispensing transactions	Transactional		
DSPN_LIST	DPL	Dispensing lists.	Reference	Site	Customer
DSPN_ORDER	DPO	Dispensing orders (Doctor's orders from external clinical system).	Transactional		
DSPN_VERIFIED	DPV	Who verified the dispensing in Medication scanning check	Transactional		
EDI_INV_DESP	EID	Despatch and Invoice messages imported via the 'EDI from Supplier' window.	Transactional		
EDI_ORD	EDO	Electronic Data Interchange items (Purchase orders)	Transactional		
EDI_SUPPLIER	EDS	Record of licensed EDI suppliers	Reference	Global	Dedalus
EPRESCRIPTION	EPRESC	The Patient and Clinician data elements will all be imported into the table from the 004	Transactional		
EPRESCRIPTION_ANNOTATION	EPA	Annotation records Created	Reference		
EPRESCRIPTION_BASKET	EPBT	Basket records created	Transactional		
EPRESCRIPTION_ITEM	EPIT	The PrescribedItem data elements (and DispensedItem data elements for a repeat) will all be imported into the table from the 004.	Transactional		
ERROR_LOG	ERR	Warnings and errors associated with SMA transactions	Transactional		
EXTERNAL_LINK	EXL	External links (executable or web based) to allow context switching, and their allocated Function Key and invocation parameters.	Reference	Site	Customer
EXTERNAL_MESSAGE	EXM	Data to be used by other applications. Allows i.Pharmacy to interact with external applications such as PBS Online.	Transactional		
EXTERNAL_MESSAGE_ADC	EMA	Links to data generated OMS and MFN Messages	Transactional	Site	DH
EXTERNAL_MESSAGE_BILL	EMB	Links to dispensing records for a billing interface to process.	Transactional		
EXTERNAL_MESSAGE_PES	EMP	Links to data generated by various transactions, for processing with e-Rx PES.	Transactional		
EXTERNAL_MESSAGE_ROBOT	EMR	Links to data generated by various transactions, for processing by the robot interface. Allows i.Pharmacy to interact bi-directionally with supported robots.	Transactional		
EXTERNAL_ORG	EXO	External organisations for borrows and loans.	Reference	Site	
EXTERNAL_PAYMENT	EXP	no data - Not used in this version	Transactional		
EXTERNAL_PRF	EPR	PRF (Prescription Record Form) records for patients for amounts related to dispensings from pharmacies external to the pharmacy doing the dispensing.	Transactional		
EXTR_PARAM	EXPAR	Parameters for each extract performed	Transactional		
EXTRACT	EXT	Extracts performed	Transactional		
EXTRACT_FILE	EXF	Extract file names and total amounts associated with extracts	Transactional		
EXTRACT_GROUP	EXG	Extract groups.	Reference	Global	Customer
EXTRACT_OUTPUT	EXU	Extract output filenames	Transactional		
EXTRACT_PARM_DW	EXD	Extract parameters (List of items in extract maintenance drop down list)	Reference	Global	Dedalus
EXTRACT_PROC	EXR	Dedalus created Stored procedure names and parameters for specifc extracts.	Reference	Global	Dedalus
EXTRACT_TYPE	EXY	Extract types created by customer in accordance with details supplied by Dedalus.	Reference	Global	Customer
FAMILY	FAM	Family grouping for PRF purposes	Reference	Global	Customer
FIN_HIERARCHY	FHR	Financial hierarchy (UK only)	Reference	Site	Dedalus
FIN_STRUCT	FSR	Financial structures set up (UK only)	Reference	Global	Customer
FIN_STRUCT_TYPE	FST	Financial structure types (UK only)	Reference	Global	Customer
FIN_TRAN	FTR	Financial transactions. These are non-inventory based transactions such as supplier credits	Transactional		
FIN_TRAN_EXTR	FTX	Which records have already been part of an extract for financial transactions	Transactional		
FIN_TRAN_TYPE	FTT	Financial transaction types	Reference	Global	Dedalus
FINANCE_CLASS	FCL	Financial classes for patient billing	Reference	Site	Customer
FINANCE_SUB_CLASS	FSC	Financial sub classes for patient billing	Reference	Site	Customer
FRAME_PREFERENCES	FRP	Window frame preferences, as entered in Tools / Customise Tool bars	Transactional		
FREE_RET_ITEM	FRI	Free return items.	Transactional		
FREE_RETURN	FRT	Free return header (samples, patient returns etc.).	Transactional		
FREE_RETURN_EXTR	FRX	Which records have already been part of an extract for Free Return transactions.	Transactional		
FUNCTION_KEY	FNK	Function keys and their description, plus sort order.	Reference	Global	Customer
GOAL_SHEET	GSH	Goal sheet header information	Transactional		
GOODS_RECEIPT	GRC	Goods Receipt header	Transactional		
GOODS_RECEIPT_EXTR	GRX	Which records have already been part of an extract for Goods Receipt transactions.	Transactional		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

GR_ITEM	GRI	Goods Receipts items	Transactional		
GR_WORK	GRW	Goods receipt worksheet header	Transactional		
GR_WORK_ITEM	GWI	Goods receipt worksheet items	Transactional		
GS_CONSTRUCTION	GSC	General construction properties that apply to a goal sheet (may be phase specific) such as directions, shelf life and label format.	Reference	Site	Customer
GS_CONSTRUCTION_ITEM	GCI	Specific Construction properties which apply to a Goal Sheet, e.g. "separate phases" or "consider containers" which are system controlled.	Reference	Site	Customer
GS_FORMULATION	GSF	Goal Sheet Formulation details including status, patient details and QC, Overage and Wastage amounts per phase.	Reference	Site	Customer
GS_FORMULATION_ALERT	GFA	Alerts triggered for Properties in the Goal Sheet Formulation window e.g. "out of range".	Transactional		
GS_FORMULATION_PROD	GFP	The products allocated against a Goal Sheet Formulation, including Quantities (ordered, scaled, prepared, wastage, etc), phase and units.	Transactional		
GS_FORMULATION_PROP	GFY	The Property amounts (e.g. sodium, potassium...) contained in a Goal Sheet Formulation, phase specific.	Transactional		
GS_FORMULATION_RESOURCE	GFR	Resources used for a Goal Sheet Formulation.	Transactional		
GS_LABEL_PRINTING	GLP	Details (format, number of copies etc.) regarding the printing of Goal Sheet labels for auditing purposes. A new row per Goal Sheet label is created each time labels are printed.	Transactional		
GS_NOTE	GSN	Method Notes added in {Goal Sheet Maintenance} which can be accessed/modified in the {Goal Sheet Order}.	Transactional		
GS_ORDER	GSO	Goal Sheet Order details including status, style, patient details, day and pack numbers.	Transactional		
GS_ORDER_NOTE	GON	Method Notes against a Goal Sheet Order/Formulation. These default from the Goal Sheet Method Notes, but can be modified or added on the fly.	Transactional		
GS_ORDER_PROP	GDP	Property amounts and units contained in the Goal Sheet Order, along with dose range details.	Transactional		
GS_PATATTRIBUTE	GSP	Particular Patient Attribute range of values that apply when selecting a Goal Sheet.	Transactional		
GS_PROPERTY	GPR	Properties assigned to a Goal Sheet, with required quantity, unit and qualifier. Also dose range details, sequence order for various purposes and phase are included.	Transactional		
GS_RESOURCE	GSR	Resources used against the Goal Sheet, phase specific.	Transactional		
GS_ROUTE	GRO	Allowed Routes for the Goal Sheet, phase specific.	Transactional		
GTIN	GTI	GTIN values associated with a product and UOM combination	Reference	Global	Dedalus
GTIN_DESC	GTD	Description of GTIN text label, based on locale e.g. GTIN or EAN	Reference	Global	Dedalus
HARD_COPY_AUDIT	HCA	Hard copy auditing (UK only)	Transactional		
HARD_COPY_AUDIT_PARMS	HCP	Hard copy audit parameters (UK only)	Transactional		
IMP_LIST_LOC	ILL	Imprest List Locations associated with Imprest lists	Reference	Site	Customer
IPHARMERX	ERX	Certficate information for eRx	Reference	Site	Dedlaus
IPHARMNIHC	IHC	Certficate information for NIHC	Reference	Site	Dedlaus
IPHARMMSLIC	MYSL	Certficate information for My Script List Interface connector	Reference	Site	Dedlaus
IMPREST_ITEM	IMI	Imprest list items.	Reference	Site	Customer
IMPREST_LIST	IMP	Imprest list header	Reference	Site	Customer
IMPREST_LOCATION	IML	Imprest List Locations	Reference	Site	Customer
INSURER	ISU	Insurer identifiers - Not used in this version	Reference	Global	Customer
INSURER_TABLE	IST	Insurer information - Not used in this version	Reference	Global	Customer
INTERACT	INT	Interactions/Incompatibilities between drug codes (Stockley and STOCCA)	Reference	Global	Both
INTERFACE_MASTER	INM	Supported dialogs or HL7 messages for different robot types and process flows. Used to control interaction with robot interfaces.	Reference	Global	Both
INTERVENTION	ITV	Interventions recorded	Transactional		
INTERVENTION_EXTR	ITX	Which records have already been part of an extract for Intervention transactions.	Transactional		
INTV_GROUP	ITG	Intervention Group details	Reference	Global	Customer
INTV_TYPE	ITT	Intervention types.	Reference	Global	Customer
INVOC_PARAM_LIST	IPL	System-controlled list of context-specific invocation parameters that may be used when an external link to another system is invoked (via pre-programmed function key).	Reference	Global	Dedalus
INVOICE_SERVICE	IVS	User defined Invoice service codes	Reference	Site	Customer
KIT	KIT	Kit Details	Reference	Site	Customer
KIT_DIST	KTD	Kit issues	Transactional		
KIT_DIST_EXTR	KDX	Which records have already been part of an extract for Kit Distribution transactions	Transactional		
KIT_DIST_ITEM	KDI	Kit Distribution Item (Product) details	Reference	Site	Customer
KIT_DISTRIBUTION	KDS	Kit Distribution details	Transactional		
KIT_ITEM	KTI	Kit Item (Product) details	Reference	Site	Customer
KIT_ITEM_DIST	KID	Kit issue details	Reference	Site	Customer
KIT_ITEM_TRAN	KTT	Kit Item (Product) Transaction details -links kit distribution item to transaction.	Transactional		
KIT_MAINT	KMT	Kit maintenance records	Transactional		
KIT_MAINT_ITEM	KMI	Kit maintenance items	Transactional		
KIT_TEMPLATE	KTM	Kit template header	Reference	Global	Customer
KIT_TEMPLATE_ITEM	KTMI	Kit template item.	Reference	Global	Customer
LABEL_FORMAT	LBF	System and Crystal report names and descriptions for labels that can be allocated to site specific processes.	Reference	Global	Both
LBL_FMT_PROC	LFP	Label format associated with site specific processes such inpatient dispensing or bag labels	Reference	Site	Both
LIST_OF_VAL	LOV	List of values that are populated in drop down lists, and other reference areas.	Reference	Global	Dedalus
LM_CONTROL_PANEL	LCP	Control panel details (Manufacture control)	Transactional		Customer
LM_CONTROL_PANEL_INGR_SUM	LCS	Control panel ingredient summary	Transactional		
LM_CONTROL_PANEL_INGREDIENT	LCI	Control panel ingredient details	Transactional		
LM_CONTROL_PANEL_RESOURCE	LCR	Control panel resource list	Reference	Site	Customer
LM_ITEM	LMI	Local manufacture item details (Manufacturing module)	Transactional		
LOAN	LOA	Loan header	Transactional		
LOAN_EXTR	LOX	Which records have already been part of an extract for Loan Extract transactions	Transactional		
LOAN_ITEM	LOI	Loan item details	Transactional		
LOCAL_MANUF	LMF	Local manufacture header (Manufacturing module)	Transactional		
LOCAL_MANUF_EXTR	LMX	Which records have already been part of an extract for local manufacture transactions	Transactional		
LOCATION	LOC	Locations in stores for allocatiing to bins	Reference	Site	Customer
MANUFACTURER	MAN	Manufacturers (non PBS)	Reference	Global	Customer
MEASURABILITY	MSR	User defined volume and weight ranges, with the smallest quantity it is possible to measure accurately for each range.	Reference	Site	Customer
MED_CHART	MCT	Medication chart for a patient - header.	Transactional		
MED_CHT_DOSE	MCD	Dosage details pertaining to medication chart	Transactional		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

MED_CHT_INGR	MCG	Ingredients for a medical chart item.	Transactional		
MED_CHT_ITEM	MCI	Ingredients in a medication chart item (Product) level	Transactional		
MESSAGES	MSG	List of messages prompted to users at application level	Reference	Global	Dedalus
MIMS_AUGMDAT	MAGD	MIMS Linking table - used to find GenericCode from ProductCode and FormCode	Reference	Global	Customer
MIMS_AULINK_FORMULATION_ROUTE	MAFR	MIMS Linking table - find Route of Admin at MIMS product formulation level. Can stop innapropriate warnings when a product is used topically.	Reference	Global	Customer
MIMS_DRUG_CLASS_INT_PRECAUTION	MDCIP	Link table to find MIMS interaction precaution ID given two drug interaction class IDs	Reference	Global	Customer
MIMS_DRUG_CLASS_INTERACTION	MDCI	Core MIMS table - links to interaction alert elements for each pair of drug interaction classes.	Reference	Global	Customer
MIMS_DRUG_GENERIC_ROUTE_INTERACT	MDGRI	Find MIMS drug interaction class with GenericCode and RouteID	Reference	Global	Customer
MIMS_DRUG_INTERACT_CLASS	MDCI	Text descriptions for each MIMS drug interaction class.	Reference	Global	Customer
MIMS_DRUG_INTERACTION_REFERENCE	MDIR	Lists literature references for each MIMS drug interaction class given two drug interaction class IDs	Reference	Global	Customer
MIMS_DSM_ROUTE	MDR	Text description for each MIMS route of admin	Reference	Global	Customer
MIMS_GENERIC	MG	Lists each MIMS generic description, abbreviated description and links to approved generic name from generic synnonyms in the same table (e.g. acetominophen is linked to paracetamol)	Reference	Global	Customer
MIMS_LIKELIHOOD	MLIKE	Text description of MIMS interaction likelihood	Reference	Global	Customer
MIMS_LINKAMT	MLA	Links AMT code to MIMS ProductCode and FormCode	Reference	Global	Customer
MIMS_OBSERVATION	MOBS	Text description of MIMS interaciton observations	Reference	Global	Customer
MIMS_PRECAUTION	MPRE	Text description of MIMS interaciton precautions	Reference	Global	Customer
MIMS_SEVERITY	MSEV	Text description of MIMS interaction severity	Reference	Global	Customer
MIMS_UPLOAD_HISTORY	MUH	Holds MIMS update activity	Transactional	Global	Customer
MYSCRIPTLIST_ACCESS	MSA	Records each time active prescriptions are retrieved from MySL for a patient	Transactional	Site	Customer
NBR_DESC	NBD	Number description for use in medication charts	Reference	Site	Customer
NEXT_ABC_ANLYS	NAN	Next number for the associated table.	Transactional		Dedalus
NEXT_ACCOUNT	NACC	Next number for the associated table.	Transactional		Dedalus
NEXT_ACCOUNT_COMP	NACM	Next number for the associated table.	Transactional		Dedalus
NEXT_ADC_GROUP	NAGP	Next number for the associated table.	Transactional		DH
NEXT_ADC_GROUP_IDENTIFIER	NAGI	Next number for the associated table.	Transactional		DH
NEXT_ADC_MAP	NAIM	Next number for the associated table.	Transactional		DH
NEXT_ADC_NAME	NADN	Next number for the associated table.	Transactional		DH
NEXT_ADC_PROD_FORM	NADF	Next number for the associated table.	Transactional		DH
NEXT_ADC_STOCK_LIST	NASL	Next number for the associated table.	Transactional		DH
NEXT_ADVERSE_EVENT	NADV	Next number for the associated table.	Transactional		Dedalus
NEXT_ADVERSE_EVENT_ITEM	NAEI	Next number for the associated table.	Transactional		Dedalus
NEXT_ALLERGY	NALG	Next number for the associated table.	Transactional		Dedalus
NEXT_ALLERGY_NOTE	NALN	Next number for the associated table.	Transactional		Dedalus
NEXT_AMT_MAP	NAM	Next number for the associated table.	Transactional	Global	Dedalus
NEXT_ATTRIBUTE	NATT	Next number for the associated table.	Transactional		Dedalus
NEXT_AUTH_NBR	NAUT	Next number for the associated table.	Transactional		Dedalus
NEXT_BIN_BATCH	NBIB	Next number for the associated table.	Transactional		Dedalus
NEXT_BIN_TRAN	NBTR	Next number for the associated table.	Transactional		Dedalus
NEXT_BOM	NBOM	Next number for the associated table.	Transactional		Dedalus
NEXT_CR_NOTE_ITEM	NCRI	Next number for the associated table.	Transactional		Dedalus
NEXT_CREDIT_NOTE	NCRN	Next number for the associated table.	Transactional		Dedalus
NEXT_CRYSTAL_REPORTS	NCP	Next number for the associated table.	Transactional		Dedalus
NEXT_CYCLICAL_STK_TAKE	NCST	Next number for the associated table.	Transactional		Dedalus
NEXT_DELIVERED_TO	NDEL	Next number for the associated table.	Transactional		Dedalus
NEXT_DIFF_PRICE	NDPR	Next number for the associated table.	Transactional		Dedalus
NEXT_DISP_ITEM	NDSI	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE	NDPN	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_CHARGE	NDCG	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_DOSE	NDDS	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_GROUP	NDCG	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_HCDCLM	NHCD	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_PBS	NDPB	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_PBS_ERROR_CODES	NDPEC	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_PBS_MANUF	NDPM	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_PROP	NDUP	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPENSE_SCAN	NDSN	Next number for the associated table.	Transactional		Dedalus
NEXT_DISPOSAL	NDSP	Next number for the associated table.	Transactional		Dedalus
NEXT_DIST_CR_ITEM	NDCI	Next number for the associated table.	Transactional		Dedalus
NEXT_DIST_CREDIT	NDCR	Next number for the associated table.	Transactional		Dedalus
NEXT_DIST_ITEM	NDII	Next number for the associated table.	Transactional		Dedalus
NEXT_DISTRIBUTION	NDIS	Next number for the associated table.	Transactional		Dedalus
NEXT_DRUG_AVAIL	NDRA	Next number for the associated table.	Transactional		Dedalus
NEXT_DRUG_CODE	NDRG	Next number for the associated table.	Transactional		Dedalus
NEXT_DSPN_ALERT	NDPA	Next number for the associated table.	Transactional		Dedalus
NEXT_DSPN_CLASS	NDPC	Next number for the associated table.	Transactional		Dedalus
NEXT_DSPN_LIST	NDPL	Next number for the associated table.	Transactional		Dedalus
NEXT_DSPN_ORDER	NDPO	Next number for the associated table.	Transactional		Dedalus
NEXT_DSPN_PROD	NDPP	Next number for the associated table.	Transactional		Dedalus
NEXT_DSPN_ROBOT_BATCH	NDRB	Next number for the associated table.	Transactional		Dedalus
NEXT_EDI	NEDI	Next number for the associated table.	Transactional		Dedalus
NEXT_EDI_BUILD	NEDB	Next number for the associated table.	Transactional		Dedalus
NEXT_EDI_INV_DESP	NEID	Next number for the associated table.	Transactional		Dedalus
NEXT_EDI_SEQ	NEDS	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTERNAL_LINK	NEXL	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTERNAL_MESSAGE	NEXM	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTERNAL_MESSAGE_BILL	NEMB	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTERNAL_PRF	NEPR	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTRACT	NEXT	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTRACT_FILE	NEXF	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTRACT_GROUP	NEXG	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTRACT_OUTPUT	NEXU	Next number for the associated table.	Transactional		Dedalus
NEXT_EXTRACT_TYPE	NEXY	Next number for the associated table.	Transactional		Dedalus
NEXT_FAMILY	NFAM	Next number for the associated table.	Transactional		Dedalus
NEXT_FIN_STRUCT	NFSR	Next number for the associated table.	Transactional		Dedalus
NEXT_FIN_TRAN	NFTR	Next number for the associated table.	Transactional		Dedalus

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

NEXT_FREE_RET_ITEM	NFRI	Next number for the associated table.	Transactional		Dedalus
NEXT_FREE_RETURN	NFRT	Next number for the associated table.	Transactional		Dedalus
NEXT_GOAL_SHEET	NGSH	Next number for the associated table.	Transactional		Dedalus
NEXT_GOAL_SHEET_REF	NGLF	Next number for the associated table.	Transactional		Dedalus
NEXT_GOODS_RECEIPT	NGRC	Next number for the associated table.	Transactional		Dedalus
NEXT_GR_ITEM	NGRI	Next number for the associated table.	Transactional		Dedalus
NEXT_GR_WORK	NGRW	Next number for the associated table.	Transactional		Dedalus
NEXT_GR_WORK_ITEM	NGWI	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_FORMULATION	NGSF	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_FORMULATION_ALERT	NGFA	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_FORMULATION_PROD	NGFP	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_FORMULATION_RESOURCE	NGFR	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_LABEL_PRINTING	NGLP	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_NOTE	NGN	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_ORDER	NGSO	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_ORDER_NOTE	NGON	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_PROPERTY	NGPR	Next number for the associated table.	Transactional		Dedalus
NEXT_GS_VERSION	NGSV	Next number for the associated table.	Transactional		Dedalus
NEXT_GTIN	NGTI	Next number for the associated table.	Transactional		Dedalus
NEXT_HARD_COPY_AUDIT	NHCR	Next number for the associated table.	Transactional		Dedalus
NEXT_HARD_COPY_REPT_AUDIT	NHCR	Next number for the associated table.	Transactional		Dedalus
NEXT_IMPREST_ITEM	NIMI	Next number for the associated table.	Transactional		Dedalus
NEXT_IMPREST_LIST	NIMP	Next number for the associated table.	Transactional		Dedalus
NEXT_INFUSION	NINF	Next number for the associated table.	Transactional		Dedalus
NEXT_INTERACT	NINT	Next number for the associated table.	Transactional		Dedalus
NEXT_INTERVENTION	NITV	Next number for the associated table.	Transactional		Dedalus
NEXT_INTV_GROUP	NITG	Next number for the associated table.	Transactional		Dedalus
NEXT_INTV_TYPE	NITT	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT	NKIT	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_BATCH	NKBT	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_DIST	NKDS	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_DIST_ITEM	NKDI	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_DISTR	NKTD	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_ITEM	NKTI	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_ITEM_DIST	NKID	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_ITEM_TRAN	NKTT	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_MAINT	NKMT	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_MAINT_ITEM	NKMI	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_TEMPLATE	NKTM	Next number for the associated table.	Transactional		Dedalus
NEXT_KIT_TEMPLATE_ITEM	NKTMI	Next number for the associated table.	Transactional		Dedalus
NEXT_LABEL_FORMAT	NLBF	Next number for the associated table.	Transactional		Dedalus
NEXT_LBL_FMT_PROC	NLFP	Next number for the associated table.	Transactional		Dedalus
NEXT_LM_CONTROL_PANEL	NLCP	Next number for the associated table.	Transactional		Dedalus
NEXT_LM_ITEM	NLMI	Next number for the associated table.	Transactional		Dedalus
NEXT_LOAN	NLOA	Next number for the associated table.	Transactional		Dedalus
NEXT_LOAN_ITEM	NLOI	Next number for the associated table.	Transactional		Dedalus
NEXT_LOCAL_CTPP	NLCTPP	Next number for the associated table.	Transactional		Dedalus
NEXT_LOCAL_MANUF	NLMF	Next number for the associated table.	Transactional		Dedalus
NEXT_LOCATION	NLOC	Next number for the associated table.	Transactional		Dedalus
NEXT_MEASURABILITY	NMSR	Next number for the associated table.	Transactional		Dedalus
NEXT_MED_CHART	NMCT	Next number for the associated table.	Transactional		Dedalus
NEXT_MED_CHT_DOSE	NMCD	Next number for the associated table.	Transactional		Dedalus
NEXT_MED_CHT_INGR	NMCG	Next number for the associated table.	Transactional		Dedalus
NEXT_MED_CHT_ITEM	NMCI	Next number for the associated table.	Transactional		Dedalus
NEXT_ORD_WORK	NORW	Next number for the associated table.	Transactional		Dedalus
NEXT_ORD_WORK_ITEM	NOWI	Next number for the associated table.	Transactional		Dedalus
NEXT_ORDER	NORD	Next number for the associated table.	Transactional		Dedalus
NEXT_ORDER_ITEM	NORI	Next number for the associated table.	Transactional		Dedalus
NEXT_PAM_CALC	NPMC	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_ATTRIBUTE	NATP	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_EPISODE	NEPS	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_INVOICE	NPNV	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_INVOICE_ITEM	NPII	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_INVOICE_PAY	NPIP	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_NOTE	NPTN	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_NOTE_SEQ	NPNS	Next number for the associated table.	Transactional		Dedalus
NEXT_PAT_PROD_PERM	NPER	Next number for the associated table.	Transactional		Dedalus
NEXT_PATIENT	NPAT	Next number for the associated table.	Transactional		Dedalus
NEXT_PBS_CLAIM	NCLM	Next number for the associated table.	Transactional		Dedalus
NEXT_PBS_CLAIM_ITEM	NCLI	Next number for the associated table.	Transactional		Dedalus
NEXT_PBS_HIC_CLAIM	NHCLM	Next number for the associated table.	Transactional		Dedalus
NEXT_PRES_DAY_SEQ	NPDS	Next number for the associated table.	Transactional		Dedalus
NEXT_PRESCRIPTION	NPPN	Next number for the associated table.	Transactional		Dedalus
NEXT_PRESCRIPTION_ITEM_TRACK	NPIT	Next number for the associated table.	Transactional		Dedalus
NEXT_PRESCRIPTION_TRACK	NPRT	Next number for the associated table.	Transactional		Dedalus
NEXT_PRODUCT	NPRD	Next number for the associated table.	Transactional		Dedalus
NEXT_PROP_ATTR	NPTT	Next number for the associated table.	Transactional		Dedalus
NEXT_PROP_DOSE	NPDO	Next number for the associated table.	Transactional		Dedalus
NEXT_PROPERTY	NPRP	Next number for the associated table.	Transactional		Dedalus
NEXT_PROT_SCHED_CHART	NPSC	Next number for the associated table.	Transactional		Dedalus
NEXT_PROT_SCHED_ITEM	NPSI	Next number for the associated table.	Transactional		Dedalus
NEXT_PROT_SCHED_PERIOD	NPSH	Next number for the associated table.	Transactional		Dedalus
NEXT_PROTOCOL	NPTC	Next number for the associated table.	Transactional		Dedalus
NEXT_PROTOCOL_ITEM	NPTI	Next number for the associated table.	Transactional		Dedalus
NEXT_PVV_ADJ_ITEM	NPVI	Next number for the associated table.	Transactional		Dedalus
NEXT_PVV_ADJUST	NPVA	Next number for the associated table.	Transactional		Dedalus
NEXT_RECON_INGRED	NREI	Next number for the associated table.	Transactional		Dedalus
NEXT_RECON_LOT	NREL	Next number for the associated table.	Transactional		Dedalus
NEXT_RECON_PROD	NREP	Next number for the associated table.	Transactional		Dedalus
NEXT_REPAY_ITEM	NRPI	Next number for the associated table.	Transactional		Dedalus
NEXT_REPAYMENT	NRPY	Next number for the associated table.	Transactional		Dedalus
NEXT_REQN	NRQN	Next number for the associated table.	Transactional		Dedalus
NEXT_REQN_ITEM	NRQI	Next number for the associated table.	Transactional		Dedalus

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

NEXT_RESOURCE	NRES	Next number for the associated table.	Transactional		Dedalus
NEXT_ROBOT	NR	Next number for the associated table.	Transactional		Dedalus
NEXT_ROBOT_CHUTE	NRC	New table for next chute_id generation	Transactional		Dedalus
NEXT_ROBOT_DISPENSE	NRDB	Next number for the associated table.	Transactional		Dedalus
NEXT_ROBOT_DIST	NRDIST	Next number for the associated table.	Transactional		Dedalus
NEXT_ROBOT_INTERFACE	NRI	New table for next interface_id generation	Transactional		Dedalus
NEXT_ROBOT_TFR	NRTFR	Next number for the associated table.	Transactional		Dedalus
NEXT_ROUTE	NROU	Next number for the associated table.	Transactional		Dedalus
NEXT_SITE	NSTE	Next number for the associated table.	Transactional		Dedalus
NEXT_SPEC_PROD_INDICATION	NSPI	Next number for the associated table.	Transactional		Dedalus
NEXT_STD_MANUF_NOTE	NSMN	Next number for the associated table.	Transactional		Dedalus
NEXT_STK_ADJ_ITEM	NSAI	Next number for the associated table.	Transactional		Dedalus
NEXT_STK_TAKE_GRP	NSTG	Next number for the associated table.	Transactional		Dedalus
NEXT_STK_TAKE_ITEM	NSTI	Next number for the associated table.	Transactional		Dedalus
NEXT_STOCK_ADJUST	NSAD	Next number for the associated table.	Transactional		Dedalus
NEXT_STOCK_TAKE	NSTK	Next number for the associated table.	Transactional		Dedalus
NEXT_SUBST_ID	NPSU	Next number for the associated table.	Transactional		Dedalus
NEXT_SUPP_CATL	NSCT	Next number for the associated table.	Transactional		Dedalus
NEXT_TFR_ITEM	NTFI	Next number for the associated table.	Transactional		Dedalus
NEXT_TFR_REQUEST	NTFQ	Next number for the associated table.	Transactional		Dedalus
NEXT_TFR_RQST_ITEM	NTQI	Next number for the associated table.	Transactional		Dedalus
NEXT_TRAN_ADD_VAL	NTAV	Next number for the associated table.	Transactional		Dedalus
NEXT_TRANSFER	NTFR	Next number for the associated table.	Transactional		Dedalus
NEXT_UOM	NUOM	Next number for the associated table.	Transactional		Dedalus
NEXT_USER_PWD	NUSP	Next number for the associated table.	Transactional		Dedalus
NEXT_USER_WORKSTATION_AUDIT	NUWA	Next number for the associated table.	Transactional		Dedalus
NEXT_VAL_ADJ_ITEM	NVAI	Next number for the associated table.	Transactional		Dedalus
NEXT_VALUE_ADJUST	NVAD	Next number for the associated table.	Transactional		Dedalus
NEXT_VAR_DOSE_CHT	NVDC	Next number for the associated table.	Transactional		Dedalus
NEXT_VAR_DOSE_ITEM	NVDI	Next number for the associated table.	Transactional		Dedalus
NEXT_VAR_DOSE_PER	NVDP	Next number for the associated table.	Transactional		Dedalus
NEXT_WORK_FLOW	NWFL	Next number for the associated table.	Transactional		Dedalus
NEXT_WORKSTATION	NWKN	Next number for the associated table.	Transactional		Dedalus
ORD_WORK	ORW	Created lists such as 'Suggested by Inventory', 'Suggested by Use', 'User Defined' and' Order templates'. - Order Worksheet Header	Transactional		
ORD_WORK_ITEM	OWI	Order Worksheet items	Transactional		
ORDER_ITEM	ORI	Purchase Order items	Transactional		
ORDERS	ORD	Purchase Order header.	Transactional		
ORDERS_EXTR	ORX	Which records have already been part of an extract for Purchase Order transactions	Transactional		
PAM_CALC	PMC	Patient Aminoglycoside Calculations	Transactional		
PAT_ATTRIBUTE	ATP	Patient specific attribute values	Reference	Site	Customer
PAT_EPISODE	EPS	Patient Episodes plus episode specific information	Transactional		
PAT_INVOICE	PNV	Patient Invoice header	Transactional		
PAT_INVOICE_EXTR	PNX	Which records have already been part of an extract for Patient Invoice transactions	Transactional		
PAT_INVOICE_ITEM	PII	Patient Invoice items	Transactional		
PAT_INVOICE_PAY	PIP	Patient Invoice payment records	Transactional		
PAT_HI	PHI	Patient Individual Health Identifier Records	Transactional		
PAT_NOTE	PTN	Patient Note information	Transactional		
PAT_NOTE_DTL	PND	Patient Note Detail	Transactional		
PAT_NOTE_TEMP	PNT	Patient Note Template	Reference	Global	Customer
PAT_PROD_PERM_EXTR	PEX	Which records have already been part of an extract for Special Product Register transactions.	Transactional		
PAT_PROD_PERMIT	PER	Product Permit information for patients (Special Products Register)	Transactional		
PATCH	PCH	Patches applied, including upgrade and data modifications applied during implementation activities.	Reference	Global	Dedalus
PATIENT	PAT	Patient details	Reference	Site	Customer
PATIENT_USER_WORKSTATION	PUW	Patient locking information if activated	Transactional		
PBCATCOL		These 5 'PowerBuilder System Repository' tables were found in v12 schema and Alter12_0_0.sql. Should these be in the schema??			
PBCATEDT		Not referred anywhere in the i.Pharmacy application			
PBCATFMT		Not referred anywhere in the i.Pharmacy application			
PBCATTBL		Not referred anywhere in the i.Pharmacy application			
PBCATVLD		Not referred anywhere in the i.Pharmacy application			
PBS_CLAIM	CLM	PBS Claims - header	Transactional		
PBS_CODE	PBS	Codes for PBS drugs	Reference	Global	Dedalus
PBS_CUSTOM_ERROR_CODES	PCEC	Custom PBS Error codes from PBS Online	Reference	Site	Dedalus
PBS_ERROR_CODES	PEC	MCA Defined PBS error codes	Reference	Global	Dedalus
PBS_ITEM	PBI	PBS item data such as max, price, number of repeats. Updated each month.	Reference	Global	Dedalus
PBS_ITEM_TEMP	PBT	Pbs_item data that is no longer being used.	Reference	Global	Dedalus
PBS_LINK	PBL	Links between PBS items and i.Pharmacy products	Reference	Global	Customer
PBS_PAYMENT_STATEMENT	PPS	PBS Online Payment statement information	Reference	Site	Dedalus
PBS_RECONCILIATION	PBR	Reconcilation details for PBS Online. Updated each time statement data is requested and received from Medicare. One row per claim.	Transactional		
PBS_RESTRICTION	PRS	PBS Restriction details	Reference	Global	Dedalus
PBS_RESTRICTION_LINK	PRL	PBS Restriction Link details	Reference	Global	Dedalus
PBS_RESTRICTION_NOTE	PRN	PBS Restriction Note details	Reference	Global	Dedalus
PBS_WASTAGE_FACTOR	PWF	PBS wastage factor	Reference	Global	Dedalus
PERSON	PSN	Patient links across sites. This allows the dispensing history for a person to be seen if they are in multiple sites.	Reference	Site	Customer
PHARMACY	PHA	Pharmacy information	Reference	Site	Customer
PRESCRIPTION	PPN	Prescriptions for tracking - header	Transactional		
PRESCRIPTION_ITEM_TRACK	PIT	Prescription tracking items	Transactional		
PRESCRIPTION_NOTES_DESC	PRND	Prescription notes (Description)	Transactional		
PRESCRIPTION_TRACK	PRT	Prescription tracking header	Transactional		
PROD_FORM	PDF	Product forms and verbs	Reference	Global	Customer
PROD_MIMS_GENERIC	PMG	Used in manual mapping of products to MIMS Generics, linking i.Pharmacy products to one or more MIMS Generics, from which MIMS interaction classes may be found.			
PROD_PROP	PROP	Property information for products.	Reference	Global	Customer
PROD_RESOURCE	PRE	Resources assigned against a product and associated details.	Reference	Global	Customer
PROD_ROUTE	PDR	Route of administration applicable for the product.	Reference	Global	Customer

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PROD_SCHEDULE	SCH	The national Schedules (categories) that apply to all products. State level exceptions may apply.	Reference	Global	Customer
PROD_SITE	PDS	Site specific product details such as product type, controlled drug indicator, short code.	Reference	Site	Customer
PROD_SUBSTITUTE	PSU	Product substitution details	Reference	Site	Customer
PROD_SUPP_PREF	PSP	Preferred supplier information for products	Reference	Site	Customer
PROD_UOM	PDU	UOM (Units Of Measure) for each product, including both the Pack UOM and Inventory UOM, and the multiplier between each UOM.	Reference	Global	Customer
PROD_WARN_CODE	PWC	Warning Codes linked to products	Reference	Global	Customer
PRODUCT	PRD	Product information that is globally accessed by all sites	Reference	Global	Customer
PROFILE	PRO	Definition of a user profile. It provides a way of grouping Users into different security levels.	Reference	Global	Customer
PROFILE_ACCESS	PRA	What functions will be available to users in that profile, across the application.	Reference	Global	Customer
PROFILE_RPT_ACCESS	RPT	Reports that can be accessed per profile, and hence each user.	Reference	Global	Customer
PROP_ATTR	PTT	The Patient Attributes that apply per Dose Range for a Property.	Reference	Global	Customer
PROP_DOSE	PDO	The Dose Ranges that apply for a Property.	Reference	Global	Customer
PROP_UNIT	PRU	The Units that apply for a Property, along with default and current flags.	Reference	Global	Customer
PROPERTY	PRP	Property details, which can be assigned against products, and used to construct Goal Sheets.	Reference	Global	Customer
PROT_SCHED_CHART	PSC	Protocols that have been assigned against a patient Medication Chart, showing header level information	Reference	Site	Customer
PROT_SCHED_ITEM	PSI	Details of products per Protocol that are assigned against a patient Medication Chart	Reference	Site	Customer
PROT_SCHED_PERIOD	PSH	Details for each Protocol product on a Medication Chart, showing all possible day / sequence combinations of the Protocol schedule with a Y/N flag regarding which apply to the product	Reference	Site	Customer
PROTOCOL	PTC	Protocols which are available globally showing header level information	Reference	Global	Customer
PROTOCOL_BOM	PTB	Details of ingredients, for those products assigned per Protocol that have a Bill of Materials	Reference	Global	Customer
PROTOCOL_ITEM	PTI	Details of products assigned per Protocol	Reference	Global	Customer
PROTOCOL_SITE	PTS	Protocols available at a site	Reference	Site	Customer
PVV_ADJ_ITEM	PVI	Master table the PVV adjustment when the pvv value is modified in the bin	Transactional		
PVV_ADJUST	PVA	Item table the PVV adjustment, when there is a change to the PVV value in bin	Transactional		
RECON_INGRED	REI	Reconstution ingredients for each product Reconstitution Method.	Reference	Global	Customer
RECON_LOT	REL	Reconstituted stock amounts and details, such as created quantity, current quantity and discard status.	Transactional		
RECON_PROD	REP	Reconstitution methods that have been configured per product, e.g. description, total quantity, unit, shelf life.	Reference	Global	Customer
REPAY_ITEM	RPI	Repayment items (for borrow & lend)	Transactional		
REPAYMENT	RPY	Type of repayment (Lend/Borrow) made by Store to the External Organization. Header information	Transactional		
REPAYMENT_EXTR	RPX	Which records have already been part of an extract for Repayment transactions	Transactional		
REPRINT	RPR	Reprint details of the non-normal (Aseptic, Cytotoxic etc) batch sheets.	Transactional		
REPT_FMT_PROC	RFP	Names for application Crystal Reports available to each site.	Reference	Site	Customer
REPT_FORMAT	RPF	Areas where a Crystal report can replace the in-built Power builder / System report.	Reference	Global	Customer
REQN	RQN	Distribution Requests header	Transactional		
REQN_EXTR	RQX	Which records have already been part of an extract for distribution request transactions	Transactional		
REQN_ITEM	RQI	Distribution Requests items	Transactional		
RESOURCE	RES	Resources available to be used in the Manufacturing. Resources can be recorded against: Container, Device, Facility, Handling/Packaging,Consumable, Personnel, QC Container.	Reference	Site	Customer
ROBOT	ROB	Robot name, type and associated store	Reference	Site	Customer
ROBOT_AUDIT_MESSAGE	RAM	Will contain an ongoing audit of each message that is sent and received between iPharmacy and the robot.	Transactional	Site	Viaduct Interface
ROBOT_CHUTE	ROC	Chutes availble per robot, plus an indicator for bulk stock chutes.	Reference	Site	Customer
ROBOT_CONSIS_EXTERNAL_IDS	RCE	External ids from Outbound Stock Take messages will be saved in this table for each robot, the corresponding Inbound message will pick up the oldest external id for the robot and populate the message with this. The row will be deleted.	Transactional	Site	Viaduct Interface
ROBOT_ERROR_MESSAGE	REM	Record of any errors that occurred during Viaduct processing of messages.	Transactional	Site	Viaduct Interface
ROBOT_INTERFACE	ROI	The processes supported for the sending/receiving of robot messages/dialogs. Also, site specific priority for outbound messages/dialogs and number of items per message/dialog supported by the robot.	Reference	Site	Customer
ROUTE	ROU	Routes of administration	Reference	Global	Customer
RTPM_AMT_IDENTIFIER	RAI	Table used the CTPP's and indicators to identify in which state RTPM is monitored	Reference	Global	Dedalus/customer
SALES_TAX	STX	Sales tax values	Reference	Global	Customer
SCID_CACHE	SCIDC	Table scid's generated per site and other data	Transactional	Site	Dedalus
SITE	STE	Sites, including name, code and address.	Reference	Global	Customer
SITE_ACC_COMP	SAC	Account component details associated with specific sites	Reference	Site	Customer
SITE_SETTINGS	SIS	Module licencing	Reference	Global	Dedalus
SPEC_PROD_INDICATION	SPI	Special product indication types	Reference	Global	Customer
SS_ACT_SCHEDULE4	SAS	Table used CTPP's and other informations related to Australian Capital Territory	Reference	Global	Dedalus/customer
SS_ARTGID_REFSET	SAR	AMT ARTG snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_ASSOCIATIONREFERENCE_REFSET	SARR	AMT Historical Associations snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_CONCEPTS	SC	AMT Concepts snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_CTPP_CONCEPTS	SCC	AMT snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_DESCRIPTIONS	SD	AMT Concept Descriptions snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_LANGUAGE	SSLANG	AMT Language snapshot to allow Preferred synonym to be identified where more than one synonym exists for an AMT Concept.	Reference	Global	Dedalus
SS_MP_CONCEPTS	SMPC	AMT Medicinal Product snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_MPP_CONCEPTS	SMPPC	AMT Medicinal Product pack snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_MPUU_CONCEPTS	SMPUUC	AMT Medicinal Product Unit of Use snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_NSW_SCHEDULE4	SNS	Table used CTPP's and other informations related to New South Wales	Reference	Global	Dedalus/customer

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

SS_NT_SCHEDULE4	SNTS	Table used CTPP's and other informations related to Northern Territory	Reference	Global	Dedalus/customer
SS_QLD_SCHEDULE4	SQS	Table used CTPP's and other informations related to Queensland	Reference	Global	Dedalus/customer
SS_RELATIONSHIPS	SR	AMT Relationships snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_SA_SCHEDULE4	SSS	Table used CTPP's and other informations related to South Australia	Reference	Global	Dedalus/customer
SS_SCHEDULE8	SS	Table used CTPP's and other informations related to Schedule 8	Reference	Global	Dedalus/customer
SS_STRENGTH_REFSET	SSR	AMT Strength snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_SUBPACK_QTY_REFSET	SSQR	AMT Subpack Quantity snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_TAS_SCHEDULE4	STS	Table used CTPP's and other informations related to Tasmania	Reference	Global	Dedalus/customer
SS_TP_CONCEPTS	STPC	AMT Trade Product snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_TPP_CONCEPTS	STPPC	AMT Trade Product Pack snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_TPUU_CONCEPTS	STPUUC	AMT Trade Product Unit of Use snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_UOU_QTY_REFSET	SUQR	AMT Unit of Use Quantity snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_UOU_SIZE_REFSET	SUSR	AMT Unit of Use Size snapshot data which gets refreshed every time data is uploaded	Reference	Global	Dedalus
SS_VIC_SCHEDULE4	SVS	Table used CTPP's and other informations related to Victoria	Reference	Global	Dedalus/customer
SS_WA_SCHEDULE4	SWS	Table used CTPP's and other informations related to Western Australia	Reference	Global	Dedalus/customer
STATIONERY	STN	Stationery to allow specific report and label printers to be allocated to print jobs	Reference	Global	Customer
STATIONERY_SETTINGS	STS	Stationery and allocated printers for each user and workstation combination	Reference	Site	Customer
STD_MANUF_NOTE	SMN	Product Method Note (Standard manufacture note) details	Reference	Global	Customer
STK_ADJ_ITEM	SAI	Stock adjustment items. (Not related to stock takes)	Transactional		
STK_TAKE_GRP	STG	Stock take groups	Reference	Site	Customer
STK_TAKE_ITEM	STI	Stock take items	Transactional		
STOCCA_ADC_PARM	SAP	ADC parameter settings	Reference	Site	Customer
STOCCA_ALERT_PARM	SAP	Alert override settings at each site	Reference	Site	Customer
STOCCA_DSPN_PARM	SDP	Dispensing parameter settings	Reference	Site	Customer
STOCCA_GLOBAL_PARM	SGP	Global Parameter Settings. Currently holds Product Object Identifier (OID) and Description for MyHealth Record purposes.	Reference	Site	Customer
STOCCA_INVEN_PARM	SIP	Inventory parameter settings	Reference	Site	Customer
STOCCA_PARAMETER	SPM	General parameter settings	Reference	Site	Customer
STOCCA_PBS_DSPN_PARM	SPD	PBS dispensing parameter settings specific to each site	Reference	Site	Customer
STOCCA_PBS_GLOBAL_PARM	SPG	PBS global parameter settings	Reference	Site	Customer
STOCCA_PROCESS	SPR	i.Pharmacy processes	Reference	Global	Dedalus
STOCCA_PROD_PARM	SPP	Product parameter settings	Reference	Site	Customer
STOCCA_REF_SITE_PARM	SRP	Reference site information (Dispensing Parameters Area)	Reference	Site	Customer
STOCCA_SPR_PARM	SPRP	Special Product Types which have Mandatory Or Optional set in regard to whether an Indicaiton needs to be entered in the {Add Special Product Authority) window.	Reference	Site	Customer
STOCCAMSG_PARM	SMP	SMA (STOCCA Message) parameter settings	Reference	Global	Customer
STOCK_ADJUST	SAD	Stock adjustment header	Transactional		
STOCK_ADJUST_EXTR	SAX	Which records have already been part of an extract for stock adjustment transactions	Transactional		
STOCK_TAKE	STK	Stock take header	Transactional		
STOCK_TAKE_EXTR	SKX	Which records have already been part of an extract for stock take transactions	Transactional		
STOCK_VALUATION	STV	Inventory movements for the Stock Valuation report.	Transactional		
STOCK_VALUATION_BACKUP	STB	Stock valuation Archive	Reference	Site	Dedalus
STORE	STR	Store details	Reference	Site	Customer
STORE_ACC_COMP	STA	Account components associated with stores	Reference	Site	Customer
SUPP_CATL	SCT	Supplier catalog information	Reference	Site	Customer
SUPP_COST_CNTR	SCC	Cost Centres associated with Suppliers	Reference	Site	Customer
SUPP_MAST	SUM	Master Suppliers that are used for allocation to a Supplier	Reference	Global	Customer
SUPPLIER	SUP	Suppliers	Reference	Site	Customer
TEAM	TEA	Teams to be assocaited with Doctors and / or Patients	Reference	Site	Customer
TFR_ITEM	TFI	Store Transfer items	Transactional		
TFR_REQUEST	TFQ	Store Transfer Request header	Transactional		
TFR_REQUEST_EXTR	TRX	Which records have already been part of an extract for Store Transfer Request transactions	Transactional		
TFR_RQST_ITEM	TQI	Store Transfer Request items	Transactional		
TPN_COMP_RULES	TCR	TPN Component Rules	Reference	Global	Customer
TRAN_ADD_VAL	TAV	Added Value amounts that may be included into the price of a transaction	Reference	Site	Customer
TRAN_TYPE	TTP	Transaction type details	Reference	Global	Dedalus
TRANSFER	TFR	Store transfer header	Transactional		
TRANSFER_EXTR	TFX	Which records have already been part of an extract for Store Transfer transactions	Transactional		
UNIT	UNI	System-controlled units that are used for Properties (e.g. mmol, mg) and for Patient Attributes (e.g. square metre, kilogram).	Reference	Global	Dedalus
UOM	UOM	Unit of measure information	Reference	Global	Customer
UPPN_MAP	UPM	Original prescription numebr for a dispensed item	Reference	Site	Dedalus
USER_LIST_OF_VAL	ULV	User Defined Codes – available for patient and product	Reference	Global	Customer
USER_LOV_PAT	UPA	User Defined Codes - patient	Reference	Site	Customer
USER_LOV_PROD	UPR	User Defined Codes - product	Reference	Global	Customer
USER_PWD	USP	Previous passwords for users	Reference	Global	Dedalus
USER_SETTINGS	USG	Most recent extract file path and the user who authorised some actions, per workstation per user.	Reference	Site	Dedalus
USER_SITE_SETTINGS	USS	Dispensing preferences for each user at a workstation	Reference	Site	Dedalus
USER_WORKSTATION_AUDIT	UWA	Records when a user logs in and out of a site	Reference	Site	Dedalus
USERS	USR	User details	Reference	Global	Customer
VAL_ADJ_ITEM	VAI	Adjustments to bin_cost (AWP) in bins details - items	Transactional		
VALUE_ADJUST	VAD	Adjustments to bin_cost (AWP) in bins details - header	Transactional		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

VAR_DOSE_CHART	VDC	Variable dosage chart - header	Transactional		
VAR_DOSE_ITEM	VDI	Variable dosage chart items	Transactional		
VAR_DOSE_PERIOD	VDO	Period of variable dosage chart of patient	Transactional		
WARNING_CODES	WCD	Warning Codes for association with products	Reference	Global	Customer
WORK_FLOW	WFL	Work flow details	Reference	Global	Dedalus
WORKSTATION	WKN	Workstations	Reference	Site	Dedalus
WORKSTATION_SETTINGS	WKS	Patient site, pharmacy and store used on a workstation per user	Reference	Site	Dedalus

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in ver	Notes
6	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
5.7	
5.7	
5.7	
5.7	
5.7	
8.1.0	
6	
7	
7	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

5.7	
10.6	
5.7	
5.7	
5.7	
5.7	
12	
12	
12	
12	
5.7	
11.0.0	
7	
10.6.0	
8	

6	
6	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
6	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
6	
5.7	
12	
12	
12	
8	
5.7	
5.6	
5.6	
5.6	
5.6	
5.6	
5.6	
5.7	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
9.5	
12.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
11.0.0	
9.0.0	
5.7	
5.7	
10.6	
5.7	
7	
5.7	
8.1.0	
5.7	
7	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
5.7	
8.1.0	
9.5	
5.7	

8	
8	
8	
9.5	
8	
9.5	

7	
5.7	
5.7	
5.7	
5.7	
6	
6	
5.7	
5.7	
5.7	
6	
6	
8.5	
8	
8.5	
8.5	
8	
10.0.0	
10.6.0	
5.7	
10.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
9.5	
9.0.0	
9.0.0	
9.0.0	
10.0.0	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

10.0.0	
10.0.0	
9.0.0	
10.0.0	
10.0.0	
9.0.0	
9.0.0	
10.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
9.0.0	
10.0.0	
10.0.0	
11.0.0	
9.0.0	
5.7	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with A					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
ABC_ANLYS_GRP_SMRY	ABC_ANLYS_ID	INT	NOT NULL	ABC Analysis Id	T_ID
ABC_ANLYS_GRP_SMRY	AFTER_COUNT	SMALLINT	NOT NULL	Number of items this stock take group had after ABC analysis performed	T_SID
ABC_ANLYS_GRP_SMRY	AFTER_TOT_PCT	DECIMAL(8,6)	NOT NULL	Total percent value for this stock take group after ABC analysis performed	T_PCT
ABC_ANLYS_GRP_SMRY	BEFORE_COUNT	SMALLINT	NOT NULL	Number of items this stock take group had before ABC analysis performed	T_SID
ABC_ANLYS_GRP_SMRY	BEFORE_TOT_PCT	DECIMAL(8,6)	NOT NULL	Total percent value for this stock take group before ABC analysis performed	T_PCT
ABC_ANLYS_GRP_SMRY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ABC_ANLYS_GRP_SMRY	STK_TAKE_GRP_SID	SMALLINT	NOT NULL	ID used to link to the Stock Take Group record	T_SID
ABC_ANLYS_SMRY_HDR	ABC_ANLYS_ID	INT	NOT NULL	ABC Analysis Id	T_ID
ABC_ANLYS_SMRY_HDR	PERFORMED_BY	VARCHAR (30)	NOT NULL	ABC analysis performed by	T_UID
ABC_ANLYS_SMRY_HDR	PERFORMED_DT	DATETIME	NOT NULL	ABC Analysis Performed Date	T_DT
ABC_ANLYS_SMRY_HDR	PERIOD_FROM	DATETIME	NOT NULL	From Period Used to Include Transactions for ABC Analysis	T_DT
ABC_ANLYS_SMRY_HDR	PERIOD_TO	DATETIME	NOT NULL	To period used to include transactions for ABC analysis	T_DT
ABC_ANLYS_SMRY_HDR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ABC_ANLYS_SMRY_HDR	STATUS_CD	VARCHAR (5)	NOT NULL	Status code	T_CD
ABC_ANLYS_SMRY_HDR	STORE_XID	VARCHAR(20)	NULL	Code to link to the Store table	T_XID
ABC_ANLYS_VAL_SMRY	ABC_ANLYS_ID	INT	NOT NULL	ABC Analysis Id	T_ID
ABC_ANLYS_VAL_SMRY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ABC_ANLYS_VAL_SMRY	TOT_COST	NUMERIC(18,8)	NOT NULL	Total Cost of Items Falling within the Total Percent Value	T_COST
ABC_ANLYS_VAL_SMRY	TOT_ITEMS	INT	NOT NULL	Total Items Falling within the Total Percent Value	T_ID
ABC_ANLYS_VAL_SMRY	TOT_PCT	DECIMAL(8,6)	NOT NULL	Total Percent Value	T_PCT
ABC_STK_TAKE_GRP	ABC_CUM_VAL_PCT	DECIMAL(8,6)	NULL	Cumulative percentage value of stk take group for current ABC analysis.	T_PCT
ABC_STK_TAKE_GRP	ABC_FRQ_DAYS	SMALLINT	NULL	ABC frequency days.	T_DAYS
ABC_STK_TAKE_GRP	ABC_TOT_VAL_PCT	DECIMAL(8,6)	NULL	Percentage value of stk take group for current ABC analysis.	T_PCT
ABC_STK_TAKE_GRP	BFR_CUM_VAL_PCT	DECIMAL(8,6)	NULL	Cumulative percentage value of stk take group for previous ABC analysis.	T_PCT
ABC_STK_TAKE_GRP	BFR_TOT_VAL_PCT	DECIMAL(8,6)	NULL	Percentage value of stk take group for previous ABC analysis.	T_PCT
ABC_STK_TAKE_GRP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ABC_STK_TAKE_GRP	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND
ABC_STK_TAKE_GRP	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ABC_STK_TAKE_GRP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ABC_STK_TAKE_GRP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ABC_STK_TAKE_GRP	STK_TAKE_GRP_SID	SMALLINT	NOT NULL	Stock take group id.	T_SID
ABC_STK_TAKE_GRP	STK_TAKE_GRP_XID	VARCHAR(20)	NOT NULL	Stock take group description.	T_XID
ABC_STK_TAKE_GRP	STORE_XID	VARCHAR(20)	NOT NULL	Code to link to the Store table	T_XID
ACCOUNT	ACC_DESC	VARCHAR(40)	NOT NULL	Description of the account.	T_DESC
ACCOUNT	ACC_ID	INT	NOT NULL	Account id.	T_ID
ACCOUNT	ACC_NOTE	VARCHAR(255)	NULL	Notes related to the account.	T_NOTE
ACCOUNT	ACC_TYPE_CD	VARCHAR(5)	NOT NULL	Type of the account.	T_CD
ACCOUNT	ACC_XID	VARCHAR(20)	NOT NULL	Account code.	T_XID
ACCOUNT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ACCOUNT	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND
ACCOUNT	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ACCOUNT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ACCOUNT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ACCOUNT_COMP	ACC_COMP_DESC	VARCHAR (40)	NOT NULL	Description of account component	T_DESC
ACCOUNT_COMP	ACC_COMP_ID	INT	NOT NULL	Account component id.	T_ID
ACCOUNT_COMP	ACC_COMP_SEQ	INT	NOT NULL	Sequence for accounts completed	T_SEQ
ACCOUNT_COMP	ACC_COMP_XID	VARCHAR (20)	NOT NULL	Account component code	T_XID
ACCOUNT_COMP	ACC_ID	INT	NOT NULL	Account id.	T_ID
ACCOUNT_COMP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ACCOUNT_COMP	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
ACCOUNT_COMP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ACCOUNT_COMP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ACCOUNT_COMP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ADC_AUDIT_MESSAGE	ADC_AUD_MSG_ID	INT	NOT NULL	ADC Audit id	T_ID
ADC_AUDIT_MESSAGE	ADC_MESSAGE	VARCHAR(8000)	NOT NULL	Copy of the HL7 messages sent or received	VARCHAR(8000)
ADC_AUDIT_MESSAGE	ADC_MESSAGE_ID	INT	NOT NULL	ADC message id - Link to external_message_adc.ext_msg_adc_id	T_ID
ADC_AUDIT_MESSAGE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_AUDIT_MESSAGE	MESSAGE_DT	DATETIME	NOT NULL	Date and time that the message was created.	T_DT
ADC_AUDIT_MESSAGE	MESSAGE_SITEID	VARCHAR(20)	NOT NULL	Receiving Facility i.e. adc_group_xid (ZPM message), or site_sid+ext_msg_adc_id (MFN message)	VARCHAR(20)
ADC_AUDIT_MESSAGE	MESSAGE_TYPE	VARCHAR(50)	NOT NULL	Indicates the direction of the message and it's source and target	VARCHAR(50)
ADC_AUDIT_MESSAGE	PROCESSED_DT	DATETIME	NOT NULL	Date and time that the row was processed	T_DT
ADC_ERROR_MESSAGE	ADC_ERROR_MESSAGE	VARCHAR(255)	NOT NULL	ADC error message	T_NOTE
ADC_ERROR_MESSAGE	ADC_ERROR_MSG_ID	INT	NOT NULL	ADC Error message id	T_ID
ADC_ERROR_MESSAGE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_ERROR_MESSAGE	PROCESSED_DT	DATETIME	NOT NULL	Date and time that the row was processed	T_DT
ADC_GROUP	ACTIVE_IND	CHAR(1)	NULL	ADC Group active indicator	T_IND
ADC_GROUP	ADC_GRP_DESC	VARCHAR(40)	NOT NULL	ADC Group Description	T_DESC
ADC_GROUP	ADC_GRP_ID	INT	NOT NULL	ADC Group id	T_ID
ADC_GROUP	ADC_GRP_XID	VARCHAR(20)	NOT NULL	ADC Group xid	T_XID
ADC_GROUP	ADC_IDENT_TYPE_CD	VARCHAR(5)	NOT NULL	ADC Identification Type Code	T_CD
ADC_GROUP	ADC_TYPE_CD	VARCHAR(5)	NOT NULL	ADC Type Code Such as PYXIS, OMNCL, MDDSP.	T_CD
ADC_GROUP	AMT_DFLT_TYPE_CD	VARCHAR(5)	NULL	AMT Default Type Code	T_CD
ADC_GROUP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_GROUP	CURR_IND	CHAR(1)	NOT NULL	Indicates record currency	T_IND
ADC_GROUP	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_GROUP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_GROUP	PROD_UPD_IND	CHAR(1)	NOT NULL	Indicates that product data messages (MFN) will be sent for the Group.	T_IND
ADC_GROUP	RESUPPLY_DFLT_UOM_CD	VARCHAR(5)	NULL	Resupply Default Uom Code	T_CD
ADC_GROUP_IDENTIFIER	ADC_GRP_ID	INT	NOT NULL	ADC Group Identifier - link to adc_group table	T_ID
ADC_GROUP_IDENTIFIER	ADC_GRP_IDENT_ID	INT	NOT NULL	ADC Group Identifier id	T_ID
ADC_GROUP_IDENTIFIER	ADC_IDENT_XID	VARCHAR(20)	NULL	ADC identifier xid	T_XID
ADC_GROUP_IDENTIFIER	AMT_IDENT_ID	BIGINT	NOT NULL	AMT Identifier id - link to amt_identifier_map table	T_BID
ADC_GROUP_IDENTIFIER	AMT_TYPE_CD	VARCHAR(5)	NOT NULL	AMT Code type - link to amt identifier_map table type code	T_CD

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

ADC_GROUP_IDENTIFIER	CREATED_DT	DATETIME		Date and time that the row was created.	T_DT
ADC_GROUP_IDENTIFIER	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_GROUP_IDENTIFIER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_IDENTIFIER_MAP	ADC_DFLT_IND	CHAR(1)	NOT NULL	ADC Default Indicator	T_IND
ADC_IDENTIFIER_MAP	ADC_GRP_ID	INT	NOT NULL	ADC Group id - Link to adc_group table	T_ID
ADC_IDENTIFIER_MAP	ADC_IDENT_XID	VARCHAR(20)	NULL	ADC ident Xid	T_XID
ADC_IDENTIFIER_MAP	ADC_MAP_ID	INT	NOT NULL	ADC Identifier Map id	T_ID
ADC_IDENTIFIER_MAP	AMT_IDENT_ID	BIGINT	NULL	AMT ident Id - Link to amt_identifier table	T_BID
ADC_IDENTIFIER_MAP	AMT_TYPE_CD	VARCHAR(5)	NULL	AMT Code type - link to amt identifier_map table type code	T_CD
ADC_IDENTIFIER_MAP	CONVERT_TO_PACK_IND	CHAR(1)	NOT NULL	Indicates convert to pack	T_IND
ADC_IDENTIFIER_MAP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_IDENTIFIER_MAP	CTPP_ID	BIGINT	NULL	Container Trade Product Pack ID	T_BID
ADC_IDENTIFIER_MAP	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_IDENTIFIER_MAP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_IDENTIFIER_MAP	MFN_MAD_SEND_IND	CHAR(1)	NOT NULL	Indicates MAD record send in external_message_adc table	T_IND
ADC_IDENTIFIER_MAP	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID
ADC_IDENTIFIER_MAP	RESUPPLY_UOM_CD	VARCHAR(5)	NULL	Resupply Default Uom Code	T_CD
ADC_IDENTIFIER_MAP	SEND_PEND_IND	CHAR(1)	NOT NULL	Indicates send pending	T_IND
ADC_IDENTIFIER_MAP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ADC_MAX_CHARACTERS	ADC_MAX_CHAR_ID	INT	NOT NULL	ADC Maximum Character id.	T_ID
ADC_MAX_CHARACTERS	ADC_NAME_CHAR_VAL	VARCHAR(255)	NOT NULL	ADC Name Character Description.	T_VALUE
ADC_MAX_CHARACTERS	ADC_TYPE_CD	VARCHAR(5)	NOT NULL	ADC Type Code Such as PYXIS, OMNCL, MDDSP.	T_CD
ADC_MAX_CHARACTERS	CONC_CHAR_VAL	VARCHAR(255)	NULL	Concentration Character Value.	T_VALUE
ADC_MAX_CHARACTERS	CONC_UNIT_CHAR_VAL	VARCHAR(255)	NULL	Concentration Unit Character Value.	T_VALUE
ADC_MAX_CHARACTERS	FORM_XID_CHAR_VAL	VARCHAR(255)	NOT NULL	Form Character Value.	T_VALUE
ADC_MAX_CHARACTERS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_MAX_CHARACTERS	ITEM_DESC_CHAR_VAL	VARCHAR(255)	NOT NULL	Item Description Character Value.	T_VALUE
ADC_MAX_CHARACTERS	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_MAX_CHARACTERS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_MAX_CHARACTERS	STR_CHAR_VAL	VARCHAR(255)	NOT NULL	Strength Character Value.	T_VALUE
ADC_MAX_CHARACTERS	STR_DESC_CHAR_VAL	VARCHAR(255)	NOT NULL	Strength Description Character Value.	T_VALUE
ADC_MAX_CHARACTERS	STR_UNIT_CHAR_VAL	VARCHAR(255)	NOT NULL	Strength Unit Character Value.	T_VALUE
ADC_MAX_CHARACTERS	TOT_VOL_CHAR_VAL	VARCHAR(255)	NULL	Total Volume Character Value.	T_VALUE
ADC_MAX_CHARACTERS	TOT_VOL_UNIT_CHAR_VAL	VARCHAR(255)	NULL	Total Volume Unit Character Value.	T_VALUE
ADC_NAME	ADC_NAME_ID	INT	NOT NULL	ADC Name id	T_ID
ADC_NAME	ADC_NAME_XID	VARCHAR(255)	NOT NULL	ADC Name xid	T_XID
ADC_NAME	ADC_NAME_NOTE	VARCHAR(255)	NOT NULL	ADC Name Note	T_NOTE
ADC_NAME	CURR_IND	CHAR(1)	NOT NULL	Indicator if the record is current	T_IND
ADC_NAME	COST_CNTR_XID	VARCHAR(20)	NOT NULL	Code for Cost Centre.Link to cost center table	T_XID
ADC_NAME	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_NAME	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_NAME	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_NAME	SITE_SID	INT	NOT NULL	Site identifier - Link to site table	T_ID
ADC_PRODUCT	ADC_BRAND_DESC	VARCHAR(40)	NULL	ADC Brand Description	T_DESC
ADC_PRODUCT	ADC_CONC_VAL	VARCHAR(255)	NULL	ADC Concentration Value	T_VALUE
ADC_PRODUCT	ADC_CONC_UNIT_DESC	VARCHAR(8000)	NULL	ADC Concentration Unit Description	T_AMTTERM
ADC_PRODUCT	ADC_FORM_DESC	VARCHAR(255)	NULL	ADC Form Description	T_NOTE
ADC_PRODUCT	ADC_GENERIC_DESC	VARCHAR(1024)	NULL	ADC Generic Description	T_VAR(1024)
ADC_PRODUCT	ADC_PROD_ID	INT	NOT NULL	ADC Product Id	T_ID
ADC_PRODUCT	ADC_STRENGTH_DESC	VARCHAR(255)	NULL	ADC Strength Description	T_NOTE
ADC_PRODUCT	ADC_STR_UNIT_DESC	VARCHAR(8000)	NULL	ADC Strength Unit Description	T_AMTTERM
ADC_PRODUCT	ADC_STR_VAL	VARCHAR(255)	NULL	ADC Strength Value	T_VALUE
ADC_PRODUCT	ADC_TOT_VOL_UNIT_DESC	VARCHAR(8000)	NULL	ADC Total Volume Unit Description	T_AMTTERM
ADC_PRODUCT	ADC_TOT_VOL_VAL	VARCHAR(255)	NULL	ADC Total Volume Value	T_VALUE
ADC_PRODUCT	ADC_TYPE_CD	VARCHAR(5)	NOT NULL	ADC Type Code Such as PYXIS, OMNCL, MDDSP.	T_CD
ADC_PRODUCT	AMT_IDENT_ID	BIGINT	NOT NULL	AMT ident Id - Link to amt_identifier table	T_BID
ADC_PRODUCT	AMT_TYPE_CD	VARCHAR(5)	NOT NULL	AMT Code type - link to amt identifier_map table type code	T_CD
ADC_PRODUCT	AUTHORISED_BY	VARCHAR (30)	NULL	Code of the user who authorised the ADC Product	T_UID
ADC_PRODUCT	AUTHORISED_DT	DATETIME	NULL	Date and time that the user authorised the ADC Product	T_DT
ADC_PRODUCT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_PRODUCT	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_PRODUCT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_PRODUCT	SEND_PEND_IND	CHAR(1)	NOT NULL	Indicates send pending	T_IND
ADC_PROD_FORM	ADC_FORM_DESC	VARCHAR(255)	NOT NULL	ADC Form Description	T_VALUE
ADC_PROD_FORM	ADC_FORM_ID	INT	NOT NULL	ADC Form id	T_ID
ADC_PROD_FORM	ADC_TYPE_CD	VARCHAR(5)	NOT NULL	ADC Type Code Such as PYXIS, OMNCL, MDDSP.	T_CD
ADC_PROD_FORM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADC_PROD_FORM	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_PROD_FORM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_PROD_FORM	PROD_FORM_XID	VARCHAR(20)	NOT NULL	Prod form - link to prod_form table	T_XID
ADC_STOCK_LIST	ADC_ALT1_XID	VARCHAR(20)	NULL	ADC Alt Xid	T_XID
ADC_STOCK_LIST	ADC_ALT2_XID	VARCHAR(20)	NULL	ADC Alt Xid	T_XID
ADC_STOCK_LIST	ADC_CLASS_DESC	VARCHAR(40)	NULL	ADC Stock Class Description	T_DESC
ADC_STOCK_LIST	ADC_CURR_QTY	NUMERIC(18,8)	NULL	To Update Current Quantity	T_QTY
ADC_STOCK_LIST	ADC_DOSE_FORM_DESC	VARCHAR(40)	NOT NULL	To Update ADC dose form description	T_DESC
ADC_STOCK_LIST	ADC_IDENT_XID	VARCHAR(20)	NOT NULL	To Update ADC Ident xid	T_XID
ADC_STOCK_LIST	ADC_ITEM_DESC	VARCHAR(40)	NOT NULL	To Update ADC Item Description	T_DESC
ADC_STOCK_LIST	ADC_MAX_QTY	NUMERIC(18,8)	NULL	To Update ADC Maximum Quantity	T_QTY
ADC_STOCK_LIST	ADC_MIN_QTY	NUMERIC(18,8)	NULL	To Update ADC Minimum Quantity	T_QTY
ADC_STOCK_LIST	ADC_NAME_XID	VARCHAR(255)	NULL	ADC Name Xid - Link to ADC Name table	T_NAME
ADC_STOCK_LIST	ADC_NURS_UNIT_XID	VARCHAR(20)	NULL	ADC Nurs Xid	T_XID
ADC_STOCK_LIST	ADC_POCKET_CD	VARCHAR(5)	NOT NULL	ADC Pocket Code	T_DESC
ADC_STOCK_LIST	ADC_STK_LIST_ID	INT	NOT NULL	ADC Stock List ID	T_ID
ADC_STOCK_LIST	COST_CNTR_XID	VARCHAR(20)	NULL	Code for Cost Centre.Link to cost center table	T_XID
ADC_STOCK_LIST	CREATED_DT	DATETIME	NULL	Date and time that the row was created.	T_DT
ADC_STOCK_LIST	IMP_UPD_STAT_CD	VARCHAR(5)	NULL	IP,ACC,REJ Status	T_CD
ADC_STOCK_LIST	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADC_STOCK_LIST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADC_STOCK_LIST	POCKET_CODE_DESC	VARCHAR(40)	NULL	Pocket Code Description	T_DESC

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

ADC_STOCK_LIST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ADC_STOCK_LIST	VERIFIED_BY	VARCHAR(30)	NOT NULL	Code of the user who verified the record.	T_UID
ADC_STOCK_LIST	VERIFIED_DT	DATETIME	NOT NULL	Date and time that the row was last verified	T_DT
ADVERSE_EVENT	ADV_EVENT_ID	INT	NOT NULL	Adverse Event Id	T_ID
ADVERSE_EVENT	ADV_EVENT_NOTE	VARCHAR (255)	NULL	Notes for adverse event	T_NOTE
ADVERSE_EVENT	CONG_ABNORMAL_IND	CHAR (1)	NULL	Indicator flag for cognitive abnormality - UK Locale only	T_IND
ADVERSE_EVENT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADVERSE_EVENT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
ADVERSE_EVENT	DISABILITY_IND	CHAR (1)	NULL	Indicator flag for disability - UK Locale only	T_IND
ADVERSE_EVENT	DOCT_VISIT_IND	CHAR (1)	NULL	Indicator if doctor visit required	T_IND
ADVERSE_EVENT	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor. Link to the doctor table	T_XID
ADVERSE_EVENT	HOSPITAL_IND	CHAR (1)	NULL	Indicator if hospitalisation was required	T_IND
ADVERSE_EVENT	INTV_ID	INT	NOT NULL	Intervention Id	T_ID
ADVERSE_EVENT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADVERSE_EVENT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADVERSE_EVENT	ONSET_DT	DATETIME	NOT NULL	Onset date	T_DT
ADVERSE_EVENT	OUTCOME_CD	VARCHAR (5)	NOT NULL	Code for the outcome	T_CD
ADVERSE_EVENT	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID
ADVERSE_EVENT	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID
ADVERSE_EVENT	RECOVER_DT	DATETIME	NULL	Recovery date	T_DT
ADVERSE_EVENT	SEQUELAE_IND	CHAR (1)	NULL	Indicator for sequelae	T_IND
ADVERSE_EVENT	SEQUELAE_NOTE	VARCHAR (255)	NULL	Notes for sequelae	T_NOTE
ADVERSE_EVENT	SERIOUS_IND	CHAR (1)	NULL	Indicator flag for serious category - UK Locale only	T_IND
ADVERSE_EVENT	SEVERITY_LIFE_IND	CHAR (1)	NULL	Indicator if severity is life threatening	T_IND
ADVERSE_EVENT	SEVERITY_NOTE	VARCHAR (255)	NULL	Notes for the severity	T_NOTE
ADVERSE_EVENT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ADVERSE_EVENT	TIME_SPENT_MINS	INT	NOT NULL	Number of minutes (duration) entered in the window	T_MINS
ADVERSE_EVENT	TREATMENT_NOTE	VARCHAR (255)	NULL	Notes for the treatment	T_NOTE
ADVERSE_EVENT	USER_CD	VARCHAR (30)	NOT NULL	User code chosen as the pharmacist.	T_UID
ADVERSE_EVENT_ITEM	ADV_DRUG_TYPE_CD	VARCHAR (5)	NOT NULL	Code for Suspected Drug / Other Drug - used by the UK locale to indicate whether the drug is directly suspected of causing the adverse reaction or not.	T_CD
ADVERSE_EVENT_ITEM	ADV_EVENT_ID	INT	NOT NULL	Adverse Event Id	T_ID
ADVERSE_EVENT_ITEM	ADV_EVENT_ITEM_ID	INT	NOT NULL	Unique ID used to identify adverse event item	T_ID
ADVERSE_EVENT_ITEM	CEASE_DT	DATETIME	NULL	Therapy cease date	T_DT
ADVERSE_EVENT_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ADVERSE_EVENT_ITEM	DAILY_DOSAGE_NOTE	VARCHAR (255)	NULL	Daily dosage description	T_NOTE
ADVERSE_EVENT_ITEM	DRUG_NAME_NOTE	VARCHAR (255)	NULL	Drug description	T_NOTE
ADVERSE_EVENT_ITEM	DSPN_LAST_BATCH	VARCHAR (10)	NULL	Batch number from the dispensed product	T_BATCH
ADVERSE_EVENT_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ADVERSE_EVENT_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ADVERSE_EVENT_ITEM	REASON_NOTE	VARCHAR (255)	NULL	Notes for the reason	T_NOTE
ADVERSE_EVENT_ITEM	ROUTE_ID	INT	NULL	Route identifier	T_ID
ADVERSE_EVENT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
ADVERSE_EVENT_ITEM	START_DT	DATETIME	NULL	Therapy start date	T_DT
ALLERGY	ALLERGY_DESC	VARCHAR (40)	NOT NULL	Description for the allergy	T_DESC
ALLERGY	ALLERGY_ID	INT	NOT NULL	Unique ID used to identify allergy	T_ID
ALLERGY	ALLERGY_OCC_DT	DATETIME	NOT NULL	Date of occurance	T_DT
ALLERGY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ALLERGY	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND
ALLERGY	DRUG_CODE_ID	INT	NOT NULL	Drug code ID - Link to drug_code table	T_ID
ALLERGY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ALLERGY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ALLERGY	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID
ALLERGY	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID
ALLERGY_NOTE	ALLERGY_ID	INT	NOT NULL	ID used to link back to the allergy record	T_ID
ALLERGY_NOTE	ALLERGY_NOTE	VARCHAR (255)	NOT NULL	Notes for the allergy	T_NOTE
ALLERGY_NOTE	ALLERGY_NOTE_ID	INT	NOT NULL	Unique ID used to identify allergy notes	T_ID
ALLERGY_NOTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ALLERGY_NOTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ALLERGY_NOTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_IDENTIFIER	ACTIVE_IND	CHAR(1)	NOT NULL	AMT Active indicator	T_IND
AMT_IDENTIFIER	AMT_EFFECTIVE_DT	DATETIME	NOT NULL	AMT Effective Date	T_DT
AMT_IDENTIFIER	AMT_ID	INT	NOT NULL	Column to save identity value	INT
AMT_IDENTIFIER	AMT_IDENT_ID	BIGINT	NOT NULL	AMT Identifier Id	T_BID
AMT_IDENTIFIER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AMT_IDENTIFIER	FSN_NAME	VARCHAR(8000)	NULL	Fully Specified Name	T_AMTTERM
AMT_IDENTIFIER	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
AMT_IDENTIFIER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_IDENTIFIER	LOCAL_DEF_IND	CHAR(1)	NOT NULL	Locally defined concept indicator	T_IND
AMT_IDENTIFIER	SYNONYM_DESC	VARCHAR(8000)	NOT NULL	Synonym Description (Preferred Term)	T_AMTTERM
AMT_IDENTIFIER	SYNONYM_TYPE_CD	VARCHAR(5)	NOT NULL	Synonym type code	T_CD
AMT_IDENTIFIER	TYPE_CD	VARCHAR(5)	NOT NULL	AMT Concept Type code	T_CD
AMT_MAP	AUTHORISED_BY	VARCHAR (30)	NOT NULL	AMT map authority user code	T_UID
AMT_MAP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AMT_MAP	CTPP_ID	BIGINT	NOT NULL	Container Trade Product Pack ID	T_BID
AMT_MAP	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
AMT_MAP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_MAP	MAP _NOTE	VARCHAR(255)	NULL	Map Notes	T_NOTE
AMT_MAP	MAP_ID	INT	NOT NULL	Map ID	T_ID
AMT_MAP	MATCH_STRENGTH_NBR	VARCHAR(15)	NULL	Strength of map, based on algorithm	T_NBR
AMT_MAP	PROD_ID	INT	NOT NULL	Mapped Product ID	T_ID
AMT_MAP	START_DT	DATETIME	NULL	Start date of map	T_DT

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

AMT_MAP	STOP_DT	DATETIME	NULL	Stop date of map	T_DT
AMT_PROD_UOU	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AMT_PROD_UOU	CTPP_ID	BIGINT	NOT NULL	Container Trade Product Pack ID	T_BID
AMT_PROD_UOU	FORM_MPUU_DESC	VARCHAR(8000)	NULL	Form description related to Medicinal Product Unit of Use	T_AMTTERM
AMT_PROD_UOU	FORM_TPUU_DESC	VARCHAR(8000)	NULL	Form description related to Trade Product Unit of Use	T_AMTTERM
AMT_PROD_UOU	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
AMT_PROD_UOU	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_PROD_UOU	MP_ID	BIGINT	NOT NULL	Medicinal Product ID	T_BID
AMT_PROD_UOU	MPUU_ID	BIGINT	NOT NULL	Medicinal Product Unit of Use ID	T_BID
AMT_PROD_UOU	TPUU_ID	BIGINT	NOT NULL	Trade Product Unit of Use ID	T_BID
AMT_PROD_UOU	UOU_DESC	VARCHAR(8000)	NULL	Unit of Use description	T_AMTTERM
AMT_PROD_UOU	UOU_QTY_VAL	VARCHAR(255)	NOT NULL	Unit of Use quantity value	T_VALUE
AMT_PROD_UOU	UOU_QTYUNIT_DESC	VARCHAR(8000)	NOT NULL	Unit of Use quantity unit description	T_AMTTERM
AMT_PROD_UOU	UOU_SIZE_VAL	VARCHAR(255)	NULL	Unit of Use size value	T_VALUE
AMT_PROD_UOU	UOU_SIZEUNIT_DESC	VARCHAR(8000)	NULL	Unit of Use size unit description	T_AMTTERM
AMT_PRODUCT	ACTIVE_IND	CHAR(1)	NOT NULL	Active indicator	T_IND
AMT_PRODUCT	ARTG_CODE	VARCHAR(20)	NULL	Australian Register of Therapeutic Goods code	T_XID
AMT_PRODUCT	COMPPACK_IND	CHAR(1)	NULL	Component pack indicator	T_IND
AMT_PRODUCT	CONTAINER_DESC	VARCHAR(8000)	NULL	Container description	T_AMTTERM
AMT_PRODUCT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AMT_PRODUCT	CTPP_ID	BIGINT	NOT NULL	Containered Trade Product Pack ID	T_BID
AMT_PRODUCT	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
AMT_PRODUCT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_PRODUCT	MPP_ID	BIGINT	NULL	Medicinal Product Pack ID	T_BID
AMT_PRODUCT	SUBPACK_IND	CHAR(1)	NULL	Subpack indicator	T_IND
AMT_PRODUCT	SUBPACK_QTY_UNIT_DESC	VARCHAR(8000)	NULL	Subpack Quantity unit description	T_AMTTERM
AMT_PRODUCT	SUBPACK_QTY_VAL	VARCHAR(255)	NULL	Subpack Quantity Value	T_VALUE
AMT_PRODUCT	TP_ID	BIGINT	NULL	Trade Product ID	T_BID
AMT_PRODUCT	TPP_ID	BIGINT	NULL	Trade Product Pack ID	T_BID
AMT_SUBCOMP_PACK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AMT_SUBCOMP_PACK	CTPP_ID	BIGINT	NOT NULL	Containered Trade Product Pack ID	T_BID
AMT_SUBCOMP_PACK	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
AMT_SUBCOMP_PACK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_SUBCOMP_PACK	SUBCOMP_PACK_ID	BIGINT	NOT NULL	Containered Trade Product Pack ID of the subpack or component pack	T_BID
AMT_SUBSTANCE	AMT_ID	INT	NOT NULL	AMT ID	INT
AMT_SUBSTANCE	BOSS_ID	BIGINT	NULL	Basis of Strength Substance ID	T_BID
AMT_SUBSTANCE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AMT_SUBSTANCE	CTPP_ID	BIGINT	NOT NULL	Container Trade Product Pack ID	T_BID
AMT_SUBSTANCE	DENOM_UNIT_DESC	VARCHAR(8000)	NULL	Denominator unit description	T_AMTTERM
AMT_SUBSTANCE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
AMT_SUBSTANCE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AMT_SUBSTANCE	MPUU_ID	BIGINT	NOT NULL	Medicinal Product Unit of Use ID	T_BID
AMT_SUBSTANCE	NUMER_UNIT_DESC	VARCHAR(8000)	NULL	Numerator unit description	T_AMTTERM
AMT_SUBSTANCE	RELGROUP_ID	BIGINT	NULL	Relational group ID - links the Substance / Basis of Strength pair.	T_BID
AMT_SUBSTANCE	STRENGTH_UNIT_DESC	VARCHAR(8000)	NULL	Strength unit description	T_AMTTERM
AMT_SUBSTANCE	STRENGTH_VAL	VARCHAR(255)	NULL	Strength Value	T_VALUE
AMT_SUBSTANCE	SUBST_ID	BIGINT	NOT NULL	Substance ID	T_BID
AMT_SUBSTANCE	UOU_TOT_QTY	NUMERIC(18,8)	NULL	Total quantity per Unit of Use	NUMERIC
AMT_UPLOAD_HISTORY	AMT_UPLOAD_HIST_ID	INT	NOT NULL	Identity value	INT
AMT_UPLOAD_HISTORY	UPLOAD_DT	DATETIME	NOT NULL	Upload date	T_DT
AMT_UPLOAD_HISTORY	UPLOAD_EFFECTIVE_DT	DATETIME	NOT NULL	AMT effective date	T_DT
AMT_UPLOAD_HISTORY	UPLOAD_FILENAME	VARCHAR (255)	NOT NULL	Name of upload file	T_NAME
AMT_VERSION	AMT_VERS_ID	INT	NOT NULL	Column to save identity value	INT
AMT_VERSION	CODE_SYS_DESC	TEXT	NULL	Code System Description	T_TEXT
AMT_VERSION	CODE_SYS_OID	VARCHAR(40)	NULL	Code System OID (Object Identifier)	T_DESC
AMT_VERSION	HL7_V2_ID	VARCHAR(10)	NULL	HL7 Version 2 ID	T_HL7V2ID
AMT_VERSION	MODULE_ID1	VARCHAR(40)	NULL	Module ID 1 - Nov 2015 onwards	T_DESC
AMT_VERSION	MODULE_ID2	VARCHAR(40)	NULL	Module ID 2 - pre-Nov 2015	T_DESC
APP_AUDIT_TABLE	AUDIT_IND	CHAR (1)	NOT NULL	Indicates if the table is being audited	T_IND
APP_AUDIT_TABLE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
APP_AUDIT_TABLE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
APP_AUDIT_TABLE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
APP_AUDIT_TABLE	TABLE_ACRONYM	VARCHAR (3)	NOT NULL	Acronyms for the table	VARCHAR
APP_AUDIT_TABLE	TABLE_DESC	VARCHAR (40)	NOT NULL	Description of the table	T_DESC
APP_AUDIT_TABLE	TABLE_NAME	VARCHAR (30)	NOT NULL	Table name for auditing	VARCHAR
APP_FUNCTION	ACTIVE_FL	CHAR (1)	NOT NULL	Active indicator	T_FLAG
APP_FUNCTION	AMEND_FL	CHAR (1)	NOT NULL	Amendment indicator	T_FLAG
APP_FUNCTION	APP_FUNCTION_CD	VARCHAR (30)	NOT NULL	Name of the object for the application	T_DESCRIPTION
APP_FUNCTION	APP_FUNCTION_DSC	VARCHAR (255)	NULL	Description for application function	VARCHAR
APP_FUNCTION	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'	T_CODE
APP_FUNCTION	CREATE_FL	CHAR (1)	NOT NULL	Creation indicator	T_FLAG
APP_FUNCTION	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record	T_UID
APP_FUNCTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
APP_FUNCTION	DELETE_FL	CHAR (1)	NOT NULL	Deletion indicator	T_FLAG
APP_FUNCTION	ENQUIRE_FL	CHAR (1)	NOT NULL	Enquiry Indicator	T_FLAG
APP_FUNCTION	HELP_TOPIC_CD	VARCHAR (30)	NULL	Code for help topic	T_DESCRIPTION
APP_FUNCTION	HELP_TOPIC_ID	INT	NULL	Identifier for the help topic	T_ID
APP_FUNCTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
APP_FUNCTION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

APP_FUNCTION	VERIFY_FL	CHAR (1)	NOT NULL	Verification indicator	T_FLAG
APP_REPORT	APP_COLUMN	VARCHAR (30)	NULL	Application column	VARCHAR
APP_REPORT	APP_FUNCTION_CD	VARCHAR (30)	NOT NULL	Name of the object for the application	T_DESCRIPTION
APP_REPORT	APP_JUST_CD	VARCHAR (5)	NULL	Code for application justification code	T_CD
APP_REPORT	APP_POSN_CD	VARCHAR (5)	NOT NULL	Code for application position	T_CD
APP_REPORT	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'	T_CODE
APP_REPORT	CPNY_JUST_CD	VARCHAR (5)	NULL	Code of Justification	T_CD
APP_REPORT	CPNY_POSN_CD	VARCHAR (5)	NOT NULL	Code for position	T_CD
APP_REPORT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
APP_REPORT	CUSTOM_SETUP_IND	CHAR (1)	NOT NULL	Indicator for custom setup	T_IND
APP_REPORT	HARD_COPY_AUDIT_REPT_ID	INT	NULL	Unique ID used to link to Hard Copy Audit Report	T_ID
APP_REPORT	HEADER_ROWS	SMALLINT (2)	NULL	Rows in the header	SMALLINT
APP_REPORT	INFO_JUST_CD	VARCHAR (5)	NULL	Code for information justification	T_CD
APP_REPORT	INFO_POSN_CD	VARCHAR (5)	NOT NULL	Code for information position	T_CD
APP_REPORT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
APP_REPORT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
APP_REPORT	ORIENTATION_CD	VARCHAR (5)	NOT NULL	Code for the orientation (Portrait or Landscape)	T_CD
APP_REPORT	PARAMETER_DW	VARCHAR (40)	NULL	Parameter data window	VARCHAR
APP_REPORT	REPORT_DW	VARCHAR (40)	NOT NULL	Report data window	VARCHAR
APP_REPORT	REPT_CATG_CD	VARCHAR (5)	NOT NULL	Code for the Reprting category	T_CD
APP_REPORT	REPT_TITLE	VARCHAR (255)	NOT NULL	Title of report	VARCHAR
APP_REPORT	TITLE_JUST_CD	VARCHAR (5)	NULL	Code for title justification	T_CD
APP_REPORT	TITLE_POSN_CD	VARCHAR (5)	NOT NULL	Code for Title position	T_CD
APP_REPORT	USER_COLUMN	VARCHAR (30)	NULL	User column	VARCHAR
APP_REPORT_ARCHV	HARD_COPY_AUDIT_REPT_ID	INT	NOT NULL	Unique ID used to identify the Hard Copy Audit Report	T_ID
APP_REPORT_ARCHV	REPORT_TITLE	VARCHAR (255)	NOT NULL	Report Title	T_FILE
APP_USER	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'	T_CODE
APP_USER	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record	T_UID
APP_USER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
APP_USER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
APP_USER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
APP_USER	PROFILE_CD	VARCHAR (15)	NULL	Code to link to the Profile record	T_CODE
APP_USER	USER_CD	VARCHAR (15)	NOT NULL	ID link to users table	T_CODE
APP_USER_SITE	ADC_PROD_AUTH_IND	CHAR(1)	NOT NULL	indicated ADC Product authority indicator	T_IND
APP_USER_SITE	AMT_MAP_AUTH_IND	CHAR (1)	NOT NULL	AMT Map Authority indicator	T_IND
APP_USER_SITE	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always 'STOCCA'	T_CODE
APP_USER_SITE	ASEP_INF_AUTH_IND	CHAR (1)	NOT NULL	Aseptic change authority indicator	T_IND
APP_USER_SITE	BIN_AUTH_IND	CHAR(1)	NOT NULL	Bin authority indicator	T_IND
APP_USER_SITE	CLAIM_AUTH_IND	CHAR (1)	NOT NULL	Indicator for claiming authority	T_IND
APP_USER_SITE	CLAIM_REMOVAL_AUTH_IND	CHAR (1)	NOT NULL	Used to set the Claim removal authority. A Claim can be removed permanently only when the authority is provided.	T_IND
APP_USER_SITE	CREATED_BY	VARCHAR (30)	NOT NULL	Code of the user who created the record	T_UID
APP_USER_SITE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
APP_USER_SITE	CTRL_DRUG_AUTH_IND	CHAR (1)	NOT NULL	Control Drug Authority Indicator	T_IND
APP_USER_SITE	DSPN_AUTH_IND	CHAR (1)	NOT NULL	Indicator for dispensing authority	T_IND
APP_USER_SITE	ERX_ORDSTATUS_CHANGE_AUTH_IND	CHAR(1)	NOT NULL	Indicator for erx order change authority	T_IND
APP_USER_SITE	GS_AUTH_IND	CHAR (1)	NOT NULL	Goal Sheet authority indicator	T_IND
APP_USER_SITE	GSF_AUTH_IND	CHAR (1)	NULL	Goal Sheet Formulation authority indicator	T_IND
APP_USER_SITE	GSO_AUTH_IND	CHAR (1)	NULL	Goal Sheet Order authority indicator	T_IND
APP_USER_SITE	HRC_WITHDRAWN_AUTH_IND	CHAR (1)	NOT NULL	Health Record Consent Withdrawn authority indicator.	T_IND
APP_USER_SITE	INGR_INF_AUTH_IND	CHAR (1)	NOT NULL	Ingredients change authority indicator	T_IND
APP_USER_SITE	INVC_AUTH_IND	CHAR (1)	NOT NULL	Invoice authority indicator	T_IND
APP_USER_SITE	INVC_PRICE_VAR_PCT	DECIMAL(8,6)	NULL	Invoice price variance percentage	T_PCT
APP_USER_SITE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
APP_USER_SITE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
APP_USER_SITE	MANUF_AUTH_IND	CHAR (1)	NOT NULL	Indicator for manufacturing authority	T_IND
APP_USER_SITE	MANUF_INF_AUTH_IND	CHAR (1)	NOT NULL	Manufacturing change authority indicator	T_IND
APP_USER_SITE	MANUF_QA_AUTH_IND	CHAR (1)	NOT NULL	QA authority for Manufacturing control panel indicator	T_IND
APP_USER_SITE	METH_NOTE_INF_AUTH_IND	CHAR (1)	NOT NULL	Method note change authority indicator	T_IND
APP_USER_SITE	ORD_AUTH_IND	CHAR (1)	NOT NULL	Indicator for ordering authority	T_IND
APP_USER_SITE	ORD_LIMIT	NUMERIC(18,8)	NULL	Order limit	T_COST
APP_USER_SITE	OWING_MARKOFF_IND	CHAR(1)	NOT NULL	Indicator for Owing Script Mark Off Authority	T_IND
APP_USER_SITE	PAT_INVC_WF_AUTH_IND	CHAR(1)	NOT NULL	Write off authority for Patient Invoice indicator	T_IND
APP_USER_SITE	PROFILE_CD	VARCHAR (15)	NOT NULL	Code to link to the Profile record	T_CODE
APP_USER_SITE	RTPM_REG_AUTH_IND	CHAR (1)	NOT NULL	<Name of RTPM system> Registered indicator values against User	T_IND
APP_USER_SITE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
APP_USER_SITE	TFQ_EXT_AUTH_IND	CHAR (1)	NOT NULL	Indicator for Requisition Store transfer between sites	T_IND
APP_USER_SITE	TFQ_INT_AUTH_IND	CHAR (1)	NOT NULL	Indicator for Requisition Store transfer within sites	T_IND
APP_USER_SITE	TPN_INF_AUTH_IND	CHAR (1)	NOT NULL	TPN change authority indicator	T_IND
APP_USER_SITE	USER_CD	VARCHAR (15)	NOT NULL	Code to identify the user	T_CODE
APPLICATION	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'	T_CODE
APPLICATION	APPLICATION_DSC	VARCHAR (30)	NOT NULL	Application Description	T_DESCRIPTION
APPLICATION	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record	T_UID
APPLICATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
APPLICATION	IDLE_MINS	SMALLINT (2)	NOT NULL	Idle time before application closes	SMALLINT
APPLICATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
APPLICATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
APPLICATION	LOCK_PROFILE_CD	VARCHAR (15)	NULL	Profile for Locking	T_CODE
APPLICATION	LOGON_ATTEMPTS	SMALLINT	NOT NULL	Number of logon attempts	T_SMALLINT
APPLICATION	MIN_PWD_LENGTH	SMALLINT	NOT NULL	Minimum length for the password	T_SMALLINT
APPLICATION	MIN_ALPHA_CHAR	SMALLINT	NOT NULL	Minimum alpha characters in password	T_SMALLINT
APPLICATION	MIN_NUM_DIG	SMALLINT	NOT NULL	Minimum numeric digits in password	T_SMALLINT
APPLICATION	MIN_SPEC_CHAR	SMALLINT	NOT NULL	Minimum special characters in password	T_SMALLINT
APPLICATION	MIN_UPPER_CHAR	SMALLINT	NOT NULL	Minimum upper case characters in password	T_SMALLINT

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

APPLICATION	NO_UNIQUE_PWD	SMALLINT	NOT NULL	Number of unique passwords maintained.	T_SMALLINT
APPLICATION	PWD_DURATION	SMALLINT	NOT NULL	Duration for the password expiry	T_SMALLINT
AREA_OF_WORK	AOW_CD	VARCHAR (15)	NOT NULL	Type of Area of Work	T_CODE
AREA_OF_WORK	AOW_DESC	VARCHAR (30)	NOT NULL	Area of Work Description	T_DESCRIPTION
AREA_OF_WORK	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'	T_CODE
AREA_OF_WORK	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record	T_UID
AREA_OF_WORK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AREA_OF_WORK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
AREA_OF_WORK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
AREA_OF_WORK_ACCESS	AMEND_FL	CHAR (1)	NOT NULL	Amendment indicator	T_FLAG
AREA_OF_WORK_ACCESS	AOW_CD	VARCHAR (15)	NOT NULL	Type of Area of Work	T_CODE
AREA_OF_WORK_ACCESS	APP_FUNCTION_CD	VARCHAR (30)	NOT NULL	Name of the object for the application	T_DESCRIPTION
AREA_OF_WORK_ACCESS	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'	T_CODE
AREA_OF_WORK_ACCESS	CREATE_FL	CHAR (1)	NOT NULL	Creation indicator	T_FLAG
AREA_OF_WORK_ACCESS	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record	T_UID
AREA_OF_WORK_ACCESS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
AREA_OF_WORK_ACCESS	DELETE_FL	CHAR (1)	NOT NULL	Deletion indicator	T_FLAG
AREA_OF_WORK_ACCESS	ENQUIRE_FL	CHAR (1)	NOT NULL	Enquiry Indicator	T_FLAG
AREA_OF_WORK_ACCESS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
AREA_OF_WORK_ACCESS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ATTR_FORMULA	ATTR_FORMULA_NAME	VARCHAR(255)	NOT NULL	Attribute formula name	T_NAME
ATTR_FORMULA	ATTR_FORMULA_PID	INT	NOT NULL	Unique Attribute formula identifier	T_PID
ATTR_FORMULA	ATTR_ID	INT	NOT NULL	Attribute identifier - Link to attribute table	T_ID
ATTR_FORMULA	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ATTR_FORMULA	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
ATTR_FORMULA	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ATTR_FORMULA	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ATTR_FORMULA	SP_NAME	VARCHAR (255)	NOT NULL	Stored procedure name	T_NAME
ATTR_FORMULA	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID
ATTR_FORMULA	UNIT_QLF_PID	INT	NULL	Unit qualifier identifier - Link to unit table	T_PID
ATTR_FORMULA_ARGS	ATTR_FORMULA_PID	INT	NOT NULL	Attribute formula identifier	T_PID
ATTR_FORMULA_ARGS	ATTR_ID	INT	NOT NULL	Code to link to the Attribute record	T_ID
ATTR_FORMULA_ARGS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ATTR_FORMULA_ARGS	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
ATTR_FORMULA_ARGS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ATTR_FORMULA_ARGS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ATTR_QUALIFIER	ATTR_ID	INT	NOT NULL	Code to link to the Attribute record	T_ID
ATTR_QUALIFIER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ATTR_QUALIFIER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ATTR_QUALIFIER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ATTR_QUALIFIER	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID
ATTR_UNIT	ATTR_ID	INT	NOT NULL	Code to link to the Attribute record	T_ID
ATTR_UNIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ATTR_UNIT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
ATTR_UNIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ATTR_UNIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ATTR_UNIT	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID
ATTR_UNIT	UNIT_QLF_PID	INT	NULL	Unit qualifier identifier - Link to unit table	T_PID
ATTRIBUTE	ATTR_DESC	VARCHAR(40)	NOT NULL	Attribute description	T_DESC
ATTRIBUTE	ATTR_ID	INT	NOT NULL	Unique attribute identifier	T_ID
ATTRIBUTE	ATTR_NOTE	VARCHAR (255)	NULL	Attribute notes	T_NOTE
ATTRIBUTE	ATTR_PID	INT	NULL	Dedalus controlled Attribute identifier	T_PID
ATTRIBUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
ATTRIBUTE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
ATTRIBUTE	DISPLAY_SEQ	INT	NULL	Display Sequence	T_SEQ
ATTRIBUTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
ATTRIBUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
ATTRIBUTE	USER_DEFINED_IND	CHAR (1)	NOT NULL	Indicates if this is a User defined attribute	T_IND
AUDIT_LOG	AUDIT_EVENT_TYPE_CODE	VARCHAR(15)	NOT NULL	Code for audit even type (create, update, read)	T_CODE
AUDIT_LOG	AUDIT_FUNC_DESC	VARCHAR(40)	NOT NULL	Description for application function	T_DESC
AUDIT_LOG	AUDIT_NOTE	VARCHAR(255)	NOT NULL	Audit note	T_NOTE
AUDIT_LOG	CREATED_BY	VARCHAR(30)	NOT NULL	Code of the user who created the record	T_UID
AUDIT_LOG	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created	T_DT
AUDIT_LOG	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID
AUDIT_LOG	PAT_NHS_TYPE_CD	VARCHAR(5)	NULL	Patient NHS type code	T_CD
AUDIT_LOG	PAT_XID	VARCHAR(20)	NOT NULL	Patient identifier - Link to patient table	T_XID
AUDIT_LOG	SITE_SID	INT	NOT NULL	Site indentifier - Link to site table	T_ID
AUDIT_LOG	WKSTN_NAME	VARCHAR(75)	NOT NULL	Workstation name	T_WKN
AUSDI_INDEX	AUSDI_INDEX_ID	INT	NOT NULL	Unique ID realting to the AuSDI data set	T_ID
AUSDI_INDEX	DENOMINATION_NOTE	VARCHAR (255)	NULL	Notes for denomination	T_NOTE
AUSDI_INDEX	HTML_NOTE	VARCHAR (255)	NULL	Notes for HTML	T_NOTE
AUSDI_INDEX	MONOGRAPH_SOURCE	CHAR (1)	NOT NULL	Used To differentiate between Ausdi and BNF data	T_IND
AUSDI_INDEX	REVISED_DATE_NOTE	VARCHAR (255)	NULL	Notes for revised date	T_NOTE
AUSDI_INDEX	SUBDENOMINATION_NOTE	VARCHAR (255)	NULL	Notes for sub denomination	T_NOTE

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule	New or adjusted in ver	Notes

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

1			

Tables starting with B							
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**	**Default**	**Rule**
BIN	AUTHORISED_BY	VARCHAR(30)	NULL	Code of the User who authorised the bin record	T_UID		
BIN	BIN_COMMIT_QTY	NUMERIC(18,8)	NULL	Committed quantity in the bin	T_QTY		
BIN	BIN_COST	NUMERIC(18,8)	NOT NULL	AWP Cost Per Inventory Unit	T_COST		
BIN	BIN_DFLT_IND	CHAR (1)	NOT NULL	Default indicator for bin	T_IND		
BIN	BIN_IMP_PRICE	NUMERIC(18,8)	NOT NULL	Not used in this version of i.Pharmacy	T_PRICE		
BIN	BIN_LOCK_IN_IND	CHAR (1)	NOT NULL	Indicator specifying the bin to be locked for inward transaction	T_IND	N	
BIN	BIN_LOCK_OUT_IND	CHAR (1)	NOT NULL	Indicator specifying the bin to be locked for outward transaction	T_IND	N	
BIN	BIN_RESUPP_METH_CD	VARCHAR (5)	NOT NULL	Code for bin resupply method	T_CD		
BIN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
BIN	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
BIN	IOH_BF_QTY	NUMERIC(18,8)	NOT NULL	Not used in this version of i.Pharmacy	T_QTY		
BIN	IOH_CURR_QTY	NUMERIC(18,8)	NOT NULL	Quantity of current Inventory on hand	T_QTY		
BIN	IOH_MAX_QTY	NUMERIC(18,8)	NOT NULL	Maximum inventory on hand quantity	T_QTY		
BIN	IOH_MIN_QTY	NUMERIC(18,8)	NOT NULL	Minimum inventory on hand quantity	T_QTY		
BIN	LAST_BATCH	VARCHAR (10)	NULL	Last Batch Number	T_BATCH		
BIN	LAST_BATCH_EXP_DT	DATETIME	NULL	Expiry date for last batch	T_DT		
BIN	LAST_PURCHASE_COST	NUMERIC(18,8)	NULL	Cost of last purchase	T_COST		
BIN	LAST_STK_TAKE_DT	DATETIME	NULL	Last stock take date	T_DT		
BIN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
BIN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
BIN	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID		
BIN	MAN_BIN_LOCK_IN_IND	CHAR(1)	NOT NULL	Colum to save bin lock indicator of man_bin_lock_in_ind	T_IND	NULL	
BIN	MAN_BIN_LOCK_OUT_IND	CHAR(1)	NOT NULL	Column to save bin lock indicator of man_bin_lock_out_ind	T_IND	NULL	
BIN	ORD_PREF_BRAND_IND	CHAR(1)	NOT NULL	Indicator specifying the product is the preferred brand for the Store with regard to Order Worksheet.	T_IND	N	
BIN	PRICE_VAR_PCT	DECIMAL(8,6)	NULL	Price Variance Percentage	T_PCT		
BIN	PRICE_VAR_VAL	NUMERIC(18,8)	NULL	Price Variance Value	T_PRICE		
BIN	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
BIN	ROBOT_ID	INT	NULL	Robot Identifier - Link to robot table	T_ID		
BIN	ROBOT_IOH_ADJ	NUMERIC(18,8)	NULL	Robot inventory on hand adjustment quantity. No longer used from v8 onwards.	T_QTY		
BIN	ROBOT_IOH_IND	CHAR(1)	NOT NULL	Indicator specifying that a request for Robot IOH has been sent to robot, but response has not yet been received.	T_IND	N	
BIN	ROBOT_IOH_INVEN_QTY	NUMERIC(18,8)	NULL	Column to save robot ioh inventory quantity value	T_QTY	NULL	
BIN	ROBOT_IOH_QTY	CHAR(1)	NOT NULL		T_IND		
BIN	ROBOT_TYPE_CD	VARCHAR (5)	NOT NULL	Robot type / model - Link to list_of_val table using robot_type_cd	T_CD	MAN	
BIN	ROBOT_XID	VARCHAR (20)	NULL	User created code to indicate the code for the robot.	T_XID	NULL	
BIN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
BIN	STK_TAKE_GRP_SID	SMALLINT	NULL	Stock take group for the product against the Store	T_SID		
BIN	STK_TAKE_OVERR_IND	CHAR(1)	NOT NULL	Stock Take Group Override Indicator	T_IND	N	
BIN	STK_TAKE_OVERRGRP_SID	SMALLINT	NULL	Stock take group if the the stock take group has been overridden	T_SID		
BIN	SUB_LOC_XID	VARCHAR (20)	NULL	Identifier for sub location	T_XID		
BIN	SUPP_SITE_SID	SMALLINT	NULL	Supplier Site Identifier	T_SID		
BIN	SUPP_STORE_XID	VARCHAR (20)	NULL	Code to link to the Store table	T_XID		
BIN_BATCH	BATCH_EXP_DT	DATETIME	NULL	Batch expiry date	T_DT		
BIN_BATCH	BATCH_INV_COST	NUMERIC(18,8)	NOT NULL	Batch inventory cost	T_COST		
BIN_BATCH	BATCH_INV_PRICE	NUMERIC(18,8)	NOT NULL	Batch inventory price	T_PRICE		
BIN_BATCH	BATCH_INV_RECDQTY	NUMERIC(18,8)	NOT NULL	Batch inventory received quantity	T_QTY		
BIN_BATCH	BATCH_IOH_QTY	NUMERIC(18,8)	NOT NULL	Batch inventory received quantity	T_QTY		
BIN_BATCH	BIN_BATCH_ID	INT	NOT NULL	Bin batch identifier	T_ID		
BIN_BATCH	BIN_BATCH_NO	VARCHAR (10)	NULL	Bin batch number	T_BATCH		
BIN_BATCH	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
BIN_BATCH	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
BIN_BATCH	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
BIN_BATCH	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID		
BIN_BATCH	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
BIN_BATCH	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
BIN_TRAN	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID		
BIN_TRAN	BIN_TRAN_BATCH	VARCHAR (10)	NULL	Batch number of the item if Bin batch is active	T_BATCH		
BIN_TRAN	BIN_TRAN_COST	NUMERIC(18,8)	NULL	Cost of a pack, based on the multiplier in the prod_uom table, and the AWP	T_COST		
BIN_TRAN	BIN_TRAN_DT	DATETIME	NOT NULL	Date of the transaction recorded in the window. This is the date entered in the transaction window.	T_DT		
BIN_TRAN	BIN_TRAN_EXT_COST	NUMERIC(18,8)	NULL	Transaction UOM cost pus tax	T_COST		
BIN_TRAN	BIN_TRAN_EXT_PRICE	NUMERIC(18,8)	NULL	Transaction UOM selling price, including mark up, plus tax	T_PRICE		
BIN_TRAN	BIN_TRAN_ID	INT	NOT NULL	Unique ID used to identify the bin transaction	T_ID		
BIN_TRAN	BIN_TRAN_INVEN_QTY	NUMERIC(18,8)	NOT NULL	Number of inventory uints for bin transaction	T_QTY		
BIN_TRAN	BIN_TRAN_PACK_QTY	NUMERIC(18,8)	NOT NULL	Number of transaction UOM's, as identified above	T_QTY		
BIN_TRAN	BIN_TRAN_PRICE	NUMERIC(18,8)	NULL	Transaction UOM selling price, including mark up	T_PRICE		
BIN_TRAN	BIN_TRAN_PVV_AMT	NUMERIC(18,8)	NULL	Amount of Price Value Variance applied	T_PRICE		
BIN_TRAN	BT_BATCH_EXP_DT	DATETIME	NULL	Expiry date of the item if Bin batch is active	T_DT		
BIN_TRAN	BTR_INVEN_COST	NUMERIC(18,8)	NULL	The bin_cost (AWP) of inventory unit	T_COST		
BIN_TRAN	BTR_INVEN_EXT_COST	NUMERIC(18,8)	NULL	The AWP plus tax, of inventory unit	T_COST		
BIN_TRAN	BTR_INVEN_EXT_PRICE	NUMERIC(18,8)	NULL	Selling price, plus tax, of Inventory UOM	T_PRICE		
BIN_TRAN	BTR_INVEN_PRICE	NUMERIC(18,8)	NULL	Selling price of Inventory UOM, including mark up	T_PRICE		
BIN_TRAN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
BIN_TRAN	INVEN_UOM_ID	INT	NOT NULL	Inventory UOM identifier at the tme of the transaction	T_ID		
BIN_TRAN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
BIN_TRAN	LAST_UPDATED_DT	DATETIME	NOT NULL	Always the same as created_dt, EXCEPT for Goods Receipt when a Supplier Invoice can update the Bin_tran_price and Bin_tran_ext_price columns.	T_DT		
BIN_TRAN	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID		
BIN_TRAN	PACK_UOM_ID	INT	NOT NULL	Transaction UOM. (This is often, pack_uom, but not necessarily on every occasion)	T_ID		
BIN_TRAN	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

BIN_TRAN	RECV_ABN	VARCHAR (14)	NULL	ABN number of the Receiver	T_ABN		
BIN_TRAN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
BIN_TRAN	SUPP_ABN	VARCHAR (14)	NULL	ABN number of the supplier	T_ABN		
BIN_TRAN	TRAN_TYPE_CD	VARCHAR (5)	NOT NULL	Transaction Type Code identifier	T_CD		
BIN_TRAN_EXTR	BIN_TRAN_ID	INT	NOT NULL	Unique ID used to link the bin transaction record	T_ID		
BIN_TRAN_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
BIN_TRAN_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extract	T_ID		
BIN_TRAN_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
BIN_TRAN_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
BIN_TRAN_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
BOM	BOM_COMP_QTY	NUMERIC(18,8)	NULL	Number of Units of Measurement of the BOM component	T_QTY		
BOM	BOM_ID	INT	NOT NULL	Unique ID used to identify BOM record	T_ID		
BOM	BOM_TYPE_CD	VARCHAR (5)	NULL	BOM type code	T_CD		
BOM	COMP_PROD_ID	INT	NOT NULL	Product Identifier for BOM Component (ingredient)	T_ID		
BOM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
BOM	DOSE_CALC_CD	VARCHAR (5)	NOT NULL	Code for the dose calculation link	T_CD		
BOM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
BOM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
BOM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
BOM	PROD_USE_CD	VARCHAR (5)	NOT NULL	Product usage code - Link to list_of_val table.	T_CD		
BOM	RECON_ID	INT	NULL	Column to save recon id when a recon ingredient is selected in the Aseptic, TPN or Manufacturing tabpage of the product maintenance window.	T_ID	NULL	
BOM	UOM_ID	INT	NOT NULL	Unique Unit of Measurement Identifier	T_ID		
BOM	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies the BOM record	T_UID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes
11	

Tables starting with C							
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**	**Default**	**Rule**
CHARGE_CENTRE	CHRG_CNTR_ADDR_1	VARCHAR (40)	NULL	Charge centre address1	T_ADDR		
CHARGE_CENTRE	CHRG_CNTR_ADDR_2	VARCHAR (40)	NULL	Charge centre address2	T_ADDR		
CHARGE_CENTRE	CHRG_CNTR_ADDR_3	VARCHAR (40)	NULL	Charge centre address3	T_ADDR		
CHARGE_CENTRE	CHRG_CNTR_ADDR_4	VARCHAR (40)	NULL	Charge centre address4	T_ADDR		
CHARGE_CENTRE	CHRG_CNTR_CNTRY	VARCHAR (30)	NULL	Charge centre Country	T_CNTRY		
CHARGE_CENTRE	CHRG_CNTR_DESC	VARCHAR (40)	NOT NULL	Description of charge centre	T_DESC		
CHARGE_CENTRE	CHRG_CNTR_NOTE	VARCHAR (255)	NULL	Notes for the charge centre	T_NOTE		
CHARGE_CENTRE	CHRG_CNTR_POSTCODE	VARCHAR (10)	NULL	Charge centre postal code	T_POSTCODE		
CHARGE_CENTRE	CHRG_CNTR_XID	VARCHAR (20)	NOT NULL	ID used to identify Charge centre	T_XID		
CHARGE_CENTRE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
CHARGE_CENTRE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
CHARGE_CENTRE	DEBTOR_NBR	VARCHAR (20)	NULL	Number of the Debtor	VARCHAR		
CHARGE_CENTRE	HOSP_IND	CHAR (1)	NOT NULL	Indicator for hospital	T_IND		
CHARGE_CENTRE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
CHARGE_CENTRE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
CHARGE_CENTRE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
COC_ACC_COMP	ACC_COMP_ID	INT	NOT NULL	Unique ID used to identify the account component	T_ID		
COC_ACC_COMP	COC_ACC_COMP_XID	VARCHAR (20)	NULL	Cost centre Account Code value	T_XID		
COC_ACC_COMP	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID		
COC_ACC_COMP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
COC_ACC_COMP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
COC_ACC_COMP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
COC_ACC_COMP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
COMPOUNDERS	ADDRESS	VARCHAR (255)	NULL	Compounders Address	T_NOTE		
COMPOUNDERS	COMPOUNDER_ABN	VARCHAR (14)	NOT NULL	Compounders ABN Number	T_ABN		
COMPOUNDERS	COMPOUNDER_NAME	VARCHAR (255)	NOT NULL	Compounders Name	T_NAME		
COMPOUNDERS	COMPOUNDER_XID	VARCHAR (20)	NOT NULL	Compounders ID	T_XID		
COMPOUNDERS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
COMPOUNDERS	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND		
COMPOUNDERS	FAX	VARCHAR (15)	NULL	Compounders Fax	T_PHONE		
COMPOUNDERS	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID		
COMPOUNDERS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
COMPOUNDERS	PHONE	VARCHAR (15)	NULL	Compounders Phone	T_PHONE		
COMPOUNDERS	TGA_LIC_STATUS	VARCHAR (5)	NULL	TGA Licence Status	T_CD		
COMPOUNDER_SITE	ADDRESS	CHAR(255)	NULL	Column for address field in compounder maintenance	T_NOTE	NULL	
COMPOUNDER_SITE	COMPOUNDER_ABN	CHAR(14)		Column for Compounder Abn in compounder maintenance	T_ABN	NULL	
COMPOUNDER_SITE	COMPOUNDER_NAME	CHAR(255)	NOT NULL	Column to save Description in compounder Maintenance	T_NAME	NULL	
COMPOUNDER_SITE	COMPOUNDER_XID	CHAR(20)	NOT NULL	Column to store compounder_xid in compounder Maintenance	T_XID	NULL	
COMPOUNDER_SITE	CREATED_DT	DATETIME	NOT NULL	Column to update Created date in compounder_site table	T_DT	NULL	
COMPOUNDER_SITE	CURR_IND	CHAR(1)	NOT NULL	Column for Current indicator in compounder maintenance	T_IND	Y	
COMPOUNDER_SITE	DEF_NON_NORM	CHAR(1)	NOT NULL	Column for default Non Normal Indicator in compounder Maintenance	T_IND	N	
COMPOUNDER_SITE	LAST_UPDATED_BY	CHAR(30)	NOT NULL	Column to save last updated by in compounder_site table	T_UID	NULL	
COMPOUNDER_SITE	LAST_UPDATED_DT	DATETIME	NOT NULL	Column to save last Updated date in compounder_site table	T_DT	NULL	
COMPOUNDER_SITE	SITE_SID	LONG	NOT NULL	Column to store site in compounder_site table	T_SID	NULL	
COMPOUNDER_SITE	TGA_LIC_STATUS	CHAR(5)	NULL	Column to save tga_lic_status in compouder_site against the compounder_xid	T_CD	NULL	
CONV_FACTOR	CONV_QTY	NUMERIC(18,8)	NOT NULL	Conversion quantity	T_QTY		
CONV_FACTOR	CONV_UNIT_PID	INT	NOT NULL	Conversion Unit identifier	T_PID		
CONV_FACTOR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
CONV_FACTOR	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
CONV_FACTOR	INVERSE_QTY	NUMERIC(18,8)	NOT NULL	Inverse quantity	T_QTY		
CONV_FACTOR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
CONV_FACTOR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
CONV_FACTOR	UNIT_CATG_XID	VARCHAR(20)	NOT NULL	Unit Category identifier - Link to unit table	T_XID		
CONV_FACTOR	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID		
COST_CENTRE	ACCOUNT_1_REF	VARCHAR(20)	NULL	Reference for account - Or as indicated in parameters	T_REF		
COST_CENTRE	ACCOUNT_2_REF	VARCHAR(20)	NULL	Reference for account - Or as indicated in parameters	T_REF		
COST_CENTRE	ACCOUNT_3_REF	VARCHAR(20)	NULL	Reference for account - Or as indicated in parameters	T_REF		
COST_CENTRE	ACCOUNT_4_REF	VARCHAR(20)	NULL	Reference for account - Or as indicated in parameters	T_REF		
COST_CENTRE	ADC_SUPP_STORE_XID	VARCHAR(20)	NULL	Column for ADC supplying store	T_XID	NULL	
COST_CENTRE	REQN_REQU_IND	CHAR(1)	NOT NULL	Column for Request creation indicator	T_IND	N	
COST_CENTRE	CHARGE_IND	CHAR (1)	NOT NULL	Charge indicator	T_IND		
COST_CENTRE	CHRG_CNTR_XID	VARCHAR(20)	NOT NULL	ID used to link to the Charge centre record	T_XID		
COST_CENTRE	COST_CNTR_ABN	VARCHAR(14)	NULL	ABN number for the cost centre	T_ABN		
COST_CENTRE	COST_CNTR_ADDR_1	VARCHAR(40)	NULL	Cost centre address1	T_ADDR		
COST_CENTRE	COST_CNTR_ADDR_2	VARCHAR(40)	NULL	Cost centre address2	T_ADDR		
COST_CENTRE	COST_CNTR_ADDR_3	VARCHAR(40)	NULL	Cost centre address3	T_ADDR		
COST_CENTRE	COST_CNTR_ADDR_4	VARCHAR(40)	NULL	Cost centre address4	T_ADDR		
COST_CENTRE	COST_CNTR_CNTRY	VARCHAR(30)	NULL	Cost centre country	T_CNTRY		
COST_CENTRE	COST_CNTR_CONT_NM	VARCHAR(255)	NULL	Cost centre Contact Information	T_NAME		
COST_CENTRE	COST_CNTR_DESC	VARCHAR(40)	NOT NULL	Description for the cost centre	T_DESC		
COST_CENTRE	COST_CNTR_HI_XID	VARCHAR(20)	NULL	To store Healthcare Provider Identifier value	T_XID	NULL	
COST_CENTRE	COST_CNTR_INVADDR_1	VARCHAR(40)	NULL	Invoice address 1	T_ADDR		
COST_CENTRE	COST_CNTR_INVADDR_2	VARCHAR(40)	NULL	Invoice address 2	T_ADDR		
COST_CENTRE	COST_CNTR_INVADDR_3	VARCHAR(40)	NULL	Invoice address 3	T_ADDR		
COST_CENTRE	COST_CNTR_INVADDR_4	VARCHAR(40)	NULL	Invoice address 4	T_ADDR		
COST_CENTRE	COST_CNTR_INVCNTRY	VARCHAR(30)	NULL	Invoice address country name	T_CNTRY		
COST_CENTRE	COST_CNTR_INVPOSTCODE	VARCHAR(10)	NULL	Invoice address post code	T_POSTCODE		
COST_CENTRE	COST_CNTR_NOTE	VARCHAR(255)	NULL	Notes for cost centre	T_NOTE		
COST_CENTRE	COST_CNTR_POSTCODE	VARCHAR(10)	NULL	Cost centre postal code	T_POSTCODE		
COST_CENTRE	COST_CNTR_QID	VARCHAR(10)	NULL	Finance Cost Centre code	T_QID		
COST_CENTRE	COST_CNTR_XID	VARCHAR(20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID		
COST_CENTRE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
COST_CENTRE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

COST_CENTRE	DELVADDR_AS_INVADDR_IND	CHAR(1)	NOT NULL	This column is included in Cost Centre Maintenance screen to use delivery address as a invoice address	T_IND	N	
COST_CENTRE	DEPT_DESC	VARCHAR(40)	NULL	Department description	T_DESC		
COST_CENTRE	EXT_IND	CHAR (1)	NOT NULL	External indicator	T_IND		
COST_CENTRE	FIN_STRUCT_ID	INT	NULL	Financial Structure Identifier	T_ID		
COST_CENTRE	GLOBAL_LOCATION_NBR	VARCHAR(13)	NULL	Global Location Number (GLN)	T_APN		
COST_CENTRE	HAND_FEE_AMT	NUMERIC(18,8)	NULL	Handling Fees Amount	T_AMT		
COST_CENTRE	IN_PAT_DSPN_IND	CHAR (1)	NOT NULL	Indicator for inpatient	T_IND		
COST_CENTRE	LAST_PURCHASE_COST_IND	CHAR(1)	NOT NULL	Indicator for last purchase cost functionality	T_IND		
COST_CENTRE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID		
COST_CENTRE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
COST_CENTRE	MARK_UP_PCT	DECIMAL(8,6)	NULL	Mark Up Percentage	T_PCT		
COST_CENTRE	OUT_PAT_DSPN_IND	CHAR (1)	NOT NULL	Indicator for out patient	T_IND		
COST_CENTRE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
COST_CENTRE	SORT_SEQ	INT	NULL	Sort sequence	T_SEQ		
COST_CENTRE	SUPP_CHG_AMT	NUMERIC(18,8)	NOT NULL	Supply charge amount	T_AMT		
COST_CENTRE	SUPP_XID	VARCHAR(20)	NULL	Code used to link to the Supplier record	T_XID		
COST_CENTRE	WRKSHT_SUPP_STORE_XID	VARCHAR(20)	NULL	Column for Worksheet Supplying Store	T_XID	NULL	
CREDIT_NOTE	CR_FREIGHT_COST	NUMERIC(18,8)	NULL	Freight cost for credit note	T_COST		
CREDIT_NOTE	CR_FREIGHT_EXT_COST	NUMERIC(18,8)	NULL	Freight Cost With Tax	T_COST		
CREDIT_NOTE	CR_FREIGHT_TAX_AMT	NUMERIC(18,8)	NULL	Freight tax amount credit for UK locale	T_AMT		
CREDIT_NOTE	CR_INVC_TAX_AMT	NUMERIC(18,8)	NULL	Tax amount fro credit invoice for UK locale	T_AMT		
CREDIT_NOTE	CR_INVC_TOT_COST	NUMERIC(18,8)	NULL	Total cost of credit invoice for UK locale	T_COST		
CREDIT_NOTE	CR_INVC_TOT_EXT_COST	NUMERIC(18,8)	NULL	Total Cost of Credit Invoice with Tax for UK locale	T_COST		
CREDIT_NOTE	CR_NOTE_AUTH_REF	VARCHAR(20)	NULL	Reference for credit note authority	T_REF		
CREDIT_NOTE	CR_NOTE_CONF_REF	VARCHAR(20)	NULL	Reference for credit note Confirmation	T_REF		
CREDIT_NOTE	CR_NOTE_DT	DATETIME	NOT NULL	Date entered in application	T_DT		
CREDIT_NOTE	CR_NOTE_ID	INT	NOT NULL	Unique ID used to identify the credit note	T_ID		
CREDIT_NOTE	CR_NOTE_NOTE	VARCHAR (255)	NULL	Notes for the credit note	T_NOTE		
CREDIT_NOTE	CR_NOTE_REASON_CD	VARCHAR(5)	NOT NULL	Code for the credit note reason type	T_CD		
CREDIT_NOTE	CR_NOTE_STAT_CD	VARCHAR (5)	NOT NULL	Code for credit note status	T_CD		
CREDIT_NOTE	CR_NOTE_TYPE_CD	VARCHAR (5)	NOT NULL	Code for the credit note type	T_CD		
CREDIT_NOTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
CREDIT_NOTE	CRN_AP_EXTRACT	INT	NULL	Not used in this version of i.Pharmacy	T_EXTRACT		
CREDIT_NOTE	CRN_REASON_DESC	VARCHAR(40)	NULL	Description for the credit note reason	T_DESC		
CREDIT_NOTE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
CREDIT_NOTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
CREDIT_NOTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
CREDIT_NOTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
CREDIT_NOTE	SUPP_XID	VARCHAR (20)	NOT NULL	Code used to link to the Supplier record	T_XID		
CREDIT_NOTE_EXTR	CR_NOTE_ID	INT	NOT NULL	Unique ID used to identify the credit note	T_ID		
CREDIT_NOTE_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
CREDIT_NOTE_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extract	T_ID		
CREDIT_NOTE_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
CREDIT_NOTE_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
CREDIT_NOTE_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
CREDIT_NOTE_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID		
CREDIT_NOTE_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID		
CREDIT_NOTE_ITEM	CR_FREIGHT_COST	NUMERIC(18,8)	NULL	Freight cost for credit note	T_COST		
CREDIT_NOTE_ITEM	CR_NOTE_ID	INT	NOT NULL	Unique ID used to link to the credit note	T_ID		
CREDIT_NOTE_ITEM	CR_NOTE_ITEM_AMT	NUMERIC(18,8)	NOT NULL	Cost of credit note item	T_AMT		
CREDIT_NOTE_ITEM	CR_NOTE_ITEM_EXT_AMT	NUMERIC(18,8)	NOT NULL	Cost of Credit Note Item with Tax	T_AMT		
CREDIT_NOTE_ITEM	CR_NOTE_ITEM_EXT_PRICE	NUMERIC(18,8)	NULL	Column to save credit price with tax	T_PRICE	NULL	
CREDIT_NOTE_ITEM	CR_NOTE_ITEM_ID	INT	NOT NULL	Unique ID used to identify credit note item	T_ID		
CREDIT_NOTE_ITEM	CR_NOTE_ITEM_PRICE	NUMERIC(18,8)	NULL	Column to save Credit price	T_PRICE	NULL	
CREDIT_NOTE_ITEM	CR_NOTE_ITEM_QTY	NUMERIC(18,8)	NULL	Quantity of credit note item	T_QTY		
CREDIT_NOTE_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
CREDIT_NOTE_ITEM	CRI_BATCH	VARCHAR (10)	NULL	Batch number for credit invoice item	T_BATCH		
CREDIT_NOTE_ITEM	CRI_BATCH_EXP_DT	DATETIME	NULL	Expiry date for credit invoice item	T_DT		
CREDIT_NOTE_ITEM	CRI_ROBOT_ADJ_IND	CHAR(1)	NOT NULL	Robot adjust indicator	T_IND	N	
CREDIT_NOTE_ITEM	CRI_STAT_CD	VARCHAR (5)	NOT NULL	Code for credit invoice status	T_CD		
CREDIT_NOTE_ITEM	CRI_TOT_EXT_PRICE	NUMERIC(18,8)	NULL	Colum to save credit total extra price value	T_PRICE	NULL	
CREDIT_NOTE_ITEM	CRI_TOT_PRICE	NUMERIC(18,8)	NULL	Column to save credit total price value	T_PRICE	NULL	
CREDIT_NOTE_ITEM	FIN_TRAN_ID	INT	NULL	Used to link to the Financial Transaction Identifier	T_ID		
CREDIT_NOTE_ITEM	GR_ITEM_ID	INT	NOT NULL	This is used to identify the Goods Receipt Item Id	T_ID		
CREDIT_NOTE_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
CREDIT_NOTE_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
CREDIT_NOTE_ITEM	LOC_ID	INT	NULL	Store Location ID - Link to location table	T_ID		
CREDIT_NOTE_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
CREDIT_NOTE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
CREDIT_NOTE_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID		
CRYSTAL_REPORTS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
CRYSTAL_REPORTS	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
CRYSTAL_REPORTS	DATE_TIME_IND	CHAR(1)	NOT NULL	This column will record the datetime indicator for all the reports	T_IND	N	
CRYSTAL_REPORTS	HARD_COPY_AUDIT_REPT_ID	INT	NULL	Unique ID used to identify the Hard Copy Audit Report	T_ID		
CRYSTAL_REPORTS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
CRYSTAL_REPORTS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
CRYSTAL_REPORTS	RPT_NAME	VARCHAR (255)	NOT NULL	Report name	T_LBL		
CRYSTAL_REPORTS	RPT_SID	SMALLINT	NOT NULL	Report identifier	T_SID		
CYCLICAL_STK_TAKE	ABCANLYS_ID	INT	NOT NULL	ABC Analysis Identifier	T_ID		
CYCLICAL_STK_TAKE	ACTIVE_IND	CHAR(1)	NOT NULL	Active Indicator	T_IND	Y	
CYCLICAL_STK_TAKE	ACTUAL_CNT_DT	DATETIME	NULL	Actual count start date	T_DT		
CYCLICAL_STK_TAKE	ANNIV_DT	DATETIME	NOT NULL	Anniversary date of stock take	T_DT		
CYCLICAL_STK_TAKE	CNT_END_DT	DATETIME	NOT NULL	Ccyclical stock take count end date	T_DT		
CYCLICAL_STK_TAKE	CNT_ID	INT	NOT NULL	Count id	T_ID		
CYCLICAL_STK_TAKE	CNT_START_DT	DATETIME	NOT NULL	Cyclical stock take count start date	T_DT		
CYCLICAL_STK_TAKE	CREATED_DT	DATETIME	NOT NULL	Date at which record created	T_DT		
CYCLICAL_STK_TAKE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND	Y	
CYCLICAL_STK_TAKE	CYC_STK_TAKE_ID	INT	NOT NULL	unique ID of the respective site and store	T_ID		
CYCLICAL_STK_TAKE	GRPCOUNT_ID	INT	NOT NULL	Group count id	T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

CYCLICAL_STK_TAKE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	The user who modify the record	T_UID		
CYCLICAL_STK_TAKE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date at which record modified	T_DT		
CYCLICAL_STK_TAKE	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
CYCLICAL_STK_TAKE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
CYCLICAL_STK_TAKE	STK_TAKE_GRP_SID	SMALLINT	NOT NULL	Stock take group ID	T_SID		
CYCLICAL_STK_TAKE	STK_TAKE_ID	INT	NULL	Stock Take Identifier	T_ID		
CYCLICAL_STK_TAKE	STORE_XID	VARCHAR(20)	NOT NULL	Code to link to the Store table	T_XID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with D				
Table	**Column**	**Data Type**	**Null**	**Description**
DEBTOR	ADT_DEBTOR_XID	VARCHAR(20)	NULL	Debtor code used by HL7 message processing to identify the debtor
DEBTOR	CHARGE_TYPE_CD	VARCHAR(5)	NULL	Indicates the Charge type which is used after the threshold limit
DEBTOR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DEBTOR	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DEBTOR	DEBTOR_ADDR_1	VARCHAR (40)	NULL	Debtor's address 1
DEBTOR	DEBTOR_ADDR_2	VARCHAR (40)	NULL	Debtor's address 2
DEBTOR	DEBTOR_ADDR_3	VARCHAR (40)	NULL	Debtor's address 3
DEBTOR	DEBTOR_ADDR_4	VARCHAR (40)	NULL	Debtor's address 4
DEBTOR	DEBTOR_CLMAMT_PERDAY	NUMERIC(18,8)	NULL	TPN claim amount per day
DEBTOR	DEBTOR_CLMDAYS_PERYR	SMALLINT	NULL	TPN claimable days per year
DEBTOR	DEBTOR_CNTRY	VARCHAR (30)	NULL	Debtor's country
DEBTOR	DEBTOR_DAYS_NOTIFY	SMALLINT	NULL	TPN Days Notification
DEBTOR	DEBTOR_FAX_PHONE	VARCHAR (15)	NULL	Debtor's fax number
DEBTOR	DEBTOR_GRP_XID	VARCHAR(20)	NULL	Link to Debtor Group
DEBTOR	DEBTOR_ITEM_NBR	VARCHAR(15)	NULL	TPN item Number
DEBTOR	DEBTOR_NAME	VARCHAR (255)	NULL	Name of the Debtor
DEBTOR	DEBTOR_NOTE	VARCHAR (255)	NULL	Debtor's note
DEBTOR	DEBTOR_NOTIFY_PCT	DECIMAL(8,6)	NULL	Indicates Threshold Percentage notification
DEBTOR	DEBTOR_OVERNIGHT	NUMERIC(18,8)	NULL	Indicates High Cost Threshold for Overnight
DEBTOR	DEBTOR_PHONE	VARCHAR (15)	NULL	Debtor's phone number
DEBTOR	DEBTOR_POSTCODE	VARCHAR (10)	NULL	Debtor's Postal code
DEBTOR	DEBTOR_SAMEDAY	NUMERIC(18,8)	NULL	Indicates High Cost Threshold field for Same Day
DEBTOR	DEBTOR_TYPE_XID	VARCHAR (20)	NOT NULL	Code used to identify the debtor type - Link to debtor_type table
DEBTOR	DEBTOR_XID	VARCHAR (20)	NOT NULL	ID used to identify the debtor
DEBTOR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DEBTOR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DEBTOR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DEBTOR	STERILE_CLM_AMT	NUMERIC(18,8)	NULL	Aseptic and Cytotoxic sterile claim amount.
DEBTOR_GROUP	CHARGE_TYPE_CD	VARCHAR(5)	NULL	Indicates the Charge Type to be used after the threshold limit
DEBTOR_GROUP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DEBTOR_GROUP	CURR_IND	CHAR(1)	NOT NULL	Indicates the Current field
DEBTOR_GROUP	DEBTOR_GRP_CLMAMT_PERDAY	NUMERIC(18,8)	NULL	TPN claim amount per day
DEBTOR_GROUP	DEBTOR_GRP_CLMDAYS_PERYR	SMALLINT	NULL	TPN claimable days per year
DEBTOR_GROUP	DEBTOR_GRP_DAYS_NOTIFY	SMALLINT	NULL	TPN Days Notification
DEBTOR_GROUP	DEBTOR_GRP_ITEM_NBR	VARCHAR(15)	NULL	TPN item Number
DEBTOR_GROUP	DEBTOR_GRP_NAME	VARCHAR(255)	NOT NULL	Debtor Group Name
DEBTOR_GROUP	DEBTOR_GRP_NOTE	VARCHAR(255)	NULL	This column is used to update Debtor Group Notes
DEBTOR_GROUP	DEBTOR_GRP_NOTIFY_PCT	DECIMAL(8,6)	NULL	Indicates the Threshold Percentage notification
DEBTOR_GROUP	DEBTOR_GRP_OVERNIGHT	NUMERIC(18,8)	NULL	Indicates the High Cost Threshold for Overnight
DEBTOR_GROUP	DEBTOR_GRP_SAMEDAY	NUMERIC(18,8)	NULL	Indicates the High Cost Threshold field for Same Day
DEBTOR_GROUP	DEBTOR_GRP_SELFFUND	CHAR(1)	NOT NULL	Self Funded indicator
DEBTOR_GROUP	DEBTOR_GRP_XID	VARCHAR(20)	NOT NULL	unique ID of Debtor Group Code
DEBTOR_GROUP	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
DEBTOR_GROUP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DEBTOR_GROUP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DEBTOR_GROUP	STERILE_CLM_AMT	NUMERIC(18,8)	NULL	Aseptic and Cytotoxic sterile claim amount.
DEBTOR_GROUP_DRUG	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DEBTOR_GROUP_DRUG	DEBTOR_GRP_XID	VARCHAR(20)	NOT NULL	unique ID of Debtor Group Code in {Not funded} tab of Debtor Group Maintenance
DEBTOR_GROUP_DRUG	DRUG_CODE_ID	INT	NOT NULL	Link to Drug Code table in {Not funded} tab of Debtor Group Maintenance
DEBTOR_GROUP_DRUG	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
DEBTOR_GROUP_DRUG	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DEBTOR_GROUP_DRUG	PROD_ID	INT	NOT NULL	Product Identifier in {Not funded} tab of Debtor Group Maintenance
DEBTOR_GROUP_DRUG	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DEBTOR_TYPE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DEBTOR_TYPE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DEBTOR_TYPE	DEBTOR_TYPE_DESC	VARCHAR (40)	NOT NULL	Debtor type description
DEBTOR_TYPE	DEBTOR_TYPE_XID	VARCHAR (20)	NOT NULL	ID used to identify debtor type
DEBTOR_TYPE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DEBTOR_TYPE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DEBTOR_TYPE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DELIVERED_TO	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DELIVERED_TO	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
DELIVERED_TO	DEL_TO_DESC	VARCHAR (40)	NOT NULL	Delivered to - description
DELIVERED_TO	DEL_TO_ID	INT	NOT NULL	Delivered to identifier
DELIVERED_TO	DEL_TO_NOTE	VARCHAR (255)	NULL	Notes for the delivered to
DELIVERED_TO	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DELIVERED_TO	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DELIVERED_TO	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIFF_PRICE	CHARGE_TYPE_DIFF_PRICE_CD	VARCHAR(5)	NULL	Charge type - Hospital, Patient or Both
DIFF_PRICE	CHRG_CNTR_XID	varchar (20)	NULL	ID used to identify Charge centre
DIFF_PRICE	COST_CNTR_XID	varchar (20)	NULL	Cost Centre Code - Link to the Cost centre table
DIFF_PRICE	CREATED_DT	datetime	NOT NULL	Date and time that the row was created.
DIFF_PRICE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
DIFF_PRICE	DIFF_PRICE_ID	int	NOT NULL	Unique ID used to identify the differential price
DIFF_PRICE	DIFF_PRICE_NOTE	varchar (255)	NULL	Notes for differential price
DIFF_PRICE	DIST_IND	CHAR(1)	NOT NULL	Distribution Indicator - transaction type
DIFF_PRICE	DSPN_IND	CHAR(1)	NOT NULL	Dispensing Indicator - transaction type
DIFF_PRICE	FIXED_PRICE	NUMERIC(18,8)	NULL	Fixed price value
DIFF_PRICE	HAND_FEE_AMT	NUMERIC(18,8)	NULL	Line Item fee
DIFF_PRICE	KITD_IND	CHAR(1)	NOT NULL	Kit Distribution Indicator - transaction type
DIFF_PRICE	LAST_UPDATED_BY	varchar (30)	NOT NULL	Code of the user who last modified the record.
DIFF_PRICE	LAST_UPDATED_DT	datetime	NOT NULL	Date and time that the row was last modified.
DIFF_PRICE	MARK_UP_PCT	DECIMAL(8,6)	NULL	Mark Up Percentage
DIFF_PRICE	MAX_QTY	NUMERIC(18,8)	NULL	Maximum pack Quantity
DIFF_PRICE	MIN_QTY	NUMERIC(18,8)	NULL	Minumum pack Quantity
DIFF_PRICE	PROD_ID	int	NOT NULL	Product Identifier - Link to product table
DIFF_PRICE	SITE_SID	smallint	NOT NULL	Site identifier - Link to site table
DIFF_PRICE	START_DT	datetime	NULL	Start date

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DIFF_PRICE	STOP_DT	datetime	NULL	Stop date
DIFF_PRICE	TFR_SEND_IND	CHAR(1)	NOT NULL	Store Transfer (SEND) Indicator - transaction type
DIFF_PRICE	UOM_ID	int	NOT NULL	Unit of Measurement Identifier - Link to UOM table
DIRECTION	CREATED_DT	datetime	NOT NULL	Date and time that the row was created.
DIRECTION	CURR_IND	char (1)	NOT NULL	Indicates if the record is current.
DIRECTION	DIR_DAILY_QTY	NUMERIC(18,8)	NULL	Direction daily quantity that is applied to the structured code calculation in dispensing
DIRECTION	DIR_DESC	varchar (90)	NOT NULL	Abbreviated description of the direction
DIRECTION	DIR_NOTE	varchar (255)	NOT NULL	Directions as they are appear on the label/s
DIRECTION	DIR_XID	varchar (20)	NOT NULL	ID used to identify the direction
DIRECTION	LAST_UPDATED_BY	varchar (30)	NOT NULL	Code of the user who last modified the record.
DIRECTION	LAST_UPDATED_DT	datetime	NOT NULL	Date and time that the row was last modified.
DIRECTION	SITE_SID	smallint	NOT NULL	Site identifier - Link to site table
DISP_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier
DISP_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
DISP_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISP_ITEM	DISP_ID	INT	NOT NULL	Unique ID link to the disposal record
DISP_ITEM	DISP_ITEM_BATCH	VARCHAR (10)	NULL	Batch of disposal item
DISP_ITEM	DISP_ITEM_ID	INT	NOT NULL	Unique ID used to identify the disposal item
DISP_ITEM	DISP_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Status code for the dispensed item,
DISP_ITEM	DISP_QTY	NUMERIC(18,8)	NOT NULL	Quantity of disposal
DISP_ITEM	DSI_BATCH_EXP_DT	DATETIME	NULL	Batch expiry date for disposal
DISP_ITEM	DSI_REASON_CD	VARCHAR (5)	NOT NULL	Reason Code for Disposal
DISP_ITEM	DSI_REASON_DESC	VARCHAR (40)	NULL	Reason Description for Disposal
DISP_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISP_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISP_ITEM	LOC_ID	INT	NULL	Store Location ID - Link to location table
DISP_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
DISP_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISP_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
DISPENSE	ALERT_ID	INT	NULL	Alert ID to link to dspn_alert record
DISPENSE	AUTHORISED_BY	VARCHAR (30)	NULL	Code of the user who authorised the dispense
DISPENSE	AUTHORISED_DT	DATETIME	NULL	Date and time that the user authorised the dispense
DISPENSE	BATSHT_PRINT_IND	CHAR(1)	NOT NULL	Indicator for Batch Sheet Print in Prescription details
DISPENSE	CEASE_DT	DATETIME	NULL	Cease date
DISPENSE	CHARGE_TYPE_CD	VARCHAR(5)	NULL	Code to indicate the charge type.
DISPENSE	CHART_DUR	VARCHAR(5)	NULL	Chart duration for PBS Hospital Medication Chart dispensing (01, 04 or 12 months)
DISPENSE	CHART_EXPIRY_IND	CHAR(1)	NOT NULL	Indicator for an expired PBS Hospital Medication Chart dispensing
DISPENSE	CHART_IND	CHAR(1)	NOT NULL	Indicator for PBS Hospital Medication Chart dispensing
DISPENSE	CHUTE_XID	VARCHAR(20)	NULL	Chute code for robot delivery of the item - link to robot_chute table.
DISPENSE	CMI_LOCAL_IND	CHAR (1)	NOT NULL	Indicator for Local CMI
DISPENSE	CMI_STAT_CD	VARCHAR (5)	NULL	Code to link to the CMI Status.
DISPENSE	COLLECTED_BY	VARCHAR (30)	NULL	Code of the user who processed the collection of the dispense
DISPENSE	COLLECTED_DT	DATETIME	NULL	Date and time that the user processed the collection of the dispense
DISPENSE	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table
DISPENSE	CREATED_BY	VARCHAR (30)	NOT NULL	Code of the user was logged into the application at the time of record creation. OR the user who authorised the EDIT of the dispense.
DISPENSE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created
DISPENSE	DEFER_SCID_XID	VARCHAR (20)	NULL	A new SCID stored when a dispensing becomes Deferred and deferred item with that SCID sent to eRx
DISPENSE	DEL_TO_ID	INT	NULL	Identifier of the 'Delivered to' location
DISPENSE	DELETE_USER_CD	VARCHAR (15)	NULL	Code of user who has authorised the deletion of the record - same as the user who authorised the EDIT of the record
DISPENSE	DISPENSE_RECORD_GUID	VARCHAR(255)	NULL	Store Guid of the dispense
DISPENSE	DOCT_XID	VARCHAR (20)	NOT NULL	Code for Doctor - Link to the doctor table
DISPENSE	DSPN_ADDEDVALUE_AMT	NUMERIC(18,8)	NULL	added value amount.
DISPENSE	DSPN_AFT_THRESHOLD_IND	CHAR(1)	NOT NULL	dispensing after threshold indicator
DISPENSE	DSPN_ANCIL_DIR	VARCHAR (255)	NULL	Dispensed Product Ancillary directions, as obtained from linked warning table records, and edited by the user.
DISPENSE	DSPN_ANCIL_TEXT	VARCHAR (255)	NULL	Dispensed Product Ancillary Description, as obtained from linked warning table records, and edited by the user.
DISPENSE	DSPN_BILL_TYPE_CD	VARCHAR(5)	NULL	dispensing billing type code
DISPENSE	DSPN_CLAIM_HCD_CD	VARCHAR(5)	NULL	Dispensing HCD/non-HCD code.
DISPENSE	DSPN_CLAIMABLE_AMT	NUMERIC(18,8)	NULL	dispensing claimable amount
DISPENSE	DSPN_CLAIMABLE_IND	CHAR(1)	NOT NULL	dispensing claimable indicator
DISPENSE	DSPN_CLASS_ID	INT	NOT NULL	ID for dispense class - Link to dispense_class table
DISPENSE	DSPN_COSTCNTR_FEE_AMT	NUMERIC(18,8)	NULL	This field is used to update the Cost Centre Fee.
DISPENSE	DSPN_COSTCNTR_MARKUP_PCT	DECIMAL(8,6)	NULL	This field is used to update the Cost Centre Markup.
DISPENSE	DSPN_COSTCNTR_PRICE_IND	CHAR (1)	NOT NULL	This field is used to update Cost Centre Price Indicator.
DISPENSE	DSPN_CRE_TYPE_CD	VARCHAR (5)	NOT NULL	Dispense creation type code
DISPENSE	DSPN_DEBTOR_XID	VARCHAR(20)	NULL	dispensing debtor code
DISPENSE	DSPN_DIFF_PRICE_IND	CHAR(1)	NOT NULL	Differencial price indicator.
DISPENSE	DSPN_DIR	VARCHAR (255)	NULL	Dispense Directions
DISPENSE	DSPN_DIRCODE_TYPE_CD	VARCHAR (5)	NOT NULL	Direction code type code - indicates either Ad hoc (FULL) or structured (SHORT)
DISPENSE	DSPN_DT	DATETIME	NOT NULL	Date the dispense transaction occurred
DISPENSE	DSPN_EDIT_TYPE_CD	VARCHAR (5)	NOT NULL	Dispense edit type code
DISPENSE	DSPN_FEE_AMT	NUMERIC(18,8)	NULL	Dispense fee amount.
DISPENSE	DSPN_FIN_SUB_XID	VARCHAR(20)	NULL	Link to financial sub class table
DISPENSE	DSPN_FLAT_AMT	NUMERIC(18,8)	NULL	Flat amount.
DISPENSE	DSPN_FORMULA_CD	VARCHAR(5)	NULL	Type of dispensing formula. Whether STD, Build or Goal Sheet
DISPENSE	DSPN_FULL_PRICE	NUMERIC(18,8)	NULL	Full Price of Dispensed Item
DISPENSE	DSPN_HCDCLM_ORD_ID	INT	NULL	Sequence order for the dispensing edits - used for determining High Cost Drug claim threshold recalculations.
DISPENSE	DSPN_ID	INT	NOT NULL	Unique ID used to identify the dispense record
DISPENSE	DSPN_LIST_ID	INT	NULL	Identifier to link to the Dispense list record
DISPENSE	DSPN_MARKUP_PCT	DECIMAL(8,6)	NULL	Markup percentage.
DISPENSE	DSPN_MAX_CHRG_AMT	NUMERIC(18,8)	NULL	maximum charge amount.
DISPENSE	DSPN_MIN_CHRG_AMT	NUMERIC(18,8)	NULL	minimum charge amount.
DISPENSE	DSPN_NOTE	VARCHAR (255)	NULL	Dispense Notes
DISPENSE	DSPN_ORDER_ID	INT	NULL	Dispensing Order ID to link to the dspn_order record

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DISPENSE	DSPN_OVERRIDE_REASON_NOTE	VARCHAR(255)	NULL	override reason note.
DISPENSE	DSPN_PACK_QTY	NUMERIC(18,8)	NOT NULL	Number of packs in prescription details
DISPENSE	DSPN_PAYMENT_CATEGORY_CD	CHAR(1)	NULL	Patient payment category at the time of dispensing.
DISPENSE	DSPN_PBS_ID	INT	NULL	Unique ID used to identify dispensed PBS item
DISPENSE	DSPN_PBS_ONLINE_CYTOSTAT_CD	VARCHAR (5)	NULL	PBS online status for PBS Cyto dispensing.
DISPENSE	DSPN_PRIV_DA_FEE	NUMERIC(18,8)	NULL	private DA fees.
DISPENSE	DSPN_PRIV_S3RECORD_FEE	NUMERIC(18,8)	NULL	record fees.
DISPENSE	DSPN_PROD_TEXT	VARCHAR (255)	NOT NULL	The text as recorded in the 'Script Details' section of the prescription details window
DISPENSE	DSPN_REV_TYPE_CD	VARCHAR (5)	NULL	Reverse Dispense Type code
DISPENSE	DSPN_ROBOT_BATCH_ID	INT	NOT NULL	Dispense Robot batch identifier - links items which were Picked at the same time
DISPENSE	DSPN_ROBOT_ID	INT	NULL	Links to the external_message_robot.tran_id
DISPENSE	DSPN_STAT_CD	VARCHAR (5)	NOT NULL	Code to link to the Dispense Status.
DISPENSE	DSPN_STYLE_CD	VARCHAR (5)	NOT NULL	Code for dispensing style
DISPENSE	DSPN_SUPP_DT	DATETIME	NULL	The original dispense script date which is saved before Owing Mark Off
DISPENSE	DSPN_TOT_COST	NUMERIC(18,8)	NULL	Total cost of ingredients in the dispensing
DISPENSE	DSPN_TOT_PRICE	NUMERIC(18,8)	NULL	Total price of the dispensing including markups and fees
DISPENSE	DSPN_TPN_DURATION	DECIMAL(4,1)	NULL	dispensing tpn duration
DISPENSE	DSPN_TYPE_CD	VARCHAR (5)	NOT NULL	Code for dispensing type
DISPENSE	DSPN_UNIT_QTY	NUMERIC(18,8)	NULL	Number of inventory units
DISPENSE	DSPN_WARN	VARCHAR(8000)	NULL	the Warning Notes
DISPENSE	EDIT_USER_CD	VARCHAR (15)	NULL	Code of user who has authorised the edit of the record
DISPENSE	ERX_RPT_IND	CHAR(1)	NULL	To Update the Repeat order Status of IQEMO
DISPENSE	ESCRIPT_CHECK_IND	CHAR(1)	NULL	Indicates result when comparison done between ePrescription and Owing Script dispensing during Mark-off
DISPENSE	ESCRIPT_ITEM_ID	INT	NULL	ePrescription work flow to link a dispensing to the SCID/sequence combination in eprescription item
DISPENSE	ESCRIPT_MSG_STAT_CD	VARCHAR (5)	NULL	Store the eRx message status for the last received response (COMP or ERR)
DISPENSE	EXPIRY_DT	DATETIME	NULL	expiry date
DISPENSE	FRED_BILL_TYPE_CD	VARCHAR (5)	NULL	FRED Bill Type Code
DISPENSE	FRED_CODE	VARCHAR (15)	NULL	FRED Code
DISPENSE	FRED_DSPN_ID	INT	NULL	FRED Dispense Id
DISPENSE	GS_PRINT_IND	CHAR(1)	NULL	Goalsheet print indicator
DISPENSE	GSF_ID	INT	NULL	Link to the gs_formulation table
DISPENSE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record
DISPENSE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified
DISPENSE	LBL_FMT_ID	INT	NOT NULL	Label format ID - Link to label_format table
DISPENSE	MED_CHT_ITEM_ID	INT	NULL	Indentifier link to Medication Chart Item record
DISPENSE	MIMS_ROUTE_ID	BIGINT	NULL	Column to save mims route id value
DISPENSE	NPBS_DEF_SUPP_IND	CHAR(1)	NOT NULL	Indicator for Defer supply in a Non-PBS Dispensing
DISPENSE	ORIG_DSPN_ID	INT	NULL	Original dispense ID. This is retained after the record is Edited or deleted
DISPENSE	ORIG_PAT_PRICE	NUMERIC(18,8)	NULL	Original patient price value. Used to refresh Patient Price, where it has been removed when Charge Type is changed to 'Hospital' but then changed back to 'Patient'.
DISPENSE	ORIG_PHARM_APPROVAL_NBR	VARCHAR (15)	NULL	OriginalPharmacyApprovalNumber for a non-PBS item from the ERX004 message.
DISPENSE	ORIG_SCRIPT_NBR	VARCHAR (15)	NULL	OriginalScriptNumber for a non-PBS item from the ERX004 message.
DISPENSE	OUTAGE_IND	CHAR(1)	NOT NULL	Indicates that an ePrescription dispensing could not be authorised due to an outage.
DISPENSE	OVERALLSCAN_STAT_CD	VARCHAR(5)	NULL	Code to link to the Overall scan status.
DISPENSE	OWING_MARKOFF_BY	VARCHAR(30)	NULL	Code of the user who marked off the Owing flag.
DISPENSE	OWING_MARKOFF_DT	DATETIME	NULL	Date and time that the Owing Mark Off was done.
DISPENSE	OWING_SCID_XID	VARCHAR (20)	NULL	SCID id which is entered in Enter SCID window when the 'Owing Script' check box is ticked
DISPENSE	PAT_EPS_ID	INT	NULL	Patient episode identiifer - link to pat_episode table
DISPENSE	PAT_EPS_XID	VARCHAR (20)	NULL	Patient Episode Number
DISPENSE	PAT_FULL_NAME	VARCHAR (255)	NULL	Patient Full Name at the time of the transaction
DISPENSE	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
DISPENSE	PAT_ORIG_PRF_PRICE	NUMERIC(18,8)	NULL	Original PRF price for PBS dispense.
DISPENSE	PAT_PRF_PRICE	NUMERIC(18,8)	NULL	Prescription Record Form Price
DISPENSE	PAT_PRICE	NUMERIC(18,8)	NULL	Price the patient needs to pay
DISPENSE	PAT_PRICING_TYPE_CD	VARCHAR(5)	NULL	Link to display the patient pricing type for Private Hospital Billing.
DISPENSE	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
DISPENSE	PES_DEL_DTZ	DATETIMEOFFSET	NULL	Date and time of Dispense reversal
DISPENSE	PES_DEL_RESPONSE_DTZ	DATETIMEOFFSET	NULL	Date and time of acknowledgement from the Delivery Service
DISPENSE	PES_DEL_RESULT	VARCHAR(20)	NULL	The response for the reversal
DISPENSE	PES_DSPN_DTZ	DATETIMEOFFSET	NULL	Date and time of dispense record creation
DISPENSE	PES_DSPN_RESPONSE_DTZ	DATETIMEOFFSET	NULL	Date and time receipt acknowledged by the Delivery Service
DISPENSE	PHARM_XID	VARCHAR (20)	NOT NULL	Code for Pharmacy - Link to pharmacy table
DISPENSE	PICK_IND	CHAR(1)	NOT NULL	Pick indicator
DISPENSE	PICK_MSG_COUNT	INT	NULL	Count of successful OutputMessages received from PillPick robot.
DISPENSE	PPN_ID	INT	NULL	Prescription identifier
DISPENSE	PREP_DT	DATETIME	NULL	Prepared date
DISPENSE	PREPARED_BY	VARCHAR (30)	NULL	Code of the user who prepared the dispense - this will be the same as the user who authorised the dispense, if it was not first 'prepared'.
DISPENSE	PREPARED_DT	DATETIME	NULL	Date and time that the user prepared the dispense
DISPENSE	PRES_DAY_SEQ	INT	NULL	Number indicating where the dispense sits in the sequence of items for the day
DISPENSE	PRES_DT	DATETIME	NULL	Prescription date as entered in the application.
DISPENSE	PROD_ID	INT	NULL	Product Identifier - Link to product table
DISPENSE	PROT_SCHED_PERIOD_ID	INT	NULL	Protocol schedule period identifier - Lnk to prot_sched_period table.
DISPENSE	PROTOCOL_ID	INT	NULL	Protocol number
DISPENSE	PROTOCOL_SHORT_CODE	VARCHAR (15)	NULL	Protocol Short code
DISPENSE	RECV_PRINT_IND	CHAR(1)	NOT NULL	Print indicator
DISPENSE	REF_SITE_SID	SMALLINT	NOT NULL	ID for site used for Reference information - Link to site table
DISPENSE	REPEAT_DSPN_ID	INT	NULL	Repeat Dispensing Identifier
DISPENSE	REPEAT_NBR	SMALLINT (2)	NULL	Repeat number
DISPENSE	REPEAT_REM_NBR	SMALLINT (2)	NULL	Number of repeats remaining
DISPENSE	REPEAT_SCID_XID	VARCHAR (20)	NULL	SCID ID where dispensing with Remaining Repeats >= 1, and repeat item sent to eRx using that SCID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DISPENSE	REPEAT_SITE_SID	SMALLINT	NULL	Repeat Dispensing Site Identifier
DISPENSE	REV_DSPN_ID	INT	NULL	Reverse dispensing identifier
DISPENSE	ROUTE_ID	INT	NULL	Code to link to the Route of administration
DISPENSE	RPT_INT	SMALLINT	NULL	Repeat Interval Days
DISPENSE	RTPM_CHECK_BY	VARCHAR (30)	NULL	Code of the user who authorised RTPM check
DISPENSE	RTPM_CHECK_DT	DATETIME	NULL	Date and time that the user authorised the RTPM Check
DISPENSE	RTPM_CODE	INT	NULL	The numeric code returned from the RTPM Monitor System.
DISPENSE	RTPM_STAT_DESC	VARCHAR(40)	NULL	RTPM Monitor System Response status – 'Red', 'Amber', 'Green', 'Error'.
DISPENSE	RTPM_URL_DESC	VARCHAR(1024)	NULL	The RTPM Monitor System URL details specific to the patient.
DISPENSE	SAME_DSPN_ID	INT	NULL	Dspn_id of the record used as the source, to create the 'same' dispensing
DISPENSE	SCID_XID	VARCHAR (20)	NULL	Unique Script Identifier (SCID) value relevant to the dispensing, from external_message_pes table
DISPENSE	SCRIPT_OWING_IND	CHAR (1)	NOT NULL	Indicator for script owing
DISPENSE	SHELF_LIFE_QTY	NUMERIC(18,8)	NULL	self life qty.
DISPENSE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE	SLIFE_UNIT_PID	INT	NULL	self life unit
DISPENSE	SUBST_OVERRIDE_DESC	VARCHAR(255)	NULL	BrandSubstitution override reason captured and stored.
DISPENSE	TEAM_XID	VARCHAR (20)	NOT NULL	Code for Team - Link to the team table.
DISPENSE	USER_CD	VARCHAR (15)	NULL	ID of the user who authorised the dispense
DISPENSE	VERSION_ID	INT	NULL	Protocol Version identifier
DISPENSE_CHARGE	CHARGE_TYPE_CD	VARCHAR(5)	NULL	Link to Charge Type
DISPENSE_CHARGE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_CHARGE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DISPENSE_CHARGE	DSPN_CHRG_FEE_AMT	NUMERIC(18,8)	NULL	Dispense Charge Amount
DISPENSE_CHARGE	DSPN_CHRG_FLAT_AMT	NUMERIC(18,8)	NULL	Dispense Charge Flat Amount
DISPENSE_CHARGE	DSPN_CHRG_ID	INT	NOT NULL	Unique ID used to identify the dispense charge
DISPENSE_CHARGE	DSPN_CHRG_MARKUP_PCT	DECIMAL(8,6)	NULL	Mark up percentage in dispense charge
DISPENSE_CHARGE	DSPN_CHRG_MAX_AMT	NUMERIC(18,8)	NULL	Maximum Dispense Charge Amount
DISPENSE_CHARGE	DSPN_CHRG_MIN_AMT	NUMERIC(18,8)	NULL	Minimum Dispense Charge Amount
DISPENSE_CHARGE	FIN_CLASS_XID	VARCHAR (20)	NULL	Code for Financial Class - Link to finance_class table
DISPENSE_CHARGE	FIN_SUB_XID	VARCHAR (20)	NULL	Code for Financial Sub Class - Link to finance_sub_class table
DISPENSE_CHARGE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_CHARGE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_CHARGE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_CHARGE	TOT_LOWER_RANGE_COST	NUMERIC(18,8)	NULL	Total Cost lower Range in Dispense Charge
DISPENSE_CHARGE	TOT_UPPER_LIMIT_COST	NUMERIC(18,8)	NULL	Total Cost Upper Limit in Dispense Charge
DISPENSE_CHARGE	TOT_UPPER_RANGE_COST	NUMERIC(18,8)	NULL	Total Cost upper Range in dispense charge
DISPENSE_CLASS	BILL_TYPE_CD	VARCHAR(5)	NULL	Link to Billing Type
DISPENSE_CLASS	CHARGE_TYPE_CD	VARCHAR(5)	NULL	Link to Charge Type
DISPENSE_CLASS	CHART_PAT_CATG	VARCHAR (5)	NULL	PBS Hospital Medication Chart patient category
DISPENSE_CLASS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_CLASS	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DISPENSE_CLASS	DISPLAY_CLASS_IND	CHAR (1)	NOT NULL	Indicator for Awaiting Collection flag
DISPENSE_CLASS	DISPLAY_PATNAME_IND	CHAR (1)	NOT NULL	Indicator Displayof patient name if Awaiting Collection flag is active
DISPENSE_CLASS	DSPN_CLASS_DESC	VARCHAR (40)	NOT NULL	Dispense Class Description
DISPENSE_CLASS	DSPN_CLASS_ID	INT	NOT NULL	Unique ID used to identify dispense class
DISPENSE_CLASS	DSPN_CLASS_NOTE	VARCHAR (255)	NULL	Dispensing Class Note
DISPENSE_CLASS	DSPN_CLASS_TYPE_CD	VARCHAR (5)	NOT NULL	Dispense Class Type Code
DISPENSE_CLASS	DSPN_GROUP_EXT_CD	VARCHAR(5)	NULL	External Group values
DISPENSE_CLASS	DSPN_GRP_ID	INT	NOT NULL	Link to dispense group
DISPENSE_CLASS	DSPN_QTY_DAYS	NUMERIC (5)	NOT NULL	Number of days determine the quantity dispensed in the structured direction codes calculation
DISPENSE_CLASS	DSPN_SENT_CASE_IND	CHAR(1)	NOT NULL	Indicator for Sentence Case display in Prescription Details window
DISPENSE_CLASS	EPS_NBR_MAND_IND	CHAR(1)	NOT NULL	Indicator for mandatory episode number requirement for the Script Classification
DISPENSE_CLASS	EXCLUDE_SN20DR_IND	VARCHAR(1)	NOT NULL	Indicates that PBS Safety Net 20 Day Rule/Safety Net Early Supply Rule does not apply
DISPENSE_CLASS	FIN_SUB_XID	VARCHAR (20)	NULL	Code for Financial Sub Class - Link to finance_sub_class table
DISPENSE_CLASS	IMP_CHECK_IND	CHAR (1)	NOT NULL	Imprest Check Indicator
DISPENSE_CLASS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_CLASS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_CLASS	MAN_SCAN_IND	CHAR(1)	NOT NULL	Indicator for medication scanning to be madatory
DISPENSE_CLASS	PAT_PRICING_TYPE_CD	VARCHAR(5)	NULL	Link to Patient Pricing Type
DISPENSE_CLASS	PBS_IND	CHAR (1)	NOT NULL	PBS Indicator
DISPENSE_CLASS	PPN_CHECK_IND	CHAR(1)	NOT NULL	Indicator for Prescription tracking activation
DISPENSE_CLASS	RAISE_INV_IND	CHAR (1)	NOT NULL	Raise Invoice indicator
DISPENSE_CLASS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_CLASS	SORT_SEQ	INT	NULL	Sort sequence
DISPENSE_CLASS	TARGET_TIME_MINS	INT	NOT NULL	Target Time in Minutes when Prescription Tracking is active
DISPENSE_DOSE	CREATED_DT	DATETIME	NULL	Date and time that the row was created.
DISPENSE_DOSE	DOSE_QTY	NUMERIC(18,8)	NOT NULL	Number of dose quantity
DISPENSE_DOSE	DSPN_DOSE_ID	INT	NOT NULL	Link to dispense dose
DISPENSE_DOSE	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DISPENSE_DOSE	DOSE_SCHED_DESC_NOTE	VARCHAR(255)	NULL	Dose administration times using military time, separated by semi-colons
DISPENSE_DOSE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_DOSE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_DOSE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_GROUP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_GROUP	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DISPENSE_GROUP	DSPN_GRP_DESC	VARCHAR (40)	NOT NULL	Dispensing Group Description
DISPENSE_GROUP	DSPN_GRP_ID	INT	NOT NULL	Site identifier - Link to site table
DISPENSE_GROUP	DSPN_GRP_NOTE	VARCHAR (255)	NULL	Dispensing Group Note
DISPENSE_GROUP	DSPN_RECORD_MSG_IND	CHAR(1)	NOT NULL	Dispense Record Message indicator
DISPENSE_GROUP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_GROUP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_PACK_DETAILS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_PACK_DETAILS	DIR_TEXT	VARCHAR (255)	NULL	Phase specific directions for a Goal Sheet dispensing.
DISPENSE_PACK_DETAILS	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DISPENSE_PACK_DETAILS	EXPIRY_DT	DATETIME	NULL	Phase specific expiry date for a Goal Sheet dispensing.
DISPENSE_PACK_DETAILS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_PACK_DETAILS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DISPENSE_PACK_DETAILS	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
DISPENSE_PACK_DETAILS	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
DISPENSE_PACK_DETAILS	PHASE_CD	VARCHAR (5)	NOT NULL	Phase detail - Link to list_of_val table
DISPENSE_PACK_DETAILS	PREP_DT	DATETIME	NULL	Phase specific preparation date for a Goal Sheet dispensing.
DISPENSE_PACK_DETAILS	PROD_NAME	VARCHAR (255)	NULL	Phase specific manufactured product name for a Goal Sheet dispensing.
DISPENSE_PACK_DETAILS	ROUTE_ID	INT	NULL	Phase specific route of administration for a Goal Sheet dispensing.
DISPENSE_PACK_DETAILS	SHELF_LIFE_QTY	NUMERIC(18,8)	NULL	Phase specific shelf life value for a Goal Sheet dispensing.
DISPENSE_PACK_DETAILS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_PACK_DETAILS	SLIFE_UNIT_PID	INT	NULL	Phase specific shelf life unit for a Goal Sheet dispensing.
DISPENSE_PBS	ANS_HIC_REF_DESC	VARCHAR (255)	NULL	ANS HIC Reference Description
DISPENSE_PBS	ANS_IND	CHAR (1)	NOT NULL	ANS Indicator
DISPENSE_PBS	ANS_STATUS_CD	VARCHAR (5)	NOT NULL	ANS Status Indicator
DISPENSE_PBS	AUTH_APP_NBR	VARCHAR (15)	NULL	Authority Approval Number for PBS Authority items.
DISPENSE_PBS	AUTH_NBR	VARCHAR (15)	NULL	Authority Number
DISPENSE_PBS	CARD_VERIFIED_IND	CHAR (1)	NOT NULL	Indicates that the concession card has been verified if the value is set to 'Y'
DISPENSE_PBS	CHART_PAT_CATG	VARCHAR(5)	NULL	PBS Hospital Medication Chart patient category
DISPENSE_PBS	CLAIM_AMT_APPROVED	NUMERIC(18,8)	NULL	Claim amount approved by MCA for PBS Online functionality
DISPENSE_PBS	CLAIM_REF_NO	INT	NULL	PBS claim Reference number
DISPENSE_PBS	CLAIM_REMOVAL_CNT	SMALLINT	NOT NULL	Indicates the number of times a particular claim has been removed.
DISPENSE_PBS	COMPOUNDER_XID	VARCHAR (20)	NULL	Compounder Identifier - Link to compouders table
DISPENSE_PBS	CONTAINER_CD	VARCHAR (5)	NULL	Container Code
DISPENSE_PBS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_PBS	CTG_CODE	VARCHAR (15)	NULL	Closing The Gap (CTG) code
DISPENSE_PBS	CTG_HANDWR_IND	CHAR(1)	NOT NULL	CTG Handwritten Indicator
DISPENSE_PBS	DEF_SUPP_IND	CHAR (1)	NOT NULL	Default supply indicator
DISPENSE_PBS	DSPN_DVA_CARD_TYPE_CD	VARHCAR(5)	NULL	DVA Card type - Link to list_of_val
DISPENSE_PBS	DSPN_DVA_NBR	VARCHAR(15)	NULL	DVA number
DISPENSE_PBS	DSPN_PBS_ID	INT	NOT NULL	Unique ID used to identify dispensed PBS item
DISPENSE_PBS	DSPN_PBS_ONLINE_STAT_CD	VARCHAR (5)	NULL	Status of the online PBS Claim
DISPENSE_PBS	DSPN_PRESC_QTY	NUMERIC (18,8)	NULL	Prescribed Qty for PBS Chemo dispensing.
DISPENSE_PBS	GLASS_BOTTLE_IND	CHAR (1)	NOT NULL	Glass Bottle Indicator
DISPENSE_PBS	HIC_REF_NO	VARCHAR (20)	NULL	MCA Price reference number
DISPENSE_PBS	HOSP_PROVIDER_NBR	VARCHAR (15)	NULL	Hospital Provider Number
DISPENSE_PBS	HSD_CONDITION_CD	VARCHAR (5)	NULL	HSD Condition Code in PBS
DISPENSE_PBS	IMM_SUPP_IND	CHAR (1)	NOT NULL	Immediate Supply Indicator
DISPENSE_PBS	INFUSION_XID	VARCHAR (20)	NULL	Infusion ID for PBS Normal
DISPENSE_PBS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_PBS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_PBS	LM_PRICE_IND	CHAR (1)	NOT NULL	Local Manufacture Price Indicator
DISPENSE_PBS	MANUF_CD	VARCHAR (5)	NULL	Code to link to list_of_val for PBS Manufacturer
DISPENSE_PBS	MEDICARE_NBR	VARCHAR (15)	NULL	Medicare Number
DISPENSE_PBS	MEDICARE_SUBNBR	CHAR (1)	NULL	Medicare Sub-Number
DISPENSE_PBS	ORIG_PBS_PAYMENT_CATG_CD	VARCHAR (5)	NULL	Original PBS Payment Category Code
DISPENSE_PBS	ORIG_PHARM_APPROVAL_NBR	VARCHAR (15)	NULL	Original Pharmacy Approval Number
DISPENSE_PBS	ORIG_SCRIPT_NBR	VARCHAR (15)	NULL	Original Script Number
DISPENSE_PBS	ORIG_SCRIPT_TYPE_CD	VARCHAR (5)	NOT NULL	Link to Original Dispensing Script Type
DISPENSE_PBS	PACK_SIZE_QTY	NUMERIC(18,8)	NULL	Column to save pack size quantity against the corresponding prescription date
DISPENSE_PBS	PAPERLESS_IND	CHAR (1)	NOT NULL	Paperless Indicator
DISPENSE_PBS	PBS_CANCELLATION_NBR	VARCHAR (15)	NULL	PBS Cancellation number
DISPENSE_PBS	PBS_CATG_CD	VARCHAR (5)	NOT NULL	PBS Category Code
DISPENSE_PBS	PBS_CLAIM_ID	INT	NULL	Link to the pbs_claim table to indicate which claim the record is part of
DISPENSE_PBS	PBS_CLAIM_ITEM_ID	INT	NULL	PBS Claim Item Identifier
DISPENSE_PBS	PBS_CLAIM_PRICE	NUMERIC(18,8)	NOT NULL	PBS price to be claimed by the Pharmacy
DISPENSE_PBS	PBS_CLM_MOVE_BY	VARCHAR(30)	NULL	Code of the user who authorised a move from one PBS Claim to another.
DISPENSE_PBS	PBS_CLM_MOVE_DT	DATETIME	NULL	Date and time that a move from one PBS Claim to another was authorised.
DISPENSE_PBS	PBS_CODE	VARCHAR (15)	NOT NULL	PBS Code of the Item
DISPENSE_PBS	PBS_CONC_NBR	VARCHAR (15)	NULL	PBS Concession Number
DISPENSE_PBS	PBS_ITEM_PID	INT	NULL	Identifier to link records to pbs_item table.
DISPENSE_PBS	PBS_MAX_QTY	NUMERIC(18,8)	NULL	Column to save pbs maximum quantity against the corresponding prescription date
DISPENSE_PBS	PBS_PAYMENT_CATG_CD	VARCHAR (5)	NOT NULL	Code to link to list_of_val for PBS payment Category
DISPENSE_PBS	PBS_REPEAT_NBR	SMALLINT(2)	NULL	Column to save the pbs repeat number against the corresponding prescription date
DISPENSE_PBS	PBS_REST_CODE	VARCHAR (15)	NULL	PBS Restriction Code
DISPENSE_PBS	PBS_REST_NOTE	VARCHAR (255)	NULL	PBS Restriction Notes
DISPENSE_PBS	PREV_DEFERRED_IND	CHAR (1)	NOT NULL	Indicator for Previously deferred
DISPENSE_PBS	PREV_DSPN_DT	DATETIME	NULL	Previous Dispensing Date
DISPENSE_PBS	REG_24_IND	CHAR (1)	NOT NULL	Regulation 24 Indicator
DISPENSE_PBS	RESUB_FLAG_IND	CHAR (1)	NOT NULL	PBS Claim Resubmission Flag
DISPENSE_PBS	RTAC_NBR	VARCHAR(15)	NULL	RTAC Number for IF drug type
DISPENSE_PBS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_PBS	STREAMLINE_IND	CHAR(1)	NOT NULL	Streamline indicator
DISPENSE_PBS	UCP_IND	CHAR(1)	NOT NULL	Under CoPayment indicator
DISPENSE_PBS	VIAL_COMBO_DESC	VARCHAR (255)	NULL	Vial Combo Description for identified chemo items.
DISPENSE_PBS_ERROR_CODES	CREATED_DT	DATETIME	NULL	Date and time that the row was created.
DISPENSE_PBS_ERROR_CODES	DPEC_ID	INT	NOT NULL	Field used to get and store the next generated number. It is managed by the PBS Online Service
DISPENSE_PBS_ERROR_CODES	DSPN_PBS_ID	INT	NULL	Unique ID used to identify dispensed PBS item.
DISPENSE_PBS_ERROR_CODES	DSPN_PBS_MANUF_ID	INT	NULL	Unique ID used to link with dispense_pbs_manuf table.
DISPENSE_PBS_ERROR_CODES	ERROR_CD	VARCHAR (5)	NOT NULL	Code for the error
DISPENSE_PBS_ERROR_CODES	LAST_UPDATED_BY	VARCHAR (30)	NULL	Code of the user who last modified the record.
DISPENSE_PBS_ERROR_CODES	LAST_UPDATED_DT	DATETIME	NULL	Date and time that the row was last modified.
DISPENSE_PBS_ERROR_CODES	MANUF_UPPN_XID	VARCHAR (20)	NULL	UPPN value to refer dispense_pbs_manuf table.
DISPENSE_PBS_ERROR_CODES	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_PBS_MANUF	ANS_HIC_REF_DESC	VARCHAR (255)	NULL	ANS HIC Reference Description
DISPENSE_PBS_MANUF	ANS_IND	CHAR (1)	NOT NULL	ANS Indicator
DISPENSE_PBS_MANUF	ANS_STATUS_CD	VARCHAR (5)	NOT NULL	ANS Status Indicator
DISPENSE_PBS_MANUF	AUTH_APP_NBR	VARCHAR (15)	NULL	Authority Approval Number
DISPENSE_PBS_MANUF	AUTH_NBR	VARCHAR (15)	NULL	Authority Number
DISPENSE_PBS_MANUF	CARD_VERIFIED_IND	CHAR (1)	NOT NULL	Conession Card verified indicator
DISPENSE_PBS_MANUF	CEASE_DT	DATETIME	NULL	Script Cease Date
DISPENSE_PBS_MANUF	CHART_PAT_CATG	VARCHAR (5)	NULL	Chart Dispensing Patient Category

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DISPENSE_PBS_MANUF	CLAIM_AMT_APPROVED	NUMERIC (18,8)	NULL	Claim amount approved for PBS Online
DISPENSE_PBS_MANUF	CLAIM_REF_NO	INT	NULL	PBS Claim Reference Number
DISPENSE_PBS_MANUF	CLAIM_REMOVAL_CNT	SMALLINT	NOT NULL	The number of times a particular claim has been removed.
DISPENSE_PBS_MANUF	COMPOUNDER_XID	VARCHAR (20)	NULL	Compounder Identifier - Link to compouders table
DISPENSE_PBS_MANUF	CONTAINER_CD	VARCHAR (5)	NULL	Container Code
DISPENSE_PBS_MANUF	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_PBS_MANUF	CTG_CODE	VARCHAR (15)	NULL	CTG code for CTG prescription.
DISPENSE_PBS_MANUF	CTG_HANDWR_IND	CHAR (1)	NOT NULL	Indicator for Handwritten CTG prescription.
DISPENSE_PBS_MANUF	DEF_SUPP_IND	CHAR (1)	NOT NULL	Deferred supply Indicator
DISPENSE_PBS_MANUF	DSPN_CLAIM_QTY	NUMERIC (18,8)	NULL	PBS Claim quanity.
DISPENSE_PBS_MANUF	DSPN_DVA_CARD_TYPE_CD	VARCHAR(5)	NULL	DVA Card type - Link to list_of_val
DISPENSE_PBS_MANUF	DSPN_DVA_NBR	VARCHAR(15)	NULL	DVA number
DISPENSE_PBS_MANUF	DSPN_FULL_PRICE	NUMERIC (18,8)	NULL	Full Price of Dispensed Item
DISPENSE_PBS_MANUF	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DISPENSE_PBS_MANUF	DSPN_PBS_MANUF_ID	INT	NOT NULL	Unique ID used to identify unique records along with site SID.
DISPENSE_PBS_MANUF	DSPN_PBS_ONLINE_STAT_CD	VARCHAR (5)	NULL	Status for the online PBS Claim.
DISPENSE_PBS_MANUF	DSPN_PRESC_QTY	NUMERIC (18,8)	NULL	Prescribed quantity
DISPENSE_PBS_MANUF	DSPN_PROD_TEXT	VARCHAR(630)	NULL	pbs dispensing product name
DISPENSE_PBS_MANUF	DSPN_TOT_COST	NUMERIC (18,8)	NULL	Total cost of ingredients in the dispensing
DISPENSE_PBS_MANUF	DSPN_TOT_PRICE	NUMERIC (18,8)	NULL	Total price of the dispensing including markups and fees
DISPENSE_PBS_MANUF	DSPN_TOT_QTY	NUMERIC (18,8)	NULL	Dispense Total Qty
DISPENSE_PBS_MANUF	GLASS_BOTTLE_IND	CHAR (1)	NOT NULL	Glass Bottle Indicator
DISPENSE_PBS_MANUF	HIC_REF_NO	VARCHAR (20)	NULL	MCA reference number.
DISPENSE_PBS_MANUF	HOSP_PROVIDER_NBR	VARCHAR (15)	NULL	Hospital Provider Number
DISPENSE_PBS_MANUF	HSD_CONDITION_CD	VARCHAR (5)	NULL	HSD Condition Code in PBS
DISPENSE_PBS_MANUF	IMM_SUPP_IND	CHAR (1)	NOT NULL	Immediate Supply Indicator
DISPENSE_PBS_MANUF	INFUSION_XID	VARCHAR (20)	NULL	Infusion ID for PBS Non Normal
DISPENSE_PBS_MANUF	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_PBS_MANUF	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_PBS_MANUF	LM_PRICE_IND	CHAR (1)	NOT NULL	Local Manufacture Price Indicator
DISPENSE_PBS_MANUF	MANUF_CD	VARCHAR (5)	NULL	Code to link to list_of_val for PBS Manufacturer
DISPENSE_PBS_MANUF	MANUF_UPPN_XID	VARCHAR (20)	NOT NULL	UPPN value for PBS Cyto dispensing.
DISPENSE_PBS_MANUF	MEDICARE_NBR	VARCHAR (15)	NULL	Medicare Number
DISPENSE_PBS_MANUF	MEDICARE_SUBNBR	CHAR (1)	NULL	Medicare Sub-Number
DISPENSE_PBS_MANUF	ORIG_MANUF_UPPN_XID	VARCHAR (20)	NULL	Original Unique Pharmacy Prescription Number (UPPN)
DISPENSE_PBS_MANUF	ORIG_PBS_PAYMENT_CATG_CD	VARCHAR (5)	NULL	Original PBS Payment Category Code
DISPENSE_PBS_MANUF	ORIG_PHARM_APPROVAL_NBR	VARCHAR (15)	NULL	Original Pharmacy Approval Number
DISPENSE_PBS_MANUF	ORIG_SCRIPT_TYPE_CD	VARCHAR (5)	NOT NULL	Original Dispensing Script Type
DISPENSE_PBS_MANUF	PACK_SIZE_QTY	NUMERIC (18,8)	NULL	Column to save pack size quantity against the corresponding prescription date
DISPENSE_PBS_MANUF	PAPERLESS_IND	CHAR (1)	NOT NULL	Paperless Indicator
DISPENSE_PBS_MANUF	PAT_PRF_PRICE	NUMERIC (18,8)	NULL	Prescription Record Form Price
DISPENSE_PBS_MANUF	PAT_PRICE	NUMERIC (18,8)	NULL	Price the patient needs to pay
DISPENSE_PBS_MANUF	PBS_CANCELLATION_NBR	VARCHAR (15)	NULL	PBS Cancellation number
DISPENSE_PBS_MANUF	PBS_CATG_CD	VARCHAR (5)	NOT NULL	PBS Category Code
DISPENSE_PBS_MANUF	PBS_CLAIM_ID	INT	NULL	Link to the pbs_claim table to indicate which claim the record is part of
DISPENSE_PBS_MANUF	PBS_CLAIM_ITEM_ID	INT	NULL	PBS Claim Item Identifier
DISPENSE_PBS_MANUF	PBS_CLAIM_PRICE	NUMERIC (18,8)	NOT NULL	PBS price to be claimed by the Pharmacy.
DISPENSE_PBS_MANUF	PBS_CLM_MOVE_BY	VARCHAR(30)	NULL	Code of the user who authorised a move from one PBS Claim to another.
DISPENSE_PBS_MANUF	PBS_CLM_MOVE_DT	DATETIME	NULL	Date and time that a move from one PBS Claim to another was authorised.
DISPENSE_PBS_MANUF	PBS_CODE	VARCHAR (15)	NOT NULL	PBS Code of the Item
DISPENSE_PBS_MANUF	PBS_CONC_NBR	VARCHAR (15)	NULL	PBS Concession Number
DISPENSE_PBS_MANUF	PBS_ITEM_PID	INT	NULL	Link to pbs_item table.
DISPENSE_PBS_MANUF	PBS_MAX_QTY	NUMERIC (18,8)	NULL	Column to save the PBS maximum quantity value against the corresponding prescription date.
DISPENSE_PBS_MANUF	PBS_PAYMENT_CATG_CD	VARCHAR (5)	NOT NULL	Category code for PBS payment
DISPENSE_PBS_MANUF	PBS_REPEAT_NBR	SMALLINT(2)	NULL	Column to save pbs repeat number against the corresponding prescription date
DISPENSE_PBS_MANUF	PBS_REST_CODE	VARCHAR (15)	NULL	PBS Restriction Code
DISPENSE_PBS_MANUF	PBS_REST_NOTE	VARCHAR (255)	NULL	PBS Restriction Notes
DISPENSE_PBS_MANUF	PBS_UOM_DESC	VARCHAR (40)	NULL	UOM Description
DISPENSE_PBS_MANUF	PREV_DEFERRED_IND	CHAR (1)	NOT NULL	Previously deferred indicator
DISPENSE_PBS_MANUF	PREV_DSPN_DT	DATETIME	NULL	Previous Dispensing Date
DISPENSE_PBS_MANUF	REG_24_IND	CHAR (1)	NOT NULL	Regulation 24 Indicator
DISPENSE_PBS_MANUF	RESUB_FLAG_IND	CHAR (1)	NOT NULL	PBS Claim Resubmission Flag
DISPENSE_PBS_MANUF	RTAC_NBR	VARCHAR(15)	NULL	RTAC Number for IF drug type
DISPENSE_PBS_MANUF	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_PBS_MANUF	STREAMLINE_IND	CHAR (1)	NOT NULL	Streamlined Indicator
DISPENSE_PBS_MANUF	UCP_IND	CHAR (1)	NOT NULL	Indicator for under co-payment dispensing.
DISPENSE_PBS_MANUF	VIAL_COMBO_DESC	VARCHAR (255)	NULL	Vial combo description from MCA
DISPENSE_PROD	BIN_BATCH_ID	INT	NULL	Link to Bin batch table
DISPENSE_PROD	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record, for the site
DISPENSE_PROD	BOM_COMP_QTY	NUMERIC(18,8)	NULL	Quantity of the ingredient if for a non normal dispensing
DISPENSE_PROD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_PROD	DOSE_CALC_CD	VARCHAR (5)	NULL	Code for the dose calculation
DISPENSE_PROD	DPP_INGR_DIFF_PRICE	NUMERIC(18,8)	NULL	Dispense ingredient difference price.
DISPENSE_PROD	DSPN_BATCH_EXP_DT	DATETIME	NULL	Dispense Batch Expiry Date
DISPENSE_PROD	DSPN_DIFF_PRICE_IND	CHAR(1)	NOT NULL	Differential price indicator.
DISPENSE_PROD	DSPN_DSCD_CHRG_IND	CHAR (1)	NOT NULL	Dispense Discard Charge Indicator
DISPENSE_PROD	DSPN_DSCD_IND	CHAR (1)	NULL	When the Discard Indicator column is set to 'YES', then the Discard Quantity is calculated automatically in dispensing
DISPENSE_PROD	DSPN_DSCD_QTY	NUMERIC(18,8)	NULL	Dispense Discard Quantity
DISPENSE_PROD	DSPN_FEE_AMT	NUMERIC(18,8)	NULL	Dispensing fee as recorded in dispense price tab
DISPENSE_PROD	DSPN_FIN_SUB_XID	VARCHAR (20)	NULL	Financial sub class identifier
DISPENSE_PROD	DSPN_FLAT_AMT	NUMERIC(18,8)	NULL	Base amount from dispensine price tab
DISPENSE_PROD	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DISPENSE_PROD	DSPN_INGR_ADDEDVALUE_AMT	NUMERIC(18,8)	NULL	Ingredient added value amount
DISPENSE_PROD	DSPN_INGR_FULL_PRICE	NUMERIC(18,8)	NULL	Ingredient Total Price of Dispensed Item
DISPENSE_PROD	DSPN_INGR_ORIGPAT_PRICE	NUMERIC(18,8)	NULL	Original Ingredient price for the patient, for use when refreshing the Patient Price after Charge Type is changed to 'Hospital' then back to 'Patient'.
DISPENSE_PROD	DSPN_INGR_PAT_PRICE	NUMERIC(18,8)	NULL	Ingredient patient price
DISPENSE_PROD	DSPN_INGR_PRF_PRICE	NUMERIC(18,8)	NULL	Ingredient PRF price
DISPENSE_PROD	DSPN_INGR_TOT_COST	NUMERIC(18,8)	NULL	Total cost of the ingredient

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DISPENSE_PROD	DSPN_INGR_TOT_PRICE	NUMERIC(18,8)	NULL	Total charge price of the ingredient
DISPENSE_PROD	DSPN_LAST_BATCH	VARCHAR (10)	NULL	Batch no from dispensing of the dispensed product
DISPENSE_PROD	DSPN_MARKUP_PCT	NUMERIC(8,6)	NULL	Markup percentage as entered in dispense price tab
DISPENSE_PROD	DSPN_MAX_CHRG_AMT	NUMERIC(18,8)	NULL	Maximum charge amount as recorded in dispense price tab
DISPENSE_PROD	DSPN_MIN_CHRG_AMT	NUMERIC(18,8)	NULL	Minimum charge amount as recorded in dispense price tab
DISPENSE_PROD	DSPN_OVERRIDE_REASON_NOTE	VARCHAR (255)	NULL	This is text entered by the user to indicate why they have overridden default values
DISPENSE_PROD	DSPN_PBS_MANUF_ID	INT	NULL	Link to dispense_pbs_manuf table
DISPENSE_PROD	DSPN_PRIV_DA_FEE	NUMERIC(18,8)	NULL	Drug of Addiction dispensing fee. Defaulted based on the Private DA Fee parameter.
DISPENSE_PROD	DSPN_PRIV_S3RECORD_FEE	NUMERIC(18,8)	NULL	Recordable Drug dispensing fee. Defaulted based on the Private Recordable Fee parameter.
DISPENSE_PROD	DSPN_PROD_ID	INT	NOT NULL	Unique ID used to identify dispensed product.
DISPENSE_PROD	DSPN_QTY	NUMERIC(18,8)	NOT NULL	Dispensed Quantity
DISPENSE_PROD	DSPN_VOL_ML	NUMERIC(18,8)	NULL	Dispense Volume in Millilitres
DISPENSE_PROD	INVEN_DELIVERED_QTY	NUMERIC(18,8)	NULL	Column to save inventory delivered quantity value
DISPENSE_PROD	INVEN_IND	CHAR (1)	NOT NULL	Inventory indicator
DISPENSE_PROD	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_PROD	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_PROD	LOC_ID	INT	NULL	Store Location ID - Link to location table
DISPENSE_PROD	NR_LOC_ID	INT	NULL	Non-robot Store Location ID - Link to location table; to accept remainder stock for a part pack robot dispensing.
DISPENSE_PROD	OWN_SUPP_IND	CHAR (1)	NULL	Own Supply Indicator
DISPENSE_PROD	PACK_DELIVERED_QTY	NUMERIC(18,8)	NULL	Pack Delivered Quantity
DISPENSE_PROD	PAT_PRICING_TYPE_CD	VARCHAR(5)	NULL	Link patient's pricing type.
DISPENSE_PROD	PERMIT_ID	INT	NULL	Permit Id for Special Product
DISPENSE_PROD	PERMIT_OLD_ID	INT	NULL	Permit ID for Historic records.
DISPENSE_PROD	PERMIT_OLD_SITE_SID	SMALLINT	NULL	Permit Site ID for Historic records.
DISPENSE_PROD	PERMIT_SITE_SID	SMALLINT	NULL	Link to the site holding the pat_prod_permit (in special product register)
DISPENSE_PROD	PHASE_TYPE_CD	VARCHAR (5)	NULL	TPN Phase: Lipid or Aqueous - used in Goal Sheet Manufacture
DISPENSE_PROD	PROD_ID	INT	NULL	Product Identifier - Link to product table
DISPENSE_PROD	PROD_USE_CD	VARCHAR (5)	NULL	Product usage code - Link to list_of_val table.
DISPENSE_PROD	RANEG_BIN_TRAN_ID	INT	NULL	Robot adjustment (negative) - link to bin_tran table; to record the movement of part pack remainder amount out of robot bin.
DISPENSE_PROD	RAPOS_BIN_TRAN_ID	INT	NULL	Robot adjustment (positive) - link to bin_tran table; to record the movement of part pack remainder amount into a non-robot bin.
DISPENSE_PROD	RECON_ID	INT	NULL	Link to recon_prod table - Reconstitution identifier
DISPENSE_PROD	RECON_LOT_ID	INT	NULL	Reconstitution lot id
DISPENSE_PROD	RECON_LOT_QTY	NUMERIC(18,8)	NULL	Reconstitution Lot Quantity
DISPENSE_PROD	RECON_REQ_QTY	NUMERIC(18,8)	NULL	Reconstitution Required Quantity
DISPENSE_PROD	RECON_TOT_QTY	NUMERIC(18,8)	NULL	Reconstitution Total Quantity
DISPENSE_PROD	RECON_TYPE_CD	VARCHAR (5)	NULL	Reconstitution Type
DISPENSE_PROD	REV_DSPN_PROD_ID	INT	NULL	Reverse dispensing product id
DISPENSE_PROD	ROB_REQ_QTY	NUMERIC(18,8)	NULL	Quantity requested from robot.
DISPENSE_PROD	ROB_RETURN_QTY	NUMERIC(18,8)	NULL	Part pack amount to be returned to robot
DISPENSE_PROD	ROB_ROUNDED_QTY	NUMERIC(18,8)	NULL	Rounded up pack quantity for dispensing using a robot bin.
DISPENSE_PROD	ROBOT_STAT_CD	VARCHAR (5)	NULL	Code used to identify whether the item uses a robot bin or not (R/NR) for a robotic Store, then the pick status (EQ-Equal, NE-Not Equal, IERR-Error, REJ-Rejected, NP-Not Processed).
DISPENSE_PROD	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_PROD	TAX_IND	CHAR (1)	NOT NULL	Indicates that GST applies to calculated patient price - Link to prod_schedule table
DISPENSE_PROD	TOTAL_INVEN_DELIVERED_QTY	NUMERIC(18,8)	NULL	Total inventory quantity delivered from robot
DISPENSE_PROD	TOTAL_PACK_DELIVERED_QTY	NUMERIC(18,8)	NULL	Total full pack quantity delivered from robot
DISPENSE_PROD	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
DISPENSE_PROD	VEHICLE_IND	CHAR (1)	NULL	Vehicle indicator - indicates that the product is the vehicle into which the other ingredients have been added and can be used for labelling purposes.
DISPENSE_PROP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_PROP	DSPN_PROD_ID	INT	NOT NULL	Dispense product identifier - Link to dispense_prod table
DISPENSE_PROP	DSPN_PROP_ID	INT	NOT NULL	Unique Dispense property identifier, for the site
DISPENSE_PROP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_PROP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_PROP	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table
DISPENSE_PROP	PROP_QTY	NUMERIC(18,8)	NOT NULL	Property quantity
DISPENSE_PROP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPENSE_PROP	UNIT_CATG_XID	VARCHAR (20)	NOT NULL	Unit Category identifier - Link to unit table
DISPENSE_PROP	UNIT_PID	INT	NULL	Unit identifier - Link to unit table
DISPENSE_SCAN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPENSE_SCAN	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DISPENSE_SCAN	DSPN_PACK_NBR	VARCHAR (15)	NOT NULL	Dispense pack number
DISPENSE_SCAN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPENSE_SCAN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPENSE_SCAN	MSGID	VARCHAR (40)	NULL	Message details
DISPENSE_SCAN	OVERRIDE_BY	VARCHAR (30)	NULL	Code of the user who has Overridden the scan
DISPENSE_SCAN	OVERRIDE_DT	DATETIME	NULL	Overridden date
DISPENSE_SCAN	OVERRIDE_NOTE	VARCHAR (255)	NULL	Override note
DISPENSE_SCAN	OVERRIDE_REASON_CD	VARCHAR (5)	NULL	Override reason code - Link to list_of_val table
DISPENSE_SCAN	ROW_STAT_CD	VARCHAR (5)	NULL	Row status
DISPENSE_SCAN	SCAN_BY	VARCHAR (30)	NOT NULL	Code of the user who Scanned
DISPENSE_SCAN	SCAN_DT	DATETIME	NOT NULL	Scan date
DISPENSE_SCAN	SCAN_ID	INT	NOT NULL	Unique scan identifier
DISPENSE_SCAN	SCAN_STAT_CD	VARCHAR (5)	NULL	Scan status code - Link to list_of_val table
DISPENSE_SCAN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPOSAL	COST_CNTR_XID	VARCHAR(20)	NULL	Cost Centre Code - Link to the Cost centre table
DISPOSAL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPOSAL	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
DISPOSAL	CUST_REF	VARCHAR(20)	NULL	Customer Reference
DISPOSAL	DISP_DT	DATETIME	NOT NULL	Disposal Date
DISPOSAL	DISP_ID	INT	NOT NULL	Unique ID used to identify the disposal
DISPOSAL	DISP_NOTE	VARCHAR(255)	NULL	Disposal Note
DISPOSAL	DISP_STAT_CD	VARCHAR(5)	NOT NULL	Disposal Status - Link to list_of_val table
DISPOSAL	DISP_TYPE_CD	VARCHAR(5)	NOT NULL	Disposal Type Code - Link to list_of_val table
DISPOSAL	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DISPOSAL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPOSAL	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISPOSAL	STORE_XID	VARCHAR(20)	NULL	Code to link to the Store table
DISPOSAL	VERIFIED_BY	VARCHAR(30)	NULL	Code of the User who verifies
DISPOSAL_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISPOSAL_EXTR	DISP_ID	INT	NOT NULL	Disposal ID - Link to disposal table
DISPOSAL_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract, for the site
DISPOSAL_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DISPOSAL_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISPOSAL_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIST_CR_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier
DIST_CR_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
DIST_CR_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DIST_CR_ITEM	DCI_BATCH_EXP_DT	DATETIME	NULL	Distribution Credit Item Batch Expiry Date
DIST_CR_ITEM	DCI_STAT_CD	VARCHAR (5)	NOT NULL	Distribution Credit Item Status Code
DIST_CR_ITEM	DCI_TOT_COST	NUMERIC(18,8)	NULL	Distribution Credit Item Total Cost
DIST_CR_ITEM	DCI_TOT_EXT_COST	NUMERIC(18,8)	NULL	Distribution Credit Item Total Cost with Tax
DIST_CR_ITEM	DCI_TOT_EXT_PRICE	NUMERIC(18,8)	NULL	Distribution Credit Item Total Price with Tax
DIST_CR_ITEM	DCI_TOT_PRICE	NUMERIC(18,8)	NULL	Distribution Credit Item Total Price
DIST_CR_ITEM	DIST_CR_ID	INT	NOT NULL	Distribution Credit ID - Link to dist_credit table
DIST_CR_ITEM	DIST_CR_ITEM_BATCH	VARCHAR (10)	NULL	Distribution Credit Item Batch Number
DIST_CR_ITEM	DIST_CR_ITEM_COST	NUMERIC(18,8)	NOT NULL	Distribution Credit Item Cost
DIST_CR_ITEM	DIST_CR_ITEM_EXT_COST	NUMERIC(18,8)	NOT NULL	Distribution Credit Item Cost with Tax
DIST_CR_ITEM	DIST_CR_ITEM_EXT_PRICE	NUMERIC(18,8)	NOT NULL	Distribution Credit Item Price with Tax
DIST_CR_ITEM	DIST_CR_ITEM_ID	INT	NOT NULL	Unique ID for Distribution Credit Item, for the site
DIST_CR_ITEM	DIST_CR_ITEM_PRICE	NUMERIC(18,8)	NOT NULL	Distribution Credit Item Price
DIST_CR_ITEM	DIST_CR_QTY	NUMERIC(18,8)	NOT NULL	Distribution Credit Quantity
DIST_CR_ITEM	ISSUE_DT	DATETIME	NULL	Issue Date
DIST_CR_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DIST_CR_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DIST_CR_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table
DIST_CR_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
DIST_CR_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIST_CR_ITEM	TAX_IND	CHAR (1)	NOT NULL	Tax Indicator
DIST_CR_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
DIST_CREDIT	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table
DIST_CREDIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DIST_CREDIT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DIST_CREDIT	CUST_REF	VARCHAR (20)	NULL	Customer Reference
DIST_CREDIT	DIST_CR_DT	DATETIME	NOT NULL	Distribution Credit Date
DIST_CREDIT	DIST_CR_ID	INT	NOT NULL	Unique ID for Distribution Credit, for the site
DIST_CREDIT	DIST_CR_NOTE	VARCHAR (255)	NULL	Distribution Credit Notes
DIST_CREDIT	DIST_CR_PDE_IND	CHAR (1)	NOT NULL	Distribution Credit PDE Indicator
DIST_CREDIT	DIST_CR_STAT_CD	VARCHAR (5)	NOT NULL	Distribution Credit Status - Link to list_of_val table
DIST_CREDIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DIST_CREDIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DIST_CREDIT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIST_CREDIT	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table
DIST_CREDIT	ROBOT_IND	CHAR(1)	NOT NULL	Robot indicator - Dist Credit created for PillPick by robot data service
DIST_CREDIT	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies
DIST_CREDIT_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DIST_CREDIT_EXTR	DIST_CR_ID	INT	NOT NULL	Distribution Credit ID - Link to dist_credit table
DIST_CREDIT_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract, for the site
DIST_CREDIT_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DIST_CREDIT_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DIST_CREDIT_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIST_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DIST_EXTR	DIST_ID	INT	NOT NULL	Identification Key for Distribution
DIST_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extraction
DIST_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DIST_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DIST_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIST_ITEM	ADC_IND	CHAR(1)	NOT NULL	Indicates request is created from ADC
DIST_ITEM	ADC_IDENT_XID	VARCHAR(20)	NULL	To Update ADC Ident xid
DIST_ITEM	ADC_PROD_NAME_DESC	VARCHAR(1024)	NULL	indicates product description from OMS
DIST_ITEM	ADC_QTY	NUMERIC(18,8)	NULL	To Update ADC Quantity
DIST_ITEM	ADC_UOM_DESC	VARCHAR(40)	NULL	To update Uom Description comes from OMS
DIST_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier
DIST_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
DIST_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DIST_ITEM	DI_BATCH_EXP_DT	DATETIME	NULL	Distribution item Batch Expiry Date
DIST_ITEM	DIST_ID	INT	NOT NULL	Identification Key for Distribution
DIST_ITEM	DIST_ITEM_BATCH	VARCHAR (10)	NULL	Distribution Item Batch Number
DIST_ITEM	DIST_ITEM_ID	INT	NOT NULL	Unique Distribution Item ID, for the site
DIST_ITEM	DIST_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Distribution Item Status
DIST_ITEM	DIST_QTY	NUMERIC(18,8)	NULL	Distribution Quantity
DIST_ITEM	IMP_ITEM_ID	INT	NULL	Imprest Item ID - Link to imprest_item table
DIST_ITEM	INVEN_DELIVERED_QTY	NUMERIC(18,8)	NULL	Column to save inventory delivered quantity in the distribution
DIST_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DIST_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DIST_ITEM	LOC_ID	INT	NULL	Store Location ID - Link to location table
DIST_ITEM	NR_LOC_ID	INT	NULL	Non-robot Store Location ID - Link to location table; to accept remainder stock for a part pack robot distribution.
DIST_ITEM	PACK_DELIVERED_QTY	NUMERIC(18,8)	NULL	Pack delivered Quantity
DIST_ITEM	PICK_MSG_COUNT	INT	NULL	Count of successful OutputMessages received from PillPick robot.
DIST_ITEM	PROD_ID	INT	NULL	Product Identifier - Link to product table
DIST_ITEM	RANEG_BIN_TRAN_ID	INT	NULL	Robot adjustment (negative) - link to bin_tran table; to record the movement of part pack remainder amount out of robot bin.
DIST_ITEM	RAPOS_BIN_TRAN_ID	INT	NULL	Robot adjustment (positive) - link to bin_tran table; to record the movement of part pack remainder amount into a non-robot bin.
DIST_ITEM	REPLACE_FLAG	CHAR(1)	NULL	Replacement flag
DIST_ITEM	REQN_ITEM_ID	INT	NULL	Requisition Item Identifier - Link to reqn_item table
DIST_ITEM	ROB_RETURN_QTY	NUMERIC(18,8)	NULL	Part pack amount to be returned to robot

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DIST_ITEM	ROB_ROUNDED_QTY	NUMERIC(18,8)	NULL	Rounded up pack quantity for distribution using a robot bin.
DIST_ITEM	ROBOT_STAT_CD	VARCHAR(5)	NOT NULL	Code used to identify whether the item uses a robot bin or not (R/NR).
DIST_ITEM	ROBOT_TRAN_ID	INT	NULL	Robot transaction Identifier - Link to external_message_robot table for the particular Request message.
DIST_ITEM	RQI_SITE_SID	SMALLINT	NULL	Requesting site identifier - Link to the site table
DIST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DIST_ITEM	SUBST_IND	CHAR(1)	NULL	Substitution flag
DIST_ITEM	TAX_IND	CHAR (1)	NOT NULL	Tax Indicator
DIST_ITEM	UOM_ID	INT	NULL	Unit of Measurement Identifier - Link to UOM table
DIST_ITEM	URGENT_IND	CHAR (1)	NOT NULL	Urgency Indicator
DIST_ITEM	WARD_BOX_NBR	VARCHAR(255)	NULL	The box numbers for the boxes that the ward stock is delivered in, as received from the robot Output message.
DISTRIBUTION	ADC_IND	CHAR(1)	NOT NULL	Indicates ad ADC Distribution
DISTRIBUTION	ADC_NAME_ID	INT	NULL	ADC Name id
DISTRIBUTION	BULK_STOCK_IND	CHAR(1)	NOT NULL	Indicates that a bulk stock (ward box) chute was used.
DISTRIBUTION	CHUTE_XID	VARCHAR(20)	NULL	Chute code for robot delivery of the item - link to robot_chute table.
DISTRIBUTION	COST_CNTR_XID	VARCHAR(20)	NOT NULL	Short Code used to identify Charge center
DISTRIBUTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DISTRIBUTION	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
DISTRIBUTION	CUST_ORD_REF	VARCHAR(20)	NULL	Customer Order Reference
DISTRIBUTION	DELIVERY_ADDR_NOTE	VARCHAR(255)	NULL	Delivery address
DISTRIBUTION	DIST_DT	DATETIME	NOT NULL	Distribution Date
DISTRIBUTION	DIST_GL_EXTRACT	INT	NULL	Not used in this version of i.Pharmacy
DISTRIBUTION	DIST_ID	INT	NOT NULL	Unique ID for Distribution, for the site
DISTRIBUTION	DIST_NOTE	VARCHAR(255)	NULL	Distribution Note
DISTRIBUTION	DIST_STAT_CD	VARCHAR(5)	NOT NULL	Distribution Status Code - Link to list_of_val table
DISTRIBUTION	FOLLOWUP_PRINT_IND	CHAR(1)	NOT NULL	Indicates whether the distribution followup report is printed at least once when this column has value 'Y'
DISTRIBUTION	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
DISTRIBUTION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DISTRIBUTION	PDE_IND	CHAR (1)	NOT NULL	PDE indicator
DISTRIBUTION	PICK_NTRQ_IND	CHAR(1)	NOT NULL	Pick Not Required Indicator - indicators whether the robot picking step was bypassed or not.
DISTRIBUTION	PRINT_IND	CHAR(1)	NOT NULL	Print indicator
DISTRIBUTION	ROBOT_STAT_CD	VARCHAR(5)	NOT NULL	Code used to identify whether the item uses a robot bin or not (R/NR).
DISTRIBUTION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DISTRIBUTION	STORE_XID	VARCHAR(20)	NOT NULL	Code to link to the Store table
DISTRIBUTION	URGENT_IND	CHAR(1)	NOT NULL	Urgency Indicator
DISTRIBUTION	VERIFIED_BY	VARCHAR(30)	NULL	Urgency Indicator
DISTRIBUTION	WARD_BOX_NBR	VARCHAR(255)	NULL	The box numbers for the boxes that the ward stock is delivered in, as received from the robot Output message.
DOCTOR	ADT_DOCT_XID	VARCHAR (20)	NULL	ADT Doctor code, used to match doctors in HL7 messaging
DOCTOR	CLIN_SYS_XID	VARCHAR (20)	NULL	Clinical System code
DOCTOR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DOCTOR	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DOCTOR	DOCT_ADDR_1	VARCHAR (40)	NULL	Doctor Address1
DOCTOR	DOCT_ADDR_2	VARCHAR (40)	NULL	Doctor Address2
DOCTOR	DOCT_ADDR_3	VARCHAR (40)	NULL	Doctor Address3
DOCTOR	DOCT_ADDR_4	VARCHAR (40)	NULL	Doctor Address4
DOCTOR	DOCT_CNTRY	VARCHAR (30)	NULL	Doctor Country
DOCTOR	DOCT_FIRST_NAME	VARCHAR (255)	NULL	Doctor First Name
DOCTOR	DOCT_NOTE	VARCHAR (255)	NULL	Doctor Notes
DOCTOR	DOCT_PHONE_1	VARCHAR (15)	NULL	Doctor Phone Number1
DOCTOR	DOCT_PHONE_2	VARCHAR (15)	NULL	Doctor Phone Number2
DOCTOR	DOCT_PHONE_3	VARCHAR (15)	NULL	Doctor Phone Number3
DOCTOR	DOCT_POSTCODE	VARCHAR (10)	NULL	Doctor Postal Code
DOCTOR	DOCT_SALUTATION	CHAR (10)	NULL	Doctor salutation
DOCTOR	DOCT_SURNAME	VARCHAR (255)	NULL	Doctor Surname
DOCTOR	DOCT_SURNAME_UC	VARCHAR (255)	NULL	Doctor Surname in upper case
DOCTOR	DOCT_XID	VARCHAR (20)	NOT NULL	Unique code for Doctor, for the site
DOCTOR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DOCTOR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DOCTOR	PRAC_NAME	VARCHAR (255)	NULL	To Store the Practioner Name
DOCTOR	PRAC_EMAIL	VARCHAR(60)	NULL	To Store the Practioner Email
DOCTOR	PBS_PRES_NBR	VARCHAR (15)	NULL	PBS Prescriber Number
DOCTOR	PRES_TYPE_CD	VARCHAR (5)	NOT NULL	Prescriber Type code
DOCTOR	PRES_EMAIL	VARCHAR(60)	NULL	To store the prescriber Email
DOCTOR	PRES_HI_XID	VARCHAR(20)	NULL	To Store the Prescriber HPII id
DOCTOR	PROV_XID	VARCHAR (20)	NULL	Provider Directory ID
DOCTOR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DOCTOR	TEAM_POSN_DESC	VARCHAR (40)	NULL	Doctor Team Position Description
DOCTOR	TEAM_XID	VARCHAR (20)	NOT NULL	Code for Team - Link to the team table.
DPO_SOURCE_CONTROL	DPO_SOURCE_CD	VARCHAR (5)	NULL	DPO Source Code For STOCCA Messaging
DPO_SOURCE_CONTROL	IN_ORDER_CONTROL_CD	VARCHAR (5)	NULL	Inbound Order Control Code
DPO_SOURCE_CONTROL	MSG_ACTION_CD	VARCHAR (5)	NULL	Message Action Code
DPO_SOURCE_CONTROL	NEW_MSG_ACTION_CD	VARCHAR (5)	NULL	New Message Action Code
DPO_SOURCE_CONTROL	OUT_ORDER_CONTROL_CD	VARCHAR (5)	NULL	Outbound Order Control Code
DPO_SOURCE_CONTROL	OUT_ORDER_STATUS_CD	VARCHAR (5)	NULL	Outbound Order Status Code
DRUG_AVAIL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DRUG_AVAIL	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DRUG_AVAIL	DRUG_AVAIL_DESC	VARCHAR (40)	NOT NULL	Drug Availability Description
DRUG_AVAIL	DRUG_AVAIL_ID	INT	NOT NULL	Unique ID for Drug Availability
DRUG_AVAIL	DRUG_AVAIL_NOTE	VARCHAR (255)	NULL	Drug Availability Note
DRUG_AVAIL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DRUG_AVAIL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DRUG_CODE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DRUG_CODE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DRUG_CODE	DRUG_AVAIL_ID	INT	NULL	Drug Availability identifier - Link to drug_avail table
DRUG_CODE	DRUG_CODE_DESC	VARCHAR (255)	NOT NULL	Drug code description
DRUG_CODE	DRUG_CODE_ID	INT	NOT NULL	Unique Drug Code ID
DRUG_CODE	DRUG_CODE_XID	VARCHAR (20)	NOT NULL	Code for Drug code
DRUG_CODE	DRUG_FORM_NOTES	VARCHAR (255)	NULL	Drug Formulary Notes
DRUG_CODE	DRUG_HIERARCHY	VARCHAR (255)	NOT NULL	Drug hierarchy

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DRUG_CODE	DRUG_PAT_NOTE	VARCHAR (255)	NULL	Drug Notes
DRUG_CODE	DRUG_REST_NOTES	TEXT	NULL	Drug Restricted notes
DRUG_CODE	DRUG_REST_NOTES_PATH	VARCHAR (255)	NULL	Path to a hyperlink
DRUG_CODE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DRUG_CODE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DRUG_CODE	MAST_DRUG_CODE_ID	INT	NULL	Master drug code identifier
DRUG_CODE_SITE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DRUG_CODE_SITE	DRUG_CODE_ID	INT	NOT NULL	Drug code ID - Link to drug_code table
DRUG_CODE_SITE	DRUG_FORM_NOTES	VARCHAR (255)	NULL	Drug Formulary Notes
DRUG_CODE_SITE	DRUG_REST_NOTES	TEXT	NULL	Drug Restricted notes
DRUG_CODE_SITE	DRUG_REST_NOTES_PATH	VARCHAR (255)	NULL	Path to a hyperlink
DRUG_CODE_SITE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DRUG_CODE_SITE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DRUG_CODE_SITE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DSPN_ALERT	ALERT_DT	DATETIME	NOT NULL	Dispensing Alert Date
DSPN_ALERT	ALERT_DTL_ID	INT	NOT NULL	Dispensing Alert Detail ID
DSPN_ALERT	ALERT_ID	INT	NOT NULL	Unique ID for dispensing alert, for the site
DSPN_ALERT	ALERT_NOTE	TEXT	NULL	Dispensing Alert note
DSPN_ALERT	ALERT_NOTE_PATH	VARCHAR(255)	NULL	Path of the file attached
DSPN_ALERT	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record
DSPN_ALERT	CREATED_DT	DATETIME	NULL	Date and time that the row was created.
DSPN_ALERT	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor - Link to the doctor table
DSPN_ALERT	DRUG_CODE_DESC	VARCHAR (255)	NULL	The Drug Code description in use at the time the dispensing is done.
DSPN_ALERT	DRUG_CODE_XID	VARCHAR (20)	NULL	The Drug Code Xid in use at the time the dispensing is done.
DSPN_ALERT	DRUG_INT_CLASS_ID	BIGINT	NULL	The Drug interaction class id in use at the time the dispensing is done.
DSPN_ALERT	DSPN_ALERT_STAT_CD	VARCHAR (5)	NOT NULL	Dispensing Alert Status - Link to list_of_val table
DSPN_ALERT	DSPN_ALERT_TYPE_CD	VARCHAR (5)	NOT NULL	Dispensing Alert Type - Link to list_of_val table
DSPN_ALERT	DSPN_ID	INT	NULL	ID to link to the dispense table
DSPN_ALERT	GENERIC_CODE	BIGINT	NULL	Column to save generic code
DSPN_ALERT	GENERIC_NAME_SIMPLE	VARCHAR(255)	NULL	Column to save generic name simple value
DSPN_ALERT	GSF_ID	INT	NULL	Link to the gs_formulation table
DSPN_ALERT	INT_NOTE_TEXT	VARCHAR(MAX)	NULL	Column to save int note text
DSPN_ALERT	INTA_HELP_TOPIC_ID	INT	NULL	Interaction Help Topic ID
DSPN_ALERT	INTA_PROD_ID	INT	NULL	Second Interaction product ID of the pair of products - Link to product table
DSPN_ALERT	INTA_SOURCE_CD	VARCHAR (5)	NULL	Interaction Source Code - Link to list_of_val table
DSPN_ALERT	LAST_UPDATED_BY	VARCHAR (30)	NULL	Code of the user who last modified the record.
DSPN_ALERT	LAST_UPDATED_DT	DATETIME	NULL	Date and time that the row was last modified.
DSPN_ALERT	LIKELIHOOD_DESC	VARCHAR(255)	NULL	Column to save likelihood description value
DSPN_ALERT	OBSERV_NOTE	VARCHAR(1024)	NULL	Column to save observation note value
DSPN_ALERT	OVERRIDE_NOTE	VARCHAR (255)	NULL	Dispensing Alert Override Note
DSPN_ALERT	OVERRIDEN_BY	VARCHAR (30)	NULL	Code of the User who has overridden the Alert
DSPN_ALERT	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
DSPN_ALERT	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
DSPN_ALERT	PRECAUTION_NOTE	VARCHAR(1024)	NULL	Column to save precaution note
DSPN_ALERT	PROD_ID	INT	NULL	First Interaction product ID of the pair of products - Link to product table
DSPN_ALERT	SEVERITY_DESC	VARCHAR(255)	NULL	Column to save severity description value
DSPN_ALERT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DSPN_ALERT	WITH_DRUG_CODE_DESC	VARCHAR (255)	NULL	The interacting Drug Code description in use at the time the dispensing is done.
DSPN_ALERT	WITH_DRUG_CODE_XID	VARCHAR (20)	NULL	The interacting Drug Code Xid in use at the time the dispensing is done.
DSPN_ALERT	WITH_DRUG_INT_CLASS_ID	BIGINT	NULL	Column to save drug int class id
DSPN_ALERT	WITH_GENERIC_CODE	BIGINT	NULL	Column to save with generic code value
DSPN_ALERT	WITH_GENERIC_NAME_SIMPLE	VARCHAR(255)	NULL	Column to save with generic name simple value
DSPN_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DSPN_EXTR	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DSPN_EXTR	EXTR_ID	INT	NOT NULL	Unique ID of the extract, for the site
DSPN_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DSPN_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DSPN_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DSPN_LIST	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table
DSPN_LIST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DSPN_LIST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
DSPN_LIST	DSPN_CLASS_ID	INT	NULL	ID for dispense class - Link to dispense_class table
DSPN_LIST	DSPN_LIST_DESC	VARCHAR (40)	NOT NULL	Dispense list description
DSPN_LIST	DSPN_LIST_ID	INT	NOT NULL	Unique Dispense list identifier, for the site
DSPN_LIST	DSPN_LIST_NOTE	VARCHAR (255)	NULL	Dispense list note
DSPN_LIST	DSPN_LIST_XID	VARCHAR (20)	NOT NULL	Dispense list short code
DSPN_LIST	LAST_DSPN_DT	DATETIME	NULL	Last dispensed date
DSPN_LIST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DSPN_LIST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DSPN_LIST	LBL_FMT_ID	INT	NULL	Label format ID - Link to label_format table
DSPN_LIST	PHARM_XID	VARCHAR (20)	NOT NULL	Code for Pharmacy - Link to pharmacy table
DSPN_LIST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DSPN_ORDER	ADMIN_DT	DATETIME	NULL	Administration date-A value may be present for single dose orders
DSPN_ORDER	AMT_TYPE_CD	VARCHAR (5)	NULL	AMT Type Code
DSPN_ORDER	AUTH_NBR	VARCHAR(15)	NULL	Authority number for a PBS script.
DSPN_ORDER	CONC_CARD_TYPE_CD	VARCHAR(5)	NULL	Concession card type - Link to list_of_val
DSPN_ORDER	COST_CNTR_XID	VARCHAR (20)	NULL	Cost Centre Code - Link to the Cost centre table
DSPN_ORDER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
DSPN_ORDER	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor from the Order message - Link to the doctor table
DSPN_ORDER	DPO_DIRCODE_TYPE_CD	VARCHAR(5)	NOT NULL	Direction Code Type - link to user_site_settings table
DSPN_ORDER	DPO_SOURCE_CD	VARCHAR (5)	NOT NULL	DPO Source Code - Link to dpo_source_control table
DSPN_ORDER	DSPN_CLASS_ID	INT	NULL	ID for dispense class - Link to dispense_class table
DSPN_ORDER	DSPN_DIR	VARCHAR (255)	NULL	Dispense Directions (administration instructions)
DSPN_ORDER	DSPN_DOCT_XID	VARCHAR(20)	NULL	Code for Doctor to be used for the dispensing - Link to the doctor table
DSPN_ORDER	DSPN_ORDER_ID	INT	NOT NULL	Unique Dispensing Order ID, for the site
DSPN_ORDER	DSPN_REPEAT_NBR	SMALLINT	NULL	Repeat number to be used for the dispensing
DSPN_ORDER	DVA_CARD_TYPE_CD	VARCHAR(5)	NULL	DVA Card type - Link to list_of_val
DSPN_ORDER	DVA_NBR	VARCHAR(15)	NULL	DVA number
DSPN_ORDER	ENTITLEMENT_EXP_DT	DATETIME	NULL	Entitlement Expiry date.
DSPN_ORDER	ENTITLEMENT_NBR	VARCHAR(15)	NULL	Entitlement number.
DSPN_ORDER	ERX_ORDER_NOTE	VARCHAR(255)	NULL	erx order notes

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

DSPN_ORDER	GO_AHEAD_IND	CHAR(1)	NOT NULL	Go/No Go Ahead indicator (iQemo© interface)
DSPN_ORDER	HIGH_COST_HOLD_IND	CHAR(1)	NULL	On High Cost Hold/Release indicator (iQemo© interface)
DSPN_ORDER	INDICATION	VARCHAR (200)	NULL	Indication details supplied by Clinical System
DSPN_ORDER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
DSPN_ORDER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
DSPN_ORDER	MEDICARE_EXP_DT	DATETIME	NULL	Medicare Expiry date.
DSPN_ORDER	MEDICARE_NBR	VARCHAR(15)	NULL	Medicare number.
DSPN_ORDER	MEDICARE_SUBNBR	CHAR(1)	NULL	Medicare sub number.
DSPN_ORDER	MSG_ACTION_CD	VARCHAR (5)	NULL	Message Action Code - Link to dpo_source_control table
DSPN_ORDER	NO_ACTION_AUTH_BY	VARCHAR(30)	NULL	To update no action authorised user
DSPN_ORDER	NO_ACTION_AUTH_DT	DATETIME	NULL	To update no action authorised date
DSPN_ORDER	ORDER_VERIFIED_IND	CHAR(1)	NOT NULL	On Hold indicator (iQemo© interface)
DSPN_ORDER	ORIG_PLACER_ORDER_DESC	VARCHAR(40)	NULL	Value should be present where an existing order has been repeated in the prescribing system.
DSPN_ORDER	OWN_SUPP_IND	CHAR(1)	NULL	Indicator for Own supply dispensing
DSPN_ORDER	PAT_CLASS_DESC	VARCHAR (40)	NULL	Patient Dispensing Class Description supplied by Clinical System
DSPN_ORDER	PAT_ID	INT	NULL	Patient identifier - Link to patient table
DSPN_ORDER	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
DSPN_ORDER	PAT_XID	VARCHAR (20)	NOT NULL	Patient identifier - Link to patient table
DSPN_ORDER	PATIENT_NAME	VARCHAR (255)	NULL	Patient Name
DSPN_ORDER	PBS_CODE	VARCHAR(15)	NULL	Pbs code - Link to pbs_code table.
DSPN_ORDER	PBS_INGR_DATA_DESC	VARCHAR(1024)	NULL	Data will be concatenated from RXC segments(s) and stored, for display in Prescription Details (iQemo© interface)
DSPN_ORDER	PBS_PAYMENT_CATG_CD	VARCHAR (5)	NOT NULL	PBS payment category
DSPN_ORDER	PBS_PRES_NBR	VARCHAR(15)	NULL	PBS prescriber number.
DSPN_ORDER	PBS_REST_CODE	VARCHAR(15)	NULL	Restriction code.
DSPN_ORDER	PCIST_VERIFIED_BY	VARCHAR(30)	NULL	Pharmacist / User who verified this order, supplied by Clinical System
DSPN_ORDER	PHARM_APPROVAL_NBR	VARCHAR(15)	NULL	Pharmacy approval Number.
DSPN_ORDER	PHARM_DESC	VARCHAR(40)	NULL	pharmacy description
DSPN_ORDER	PLACER_ORDER_DESC	VARCHAR (40)	NOT NULL	Order Description supplied by Clinical System
DSPN_ORDER	PPN_ID	INT	NULL	Prescription Identifier, updated if the Prescription type is Electronic - Link to prescription table
DSPN_ORDER	PRES_DT	DATETIME	NOT NULL	Prescription Date
DSPN_ORDER	PRIORITY_DESC	VARCHAR (40)	NULL	Priority Description supplied by Clinical System
DSPN_ORDER	PROD_ID	INT	NULL	Product Identifier - Link to product table
DSPN_ORDER	REG_24_IND	CHAR(1)	NULL	Reg24 indicator.
DSPN_ORDER	REPEAT_NBR	SMALLINT	NULL	Repeat number from the Order message
DSPN_ORDER	ROUTE_ID	INT	NULL	Route identifier - Link to route table
DSPN_ORDER	RQST_AUTH_NBR	VARCHAR(15)	NULL	Authority Number supplied by Clinical System
DSPN_ORDER	RQST_COST_CNTR_XID	VARCHAR (20)	NULL	Cost Centre Code supplied by Clinical System
DSPN_ORDER	RQST_DOSAGE_FORM	VARCHAR (60)	NULL	Request Product Dosage Form supplied by Clinical System
DSPN_ORDER	RQST_DSPN_AMT	NUMERIC(18,8)	NULL	Requested Dispensed Amount supplied by Clinical System
DSPN_ORDER	RQST_DSPN_CLASS_ID	INT	NULL	Patient Dispense Class ID supplied by Clinical System
DSPN_ORDER	RQST_DURATION	VARCHAR (40)	NULL	Request Duration supplied by Clinical System
DSPN_ORDER	RQST_GENERIC_DESC	VARCHAR(255)	NULL	Generic description supplied by Clinical System
DSPN_ORDER	RQST_GIVE_STRENGTH	NUMERIC (9)	NULL	Dose Strength supplied by Clinical System
DSPN_ORDER	RQST_GIVE_STRENGTH_UNIT	VARCHAR (60)	NULL	Unit of the Product Dose supplied by Clinical System
DSPN_ORDER	RQST_GIVE_TIME_PER_UNIT	VARCHAR (20)	NULL	No of Days the Dose should be given supplied by Clinical System
DSPN_ORDER	RQST_PBS_CODE	VARCHAR(15)	NULL	PBS code supplied by Clinical System
DSPN_ORDER	RQST_PBS_REST_CODE	VARCHAR(15)	NULL	PBS restriction code supplied by Clinical System
DSPN_ORDER	RQST_PHARM_APPROVAL_NBR	VARCHAR(15)	NULL	Pharmacy approval number supplied by Clinical System
DSPN_ORDER	RQST_PROD_ID	BIGINT	NULL	Requested product ID / Concept ID
DSPN_ORDER	RQST_PRODUCT	VARCHAR (8000)	NOT NULL	Requested Product for Dispensing supplied by Clinical System
DSPN_ORDER	RQST_REG_24_IND	CHAR(1)	NULL	Regulation 24 indicator supplied by Clinical System
DSPN_ORDER	RQST_ROUTE_DESC	VARCHAR (40)	NULL	Route description supplied by Clinical System
DSPN_ORDER	RQST_ROUTE_ID	INT	NULL	Route identifiersupplied by Clinical System
DSPN_ORDER	RQST_TEAM_XID	VARCHAR(20)	NULL	Team identifier supplied by Clinical System
DSPN_ORDER	SAFETY_NET_NBR	VARCHAR(15)	NULL	Safety Net Number.
DSPN_ORDER	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DSPN_ORDER	SITE_XID	VARCHAR (20)	NOT NULL	Site identifier - Link to site table
DSPN_ORDER	START_DT	DATETIME	NULL	start date
DSPN_ORDER	STOP_DT	DATETIME	NULL	Stop date
DSPN_ORDER	STOP_REASON_CD	VARCHAR (5)	NULL	The Code of Reason for Stopping the Prescription
DSPN_ORDER	STOP_REASON_NOTE	VARCHAR (255)	NULL	Stop Reason Notes supplied by Clinical System
DSPN_ORDER	TEAM_XID	VARCHAR(20)	NULL	Team updated for the order
DSPN_ORDER	TREATMENT_NOTE	VARCHAR (255)	NULL	Notes for the treatment supplied by Clinical System
DSPN_ORDER	USER_CD	VARCHAR (15)	NULL	Code of the user
DSPN_ORDER	VERIFIED_BY	VARCHAR(30)	NULL	Code for user who verified the order.
DSPN_VERIFIED	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
DSPN_VERIFIED	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
DSPN_VERIFIED	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies
DSPN_VERIFIED	VERIFIED_DT	DATETIME	NULL	Verified date
DSPN_VERIFIED	VERIFIED_IND	CHAR (1)	NULL	Verified indicator

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Domain	Default	Rule
T_XID	NULL	
T_CD	NULL	
T_DT		
T_IND		
T_ADDR		
T_ADDR		
T_ADDR		
T_ADDR		
T_COST	NULL	
T_DAYS	NULL	
T_CNTRY		
T_DAYS	NULL	
T_PHONE		
T_XID		
T_NBR	NULL	
T_NAME		
T_NOTE		
T_PCT	NULL	
T_COST	NULL	
T_PHONE		
T_POSTCODE		
T_COST	NULL	
T_XID		
T_XID		
T_UID		
T_DT		
T_SID		
T_AMT		
T_CD	NULL	
T_DT		
T_IND		
T_COST	NULL	
T_DAYS	NULL	
T_DAYS	NULL	
T_NBR	NULL	
T_NAME		
T_NOTE	NULL	
T_PCT	NULL	
T_COST	NULL	
T_COST	NULL	
T_IND	N	
T_XID		
T_UID		
T_DT		
T_SID		
T_AMT		
T_DT		
T_XID		
T_ID		
T_UID		
T_DT		
T_ID		
T_SID		
T_DT		
T_IND		
T_DESC		
T_XID		
T_UID		
T_DT		
T_SID		
T_DT		
T_IND		
T_DESC		
T_ID		
T_NOTE		
T_UID		
T_DT		
T_SID		
T_CD	NULL	
T_XID		
T_XID		
T_DT		
T_IND	Y	
T_ID		
T_NOTE		
T_IND	Y	
T_IND	Y	
T_PRICE		
T_AMT		
T_IND	Y	
T_UID		
T_DT		
T_PCT		
T_QTY		
T_QTY		
T_ID		
T_SID		
T_DT		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_DT		
T_IND	Y	
T_ID		
T_DT		
T_IND		
T_QTY		
VARCHAR		
T_NOTE		
T_XID		
T_UID		
T_DT		
T_SID		
T_ID		
T_ID		
T_DT		
T_ID		
T_BATCH		
T_ID		
T_CD		
T_QTY		
T_DT		
T_CD		
T_DESC		
T_UID		
T_DT		
T_ID		
T_ID		
T_SID		
T_ID		
T_ID		
T_UID		
T_DT		
T_IND	N	
T_DT		
T_CD		
T_CD		
T_IND	N	
T_IND	N	
T_XID	NULL	
T_IND	N	
T_CD		
T_UID		
T_DT		
T_XID		
T_UID		
T_DT		
T_XID		
T_ID		
T_CODE		
T_NOTE	NULL	
T_XID		
T_AMT		
T_IND	N	
VARCHAR		
T_NOTE		
T_CD		
T_CD		
T_AMT		
T_IND	N	
T_ID		
T_AMT	NULL	
T_PCT	NULL	
T_IND	N	
T_CD		
T_XID		
T_IND	N	
VARCHAR		
T_CD	FULL	
T_DT		
T_CD		
T_AMT		
T_XID		
T_AMT		
T_CD		
T_PRICE		
T_ID		
T_ID		
T_ID		
T_PCT		
T_AMT		
T_AMT		
T_NOTE		
T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_NOTE		
T_QTY		
T_IND		
T_ID		
T_CD		
T_FEE		
T_FEE		
T_NOTE		
T_CD		
T_ID		
T_ID		
T_CD		
T_CD		
T_DT	NULL	
T_COST		
T_PRICE		
T_PERIOD		
T_CD		
T_QTY		
T_WARNCODE	NULL	
T_CODE		
T_IND		
T_IND		
T_ID		
T_CD		
T_DT		
T_CD		
T_CODE		
T_ID		
T_IND		
T_ID		
T_UID		
T_DT		
T_ID		
T_ID		
T_BID	NULL	
T_IND	N	
T_ID		
T_PRICE		
T_NBR		
T_NBR		
T_IND		
T_CD		
T_UID	NULL	
T_DT	NULL	
T_XID		
T_ID		
T_XID		
T_NAME		
T_ID		
T_PRICE		
T_PRICE		
T_PRICE		
T_CD		
T_SID		
T_DTZ		
T_DTZ		
T_XID		
T_DTZ		
T_DTZ		
T_XID		
T_IND	N	
T_ID		
T_ID		
T_DT		
T_UID		
T_DT		
T_SEQ		
T_DT		
T_ID		
T_ID	NULL	
T_ID		
T_CODE		
T_IND	N	
T_SID		
T_ID		
SMALLINT		
SMALLINT		
T_XID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_SID		
T_ID		
T_ID		
T_SID		
T_UID		
T_DT		
T_ID		
T_DESC		
T_VAR1024		
T_ID		
T_XID		
T_IND		
T_QTY		
T_SID		
T_PID		
T_NOTE		
T_XID		
T_CODE		
T_ID		
T_CD	NULL	
T_DT		
T_IND		
T_AMT	NULL	
T_AMT		
T_ID		
T_PCT	NULL	
T_AMT		
T_AMT		
T_XID	NULL	
T_XID		
T_UID		
T_DT		
T_SID		
T_COST	NULL	
T_COST	NULL	
T_COST	NULL	
T_CD		
T_CD	NULL	
T_CD		
T_DT		
T_IND		
T_IND	Y	
T_IND	Y	
T_DESC		
T_ID		
T_NOTE		
T_CD		
T_CD	NULL	
T_ID		
NUMERIC		
T_IND	N	
T_IND	N	
T_IND	N	
T_XID		
T_IND		
T_UID		
T_DT		
T_IND	N	
T_CD	NULL	
T_IND		
T_IND	N	
T_IND	N	
T_SID		
T_SEQ		
T_MINS	0	
T_DT		
T_QTY		
T_ID		
T_ID		
T_NOTE		
T_UID		
T_DT		
T_SID		
T_DT		
T_IND		
T_DESC		
T_ID		
T_NOTE		
T_IND	N	
T_UID		
T_DT		
T_DT		
VARCHAR		
T_ID		
T_DT		
T_UID		
T_DT		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_ID		
T_SID		
T_CD		
T_DT		
T_NAME		
T_ID		
T_QTY		
T_SID		
T_PID		
T_NOTE		
T_IND		
T_CD		
T_NBR		
T_NBR		
T_IND	N	
T_CD		
T_PRICE		
T_ID		
T_SID	0	
T_XID	NULL	
T_CD		
T_DT		
T_CODE		
T_IND	N	
T_IND		
T_CD	NULL	
T_NBR	NULL	
T_ID		
T_CD		
T_QTY		
T_IND		
T_XID		
T_NBR		
T_CD		
T_IND		
T_XID	NULL	
T_UID		
T_DT		
T_IND		
T_CD		
T_NBR		
T_SUBNBR		
T_CD		
T_NBR		
T_NBR		
T_CD		
T_QTY	NULL	
T_IND		
T_NBR		
T_CD		
T_ID		
T_ID		
T_PRICE		
T_UID	NULL	
T_DT	NULL	
T_CODE		
T_NBR		
T_PID		
T_QTY	NULL	
T_CD		
T_SMALLINT	NULL	
T_CODE		
T_NOTE		
T_IND	N	
T_DT		
T_IND		
T_IND		
T_NBR	NULL	
T_SID		
T_IND	N	
T_IND	N	
T_NOTE		
T_DT		
T_ID	0	
T_ID		
T_ID		
T_CD		
T_UID		
T_DT		
T_XID		
T_SID		
T_NOTE		
T_IND		
T_CD		
T_NBR		
T_NBR		
T_IND		
T_DT		
T_CD		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_PRICE		
T_ID		
T_SID		
T_XID	NULL	
T_CD		
T_DT		
T_CODE		
T_IND		
T_IND		
T_QTY	NULL	
T_CD	NULL	
T_NBR	NULL	
T_PRICE		
T_ID		
T_ID		
T_CD		
T_QTY		
VARCHAR	NULL	
T_COST		
T_PRICE		
T_QTY		
T_IND		
T_XID		
T_NBR		
T_CD		
T_IND		
T_XID	NULL	
T_UID		
T_DT		
T_IND		
T_CD		
T_XID		
T_NBR		
T_SUBNBR		
T_XID		
T_CD		
T_NBR		
T_CD		
T_QTY	NULL	
T_IND		
T_PRICE		
T_PRICE		
T_NBR		
T_CD		
T_ID		
T_ID		
T_PRICE		
T_UID	NULL	
T_DT	NULL	
T_CODE		
T_NBR		
T_PID		
T_QTY	NULL	
T_CD		
T_SMALLINT	NULL	
T_CODE		
T_NOTE		
T_DESC		
T_IND		
T_DT		
T_IND		
T_IND	N	
T_NBR	NULL	
T_SID		
T_IND		
T_IND		
T_NOTE		
T_ID		
T_ID		
T_QTY		
T_DT		
T_CD		
T_PRICE		
T_DT		
T_IND	N	
T_IND		
T_IND	N	
T_QTY		
T_AMT		
T_XID		
T_AMT		
T_ID		
T_AMT		
T_PRICE		
T_PRICE		
T_PRICE		
T_PRICE		
T_COST		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_PRICE		
T_BATCH		
T_PCT		
T_AMT		
T_AMT		
T_NOTE		
T_ID		
T_FEE		
T_FEE		
T_ID		
T_QTY		
T_ML		
T_QTY	NULL	
T_IND	Y	
T_UID		
T_DT		
T_ID		
T_ID		
T_IND		
T_QTY		
T_CD		
T_ID		
T_ID	NULL	
T_SID	NULL	
T_SID		
T_CD		
T_ID		
T_CD		
T_ID		
T_ID		
T_ID		
T_ID		
T_QTY		
T_QTY		
T_QTY		
T_CD		
T_ID		
T_QTY		
T_QTY	NULL	
T_QTY		
T_CD		
T_SID		
T_IND	Y	
T_QTY	NULL	
T_QTY		
T_ID		
T_IND	N	
T_DT		
T_ID		
T_ID		
T_UID		
T_DT		
T_ID		
T_QTY		
T_SID		
T_XID		
T_PID		
T_DT		
T_ID		
T_NBR		
T_UID		
T_DT		
T_DESC		
T_UID		
T_DT		
T_NOTE		
T_CD		
T_CD		
T_CD		
T_UID		
T_DT		
T_ID		
T_CD		
T_SID		
T_XID		
T_DT		
T_IND		
T_REF		
T_DT		
T_ID		
T_NOTE		
T_CD		
T_CD		
T_UID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_DT		
T_SID		
T_XID		
T_UID		
T_DT		
T_ID		
T_ID		
T_UID		
T_DT		
T_SID		
T_ID		
T_ID		
T_DT		
T_DT		
T_CD		
T_COST	NULL	
T_COST	NULL	
T_PRICE	NULL	
T_PRICE	NULL	
T_ID		
T_BATCH		
T_COST		
T_COST		
T_PRICE		
T_ID		
T_PRICE		
T_QTY		
T_DT		
T_UID		
T_DT		
T_ID		
T_ID		
T_SID		
T_IND		
T_ID		
T_XID		
T_DT		
T_IND		
T_REF		
T_DT		
T_ID		
T_NOTE		
T_IND		
T_CD		
T_UID		
T_DT		
T_SID		
T_XID		
T_IND	N	
T_UID		
T_DT		
T_ID		
T_ID		
T_UID		
T_DT		
T_SID		
T_DT		
T_ID		
T_ID		
T_UID		
T_DT		
T_SID		
T_IND	N	
T_XID		
T_VAR(1024)		
T_QTY		
T_DESC		
T_ID		
T_ID		
T_DT		
T_DT		
T_ID		
T_BATCH		
T_ID		
T_CD		
T_QTY		
T_ID		
T_QTY	NULL	
T_UID		
T_DT		
T_ID		
T_ID		
T_QTY		
T_ID		
T_ID		
T_ID		
T_ID		
T_IND	Y	
T_ID		
T_QTY	NULL	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_QTY		
T_CD		
T_ID		
T_SID		
T_SID		
T_IND	N	
T_IND		
T_ID		
T_IND		

T_NOTE

T_IND	N	
T_ID		
T_IND	N	
T_XID		
T_XID		
T_DT		
T_IND		
T_REF		
T_NOTE		
T_DT		
T_EXTRACT		
T_ID		
T_NOTE		
T_CD		
T_IND	N	
T_UID		
T_DT		
T_IND		
T_IND	N	
T_IND	N	
T_CD		
T_SID		
T_XID		
T_IND		
T_UID		
T_NOTE		
T_XID		
T_XID		
T_DT		
T_IND		
T_ADDR		
T_ADDR		
T_ADDR		
T_ADDR		
T_CNTRY		
T_NAME		
T_NOTE		
T_PHONE		
T_PHONE		
T_PHONE		
T_POSTCODE		
CHAR		
T_NAME		
T_NAME		
T_XID		
T_UID		
T_DT		
T_NAME		
T_EMAIL		
T_NBR		
T_CD		
T_EMAIL		
T_XID		
T_XID		
T_SID		
T_DESC		
T_XID		
T_CD		
T_CD		
T_CD		
T_CD		
T_CD		
T_CD		
T_CD		
T_DT		
T_IND		
T_DESC		
T_ID		
T_NOTE		
T_UID		
T_DT		
T_DT		
T_IND		
T_ID		
VARCHAR		
T_ID		
T_XID		
T_NOTE		
VARCHAR		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_NOTE		
T_TEXT		
T_PATH		
T_UID		
T_DT		
T_ID		
T_DT		
T_ID		
T_NOTE		
T_TEXT		
T_PATH		
T_UID		
T_DT		
T_SID		
T_DT		
T_ID		
T_ID		
T_TEXT		
T_PATH		
T_UID		
T_DT		
T_XID		
T_DESC		
T_XID		
T_BID	NULL	
T_CD		
T_CD		
T_ID		
T_BID	NULL	
T_NOTE	NULL	
T_ID		
-	NULL	
T_ID		
T_ID		
T_CD		
T_UID		
T_DT		
T_NOTE	NULL	
T_VAR1024	NULL	
T_NOTE		
T_UID		
T_ID		
T_SID		
T_VAR1024	NULL	
T_ID		
T_NOTE	NULL	
T_SID		
T_DESC		
T_XID		
T_BID	NULL	
T_BID	NULL	
T_NOTE	NULL	
T_DT		
T_ID		
T_ID		
T_UID		
T_DT		
T_SID		
T_XID		
T_DT		
T_IND		
T_ID		
T_DESC		
T_ID		
T_NOTE		
T_XID		
T_DT		
T_UID		
T_DT		
T_ID		
T_XID		
T_SID		
T_DT		
T_CD		
T_NBR		
T_CD		
T_XID		
T_DT		
T_XID		
T_CD	'SHORT'	
T_CD		
T_ID		
T_NOTE		
T_XID	N	
T_ID		
T_SMALLINT	N	
T_CD		
T_NBR		
T_DT		
T_NBR		
T_NOTE		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_IND	N	
T_IND		
VARCHAR		
T_UID		
T_DT		
T_DT		
T_NBR		
T_SUBNBR		
T_CD		
T_UID		
T_DT		
T_IND	Y	
T_DESC		
T_IND	N	
T_DESC		
T_ID		
T_SID		
T_XID		
T_NAME		
T_CODE		
T_VAR1024		
T_CD	NULL	
T_NBR		
T_CODE		
T_UID		
T_NBR		
T_DESC		
T_DESC		
T_ID		
T_DT		
T_DESC		
T_ID		
T_IND		
T_SMALLINT		
T_ID		
T_NBR		
T_XID		
VARCHAR		
T_AMT		
T_ID		
T_DESC		
T_DESCLONG		
NUMERIC		
VARCHAR		
VARCHAR		
T_CODE		
T_CODE		
T_NBR		
T_BID		
T_AMTTERM		
T_IND		
T_DESC		
T_ID		
T_XID		
T_NBR		
T_SID		
T_XID		
T_DT		
T_DT		
T_CD		
T_NOTE		
T_XID		
T_NOTE		
T_CODE		
T_UID		
T_ID		
T_SID		
T_UID		
T_DT		
T_IND		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes

12	

11	NULL allowed

11	
11	

11.1	
11.1	
11	
11	
11.1	
11.1	

Tables starting with E			
Table	**Column**	**Data Type**	**Null**
EDI_INV_DESP	ALLOWANCE_CHRG_TYPE	VARCHAR (15)	NULL
EDI_INV_DESP	BATCH_NBR	VARCHAR(10)	NULL
EDI_INV_DESP	CHILD_PACK_CD	VARCHAR (5)	NULL
EDI_INV_DESP	CHILD_PACK_NBR	VARCHAR (15)	NULL
EDI_INV_DESP	COST_CNTR_XID	VARCHAR(20)	NULL
EDI_INV_DESP	CREATED_DT	DATETIME	NOT NULL
EDI_INV_DESP	CURRENCY_CD	VARCHAR(5)	NULL
EDI_INV_DESP	DELIVERY_REF	VARCHAR (20)	NULL
EDI_INV_DESP	DESP_DT	DATETIME	NULL
EDI_INV_DESP	DESP_LINE_NBR	VARCHAR (15)	NULL
EDI_INV_DESP	DESP_QTY	NUMERIC(18,8)	NULL
EDI_INV_DESP	DESP_REF_NBR	VARCHAR (15)	NULL
EDI_INV_DESP	EDI_ID	INT	NOT NULL
EDI_INV_DESP	EDI_RECV_REF	VARCHAR (255)	NULL
EDI_INV_DESP	EDI_SEND_REF	VARCHAR (255)	NULL
EDI_INV_DESP	EID_STAT_CD	VARCHAR (5)	NULL
EDI_INV_DESP	ERROR_DESC	TEXT	NULL
EDI_INV_DESP	ERROR_STAT_CD	VARCHAR (5)	NULL
EDI_INV_DESP	EXPIRY_DT	DATETIME	NULL
EDI_INV_DESP	FREIGHT_AMT	NUMERIC(18,8)	NULL
EDI_INV_DESP	FREIGHT_TAX	NUMERIC(18,8)	NULL
EDI_INV_DESP	GR_ID	INT	NULL
EDI_INV_DESP	GR_TYPE	VARCHAR (5)	NULL
EDI_INV_DESP	GTIN_XID	VARCHAR (20)	NULL
EDI_INV_DESP	INV_DT	DATETIME	NULL
EDI_INV_DESP	INV_LINE_NBR	VARCHAR(15)	NULL
EDI_INV_DESP	INV_QTY	NUMERIC(18,8)	NULL
EDI_INV_DESP	INV_TOTAL_AMT	NUMERIC(18,8)	NULL
EDI_INV_DESP	INV_TOTEXC_AMT	NUMERIC(18,8)	NULL
EDI_INV_DESP	INV_TOTINC_AMT	NUMERIC(18,8)	NULL
EDI_INV_DESP	INV_TYPE_CD	VARCHAR (15)	NULL
EDI_INV_DESP	INVOICE_REF	VARCHAR(20)	NULL
EDI_INV_DESP	ITEM_CHRG_AMT	NUMERIC(18,8)	NULL
EDI_INV_DESP	ITEM_CHRG_TAX	NUMERIC(18,8)	NULL
EDI_INV_DESP	ITEM_COST	NUMERIC(18,8)	NULL
EDI_INV_DESP	ITEM_TAX	NUMERIC(18,8)	NULL
EDI_INV_DESP	LAST_UPDATED	DATETIME	NULL
EDI_INV_DESP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EDI_INV_DESP	LAST_UPDATED_DT	DATETIME	NOT NULL
EDI_INV_DESP	LINE_NBR	VARCHAR(15)	NULL
EDI_INV_DESP	MSG_FUNC_DESC	VARCHAR (40)	NULL
EDI_INV_DESP	MSG_TYPE_XID	VARCHAR (20)	NULL
EDI_INV_DESP	ORD_DT	DATETIME	NULL
EDI_INV_DESP	ORD_ID	INT	NULL
EDI_INV_DESP	ORD_LINE_NBR	VARCHAR (15)	NULL
EDI_INV_DESP	ORD_TYPE_CD	VARCHAR (5)	NULL
EDI_INV_DESP	PACK_CD	VARCHAR (5)	NULL
EDI_INV_DESP	PACK_LEVEL_NBR	VARCHAR (15)	NULL
EDI_INV_DESP	PARENT_PACK_NBR	VARCHAR (15)	NULL
EDI_INV_DESP	REC_SITE_ABN	VARCHAR(14)	NULL
EDI_INV_DESP	RECEIVER_GLN	VARCHAR (13)	NULL
EDI_INV_DESP	SHIPTO_GLN	VARCHAR(13)	NULL
EDI_INV_DESP	SITE_SID	SMALLINT	NOT NULL
EDI_INV_DESP	SSCC_NBR	VARCHAR (20)	NULL
EDI_INV_DESP	STORE_XID	VARCHAR(20)	NULL
EDI_INV_DESP	SUPP_ABN	VARCHAR(14)	NULL
EDI_INV_DESP	SUPP_PROD_XID	VARCHAR (255)	NULL
EDI_INV_DESP	SUPP_XID	VARCHAR (20)	NULL
EDI_INV_DESP	SUPPLIER_GLN	VARCHAR (13)	NULL
EDI_INV_DESP	TRANS_OWNERSHIP_DT	DATETIME	NULL
EDI_ORD	CONTRACT_NBR_REF	VARCHAR(20)	NULL
EDI_ORD	COST_CNTR_XID	VARCHAR(20)	NULL
EDI_ORD	CREATED_DT	DATETIME	NOT NULL
EDI_ORD	DELIV_INST	VARCHAR(255)	NULL
EDI_ORD	EDI_ID	INT	NOT NULL
EDI_ORD	EDI_INVC_DT	DATETIME	NULL
EDI_ORD	EDI_METH_CD	VARCHAR(5)	NOT NULL
EDI_ORD	EDI_ORD_SEQ	INT	NULL
EDI_ORD	EDI_RECV_REF	VARCHAR(255)	NULL
EDI_ORD	EDI_SEND_REF	VARCHAR(255)	NULL
EDI_ORD	EDI_STAT_CD	VARCHAR(5)	NOT NULL
EDI_ORD	ERROR_DESC	VARCHAR(40)	NULL
EDI_ORD	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL
EDI_ORD	LAST_UPDATED_DT	DATETIME	NOT NULL
EDI_ORD	LOC_ID	INT	NULL
EDI_ORD	ORD_COST	NUMERIC(18,8)	NULL
EDI_ORD	ORD_DT	DATETIME	NULL
EDI_ORD	ORD_EXT_COST	NUMERIC(18,8)	NULL
EDI_ORD	ORD_ID	INT	NULL
EDI_ORD	ORD_ITEM_ID	INT	NULL
EDI_ORD	ORD_NOTE	VARCHAR(255)	NULL
EDI_ORD	ORD_QTY	NUMERIC(18,8)	NULL
EDI_ORD	PROD_ID	INT	NULL
EDI_ORD	SITE_SID	SMALLINT	NOT NULL
EDI_ORD	STORE_XID	VARCHAR(20)	NULL
EDI_ORD	SUPP_CATL_XID	VARCHAR(20)	NULL
EDI_ORD	SUPP_XID	VARCHAR(20)	NULL
EDI_ORD	UOM_ID	INT	NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EDI_SUPPLIER	EDI_SUPP_DESC	VARCHAR (40)	NOT NULL
EDI_SUPPLIER	FROM_IND	CHAR (1)	NOT NULL
EDI_SUPPLIER	SUPP_EAN	CHAR (13)	NOT NULL
EPRESCRIPTION	CONCESSION_PENSIONNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	CLINICIAN_RESERVED_01	VARCHAR(50)	NULL
EPRESCRIPTION	CLINICIAN_RESERVED_02	VARCHAR(50)	NULL
EPRESCRIPTION	CLINICIAN_RESERVED_03	VARCHAR(50)	NULL
EPRESCRIPTION	CLINICIAN_RESERVED_04	VARCHAR(50)	NULL
EPRESCRIPTION	CLINICIAN_RESERVED_05	VARCHAR(50)	NULL
EPRESCRIPTION	CREATORCONFORMANCEID	VARCHAR(255)	NULL
EPRESCRIPTION	CREATEDDATE	DATETIME	NULL
EPRESCRIPTION	CREATED_DT	DATETIME	NOT NULL
EPRESCRIPTION	DISPENSERCONFORMANCEID	VARCHAR(255)	NULL
EPRESCRIPTION	DISPPAT_PATIENTHOSPITALCATEGORY	VARCHAR(5)	NULL
EPRESCRIPTION	DISPENSEDPATIENTCONCESSION_PENSIONNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DISPENSEDPATIENTDVACARDCOLOUR	VARCHAR(10)	NULL
EPRESCRIPTION	DISPENSEDPATIENTDVANUMBER	VARCHAR(10)	NULL
EPRESCRIPTION	DISPENSEDPATIENTENTITLEMENTNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTADDRESS1	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTADDRESS2	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTBIRTHDATE	DATE	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTCTGFLAG	VARCHAR(5)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTEMAIL	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTFAMILYNAME	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTFIRSTNAME	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTIHI	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTMEDICAREFAMILYNAME	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTMEDICAREFIRSTNAME	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTMEDICARENUMBER	VARCHAR(15)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTMEDICARESUBNUMERATE	CHAR(1)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTMEDICAREVALIDTO	DATE	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTMOBILENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTPHONENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTPOSTCODE	VARCHAR(10)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTSEX	CHAR(1)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTSTATE	CHAR(3)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTSUBURUB	VARCHAR(50)	NULL
EPRESCRIPTION	DISPENSEDPATIENTPATIENTTITLE	VARCHAR(30)	NULL
EPRESCRIPTION	DISPENSINGSYSTEMUSED	VARCHAR(255)	NULL
EPRESCRIPTION	DOCTOREMAIL	VARCHAR(50)	NULL
EPRESCRIPTION	DOCTORFAMILYNAME	VARCHAR(30)	NOT NULL
EPRESCRIPTION	DOCTORFIRSTNAME	VARCHAR(30)	NULL
EPRESCRIPTION	DOCTORFAXNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DOCTORMOBILENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DOCTORPHONENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	DOCTORPRESCRIBERNUMBER	VARCHAR(15)	NULL
EPRESCRIPTION	DOCTORPROVIDERNUMBER	VARCHAR(10)	NULL
EPRESCRIPTION	DVACARDCOLOUR	VARCHAR(10)	NULL
EPRESCRIPTION	DVANUMBER	VARCHAR(10)	NULL
EPRESCRIPTION	DOCT_XID	VARCHAR(20)	NULL
EPRESCRIPTION	EMAIL	VARCHAR(60)	NULL
EPRESCRIPTION	ENTITLEMENTNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	EPRESUNIQUENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	GUID	VARCHAR(255)	NULL
EPRESCRIPTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EPRESCRIPTION	LAST_UPDATED_DT	DATETIME	NOT NULL
EPRESCRIPTION	ORIGINALGUID	VARCHAR(255)	NULL
EPRESCRIPTION	ORIGINALREPOSITORYSOFTUNIQUEID	VARCHAR(255)	NULL
EPRESCRIPTION	ORIGINALSCID	VARCHAR(20)	NULL
EPRESCRIPTION	PATIENTADDRESS1	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENTADDRESS2	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENTBIRTHDATE	DATE	NULL
EPRESCRIPTION	PATIENTCTGFLAG	VARCHAR(5)	NOT NULL
EPRESCRIPTION	PATIENTEMAIL	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENTFAMILYNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PATIENTFIRSTNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PATIENTHOSPITALCATEGORY	VARCHAR(5)	NOT NULL
EPRESCRIPTION	PATIENTIHI	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENTMEDICAREFAMILYNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PATIENTMEDICAREFIRSTNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PATIENTMEDICARENUMBER	VARCHAR(15)	NULL
EPRESCRIPTION	PATIENTMEDICARESUBNUMERATE	CHAR(1)	NULL
EPRESCRIPTION	PATIENTMEDICAREVALIDTO	DATE	NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EPRESCRIPTION	PATIENTMOBILENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	PATIENTNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	PATIENTPHONENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	PATIENTPOSTCODE	VARCHAR(10)	NULL
EPRESCRIPTION	PATIENT_RESERVED_01	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENT_RESERVED_02	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENT_RESERVED_03	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENT_RESERVED_04	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENT_RESERVED_05	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENTSEX	CHAR(1)	NULL
EPRESCRIPTION	PATIENTSTATE	VARCHAR(40)	NULL
EPRESCRIPTION	PATIENTSUBURB	VARCHAR(50)	NULL
EPRESCRIPTION	PATIENTTITLE	VARCHAR(30)	NULL
EPRESCRIPTION	PATIENTUNIQUEID	VARCHAR(20)	NULL
EPRESCRIPTION	PAT_ID	INT	NULL
EPRESCRIPTION	PAT_SITE_SID	SMALLINT	NULL
EPRESCRIPTION	PHARMACISTFAMILYNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PHARMACISTFIRSTNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PHARMACYADDRESS1	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYADDRESS2	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYAPPROVALNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	PHARMACYDISPENSERAHPRANUMBER	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYDISPENSERHPII	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYEMAIL	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYHPIO	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYNAME	VARCHAR(255)	NULL
EPRESCRIPTION	PHARMACYPHONENUMBER	VARCHAR(20)	NULL
EPRESCRIPTION	PHARMACYPOSTCODE	VARCHAR(10)	NULL
EPRESCRIPTION	PHARMACY_RESERVED_01	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACY_RESERVED_02	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACY_RESERVED_03	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACY_RESERVED_04	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACY_RESERVED_05	VARCHAR(50)	NULL
EPRESCRIPTION	PHARMACYSTATE	VARCHAR(40)	NULL
EPRESCRIPTION	PHARMACYSUBURB	VARCHAR(50)	NULL
EPRESCRIPTION	PRACTICEADDRESS1	VARCHAR(50)	NULL
EPRESCRIPTION	PRACTICEADDRESS2	VARCHAR(50)	NULL
EPRESCRIPTION	PRACTICEEMAIL	VARCHAR(50)	NULL
EPRESCRIPTION	PRACTICENAME	VARCHAR(50)	NULL
EPRESCRIPTION	PRACTICEPOSTCODE	VARCHAR(5)	NULL
EPRESCRIPTION	PRACTICESTATE	VARCHAR(3)	NULL
EPRESCRIPTION	PRACTICESUBURB	VARCHAR(50)	NULL
EPRESCRIPTION	PRESCRIBERAHPRANUMBER	VARCHAR(50)	NULL
EPRESCRIPTION	PRESCRIBERHPII	VARCHAR(50)	NULL
EPRESCRIPTION	PRESCRIBERHPIO	VARCHAR(50)	NULL
EPRESCRIPTION	PRESCRIBINGSYSTEMUSED	VARCHAR(30)	NULL
EPRESCRIPTION	PRESCRIBERTYPE	VARCHAR(5)	NOTNULL
EPRESCRIPTION	PRIVACY_STAT_IND	CHAR(1)	NOTNULL
EPRESCRIPTION	REPEATCREATORCONFORMANCEID	VARCHAR(255)	NULL
EPRESCRIPTION	REPOSITORYSOFTUNIQUEID	VARCHAR(255)	NULL
EPRESCRIPTION	SCID_XID	VARCHR(20)	NOTNULL
EPRESCRIPTION	SITE_SID	SMALLINT	NOTNULL
EPRESCRIPTION	SMS	VARCHAR(15)	NULL
EPRESCRIPTION	SOURCETYPE	VARCHR(20)	NULL
EPRESCRIPTION	URI	VARCHAR(1024)	NULL
EPRESCRIPTION_ANNOTATION	ANNO_VALUE	VARCHAR(8000)	NULL
EPRESCRIPTION_ANNOTATION	CREATED_DT	DATETIME	NOTNULL
EPRESCRIPTION_ANNOTATION	ESCRIPT_ANNOT_ID	INT	NOTNULL
EPRESCRIPTION_ANNOTATION	ESCRIPT_ITEM_ID	INT	NOTNULL
EPRESCRIPTION_ANNOTATION	LAST_UPDATED_BY	VARCHAR(30)	NOTNULL
EPRESCRIPTION_ANNOTATION	LAST_UPDATED_DT	DATETIME	NOTNULL
EPRESCRIPTION_ANNOTATION	SITE_SID	SMALLINT	NOTNULL
EPRESCRIPTION_ANNOTATION	SUPPLY_NBR	INT	NOTNULL
EPRESCRIPTION_BASKET	BSKT_NOTE	VARCHAR(1024)	NULL
EPRESCRIPTION_BASKET	BSKT_STAT_CD	VARCHAR(5)	NULL
EPRESCRIPTION_BASKET	CREATED_DT	DATETIME	NOTNULL
EPRESCRIPTION_BASKET	ESCRIPT_BSKT_ID	INT	NOTNULL
EPRESCRIPTION_BASKET	LAST_UPDATED_BY	VARCHAR(30)	NOTNULL
EPRESCRIPTION_BASKET	LAST_UPDATED_DT	DATETIME	NOTNULL
EPRESCRIPTION_BASKET	PICKUP_DT	DATETIME	NULL
EPRESCRIPTION_BASKET	PICKUP_HRS	DATETIME	NULL
EPRESCRIPTION_BASKET	PICKUP_MINS	INT	NULL
EPRESCRIPTION_BASKET	PICKUP_TYPE	VARCHAR(20)	NOTNULL
EPRESCRIPTION_BASKET	SITE_SID	SMALLINT	NOTNULL
EPRESCRIPTION_BASKET	URGENT_IND	CHAR(1)	NOTNULL
EPRESCRIPTION_ITEM	AVAIL_IND	CHAR(1)	NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EPRESCRIPTION_ITEM	BRANDSUBSTITUTIONNOTALLOWED	VARCHAR(5)	NOTNULL
EPRESCRIPTION_ITEM	CONTROLLEDSUBSTANCEREFERENCE	VARCHAR(30)	NULL
EPRESCRIPTION_ITEM	CREATED_DT	DATETIME	NOTNULL
EPRESCRIPTION_ITEM	DISPENSEDATE	DATE	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEMDESCRIPTION	VARCHAR(300)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEMFORM	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEMGENERICNAME	VARCHAR(280)	NULL
EPRESCRIPTION_ITEM	DISPENSEDQUANTITY	NUMERIC(18,8)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEMSTRENGTH	VARCHAR(100)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEMTRADENAME	VARCHAR(280)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEMUNIQUEID	VARCHAR(20)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEM_RESERVED_01	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEM_RESERVED_02	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEM_RESERVED_03	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEM_RESERVED_04	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISPENSEDITEM_RESERVED_05	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_CODE_SYSTEM	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_CTPP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_MP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_MPP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_MPUU	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_TP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_TPP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_TPUU	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	DISP_AMT_VERSION	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_EXTEMPORANEOUSDESCRIPTION	VARCHAR(400)	NULL
EPRESCRIPTION_ITEM	DISP_ISEXTEMP	VARCHAR(5)	NULL
EPRESCRIPTION_ITEM	DISP_ITEMBARCODE	VARCHAR(30)	NULL
EPRESCRIPTION_ITEM	DISP_PATIENTINSTRUCTIONS	VARCHAR(250)	NULL
EPRESCRIPTION_ITEM	DISP_PBSCODE	VARCHAR(6)	NULL
EPRESCRIPTION_ITEM	DISP_PBSMANUFACTURERCODE	VARCHAR(2)	NULL
EPRESCRIPTION_ITEM	DISP_PRIMARY_MEDICATION_CODE	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_THERAPEUTICGOODIDENTIFICATIONCODE	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_THERAPEUTICGOODIDENTIFICATIONCODESYSTEMNAME	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_THERAPEUTICGOODIDENTIFICATIONCODESYSTEM	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_THERAPEUTICGOODIDENTIFICATIONCODESYSTEMVERSION	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DISP_THERAPEUTICGOODIDENTIFICATIONDISPLAYNAME	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	DOCTORNOTES	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	EMERGENCYSUPPLY	VARCHAR(5)	NULL
EPRESCRIPTION_ITEM	ESCRIPT_BSKT_ID	INT	NULL
EPRESCRIPTION_ITEM	ESCRIPT_ITEM_ID	INT	NOTNULL
EPRESCRIPTION_ITEM	HOSPITALPROVIDERNUMBER	VARCHAR(15)	NULL
EPRESCRIPTION_ITEM	ITEMFORM	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	ITEMGENERICNAME	VARCHAR(280)	NULL
EPRESCRIPTION_ITEM	ITEMGENERICINTENTION	VARCHAR(1)	NOTNULL
EPRESCRIPTION_ITEM	ITEMSTATUS	VARCHAR(5)	NULL
EPRESCRIPTION_ITEM	ITEMSTRENGTH	VARCHAR(100)	NULL
EPRESCRIPTION_ITEM	ITEMTRADENAME	VARCHAR(280)	NULL
EPRESCRIPTION_ITEM	ITEMUNIQUEID	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	LAST_UPDATED_BY	VARCHAR(30)	NOTNULL
EPRESCRIPTION_ITEM	LAST_UPDATED_DT	DATETIME	NOTNULL
EPRESCRIPTION_ITEM	LOCALSCRIPTNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION_ITEM	MYSLCONSENT	CHAR(1)	NOTNULL
EPRESCRIPTION_ITEM	NUMBEROFREPEATSAUTHORISED	INT	NOTNULL
EPRESCRIPTION_ITEM	ORIGINALPHARMACYAPPROVALNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION_ITEM	ORIGINALSCRIPTNUMBER	VARCHAR(20)	NULL
EPRESCRIPTION_ITEM	PATIENTSAFETYNETCONTRIBUTION	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PBS_DVAAUTHORITYNUMBER	VARCHAR(10)	NULL
EPRESCRIPTION_ITEM	PHARMACYAPPROVALNUMBER	VARCHAR(20)	NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EPRESCRIPTION_ITEM	PHARMACISTINITIALS	VARCHAR(30)	NULL
EPRESCRIPTION_ITEM	PHARMACYNOTES	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PHONEAPPROVALAUTHORITYNUMBER	VARCHAR(10)	NULL
EPRESCRIPTION_ITEM	PHARM_XID	VARCHR(20)	NOTNULL
EPRESCRIPTION_ITEM	PRESCRIPTIONDATE	DATETIME	NOTNULL
EPRESCRIPTION_ITEM	PRESCRIBERSCRIPTNUMBER	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_CODE_SYSTEM	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_CTPP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_MP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_MPP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_MPUU	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_TP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_TPP	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_TPUU	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESC_AMT_VERSION	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_EXTEMPORANEOUSDESCRIPTION	VARCHAR(400)	NULL
EPRESCRIPTION_ITEM	PRESC_ISEXTEMP	VARCHAR(5)	NOTNULL
EPRESCRIPTION_ITEM	PRESC_ITEMBARCODE	VARCHAR(30)	NULL
EPRESCRIPTION_ITEM	PRESC_PATIENTINSTRUCTIONS	VARCHAR(250)	NULL
EPRESCRIPTION_ITEM	PRESC_PBSCODE	VARCHAR(6)	NULL
EPRESCRIPTION_ITEM	PRESC_PBSMANUFACTURERCODE	VARCHAR(2)	NULL
EPRESCRIPTION_ITEM	PRESC_PRIMARY_MEDICATION_CODE	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_THERAPEUTICGOODIDENTIFICATIONCODE	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_THERAPEUTICGOODIDENTIFICATIONCODESYSTEMNAME	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_THERAPEUTICGOODIDENTIFICATIONCODESYSTEM	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_THERAPEUTICGOODIDENTIFICATIONCODESYSTEMVERSION	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESC_THERAPEUTICGOODIDENTIFICATIONDISPLAYNAME	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	PRESCRIBEDITEM_RESERVED_01	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESCRIBEDITEM_RESERVED_02	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESCRIBEDITEM_RESERVED_03	VARCHAR(400)	NULL
EPRESCRIPTION_ITEM	PRESCRIBEDITEM_RESERVED_04	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRESCRIBEDITEM_RESERVED_05	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	PRIVATENONSWITCHABLE	VARCHAR(5)	NULL
EPRESCRIPTION_ITEM	PRIVATEPRESCRIPTION	VARCHAR(5)	NOTNULL
EPRESCRIPTION_ITEM	PRIVACYSTATEMENT	VARCHAR(5)	NULL
EPRESCRIPTION_ITEM	QUANTITY	NUMERIC(18,8)	NOTNULL
EPRESCRIPTION_ITEM	QUANTITYEXTENDED	VARCHAR(1024)	NULL
EPRESCRIPTION_ITEM	REASONFORPRESCRIBING	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	REGULATION24	VARCHAR(5)	NOTNULL
EPRESCRIPTION_ITEM	REPEATINTERVALS	INT	NULL
EPRESCRIPTION_ITEM	ROUTEADMINISTRATION	VARCHAR(20)	NULL
EPRESCRIPTION_ITEM	RTACID	VARCHAR(10)	NULL
EPRESCRIPTION_ITEM	SCHEDULENUMBER	VARCHAR(2)	NULL
EPRESCRIPTION_ITEM	SCID_XID	VARCHR(20)	NOTNULL
EPRESCRIPTION_ITEM	SCRIPTCLASS	VARCHAR(5)	NULL
EPRESCRIPTION_ITEM	SCRIPTCTGANNOTATION	VARCHAR(255)	NULL
EPRESCRIPTION_ITEM	SCRIPTTYPE	VARCHR(10)	NULL
EPRESCRIPTION_ITEM	SENDTOPHARMACY	VARCHAR(255)	NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EPRESCRIPTION_ITEM	SEQUENCE_ID	INT	NOT NULL
EPRESCRIPTION_ITEM	SITE_SID	SMALLINT	NOT NULL
EPRESCRIPTION_ITEM	SNOMED_CTREASONFORPRESCRIBE	VARCHR(15)	NULL
EPRESCRIPTION_ITEM	STATE_XID	VARCHR(20)	NOTNULL
EPRESCRIPTION_ITEM	SUPPLYNUMBER	INT	NULL
EPRESCRIPTION_ITEM	TAXINVOICEVALUE	VARCHAR(50)	NULL
EPRESCRIPTION_ITEM	UNLISTEDITEMREPATAUTHORITY	VARCHAR(5)	NOTNULL
EPRESCRIPTION_ITEM	UNUSUALDOSEFLAG	VARCHR(5)	NOTNULL
EPRESCRIPTION_ITEM	UNUSUALQTYFLAG	VARCHR(5)	NOTNULL
EPRESCRIPTION_ITEM	URGENT_IND	CHAR(1)	NOTNULL
EPRESCRIPTION_ITEM	USER_CD	VARCHR(5)	NULL
EPRESCRIPTION_ITEM	VERIFIED_BY	VARCHR(30)	NULL
EPRESCRIPTION_ITEM	VERIFIED_DT	DATETIME	NULL
ERROR_LOG	APPLICATION_CD	VARCHAR (15)	NOT NULL
ERROR_LOG	CREATED_DT	DATETIME	NOT NULL
ERROR_LOG	ERR_COMMENT_NOTE	VARCHAR (255)	NULL
ERROR_LOG	ERR_MSG_NOTE	VARCHAR (255)	NOT NULL
ERROR_LOG	ERR_TITLE_DESC	VARCHAR (40)	NOT NULL
ERROR_LOG	SITE_SID	SMALLINT	NOT NULL
ERROR_LOG	USER_CD	VARCHAR (15)	NULL
EXTERNAL_LINK	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_LINK	CURR_IND	CHAR(1)	NOT NULL
EXTERNAL_LINK	EXL_ACCESS_CD	VARCHAR (5)	NOT NULL
EXTERNAL_LINK	EXL_LINK_ID	INT	NOT NULL
EXTERNAL_LINK	EXL_LINK_NOTE	VARCHAR (255)	NULL
EXTERNAL_LINK	FILE_PATH	VARCHAR(2500)	NULL
EXTERNAL_LINK	FUNC_KEY_XID	VARCHAR (20)	NOT NULL
EXTERNAL_LINK	INVOCATE_PARM	VARCHAR(2500)	NULL
EXTERNAL_LINK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTERNAL_LINK	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_LINK	NAME_XID	VARCHAR (20)	NOT NULL
EXTERNAL_LINK	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_MESSAGE	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE	EXT_MSG_ID	INT	NOT NULL
EXTERNAL_MESSAGE	EXT_MSG_STAT_CD	VARCHAR (5)	NOT NULL
EXTERNAL_MESSAGE	EXT_MSG_TYPE_CD	VARCHAR (5)	NOT NULL
EXTERNAL_MESSAGE	KEY_1_ID	INT	NULL
EXTERNAL_MESSAGE	KEY_1_SID	SMALLINT	NULL
EXTERNAL_MESSAGE	KEY_1_XID	VARCHAR (20)	NULL
EXTERNAL_MESSAGE	KEY_2_ID	INT	NULL
EXTERNAL_MESSAGE	KEY_2_SID	SMALLINT	NULL
EXTERNAL_MESSAGE	KEY_2_XID	VARCHAR (20)	NULL
EXTERNAL_MESSAGE	KEY_3_ID	INT	NULL
EXTERNAL_MESSAGE	KEY_3_SID	SMALLINT	NULL
EXTERNAL_MESSAGE	KEY_3_XID	VARCHAR (20)	NULL
EXTERNAL_MESSAGE	KEY_4_ID	INT	NULL
EXTERNAL_MESSAGE	KEY_4_SID	SMALLINT	NULL
EXTERNAL_MESSAGE	KEY_4_XID	VARCHAR (20)	NULL
EXTERNAL_MESSAGE	KEY_5_ID	INT	NULL
EXTERNAL_MESSAGE	KEY_5_SID	SMALLINT	NULL
EXTERNAL_MESSAGE	KEY_5_XID	VARCHAR (20)	NULL
EXTERNAL_MESSAGE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTERNAL_MESSAGE	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_MESSAGE_ADC	ADC_BRAND_DESC	VARCHAR(40)	NULL
EXTERNAL_MESSAGE_ADC	ADC_CONC_UNIT_DESC	VARCHAR(8000)	NULL
EXTERNAL_MESSAGE_ADC	ADC_CONC_VAL	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ADC	ADC_FORM_DESC	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ADC	ADC_GENERIC_DESC	VARCHAR(1024)	NULL
EXTERNAL_MESSAGE_ADC	ADC_GRP_ID	INT	NOT NULL
EXTERNAL_MESSAGE_ADC	ADC_IDENT_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ADC	ADC_MSG_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_ADC	ADC_POCKET_CD	VARCHAR(5)	NULL
EXTERNAL_MESSAGE_ADC	ADC_PROD_UPD_CD	VARCHAR(5)	NULL
EXTERNAL_MESSAGE_ADC	ADC_STR_UNIT_DESC	VARCHAR(8000)	NULL
EXTERNAL_MESSAGE_ADC	ADC_STR_VAL	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ADC	ADC_STRENGTH_DESC	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ADC	ADC_TOT_VOL_UNIT_DESC	VARCHAR(8000)	NULL
EXTERNAL_MESSAGE_ADC	ADC_TOT_VOL_VAL	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ADC	ADC_TYPE_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_ADC	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_ADC	EXT_MSG_ADC_ID	INT	NOT NULL
EXTERNAL_MESSAGE_ADC	EXT_MSG_STAT_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_ADC	GTIN_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ADC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTERNAL_MESSAGE_ADC	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_ADC	MESSAGE_CONTROLID_NOTE	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ADC	PROD_ID	INT	NULL
EXTERNAL_MESSAGE_ADC	SCHEDULE_SHORT	VARCHAR(10)	NULL
EXTERNAL_MESSAGE_ADC	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_MESSAGE_BILL	CHARGE_TYPE_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_BILL	CLAIMABLE_IND	CHAR(1)	NOT NULL
EXTERNAL_MESSAGE_BILL	CREATED_DT	DATETIME	NOT NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EXTERNAL_MESSAGE_BILL	DSPN_CRE_TYPE_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_BILL	DSPN_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_BILL	DSPN_ID	INT	NOT NULL
EXTERNAL_MESSAGE_BILL	DSPN_REV_TYPE_CD	VARCHAR(5)	NULL
EXTERNAL_MESSAGE_BILL	DSPN_STAT_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_BILL	EXT_MSG_BILL_ID	INT	NOT NULL
EXTERNAL_MESSAGE_BILL	EXT_MSG_STAT_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_BILL	EXT_MSG_TYPE_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_BILL	INVC_STAT_CD	VARCHAR(5)	NULL
EXTERNAL_MESSAGE_BILL	INVC_TYPE_CD	VARCHAR(5)	NULL
EXTERNAL_MESSAGE_BILL	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_BILL	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL
EXTERNAL_MESSAGE_BILL	ORIG_DSPN_ID	INT	NOT NULL
EXTERNAL_MESSAGE_BILL	RECORD_UPD_IND	CHAR(1)	NOT NULL
EXTERNAL_MESSAGE_BILL	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_MESSAGE_PES	CONVERSATION_ID	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_PES	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_PES	DSPN_ID	INT	NULL
EXTERNAL_MESSAGE_PES	EXT_MSG_PES_ID	INT	NOT NULL
EXTERNAL_MESSAGE_PES	EXT_MSG_STAT_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_PES	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL
EXTERNAL_MESSAGE_PES	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_PES	PES_OPERATION	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_PES	PES_OPERATION_RESULT	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_PES	PHARM_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_PES	RESPONSE_DT	DATETIME	NULL
EXTERNAL_MESSAGE_PES	RESPONSE_DTZ	DATETIMEOFFSET(3)	NULL
EXTERNAL_MESSAGE_PES	SCID_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_PES	SENT_DT	DATETIME	NULL
EXTERNAL_MESSAGE_PES	SEQUENCE_ID	INT	NULL
EXTERNAL_MESSAGE_PES	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_MESSAGE_ROBOT	BATCH_NBR	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	BATCH_EXP_DT	DATETIME	NULL
EXTERNAL_MESSAGE_ROBOT	CHUTE_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_ROBOT	EXT_MSG_ROB_ID	INT	NOT NULL
EXTERNAL_MESSAGE_ROBOT	EXT_MSG_STAT_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_ROBOT	GTIN_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	INPUT_DELIVERY_NBR	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL
EXTERNAL_MESSAGE_ROBOT	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_MESSAGE_ROBOT	MESSAGE_CONTROLID_NOTE	VARCHAR(255)	NULL
EXTERNAL_MESSAGE_ROBOT	NEW_DELIVERY_IND	CHAR(1)	NULL
EXTERNAL_MESSAGE_ROBOT	ORDER_QTY	NUMERIC(18, 8)	NULL
EXTERNAL_MESSAGE_ROBOT	PACKAGE_INDEX_ID	INT	NULL
EXTERNAL_MESSAGE_ROBOT	PART_PACK_QTY	NUMERIC(18,8)	NULL
EXTERNAL_MESSAGE_ROBOT	PRIORITY_ID	INT	NULL
EXTERNAL_MESSAGE_ROBOT	PROD_ID	INT	NULL
EXTERNAL_MESSAGE_ROBOT	ROBOT_ID	INT	NOT NULL
EXTERNAL_MESSAGE_ROBOT	ROBOT_SERVICE_EXT_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	ROBOT_STORE_EXT_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	ROBOT_TYPE_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_ROBOT	ROBOT_XID	VARCHAR(20)	NOT NULL
EXTERNAL_MESSAGE_ROBOT	SERIAL_NBR	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_MESSAGE_ROBOT	SITE_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	STORE_XID	VARCHAR(20)	NULL
EXTERNAL_MESSAGE_ROBOT	TRAN_ID	INR	NOT NULL
EXTERNAL_MESSAGE_ROBOT	TRAN_TYPE_CD	VARCHAR(5)	NOT NULL
EXTERNAL_MESSAGE_ROBOT	URGENT_IND	CHAR(1)	NOT NULL
EXTERNAL_MESSAGE_ROBOT	WKSTN_ID	VARCHAR(5)	NOT NULL
EXTERNAL_ORG	COST_CNTR_XID	VARCHAR (20)	NULL
EXTERNAL_ORG	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_ORG	CURR_IND	CHAR (1)	NOT NULL
EXTERNAL_ORG	EXT_ORG_ADDR_1	VARCHAR (40)	NULL
EXTERNAL_ORG	EXT_ORG_ADDR_2	VARCHAR (40)	NULL
EXTERNAL_ORG	EXT_ORG_ADDR_3	VARCHAR (40)	NULL
EXTERNAL_ORG	EXT_ORG_ADDR_4	VARCHAR (40)	NULL
EXTERNAL_ORG	EXT_ORG_CNTRY	VARCHAR (30)	NULL
EXTERNAL_ORG	EXT_ORG_CONT_NAME	VARCHAR (255)	NULL
EXTERNAL_ORG	EXT_ORG_FAX	VARCHAR (15)	NULL
EXTERNAL_ORG	EXT_ORG_NAME	VARCHAR (255)	NULL
EXTERNAL_ORG	EXT_ORG_NOTE	VARCHAR (255)	NULL
EXTERNAL_ORG	EXT_ORG_PHONE	VARCHAR (15)	NULL
EXTERNAL_ORG	EXT_ORG_POSTCODE	VARCHAR (10)	NULL
EXTERNAL_ORG	EXT_ORG_XID	VARCHAR (20)	NOT NULL
EXTERNAL_ORG	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTERNAL_ORG	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_ORG	SITE_SID	SMALLINT	NOT NULL
EXTERNAL_PAYMENT	EXT_PYMT_ID	INT	NOT NULL
EXTERNAL_PAYMENT	PAT_ID	INT	NOT NULL
EXTERNAL_PAYMENT	PAT_SITE_SID	SMALLINT	NOT NULL
EXTERNAL_PAYMENT	SITE_SID	SMALLINT	NOT NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EXTERNAL_PRF	CREATED_DT	DATETIME	NOT NULL
EXTERNAL_PRF	EXT_PRF_AMT	NUMERIC(18,8)	NOT NULL
EXTERNAL_PRF	EXT_PRF_DT	DATETIME	NOT NULL
EXTERNAL_PRF	EXT_PRF_ID	INT	NOT NULL
EXTERNAL_PRF	EXT_PRF_NOTE	VARCHAR (255)	NULL
EXTERNAL_PRF	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTERNAL_PRF	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTERNAL_PRF	PAT_ID	INT	NOT NULL
EXTERNAL_PRF	PAT_SITE_SID	SMALLINT	NOT NULL
EXTRACT	CREATED_DT	DATETIME	NOT NULL
EXTRACT	EXTR_DT	DATETIME	NULL
EXTRACT	EXTR_ID	INT	NOT NULL
EXTRACT	EXTR_TYPE_ID	INT	NOT NULL
EXTRACT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTRACT	SITE_SID	SMALLINT	NOT NULL
EXTRACT_FILE	CREATED_DT	DATETIME	NOT NULL
EXTRACT_FILE	EXTR_FILE	VARCHAR (255)	NULL
EXTRACT_FILE	EXTR_FILE_AMT	NUMERIC(18,4)	NULL
EXTRACT_FILE	EXTR_FILE_DESC	VARCHAR (40)	NULL
EXTRACT_FILE	EXTR_FILE_ID	INT	NOT NULL
EXTRACT_FILE	EXTR_FILE_PATH	VARCHAR (255)	NULL
EXTRACT_FILE	EXTR_FILE_ROWS	INT	NULL
EXTRACT_FILE	EXTR_ID	INT	NOT NULL
EXTRACT_FILE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT_FILE	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTRACT_FILE	SITE_SID	SMALLINT	NOT NULL
EXTRACT_GROUP	CREATED_DT	DATETIME	NOT NULL
EXTRACT_GROUP	CURR_IND	CHAR (1)	NOT NULL
EXTRACT_GROUP	EXTR_GRP_DESC	VARCHAR (40)	NULL
EXTRACT_GROUP	EXTR_GRP_ID	INT	NOT NULL
EXTRACT_GROUP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT_GROUP	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTRACT_OUTPUT	CREATED_DT	DATETIME	NOT NULL
EXTRACT_OUTPUT	EXTR_OUT_DESC	VARCHAR (40)	NULL
EXTRACT_OUTPUT	EXTR_OUT_FILE	VARCHAR (255)	NULL
EXTRACT_OUTPUT	EXTR_OUT_FMT_CD	VARCHAR (5)	NOT NULL
EXTRACT_OUTPUT	EXTR_OUT_ID	INT	NOT NULL
EXTRACT_OUTPUT	EXTR_OUT_SEQ	INT	NULL
EXTRACT_OUTPUT	EXTR_PROC_ID	INT	NOT NULL
EXTRACT_OUTPUT	EXTR_TYPE_ID	INT	NOT NULL
EXTRACT_OUTPUT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT_OUTPUT	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTRACT_PARM_DW	CREATED_DT	DATETIME	NOT NULL
EXTRACT_PARM_DW	CURR_IND	CHAR (1)	NOT NULL
EXTRACT_PARM_DW	EXTR_PARM_DW	VARCHAR (40)	NOT NULL
EXTRACT_PARM_DW	EXTR_PARM_DW_DESC	VARCHAR (40)	NULL
EXTRACT_PARM_DW	EXTR_PARM_DW_ID	INT	NOT NULL
EXTRACT_PARM_DW	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT_PARM_DW	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTRACT_PROC	CREATED_DT	DATETIME	NOT NULL
EXTRACT_PROC	CURR_IND	CHAR (1)	NOT NULL
EXTRACT_PROC	EXTR_PROC_DESC	VARCHAR (40)	NULL
EXTRACT_PROC	EXTR_PROC_ID	INT	NOT NULL
EXTRACT_PROC	EXTR_PROC_SQL	VARCHAR (255)	NOT NULL
EXTRACT_PROC	EXTR_PROC_TYPE_CD	VARCHAR (5)	NOT NULL
EXTRACT_PROC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT_PROC	LAST_UPDATED_DT	DATETIME	NOT NULL
EXTRACT_TYPE	CREATED_DT	DATETIME	NOT NULL
EXTRACT_TYPE	CURR_IND	CHAR (1)	NOT NULL
EXTRACT_TYPE	EXTR_GRP_ID	INT	NOT NULL
EXTRACT_TYPE	EXTR_PARM_DW_ID	INT	NOT NULL
EXTRACT_TYPE	EXTR_PROC_ID	INT	NOT NULL
EXTRACT_TYPE	EXTR_TYPE_DESC	VARCHAR (40)	NULL
EXTRACT_TYPE	EXTR_TYPE_ID	INT	NOT NULL
EXTRACT_TYPE	EXTR_TYPE_NOTE	VARCHAR (255)	NULL
EXTRACT_TYPE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
EXTRACT_TYPE	LAST_UPDATED_DT	DATETIME	NOT NULL

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Description	Domain	Default	Rule	New or adjusted in version	Notes
Allowance charge type	T_CODE				
Batch Number	T_BATCH				
Child Pack Code	T_CD				
ChildPack Number	T_NBR				
Cost Centre Code - Link to the Cost centre table	T_XID				
Date and time that the row was created.	T_DT				
Currency Code	T_CD				
Delivery Referance Number	T_REF				
Despatch Date	T_DT				
Despatch Line Number	T_NBR				
Despatch Quantity	T_QTY				
Despatch Number	T_NBR				
Unique edi identifier	T_ID				
EDI receipt reference number	T_NOTE				
EDI send reference number	T_NOTE				
Edi status code	T_CD				
Error description	T_TEXT				
Error status code	T_CD				
Expiry Date	T_DT				
Freight amount	T_AMT				
Freight Tax	T_AMT				
Link to goods receipt table	T_ID				
Goods receipt type	T_CD				
GTIN Value	T_XID				
Invoice Date	T_DT				
Invoice Line Number	T_NBR				
Invoice Quantity	T_QTY				
Invoice total amount	T_AMT				
Invoice total amount excluding tax	T_AMT				
Invoice total amount including tax	T_AMT				
InvoiceType	T_CODE				
invoice reference	T_REF				
Line item Charge amount	T_AMT				
Line Item Charge Tax	T_AMT				
Item cost	T_AMT				
Line Item total Charge amount	T_AMT				
last updated date for the edi invoice desp field	DATETIME				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Line number	T_NBR				
Message Function Description	T_DESC				
Message Type	T_XID				
Despatch Date	T_DT				
Link to Orders table	T_ID				
Order Line Number	T_NBR				
Order type	T_CD				
Pack Code	T_CD				
Pack Level Number for	T_NBR				
Parent Pack Number	T_NBR				
Receiving Site ABN	T_ABN				
Receiver GLN	T_APN				
Ship To GLN	T_APN				
Site identifier - Link to site table	T_SID				
Serial shipment container code	T_PAPN				
Code to link to the Store table	T_XID				
Supplier ABN	T_ABN				
Product Identifier used by the supplier	T_DESCLONG				
Code used to link to the Supplier record	T_XID				
Supplier GLN	T_APN				
Column to save trans ownership date	T_DT	NULL			
Contract Number Reference	T_REF				
Cost Centre Code - Link to the Cost centre table	T_XID				
Date and time that the row was created.	T_DT				
Delivery instructions	T_NOTE				
Electronic Data Interchange ID	T_ID				
EDI Invoice Date	T_DT				
EDI Method Code	T_CD				
EDI Order Sequence	T_SEQ				
Name of EDI received file	VARCHAR				
Name of EDI file sent	VARCHAR				
EDI Status Code	T_CD				
Error Description	T_DESC				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Store Location ID - Link to location table	T_ID				
Order Cost	T_COST				
Date the Order was placed	T_DT				
Order Cost with Tax	T_COST				
Link to the Orders table	T_ID				
Order Item Number	T_ID				
Order Notes	T_NOTE				
Order Quantity	T_QTY				
Product Identifier - Link to product table	T_ID				
Site identifier - Link to site table	T_SID				
Code to link to the Store table	T_XID				
Supplier Catalogue Identifier	T_XID				
Code used to link to the Supplier record	T_XID				
Unit of Measurement Identifier - Link to UOM table	T_ID				

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

EDI Supplier Description	T_DESC				
Indicator to flag if EDI from supplier is allowed	T_IND				
Supplier EAN Code	CHAR				
ePrescription Patient Entitlement Number	VARCHAR			12	
Practitioner Qualifications	VARCHAR			12	
Hospital Provider Number	VARCHAR			12	
AIP (Active Ingredient Prescribing) compliant prescription item description for the display to Dispenser	VARCHAR			12	
The name of the pharmacy the prescription is to be dispensed (if required by NSW health)	VARCHAR			12	
Field included for future uses	VARCHAR			12	
The conformance ID of the software creating the prescription	T_NOTE			12	
Date and time from the ERX004 prescription message.	T_DT			12	
Date and time that the record was created.	T_DT			12	
The conformance ID of the software creating the record of dispense	T_NOTE			12	
Indicates if the patient is Inpatient or all other options (outpaitent, ED, Nursing Home, Jail). True indicates inpatient, false indicates all other values. Value is only required in non-community settings (dispensing system)	VARCHAR			12	
Patient Entitlement Number (dispensing system)	VARCHAR			12	
DVA card colour (G, W, O) (dispensing system)	VARCHAR			12	
DVA number for patient (dispensing system)	VARCHAR			12	
Safety Net Number (dispensing system)	VARCHAR			12	
address1 (dispensing system)	VARCHAR			12	
address2 (dispensing system)	VARCHAR			12	
Birthdate (dispensing system)	DATE			12	
Flag to denote patient eligibility for Closing the Gap (CTG) (dispensing system)	VARCHAR			12	
Patient email (dispensing system)	VARCHAR			12	
Patient family/surname (dispensing system)	VARCHAR			12	
Patient firstname (dispensing system)	VARCHAR			12	
Patient Individual Health Identifier (dispensing system)	VARCHAR			12	
Medicare family name (dispensing system)	VARCHAR			12	
Medicare first name (dispensing system)	VARCHAR			12	
Medicare number excluding subnumerate (dispensing system)	VARCHAR			12	
Medicare number Including subnumerate (dispensing system)	CHAR			12	
Medicare number - Valid to date (dispensing system)	DATE			12	
patient mobile number (dispensing system)	VARCHAR			12	
patient phone number (dispensing system)	VARCHAR			12	
patient postcode (dispensing system)	VARCHAR			12	
Uppercase choice of M, F, O, U (Male, Female, Other, Undefined) (dispensing system)	CHAR			12	
Uppercase choice of - VIC NSW ACT QLD NT WA SA TAS (dispensing system)	CHAR			12	
Patient suburb (dispensing system)	VARCHAR			12	
Patient Title (dispensing system)	VARCHAR			12	
Dispensing software name (dispensing system)	T_NOTE			12	
Doctor email	VARCHAR			12	
Doctor Family name	VARCHAR			12	
Doctor First name	VARCHAR			12	
Doctor Fax Number	VARCHAR			12	
Doctor Mobile Number	VARCHAR			12	
Doctor Phone Number	VARCHAR			12	
Doctor Prescriber Number	T_NBR			12	
Doctor Provider Number	VARCHAR			12	
Uppercase, choice of : G, W or O (for Gold, White or Orange (or any other colour as legislated))	VARCHAR			12	
DVA number	VARCHAR			12	
Prescriber code - Link to doctor table	T_XID			12	
The email Value (Electronic Address) for use when sending an ePrescription token to the patient.	T_EMAIL			12	
Safety Net Number	VARCHAR			12	
The SCID for the original prescription (equivalent to dispense UPPN)	T_XID			12	
GUID values sent and received for ERX messages in <GUID> tag	T_NOTE			12	
Code of the user who last modified the record.	T_UID			12	
Date and time that the row was last modified.	T_DT			12	
Original GUID values sent and received for ERX messages in <OriginalGUID> tag	T_NOTE			12	
Conformance ID of the PES where original prescription by prescriber is uploaded	T_NOTE			12	
Original SCID values sent and received for ERX messages in <OriginalSCID> tag	T_XID			12	
Patient Address1	VARCHAR			12	
Patient Address2	VARCHAR			12	
Birth date of patient	DATE			12	
Flag to denote patient eligibility for Closing the Gap (CTG). Values are: True or false	VARCHAR			12	
Patient email address	VARCHAR			12	
Patient family/surname	VARCHAR			12	
Patient First name	VARCHAR			12	
Indicates if the patient is Inpatient or all other options (outpaitent, ED, Nursing Home, Jail). True indicates inpatient, false indicates all other values. Value is only required in non-community settings.	VARCHAR			12	
Patient Individual Health Identifier	VARCHAR			12	
Family Name on Medicare Card	VARCHAR			12	
First name on Medicare card	VARCHAR			12	
Medicare number excluding subnumerate	VARCHAR			12	
Medicare number Including subnumerate	CHAR			12	
Medicare number Valid to date	DATE			12	

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Patient mobile number	VARCHAR			12	
Patient number from local pharmacy database	VARCHAR			12	
Patient Phone Number	VARCHAR			12	
Patient PostCode	VARCHAR			12	
RACFID (Residential Aged Care Facility ID)	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
M, F, O, U (**M**ale, **F**emale, **O**ther, **U**ndefined)	CHAR			12	
VIC NSW ACT QLD NT WA SA TAS	VARCHAR			12	
Patient Suburb	VARCHAR			12	
Patient salutation	VARCHAR			12	
Indicates patient unique id	VARCHAR			12	
Patient ID - Link to patient table	T_ID			12	
To match i.Pharmacy patient site	T_SID			12	
Surname of dispensing pharmacist	T_NOTE			12	
First name of dispensing pharmacist	T_NOTE			12	
Address1 of pharmacy	VARCHAR			12	
Address2 of Pharmacy	VARCHAR			12	
PBS Approval Number.	VARCHAR			12	
Pharmacist AHPRA Number (unique Registration identifier)	VARCHAR			12	
Pharmacist Health Provider Identifier (Individual) (HPI-I)	VARCHAR			12	
Pharmacy email address	VARCHAR			12	
Pharmacy Health Provider Identifier (Organisation) (HPI-O)	VARCHAR			12	
Name of pharmacy	T_NOTE			12	
Pharmacy phonenumber	T_XID			12	
Pharmacy postcode	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
VIC NSW ACT QLD NT WA SA TAS	VARCHAR			12	
Pharmacy Suburb	VARCHAR			12	
Indicates prescriber Address1	VARCHAR			12	
Indicates prescriber Address2	VARCHAR			12	
Indicates prescriber email	VARCHAR			12	
Indicates prescriber name	VARCHAR			12	
Indicates prescriber Postcode	VARCHAR			12	
VIC NSW ACT QLD NT WA SA TAS	VARCHAR			12	
Indicates prescriber suburb	VARCHAR			12	
Prescriber AHPRA Number (unique Registration identifier)	VARCHAR			12	
Prescriber Health Provider Identifier (Individual) (HPI-I)	VARCHAR			12	
Prescriber Health Provider Identifier (Organisation) (HPI-O)	VARCHAR			12	
Prescribing software used to create prescription	VARCHAR			12	
Prescriber Type - M=Medical Practitioner ; E = Eye/Optometrist ; U=nUrse ; F=midwiFe ; D=Dentist ; V=Vetinarian ; T=PodiatrisT; C=pharmaCist	VARCHAR			12	
Indicates ETP1 (paper ePrescription) or ETP2 (paperless ePrescription)	T_IND			12	
The conformance ID of the software creating the Repeat Authorisation.	T_NOTE			12	
The conformance ID of the PES from where prescription is downloaded by Dispense system.	T_NOTE			12	
Script identifier (SCID) - uniquely identifies an ePrescription in eRx.	T_XID			12	
Dispensing site ID - Link to dispense table	T_SID			12	
The mobile phone Value (Electronic Address) for use when sending an ePrescription token to the patient via SMS.	T_PHONE			12	
'Prescriber' or 'Dispenser'.	T_XID			12	
The unique resource identifier URL for the ePrescription.	T_VAR1024			12	
To allow user to provide details in annotation	T_NOTE			ADJUSTED	
Date and time that the record was created.	T_DT			12	
Unique annotation identifier	T_ID			12	
Link to the ePrescription item	T_ID			12	
Code of the user who last modified the record.	T_UID			12	
Date and time that the row was last modified.	T_DT			12	
Site identifier - Link to site table	T_SID			12	
0 for original Prescription and sequence number for Dispensing (e.g. 1 for original dispense, 2 for first repeat)	T_ID			12	
Basket Notes	T_VAR1024			12	
'AVAIL' (Available) when the record is created. 'PART' (Partially Available) where EPRESCRIPTION_ITEM.avail_ind=Y for at least one item and the other item(s) have EPRESCRIPTION_ITEM.avail_ind=N. 'NAV' when all item(s) for the basket have EPRESCRIPTION_ITEM.avail_ind=N	T_CD			12	
Date and time that the row was created.	T_DT			12	
escript basket id	T_ID			12	
Code of the user who last modified the record.	T_UID			12	
Date and time that the row was last modified.	T_DT			12	
To store Pickup date from Queued eprescription search and select	T_DT			12	
To store Pickup date from Queued eprescription search and select	T_DT			12	
Number of minutes before patient will pick up dispensed items	T_MINS			12	
To store pickup type as 'Waiting' or 'Later'	T_XID			12	
Site identifier - Link to site table	T_SID			12	
Indicates urgent basket	T_IND			12	
Created as 'Y' when the item is downloaded and queued, then 'N' when processing is started.	T_IND			12	

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Indicates whether brand substitution is allowed or not by the prescriber	VARCHAR			12	
The jurisdictional reference number related to provision of certain controlled substances	VARCHAR			12	
Date and time that the row was created.	T_DT			12	
Date of dispensing				12	
The Product Description for the dispensed item	VARCHAR			12	
The Form for the dispensed item	VARCHAR			12	
The Generic Description for the dispensed item	VARCHAR			12	
Quantity of dispensing	T_QTY			12	
The Strength for the dispensed item, as it relates to Quantity	VARCHAR			12	
The Brand Description for the dispensed item	VARCHAR			12	
orig_dspn_id	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Field included for future use	VARCHAR			12	
Australian Medicines Terminology - Version used	VARCHAR			12	
Australian Medicines Terminology - Containered Trade Product Pack	VARCHAR			12	
Australian Medicines Terminology - Medicinal Product	VARCHAR			12	
Australian Medicines Terminology - Medicinal Product Pack	VARCHAR			12	
Australian Medicines Terminology - Medicinal Product Unit of Use	VARCHAR			12	
Australian Medicines Terminology - Trade Product	VARCHAR			12	
Australian Medicines Terminology - Trade Product Pack	VARCHAR			12	
Australian Medicines Terminology - Trade Product Unit of Use	VARCHAR			12	
Each AMTv3 release is versioned based on a date and has a version identifier	VARCHAR			12	
Description of extemporaneous item	VARCHAR			12	
True or false. Flag to denote if item is a PBS extemp item	VARCHAR			12	
Current barcode/EAN/APN/UPN for the item	VARCHAR			12	
Directions for the dispensed item	VARCHAR			12	
PBS Code for the dispensed item if available	VARCHAR			12	
PBS Manuf Code for the dispensed item if available	VARCHAR			12	
A primary code is the code associated with a native (or interface) terminology implementation	VARCHAR			12	
The plain code symbol defined by the Therapeutic Good code system, or an expression in a syntax defined by the code system which describes the concept	VARCHAR			12	
The common name of the Therapeutic Good coding system	VARCHAR			12	
Specifies the Therapeutic Good Code system that defines the code. Code systems shall be referred to by an Object Identifier, which allows unambiguous reference to standard code systems and other local codeSystems	VARCHAR			12	
If applicable, a version descriptor defined specifically for the given Therapeutic Good Code system	VARCHAR			12	
A name or title for the Therapeutic Good code, under which the sending system shows the code value to its users	VARCHAR			12	
Freeform message from Doctor to Pharmacist	VARCHAR			12	
True if prescription is supplied for an Owing Script dispensing	VARCHAR			12	
escript basket id, links item to basket number	T_ID			12	
Unique eprescription item identifier	T_ID			12	
Hospital provider number for dispensed item	VARCHAR			12	
Form of prescribed item	VARCHAR			12	
1 - Name of chemical/generic ingredient(s). For PBS items, as defined by PBS Schedule. For non-PBS items, no universal standard exists, so at this point in time is just as it appears in each vendor's software. 2 - Extemporaneous Description if prescribing as Compounding item.	VARCHAR			12	
Item written by Brand/Trade name or generically. B=Brand, G=Generic	VARCHAR			12	
Item Status is populated i.e A=Active, O=Owing, X=Cancelled, D=Deferred	VARCHAR			12	
Strength of item. For PBS items, as defined by PBS Schedule. For non-PBS items, no universal standard exists, so at this point in time is just as it appears in each vendor's software	VARCHAR			12	
1- Item trade name. For PBS items, as defined by PBS Schedule. For non-PBS items, no universal standard exists, so at this point in time is just as it appears in each vendor's software. 2 - Item Generic name if prescribing as Ingredient/Generically. (Item Trade name in the bracket at the end if needs to specify brand name) - AIP Complient 3 - Extemporaneous Description if prescribing as Compounding item.	VARCHAR			12	
Field included for future use	VARCHAR			12	
Code of the user who last modified the record.	T_UID			12	
Date and time that the row was last modified.	T_DT			12	
Local identifier for the dispensed item	VARCHAR			12	
Indicates where the patient has consented to Active original/repeat/deferred item being sent to My Script List or not	T_IND			12	
Number of Repeats	VARCHAR			12	
Pharmacy approval number which first processed the original script (as per repeat form)	VARCHAR			12	
Script number of first dispensing, as per repeat form	VARCHAR			12	
PRF value for PBS items	VARCHAR			12	
Prescription Authority Number	VARCHAR			12	
Pharmacy approval number which first processed the original script	VARCHAR			12	

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Initials of dispensing pharmacist	VARCHAR			12	
Freeform notes from Pharmacist for Doctor or subsequent Pharmacist - not currently used	VARCHAR			12	
Streamline Authority Number where applicable	VARCHAR			12	
Indicates dispensingPharmacy	T_XID			12	
Date of prescribing/original prescribing date	DATETIME			12	
The prescription number of script. Printed on the paper prescription and is the script number issued from the prescribing software	VARCHAR			12	
Australian Medicines Terminology - Version used (1.2.36.1.2001.1004.100)	VARCHAR			12	
Australian Medicines Terminology - Containered Trade Product Pack Code	VARCHAR			12	
Australian Medicines Terminology - Medicinal Product Code	VARCHAR			12	
Australian Medicines Terminology - Medicinal Product Pack Code	VARCHAR			12	
Australian Medicines Terminology - Medicinal Product Unit of Use Code	VARCHAR			12	
Australian Medicines Terminology - Trade Product Code	VARCHAR			12	
Australian Medicines Terminology - Trade Product Pack Code	VARCHAR			12	
Australian Medicines Terminology - Trade Product Unit of Use Code	VARCHAR			12	
Each AMTv3 release is versioned based on a date and has a version identifier	VARCHAR			12	
Description of extemporaneous item (e.g. Olive Oil 10% in Aqueous Cream)	VARCHAR			12	
true or false. Flag to denote if item is written extemporaneously (e.g. Olive Oil 10% in Aqueous Cream)	VARCHAR			12	
Current barcode/EAN/APN/UPN for the item	VARCHAR			12	
Directions for the prescribed item	VARCHAR			12	
As defined in PBS Schedule. If item is written privately but is a PBS item, will still have a PBS Code, and field PrivatePrescription should be TRUE. If item is private and no PBS Code is available, will be blank	VARCHAR			12	
PBS Manuf Code for prescribed item	VARCHAR			12	
A primary code is the code associated with a native (or interface) terminology implementation	VARCHAR			12	
The plain code symbol defined by the Therapeutic Good code system, or an expression in a syntax defined by the code system which describes the concept	VARCHAR			12	
The common name of the Therapeutic Good coding system	VARCHAR			12	
Specifies the Therapeutic Good Code system that defines the code. Code systems shall be referred to by an Object Identifier, which allows unambiguous reference to standard code systems and other local codeSystems	VARCHAR			12	
If applicable, a version descriptor defined specifically for the given Therapeutic Good Code system	VARCHAR			12	
A name or title for the Therapeutic Good code, under which the sending system shows the code value to its users	VARCHAR			12	
Maximum quantity authorised to dispense (in words if a controlled drug)	VARCHAR			12	
Hospital Provider Number	VARCHAR			12	
AIP (active ingredient prescribing) compliant Drug Description for display to Dispenser	VARCHAR			12	
The name of the pharmacy the prescription is to be dispensed (if required by NSW health)	VARCHAR			12	
Field included for future use	VARCHAR			12	
Used to indicate a PBS prescription that has been dispensed at a non-PBS pharmacy. It cannot be changed back to a PBS claimable prescription after that point.	VARCHAR			12	
Describes if item is a private (non-PBS) item. True or false. If item is a PBS item but prescribed privately, this field should be TRUE, and field PBSCode should be populated	VARCHAR			12	
To indicate paperless ePrescription item ('true') versus paper ePrescription item ('false')	VARCHAR			12	
Quantity of item on prescription as an integer	T_QTY			12	
Quantity field for prescribing systems that use unusual values (quantity should normaly be provided in the Quantity field unless advised otherwise), as text	VARCHAR			12	
Indicates prescribing reason	VARCHAR			12	
Indicates original and all repeats can be dispensed at same time	VARCHAR			12	
Number of days that must elapse before item can be re-dispensed	INT			12	
Prescribed Route of Administration	VARCHAR			12	
RTACid identifies the IVF Reproductive Technology Accreditation Committee (RTAC) accredited unit number supplied for S100 IVF claims	VARCHAR			12	
Indicates prescribed Schedule Number	VARCHAR			12	
Unique Script Identifier (SCID) - scanned from token/barcode and used to download ePrescription from eRx	T_XID			12	
Indicates Script class i.e P=Private ; T=ScheduleThree ; N=PBSNon-ClaimableGeneral ; G=PBSGeneral ; C=PBSConcession ; E=PBSEntitlement ; B=DrsBag ; R=Repat ; D=Dental	VARCHAR			12	
Script annotation for Closing the Gap (CTG). Values are: Non-CTG=NULL ; Handwritten=CTG00B (zero zero B) ; CTG Annotation=CTGnnX	VARCHAR			12	
Indicates Script type B = Dr'sBag ; E = Eye/Optom ; D = Dental ; P = Private ; N = NHS ; R = Repat ; T = Schedule3 ; U = Nurse ; F = Midwife	T_XID			12	
'DosingPoint', 'StagedSupply' or 'RepeatOnFile' as received in the ePrescription from eRx	VARCHAR			12	

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Sequencial number which differentiates multiple items which have the same SCID	T_ID			12	
Site identifier - Link to site table	T_SID			12	
A clinical indication or reason to prescribe a medicine. Should contain the SNOMED-CT coded indication if selected by a prescriber during their workflow	VARCHAR			12	
The State value as present in eRx e.g. Active, Pending, Dispensed or Deferred.	T_XID			12	
Number of times dispensed - 0 for deferred, 1 for original, 2 for first repeat,...	INT			12	
Patient medications for tax invoice rebates.	VARCHAR			12	
Flag to denote item is an unlisted repat authority - true or false	VARCHAR			12	
Unusual dose indicator (true or false) where dose is outside recommended range.	VARCHAR			12	
Replicates the underlining of a quantity on a paper prescription. Currently defined as any quantity that differs from PBS quantity - true or false	VARCHAR			12	
Urgency indicator	T_IND			12	
User code for logged on user	T_CD			12	
Indicates Verified By user who processed the item	T_UID			12	
Indicates Verified Date for processing the item	T_DT			12	
Name of the application/function	T_CODE				
Date and time that the row was created.	T_DT				
Error Comment Note	T_NOTE				
Error Message Note	T_NOTE				
Error Title Description	T_DESC				
Site identifier - Link to site table	T_SID	N			
Code to identify the user	T_CODE				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Access type of external link	T_CD				
External link identifier	T_ID				
Notes for the external link	T_NOTE				
File path from which the external link is invoked	T_URL				
Function key details for the external link	T_XID				
Invocation parameters for the external link	T_URL				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Name details for the external link	T_XID				
Site identifier - Link to site table	T_SID				
Date and time that the row was created.	T_DT				
Unique External Message ID	T_ID				
External Message Status Code - link to list_of_val	T_CD				
Message type	T_CD				
unique ID of Message Reference Table1	T_ID				
Unique Site Id for Message Reference Table1	T_SID				
Unique short code for Message Reference Table1	T_XID				
unique ID of Message Reference Table2	T_ID				
Unique Site Id for Message Reference Table2	T_SID				
Unique short code for Message Reference Table2	T_XID				
unique ID of Message Reference Table3	T_ID				
Unique Site Id for Message Reference Table3	T_SID				
Unique short code for Message Reference Table3	T_XID				
unique ID of Message Reference Table4	T_ID				
Unique Site Id for Message Reference Table4	T_SID				
Unique short code for Message Reference Table4	T_XID				
unique ID of Message Reference Table5	T_ID				
Unique Site Id for Message Reference Table5	T_SID				
Unique short code for Message Reference Table5	T_XID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Site identifier - Link to site table	T_SID				
ADC Brand Description	T_DESC			11	
ADC Concentration Unit Description	T_AMTTERM			11	
ADC Concentration Value	T_VALUE			11	
ADC Form Description	T_NOTE			11	
ADC Generic Description	T_VAR			11	
ADC Group id - Link to adc_group table	T_ID			11	
ADC ident Xid	T_XID			11	
To Update MAD,MDL,MUP,OMS,ZPM which type of transaction - Link to list_of_val table	T_CD			11	
To Update Count,Assigned,De-assigned - Link to list_of_val table	T_CD			11	
To Update PROD,GTIN	T_CD			11	
ADC Strength Unit Description	T_AMTTERM			11	
ADC Strength Value	T_VALUE			11	
ADC Strength Description	T_NOTE			11	
ADC Total Volume Unit Description	T_AMTTERM			11	
ADC Total Volume Value	T_VALUE			11	
To Update MDDSP,OMNCL,PYXIS	T_CD			11	
Date and time that the row was created.	T_DT			11	
External Message ADC ID	T_ID			11	
External Message Status Code - link to list_of_val	T_CD			11	
GTIN - link to gtin table	T_XID			11	
Code of the user who last modified the record.	T_UID			11	
Date and time that the row was last modified.	T_DT			11	
The unique identifier from the InputRequest message, found in MSH-10.	T_NOTE			11	
Product Identifier - Link to product table	T_ID			11	
Product Schedule Short Description	T_SHORT			11	
Site identifier - Link to site table	T_SID			11	
Charge Type code	T_CD				
Claimable Indicator value	T_IND				
Date and time that the row was created.	T_DT				

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Dispense credit Type code	T_CD				
Dispense Date	T_DT				
ID to link to the dispense table	T_ID				
Dispense Reversal Type code	T_CD				
Dispense Status code	T_CD				
unique ID of External Message Bill table, for the site	T_ID				
Link to list_of_val table for status	T_CD				
Message type is either BILLD or BILLC.	T_CD				
Patient Invoice Status code	T_CD				
Patient Invoice Type code	T_CD				
Date and time that the row was last modified.	T_DT				
Code of the user who last modified the record.	T_UID				
Original Dispense Identifier	T_ID				
Indicator to reset the record for processing	T_IND				
Site identifier - Link to site table	T_SID				
GUID value to link the PES request and response messages	T_NOTE				
Date and time that the row was created.	T_DT				
ID to link to the dispense table	T_ID				
Unique ID of External Message Pes table, for the site	T_ID				
Status code - Link to list_of_val table for ext_msg_stat_cd	T_CD				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Message type sent to PES	T_XID				
Column result of the operation	T_XID				
Pharmacy Identifier - link to pharmacy table	T_XID				
Date and time that the response was received from e-Rx.	T_DT				
Store the date and time of response was received from e-RX(ePrescription)	T_DTZ			12	
Unique Script Identifier (SCID) - links later dispensing actions back to original dispensing. Obtained from PES adapter via scid_cache table.	T_XID			12	
Date and time that the request was sent to e-Rx.	T_DT				
Sequence value for ePrescription item	T_ID				
Site identifier - Link to site table	T_SID				
Column to save batch number	T_BNBR	NULL			
Column to save batch experianace date	T_DT	NULL			
Chute identifier - link to chute table	T_XID	NULL			
Date and time that the row was created.	T_DT	NULL			
Unique ID of External Message Robot table, for the site	T_ID	NULL			
Status code - Link to list_of_val table for ext_msg_stat_cd	T_CD	NULL			
GTIN - link to gtin table	T_XID	NULL			
Column to save input delivery number	T_XID	NULL			
Code of the user who last modified the record.	T_UID	NULL			
Date and time that the row was last modified.	T_DT	NULL			
The unique identifier from the InputRequest message, found in MSH-10.	T_NOTE	NULL			
Whether the an InputRequest message is for a goods receipt item ('Y'), or a stock return item ('N').	T_IND	NULL			
Order quantity, for Input Request messages.	T_QTY	NULL			
The package index id from the InputRequest message, if present.	T_ID	NULL			
Column to save part pack quantity value	T_QTY	NULL			
Transaction priority for sending and receiving of interface messages - link to robot_interface table.	T_ID	NULL			
Product Identifier - Link to product table	T_ID				
Robot Identifier - Link to robot table	T_ID	NULL			
robot service external xid value	T_XID	NULL			
robot store Id value	T_XID	NULL			
Robot type / model - Link to list_of_val table using robot_type_cd	T_CD	NULL			
User created code to indicate the code for the robot.	T_XID	NULL			
Column to save serial number	T_BNBR	NULL			
Site identifier - Link to site table	T_SID	NULL			
site xid value	T_XID	NULL			
store xid value	T_XID	NULL			
Transaction Identifier for OutputRequest message. A single transaction e.g. Distribution may have >1 item, based on Items per Message value. For InputRequests the ord_id is present where the Type is 'Goods Receipt'	T_ID	NULL			
Transaction type - link to list_of_val table for rob_tran_type_cd	T_CD	NULL			
Urgency indicator	T_IND	'N'			
Workstation ID - link to workstation table.	T_CD	NULL			
Cost Centre Code - Link to the Cost centre table	T_XID				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
External Organisation Address 1	T_ADDR				
External Organisation Address 2	T_ADDR				
External Organisation Address 3	T_ADDR				
External Organisation Address 4	T_ADDR				
External Organisation Country	T_CNTRY				
External Organisation Contact Name	T_NAME				
External Organisation Fax Number	T_PHONE				
External Organisation Name	T_NAME				
External Organisation Note	T_NOTE				
External Organisation Phone number	T_PHONE				
External Organisation Postal Code	T_POSTCODE				
Unique identifer for External Organisation	T_XID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Site identifier - Link to site table	T_SID				
This is used to identify the External Payment ID	T_ID				
Patient identifier - Link to patient table	T_ID				
Site associated with patient record - Link to site table	T_SID				
Site identifier - Link to site table	T_SID				

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Date and time that the row was created.	T_DT				
External PRF Amount	T_AMT				
External PRF Date	T_DT				
Unique identifer for External Prescription Record Form (PRF)	T_ID				
External PRF note	T_NOTE				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Patient identifier - Link to patient table	T_ID				
Site associated with patient record - Link to site table	T_SID				
Date and time that the row was created.	T_DT				
Date entered for the extract	T_DT				
Unique ID used to identify the extract	T_ID				
Link to Extract Type table	T_ID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Site identifier - Link to site table	T_SID				
Date and time that the row was created.	T_DT				
Name of the Extract File	T_FILE				
Amount for extracted File	T_TOTALAMT				
Description of Extracted File	T_DESC				
unique ID of Extract File	T_ID				
File location of extract file	T_PATH				
No. of Rows of Extracted	T_ROWS				
Link to Extract table	T_ID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Site identifier - Link to site table	T_SID				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Extract group description	T_DESC				
unique ID of the Extract Group	T_ID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Date and time that the row was created.	T_DT				
Extract output description	T_DESC				
Extract Filename template	T_FILE				
File format for extract file - link to list_of_val	T_CD				
unique ID of the Extract Output	T_ID				
Sequence no for Extract Output	T_SEQ				
Link to Extract Proc table	T_ID				
Link to Extract Type table	T_ID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Name of the data window for extract parameter	T_DW				
Data window description of Extract Parameter	T_DESC				
unique ID of Extract Parameter Data window	T_ID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Description of Extract Procedure	T_DESC				
unique ID of Extract Procedure row	T_ID				
EXECUTE sql statement for Extract Procedure	T_SQL				
Code for Extract Procedure type	T_CD				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Link to Extract Group	T_ID				
Link to Extract Parameter Data window	T_ID				
Link to Extract Procedure	T_ID				
Description of Extract Type	T_DESC				
unique ID of the Extract Type	T_ID				
Extract Type note	T_NOTE				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with F					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
FAMILY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FAMILY	FAMILY_ID	INT	NOT NULL	Unique ID of Family Identifier	T_ID
FAMILY	FAMILY_NOTE	VARCHAR (255)	NULL	Family note	T_NOTE
FAMILY	FAMILY_SURNAME	VARCHAR (255)	NULL	Family Surname	T_NAME
FAMILY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FAMILY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FAMILY	MEDICARE_NBR	VARCHAR (15)	NULL	Medicare Number	T_NBR
FIN_HIERARCHY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FIN_HIERARCHY	FIN_HIERARCHY	VARCHAR (255)	NOT NULL	Hierarchy for financial class	T_NOTE
FIN_HIERARCHY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FIN_HIERARCHY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FIN_HIERARCHY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FIN_HIERARCHY	TRAN_ID	INT	NOT NULL	Link to fin_tran table	T_ID
FIN_HIERARCHY	TRAN_TYPE_CD	VARCHAR (5)	NOT NULL	Transaction Type Code	T_CD
FIN_STRUCT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FIN_STRUCT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
FIN_STRUCT	FIN_HIERARCHY	VARCHAR (255)	NOT NULL	Hierarchy for financial class	VARCHAR
FIN_STRUCT	FIN_SITE_SID	SMALLINT	NULL	Sequence identifier for Financial Site	T_SID
FIN_STRUCT	FIN_STRUCT_DESC	VARCHAR (255)	NOT NULL	Description for Financial structure	VARCHAR
FIN_STRUCT	FIN_STRUCT_ID	INT	NOT NULL	unique ID of Financial Structure row	T_ID
FIN_STRUCT	FIN_STRUCT_TYPE	VARCHAR (20)	NOT NULL	Financial Structure Type	T_XID
FIN_STRUCT	FIN_STRUCT_TYPE_SEQ	SMALLINT	NOT NULL	Sequence for Financial structure Type	T_SID
FIN_STRUCT	FIN_STRUCT_XID	VARCHAR (20)	NOT NULL	Short code for Financial structure	T_XID
FIN_STRUCT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FIN_STRUCT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FIN_STRUCT	PARENT_FIN_STRUCT_ID	INT	NULL	Parent financial Structure identifier	T_ID
FIN_STRUCT_TYPE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FIN_STRUCT_TYPE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
FIN_STRUCT_TYPE	FIN_STRUCT_TYPE	VARCHAR (20)	NOT NULL	Financial Structure Type	T_XID
FIN_STRUCT_TYPE	FIN_STRUCT_TYPE_DESC	VARCHAR (40)	NOT NULL	Description of Financial structure type	T_DESC
FIN_STRUCT_TYPE	FIN_STRUCT_TYPE_SEQ	SMALLINT	NOT NULL	Sequence for Financial structure Type	T_SID
FIN_STRUCT_TYPE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FIN_STRUCT_TYPE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FIN_TRAN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FIN_TRAN	FIN_TRAN_AMT	NUMERIC(18,8)	NULL	Amount of the Financial Transaction	T_AMT
FIN_TRAN	FIN_TRAN_DT	DATETIME	NULL	Financial Transaction Date	T_DT
FIN_TRAN	FIN_TRAN_EXT_AMT	NUMERIC(18,8)	NULL	Financial Transaction Amount plus tax	T_AMT
FIN_TRAN	FIN_TRAN_ID	INT	NOT NULL	unique ID of Financial Transaction, for the site	T_ID
FIN_TRAN	FIN_TRAN_REF	VARCHAR (20)	NULL	Reference for Financial Transaction	T_REF
FIN_TRAN	FIN_TRAN_TYPE_CD	VARCHAR (5)	NOT NULL	Financial Transaction Type Code	T_CD
FIN_TRAN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FIN_TRAN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FIN_TRAN	RECV_ABN	VARCHAR (14)	NULL	ABN number of the Receiver	T_ABN
FIN_TRAN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FIN_TRAN	SUPP_ABN	VARCHAR (14)	NULL	ABN number of the supplier	T_ABN
FIN_TRAN	TRAN_ID	INT	NULL	Dispense ID when there is a variation in dispensing total price and charge amount.	T_ID
FIN_TRAN_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FIN_TRAN_EXTR	EXTR_ID	INT	NOT NULL	Link to the Extract table	T_ID
FIN_TRAN_EXTR	FIN_TRAN_ID	INT	NOT NULL	unique ID of the Financial Transaction, for the site	T_ID
FIN_TRAN_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FIN_TRAN_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FIN_TRAN_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FIN_TRAN_TYPE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FIN_TRAN_TYPE	FIN_TRAN_DIR_CD	VARCHAR (5)	NOT NULL	Financial transaction direction code	T_CD
FIN_TRAN_TYPE	FIN_TRAN_TYPE_CD	VARCHAR (5)	NOT NULL	unique ID of the Financial Transaction Type Code	T_CD
FIN_TRAN_TYPE	FIN_TRAN_TYPE_DESC	VARCHAR(40)	NOT NULL	Description of financial transaction type.	T_DESC
FIN_TRAN_TYPE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
FIN_TRAN_TYPE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FINANCE_CLASS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FINANCE_CLASS	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
FINANCE_CLASS	FIN_CLASS_DESC	VARCHAR (40)	NOT NULL	Description for Financial class	T_DESC
FINANCE_CLASS	FIN_CLASS_XID	VARCHAR (20)	NOT NULL	Unique code for the Financial Class, for the site	T_XID
FINANCE_CLASS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FINANCE_CLASS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FINANCE_CLASS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FINANCE_SUB_CLASS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FINANCE_SUB_CLASS	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
FINANCE_SUB_CLASS	FIN_CLASS_XID	VARCHAR (20)	NOT NULL	Code for Financial Class - Link to finance_class table	T_XID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

FINANCE_SUB_CLASS	FIN_SUB_DESC	VARCHAR (40)	NOT NULL	Description for Financial Sub class	T_DESC
FINANCE_SUB_CLASS	FIN_SUB_XID	VARCHAR (20)	NOT NULL	Unique code for the Financial Sub class, for the site	T_XID
FINANCE_SUB_CLASS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FINANCE_SUB_CLASS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FINANCE_SUB_CLASS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FRAME_PREFERENCES	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FRAME_PREFERENCES	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FRAME_PREFERENCES	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FRAME_PREFERENCES	PREF_KEY	VARCHAR (20)	NOT NULL	Preference Key name of frame	T_XID
FRAME_PREFERENCES	PREF_VALUE	VARCHAR (255)	NULL	Preference Key value	T_NOTE
FRAME_PREFERENCES	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FRAME_PREFERENCES	USER_CD	VARCHAR (15)	NOT NULL	Code to identify the user	T_CODE
FRAME_PREFERENCES	WKSTN_ID	INT	NOT NULL	Workstation identifier	T_ID
FREE_RET_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID
FREE_RET_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID
FREE_RET_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FREE_RET_ITEM	FREE_RET_ID	INT	NOT NULL	Link to Free Return table	T_ID
FREE_RET_ITEM	FREE_RET_QTY	NUMERIC(18,8)	NOT NULL	Quantity of free return	T_QTY
FREE_RET_ITEM	FRI_BATCH	VARCHAR (10)	NULL	Batch of Free Return Item	T_BATCH
FREE_RET_ITEM	FRI_BATCH_EXP_DT	DATETIME	NULL	Batch Expiry Date of Free Return Item	T_DT
FREE_RET_ITEM	FRI_ITEM_ID	INT	NOT NULL	unique ID of the Free Item, for the site	T_ID
FREE_RET_ITEM	FRI_REASON_DESC	VARCHAR (40)	NULL	Reason description of Free Return	T_DESC
FREE_RET_ITEM	FRI_STAT_CD	VARCHAR (5)	NOT NULL	Status code for Free Return Item	T_CD
FREE_RET_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FREE_RET_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FREE_RET_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
FREE_RET_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
FREE_RET_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FREE_RET_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
FREE_RETURN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FREE_RETURN	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
FREE_RETURN	CUST_REF	VARCHAR (20)	NULL	Customer Reference	T_REF
FREE_RETURN	FREE_RET_DT	DATETIME	NOT NULL	Free Return Date	T_DT
FREE_RETURN	FREE_RET_ID	INT	NOT NULL	Unique ID of the Free Return, for the site	T_ID
FREE_RETURN	FREE_RET_NOTE	VARCHAR (255)	NULL	Free Return note	T_NOTE
FREE_RETURN	FREE_RET_PDE_IND	CHAR (1)	NOT NULL	PDE indicator of Free Return	T_IND
FREE_RETURN	FREE_RET_STAT_CD	VARCHAR (5)	NOT NULL	Status code for Free Return	T_CD
FREE_RETURN	FREE_RET_TYPE_CD	VARCHAR (5)	NOT NULL	Type code for Free Return	T_CD
FREE_RETURN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FREE_RETURN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FREE_RETURN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FREE_RETURN	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
FREE_RETURN	VERIFIED_BY	VARCHAR (30)	NULL	Code for the User who verifies	T_UID
FREE_RETURN_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FREE_RETURN_EXTR	EXTR_ID	INT	NOT NULL	Link to Extract table	T_ID
FREE_RETURN_EXTR	FREE_RET_ID	INT	NOT NULL	Unique ID of Free Return, for the site	T_ID
FREE_RETURN_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FREE_RETURN_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FREE_RETURN_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
FUNCTION_KEY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
FUNCTION_KEY	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND
FUNCTION_KEY	FUNC_KEY_DESC	VARCHAR (40)	NOT NULL	Function key description	T_DESC
FUNCTION_KEY	FUNC_KEY_XID	VARCHAR (20)	NOT NULL	Short identifier of the function key	T_XID
FUNCTION_KEY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
FUNCTION_KEY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
FUNCTION_KEY	SORT_SEQ	INT	NOT NULL	Sorting sequence of the function key list	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule

New or adjusted in version	Notes

Dedalus

Tables starting with G							
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**	**Default**	**Rule**
GOAL_SHEET	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GOAL_SHEET	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
GOAL_SHEET	DEFAULT_UNIT_PID	INT	NOT NULL	Goal sheet Default Unit identifier	T_PID		
GOAL_SHEET	DPERIOD_ID	INT	NOT NULL	Default Dosage Period	T_ID		
GOAL_SHEET	DPERIOD_UNIT_PID	INT	NOT NULL	Dosage Period unit identifier	T_PID		
GOAL_SHEET	GS_DIR_TEXT	VARCHAR (255)	NULL	Goal sheet Direction text	VARCHAR		
GOAL_SHEET	GS_ID	INT	NOT NULL	Goal Sheet identifier	T_ID		
GOAL_SHEET	GS_NAME	VARCHAR (255)	NOT NULL	Goal sheet Name	T_NAME		
GOAL_SHEET	GS_NOTES	VARCHAR (255)	NULL	Goal sheet Notes	T_NOTE		
GOAL_SHEET	GS_REF_ID	INT	NOT NULL	Unique ID for Goal Sheet	T_ID		
GOAL_SHEET	GS_SHORT	VARCHAR (10)	NOT NULL	Goal sheet Short code	T_SHORT		
GOAL_SHEET	GS_STAT_CD	VARCHAR (5)	NOT NULL	Goal sheet Status	T_CD		
GOAL_SHEET	GS_STAT_DT	DATETIME	NULL	Goal sheet status modified date	T_DT		
GOAL_SHEET	GS_STYLE_CD	VARCHAR (5)	NOT NULL	Goal sheet Style	T_CD		
GOAL_SHEET	GS_TYPE_CD	VARCHAR (5)	NOT NULL	Goal sheet Type	T_CD		
GOAL_SHEET	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GOAL_SHEET	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GOAL_SHEET	SCRIPT_DESC	VARCHAR (255)	NOT NULL	Script details	VARCHAR		
GOAL_SHEET	SITE_SID	SMALLINT	NOT NULL	Unique ID used to identify the site associated with the goal sheet	T_SID		
GOAL_SHEET	VERSION_ID	INT	NULL	Goal sheet Version	T_ID		
GOODS_RECEIPT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GOODS_RECEIPT	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND	Y	
GOODS_RECEIPT	GR_AP_EXTRACT	INT	NULL	Goods Receipt extract	T_EXTRACT		
GOODS_RECEIPT	GR_AUTH_BY	VARCHAR(30)	NULL	Code of the user who authorise the supplier invoice	T_UID		
GOODS_RECEIPT	GR_DELIV_REF	VARCHAR (20)	NULL	Goods Receipt Delivery Reference No.	T_REF		
GOODS_RECEIPT	GR_DESP_NBR	VARCHAR(15)	NULL	Despatch number for the goods receipt	T_NBR		
GOODS_RECEIPT	GR_DIR_CD	VARCHAR (5)	NOT NULL	Goods Receipt Direction Code	T_CD		
GOODS_RECEIPT	GR_DT	DATETIME	NOT NULL	Goods Receipt Date	T_DT		
GOODS_RECEIPT	GR_EXT_FREIGHT_COST	NUMERIC(18,8)	NULL	Goods Receipt freight cost with Tax	T_COST		
GOODS_RECEIPT	GR_FREIGHT_COST	NUMERIC(18,8)	NULL	Goods Receipt Freight cost	T_COST		
GOODS_RECEIPT	GR_FREIGHT_TAX_AMT	NUMERIC(18,8)	NULL	Goods Receipt Tax Amount	T_AMT		
GOODS_RECEIPT	GR_ID	INT	NOT NULL	Unique ID of Goods Receipt, for the site	T_ID		
GOODS_RECEIPT	GR_INVC_REF	VARCHAR (20)	NULL	Goods Receipt Invoice Reference	T_REF		
GOODS_RECEIPT	GR_INVC_TAX_AMT	NUMERIC(18,8)	NULL	Goods Receipt Tax amount	T_AMT		
GOODS_RECEIPT	GR_INVC_TOT_COST	NUMERIC(18,8)	NULL	Goods Receipt / Invoice Total Cost	T_COST		
GOODS_RECEIPT	GR_INVC_TOT_EXT_COST	NUMERIC(18,8)	NULL	Goods Receipt / Invoice Total Cost with Tax	T_COST		
GOODS_RECEIPT	GR_NOTE	VARCHAR (255)	NULL	Goods Receipt Note	T_NOTE		
GOODS_RECEIPT	GR_ROB_IND	CHAR(1)	NOT NULL	Column to save the robot indicator	T_IND	N	
GOODS_RECEIPT	GR_STAT_CD	VARCHAR (5)	NOT NULL	Goods Receipt Status Code	T_CD		
GOODS_RECEIPT	GR_TYPE_CD	VARCHAR (5)	NOT NULL	Types of Goods Receipt	T_CD		
GOODS_RECEIPT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GOODS_RECEIPT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GOODS_RECEIPT	LOC_TYPE_CD	VARHCHAR(5)	NULL	Location type (robot, non robot or both) - link to list_of_val table	T_CD	NULL	
GOODS_RECEIPT	ORD_ID	INT	NOT NULL	Link to Orders table	T_ID		
GOODS_RECEIPT	PDE_IND	CHAR (1)	NOT NULL	PDE indicator	T_IND		
GOODS_RECEIPT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GOODS_RECEIPT	SSCC_NBR	VARCHAR(20)	NULL	SSCC number for the goods receipt	T_PAPN		
GOODS_RECEIPT	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies	T_UID		
GOODS_RECEIPT_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GOODS_RECEIPT_EXTR	EXTR_ID	INT	NOT NULL	Unique ID of the Extract, for the site	T_ID		
GOODS_RECEIPT_EXTR	GR_ID	INT	NOT NULL	Link to Goods Receipt table	T_ID		
GOODS_RECEIPT_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GOODS_RECEIPT_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GOODS_RECEIPT_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GR_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID		
GR_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID		
GR_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GR_ITEM	FIN_TRAN_ID	INT	NULL	Financial Transaction Identifier	T_ID		
GR_ITEM	GR_COST_EXTN_AMT	NUMERIC(18,8)	NOT NULL	Goods Receipt Total Cost	T_AMT		
GR_ITEM	GR_DEL_ITEM_ID	INT	NULL	ID of the Goods Receipt Item that has been Deleted	T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

GR_ITEM	GR_EXT_COST	NUMERIC(18,8)	NOT NULL	Goods Receipt cost with tax	T_COST		
GR_ITEM	GR_EXT_PRICE	NUMERIC(18,8)	NULL	Goods Receipt price with tax	T_PRICE		
GR_ITEM	GR_ID	INT	NOT NULL	Link to the Goods Receipt table	T_ID		
GR_ITEM	GR_ITEM_BATCH	VARCHAR (10)	NULL	Goods Receipt Item batch no.	T_BATCH		
GR_ITEM	GR_ITEM_ID	INT	NOT NULL	Unique ID of the Goods Receipt Item, for the site	T_ID		
GR_ITEM	GR_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Goods Receipt Status code	T_CD		
GR_ITEM	GR_PRICE	NUMERIC(18,8)	NULL	Goods Receipt Price	T_PRICE		
GR_ITEM	GR_QTY	NUMERIC(18,8)	NOT NULL	Goods Receipt quantity	T_QTY		
GR_ITEM	GRI_BATCH_EXP_DT	DATETIME	NULL	Goods Receipt Item Batch Expiry Date	T_DT		
GR_ITEM	GRI_FREIGHT_COST	NUMERIC(18,8)	NULL	Goods receipt item freight cost	T_COST		
GR_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GR_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GR_ITEM	LOC_ID	INT	NULL	Store Location ID - Link to location table	T_ID		
GR_ITEM	ORD_ITEM_ID	INT	NOT NULL	Link to the Order Item table	T_ID		
GR_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
GR_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GR_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID		
GR_WORK	COST_CNTR_XID	VARCHAR(20)	NULL	Cost Centre Code - Link to the Cost centre table	T_XID		
GR_WORK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GR_WORK	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND		
GR_WORK	GR_NOTE	TEXT	NULL	Goods Receipt worksheet note	T_TEXT		
GR_WORK	GR_WORK_DESC	VARCHAR(40)	NULL	Goods Receipt worksheet description	T_DESC		
GR_WORK	GR_WORK_DT	DATETIME	NOT NULL	Date of the gr worksheet	T_DT		
GR_WORK	GR_WORK_ID	INT	NOT NULL	Unique ID of Goods Receipt worksheet, for the site	T_ID		
GR_WORK	GR_WORK_STAT_CD	VARCHAR(5)	NOT NULL	Goods Receipt worksheet status code	T_CD		
GR_WORK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GR_WORK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GR_WORK	ORD_TYPE_CD	VARCHAR (5)	NOT NULL	Order type	T_CD		
GR_WORK	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GR_WORK	SSCC_NBR	VARCHAR(20)	NULL	SSCC code for the Goods Receipt worksheet	T_PAPN		
GR_WORK	STORE_XID	VARCHAR(20)	NULL	Code to link to the Store table	T_XID		
GR_WORK	VERIFIED_BY	VARCHAR (30)	NULL	The User who has verified this record.	T_UID		
GR_WORK_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GR_WORK_ITEM	EDI_ID	INT	NOT NULL	Unique EDI identifier	T_ID		
GR_WORK_ITEM	GR_ITEM_ID	INT	NULL	Link to gr_item table	T_ID		
GR_WORK_ITEM	GR_WORK_ID	INT	NOT NULL	Link to Goods Receipt worksheet table	T_ID		
GR_WORK_ITEM	GR_WORK_ITEM_ID	INT	NOT NULL	Unique ID of Goods Receipt worksheet item, for the site	T_ID		
GR_WORK_ITEM	GR_WORK_TYPE	VARCHAR(15)	NULL	Goods Receipt worksheet item work type	T_CODE		
GR_WORK_ITEM	GWI_STAT_CD	VARCHAR(5)	NOT NULL	Goods Receipt worksheet item status code	T_CD		
GR_WORK_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GR_WORK_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GR_WORK_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
GR_WORK_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GR_WORK_ITEM	SUPP_XID	VARCHAR(20)	NULL	Code used to link to the Supplier record	T_XID		
GR_WORK_ITEM	UOM_ID	INT	NOT NULL	UOM identifier for the product	T_ID		
GS_CONSTRUCTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_CONSTRUCTION	DIR_TEXT	VARCHAR (255)	NULL	Direction text	VARCHAR (255)		
GS_CONSTRUCTION	EXT_LBL_ID	INT	NULL	Number of extra labels to be printed	T_ID		
GS_CONSTRUCTION	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_CONSTRUCTION	GSLBL_FMT_ID	INT	NULL	Goal Sheet label format	T_ID		
GS_CONSTRUCTION	GSPACK_UOM_ID	INT	NULL	Goal Sheet pack UOM	T_ID		
GS_CONSTRUCTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_CONSTRUCTION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_CONSTRUCTION	PHASE_CD	VARCHAR (5)	NOT NULL	Phase details	T_CD		
GS_CONSTRUCTION	PROD_NAME	VARCHAR (255)	NULL	Product name	T_NAME		
GS_CONSTRUCTION	SHELF_LIFE_QTY	NUMERIC(18,8)	NULL	Shelf life quantity	T_QTY		
GS_CONSTRUCTION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_CONSTRUCTION	SLIFE_UNIT_PID	INT	NULL	Shelf life unit identifier	T_PID		
GS_CONSTRUCTION_ITEM	CON_ITEM_CD	VARCHAR (5)	NOT NULL	Goal Sheet construction property	T_CD		
GS_CONSTRUCTION_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_CONSTRUCTION_ITEM	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_CONSTRUCTION_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_CONSTRUCTION_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_CONSTRUCTION_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_FORMULATION	AUTHORISED_BY	VARCHAR (30)	NULL	Code of User who authorized the Goal sheet Formulation	T_UID		
GS_FORMULATION	AUTHORISED_DT	DATETIME	NULL	Authorized Date	T_DT		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

GS_FORMULATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_FORMULATION	GLUCOSE_QTY	NUMERIC (18,8)	NULL	Glucose concentration for a Goal Sheet Formulation	T_QTY		
GS_FORMULATION	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_FORMULATION	GSF_ID	INT	NOT NULL	Unique Goal sheet Formulation identifier, for the site	T_ID		
GS_FORMULATION	GSF_STAT_CD	VARCHAR (5)	NOT NULL	Goal sheet Formulation status	T_CD		
GS_FORMULATION	GSO_ID	INT	NOT NULL	Goal sheet Order Identifier - Link to gs_order table	T_ID		
GS_FORMULATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_FORMULATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_FORMULATION	OVERAGE_AQS	NUMERIC(18,8)	NULL	Overage Aqueous quantity	T_QTY		
GS_FORMULATION	OVERAGE_LPD	NUMERIC(18,8)	NULL	Overage Lipid quantity	T_QTY		
GS_FORMULATION	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID		
GS_FORMULATION	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID		
GS_FORMULATION	PREP_PERIOD_ID	INT	NOT NULL	Prepared period	T_ID		
GS_FORMULATION	PREP_UNIT_PID	INT	NOT NULL	Prepared period unit identifier	T_PID		
GS_FORMULATION	QC_SAMPLE_AQS	NUMERIC(18,8)	NULL	QC sample Aqueous quantity	T_QTY		
GS_FORMULATION	QC_SAMPLE_LPD	NUMERIC(18,8)	NULL	QC sample Lipid quantity	T_QTY		
GS_FORMULATION	QTY_WITHDRAWN_AQS	NUMERIC(18, 8)	NULL	Quantity to be withdrawn from container prior to addition of ingredients (aqueous phase).	T_QTY	NULL	
GS_FORMULATION	QTY_WITHDRAWN_LPD	NUMERIC(18, 8)	NULL	Quantity to be withdrawn from container prior to addition of ingredients (lipid phase).	T_QTY	NULL	
GS_FORMULATION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_FORMULATION	VERIFIED_BY	VARCHAR (30)	NULL	Code of User who verified the Goal sheet Formulation	T_UID		
GS_FORMULATION	VERIFIED_DT	DATETIME	NULL	Verified Date	T_DT		
GS_FORMULATION	WASTAGE_AQS	NUMERIC(18,8)	NULL	Wastage Aqueous quantity	T_QTY		
GS_FORMULATION	WASTAGE_LPD	NUMERIC(18,8)	NULL	Wastage Lipid quantity	T_QTY		
GS_FORMULATION_ALERT	ALERT_DT	DATETIME	NOT NULL	GSF Alert date	T_DT		
GS_FORMULATION_ALERT	ALERT_STAT_CD	VARCHAR (5)	NOT NULL	GSF Alert status	T_CD		
GS_FORMULATION_ALERT	CALC_QTY	NUMERIC(18,8)	NULL	Calculated quantity	T_QTY		
GS_FORMULATION_ALERT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_FORMULATION_ALERT	DSPN_ID	INT	NULL	ID to link to the dispense table	T_ID		
GS_FORMULATION_ALERT	GFA_ADTL_ID	INT	NOT NULL	Goal sheet Formulation alert detail identifier	T_ID		
GS_FORMULATION_ALERT	GFA_ALERT_ID	INT	NOT NULL	Goal sheet Formulation alert identifier	T_ID		
GS_FORMULATION_ALERT	GFA_TYPE_CD	VARCHAR (5)	NOT NULL	GSF Alert Type	T_CD		
GS_FORMULATION_ALERT	GSF_ID	INT	NOT NULL	Link to the gs_formulation table	T_ID		
GS_FORMULATION_ALERT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_FORMULATION_ALERT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_FORMULATION_ALERT	OVERRIDE_NOTE	VARCHAR (255)	NULL	Alert Override Notes	T_NOTE		
GS_FORMULATION_ALERT	OVERRIDEN_BY	VARCHAR (30)	NOT NULL	Code of the User who has overridden the Alert	T_UID		
GS_FORMULATION_ALERT	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID		
GS_FORMULATION_ALERT	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID		
GS_FORMULATION_ALERT	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table	T_ID		
GS_FORMULATION_ALERT	RANGE_L	NUMERIC(18,8)	NULL	Range lower	T_QTY		
GS_FORMULATION_ALERT	RANGE_U	NUMERIC(18,8)	NULL	Range upper	T_QTY		
GS_FORMULATION_ALERT	RX_QTY	NUMERIC(18,8)	NULL	Ordered quantity	T_QTY		
GS_FORMULATION_ALERT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_FORMULATION_ALERT	UNIT_PID	INT	NULL	Unit identifier - Link to unit table	T_PID		
GS_FORMULATION_ALERT	VARIATION_DESC	VARCHAR (40)	NULL	Variation description	T_DESC		
GS_FORMULATION_PROD	ASSEMBLY_SEQ	INT	NOT NULL	Assembly sequence	T_SEQ		
GS_FORMULATION_PROD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_FORMULATION_PROD	DEF_PROP_ID	INT	NULL	Default property - Link to property table	T_ID		
GS_FORMULATION_PROD	DEF_UNIT_PID	INT	NULL	Default unit identifier - Link to unit table	T_PID		
GS_FORMULATION_PROD	FINAL_QTY	NUMERIC(18,8)	NULL	Final quantity	T_QTY		
GS_FORMULATION_PROD	GSF_ID	INT	NOT NULL	Link to the gs_formulation table	T_ID		
GS_FORMULATION_PROD	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_FORMULATION_PROD	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_FORMULATION_PROD	LOC_ID	INT	NULL	Store Location ID - Link to location table	T_ID		
GS_FORMULATION_PROD	ORDERED_QTY	NUMERIC(18,8)	NULL	Ordered quantity	T_QTY		
GS_FORMULATION_PROD	PHASE_CD	VARCHAR (5)	NOT NULL	Phase detail - Link to list_of_val table	T_CD		
GS_FORMULATION_PROD	PREPARED_QTY	NUMERIC(18,8)	NULL	Prepareded quantity	T_QTY		
GS_FORMULATION_PROD	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID		
GS_FORMULATION_PROD	PROD_REF_ID	INT	NOT NULL	Product reference identifier - Link to gs_formulation_prop table	T_ID		
GS_FORMULATION_PROD	QC_QTY	NUMERIC(18,8)	NULL	Quality control quantity	T_QTY		
GS_FORMULATION_PROD	RECON_ID	INT	NULL	Link to recon_prod table - Reconstitution identifier	T_ID		
GS_FORMULATION_PROD	SCALED_QTY	NUMERIC(18,8)	NULL	Scaled quantity	T_QTY		
GS_FORMULATION_PROD	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_FORMULATION_PROD	TOTAL_QTY	NUMERIC(18,8)	NOT NULL	Total quantity	T_QTY		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

GS_FORMULATION_PROD	TOTAL_UNIT_PID	INT	NOT NULL	Total quantity Unit identifier- Link to unit table	T_PID		
GS_FORMULATION_PROD	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID		
GS_FORMULATION_PROD	USE_CONTAINER_IND	CHAR (1)	NOT NULL	Use container Indicator	T_IND		
GS_FORMULATION_PROD	WASTE_OVER_QTY	NUMERIC(18,8)	NULL	Wastage and Overage quantity	T_QTY		
GS_FORMULATION_PROP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_FORMULATION_PROP	GSF_ID	INT	NOT NULL	Link to the gs_formulation table	T_ID		
GS_FORMULATION_PROP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_FORMULATION_PROP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_FORMULATION_PROP	PHASE_CD	VARCHAR (5)	NOT NULL	Phase detail - Link to list_of_val table	T_CD		
GS_FORMULATION_PROP	PROCESS_SEQ	INT	NOT NULL	Processing sequence	T_SEQ		
GS_FORMULATION_PROP	PROD_REF_ID	INT	NOT NULL	Product reference identifier - Link to gs_formulation_prop table	T_ID		
GS_FORMULATION_PROP	PROP_ID	INT	NOT NULL	Link to property table	T_ID		
GS_FORMULATION_PROP	PROP_QTY	NUMERIC(18,8)	NOT NULL	Product quantity	T_QTY		
GS_FORMULATION_PROP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_FORMULATION_PROP	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID		
GS_FORMULATION_RESOURCE	CONTAIN_QTY	NUMERIC(18,8)	NULL	Container quantity	T_QTY		
GS_FORMULATION_RESOURCE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_FORMULATION_RESOURCE	GFR_ID	INT	NOT NULL	Goal sheet Formulation Resource identifier	T_ID		
GS_FORMULATION_RESOURCE	GSF_ID	INT	NOT NULL	Link to the gs_formulation table	T_ID		
GS_FORMULATION_RESOURCE	INVEN_IND	CHAR (1)	NOT NULL	Inventory Indicator	T_IND		
GS_FORMULATION_RESOURCE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_FORMULATION_RESOURCE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_FORMULATION_RESOURCE	LOC_ID	INT	NULL	Store Location ID - Link to location table	T_ID		
GS_FORMULATION_RESOURCE	PHASE_CD	VARCHAR (5)	NULL	Phase detail - Link to list_of_val table	T_CD		
GS_FORMULATION_RESOURCE	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID		
GS_FORMULATION_RESOURCE	RESOURCE_ID	INT	NOT NULL	Resource identifier - Link to resource table	T_ID		
GS_FORMULATION_RESOURCE	RESOURCE_QTY	NUMERIC(18,8)	NULL	Resource quantity	T_QTY		
GS_FORMULATION_RESOURCE	RESOURCE_TYPE_CD	VARCHAR (5)	NOT NULL	Resource type - Link to list_of_val table	T_CD		
GS_FORMULATION_RESOURCE	RESOURCE_USE_CD	VARCHAR (5)	NOT NULL	Resource usage- Link to list_of_val table	T_CD		
GS_FORMULATION_RESOURCE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_FORMULATION_RESOURCE	UOM_ID	INT	NULL	UOM identifier	T_ID		
GS_LABEL_PRINTING	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_LABEL_PRINTING	DSPN_ID	INT	NOT NULL	ID to link to the dispense table	T_ID		
GS_LABEL_PRINTING	GS_FMT_DESC	VARCHAR (40)	NULL	Goal sheet label format description	T_DESC		
GS_LABEL_PRINTING	GS_LBL_ID	INT	NOT NULL	Goal sheet Label identifier	T_ID		
GS_LABEL_PRINTING	GS_TOT_COPIES	INT	NULL	Total number copies	T_ID		
GS_LABEL_PRINTING	GSLBL_FMT_ID	INT	NULL	Goal sheet label format identifier	T_ID		
GS_LABEL_PRINTING	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_LABEL_PRINTING	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_LABEL_PRINTING	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_NOTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_NOTE	GS_NOTE	VARCHAR (255)	NULL	Goal sheet Method Notes	T_NOTE		
GS_NOTE	GS_NOTE_ID	INT	NOT NULL	Goal sheet Method Note identifier	T_ID		
GS_NOTE	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_NOTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_NOTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_NOTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_ORDER	AUTHORISED_BY	VARCHAR (30)	NULL	Code for User who authorized the Goal sheet Order	T_UID		
GS_ORDER	AUTHORISED_DT	DATETIME	NULL	Authorized Date	T_DT		
GS_ORDER	CONSIDER_CONT_IND	CHAR (1)	NOT NULL	Consider containers Indicator	T_IND		
GS_ORDER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_ORDER	DAY_NUMBER_ID	INT	NOT NULL	Day number	T_ID		
GS_ORDER	DPERIOD_ID	INT	NOT NULL	Ordered dosage period	T_ID		
GS_ORDER	DPERIOD_UNIT_PID	INT	NOT NULL	Ordered dosage period unit Identifier - Link to unit table	T_PID		
GS_ORDER	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_ORDER	GS_STYLE_CD	VARCHAR (5)	NOT NULL	Goal sheet Style - Link to list_of_val table	T_CD		
GS_ORDER	GS_TYPE_CD	VARCHAR (5)	NOT NULL	Goal sheet type - Link to list_of_val table	T_CD		
GS_ORDER	GSO_DT	DATETIME	NOT NULL	Goal sheet Order date	T_DT		
GS_ORDER	GSO_ID	INT	NOT NULL	Goal sheet Order Identifier	T_ID		
GS_ORDER	GSO_STAT_CD	VARCHAR (5)	NOT NULL	Goal sheet Order status	T_CD		
GS_ORDER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_ORDER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_ORDER	PACK_NUMBER_ID	INT	NOT NULL	Pack number - the last known pack number plus the number of packs actually dispensed since last known pack number was recorded. Re-starts per day, or per course (based on construction property).	T_ID		
GS_ORDER	PAT_BIRTH_DT	DATETIME	NULL	Patient Date of Birth	T_DT		
GS_ORDER	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

GS_ORDER	PAT_SEX	CHAR (1)	NULL	Patient sex information	CHAR (1)		
GS_ORDER	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID		
GS_ORDER	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_ORDER	VERIFIED_BY	VARCHAR (30)	NULL	Code for User who verified the Goal sheet Order	T_UID		
GS_ORDER	VERIFIED_DT	DATETIME	NULL	Verified Date	T_DT		
GS_ORDER_NOTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_ORDER_NOTE	GSO_ID	INT	NOT NULL	Goal sheet Order Identifier - Link to gs_order table	T_ID		
GS_ORDER_NOTE	GSO_NOTE	VARCHAR (255)	NULL	Goal sheet order Method Notes	T_NOTE		
GS_ORDER_NOTE	GSO_NOTE_ID	INT	NOT NULL	Goal sheet order Method Note identifier	T_ID		
GS_ORDER_NOTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_ORDER_NOTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_ORDER_NOTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_ORDER_PROP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_ORDER_PROP	DOSE_QTY	NUMERIC(18,8)	NULL	Dose range quantity	T_QTY		
GS_ORDER_PROP	DOSE_RANGE_L	NUMERIC(18,8)	NULL	Dose range lower	T_QTY		
GS_ORDER_PROP	DOSE_RANGE_U	NUMERIC(18,8)	NULL	Dose range upper	T_QTY		
GS_ORDER_PROP	ENTRY_SEQ	INT	NOT NULL	Entry sequence	T_SEQ		
GS_ORDER_PROP	GSO_ID	INT	NOT NULL	Goal sheet Order Identifier - Link to gs_order table	T_ID		
GS_ORDER_PROP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_ORDER_PROP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_ORDER_PROP	PROCESSING_SEQ	INT	NOT NULL	Processing sequence	T_SEQ		
GS_ORDER_PROP	PROP_ID	INT	NOT NULL	Property Identifier -Link to propert table	T_ID		
GS_ORDER_PROP	QUALF_PID	INT	NULL	Qualifier Identifier	T_PID		
GS_ORDER_PROP	RANGE_L	NUMERIC(18,8)	NULL	Range lower	T_QTY		
GS_ORDER_PROP	RANGE_U	NUMERIC(18,8)	NULL	Range upper	T_QTY		
GS_ORDER_PROP	RX_QTY	NUMERIC(18,8)	NOT NULL	Order quantity	T_QTY		
GS_ORDER_PROP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_ORDER_PROP	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID		
GS_PATATTRIBUTE	ATTR_ID	INT	NOT NULL	Attribute identifier - Link to attribute table	T_ID		
GS_PATATTRIBUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_PATATTRIBUTE	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_PATATTRIBUTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_PATATTRIBUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_PATATTRIBUTE	PAT_ATTR_L	NUMERIC	NULL	Patient attribute lower	NUMERIC (18,8)		
GS_PATATTRIBUTE	PAT_ATTR_U	NUMERIC	NULL	Patient attribute upper	NUMERIC (18,8)		
GS_PATATTRIBUTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_PATATTRIBUTE	UNIT_PID	INT	NULL	Unit identifier - Link to unit table	T_PID		
GS_PATATTRIBUTE	UNIT_QLF_PID	INT	NULL	Unit qualifier identifier - Link to unit table	T_PID		
GS_PATATTRIBUTE	USER_DEFINED_IND	CHAR (1)	NULL	User Defined Indicator	T_IND		
GS_PROPERTY	ASSEMBLY_SEQ	INT	NOT NULL	Assembly sequence	T_SEQ		
GS_PROPERTY	CONTAINER_IND	CHAR(1)	NOT NULL	Container indicator for a property.	T_IND		
GS_PROPERTY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_PROPERTY	DAY_NAME	VARCHAR (255)	NULL	Recurrence day name	T_NAME		
GS_PROPERTY	DFLT_RANGE_IND	CHAR (1)	NOT NULL	Default range Indicator	T_IND		
GS_PROPERTY	DOSE_QTY	NUMERIC(18,8)	NOT NULL	Dose quantity	T_QTY		
GS_PROPERTY	ENTRY_SEQ	INT	NOT NULL	Entry sequence	T_SEQ		
GS_PROPERTY	GS_PROP_ID	INT	NOT NULL	Goal sheet Property Identifier	T_ID		
GS_PROPERTY	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_PROPERTY	LABEL_SEQ	INT	NOT NULL	Label sequence	T_SEQ		
GS_PROPERTY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_PROPERTY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_PROPERTY	LEVEL_XID	VARCHAR (20)	NULL	Level Xid - Link to list_of_val table	T_XID		
GS_PROPERTY	PHASE_CD	VARCHAR(5)	NULL	Phase detail - Link to list_of_val table	T_CD		
GS_PROPERTY	PROCESS_SEQ	INT	NOT NULL	Processing sequence	T_SEQ		
GS_PROPERTY	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID		
GS_PROPERTY	PROP_DOSE_ID	INT	NULL	Property dose range identifier - Link to prop_dose table	T_ID		
GS_PROPERTY	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table	T_ID		
GS_PROPERTY	PROP_UNIT_PID	INT	NOT NULL	Propert unit Identifier	T_PID		
GS_PROPERTY	QUALF_PID	INT	NULL	Propert qualifier Identifier	T_PID		
GS_PROPERTY	RANGE_L	NUMERIC(18,8)	NULL	Range lower	T_QTY		
GS_PROPERTY	RANGE_U	NUMERIC(18,8)	NULL	Range upper	T_QTY		
GS_PROPERTY	RECON_ID	INT	NULL	Link to recon_prod table - Reconstitution identifier	T_ID		
GS_PROPERTY	RECUR_DESC	VARCHAR (40)	NOT NULL	Recurrence description	T_DESC		
GS_PROPERTY	RECUR_TIMES_ID	INT	NULL	Recurrence Times	T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

GS_PROPERTY	RECUR_UNIT_PID	INT	NULL	Recurrence Unit Identifier	T_PID		
GS_PROPERTY	RECURR_NOTE	VARCHAR (255)	NULL	Recurrence Notes	T_NOTE		
GS_PROPERTY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_PROPERTY	TOLER_PCT	DECIMAL(8,6)	NULL	Tolerance percentage	T_PCT		
GS_RESOURCE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_RESOURCE	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_RESOURCE	INVEN_IND	CHAR (1)	NOT NULL	Inventory Indicator	T_IND		
GS_RESOURCE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_RESOURCE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_RESOURCE	PHASE_CD	VARCHAR (5)	NULL	Phase detail - Link to list_of_val table	T_CD		
GS_RESOURCE	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID		
GS_RESOURCE	RESOURCE_ID	INT	NOT NULL	Resource identifier - Link to resource table	T_ID		
GS_RESOURCE	RESOURCE_QTY	NUMERIC(18,8)	NOT NULL	Resource quantity	T_QTY		
GS_RESOURCE	RESOURCE_USE_CD	VARCHAR (5)	NOT NULL	Resource usage information - Link to list_of_val table	T_CD		
GS_RESOURCE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GS_ROUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GS_ROUTE	DFLT_IND	CHAR (1)	NOT NULL	Default Indicator	T_IND		
GS_ROUTE	GS_REF_ID	INT	NOT NULL	Link to Goal Sheet table	T_ID		
GS_ROUTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GS_ROUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GS_ROUTE	PHASE_CD	VARCHAR (5)	NOT NULL	Phase detail - Link to list_of_val table	T_CD		
GS_ROUTE	ROUTE_ID	INT	NOT NULL	Route identifier - Link to route table	T_ID		
GS_ROUTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
GTIN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
GTIN	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.	T_IND		
GTIN	GTI_ID	INT	NOT NULL	Unique gtin identifier	T_ID		
GTIN	GTI_ROBOT_IND	CHAR(1)	NOT NULL	No longer used	T_IND		
GTIN	GTIN_XID	VARCHAR(20)	NOT NULL	GTIN / EAN code value	T_XID		
GTIN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
GTIN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
GTIN	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
GTIN	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier for a product	T_ID		
GTIN_DESC	GTIN_XID	VARCHAR(20)	NOT NULL	Description	T_XID		
GTIN_DESC	LOCALE_CD	VARCHAR(5)	NOT NULL	Locale Information	T_CD		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with H				
Table	**Column**	**Data Type**	**Null**	**Description**
HARD_COPY_AUDIT	ACTIVITY_TYPE_CD	VARCHAR (5)	NOT NULL	Type of print job - Link to list_of_val
HARD_COPY_AUDIT	AUDIT_DT	DATETIME	NOT NULL	Date on which the audit was performed
HARD_COPY_AUDIT	DEST_PRINT_FILE	VARCHAR (255)	NOT NULL	The destination of the print job
HARD_COPY_AUDIT	HARD_COPY_AUDIT_ID	INT	NOT NULL	Unique ID to identify the Hard Copy Audit
HARD_COPY_AUDIT	HARD_COPY_AUDIT_REPT_ID	INT	NOT NULL	Unique ID to identify the Hard Copy Audit Report
HARD_COPY_AUDIT	NO_OF_COPIES	SMALLINT	NOT NULL	Number of copies
HARD_COPY_AUDIT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
HARD_COPY_AUDIT	USER_CD	VARCHAR (30)	NOT NULL	Code for the identify the user
HARD_COPY_AUDIT	WORK_STATN_LBL	VARCHAR (255)	NOT NULL	Name of the Work Station used to initiate the printing
HARD_COPY_AUDIT_PARMS	HARD_COPY_AUDIT_ID	INT	NOT NULL	Hard Copy Audit indicator - Link to hard_copy_audit table
HARD_COPY_AUDIT_PARMS	PARAM_NAME	VARCHAR (255)	NOT NULL	Denotes the Parameter Name
HARD_COPY_AUDIT_PARMS	PARAM_VALUE	VARCHAR (255)	NOT NULL	Denotes the Parameter Value
HARD_COPY_AUDIT_PARMS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Domain	**Default**	**Rule**	**New or adjusted in version**	**Notes**
T_CD				
T_DT				
T_FILE				
T_ID				
T_ID				
T_SMALLINT				
T_SID				
T_UID				
T_LBL				
T_ID				
T_NOTE				
T_NOTE				
T_SID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with I							
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**	**Default**	**Rule**
IMP_LIST_LOC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IMP_LIST_LOC	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
IMP_LIST_LOC	ILL_RESUPP_METH_CD	VARCHAR (5)	NOT NULL	Resupply Method Code - Link to list_of_val table	T_CD		
IMP_LIST_LOC	IMP_LIST_ID	INT	NOT NULL	Imprested List identifier - Link to imprest_list table	T_ID		
IMP_LIST_LOC	IMP_LOC_XID	VARCHAR (20)	NOT NULL	Imprest location code - Link to imprest_location table	T_XID		
IMP_LIST_LOC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IMP_LIST_LOC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IMP_LIST_LOC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
IPHARMERX	BASE64STRING	VARCHAR(MAX)	NOT NULL	Certificate Base64String	VARCHAR		
IPHARMERX	CERT_EXPIRY_DT	DATETIME	NOT NULL	Certificate expiry date and time	T_DT		
IPHARMERX	CERT_PWD	VARCHAR(255)	NULL	Certificate password	VARCHAR		
IPHARMERX	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IPHARMERX	IPHARM_NIHC_ID	INT	NOT NULL	Indicates next id	T_ID		
IPHARMERX	KEYID	VARCHAR(8000)	NOT NULL	Certificate thumbprint	VARCHAR		
IPHARMERX	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IPHARMERX	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IPHARMERX	PVTKEY	VARCHAR(8000)	NOT NULL	To Store certificates Private key	VARCHAR		
IPHARMERX	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
IPHARMNIHC	CERT_EXPIRY_DT	DATETIME	NOT NULL	Certificate expiry date and time	T_DT		
IPHARMNIHC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IPHARMNIHC	IPHARM_NIHC_ID	INT	NOT NULL	Indicates next id	T_ID		
IPHARMNIHC	KEYID	VARCHAR(8000)	NOT NULL	Certificate thumbprint	VARCHAR		
IPHARMNIHC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IPHARMNIHC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IPHARMNIHC	PVTKEY	VARCHAR(8000)	NOT NULL	To Store certificates Private key	VARCHAR		
IPHARMNIHC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
IPHARMMSLIC	CERT_EXPIRY_DT	DATETIME	NOT NULL	Certificate expiry date and time	T_DT		
IPHARMMSLIC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IPHARMMSLIC	IPHARM_MYSL_ID	INT	NOT NULL	Indicates next id	T_ID		
IPHARMMSLIC	KEYID	VARCHAR(8000)	NOT NULL	Certificate thumbprint	VARCHAR		
IPHARMMSLIC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IPHARMMSLIC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IPHARMMSLIC	PVTKEY	VARCHAR(8000)	NOT NULL	To Store certificates Private key	VARCHAR		
IPHARMMSLIC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
IMPREST_ITEM	ADC_CURR_QTY	NUMERIC(18,8)	NULL	To Update Current Quantity	T_QTY		
IMPREST_ITEM	ADC_MAX_QTY	NUMERIC(18,8)	NULL	To Update ADC Maximum Quantity	T_QTY		
IMPREST_ITEM	ADC_MIN_QTY	NUMERIC(18,8)	NULL	To Update ADC Minimum Quantity	T_QTY		
IMPREST_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IMPREST_ITEM	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
IMPREST_ITEM	IMI_RESUPP_METH_CD	VARCHAR (5)	NOT NULL	Resupply Method - Link to list_of_val table	T_CD		
IMPREST_ITEM	IMP_ITEM_ID	INT	NOT NULL	Unique Imprest Item ID, for the site	T_ID		
IMPREST_ITEM	IMP_LIST_ID	INT	NOT NULL	Imprested List identifier - Link to imprest_list table	T_ID		
IMPREST_ITEM	IMP_LOC_XID	VARCHAR (20)	NOT NULL	Imprest location code - Link to imprest_location table	T_XID		
IMPREST_ITEM	IMP_QTY	NUMERIC(18,8)	NOT NULL	Imprest Quantity	T_QTY		
IMPREST_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IMPREST_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IMPREST_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
IMPREST_ITEM	SHELF_LVL	CHAR (2)	NULL	Shelf level	CHAR		
IMPREST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
IMPREST_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID		
IMPREST_ITEM	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies	T_UID		
IMPREST_LIST	ADC_IND	CHAR(1)	NOT NULL	Indicates an ADC Imprest List	T_IND	N	
IMPREST_LIST	ADC_NAME_ID	INT	NULL	ADC Name id	T_ID		
IMPREST_LIST	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID		
IMPREST_LIST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IMPREST_LIST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
IMPREST_LIST	IMP_LIST_DESC	VARCHAR (40)	NOT NULL	Description of Imprest List	T_DESC		
IMPREST_LIST	IMP_LIST_ID	INT	NOT NULL	Unique Identifier for the Imprest List, for the site	T_ID		
IMPREST_LIST	IMP_NOTE	VARCHAR (255)	NULL	Imprest List note	T_NOTE		
IMPREST_LIST	IMP_RESUPP_METH_CD	VARCHAR (5)	NOT NULL	Resupply Method for imprest List - Link to list_of_val table	T_CD		
IMPREST_LIST	IMP_SUGG_SUPP_DAYS	SMALLINT	NOT NULL	Suggested supply Days for imprest List	T_DAYS		
IMPREST_LIST	IMP_SUGG_USE_DAYS	SMALLINT	NOT NULL	Suggested Usage Days for imprest List	T_DAYS		
IMPREST_LIST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IMPREST_LIST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IMPREST_LIST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
IMPREST_LIST	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies	T_UID		
IMPREST_LOCATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
IMPREST_LOCATION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
IMPREST_LOCATION	IMP_LOC_DESC	VARCHAR (40)	NOT NULL	Description of Imprest Location	T_DESC		
IMPREST_LOCATION	IMP_LOC_NOTE	VARCHAR (255)	NULL	Imprest Location note	T_NOTE		
IMPREST_LOCATION	IMP_LOC_XID	VARCHAR (20)	NOT NULL	Code for the Imprest Location	T_XID		
IMPREST_LOCATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
IMPREST_LOCATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
IMPREST_LOCATION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
INSURER	INS_ID	INT	NOT NULL	Insurer Identification key	T_ID		
INSURER_TABLE	INS_ID	INT	NOT NULL	Insurer Identification key	T_ID		
INSURER_TABLE	INS_TBL_ID	INT	NOT NULL	Identification key for Insurer Information table	T_ID		
INTERACT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

INTERACT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
INTERACT	DRUG_CODE_ID	INT	NOT NULL	First part of drug code pair - Link to drug_code table	T_ID		
INTERACT	HELP_TOPIC_ID	INT	NULL	Code to to Link to the help file	T_ID		
INTERACT	INTA_DESC	VARCHAR (40)	NOT NULL	Interaction description	T_DESC		
INTERACT	INTA_ID	INT	NOT NULL	Unique Interaction identifier	T_ID		
INTERACT	INTA_NOTE	TEXT	NULL	Interaction note / descriotion of the interaction	T_TEXT		
INTERACT	INTA_REF	VARCHAR (20)	NULL	Interaction reference	T_REF		
INTERACT	INTA_SEV_DESC	VARCHAR (40)	NOT NULL	Interaction severity Description	T_DESC		
INTERACT	INTA_SOURCE_CD	VARCHAR (5)	NOT NULL	Source Code - Link to list_of_val table	T_CD		
INTERACT	INTA_TYPE_CD	VARCHAR (5)	NOT NULL	Interact type code - Link to list_of_val table	T_CD		
INTERACT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
INTERACT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
INTERACT	WITH_DRUG_CODE_ID	INT	NOT NULL	Second part of drug code pair - Link to drug_code table	T_ID		
INTERFACE_MASTER	INITIATED_BY	VARCHAR(40)	NULL	Indicates the initiator of the message/dialog flow. System controlled values - i.Pharmacy or Robot.	T_DESC	NULL	
INTERFACE_MASTER	MSG_FLOW_DESC	VARCHAR(40)	NULL	System controlled name of message flow / dialog per robot.	T_DESC	NULL	
INTERFACE_MASTER	MSG_FLOW_XID	VARCHAR(20)	NULL	Supported Dialogs information. When outbound robot interface requests are generated, this value will be populated in the xml header	T_XID	NULL	
INTERFACE_MASTER	PROCESS_DESC	VARCHAR(40)	NULL	System controlled name for transaction type, or information exchange type.	T_DESC	NULL	
INTERFACE_MASTER	ROBOT_TYPE_CD	VARCHAR(5)	NOT NULL	Robot type / model - Link to list_of_val table using robot_type_cd	T_CD	NULL	
INTERVENTION	ADV_EVENT_ID	INT	NULL	Adverse Event Identifier - Link to adverse_event table	T_ID		
INTERVENTION	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID		
INTERVENTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
INTERVENTION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
INTERVENTION	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor - Link to the doctor table	T_XID		
INTERVENTION	INTV_DT	DATETIME	NOT NULL	Intervention date	T_DT		
INTERVENTION	INTV_ID	INT	NOT NULL	Unique code for the intervention, for the site	T_ID		
INTERVENTION	INTV_NOTE	VARCHAR (255)	NULL	Intervention note	T_NOTE		
INTERVENTION	INTV_STAT_CD	VARCHAR (5)	NOT NULL	Intervention status code - Link to list_of_val table	T_CD		
INTERVENTION	INTV_TYPE_ID	INT	NOT NULL	Code for the type of intervention - Link to intv_type table	T_ID		
INTERVENTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
INTERVENTION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
INTERVENTION	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID		
INTERVENTION	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID		
INTERVENTION	PHCST_CONTACT_INFO	VARCHAR (15)	NULL	Pharmacist's Contact information (phone number)	T_PHONE	NULL	
INTERVENTION	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID		
INTERVENTION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
INTERVENTION	TIME_SPENT_MINS	INT	NOT NULL	Minutes spent on intervention	T_MINS		
INTERVENTION	USER_CD	VARCHAR (15)	NOT NULL	Code to identify the user	T_CODE		
INTERVENTION_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
INTERVENTION_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extract, for the site	T_ID		
INTERVENTION_EXTR	INTV_ID	INT	NOT NULL	Intervention identifier - Link to intervention table	T_ID		
INTERVENTION_EXTR	LAST_UPDATED_BY	DATETIME	NOT NULL	Code of the user who last modified the record.	T_DT		
INTERVENTION_EXTR	LAST_UPDATED_DT	VARCHAR (30)	NOT NULL	Date and time that the row was last modified.	T_UID		
INTERVENTION_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
INTV_GROUP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
INTV_GROUP	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
INTV_GROUP	INTV_GRP_DESC	VARCHAR (40)	NOT NULL	Intervention Group description	T_DESC		
INTV_GROUP	INTV_GRP_ID	INT	NOT NULL	Unique code for Intervention group	T_ID		
INTV_GROUP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
INTV_GROUP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
INTV_TYPE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
INTV_TYPE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
INTV_TYPE	INTV_GRP_ID	INT	NOT NULL	Code for Intervention group. Link to intv_group table	T_ID		
INTV_TYPE	INTV_TYPE_DESC	VARCHAR (40)	NOT NULL	Intervention type description	T_DESC		
INTV_TYPE	INTV_TYPE_ID	INT	NOT NULL	Unique code for the intervention type	T_ID		
INTV_TYPE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
INTV_TYPE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
INVOC_PARAM_LIST	COLUMN_NAME	VARCHAR (255)	NOT NULL	Column name in the i.Pharmacy application	T_NAME		
INVOC_PARAM_LIST	PARAM_CATG	VARCHAR (40)	NOT NULL	Invocation parameter category	T_DESC		
INVOC_PARAM_LIST	PARAM_NAME	VARCHAR (255)	NOT NULL	Parameter name	T_NAME		
INVOICE_SERVICE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created	T_DT		
INVOICE_SERVICE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current	T_IND		
INVOICE_SERVICE	INVC_SERV_AMT	NUMERIC(18,8)	NULL	Invoice service amount	T_AMT		
INVOICE_SERVICE	INVC_SERV_DESC	VARCHAR (40)	NOT NULL	Invoice service description	T_DESC		
INVOICE_SERVICE	INVC_SERV_XID	VARCHAR (20)	NOT NULL	Unique code for invoice service, for the site	T_XID		
INVOICE_SERVICE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record	T_UID		
INVOICE_SERVICE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified	T_DT		
INVOICE_SERVICE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
12	
11	
11	
11	
11	
11	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with K					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
KIT	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID
KIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
KIT	KIT_DESC	VARCHAR (40)	NOT NULL	Kit description	T_DESC
KIT	KIT_ID	INT	NOT NULL	Kit identifier	T_ID
KIT	KIT_LOC_DESC	VARCHAR (40)	NULL	Kit Location description	T_DESC
KIT	KIT_NOTE	VARCHAR (255)	NULL	Kit notes	T_NOTE
KIT	KIT_TYPE_CD	VARCHAR (5)	NOT NULL	Kit Type code - Link to list_of_val table.	T_CD
KIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_DIST	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID
KIT_DIST	COST_CNTR_XID_TO	VARCHAR (20)	NULL	Code used to link to the Cost centre table (distributed to)	T_XID
KIT_DIST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_DIST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
KIT_DIST	KIT_DIST_DT	DATETIME	NOT NULL	Kit distribution date	T_DT
KIT_DIST	KIT_DIST_ID	INT	NOT NULL	Unique for Kit distribution, for the site	T_ID
KIT_DIST	KIT_DIST_STATUS_CD	VARCHAR (5)	NOT NULL	Kit distribution status code - Link to list_of_val table.	T_CD
KIT_DIST	KIT_DIST_TYPE	VARCHAR (5)	NOT NULL	Kit distribution type - Link to list_of_val table.	T_CD
KIT_DIST	KIT_NOTE	VARCHAR (255)	NULL	Kit notes	T_NOTE
KIT_DIST	KIT_RET_REASON	VARCHAR (5)	NULL	Kit return reason	T_CD
KIT_DIST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_DIST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_DIST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_DIST	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
KIT_DIST	VERIFIED_BY	VARCHAR(30)	NULL	Code of the User who verifies the kit distribution	T_UID
KIT_DIST	VERIFIED_DT	DATETIME	NULL	Date and time that the row was verified.	T_DT
KIT_DIST_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_DIST_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extract	T_ID
KIT_DIST_EXTR	KIT_DIST_ID	INT	NOT NULL	Kit distribution ID - link to kit_dist table.	T_ID
KIT_DIST_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_DIST_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_DIST_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_DIST_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID
KIT_DIST_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID
KIT_DIST_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_DIST_ITEM	KDI_BATCH	VARCHAR (10)	NOT NULL	Kit Distribution item Batch no	T_BATCH
KIT_DIST_ITEM	KDI_BATCH_EXP_DT	DATETIME	NOT NULL	Kit Distribution item Batch expiry Date	T_DT
KIT_DIST_ITEM	KDI_REASON_CD	VARCHAR (5)	NOT NULL	Kit Distribution item Reason code - Link to list_of_val table	T_CD
KIT_DIST_ITEM	KDI_STAT_CD	VARCHAR (5)	NOT NULL	Kit Distribution item Status code - Link to list_of_val table	T_CD
KIT_DIST_ITEM	KIT_DIST_ID	INT	NOT NULL	Kit distribution ID - link to kit_dist table.	T_ID
KIT_DIST_ITEM	KIT_DIST_ITEM_ID	INT	NOT NULL	Unique code for kit item distribution, for the site.	T_ID
KIT_DIST_ITEM	KIT_DIST_QTY	NUMERIC(18,8)	NOT NULL	Kit Distribution Quantity	T_QTY
KIT_DIST_ITEM	KIT_ITEM_ID	INT	NOT NULL	Item code for kit	T_ID
KIT_DIST_ITEM	KIT_ITEM_TRAN_ID	INT	NULL	Kit Item Transaction Identifier	T_ID
KIT_DIST_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_DIST_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_DIST_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
KIT_DIST_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
KIT_DIST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_DIST_ITEM	TAX_IND	CHAR (1)	NOT NULL	Tax Indicator	T_IND
KIT_DIST_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
KIT_DISTRIBUTION	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID
KIT_DISTRIBUTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_DISTRIBUTION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
KIT_DISTRIBUTION	CUST_ORD_REF	VARCHAR (20)	NULL	Customer Order Reference	T_REF
KIT_DISTRIBUTION	KIT_DIST_DT	DATETIME	NOT NULL	Kit distribution date	T_DT
KIT_DISTRIBUTION	KIT_DIST_ID	INT	NOT NULL	Unique code for Kit distribution, for the site	T_ID
KIT_DISTRIBUTION	KIT_DIST_NOTE	VARCHAR (255)	NULL	Kit Distribution note	T_NOTE
KIT_DISTRIBUTION	KIT_DIST_STAT_CD	VARCHAR (5)	NOT NULL	Kit Distribution Status code - Link to list_of_val table	T_CD
KIT_DISTRIBUTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_DISTRIBUTION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_DISTRIBUTION	PDE_IND	CHAR (1)	NOT NULL	PDE indicator	T_IND
KIT_DISTRIBUTION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_DISTRIBUTION	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
KIT_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_ITEM	KIT_ID	INT	NOT NULL	Kit identifier - Link to kit table.	T_ID
KIT_ITEM	KIT_ITEM_ID	INT	NOT NULL	Item code for kit	T_ID
KIT_ITEM	KIT_QTY	NUMERIC(18,8)	NOT NULL	Kit Quantity	T_QTY
KIT_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
KIT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
KIT_ITEM_DIST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_ITEM_DIST	KIT_BATCH_ID	INT	NOT NULL	Kit batch identifier	T_ID
KIT_ITEM_DIST	KIT_DIST_ID	INT	NOT NULL	Key for Kit distribution	T_ID
KIT_ITEM_DIST	KIT_ID	INT	NOT NULL	Kit identifier - Link to kit table.	T_ID
KIT_ITEM_DIST	KIT_ITEM_DIST_ID	INT	NOT NULL	Kit item distribution identifier	T_ID
KIT_ITEM_DIST	KIT_LOCATION	VARCHAR (40)	NULL	Kit location	T_DESC
KIT_ITEM_DIST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_ITEM_DIST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_ITEM_DIST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_ITEM_TRAN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_ITEM_TRAN	KIT_ITEM_ID	INT	NOT NULL	Item code for kit	T_ID
KIT_ITEM_TRAN	KIT_ITEM_TRAN_ID	INT	NOT NULL	Kit Item Transaction Identifier	T_ID
KIT_ITEM_TRAN	KTT_QTY_OH	NUMERIC(18,8)	NOT NULL	Kit Item on hand Quantity	T_QTY

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

KIT_ITEM_TRAN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_ITEM_TRAN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_ITEM_TRAN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_MAINT	COST_CNTR_XID	VARCHAR (20)	NULL	Cost Centre Code - Link to the Cost centre table	T_XID
KIT_MAINT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_MAINT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
KIT_MAINT	KIT_BATCH_ID	INT	NOT NULL	Kit batch identifier	T_ID
KIT_MAINT	KIT_CHARGED_TO	VARCHAR (5)	NULL	Kit charge to	T_CD
KIT_MAINT	KIT_DATE	DATETIME	NOT NULL	Kit date	T_DT
KIT_MAINT	KIT_DESC	VARCHAR (40)	NOT NULL	Kit description	T_DESC
KIT_MAINT	KIT_EXP_DT	DATETIME	NULL	Kit expiry date	T_DT
KIT_MAINT	KIT_ID	INT	NOT NULL	Kit identifier - Link to kit table.	T_ID
KIT_MAINT	KIT_LOCATION	VARCHAR (40)	NULL	Kit location	T_DESC
KIT_MAINT	KIT_NOTE	VARCHAR (255)	NULL	Kit notes	T_NOTE
KIT_MAINT	KIT_RETURN_REASON_CD	VARCHAR (5)	NULL	Kit return reason code	T_CD
KIT_MAINT	KIT_STAT_CD	VARCHAR (5)	NOT NULL	Kit status code	T_CD
KIT_MAINT	KIT_TEMP_ID	INT	NULL	Kit template identifier - Link to kit_template table	T_ID
KIT_MAINT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_MAINT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_MAINT	PREP_VERIFIED_BY	VARCHAR(30)	NULL	Code of the user who verified the kit preparation	T_UID
KIT_MAINT	PREP_VERIFIED_DT	DATETIME	NULL	Date and time that the kit preparation was verified	T_DT
KIT_MAINT	QC_VERIFIED_BY	VARCHAR(30)	NULL	Code of the user who verified the kit quality control	T_UID
KIT_MAINT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_MAINT	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
KIT_MAINT_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID
KIT_MAINT_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID
KIT_MAINT_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_MAINT_ITEM	KIT_BATCH_ID	INT	NOT NULL	Kit batch identifier	T_ID
KIT_MAINT_ITEM	KIT_ID	INT	NOT NULL	Kit identifier - Link to kit table.	T_ID
KIT_MAINT_ITEM	KIT_ITEM_BATCH_NBR	VARCHAR (10)	NULL	Kit item batch number	T_BATCH
KIT_MAINT_ITEM	KIT_ITEM_EXP_DT	DATETIME	NULL	Kit item expiry date	T_DT
KIT_MAINT_ITEM	KIT_ITEM_ID	INT	NOT NULL	Item code for kit - Link to kit_item table	T_ID
KIT_MAINT_ITEM	KIT_ITEM_STATUS	VARCHAR (5)	NULL	Kit item status	T_CD
KIT_MAINT_ITEM	KIT_QC_REASON	VARCHAR (40)	NULL	Kit quality check reason	T_DESC
KIT_MAINT_ITEM	KIT_QC_STAT_IND	CHAR (1)	NOT NULL	Kit quality check status indicator	T_IND
KIT_MAINT_ITEM	KIT_QTY	NUMERIC(18,8)	NOT NULL	Kit Quantity	T_QTY
KIT_MAINT_ITEM	KIT_RETURN_REASON	VARCHAR (5)	NULL	Kit return reason	T_CD
KIT_MAINT_ITEM	KIT_RETURN_TYPE	VARCHAR (5)	NULL	Kit return type	T_CD
KIT_MAINT_ITEM	KIT_TEMP_QTY	NUMERIC(18,8)	NOT NULL	Kit template quantity	T_QTY
KIT_MAINT_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_MAINT_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_MAINT_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
KIT_MAINT_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
KIT_MAINT_ITEM	REF_KIT_ITEM_ID	INT	NULL	Reference for the kit item identifier	T_ID
KIT_MAINT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_MAINT_ITEM	TAX_IND	CHAR (1)	NOT NULL	Tax Indicator	T_IND
KIT_MAINT_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
KIT_TEMPLATE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_TEMPLATE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
KIT_TEMPLATE	KIT_TEMP_DESC	VARCHAR (40)	NOT NULL	Kit template description	T_DESC
KIT_TEMPLATE	KIT_TEMP_ID	INT	NOT NULL	Kit template identifier	T_ID
KIT_TEMPLATE	KIT_TEMP_NOTE	VARCHAR (255)	NULL	Kit template note	T_NOTE
KIT_TEMPLATE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_TEMPLATE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_TEMPLATE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_TEMPLATE_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
KIT_TEMPLATE_ITEM	KIT_TEMP_ID	INT	NOT NULL	Kit template identifier - Link to kit_template table	T_ID
KIT_TEMPLATE_ITEM	KIT_TEMP_ITEM_ID	INT	NOT NULL	Kit template item identifier	T_ID
KIT_TEMPLATE_ITEM	KIT_TEMP_QTY	NUMERIC(18,8)	NOT NULL	Kit template quantity	T_QTY
KIT_TEMPLATE_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
KIT_TEMPLATE_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
KIT_TEMPLATE_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
KIT_TEMPLATE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
KIT_TEMPLATE_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID

© 2022 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule

NULL	
NULL	
NULL	

New or adjusted in version	Notes

Tables starting with L				
Table	**Column**	**Data Type**	**Null**	**Description**
LABEL_FORMAT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LABEL_FORMAT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
LABEL_FORMAT	DWNAME	VARCHAR (0)	NOT NULL	Name of the Data window
LABEL_FORMAT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LABEL_FORMAT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LABEL_FORMAT	LBL_FMT_DESC	VARCHAR (40)	NOT NULL	Label format description
LABEL_FORMAT	LBL_FMT_ID	INT	NOT NULL	Unique ID for label format
LABEL_FORMAT	LBL_FMT_TYPE_CD	VARCHAR (5)	NOT NULL	Label Format Type code - Link to list_of_val table
LABEL_FORMAT	PROC_ID	INT	NULL	Process code - Link to stocca_process table
LABEL_FORMAT	STNRY_XID	VARCHAR (20)	NULL	Code for stationery - Link to stationery table
LBL_FMT_PROC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LBL_FMT_PROC	DEFAULT_IND	CHAR (1)	NOT NULL	Default indicator
LBL_FMT_PROC	DSPN_CLASS_ID	INT	NULL	ID for dispense class - Link to dispense_class table
LBL_FMT_PROC	GOAL_SHEET_IND	CHAR (1)	NOT NULL	Goal Sheeet indicator
LBL_FMT_PROC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LBL_FMT_PROC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LBL_FMT_PROC	LBL_FMT_ID	INT	NOT NULL	Label format ID - Link to label_format table
LBL_FMT_PROC	LBL_FMT_PROC_ID	INT	NOT NULL	Unique ID for label format procedure
LBL_FMT_PROC	LFP_TYPE_CD	VARCHAR (5)	NOT NULL	Label format type code - Link to list_of_val table
LBL_FMT_PROC	PHASE_CD	VARCHAR (5)	NULL	Phase detail - Link to list_of_val table
LBL_FMT_PROC	PROC_ID	INT	NOT NULL	Process code - Link to stocca_process table
LBL_FMT_PROC	PROC_STYLE_CD	VARCHAR (5)	NULL	Process style code - Link to list_of_val table
LBL_FMT_PROC	PROC_TYPE_CD	VARCHAR (5)	NULL	Process type code - Link to list_of_val table
LBL_FMT_PROC	QC_IND	CHAR (1)	NOT NULL	Quality Control indicator
LBL_FMT_PROC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LIST_OF_VAL	COLUMN_NAME	VARCHAR (0)	NOT NULL	Column name for grouping codes
LIST_OF_VAL	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
LIST_OF_VAL	PBS_IND	CHAR (1)	NOT NULL	PBS Indicator
LIST_OF_VAL	SORT_SEQ	INT	NULL	Sort sequence
LIST_OF_VAL	VALUE_CD	VARCHAR (5)	NOT NULL	Value code
LIST_OF_VAL	VALUE_DESC	VARCHAR (40)	NOT NULL	Description
LM_CONTROL_PANEL	COMPLETE_END_DT	DATETIME	NULL	End date of complete
LM_CONTROL_PANEL	COMPLETE_IND	CHAR (1)	NOT NULL	Completion Indicator
LM_CONTROL_PANEL	COMPLETE_START_DT	DATETIME	NULL	Start date of complete
LM_CONTROL_PANEL	COMPLETED_BY	VARCHAR (30)	NULL	User who has completed the transaction
LM_CONTROL_PANEL	CONTROL_PANEL_ID	INT	NOT NULL	Unique identifier for Control panel
LM_CONTROL_PANEL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LM_CONTROL_PANEL	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
LM_CONTROL_PANEL	EXPECTED_DT	DATETIME	NULL	Expected availability date of 'in process' quantity
LM_CONTROL_PANEL	IN_PROCESS_QTY	NUMERIC(18,8)	NOT NULL	In process quantity
LM_CONTROL_PANEL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LM_CONTROL_PANEL	LAST_UPDATED_DT	DATETIME	NULL	Date and time that the row was last modified.
LM_CONTROL_PANEL	LM_BATCH	VARCHAR (10)	NULL	Label batch No.
LM_CONTROL_PANEL	LM_STAT_CD	VARCHAR (5)	NOT NULL	Local manufacture status code - Link to list_of_val table
LM_CONTROL_PANEL	LMF_SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LM_CONTROL_PANEL	LOCAL_MANUF_ID	INT	NOT NULL	Identifier for local Manufactured item - Link to local_manuf table
LM_CONTROL_PANEL	MANUF_QTY	NUMERIC(18,8)	NOT NULL	Quantity to be manufactured
LM_CONTROL_PANEL	PREPARE_END_DT	DATETIME	NULL	End date of prepare
LM_CONTROL_PANEL	PREPARE_IND	CHAR (1)	NOT NULL	Preparing indicator for manufacturing
LM_CONTROL_PANEL	PREPARE_START_DT	DATETIME	NOT NULL	Start date of prepare
LM_CONTROL_PANEL	PREPARED_BY	VARCHAR (30)	NOT NULL	Code of the user who Prepared the item
LM_CONTROL_PANEL	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
LM_CONTROL_PANEL	QA_QTY	NUMERIC (18,8)	NOT NULL	Quantity sent for QA
LM_CONTROL_PANEL	QA_REJECT_REASON	VARCHAR (255)	NULL	Reason for rejection (if QA is rejected)
LM_CONTROL_PANEL	QA_STATUS_END_DT	DATETIME	NULL	End date and time of QA process
LM_CONTROL_PANEL	QA_STATUS_IND	CHAR (1)	NOT NULL	QA - verified (Y)/ rejected (N)
LM_CONTROL_PANEL	QA_STATUS_START_DT	DATETIME	NULL	Start date and time of QA process
LM_CONTROL_PANEL	QA_VERIFIED_BY	VARCHAR (30)	NULL	Code of the user who verified the QA process
LM_CONTROL_PANEL	RELEASE_STK_BY	VARCHAR (30)	NULL	Code of the user who Released the stock
LM_CONTROL_PANEL	RELEASE_STK_END_DT	DATETIME	NULL	End date and time of release to stock
LM_CONTROL_PANEL	RELEASE_STK_IND	CHAR (1)	NOT NULL	Release to stock indicator
LM_CONTROL_PANEL	RELEASE_STK_START_DT	DATETIME	NULL	Start date and time of release to stock
LM_CONTROL_PANEL	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LM_CONTROL_PANEL	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
LM_CONTROL_PANEL_INGR_SUM	COMP_PROD_ID	INT	NOT NULL	Product Identifier for Component (ingredient)
LM_CONTROL_PANEL_INGR_SUM	COMP_QTY	NUMERIC(18,8)	NOT NULL	Quantity to be need
LM_CONTROL_PANEL_INGR_SUM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LM_CONTROL_PANEL_INGR_SUM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LM_CONTROL_PANEL_INGR_SUM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LM_CONTROL_PANEL_INGR_SUM	MANUF_DUE_DT	DATETIME	NULL	Manufacturing completion date
LM_CONTROL_PANEL_INGR_SUM	ON_HAND_QTY	NUMERIC(18,8)	NULL	On hand stock qty
LM_CONTROL_PANEL_INGR_SUM	ORDER_DUE_DT	DATETIME	NULL	Expected date of receive
LM_CONTROL_PANEL_INGR_SUM	ORDERED_QTY	NUMERIC(18,8)	NULL	Ordered qty
LM_CONTROL_PANEL_INGR_SUM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LM_CONTROL_PANEL_INGR_SUM	UNDER_MANUF_QTY	NUMERIC(18,8)	NULL	Qty which under manufacturing
LM_CONTROL_PANEL_INGR_SUM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
LM_CONTROL_PANEL_INGREDIENT	COMP_PROD_ID	INT	NOT NULL	Product Identifier for Component (ingredient)
LM_CONTROL_PANEL_INGREDIENT	CONTROL_PANEL_ID	INT	NOT NULL	Control panel identifier
LM_CONTROL_PANEL_INGREDIENT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LM_CONTROL_PANEL_INGREDIENT	DUE_DT	DATETIME	NULL	Due date
LM_CONTROL_PANEL_INGREDIENT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LM_CONTROL_PANEL_INGREDIENT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LM_CONTROL_PANEL_INGREDIENT	QTY_REQUIRED	NUMERIC(18,8)	NOT NULL	Quantity needed
LM_CONTROL_PANEL_INGREDIENT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LM_CONTROL_PANEL_INGREDIENT	STOCK_LEVEL_IND	CHAR (1)	NOT NULL	Stock level indicator
LM_CONTROL_PANEL_INGREDIENT	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

LM_CONTROL_PANEL_RESOURCE	CONTROL_PANEL_ID	INT	NOT NULL	Control panel identifier
LM_CONTROL_PANEL_RESOURCE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LM_CONTROL_PANEL_RESOURCE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LM_CONTROL_PANEL_RESOURCE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LM_CONTROL_PANEL_RESOURCE	RESOURCE_DESC	VARCHAR (40)	NOT NULL	Resource description
LM_CONTROL_PANEL_RESOURCE	RESOURCE_ID	INT	NOT NULL	Resource identifier - Link to resource table
LM_CONTROL_PANEL_RESOURCE	RESOURCE_TYPE_CD	VARCHAR (5)	NOT NULL	Resource type code - Link to list_of_val table
LM_CONTROL_PANEL_RESOURCE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LM_ITEM	ABORT_BIN_BATCH_ID	INT	NULL	Aborted Bin Batch Transaction Id
LM_ITEM	ABORT_BIN_TRAN_ID	INT	NULL	Aborted Bin Transaction Id
LM_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier
LM_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
LM_ITEM	BOM_COMP_QTY	NUMERIC(18,8)	NULL	Quantity of Bill of Materials (ingredient)
LM_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LM_ITEM	INVEN_IND	CHAR (1)	NOT NULL	Inventory indicator
LM_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LM_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LM_ITEM	LM_DSCD_QTY	NUMERIC(18,8)	NULL	Local manufacture discard quantity
LM_ITEM	LM_ITEM_BATCH	VARCHAR (10)	NULL	Batch no. for item
LM_ITEM	LM_ITEM_ID	INT	NOT NULL	Unique ID for Local Manufacture Item
LM_ITEM	LM_ITEM_VOL_ML	NUMERIC(18,8)	NULL	Volume in Millitre of item
LM_ITEM	LM_PACK_QTY	NUMERIC(18,8)	NOT NULL	Local Manufacture Pack Quantity
LM_ITEM	LMI_BATCH_EXP_DT	DATETIME	NULL	Batch expiry date for Local Manufacture item
LM_ITEM	LOC_ID	INT	NULL	Store Location ID - Link to location table
LM_ITEM	LOCAL_MANUF_ID	INT	NOT NULL	Identifier for local Manufactured item - Link to local_manuf table
LM_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
LM_ITEM	PROD_USE_CD	VARCHAR (5)	NOT NULL	Product usage code - Link to list_of_val table.
LM_ITEM	RECON_ID	INT	NULL	Column to save recon id when the recon ingredient is selected in manufacturing
LM_ITEM	RECON_TOT_QTY	NUMERIC(18,8)	NULL	Column to save recon tot quantity value
LM_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LM_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
LOAN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LOAN	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
LOAN	EXT_ORG_XID	VARCHAR (20)	NOT NULL	Identifier for External Organisation - Link to external_org table
LOAN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LOAN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LOAN	LOAN_DT	DATETIME	NOT NULL	Loan date
LOAN	LOAN_ID	INT	NOT NULL	Unique ID for loan, for the site
LOAN	LOAN_NOTE	VARCHAR (255)	NULL	Loan note
LOAN	LOAN_STAT_CD	VARCHAR (5)	NOT NULL	Loan Status code - Link to list_of_val table
LOAN	LOAN_TYPE_CD	VARCHAR (5)	NOT NULL	Loan type code - Link to list_of_val table
LOAN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LOAN	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table
LOAN_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LOAN_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract
LOAN_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LOAN_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LOAN_EXTR	LOAN_ID	INT	NOT NULL	Indetifier for loan / borrow - Link to loan table
LOAN_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LOAN_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier
LOAN_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
LOAN_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LOAN_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LOAN_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LOAN_ITEM	LOAN_BATCH_EXP_DT	DATETIME	NULL	Loan item batch expiry date
LOAN_ITEM	LOAN_ID	INT	NOT NULL	Identifier for Borrow/Lend - Link to loan table
LOAN_ITEM	LOAN_ITEM_BATCH	VARCHAR (10)	NULL	Loan item batch number
LOAN_ITEM	LOAN_ITEM_ID	INT	NOT NULL	Unique ID for borrowed / Lent items, for the site
LOAN_ITEM	LOAN_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Loan item status code - Link to list_of_val
LOAN_ITEM	LOAN_QTY	NUMERIC(18,8)	NOT NULL	Loan Quantity
LOAN_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table
LOAN_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
LOAN_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LOAN_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
LOCAL_MANUF	BIN_BATCH_ID	INT	NULL	Bin batch identifier
LOCAL_MANUF	BIN_TRAN_ID	INT	NULL	Unique ID - Link to the bin transaction record
LOCAL_MANUF	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LOCAL_MANUF	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
LOCAL_MANUF	EXPECTED_DT	DATETIME	NULL	Expected availability date of in process quantity
LOCAL_MANUF	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LOCAL_MANUF	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LOCAL_MANUF	LM_ACTUAL_QTY	NUMERIC(18,8)	NOT NULL	Local Manufacture Actual Quantity
LOCAL_MANUF	LM_BATCH	VARCHAR (10)	NULL	Local Manufacture batch No.
LOCAL_MANUF	LM_BATCH_EXP_DT	DATETIME	NULL	Local manufacture Batch expiry date
LOCAL_MANUF	LM_PACK_QTY	NUMERIC(18,8)	NOT NULL	Local Manufacture Pack Quantity
LOCAL_MANUF	LM_STAT_CD	VARCHAR (5)	NOT NULL	Local manufacture status code - Link to list_of_val table
LOCAL_MANUF	LM_STD_MANUF_QTY	NUMERIC(18,8)	NOT NULL	Local Manufacture Standard quantity
LOCAL_MANUF	LM_STYLE_CD	VARCHAR (5)	NOT NULL	Label Style code - Link to list_of_val table
LOCAL_MANUF	LM_TYPE_CD	VARCHAR (5)	NOT NULL	Label type code - Link to list_of_val table
LOCAL_MANUF	LMF_RELEASE_DT	DATETIME	NOT NULL	Local manufacture release date
LOCAL_MANUF	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table
LOCAL_MANUF	LOCAL_MANUF_DT	DATETIME	NOT NULL	Local Manufacture date
LOCAL_MANUF	LOCAL_MANUF_ID	INT	NOT NULL	Unique ID for Local Manufacturer, for the site.
LOCAL_MANUF	MANUF_TYPE_CD	VARCHAR (5)	NULL	Code for manufacture type - Link to list_of_val table
LOCAL_MANUF	PRINTBLK_IND	CHAR (1)	NOT NULL	Bulk batch sheets print indicator
LOCAL_MANUF	PRINTED_BY	VARCHAR (30)	NULL	Printed by
LOCAL_MANUF	PRINTED_DT	DATETIME	NULL	Printed date
LOCAL_MANUF	PRINTINDIV_IND	CHAR (1)	NOT NULL	Individual batch sheets print indicator

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

LOCAL_MANUF	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
LOCAL_MANUF	REGRESS_BIN_TRAN_I	INT	NULL	Unique ID - Link to the bin transaction record, where a Released transaction is regressed in the Control Panel.
LOCAL_MANUF	RELEASED_BY	VARCHAR (30)	NULL	Code of the user who authorised the release.
LOCAL_MANUF	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LOCAL_MANUF	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
LOCAL_MANUF	USER_CD	VARCHAR (15)	NULL	Code to identify the user
LOCAL_MANUF	VERIFIED_BY	VARCHAR (30)	NULL	Code of the user who verified
LOCAL_MANUF_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LOCAL_MANUF_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extraction
LOCAL_MANUF_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LOCAL_MANUF_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LOCAL_MANUF_EXTR	LOCAL_MANUF_ID	INT	NOT NULL	Identifier for local Manufactured item - Link to local_manuf table
LOCAL_MANUF_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LOCATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
LOCATION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
LOCATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
LOCATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
LOCATION	LOC_DESC	VARCHAR (40)	NOT NULL	Location description
LOCATION	LOC_ID	INT	NOT NULL	Unique ID for store location, for the site
LOCATION	LOC_LOCK_IND	CHAR (1)	NOT NULL	Location Lock Indicator
LOCATION	LOC_NOTE	VARCHAR (255)	NULL	Location note
LOCATION	REQN_REQU_IND	CHAR(1)	NOT NULL	Column for Request creation indicator
LOCATION	ROBOT_ID	INT	NULL	Robot identifier - link to robot table
LOCATION	ROBOT_IND	CHAR(1)	NOT NULL	Indicates whether the location is robotic or not.
LOCATION	ROBOT_TYPE_CD	VARCHAR(5)	NOT NULL	Robot type / model - Link to list_of_val table using robot_type_cd
LOCATION	ROBOT_XID	VARCHAR(20)	NULL	User created code to indicate the code for the robot.
LOCATION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
LOCATION	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Domain	**Default**	**Rule**	**New or adjusted in version**	**Notes**
T_DT				
T_IND				
T_UID				
T_DT				
T_DESC				
T_ID				
T_CD				
T_ID				
T_XID				
T_DT				
T_IND				
T_ID				
T_IND	N			
T_UID				
T_DT				
T_ID				
T_ID				
T_CD				
T_CD				
T_ID				
T_CD				
T_CD				
T_IND	N			
T_SID				
T_IND				
T_IND				
T_SEQ				
T_CD				
T_DESC				
T_DT				
T_IND				
T_DT				
T_UID				
T_ID				
T_DT				
T_IND				
T_DT				
T_QTY				
T_UID				
T_DT				
T_BATCH				
T_CD				
T_SID				
T_ID				
T_QTY				
T_DT				
T_IND				
T_DT				
T_UID				
T_ID				
T_QTY	0			
T_NOTE				
T_DT				
T_IND				
T_DT				
T_UID				
T_UID				
T_DT				
T_IND				
T_DT				
T_SID				
T_ID				
T_ID				
T_QTY				
T_DT				
T_UID				
T_DT				
T_DT				
T_QTY				
T_DT				
T_QTY				
T_SID				
T_QTY				
T_ID				
T_ID				
T_ID				
T_DT				
T_DT				
T_UID				
T_DT				
T_QTY				
T_SID				
T_IND				
T_ID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_ID				
T_DT				
T_UID				
T_DT				
T_DESC				
T_ID				
T_CD				
T_SID				
T_ID				
T_ID				
T_ID				
T_ID				
T_QTY				
T_DT				
T_IND	Y			
T_UID				
T_DT				
T_QTY				
T_BATCH				
T_ID				
T_ML				
T_QTY				
T_DT				
T_ID				
T_ID				
T_ID				
T_CD				
T_ID	NULL			
T_QTY	NULL			
T_SID				
T_ID				
T_DT				
T_IND				
T_XID				
T_UID				
T_DT				
T_DT				
T_ID				
T_NOTE				
T_CD				
T_CD				
T_SID				
T_XID				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_ID				
T_ID				
T_DT				
T_UID				
T_DT				
T_DT				
T_ID				
T_BATCH				
T_ID				
T_CD				
T_QTY				
T_ID				
T_ID				
T_SID				
T_ID				
T_ID				
T_ID				
T_DT				
T_IND				
T_DT				
T_UID				
T_DT				
T_QTY				
T_BATCH				
T_DT				
T_QTY				
T_CD				
T_QTY				
T_CD				
T_CD				
T_DT				
T_ID				
T_DT				
T_ID				
T_CD				
T_IND	N			
T_UID				
T_DT				
T_IND	N			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_ID				
T_ID	NULL			
T_UID				
T_SID				
T_ID				
T_CODE				
T_UID				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_DT				
T_IND				
T_UID				
T_DT				
T_DESC				
T_ID				
T_IND				
T_NOTE				
T_IND	N		11	
T_ID	NULL			
T_IND	N			
T_CD	MAN			
T_XID	NULL			
T_SID				
T_XID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with M					
Table	Column	Data Type	Null	Description	Domain
MANUFACTURER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
MANUFACTURER	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
MANUFACTURER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
MANUFACTURER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
MANUFACTURER	MANUF_NAME	VARCHAR (255)	NULL	Manufacturer Name	T_NAME
MANUFACTURER	MANUF_NOTE	VARCHAR (255)	NULL	Manufacturer Notes	T_NOTE
MANUFACTURER	MANUF_XID	VARCHAR (20)	NOT NULL	Unique code for Manufacturer	T_XID
MEASURABILITY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
MEASURABILITY	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
MEASURABILITY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
MEASURABILITY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
MEASURABILITY	LOWER_RANGE_ID	NUMERIC(18,8)	NOT NULL	Range Lower limit	T_QTY
MEASURABILITY	MEASURABLE_QTY	NUMERIC(18,8)	NOT NULL	Measurable quantity	T_QTY
MEASURABILITY	MEASURE_TYPE_CD	VARCHAR (5)	NOT NULL	Measurable Type - Link to list_of_val table	T_CD
MEASURABILITY	MSR_ID	INT	NOT NULL	Unique ID of Measurable table , for the site	T_ID
MEASURABILITY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
MEASURABILITY	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID
MEASURABILITY	UPPER_LIMIT_ID	NUMERIC(18,8)	NOT NULL	Upper limit	T_QTY
MEASURABILITY	UPPER_RANGE_ID	NUMERIC(18,8)	NOT NULL	Range Upper limit	T_QTY
MED_CHART	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
MED_CHART	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
MED_CHART	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
MED_CHART	MED_CHT_ID	INT	NOT NULL	Unique ID for Medication chart, for the site	T_ID
MED_CHART	NEXT_REVIEW_DT	DATETIME	NULL	Next review date for the medication chart	T_DT
MED_CHART	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID
MED_CHART	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID
MED_CHART	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
MED_CHT_DOSE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
MED_CHT_DOSE	DOSE_QTY	NUMERIC(18,8)	NULL	Dosage Quantity	T_QTY
MED_CHT_DOSE	DOSE_TIME_DT	DATETIME	NOT NULL	Dosage Time Date	T_DT
MED_CHT_DOSE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
MED_CHT_DOSE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
MED_CHT_DOSE	MED_CHT_DOSE_ID	INT	NOT NULL	Unique ID for Medication Chart dosage, for the site	T_ID
MED_CHT_DOSE	MED_CHT_ITEM_ID	INT	NOT NULL	Identifier for Medication Chart Item - Link to med_chrt_item table	T_ID
MED_CHT_DOSE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
MED_CHT_INGR	BOM_COMP_QTY	NUMERIC(18,8)	NULL	Quantity of the Bill Of Materials component in the Medication Chart	T_QTY
MED_CHT_INGR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
MED_CHT_INGR	DOSE_CALC_CD	VARCHAR (5)	NULL	Code for the dose calculation - Link to list_of_val table	T_CD
MED_CHT_INGR	INVEN_IND	CHAR (1)	NOT NULL	Inventory indicator	T_IND
MED_CHT_INGR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
MED_CHT_INGR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
MED_CHT_INGR	MCG_VOL_ML	NUMERIC(18,8)	NULL	Medication chart ingredient volume in Mlitre	T_ML
MED_CHT_INGR	MED_CHT_INGR_ID	INT	NOT NULL	Unique ID for the Medication Chart Ingredient, for the site	T_ID
MED_CHT_INGR	MED_CHT_INGR_QTY	NUMERIC(18,8)	NOT NULL	Quantity of the ingredient in the Medication Chart	T_QTY
MED_CHT_INGR	MED_CHT_ITEM_ID	INT	NOT NULL	Identifier for Medication Chart Item - Link to med_chrt_item table	T_ID
MED_CHT_INGR	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
MED_CHT_INGR	PROD_USE_CD	VARCHAR (5)	NULL	Product usage code - Link to list_of_val table	T_CD
MED_CHT_INGR	PROTOCOL_ITEM_ID	INT	NULL	Idenfier for protocol item - Link to protocol_item table	T_ID
MED_CHT_INGR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
MED_CHT_INGR	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
MED_CHT_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
MED_CHT_ITEM	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor - Link to the doctor table	T_XID
MED_CHT_ITEM	DOSE_CHG_TYPE_CD	VARCHAR (5)	NULL	Dosage charge Type code - Link to list_of_val table	T_CD
MED_CHT_ITEM	DOSETTE_IND	CHAR (1)	NOT NULL	Patient Dosette Indicator	T_IND
MED_CHT_ITEM	DSPN_FORMULA_CD	VARCHAR(5)	NULL	Dispensing formulation code	T_CD
MED_CHT_ITEM	DSPN_ID	INT	NULL	ID to link to the dispense table	T_ID
MED_CHT_ITEM	DSPN_LIST_ID	INT	NULL	Dispense list identifier	T_ID
MED_CHT_ITEM	DSPN_LIST_IND	CHAR (1)	NOT NULL	Dispense list indicator	T_IND
MED_CHT_ITEM	LAST_DSPN_DT	DATETIME	NULL	Last dispensed date	T_DT
MED_CHT_ITEM	LAST_DSPN_ID	INT	NULL	Last dispensed identifier	T_ID
MED_CHT_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
MED_CHT_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
MED_CHT_ITEM	MCI_DAILY_QTY	NUMERIC(18,8)	NULL	Medication Chart Item Daily Quantity	T_QTY
MED_CHT_ITEM	MCI_PROD_TEXT	VARCHAR (255)	NOT NULL	Medication chart product description	VARCHAR
MED_CHT_ITEM	MCI_START_DT	DATETIME	NOT NULL	Medication Chart Item start date	T_DT
MED_CHT_ITEM	MCI_STOP_DT	DATETIME	NULL	Medication Chart Item stop date	T_DT
MED_CHT_ITEM	MCI_STYLE_CD	VARCHAR (5)	NOT NULL	Medication Chart Item Style code - Link to list_of_val table	T_CD
MED_CHT_ITEM	MCI_TYPE_CD	VARCHAR (5)	NOT NULL	Medication Chart Item type code - Link to list_of_val table	T_CD
MED_CHT_ITEM	MED_CHT_ID	INT	NOT NULL	Medication chart ID - Link to med_chart table	T_ID
MED_CHT_ITEM	MED_CHT_ITEM_ID	INT	NOT NULL	Unique ID for Medication Chart Item, for the site	T_ID
MED_CHT_ITEM	MED_CHT_ITEM_NOTE	VARCHAR (255)	NULL	Medication chart Item notes	T_NOTE
MED_CHT_ITEM	OWN_SUPP_IND	CHAR (1)	NULL	Own Supply Indicator	T_IND
MED_CHT_ITEM	PAT_CHT_IND	CHAR (1)	NOT NULL	Patient Chart Indicator	T_IND
MED_CHT_ITEM	PRINT_SEQ	INT	NULL	Print Sequence No.	T_SEQ
MED_CHT_ITEM	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID
MED_CHT_ITEM	PROT_SCHED_ID	INT	NULL	Identifier for Protocol schedule - Link to prot_sched_chart table	T_ID
MED_CHT_ITEM	PROTOCOL_ID	INT	NULL	Protocol nbr	T_ID
MED_CHT_ITEM	PROTOCOL_ITEM_ID	INT	NULL	Identifier for protocol item - Link to protocol_item table	T_ID
MED_CHT_ITEM	PROTOCOL_SHORT_CODE	VARCHAR (15)	NULL	Protocol Short code	T_CODE
MED_CHT_ITEM	REF_SITE_SID	SMALLINT	NULL	Reference Site identifier for dispensed product items - Link to site table	T_SID
MED_CHT_ITEM	REVIEWED_BY	VARCHAR (30)	NULL	Code for Reviewer	T_UID
MED_CHT_ITEM	REVIEWED_DT	DATETIME	NULL	Date reviewed	T_DT
MED_CHT_ITEM	ROUTE_ID	INT	NULL	Route identifier - Link to route table	T_ID
MED_CHT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
MED_CHT_ITEM	TEAM_XID	VARCHAR (20)	NULL	Code for Team - Link to the team table.	T_XID
MED_CHT_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

MED_CHT_ITEM	VERSION_ID	INT	NULL	Protocol Version identifier	T_ID
MED_CHT_ITEM	WATER_ML	NUMERIC(18,8)	NULL	Water Ingredients in ml for the item	T_ML
MESSAGES	MSGBUTTON	CHAR (17)	NOT NULL	Message Button	CHAR
MESSAGES	MSGDEFAULTBUTTON	INT	NULL	Message default button	T_ID
MESSAGES	MSGICON	CHAR(12)	NOT NULL	Message Icon	CHAR
MESSAGES	MSGID	CHAR(40)	NOT NULL	Warning or error message identification code	CHAR
MESSAGES	MSGPRINT	CHAR (1)	NOT NULL	Specify the message print is available	T_FLAG
MESSAGES	MSGSEVERITY	INT	NULL	Message severity	T_ID
MESSAGES	MSGTEXT	CHAR (255)	NOT NULL	Message Text	CHAR
MESSAGES	MSGTITLE	CHAR (255)	NOT NULL	Message Title	CHAR
MESSAGES	MSGUSERINPUT	CHAR (1)	NOT NULL	Message user input indicator	T_FLAG
MIMS_AUGMDAT	FORM_CODE	BIGINT(8)	NOT NULL	MIMS form code - link to MIMS_AULINK_FORMULATION_ROUTE, MIMS_LINKAMT	T_BID
MIMS_AUGMDAT	GENERIC_CODE	BIGINT(8)	NOT NULL	MIMS generic code value - link to MIMS_GENERIC, MIMS_DRUG_GENERIC_ROUTE_INTERACT	T_BID
MIMS_AUGMDAT	PRODUCT_CODE	BIGINT(8)	NOT NULL	MIMS product code - link to MIMS_AULINK_FORMULATION_ROUTE, MIMS_LINKAMT	T_BID
MIMS_AULINK_FORMULATION_ROUTE	FORM_CODE	BIGINT(8)	NOT NULL	MIMS form code value - link to MIMS_AUGMDAT	T_BID
MIMS_AULINK_FORMULATION_ROUTE	PRODUCT_CODE	BIGINT(8)	NOT NULL	MIMS product code value - link to MIMS_AUGMDAT	T_BID
MIMS_AULINK_FORMULATION_ROUTE	ROUTE_ID	BIGINT(8)	NOT NULL	MIMS route id value - link to MIMS_DSM_ROUTE, MIMS_DRUG_GENERIC_ROUTE_INTERACT	T_BID
MIMS_DRUG_CLASS_INT_PRECAUTION	DRUG_INTERACT_CLASS_ID1	BIGINT	NOT NULL	MIMS drug interaction class id	T_BID
MIMS_DRUG_CLASS_INT_PRECAUTION	DRUG_INTERACT_CLASS_ID2	BIGINT	NOT NULL	MIMS drug interaction class id	T_BID
MIMS_DRUG_CLASS_INT_PRECAUTION	PRECAUTION_ID	BIGINT	NOT NULL	MIMS precaution id value - link to MIMS_PRECAUTION	T_BID
MIMS_DRUG_CLASS_INTERACTION	DRUG_INTERACT_CLASS_ID1	BIGINT(8)	NULL	MIMS drug interaction class id - one of a pair	T_BID
MIMS_DRUG_CLASS_INTERACTION	DRUG_INTERACT_CLASS_ID2	BIGINT(8)	NULL	MIMS drug interaction class id - one of a pair	T_BID
MIMS_DRUG_CLASS_INTERACTION	DRUG_INTERACTION_NOTES_EN	VARCHAR(MAX)	NULL	MIMS drug interaction notes	-
MIMS_DRUG_CLASS_INTERACTION	LIKELIHOOD	BIGINT	NULL	MIMS likelihood value - link to MIMS_LIKELIHOOD	T_BID
MIMS_DRUG_CLASS_INTERACTION	OBSERVATION_ID	BIGINT	NULL	MIMS observation id value - Link to MIMS_OBSERVATION	T_BID
MIMS_DRUG_CLASS_INTERACTION	SEVERITY_ID	BIGINT(8)	NULL	MIMS severity id - link to MIMS_SEVERITY	T_BID
MIMS_DRUG_GENERIC_ROUTE_INTERACT	DRUG_INTERACT_CLASS_ID	BIGINT	NOT NULL	MIMS drug interaction class id - link to MIMS_DRUG_INTERACT_CLASS	T_BID
MIMS_DRUG_GENERIC_ROUTE_INTERACT	GENERIC_CODE	BIGINT	NOT NULL	MIMS generic code value - link to MIMS_GENERIC	T_BID
MIMS_DRUG_GENERIC_ROUTE_INTERACT	ROUTE_ID	BIGINT	NULL	MIMS route id - link to MIMS_DSM_ROUTE, MIMS_AULINK_FORMULATION_ROUTE	T_BID
MIMS_DRUG_INTERACT_CLASS	DRUG_INTERACT_CLASS_DESCRIPTION	VARCHAR(MAX)	NOT NULL	MIMS drug interaction class description	-
MIMS_DRUG_INTERACT_CLASS	DRUG_INTERACT_CLASS_EN	VARCHAR(255)	NULL	MIMS drug interaction class en	T_NOTE
MIMS_DRUG_INTERACT_CLASS	DRUG_INTERACT_CLASS_ID	BIGINT	NOT NULL	MIMS drug interaction class id	T_BID
MIMS_DRUG_INTERACTION_REFERENCE	DRUG_INTERACT_CLASS_ID1	BIGINT	NOT NULL	MIMS drug interaction class id 1 - link to MIMS_DRUG_INTERACTION_CLASS	T_BID
MIMS_DRUG_INTERACTION_REFERENCE	DRUG_INTERACT_CLASS_ID2	BIGINT	NOT NULL	MIMS drug interaction class id 2 - link to MIMS_DRUG_INTERACTION_CLASS	T_BID
MIMS_DRUG_INTERACTION_REFERENCE	HTMLREFERENCE	VARCHAR(MAX)	NULL	MIMS html reference value - includes HTML formatting tags	-
MIMS_DRUG_INTERACTION_REFERENCE	REFERENCE	VARCHAR(MAX)	NULL	MIMS reference value - plain text	-
MIMS_DSM_ROUTE	DSM_ROUTE_ID	BIGINT	NOT NULL	MIMS mims dsm route id - link to MIMS_DRUG_GENERIC_ROUTE_INTERACT	T_BID
MIMS_DSM_ROUTE	DSM_ROUTE_DESC_EN	VARCHAR(80)	NULL	MIMS mims dsm route of administration description	-
MIMS_GENERIC	APPROVED_GENERIC_CODE	VARCHAR(255)	NULL	MIMS the approved generic code value to link to approved synnonyms - e.g. there is a link from acetominophen to paracetamol.	T_NOTE
MIMS_GENERIC	GENERIC_CODE	BIGINT	NOT NULL	MIMS the generic code	T_BID
MIMS_GENERIC	GENERIC_NAME	VARCHAR(255)	NULL	MIMS the generic name	T_NOTE
MIMS_GENERIC	GENERIC_NAME_SIMPLE	VARCHAR(255)	NULL	MIMS the simple generic name (no special characters)	T_NOTE
MIMS_GENERIC	MOLECULE_NAME_ID	BIGINT(8)	NULL	MIMS the molecule name id	T_BID
MIMS_LIKELIHOOD	LIKELIHOOD_DEF	VARCHAR(MAX)	NULL	MIMS likelihood definition	-
MIMS_LIKELIHOOD	LIKELIHOOD_DESC_EN	VARCHAR(255)	NULL	MIMS likelihood description in English	T_NOTE
MIMS_LIKELIHOOD	LIKELIHOOD_ID	BIGINT	NOT NULL	MIMS likelihood id	T_BID
MIMS_LIKELIHOOD	LIKELIHOOD_RANKING	BIGINT	NULL	MIMS likelihood ranking value	T_BID
MIMS_LINKAMT	AMT_CODE	VARCHAR(255)	NOT NULL	MIMS amt code value	T_NOTE
MIMS_LINKAMT	AMT_TYPE	VARCHAR(255)	NULL	MIMS amt types - either TPP or MPP. No other type captured.	T_NOTE
MIMS_LINKAMT	COMMENT	VARCHAR(255)	NULL	MIMS the comments - empty as of 9.5	T_NOTE
MIMS_LINKAMT	FORM_CODE	BIGINT	NOT NULL	MIMS form code value - link to MIMS_AUGMDAT	T_BID
MIMS_LINKAMT	GENERIC_CODE	BIGINT	NOT NULL	MIMS generic code value - not reliably populated	T_BID
MIMS_LINKAMT	ITEM_CODE	BIGINT	NOT NULL	MIMS item code value - not currently used for any function.	T_BID
MIMS_LINKAMT	MIMS_TERM	VARCHAR(255)	NULL	MIMS mims term - text description of product including PBS details)	T_NOTE
MIMS_LINKAMT	NODE	VARCHAR(MAX)	NULL	MIMS the node value - MIMS codeset description for TPP entries.	-
MIMS_LINKAMT	PACK_CODE	BIGINT	NOT NULL	MIMS pack code value - MIMS PBS categorisation code	T_BID
MIMS_LINKAMT	PRODUCT_CODE	BIGINT	NOT NULL	MIMS product code value - link to MIMS_AUGMDAT	T_BID
MIMS_OBSERVATION	INVERSE_OBSERVATION_ID	BIGINT	NULL	MIMS inverse observation id	T_BID
MIMS_OBSERVATION	OBSERVATION_ID	BIGINT	NOT NULL	MIMS observation id	T_BID
MIMS_OBSERVATION	OBSERVATION_NOTES_EN	VARCHAR(255)	NULL	MIMS observation notes in English	T_NOTE
MIMS_PRECAUTION	PRECAUTION_ID	BIGINT	NOT NULL	MIMS precaution id	T_BID
MIMS_PRECAUTION	PRECAUTION_NOTES_EN	VARCHAR(MAX)	NULL	MIMS precaution notes in English	-
MIMS_SEVERITY	SEVERITY_DEF	VARCHAR(MAX)	NULL	MIMS severity definition	-
MIMS_SEVERITY	SEVERITY_DESC_EN	VARCHAR(255)	NULL	MIMS severity description in English	T_NOTE

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

MIMS_SEVERITY	SEVERITY_ID	BIGINT	NOT NULL	MIMS severity id value	T_BID
MIMS_SEVERITY	SEVERITY_RANKING	BIGINT(8)	NULL	MIMS severity ranking value - opposite severity ID for historical reasons. In text, 'Severe' has a ranking of '1', in software 'Severe' has a severity ranking of '5'. In i.Pharmacy SEVERITY_ID is used to show Severity ranking in alerts.	T_BID
MIMS_UPLOAD_HISTORY	MIMS_UPLOAD_HIST_ID	INT	NOT NULL	Identity value	INT
MIMS_UPLOAD_HISTORY	UPLOAD_DT	DATETIME	NOT NULL	Upload date	T_DT
MIMS_UPLOAD_HISTORY	UPLOAD_EFFECTIVE_DT	DATETIME	NOT NULL	MIMS upload effective date	T_DT
MIMS_UPLOAD_HISTORY	UPLOAD_FILE_NAME	VARCHAR(255)	NOT NULL	Upload file name	T_NAME
MYSCRIPTLIST_ACCESS	CREATED_DTZ	DATETIMEOFFSET	NOT NULL	Date and time that the row was created	T_DTZ
MYSCRIPTLIST_ACCESS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record	T_UID
MYSCRIPTLIST_ACCESS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified	T_DT
MYSCRIPTLIST_ACCESS	MYSL_AUD_ID	INT	NOT NULL	Unique ID used to identify the MySL access record	T_ID
MYSCRIPTLIST_ACCESS	PAT_HI_XID	VARCHAR (20)	NOT NULL	Individual Healthcare Identifier (IHI)	T_XID
MYSCRIPTLIST_ACCESS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
MYSCRIPTLIST_ACCESS	USER_CD	VARCHAR (15)	NOT NULL	ID of the logged on user who accessed MySL for the patient	T_CODE

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule

NULL	
NULL	
NULL

NULL	
NULL	
NULL	
NULL	
NULL	
NULL	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with N					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
NBR_DESC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
NBR_DESC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
NBR_DESC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
NBR_DESC	NBR_DESC	VARCHAR (40)	NOT NULL	Number description	T_DESC
NBR_DESC	NBR_QTY	NUMERIC(18,8)	NOT NULL	Quantity	T_QTY
NBR_DESC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
NEXT_ABC_ANLYS	ABC_ANLYS_ID	INT	NULL	ABC Analysis - Next number	T_ID
NEXT_ABC_ANLYS	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ACCOUNT	ACC_ID	INT	NOT NULL	Account - Next number	T_ID
NEXT_ACCOUNT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ACCOUNT_COMP	ACC_COMP_ID	INT	NOT NULL	Account component - Next number	T_ID
NEXT_ACCOUNT_COMP	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ADC_GROUP	ADC_GRP_ID	INT	NOT NULL	ADC Group - Next number	T_ID
NEXT_ADC_GROUP_IDENTIFIER	ADC_GRP_IDENT_ID	INT	NOT NULL	ADC Group Identifier - Next number	T_ID
NEXT_ADC_MAP	ADC_MAP_ID	INT	NOT NULL	ADC Map - Next number	T_ID
NEXT_ADC_MAP	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ADC_NAME	ADC_NAME_ID	INT	NOT NULL	ADC Name - Next number	T_ID
NEXT_ADC_NAME	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ADC_PROD_FORM	ADC_FORM_ID	INT	NOT NULL	ADC Prod Form - Next number	T_ID
NEXT_ADC_STOCK_LIST	ADC_STK_LIST_ID	INT	NOT NULL	ADC Stock List - Next number	T_ID
NEXT_ADC_STOCK_LIST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ADVERSE_EVENT	ADV_EVENT_ID	INT	NOT NULL	Adverse Event - Next Number	T_ID
NEXT_ADVERSE_EVENT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ADVERSE_EVENT_ITEM	ADV_EVENT_ITEM_ID	INT	NOT NULL	Adverse event item - Next number	T_ID
NEXT_ADVERSE_EVENT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ALLERGY	ALLERGY_ID	INT	NOT NULL	Allergy - Next number	T_ID
NEXT_ALLERGY_NOTE	ALLERGY_NOTE_ID	INT	NOT NULL	Allergy note - Next number	T_ID
NEXT_AMT_MAP	MAP_ID	INT	NOT NULL	Map ID - Next number	T_ID
NEXT_ATTRIBUTE	ATTR_ID	INT	NOT NULL	Attribute - Next number	T_ID
NEXT_AUTH_NBR	AUTH_NBR_ID	INT	NOT NULL	Authority number - Next number	T_ID
NEXT_BIN_BATCH	BIN_BATCH_ID	INT	NOT NULL	Bin batch - Next numberentifier	T_ID
NEXT_BIN_BATCH	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_BIN_TRAN	BIN_TRAN_ID	INT	NOT NULL	Bin transaction - Next number	T_ID
NEXT_BIN_TRAN	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_BOM	BOM_ID	INT	NOT NULL	Bill of Materials - Next number	T_ID
NEXT_BOM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_CR_NOTE_ITEM	CR_NOTE_ITEM_ID	INT	NOT NULL	Credit note item - Next number	T_ID
NEXT_CR_NOTE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_CREDIT_NOTE	CR_NOTE_ID	INT	NOT NULL	Credit note item - Next number	T_ID
NEXT_CREDIT_NOTE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_CRYSTAL_REPORTS	RPT_SID	SMALLINT	NOT NULL	Report - Next number	T_SID
NEXT_CYCLICAL_STK_TAKE	CYC_STK_TAKE_ID	INT	NOT NULL	Cyclical Stock take - Next number	T_ID
NEXT_CYCLICAL_STK_TAKE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_CYCLICAL_STK_TAKE	STORE_XID	VARCHAR(20)	NOT NULL	Code to link to the Store table	T_XID
NEXT_DELIVERED_TO	DEL_TO_ID	INT	NOT NULL	Delivered to - Next number	T_ID
NEXT_DELIVERED_TO	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DIFF_PRICE	DIFF_PRICE_ID	INT	NOT NULL	Differential price - Next number	T_ID
NEXT_DIFF_PRICE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISP_ITEM	DISP_ITEM_ID	INT	NOT NULL	Disposal item - Next number	T_ID
NEXT_DISP_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE	DSPN_ID	INT	NOT NULL	Dispense - Next number	T_ID
NEXT_DISPENSE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_CHARGE	DSPN_CHRG_ID	INT	NULL	Dispense charge - Next number	T_ID
NEXT_DISPENSE_CHARGE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_DOSE	DSPN_DOSE_ID	INT	NULL	Dispense dose - Next number	T_ID
NEXT_DISPENSE_DOSE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_GROUP	DSPN_GRP_ID	INT	NOT NULL	Dispense group - Next number	T_ID
NEXT_DISPENSE_HCDCLM	DSPN_HCDCLM_ORD_ID	INT	NOT NULL	HCD claim order - Next number.	T_ID
NEXT_DISPENSE_HCDCLM	SITE_SID	SMALLINT	NOT NULL	It stores the Site IDentifier.	T_SID
NEXT_DISPENSE_PBS	DSPN_PBS_ID	INT	NULL	PBS Dispense - Next number	T_ID
NEXT_DISPENSE_PBS	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_PBS_ERROR_CODES	DPEC_ID	INT	NOT NULL	PBS Dispense Error Code - Next number	T_ID
NEXT_DISPENSE_PBS_ERROR_CODES	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_PBS_MANUF	DSPN_PBS_MANUF_ID	INT	NOT NULL	PBS Dispense Manufacture Code - Next number	T_ID
NEXT_DISPENSE_PBS_MANUF	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_PROP	DSPN_PROP_ID	INT	NOT NULL	Dispense property - Next number	T_ID
NEXT_DISPENSE_PROP	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPENSE_SCAN	SCAN_ID	INT	NOT NULL	Dispense Scan - Next number	T_ID
NEXT_DISPENSE_SCAN	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISPOSAL	DISP_ID	INT	NOT NULL	Disposal - Next number	T_ID
NEXT_DISPOSAL	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DIST_CR_ITEM	DIST_CR_ITEM_ID	INT	NOT NULL	Distribution Credit Item - Next number	T_ID
NEXT_DIST_CR_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DIST_CREDIT	DIST_CR_ID	INT	NOT NULL	Distribution Credit - Next number	T_ID
NEXT_DIST_CREDIT	SITE_SID	SMALLINT	NOT NULL	Distribution Credit - Next number	T_SID
NEXT_DIST_ITEM	DIST_ITEM_ID	INT	NOT NULL	Distribution Item - Next number	T_ID
NEXT_DIST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DISTRIBUTION	DIST_ID	INT	NOT NULL	Distribution - Next number	T_ID
NEXT_DISTRIBUTION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DRUG_AVAIL	DRUG_AVAIL_ID	INT	NOT NULL	Drug Availability - Next number	T_ID
NEXT_DRUG_CODE	DRUG_CODE_ID	INT	NOT NULL	Drug Code - Next number	T_ID
NEXT_DSPN_ALERT	ALERT_ID	INT	NOT NULL	Dispense Alert - Next number	T_ID
NEXT_DSPN_ALERT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DSPN_CLASS	DSPN_CLASS_ID	INT	NOT NULL	Dispense Class - Next number	T_ID
NEXT_DSPN_CLASS	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DSPN_LIST	DSPN_LIST_ID	INT	NOT NULL	Dispense list - Next number	T_ID
NEXT_DSPN_LIST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

NEXT_DSPN_ORDER	DSPN_ORDER_ID	INT	NOT NULL	Dispensing Order - Next number	T_ID
NEXT_DSPN_PROD	DSPN_PROD_ID	INT	NOT NULL	Dispense product - Next number	T_ID
NEXT_DSPN_PROD	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_DSPN_ROBOT_BATCH	DSPN_ROBOT_BATCH_ID	INT	NOT NULL	Dispense Robot Batch - Next number	T_ID
NEXT_DSPN_ROBOT_BATCH	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EDI	EDI_ID	INT	NOT NULL	Electronic Data Interchange - Next number	T_ID
NEXT_EDI	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EDI_BUILD	EDI_BUILD_ID	INT	NOT NULL	EDI Build - Next number	T_ID
NEXT_EDI_BUILD	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EDI_INV_DESP	EDI_ID	INT	NOT NULL	EDI Invoice Despatch - Next number	T_ID
NEXT_EDI_INV_DESP	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EDI_SEQ	EDI_DT	DATETIME	NOT NULL	EDI Date	T_DT
NEXT_EDI_SEQ	EDI_METHOD_CD	VARCHAR (5)	NOT NULL	EDI method code (AAH, HSA SOS,PHE...)	T_CD
NEXT_EDI_SEQ	EDI_SEQ	INT	NOT NULL	EDI Sequence no.	T_SEQ
NEXT_EDI_SEQ	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EPRESCRIPTION_BASKET	ESCRIPT_BSKT_ID	INT	NOTNULL	Basket ID	T_ID
NEXT_EPRESCRIPTION_BASKET	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EXTERNAL_LINK	EXT_LINK_ID	INT	NOT NULL	External link - Next number	T_ID
NEXT_EXTERNAL_LINK	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EXTERNAL_MESSAGE	EXT_MSG_ID	INT	NOT NULL	External Message - Next number	T_ID
NEXT_EXTERNAL_MESSAGE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EXTERNAL_MESSAGE_BILL	EXT_MSG_BILL_ID	INT	NOT NULL	External message bill - Next number	T_ID
NEXT_EXTERNAL_MESSAGE_BILL	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EXTERNAL_PRF	EXT_PRF_ID	INT	NOT NULL	External Patient Record Form - Next number	T_ID
NEXT_EXTRACT	EXTR_ID	INT	NOT NULL	Extract - Next number	T_ID
NEXT_EXTRACT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EXTRACT_FILE	EXTR_FILE_ID	INT	NOT NULL	Extract File - Next number	T_ID
NEXT_EXTRACT_FILE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_EXTRACT_GROUP	EXTR_GRP_ID	INT	NOT NULL	Extract Group - Next number	T_ID
NEXT_EXTRACT_OUTPUT	EXTR_OUT_ID	INT	NOT NULL	Extract Output - Next number	T_ID
NEXT_EXTRACT_TYPE	EXTR_TYPE_ID	INT	NOT NULL	Extract Type - Next number	T_ID
NEXT_FAMILY	FAMILY_ID	INT	NOT NULL	Family - Next number	T_ID
NEXT_FIN_STRUCT	FIN_STRUCT_ID	INT	NOT NULL	Financial Structure - Next number	T_ID
NEXT_FIN_TRAN	FIN_TRAN_ID	INT	NOT NULL	Financial Transaction - Next number	T_ID
NEXT_FIN_TRAN	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_FREE_RET_ITEM	FREE_RET_ITEM_ID	INT	NOT NULL	Free Return Item - Next number	T_ID
NEXT_FREE_RET_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_FREE_RETURN	FREE_RET_ID	INT	NOT NULL	Free Return - Next number	T_ID
NEXT_FREE_RETURN	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GOAL_SHEET	GS_ID	INT	NOT NULL	Goal sheet - Next number	T_ID
NEXT_GOAL_SHEET	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GOAL_SHEET_REF	GS_REF_ID	INT	NOT NULL	Goal sheet reference - Next number	T_ID
NEXT_GOODS_RECEIPT	GR_ID	INT	NOT NULL	Goods Receipt - Next number	T_ID
NEXT_GOODS_RECEIPT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GR_ITEM	GR_ITEM_ID	INT	NOT NULL	Goods Receipt Item - Next number	T_ID
NEXT_GR_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GR_WORK	GR_WORK_ID	INT	NOT NULL	Goods worksheet - Next number	T_ID
NEXT_GR_WORK	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GR_WORK_ITEM	GR_WORK_ITEM_ID	INT	NOT NULL	Goods worksheet item - Next number	T_ID
NEXT_GR_WORK_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_FORMULATION	GSF_ID	INT	NOT NULL	Goal sheet Formulation - Next number	T_ID
NEXT_GS_FORMULATION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_FORMULATION_ALERT	GFA_ALERT_ID	INT	NOT NULL	Goal sheet Formulation Alert - Next number	T_ID
NEXT_GS_FORMULATION_ALERT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_FORMULATION_PROD	PROD_REF_ID	INT	NOT NULL	Goal sheet Formulation Product reference - Next number	T_ID
NEXT_GS_FORMULATION_RESOURCE	GFR_ID	INT	NOT NULL	Goal sheet Formulation Resource - Next number	T_ID
NEXT_GS_FORMULATION_RESOURCE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_LABEL_PRINTING	GS_LBL_ID	INT	NOT NULL	Goal sheet label - Next number	T_ID
NEXT_GS_LABEL_PRINTING	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_NOTE	GS_NOTE_ID	INT	NULL	Goal Sheet Notes - Next number	T_ID
NEXT_GS_NOTE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_ORDER	GSO_ID	INT	NOT NULL	Goal sheet Order - Next number	T_ID
NEXT_GS_ORDER	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_ORDER_NOTE	GSO_NOTE_ID	INT	NULL	Goal sheet Order Notes - Next number	T_ID
NEXT_GS_ORDER_NOTE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_PROPERTY	GS_PROP_ID	INT	NOT NULL	Goal sheet Property - Next number	T_ID
NEXT_GS_PROPERTY	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_VERSION	GS_ID	INT	NOT NULL	Goal sheet - Next number	T_ID
NEXT_GS_VERSION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_GS_VERSION	VERSION_ID	INT	NOT NULL	Version - Next numberentifier	T_ID
NEXT_GTIN	GTI_ID	INT	NOT NULL	GTIN - Next number	T_ID
NEXT_HARD_COPY_AUDIT	HARD_COPY_AUDIT_ID	INT	NOT NULL	Hard Copy Audit - Next number	T_ID
NEXT_HARD_COPY_AUDIT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_HARD_COPY_REPT_AUDIT	HARD_COPY_AUDIT_REPT_ID	INT	NOT NULL	Hard Copy Audit Report - Next number	T_ID
NEXT_IMPREST_ITEM	IMP_ITEM_ID	INT	NOT NULL	Imprest Item - Next number	T_ID
NEXT_IMPREST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_IMPREST_LIST	IMP_LIST_ID	INT	NOT NULL	Imprest List - Next number	T_ID
NEXT_IMPREST_LIST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_INFUSION	INFUSION_XID	VARCHAR(20)	NOT NULL	Next Infusion ID	T_XID
NEXT_INFUSION	PHARM_APPROVAL_NBR	VARCHAR(15)	NOT NULL	Pharmacy Approval Number	T_NBR
NEXT_INTERACT	INTA_ID	INT	NOT NULL	Interaction - Next number	T_ID
NEXT_INTERVENTION	INTV_ID	INT	NOT NULL	Intervention - Next number	T_ID
NEXT_INTERVENTION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_INTV_GROUP	INTV_GRP_ID	INT	NOT NULL	Intervention Group - Next number	T_ID
NEXT_INTV_TYPE	INTV_TYPE_ID	INT	NOT NULL	Intervention - Next number	T_ID
NEXT_KIT	KIT_ID	INT	NOT NULL	Kit - Next number	T_ID
NEXT_KIT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_BATCH	KIT_BATCH_ID	INT	NOT NULL	Kit Batch - Next number	T_ID
NEXT_KIT_BATCH	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

NEXT_KIT_DIST	KIT_DIST_ID	INT	NOT NULL	Kit Distribution - Next number	T_ID
NEXT_KIT_DIST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_DIST_ITEM	KIT_DIST_ITEM_ID	INT	NOT NULL	Kit Ditribution Item - Next number	T_ID
NEXT_KIT_DIST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_DISTR	KIT_DIST_ID	INT	NOT NULL	Kit distribution - Next number	T_ID
NEXT_KIT_DISTR	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_ITEM	KIT_ITEM_ID	INT	NOT NULL	Kit Item - Next number	T_ID
NEXT_KIT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_ITEM_DIST	KIT_ITEM_DIST_ID	INT	NOT NULL	Kit item distribution - Next number	T_ID
NEXT_KIT_ITEM_DIST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_ITEM_TRAN	KIT_ITEM_TRAN_ID	INT	NOT NULL	Kit Item Transaction - Next number	T_ID
NEXT_KIT_ITEM_TRAN	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_MAINT	KIT_ID	INT	NOT NULL	Kit - Next number	T_ID
NEXT_KIT_MAINT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_MAINT_ITEM	KIT_ITEM_ID	INT	NOT NULL	Kit Item - Next number	T_ID
NEXT_KIT_MAINT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_KIT_TEMPLATE	KIT_TEMP_ID	INT	NULL	Kit template - Next number	T_ID
NEXT_KIT_TEMPLATE	SITE_SID	SMALLINT	NULL	Site ID	T_SID
NEXT_KIT_TEMPLATE_ITEM	KIT_TEMP_ITEM_ID	INT	NULL	Kit template item - Next number	T_ID
NEXT_KIT_TEMPLATE_ITEM	SITE_SID	SMALLINT	NULL	Site ID	T_SID
NEXT_LABEL_FORMAT	LBL_FMT_ID	INT	NOT NULL	Label format - Next number	T_ID
NEXT_LBL_FMT_PROC	LBL_FMT_PROC_ID	INT	NOT NULL	Label Format Process - Next number	T_ID
NEXT_LBL_FMT_PROC	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_LM_CONTROL_PANEL	CONTROL_PANEL_ID	INT	NOT NULL	Control panel - Next number	T_ID
NEXT_LM_CONTROL_PANEL	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_LM_ITEM	LM_ITEM_ID	INT	NOT NULL	Local Manufacture Item - Next number	T_ID
NEXT_LM_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_LOAN	LOAN_ID	INT	NOT NULL	Loan - Next number	T_ID
NEXT_LOAN	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_LOAN_ITEM	LOAN_ITEM_ID	INT	NOT NULL	Loan Item - Next number	T_ID
NEXT_LOAN_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_LOCAL_CTPP	CTPP_ID	INT (4)	NOT NULL	Column to save the next extension item id in next_local_ctpp table	T_ID
NEXT_LOCAL_MANUF	LOCAL_MANUF_ID	INT	NOT NULL	Local Manufacture - Next number	T_ID
NEXT_LOCAL_MANUF	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_LOCATION	LOC_ID	INT	NOT NULL	Store Location - Next number	T_ID
NEXT_LOCATION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_MEASURABILITY	MSR_ID	INT	NOT NULL	Measurability - Next number	T_ID
NEXT_MEASURABILITY	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_MED_CHART	MED_CHT_ID	INT	NOT NULL	Medication Chart - Next number	T_ID
NEXT_MED_CHART	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_MED_CHT_DOSE	MED_CHT_DOSE_ID	INT	NOT NULL	Medication Chart Dosage - Next number	T_ID
NEXT_MED_CHT_DOSE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_MED_CHT_INGR	MED_CHT_INGR_ID	INT	NOT NULL	Medication Chart Ingredient - Next number	T_ID
NEXT_MED_CHT_INGR	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_MED_CHT_ITEM	MED_CHT_ITEM_ID	INT	NOT NULL	Medication Chart Item - Next number	T_ID
NEXT_MED_CHT_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ORD_WORK	ORD_WORK_ID	INT	NOT NULL	Order Worksheet - Next number	T_ID
NEXT_ORD_WORK	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ORD_WORK_ITEM	ORD_WORK_ITEM_ID	INT	NOT NULL	Order Worksheet Item - Next number	T_ID
NEXT_ORD_WORK_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ORDER	ORD_ID	INT	NOT NULL	Order - Next number	T_ID
NEXT_ORDER	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ORDER_ITEM	ORD_ITEM_ID	INT	NOT NULL	Order Item - Next number	T_ID
NEXT_ORDER_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAM_CALC	PAM_CALC_ID	INT	NOT NULL	Patient Aminoglycos- Next numbere Calculation - Next number	T_ID
NEXT_PAM_CALC	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_ATTRIBUTE	PAT_ATTR_ID	INT	NOT NULL	Patient attribute - Next number	T_ID
NEXT_PAT_ATTRIBUTE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_EPISODE	EPS_ID	INT	NOT NULL	Patient episode - Next number	T_ID
NEXT_PAT_EPISODE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_HI	PAT_HI_ID	INT	NOTNULL	patient ihi number	T_ID
NEXT_PAT_HI	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_INVOICE	PAT_INVC_ID	INT	NOT NULL	Patient Invoice - Next number	T_ID
NEXT_PAT_INVOICE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_INVOICE_ITEM	PAT_INVC_ITEM_ID	INT	NOT NULL	Patient Invoice Item - Next number	T_ID
NEXT_PAT_INVOICE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_INVOICE_PAY	PAT_INVC_PAY_ID	INT	NOT NULL	Patient Invoice Payment - Next number	T_ID
NEXT_PAT_INVOICE_PAY	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_NOTE	PAT_NOTE_ID	INT	NOT NULL	Patient Notes - Next number	T_ID
NEXT_PAT_NOTE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_NOTE_SEQ	PAT_NOTE_SEQ	INT	NOT NULL	Patient Note Sequence - Next number	T_SEQ
NEXT_PAT_NOTE_SEQ	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PAT_PROD_PERM	PERMIT_ID	INT	NOT NULL	Patient Product Permit - Next number	T_ID
NEXT_PAT_PROD_PERM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PATIENT	PAT_ID	INT	NOT NULL	Patient - Next number	T_ID
NEXT_PATIENT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PBS_CLAIM	PBS_CLAIM_ID	INT	NOT NULL	PBS Claim - Next number	T_ID
NEXT_PBS_CLAIM_ITEM	PBS_CLAIM_ID	INT	NOT NULL	PBS claim for a pharmacy	T_ID
NEXT_PBS_CLAIM_ITEM	PBS_CLAIM_ITEM_ID	INT	NOT NULL	PBS Claim Item - Next number	T_ID
NEXT_PBS_CLAIM_ITEM	PBS_PAYMENT_CATG_CD	VARCHAR (5)	NOT NULL	Category code for PBS payment	T_CD
NEXT_PBS_HIC_CLAIM	PBS_CLAIM_YEAR	CHAR (2)	NOT NULL	PBS Claim Year	T_YEAR
NEXT_PBS_HIC_CLAIM	PBS_HIC_CLAIM_ID	INT	NOT NULL	MCA claim - Next number	T_ID
NEXT_PBS_HIC_CLAIM	PHARM_APPROVAL_NBR	VARCHAR (15)	NOT NULL	Approval number of pharmacy	T_NBR
NEXT_PRES_DAY_SEQ	PRES_DAY_SEQ	INT	NOT NULL	Prescription day sequence - Next number	T_SEQ
NEXT_PRES_DAY_SEQ	PRES_DT	DATETIME	NOT NULL	Prescription Date	T_DT
NEXT_PRESCRIPTION	PPN_ID	INT	NOT NULL	Prescription - Next number	T_ID
NEXT_PRESCRIPTION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PRESCRIPTION_ITEM_TRACK	PPN_ITEM_TRACK_ID	INT	NOT NULL	Prescription item tracking - Next number	T_ID
NEXT_PRESCRIPTION_ITEM_TRACK	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

NEXT_PRESCRIPTION_TRACK	PPN_TRACK_ID	INT	NOT NULL	Prescription tracking - Next number	T_ID
NEXT_PRESCRIPTION_TRACK	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PRODUCT	PROD_ID	INT	NOT NULL	Product - Next number	T_ID
NEXT_PROP_ATTR	PROP_ATTR_ID	INT	NOT NULL	Property attribute - Next number	T_ID
NEXT_PROP_DOSE	PROP_DOSE_ID	INT	NOT NULL	Property Dose - Next number	T_ID
NEXT_PROPERTY	PROP_ID	INT	NOT NULL	Property - Next number	T_ID
NEXT_PROT_SCHED_CHART	PROT_SCHED_ID	INT	NOT NULL	Protocol Schedule - Next number	T_id
NEXT_PROT_SCHED_CHART	SITE_SID	SMALLINT	NOT NULL	Site ID	T_sid
NEXT_PROT_SCHED_ITEM	PROT_SCHED_ITEM_ID	INT	NOT NULL	Protocol Schedule Item - Next number	T_ID
NEXT_PROT_SCHED_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PROT_SCHED_PERIOD	PROT_SCHED_PERIOD_ID	INT	NOT NULL	Protocol Schedule Period - Next number	T_ID
NEXT_PROT_SCHED_PERIOD	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PROTOCOL	PROTOCOL_ID	INT	NOT NULL	Protocol nbr	T_ID
NEXT_PROTOCOL_ITEM	PROTOCOL_ITEM_ID	INT	NULL	Protocol Item - Next number	T_ID
NEXT_REPAY_ITEM	REPAY_ITEM_ID	INT	NOT NULL	Repayment Item - Next number	T_ID
NEXT_REPAY_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_REPAYMENT	REPAY_ID	INT	NOT NULL	Repayment - Next number	T_ID
NEXT_REPAYMENT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_REQN	REQN_ID	INT	NOT NULL	Requisition - Next number	t_id
NEXT_REQN	SITE_SID	SMALLINT	NOT NULL	Site ID	t_sid
NEXT_REQN_ITEM	REQN_ITEM_ID	INT	NOT NULL	Requisition Item - Next number	T_ID
NEXT_REQN_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_RESOURCE	RESOURCE_ID	INT	NOT NULL	Resource - Next number	T_ID
NEXT_ROBOT_CHUTE	CHUTE_ID	INT	NO	Robot Chute - Next number	T_ID
NEXT_ROBOT_CHUTE	SITE_SID	SMALLINT	NO	the site id	T_SID
NEXT_ROBOT_DISPENSE	DSPN_ROBOT_ID	INT	NOT NULL	Robot Dispense - Next dspn_robot_id number	T_ID
NEXT_ROBOT_DISPENSE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ROBOT_DIST	ROBOT_TRAN_ID	INT	NULL	Robot Distribution - Next tran_id number	T_ID
NEXT_ROBOT_DIST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_ROBOT_INTERFACE	INTERFACE_ID	INT	NO	External Message Robot - Next number	T_ID
NEXT_ROBOT_INTERFACE	SITE_SID	SMALLINT	NO	the site id	T_SID
NEXT_ROBOT_TFR	ROBOT_TRAN_ID	INT	NULL	Robot Store Transfer - Next tran_id number	T_ID
NEXT_ROBOT_TFR	SITE_SID	SMALLINT	NULL	Site ID	T_SID
NEXT_ROUTE	ROUTE_ID	INT	NOT NULL	Route - Next number	T_ID
NEXT_PVV_ADJ_ITEM	PVV_ADJ_ITEM_ID	INT	NOT NULL	PVV Adjustment Item - Next number	T_ID
NEXT_PVV_ADJ_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_PVV_ADJUST	PVV_ADJ_ID	INT	NOT NULL	PVV Adjustment - Next number	T_ID
NEXT_PVV_ADJUST	SITE_SID	SMALLINT	NOT NULL	Unique - Next number used to - Next numberenfiy site	T_SID
NEXT_RECON_INGRED	RECON_ITEM_ID	INT	NOT NULL	Reconstitution Item - Next number	T_ID
NEXT_RECON_LOT	RECON_LOT_ID	INT	NOT NULL	Reconstitution Lot - Next number	T_ID
NEXT_RECON_PROD	RECON_ID	INT	NOT NULL	Reconstitution Product - Next number	T_ID
NEXT_ROBOT	SITE_SID	SMALLINT	NOT	Site ID	T_SID
NEXT_ROBOT	ROBOT_ID	INT	NOT	Robot - Next number	T_ID
NEXT_SITE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_SPEC_PROD_INDICATION	SPI_ID	INT	NULL	Special Product Indication - Next number	T_ID
NEXT_STD_MANUF_NOTE	STD_MANUF_NOTE_ID	INT	NOT NULL	Standard Manufacturing Note - Next number	T_ID
NEXT_STK_ADJ_ITEM	STK_ADJ_ITEM_ID	INT	NOT NULL	Stock Adjustment Item - Next number	T_ID
NEXT_STK_ADJ_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_STK_TAKE_GRP	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_STK_TAKE_GRP	STK_TAKE_GRP_SID	SMALLINT	NOT NULL	Stock Take Group - Next number	T_SID
NEXT_STK_TAKE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_STK_TAKE_ITEM	STK_TAKE_ITEM_ID	INT	NOT NULL	Stock Take Item - Next number	T_ID
NEXT_STOCK_ADJUST	STK_ADJ_ID	INT	NOT NULL	Stock Adjustment - Next number	T_ID
NEXT_STOCK_ADJUST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_STOCK_TAKE	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_STOCK_TAKE	STK_TAKE_ID	INT	NOT NULL	Stock Take - Next number	T_ID
NEXT_SUBST_ID	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_SUBST_ID	SUBST_ID	INT	NOT NULL	Substitution - Next number	T_ID
NEXT_SUPP_CATL	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_SUPP_CATL	SUPP_CATL_ID	INT	NOT NULL	Supplier Catalog - Next number	T_ID
NEXT_TFR_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_sid
NEXT_TFR_ITEM	TFR_ITEM_ID	INT	NOT NULL	Transfer Item - Next number	T_id
NEXT_TFR_REQUEST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_TFR_REQUEST	TFR_RQST_ID	INT	NOT NULL	Transfer Request - Next number	T_ID
NEXT_TFR_RQST_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_TFR_RQST_ITEM	TFR_RQST_ITEM_ID	INT	NULL	Transfer Request Item - Next number	T_ID
NEXT_TRAN_ADD_VAL	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_TRAN_ADD_VAL	TRAN_ADD_VAL_ID	INT	NOT NULL	Transaction Added Value - Next number	T_ID
NEXT_TRANSFER	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_TRANSFER	TFR_ID	INT	NOT NULL	Store Transfer - Next number	T_ID
NEXT_UOM	UOM_ID	INT	NOT NULL	UOM - Next number	T_ID
NEXT_USER_PWD	PWD_ID	INT	NOT NULL	User Password - Next number	T_ID
NEXT_USER_WORKSTATION_AUDIT	SESSION_ID	INT	NOT NULL	User Workstation Audit - Next number	T_ID
NEXT_VAL_ADJ_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_VAL_ADJ_ITEM	VAL_ADJ_ITEM_ID	INT	NOT NULL	Value Adjustment Item - Next number	T_ID
NEXT_VALUE_ADJUST	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_VALUE_ADJUST	VAL_ADJ_ID	INT	NOT NULL	Value Adjustment - Next number	T_ID
NEXT_VAR_DOSE_CHT	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_VAR_DOSE_CHT	VAR_DOSE_CHART_ID	INT	NOT NULL	Variable Dosage Chart - Next number	T_ID
NEXT_VAR_DOSE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_VAR_DOSE_ITEM	VAR_DOSE_ITEM_ID	INT	NOT NULL	Variable Dosage Item - Next number	T_ID
NEXT_VAR_DOSE_PER	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_VAR_DOSE_PER	VAR_DOSE_PERIOD_ID	INT	NOT NULL	Variable Dosage Period - Next number	T_ID
NEXT_WORK_FLOW	WORK_FLOW_ID	INT	NOT NULL	Work Flow - Next number	T_ID
NEXT_WORKSTATION	SITE_SID	SMALLINT	NOT NULL	Site ID	T_SID
NEXT_WORKSTATION	WKSTN_ID	INT	NOT NULL	Workstation - Next number	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule	New or adjusted in version	Notes
		11	
		11	
		11	
		11	
		11	
		11	
		11	
		11	
		11	

		12.0	
		12.0	

Dedalus

Tables star			
Table	**Column**	**Data Type**	**Null**
ORD_WORK	CONTRACT_NBR_REF	VARCHAR(20)	NULL
ORD_WORK	CREATED_DT	DATETIME	NOT NULL
ORD_WORK	CURR_IND	CHAR (1)	NOT NULL
ORD_WORK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
ORD_WORK	LAST_UPDATED_DT	DATETIME	NOT NULL
ORD_WORK	LOC_ID	INT	NULL
ORD_WORK	LOC_TYPE_CD	VARCHAR(5)	NOT NULL
ORD_WORK	ORD_NOTE	VARCHAR (255)	NULL
ORD_WORK	ORD_WORK_DESC	VARCHAR (40)	NULL
ORD_WORK	ORD_WORK_DT	DATETIME	NOT NULL
ORD_WORK	ORD_WORK_ID	INT	NOT NULL
ORD_WORK	ORD_WORK_STAT_CD	VARCHAR (5)	NOT NULL
ORD_WORK	ORD_WORK_TYPE_CD	VARCHAR (5)	NOT NULL
ORD_WORK	ROUNDING_CD	VARCHAR (5)	NOT NULL
ORD_WORK	SITE_SID	SMALLINT	NOT NULL
ORD_WORK	STORE_XID	VARCHAR (20)	NULL
ORD_WORK	VERIFIED_BY	VARCHAR (30)	NULL
ORD_WORK_ITEM	COST_CNTR_XID	VARCHAR (20)	NULL
ORD_WORK_ITEM	CREATED_DT	DATETIME	NOT NULL
ORD_WORK_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
ORD_WORK_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL
ORD_WORK_ITEM	LOC_ID	INT	NULL
ORD_WORK_ITEM	ORD_COST	NUMERIC(18,8)	NOT NULL
ORD_WORK_ITEM	ORD_EXT_COST	NUMERIC(18,8)	NOT NULL
ORD_WORK_ITEM	ORD_REF	VARCHAR (20)	NULL
ORD_WORK_ITEM	ORD_WORK_ID	INT	NOT NULL
ORD_WORK_ITEM	ORD_WORK_ITEM_ID	INT	NOT NULL
ORD_WORK_ITEM	ORD_WORK_QTY	NUMERIC(18,8)	NULL
ORD_WORK_ITEM	OWI_STAT_CD	VARCHAR (5)	NOT NULL
ORD_WORK_ITEM	PREF_LOGIC_IND	CHAR(1)	NULL
ORD_WORK_ITEM	PROD_ID	INT	NOT NULL
ORD_WORK_ITEM	REQN_ITEM_ID	INT	NULL
ORD_WORK_ITEM	RQI_SITE_SID	SMALLINT	NULL
ORD_WORK_ITEM	SITE_SID	SMALLINT	NOT NULL
ORD_WORK_ITEM	SUPP_XID	VARCHAR (20)	NULL
ORD_WORK_ITEM	UOM_ID	INT	NOT NULL
ORDER_ITEM	CONTRACT_REF_XID	VARCHAR(20)	NULL
ORDER_ITEM	CREATED_DT	DATETIME	NOT NULL
ORDER_ITEM	CURR_IND	CHAR (1)	NOT NULL
ORDER_ITEM	EXPECTED_DELIV_DT	DATETIME	NULL
ORDER_ITEM	LAST_MODIFIED_BY	VARCHAR (30)	NULL
ORDER_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
ORDER_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL
ORDER_ITEM	LOC_ID	INT	NULL
ORDER_ITEM	ORD_COST	NUMERIC(18,8)	NOT NULL
ORDER_ITEM	ORD_EXT_COST	NUMERIC(18,8)	NOT NULL
ORDER_ITEM	ORD_ID	INT	NOT NULL
ORDER_ITEM	ORD_ITEM_ID	INT	NOT NULL
ORDER_ITEM	ORD_ITEM_SEQ	INT	NULL
ORDER_ITEM	ORD_ITEM_STAT_CD	VARCHAR (5)	NOT NULL
ORDER_ITEM	ORD_QTY	NUMERIC(18,8)	NOT NULL
ORDER_ITEM	ORIG_ORD_QTY	NUMERIC(18,8)	NOT NULL
ORDER_ITEM	PROD_ID	INT	NOT NULL
ORDER_ITEM	REPLACE_FLAG	CHAR(1)	NULL
ORDER_ITEM	REQN_ITEM_ID	INT	NULL
ORDER_ITEM	RQI_SITE_SID	SMALLINT	NULL
ORDER_ITEM	SITE_SID	SMALLINT	NOT NULL
ORDER_ITEM	SUBST_IND	CHAR(1)	NULL
ORDER_ITEM	SUPP_CATL_ID	INT	NULL
ORDER_ITEM	SUPP_CATL_XID	VARCHAR (20)	NULL
ORDER_ITEM	UOM_ID	INT	NOT NULL
ORDERS	AMEND_USER_CD	VARCHAR (15)	NULL
ORDERS	COST_CNTR_XID	VARCHAR (20)	NULL
ORDERS	CREATED_DT	DATETIME	NOT NULL
ORDERS	CURR_IND	CHAR (1)	NOT NULL
ORDERS	DELIV_INST	VARCHAR (255)	NULL
ORDERS	EDI_BUILD_ID	INT	NULL
ORDERS	EDI_REF	VARCHAR (255)	NULL
ORDERS	EDI_STAT_CD	VARCHAR (5)	NULL
ORDERS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
ORDERS	LAST_UPDATED_DT	DATETIME	NOT NULL
ORDERS	ORD_DT	DATETIME	NOT NULL
ORDERS	ORD_ID	INT	NOT NULL
ORDERS	ORD_NOTE	VARCHAR (255)	NULL
ORDERS	ORD_PRINT_IND	CHAR (1)	NOT NULL
ORDERS	ORD_STAT_CD	VARCHAR (5)	NOT NULL
ORDERS	ORD_TYPE_CD	VARCHAR (5)	NOT NULL
ORDERS	PRINT_IND	CHAR (1)	NOT NULL
ORDERS	PRINTED_BY	VARCHAR (30)	NULL
ORDERS	PRINTED_DT	DATETIME	NULL
ORDERS	SITE_SID	SMALLINT	NOT NULL
ORDERS	STORE_XID	VARCHAR (20)	NULL
ORDERS	SUPP_XID	VARCHAR (20)	NOT NULL
ORDERS	USER_CD	VARCHAR (15)	NULL
ORDERS	VERIFIED_BY	VARCHAR (30)	NULL
ORDERS_EXTR	CREATED_DT	DATETIME	NOT NULL
ORDERS_EXTR	EXTR_ID	INT	NOT NULL
ORDERS_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL
ORDERS_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL
ORDERS_EXTR	ORD_ID	INT	NOT NULL
ORDERS_EXTR	SITE_SID	SMALLINT	NOT NULL

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Dedalus

ting with O					
Description	Domain	Default	Rule	New or adjusted in version	Notes
Contract Number Reference	T_REF				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Store Location ID - Link to location table	T_ID	NULL			
Location type (robot, non robot or both) - link to list_of_val table	T_CD	NULL			
Order Notes	T_NOTE				
Suggested order description	T_DESC				
Suggested order date	T_DT	default			
Order Worksheet Number	T_ID				
Suggested order status code - Link to list_of_val table	T_CD				
Suggested order type code - Link to list_of_val table	T_CD				
Rounding code - Link to list_of_val table	T_CD				
Site identifier - Link to site table	T_SID				
Code to link to the Store table	T_XID				
Code of the User who verifies	T_UID				
Cost Centre Code - Link to the Cost centre table	T_XID				
Date and time that the row was created.	T_DT				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Store Location ID - Link to location table	T_ID				
Order Cost	T_COST				
Order Cost with Tax	T_COST				
Order Reference	T_REF				
Order Worksheet Number	T_ID				
Order Worksheet Item Number	T_ID				
Suggested Order qty	T_QTY				
Owing Status code - Link to list_of_val table	T_CD				
Indicates if preferred brand logic applies, based on AMT links between products	T_IND	N			
Product Identifier - Link to product table	T_ID				
Requisition Item Identifier	T_ID				
Requesting site identifier - Link to site table	T_SID				
Site identifier - Link to site table	T_SID				
Code used to link to the Supplier record	T_XID				
Unit of Measurement Identifier - Link to UOM table	T_ID				
Contract Number Reference	T_XID	NULL			
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Expected Delivery Date	T_DT				
Code for the user who last modified the record	T_UID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Store Location ID - Link to location table	T_ID				
Order Cost	T_COST				
Order Cost with Tax	T_COST				
Order number	T_ID				
Order Item Number	T_ID				
Order item sequence	T_SEQ				
Status of the order item - Link to list_of_val table	T_CD				
Order Quantity	T_QTY				
Original order quantity	T_QTY	0			
Product Identifier - Link to product table	T_ID				
Indicates a product substitution has been done for a Direct Purchase item	T_IND				
Requisition Item Identifier	T_ID				
Requesting site identifier - Link to site table	T_SID				
Site identifier - Link to site table	T_SID				
Indicates there was a substitution message for the item (but no replacement product suggested).	T_IND				
Supplier Catalog ID - Link to supp_catl table	T_ID				
Supplier Catalogue Identifier	T_XID				
Unit of Measurement Identifier - Link to UOM table	T_ID				
Code of the User who modified the record	T_CODE				
Cost Centre Code - Link to the Cost centre table	T_XID				
Date and time that the row was created.	T_DT				
Indicates if the record is current.	T_IND				
Delivery instructions	VARCHAR				
EDI Build ID for importing	T_ID				
EDI reference	VARCHAR				
EDI Status Code - Link to list_of_val table	T_CD				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Date the Order was placed	T_DT				
Order number	T_ID				
Order Notes	T_NOTE				
Indicator for order printing	T_IND				
Order Status code - Link to list_of_val table	T_CD				
Order Type code - Link to list_of_val table	T_CD				
Print indicator	T_IND	N			
Printed by	T_UID				
Printed date	T_DT				
Site identifier - Link to site table	T_SID				
Code to link to the Store table	T_XID				
Code used to link to the Supplier table	T_XID				
Code to identify the user	T_CODE				
Code of the User who verifies	T_UID				
Date and time that the row was created.	T_DT				
Unique ID used to identify the extraction	T_ID				
Code of the user who last modified the record.	T_UID				
Date and time that the row was last modified.	T_DT				
Order number	T_ID				
Site identifier - Link to site table	T_SID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Table starting with P				
Table	**Column**	**Data Type**	**Null**	**Description**
PAM_CALC	ADMIN_START_DATE	VARCHAR (15)	NOT NULL	Administration Start Date
PAM_CALC	ADMIN_START_TIME	VARCHAR (15)	NOT NULL	Administration Start Time
PAM_CALC	ADMIN_STOP_DATE	VARCHAR (15)	NOT NULL	Administration Stop Date
PAM_CALC	ADMIN_STOP_TIME	VARCHAR (15)	NOT NULL	Administration Stop Time
PAM_CALC	CALC_AUC_QTY	NUMERIC(18,8)	NOT NULL	Calculated Auc Quantity
PAM_CALC	CALC_AUC_TARGET_QTY	NUMERIC(18,8)	NOT NULL	Calculated Auc Target Quantity
PAM_CALC	CALC_CONCENTRATION_QTY	NUMERIC(18,8)	NOT NULL	Calculated Concentration Quantity
PAM_CALC	CALC_DOSE_QTY	NUMERIC(18,8)	NOT NULL	Calculated Dosage Quantity
PAM_CALC	CALC_INTERVAL_HRS	INT	NOT NULL	Calculated Interval Hours
PAM_CALC	CALC_PHARM_DOSE_QTY	NUMERIC(18,8)	NOT NULL	Calculated Pharmacy Dose Quantity
PAM_CALC	CALC_PHARM_SERUM_QTY	NUMERIC(18,8)	NOT NULL	Calculated Pharmacy Serum Quantity
PAM_CALC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAM_CALC	DOSE_INTERVAL_HRS	INT	NOT NULL	Dosage interval Hours
PAM_CALC	DOSE_QTY	NUMERIC(18,8)	NOT NULL	Dosage Quantity
PAM_CALC	FIRST_SERUM_DATE	VARCHAR (15)	NOT NULL	First Serum Date
PAM_CALC	FIRST_SERUM_LEVEL_QTY	NUMERIC(18,8)	NOT NULL	First Serum Level Quantity
PAM_CALC	FIRST_SERUM_TIME	VARCHAR (15)	NOT NULL	First Serum Time
PAM_CALC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAM_CALC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAM_CALC	PAM_CALC_ID	INT	NOT NULL	Patient Aminoglycoside Calculation Identifier
PAM_CALC	PAM_CALC_NOTE	VARCHAR (255)	NOT NULL	Patient Aminoglycoside Calculation note
PAM_CALC	PAM_CALC_TYPE_CD	VARCHAR (5)	NOT NULL	PAM calculation type code - Link to list_of_val table
PAM_CALC	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAM_CALC	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PAM_CALC	SECOND_SERUM_DATE	VARCHAR (15)	NOT NULL	Second Serum Date
PAM_CALC	SECOND_SERUM_LEVEL_QTY	NUMERIC(18,8)	NOT NULL	Second Serum Level Quantity
PAM_CALC	SECOND_SERUM_TIME	VARCHAR (15)	NOT NULL	Second Serum Time
PAM_CALC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_ATTRIBUTE	ACTIVE_IND	CHAR (1)	NOT NULL	Active Indicator
PAT_ATTRIBUTE	ATTR_FORMULA_PID	INT	NULL	Attribute formula identifier
PAT_ATTRIBUTE	ATTR_ID	INT	NOT NULL	Attribute identifier - Link to attribute table
PAT_ATTRIBUTE	ATTR_QTY	NUMERIC(18,8)	NULL	Attribute quantity
PAT_ATTRIBUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_ATTRIBUTE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PAT_ATTRIBUTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_ATTRIBUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_ATTRIBUTE	PAT_ATTR_ID	INT	NOT NULL	Patient attribute Identifier
PAT_ATTRIBUTE	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAT_ATTRIBUTE	RESULT_DT	DATETIME	NOT NULL	Result date
PAT_ATTRIBUTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_ATTRIBUTE	UNIT_PID	INT	NULL	Unit identifier - Link to unit table
PAT_ATTRIBUTE	UNIT_QLF_PID	INT	NULL	Unit qualifier identifier - Link to unit table
PAT_ATTRIBUTE	USER_DEFINED_IND	CHAR (1)	NULL	User defined attribute Indicator
PAT_EPISODE	COSMETIC_IND	CHAR(1)	NOT NULL	Cosmetic indicator
PAT_EPISODE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_EPISODE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
PAT_EPISODE	EPS_ID	INT	NOT NULL	Unique Episode ID, for the site
PAT_EPISODE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
PAT_EPISODE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_EPISODE	HR_CONSENT_WITHDRAWN_IND	CHAR(1)	NOT NULL	Health Record Consent withdrawn indicator
PAT_EPISODE	PAT_ADMIT_DT	DATETIME	NULL	Admission date and time for Patient Episode
PAT_EPISODE	PAT_DISCH_DT	DATETIME	NULL	Patient Discharge Date
PAT_EPISODE	PAT_EPS_XID	VARCHAR(20)	NULL	Patient Episode Number
PAT_EPISODE	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAT_EPISODE	PAT_LOC_BED_DESC	VARCHAR(40)	NULL	Bed Details
PAT_EPISODE	PAT_LOC_BUILD_DESC	VARCHAR(40)	NULL	Building details
PAT_EPISODE	PAT_LOC_DESC	VARCHAR(40)	NULL	Patient Location
PAT_EPISODE	PAT_LOC_FLOOR_DESC	VARCHAR(40)	NULL	Floor details
PAT_EPISODE	PAT_LOC_ROOM_DESC	VARCHAR(40)	NULL	Room details
PAT_EPISODE	PAT_SOURCE_CD	VARCHAR(5)	NOT NULL	Code for Patient Source - Link to list_of_val table
PAT_EPISODE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_HI	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created
PAT_HI	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record current
PAT_HI	HI_SOURCE_CD	VARCHAR(5)	NULL	The source of the IHI. HI Service B2B channel, Electronic message or Manual entry. Link to list_of_val
PAT_HI	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record
PAT_HI	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified
PAT_HI	LAST_VALIDATED_DT	DATETIME	NULL	Date the IHI was last validated
PAT_HI	NBR_STAT_DESC	VARCHAR(40)	NULL	Number status of ‘Active’, ’Deceased’, ’Retired’, ‘Expired’ or ’Resolved’
PAT_HI	PAT_HI_ID	INT	NOT NULL	Unique primary key
PAT_HI	PAT_HI_XID	VARCHAR(20)	NOT NULL	Individual Healthcare Identifier (IHI)
PAT_HI	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAT_HI	RECORD_STAT_DESC	VARCHAR(40)	NULL	Record status. Will always be ‘Active’. ’Unverified’ and ’Provisional’ are not supported by i.Pharmacy.
PAT_HI	SITE_SID	INT	NOT NULL	Site identifier - Link to site table
PAT_INVOICE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_INVOICE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PAT_INVOICE	DEBTOR_XID	VARCHAR (20)	NULL	Code used to identify the debtor - Link to debtor table
PAT_INVOICE	EXT_PAT_INVC_DESC	VARCHAR (40)	NULL	Patient Invoice External Description
PAT_INVOICE	FIN_CLASS_XID	VARCHAR (20)	NULL	Code for Financial Class - Link to finance_class table
PAT_INVOICE	FIN_SUB_XID	VARCHAR (20)	NULL	Code for Financial Sub Class - Link to finance_sub_class table
PAT_INVOICE	GST_INCLUDED_IND	CHAR (1)	NULL	GST Included indicator
PAT_INVOICE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_INVOICE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_INVOICE	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAT_INVOICE	PAT_INVC_ADDR_1	VARCHAR (40)	NULL	Patient Invoice Address1
PAT_INVOICE	PAT_INVC_ADDR_2	VARCHAR (40)	NULL	Patient Invoice Address2

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PAT_INVOICE	PAT_INVC_ADDR_3	VARCHAR (40)	NULL	Patient Invoice Address3
PAT_INVOICE	PAT_INVC_ADDR_4	VARCHAR (40)	NULL	Patient Invoice Address4
PAT_INVOICE	PAT_INVC_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient Invoice Charge Amount
PAT_INVOICE	PAT_INVC_CNTRY	VARCHAR (30)	NULL	Patient Invoice Country
PAT_INVOICE	PAT_INVC_DT	DATETIME	NOT NULL	Patient Invoice Date
PAT_INVOICE	PAT_INVC_ID	INT	NOT NULL	Patient Invoice Identifier
PAT_INVOICE	PAT_INVC_NAME	VARCHAR (255)	NULL	Patient Invoice Name
PAT_INVOICE	PAT_INVC_NOTE	VARCHAR (255)	NULL	Patient Invoice Note
PAT_INVOICE	PAT_INVC_PHONE_1	VARCHAR (15)	NULL	Patient Invoice Phone 1
PAT_INVOICE	PAT_INVC_PHONE_2	VARCHAR (15)	NULL	Patient Invoice Phone 2
PAT_INVOICE	PAT_INVC_POSTCODE	VARCHAR (10)	NULL	Patient Invoice Post Code
PAT_INVOICE	PAT_INVC_REF	VARCHAR (20)	NULL	Patient Invoice Reference
PAT_INVOICE	PAT_INVC_STAT_CD	VARCHAR (5)	NOT NULL	Patient Invoice Status Code - Link to list_of_val
PAT_INVOICE	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PAT_INVOICE	PHARM_XID	VARCHAR(20)	NULL	Pharmacy Identifier - link to pharmacy table
PAT_INVOICE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_INVOICE	WRITE_OFF_AUTH_CD	VARCHAR(15)	NULL	Code of the user who authourised the Write off.
PAT_INVOICE_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_INVOICE_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract
PAT_INVOICE_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_INVOICE_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_INVOICE_EXTR	PAT_INVC_ID	INT	NOT NULL	Patient Invoice Identifier - Link to pat_invoice table
PAT_INVOICE_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_INVOICE_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_INVOICE_ITEM	DSPN_DIFF_PRICE_IND	CHAR(1)	NOT NULL	Differential price indicator
PAT_INVOICE_ITEM	DSPN_FIN_SUB_XID	VARCHAR(20)	NULL	Code for financial sub class - Link to finance_sub_class table
PAT_INVOICE_ITEM	DSPN_ID	INT	NULL	ID to link to the dispense table
PAT_INVOICE_ITEM	INVC_SERV_XID	VARCHAR (20)	NOT NULL	Code for invoice service information - Link to invoice_service table
PAT_INVOICE_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_INVOICE_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_INVOICE_ITEM	ORIG_PII_ITEM_ID	INT	NULL	Original patient invoice item identifier
PAT_INVOICE_ITEM	PAT_INVC_ID	INT	NOT NULL	Patient Invoice Identifier - Link to pat_invoice table
PAT_INVOICE_ITEM	PAT_INVC_ITEM_ID	INT	NOT NULL	Patient Invoice item ID - Link to pat_invoice_item table
PAT_INVOICE_ITEM	PAT_INVC_ITEM_NOTE	VARCHAR (255)	NOT NULL	Patient Invoice Item Note
PAT_INVOICE_ITEM	PAT_INVC_ITEM_SEQ	INT	NOT NULL	Patient Invoice Item Sequence
PAT_INVOICE_ITEM	PAT_PRICING_TYPE_CD	VARCHAR(5)	NULL	Patient pricing type code - Link to list_of_val table
PAT_INVOICE_ITEM	PII_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient Invoice item Charge Amount
PAT_INVOICE_ITEM	PII_COST_EXTN_AMT	NUMERIC(18,8)	NOT NULL	Patient Invoice item Cost with tax
PAT_INVOICE_ITEM	PII_PACK_QTY	NUMERIC(18,8)	NOT NULL	Patient Invoice item Pack Quantity
PAT_INVOICE_ITEM	PII_STAT_CD	VARCHAR (5)	NOT NULL	Patient Invoice item Status Code - Link to list_of_val table
PAT_INVOICE_ITEM	PII_TYPE_CD	VARCHAR (5)	NOT NULL	Patient Invoice item Type Code - Link to list_of_val table
PAT_INVOICE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_INVOICE_PAY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_INVOICE_PAY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_INVOICE_PAY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_INVOICE_PAY	PAT_INVC_ID	INT	NOT NULL	Patient Invoice Identifier
PAT_INVOICE_PAY	PAT_INVC_PAY_AMT	NUMERIC(18,8)	NOT NULL	Patient Invoice Pay Amount
PAT_INVOICE_PAY	PAT_INVC_PAY_ID	INT	NOT NULL	Unique Patient Invoice Payment Identifier, for the site
PAT_INVOICE_PAY	PIP_METHOD_CD	VARCHAR (5)	NOT NULL	Patient Invoice Pay Method Code - Link to list_of_val table
PAT_INVOICE_PAY	PIP_REF_DT	DATETIME	NULL	Patient Invoice Pay Reference Date
PAT_INVOICE_PAY	PIP_REF_NBR	VARCHAR (16)	NULL	patient invoice pay reference number
PAT_INVOICE_PAY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_NOTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_NOTE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PAT_NOTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_NOTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_NOTE	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAT_NOTE	PAT_NOTE_DESC	VARCHAR (40)	NOT NULL	Patient Invoice Note Description
PAT_NOTE	PAT_NOTE_DT	DATETIME	NOT NULL	Patient Invoice Date
PAT_NOTE	PAT_NOTE_ID	INT	NOT NULL	Unique ID for Patient Note, for the site
PAT_NOTE	PAT_NOTE_TXT	TEXT	NULL	Patient Notes Text
PAT_NOTE	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PAT_NOTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_NOTE_DTL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_NOTE_DTL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_NOTE_DTL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_NOTE_DTL	PAT_NOTE	VARCHAR (255)	NOT NULL	Patient note details
PAT_NOTE_DTL	PAT_NOTE_ID	INT	NOT NULL	Patient Notes Identifier - Link to pat_note table
PAT_NOTE_DTL	PAT_NOTE_SEQ	INT	NOT NULL	Patient Note Sequence
PAT_NOTE_DTL	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_NOTE_TEMP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_NOTE_TEMP	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PAT_NOTE_TEMP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_NOTE_TEMP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_NOTE_TEMP	TEMP_DESC	VARCHAR (40)	NOT NULL	Patient Note Template Description
PAT_NOTE_TEMP	TEMP_NAME_XID	VARCHAR (20)	NOT NULL	UniqueCode for Patient Note Template
PAT_NOTE_TEMP	TEMP_TXT	TEXT	NULL	Template Text
PAT_PROD_PERM_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_PROD_PERM_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extract, for the site
PAT_PROD_PERM_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_PROD_PERM_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_PROD_PERM_EXTR	PERMIT_ID	INT	NOT NULL	Permit ID - Link to pat_prod_permit table
PAT_PROD_PERM_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_PROD_PERMIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PAT_PROD_PERMIT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PAT_PROD_PERMIT	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor - Link to the doctor table
PAT_PROD_PERMIT	GOVT_AUTH_REF	VARCHAR(20)	NULL	Government Authourity Reference
PAT_PROD_PERMIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PAT_PROD_PERMIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PAT_PROD_PERMIT	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PAT_PROD_PERMIT	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PAT_PROD_PERMIT	PATIENT_CONSENT_IND	CHAR (1)	NOT NULL	Patient Consent Indicator

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PAT_PROD_PERMIT	PERMIT_CATG_CD	VARCHAR (5)	NOT NULL	Permit Category Code - Link to list_of_val table
PAT_PROD_PERMIT	PERMIT_DAY_DOSE	CHAR (10)	NULL	Permit Day Dosage
PAT_PROD_PERMIT	PERMIT_ID	INT	NOT NULL	Permit ID - Link to pat_prod_permit table
PAT_PROD_PERMIT	PERMIT_NOTE	VARCHAR (255)	NULL	Permit Notes
PAT_PROD_PERMIT	PERMIT_ON_FILE_IND	CHAR (1)	NOT NULL	Permit On File Indicator
PAT_PROD_PERMIT	PERMIT_ORIGIN_SITE_SID	SMALLINT	NOT NULL	Code for the site recorded for the original permit record - Link to site table
PAT_PROD_PERMIT	PERMIT_START_DT	DATETIME	NOT NULL	Permit Start Date
PAT_PROD_PERMIT	PERMIT_STOP_DT	DATETIME	NOT NULL	Permit Stop Date
PAT_PROD_PERMIT	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PAT_PROD_PERMIT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PAT_PROD_PERMIT	SPI_ID	INT	NULL	Special Product Indication ID - Link to spec_prod_indication table
PAT_PROD_PERMIT	SUPP_XID	VARCHAR (20)	NULL	Code used to link to the Supplier record
PATCH	APPLY_DT	DATETIME	NULL	Date the patch or activity was applied
PATCH	PATCH_NOTE	VARCHAR (255)	NULL	Patch or activity Notes
PATCH	PATCH_XID	VARCHAR (20)	NULL	Patch or activity Identifier
PATIENT	ALIAS_PAT_ID	INT	NULL	Alias Patient Identifier - Link to patient table
PATIENT	ALIAS_PAT_SITE_SID	SMALLINT	NULL	ID for site used for Alias information- Link to site table
PATIENT	CONC_CARD_TYPE_CD	VARCHAR (5)	NULL	Patient Concession Card Type Code - Link to list_of_val table
PATIENT	COST_CNTR_XID	VARCHAR (20)	NULL	Cost Centre Code - Link to the Cost centre table
PATIENT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PATIENT	DEBTOR_XID	VARCHAR (20)	NULL	Code used to identify the debtor - Link to debtor table
PATIENT	DOCT_XID	VARCHAR (20)	NULL	Code for Doctor - Link to the doctor table
PATIENT	DVA_CARD_TYPE_CD	VARCHAR (5)	NULL	Patient DVA Card Type Code - Link to list_of_val table
PATIENT	DVA_NBR	VARCHAR (15)	NULL	Patient DVA Number
PATIENT	EMAIL	VARCHAR (60)	NULL	Patient Email
PATIENT	ENTITLEMENT_EXP_DT	DATETIME	NULL	Patient Entitlement Expirty Date
PATIENT	ENTITLEMENT_NBR	VARCHAR (15)	NULL	Patient Entitlement Number
PATIENT	EOP_EMAIL	VARCHAR (60)	NULL	Evidence of Prescription email address
PATIENT	EOP_METH_CD	VARCHAR (5)	NULL	Evidence of Prescription Method
PATIENT	EOP_MOB_PHONE	VARCHAR (15)	NULL	Evidence of Prescription mobile phone number
PATIENT	FAMILY_ID	INT	NULL	Family Identifier - Link to family table
PATIENT	FIN_CLASS_XID	VARCHAR (20)	NULL	Code for Financial Class - Link to finance_class table
PATIENT	FIN_SUB_XID	VARCHAR (20)	NULL	Unique code for the Financial Sub class, for the site
PATIENT	GUAR_ADDR_1	VARCHAR (40)	NULL	Patient Guarantor Address 1
PATIENT	GUAR_ADDR_2	VARCHAR (40)	NULL	Patient Guarantor Address 2
PATIENT	GUAR_ADDR_3	VARCHAR (40)	NULL	Patient Guarantor Address 3
PATIENT	GUAR_ADDR_4	VARCHAR (40)	NULL	Patient Guarantor Address 4
PATIENT	GUAR_CNTRY	VARCHAR (30)	NULL	Patient Guarantor Country
PATIENT	GUAR_FIRST_NAME	VARCHAR (255)	NULL	Patient Guarantor First Name
PATIENT	GUAR_PHONE_1	VARCHAR (15)	NULL	Patient Guarantor Phone number 1
PATIENT	GUAR_PHONE_2	VARCHAR (15)	NULL	Patient Guarantor Phone number 2
PATIENT	GUAR_PHONE_3	VARCHAR (15)	NULL	Patient Guarantor Phone number 3
PATIENT	GUAR_POSTCODE	VARCHAR (10)	NULL	Patient Guarantor Post Code
PATIENT	GUAR_SURNAME	VARCHAR (255)	NULL	Patient Guarantor Surname
PATIENT	HR_CONSENT_WITHDRAWN_IND	CHAR(1)	NOT NULL	Health Record Consent withdrawn indicator.
PATIENT	INDIG_STAT_CD	VARCHAR(5)	NULL	Indigenous status code
PATIENT	INS_TBL_ID	INT	NULL	Insurer table ID
PATIENT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PATIENT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PATIENT	LMO_DOCT_XID	VARCHAR (20)	NULL	Code for Local Medical Officer - Link to the doctor table
PATIENT	MEDICARE_EXP_DT	DATETIME	NULL	Medicare Expiry Date
PATIENT	MEDICARE_NBR	VARCHAR (15)	NULL	Medicare Number
PATIENT	MEDICARE_SUBNBR	CHAR (1)	NULL	Medicare Sub-Number
	MYSL_PAT_XID	VARCHAR(255)	NULL	Unique ID for the Patient resource in MySL. Returned following GET Patient call and used in subsequent API calls. Indicates that the patient exists in MySL.
PATIENT	NHS_NBR_ID	Decimal(10,0)	NULL	NHS Number
PATIENT	NHS_STAT_CD	VARCHAR (5)	NULL	NHS status code
PATIENT	NO_FIRST_NAME_IND	CHAR (1)	NOTNULL	Indicates if the patient has no First Name.
PATIENT	NO_KNOWN_ALG_IND	CHAR (1)	NOT NULL	Indicator for no known allergies
PATIENT	NOALLERGY_UPDATE_BY	VARCHAR(30)	NULL	User code for who ticked the No Known Allergy check box
PATIENT	NOALLERGY_UPDATE_DT	DATETIME	NULL	Date and time when the No Known Allergy check box is checked.
PATIENT	PAT_ADDR_1	VARCHAR (40)	NULL	Patient Address 1
PATIENT	PAT_ADDR_2	VARCHAR (40)	NULL	Patient Address 2
PATIENT	PAT_ADDR_3	VARCHAR (40)	NULL	Patient Address 3
PATIENT	PAT_ADDR_4	VARCHAR (40)	NULL	Patient Address 4
PATIENT	PAT_ADMIT_DT	DATETIME	NULL	Patient Admit Date
PATIENT	PAT_ADMIT_PREV_DT	DATETIME	NULL	Patient Previous Admit Date
PATIENT	PAT_BIRTH_DT	DATETIME	NULL	Patient Birth Date
PATIENT	PAT_CLAIM_REF	VARCHAR (20)	NULL	Patient Claim Reference Number
PATIENT	PAT_CNTRY	VARCHAR (30)	NULL	Patient Country
PATIENT	PAT_DCSD_DT	DATETIME	NULL	Patient Deceased Date
PATIENT	PAT_DISCH_DT	DATETIME	NULL	Patient Discharge Date
PATIENT	PAT_EPS_XID	VARCHAR (20)	NULL	Patient Episode Number
PATIENT	PAT_FIRST_NAME	VARCHAR (255)	NULL	Patient First name
PATIENT	PAT_HI_XID	VARCHAR(20)	NULL	Individual Healthcare Identifier (IHI)
PATIENT	PAT_ID	INT	NOT NULL	Unique ID for Patient, for the site
PATIENT	PAT_LANG_CD	VARCHAR (5)	NULL	Patient Language Code
PATIENT	PAT_LOC_BED_DESC	VARCHAR (40)	NULL	Patient Location Bed Description
PATIENT	PAT_LOC_BUILD_DESC	VARCHAR (40)	NULL	Patient Location Building Description
PATIENT	PAT_LOC_DESC	VARCHAR (40)	NULL	Patient Location Description
PATIENT	PAT_LOC_FLOOR_DESC	VARCHAR (40)	NULL	Patient Location Floor Description
PATIENT	PAT_LOC_ROOM_DESC	VARCHAR (40)	NULL	Patient Location Room Description
PATIENT	PAT_NOTE	VARCHAR (255)	NULL	Patient note
PATIENT	PAT_PHONE_1	VARCHAR (15)	NULL	Patient Phone Number 1
PATIENT	PAT_PHONE_2	VARCHAR (15)	NULL	Patient Phone Number 2
PATIENT	PAT_PHONE_3	VARCHAR (15)	NULL	Patient Phone Number 3
PATIENT	PAT_POSTCODE	VARCHAR (10)	NULL	Patient Post Code
PATIENT	PAT_SALUTATION	VARCHAR (10)	NULL	Patient Salutation
PATIENT	PAT_SEX	CHAR (1)	NULL	Patient Sex
PATIENT	PAT_SOURCE_CD	VARCHAR (5)	NOT NULL	Patient Source Code - Link to list_of_val table

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PATIENT	PAT_SURNAME	VARCHAR (255)	NULL	Patient Surname
PATIENT	PAT_SURNAME_UC	VARCHAR (255)	NULL	Patient Surname upper case
PATIENT	PAT_XID	VARCHAR (20)	NOT NULL	Patient identifier - Link to patient table
PATIENT	REF_SITE_SID	SMALLINT	NOT NULL	ID for site used for Reference information - Link to site table
PATIENT	SAFETY_NET_NBR	VARCHAR (15)	NULL	Patient Safety Net Number
PATIENT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PATIENT	PRES_BAG_IND	CHAR (1)	NOT NULL	Indicates the Patient Details will in fact be Prescriber Details, so that Prescriber Bag items will be dispensed to the actual Prescriber for immediate administration or emergency use.
PATIENT	TEAM_XID	VARCHAR (20)	NULL	Code for Team - Link to the team table.
PATIENT_USER_WORKSTATION	APP_FUNCTION_CD	VARCHAR(30)	NOT NULL	Application function name in which the user is accessing the patient - Link to app_function table
PATIENT_USER_WORKSTATION	CREATED_BY	VARCHAR(30)	NOT NULL	Code of the user who created the record
PATIENT_USER_WORKSTATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PATIENT_USER_WORKSTATION	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PATIENT_USER_WORKSTATION	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PATIENT_USER_WORKSTATION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PATIENT_USER_WORKSTATION	USER_CD	VARCHAR(15)	NOT NULL	Code for the current login user
PATIENT_USER_WORKSTATION	WKSTN_ID	INT	NOT NULL	Workstation ID - Link to workstation table
PBS_CLAIM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_CLAIM	EDIT_USER_CD	VARCHAR (30)	NULL	Code for the user who Edited the PBS Claim record
PBS_CLAIM	GENERATED_DT	DATETIME	NULL	Date and time the PBS Claim was generated
PBS_CLAIM	GENERATED_USER_CD	VARCHAR (30)	NULL	Code for the user who Generated the PBS Claim record
PBS_CLAIM	HIC_PBS_CLAIM_XID	VARCHAR (20)	NULL	PBS Claim period
PBS_CLAIM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_CLAIM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_CLAIM	PBS_CLAIM_ID	INT	NOT NULL	Unique ID for the PBS claim
PBS_CLAIM	PBS_CLAIM_NOTE	VARCHAR (255)	NULL	PBS Claim Notes
PBS_CLAIM	PBS_CLAIM_STAT_CD	VARCHAR (5)	NOT NULL	Code for PBS Claim Status - Link to list_of_val table
PBS_CLAIM	PHARM_APPROVAL_NBR	VARCHAR (15)	NOT NULL	Pharmacy Approval Number
PBS_CLAIM	PREPARED_DT	DATETIME	NULL	Preparation Date
PBS_CLAIM	PREPARED_USER_CD	VARCHAR (30)	NULL	Code for the user who Prepared the PBS Claim record
PBS_CLAIM	STATEMENT_TYPE	VARCHAR (5)	NULL	Statement Type
PBS_CODE	AMT_MP_DESCLONG	VARCHAR (255)	NULL	Description of Medicinal Product.
PBS_CODE	AMT_MP_XID	VARCHAR (20)	NULL	Medicinal Product ID.
PBS_CODE	AMT_MPP_DESCLONG	VARCHAR (255)	NULL	Description of Medicinal Product Pack.
PBS_CODE	AMT_MPP_XID	VARCHAR (20)	NULL	Medicinal Product Pack ID.
PBS_CODE	AMT_TPP_DESCLONG	VARCHAR (255)	NULL	Description of Trade Product Pack.
PBS_CODE	AMT_TPP_XID	VARCHAR (20)	NULL	Trade Product Pack ID.
PBS_CODE	ATC_CODE	VARCHAR (15)	NOT NULL	PBS ATC Code
PBS_CODE	AUTH_IND	CHAR (1)	NOT NULL	Authoirty Indicator
PBS_CODE	BIOEQUIV_CODE	VARCHAR (15)	NULL	Bio Equivalent Code
PBS_CODE	CAUTION_NOTE_IND	CHAR (1)	NOT NULL	Caution Note Indicator
PBS_CODE	CHECK_CURRIND	CHAR(1)	NULL	Current PBS Code Check Indicator
PBS_CODE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_CODE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PBS_CODE	DANG_DRUG_IND	CHAR (1)	NOT NULL	Dangerous Drug Indicator
PBS_CODE	DRUG_FORM_CODE	VARCHAR (15)	NULL	Drug form Code
PBS_CODE	DRUG_FORM_DESC	VARCHAR (40)	NULL	Drug Form Description
PBS_CODE	DRUG_TYPE_CD	VARCHAR (5)	NOT NULL	PBS Drug Type Code - Link to list_of_val table
PBS_CODE	EYE_PREP_IND	CHAR (1)	NOT NULL	Eye Preparation Indicator
PBS_CODE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_CODE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_CODE	LM_BUILD_IND	CHAR (1)	NOT NULL	Local Manufacture Build Indicator
PBS_CODE	MANUF_CD	VARCHAR (5)	NOT NULL	Manufacturer Code - Link to list_of_val table
PBS_CODE	PACK_CONTENT_QTY	NUMERIC (18,8)	NULL	Pack content Quantity for identified items.
PBS_CODE	PBS_BRAND_DESC	VARCHAR (45)	NULL	PBS Brand Description
PBS_CODE	PBS_CODE	VARCHAR (15)	NOT NULL	PBS Code of the Item
PBS_CODE	PBS_CODE_NOTE	VARCHAR (255)	NULL	PBS Code Note
PBS_CODE	PBS_CODE_PID	INT	NOT NULL	Pharmaceutical Benefit Scheme Code Identifier
PBS_CODE	PBS_FORMSTRENGTH_DESC	VARCHAR (150)	NOT NULL	PBS Form Strength Description
PBS_CODE	PBS_GENERIC_DESC	VARCHAR (80)	NOT NULL	PBS Generic Description
PBS_CODE	PBS_MAX_AMT_QTY	NUMERIC (18,8)	NULL	Maximum Quantity for identified items.
PBS_CODE	PBS_UOM_DESC	VARCHAR (40)	NULL	Description of UOM for identified items.
PBS_CODE	PFD_INCENT	NUMERIC(18,8)	NULL	Premium Fee Dispensing Incentives
PBS_CODE	PRES_TYPE_CD	VARCHAR (5)	NULL	Prescriber Type code - Link to list_of_val table
PBS_CODE	REG25DAYS_NBR	SMALLINT	NOT NULL	Register 25days number
PBS_CODE	REST_IND	CHAR (1)	NOT NULL	Restriction Indicator
PBS_CODE	REST_NOTE_IND	CHAR (1)	NOT NULL	Restricted Note Indicator
PBS_CODE	SN_EXCLUDE_IND	CHAR (1)	NOT NULL	Safety net exclude indicator
PBS_CODE	STREAMLINE_IND	CHAR (1)	NOT NULL	Streamline Indicator
PBS_CODE	SUPP_PBS_MAX_QTY_IND	CHAR (1)	NOT NULL	Max quantity Supplied by the PBS Supplier
PBS_CODE	WATER_DSPN_IND	CHAR (1)	NOT NULL	Water Dispensing Indicator
PBS_CUSTOM_ERROR_CODES	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_CUSTOM_ERROR_CODES	DSPN_PBS_ID	INT	NULL	ID for dispensed PBS item - Link to dispense_pbs table
PBS_CUSTOM_ERROR_CODES	DSPN_PBS_MANUF_ID	INT	NULL	ID of PBS manufacturer - Link to dispense_pbs_manuf table.
PBS_CUSTOM_ERROR_CODES	ERROR_CD	VARCHAR (5)	NOT NULL	Code for the error
PBS_CUSTOM_ERROR_CODES	ERROR_NOTE	VARCHAR (255)	NULL	Notes for the error
PBS_CUSTOM_ERROR_CODES	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PBS_CUSTOM_ERROR_CODES	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_CUSTOM_ERROR_CODES	MANUF_UPPN_XID	VARCHAR (20)	NULL	UPPN value - Link to the dispense_pbs_manuf table.
PBS_CUSTOM_ERROR_CODES	SITE_SID	SMALLINT	NULL	Site identifier - Link to site table
PBS_ERROR_CODES	CONTACT_DTL_TEXT	TEXT	NULL	Contact detail text
PBS_ERROR_CODES	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_ERROR_CODES	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PBS_ERROR_CODES	ERROR_CD	VARCHAR (5)	NOT NULL	Code for the error
PBS_ERROR_CODES	ERROR_NOTE	VARCHAR (255)	NULL	Notes for the error
PBS_ERROR_CODES	FIX_INST_TEXT	TEXT	NULL	Instructions to fix the error
PBS_ERROR_CODES	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_ERROR_CODES	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_ITEM	ANS_IND	CHAR (1)	NOT NULL	ANS Indicator
PBS_ITEM	ANS_MAX_QTY_MULT	SMALLINT	NOT NULL	Maximum Quantity for ANS
PBS_ITEM	ANS_REPEAT_NBR	SMALLINT	NOT NULL	ANS Repeat Number
PBS_ITEM	ANS_SCHED_FLAG	CHAR (1)	NULL	ANS Schedule Flag Indicator
PBS_ITEM	BPP_PRICE	NUMERIC(18,8)	NOT NULL	Brand Price Premium
PBS_ITEM	CEMP_PRICE	NUMERIC (18,8)	NULL	Commonwealth EX Manufacturers Price for identified chemo items.
PBS_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_ITEM	HIC_MAX_QTY_PRICE	NUMERIC(18,8)	NOT NULL	PBS Maximum quantity price
PBS_ITEM	HIC_PRICE	NUMERIC(18,8)	NOT NULL	PBS Price
PBS_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_ITEM	MANUF_MAX_QTY_PRICE	NUMERIC(18,8)	NOT NULL	Manufacture Maximum quantity Price
PBS_ITEM	MANUF_PRICE	NUMERIC(18,8)	NOT NULL	Manufacture Price
PBS_ITEM	MAX_SAFETY_NET_PRICE	NUMERIC(18,8)	NOT NULL	Maximum Safety net Price
PBS_ITEM	MEMP_PRICE	NUMERIC (18,8)	NULL	MEMP price for identified chemo items.
PBS_ITEM	PACK_SIZE_QTY	NUMERIC(18,8)	NOT NULL	Pack Size Quantity
PBS_ITEM	PBS_CODE_PID	INT	NOT NULL	PBS Code Identifier - Link to pbs_code table
PBS_ITEM	PBS_INVEN_QTY	NUMERIC (18,8)	NULL	Inventory quantity for identified Chemo items.
PBS_ITEM	PBS_ITEM_NOTE	VARCHAR (255)	NULL	PBS Item Notes
PBS_ITEM	PBS_ITEM_PID	INT	NOT NULL	Unique PBS Item Identifier
PBS_ITEM	PBS_MAX_QTY	NUMERIC(18,8)	NOT NULL	PBS maximum Quantity
PBS_ITEM	PBS_REPEAT_NBR	SMALLINT	NOT NULL	PBS Repeat Number
PBS_ITEM	PUOMP_PRICE	NUMERIC (18,8)	NULL	price of the UOM for identified Chemo items.
PBS_ITEM	SPC_PRICE	NUMERIC(18,8)	NOT NULL	Special Patient Contribution
PBS_ITEM	START_DT	DATETIME	NOT NULL	Start date
PBS_ITEM	STOP_DT	DATETIME	NOT NULL	Stop date
PBS_ITEM	TGM_MAX_QTY_PRICE	NUMERIC(18,8)	NOT NULL	TGM Maximum Quantity Price
PBS_ITEM	TGM_PRICE	NUMERIC(18,8)	NOT NULL	TFM Price
PBS_ITEM	TGP_PRICE	NUMERIC(18,8)	NOT NULL	Therapeutic Group Premium
PBS_ITEM_TEMP	ANS_IND	CHAR (1)	NOT NULL	ANS Indicator
PBS_ITEM_TEMP	ANS_MAX_QTY_MULT	SMALLINT	NOT NULL	Maximum Quantity (imported from external file)
PBS_ITEM_TEMP	ANS_REPEAT_NBR	SMALLINT	NOT NULL	ANS Repeat Number
PBS_ITEM_TEMP	ANS_SCHED_FLAG	CHAR (1)	NULL	ANS Schedule Flag Indicator
PBS_ITEM_TEMP	BPP_PRICE	NUMERIC(18,8)	NOT NULL	Brand Price Premium
PBS_ITEM_TEMP	CEMP_PRICE	NUMERIC (18,8)	NULL	Commonwealth EX Manufacturers Price for identified chemo items.
PBS_ITEM_TEMP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_ITEM_TEMP	HIC_MAX_QTY_PRICE	NUMERIC(18,8)	NOT NULL	Health Insurance Maximum quantity price
PBS_ITEM_TEMP	HIC_PRICE	NUMERIC(18,8)	NOT NULL	Health Insurance Price
PBS_ITEM_TEMP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_ITEM_TEMP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_ITEM_TEMP	MANUF_MAX_QTY_PRICE	NUMERIC(18,8)	NOT NULL	Manufacture Maximum quantity Price
PBS_ITEM_TEMP	MANUF_PRICE	NUMERIC(18,8)	NOT NULL	Manufacture Price
PBS_ITEM_TEMP	MAX_SAFETY_NET_PRICE	NUMERIC(18,8)	NOT NULL	Maximum Safety net Price
PBS_ITEM_TEMP	MEMP_PRICE	NUMERIC (18,8)	NULL	MEMP price for identified chemo items.
PBS_ITEM_TEMP	PACK_SIZE_QTY	NUMERIC(18,8)	NOT NULL	Pack Size Quantity
PBS_ITEM_TEMP	PBS_CODE_PID	INT	NOT NULL	PBS Code Identifier - Link to pbs_code table
PBS_ITEM_TEMP	PBS_INVEN_QTY	NUMERIC(18,8)	NULL	To capture PBS Inventory Quantity
PBS_ITEM_TEMP	PBS_ITEM_NOTE	VARCHAR (255)	NULL	PBS Item Notes
PBS_ITEM_TEMP	PBS_ITEM_PID	INT	NOT NULL	Unique PBS Item Identifier
PBS_ITEM_TEMP	PBS_MAX_QTY	NUMERIC(18,8)	NOT NULL	PBS maximum Quantity
PBS_ITEM_TEMP	PBS_REPEAT_NBR	SMALLINT	NOT NULL	PBS Repeat Number
PBS_ITEM_TEMP	PUOMP_PRICE	NUMERIC(18,8)	NULL	Price per Unit of Measure
PBS_ITEM_TEMP	SPC_PRICE	NUMERIC(18,8)	NOT NULL	Special Patient Contribution
PBS_ITEM_TEMP	START_DT	DATETIME	NOT NULL	Start date
PBS_ITEM_TEMP	STOP_DT	DATETIME	NOT NULL	Stop date
PBS_ITEM_TEMP	TGM_MAX_QTY_PRICE	NUMERIC(18,8)	NOT NULL	TGM Maximum Quantity Price
PBS_ITEM_TEMP	TGM_PRICE	NUMERIC(18,8)	NOT NULL	TGM Price
PBS_ITEM_TEMP	TGP_PRICE	NUMERIC(18,8)	NOT NULL	Therapeutic Group Premium price
PBS_LINK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_LINK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_LINK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_LINK	PBS_CODE_PID	INT	NOT NULL	PBS Code Identifier - Link to pbs_code table
PBS_LINK	PBS_LINK_NOTE	VARCHAR (255)	NULL	PBS Link Notes
PBS_LINK	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PBS_LINK	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
PBS_PAYMENT_STATEMENT	ADJUSTED_PRICE	NUMERIC(18,8)	NULL	Adjusted price from MCA
PBS_PAYMENT_STATEMENT	BRAND	VARCHAR (15)	NULL	Brand name
PBS_PAYMENT_STATEMENT	CLAIM_PERIOD	VARCHAR (5)	NOT NULL	PBS Claim period
PBS_PAYMENT_STATEMENT	CLAIM_PRICE	NUMERIC(18,8)	NULL	Claim price for the dispense
PBS_PAYMENT_STATEMENT	CLAIM_REFERENCE	INT	NOT NULL	Claim reference number
PBS_PAYMENT_STATEMENT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_PAYMENT_STATEMENT	CTG_CODE	VARCHAR (15)	NULL	CTG code
PBS_PAYMENT_STATEMENT	DISPEN_INCENT_ADJ	NUMERIC(18,8)	NULL	Dispense incentive adjust
PBS_PAYMENT_STATEMENT	DISPEN_INCENT_AMT	NUMERIC(18,8)	NULL	Dispense incentive amount
PBS_PAYMENT_STATEMENT	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
PBS_PAYMENT_STATEMENT	DSPN_PBS_ID	INT	NULL	Unique ID used to identify dispensed PBS item
PBS_PAYMENT_STATEMENT	DSPN_PBS_MANUF_ID	INT	NULL	ID to link with dispense_pbs_manuf table

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PBS_PAYMENT_STATEMENT	ELECT_PRESC_FEE_AMT	NUMERIC(18,8)	NULL	Electronic prescription fee amount
PBS_PAYMENT_STATEMENT	ELECT_PRESC_FEE_AMT_ADJ	NUMERIC(18,8)	NULL	Electronic Prescription Fee Amount Adjustment
PBS_PAYMENT_STATEMENT	FAMILY_NAME	VARCHAR (255)	NULL	Person's Family Name
PBS_PAYMENT_STATEMENT	GIVEN_NAME	VARCHAR (255)	NULL	Person's given name
PBS_PAYMENT_STATEMENT	GLOBAL_SALES_TAX	NUMERIC(18,8)	NULL	Global sales tax
PBS_PAYMENT_STATEMENT	HIC_REF_NBR	VARCHAR (15)	NOT NULL	Health Insurance Price reference number
PBS_PAYMENT_STATEMENT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	The User who last modified this record
PBS_PAYMENT_STATEMENT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_PAYMENT_STATEMENT	MANUF_UPPN_XID	VARCHAR (20)	NULL	UPPN value - Link to dispense_pbs_manuf table.
PBS_PAYMENT_STATEMENT	ONLINE_INCENT_ADJ	NUMERIC(18,8)	NULL	Online incentive adjust
PBS_PAYMENT_STATEMENT	ONLINE_INCENT_AMT	NUMERIC(18,8)	NULL	Online incentive amount
PBS_PAYMENT_STATEMENT	PAYMENT_CATEGORY	VARCHAR (5)	NULL	Ppayment category for the dispense
PBS_PAYMENT_STATEMENT	PAYMENT_DT	DATETIME	NULL	Payment Date
PBS_PAYMENT_STATEMENT	PBS_CLAIM_ID	INT	NOT NULL	ID of PBS claim - Link to pbs_claim table
PBS_PAYMENT_STATEMENT	PBS_CODE	VARCHAR (15)	NULL	PBS Code of the Item
PBS_PAYMENT_STATEMENT	PBS_PAYMENT_NBR	VARCHAR (15)	NULL	Payment id (unique id) for the payment
PBS_PAYMENT_STATEMENT	PBS_REF_NBR	VARCHAR (15)	NULL	PBS Reference number of the script
PBS_PAYMENT_STATEMENT	PBS_STMNT_ID	INT	NOT NULL	PBS statement ID
PBS_PAYMENT_STATEMENT	PRESCRIPTION_FORMAT	VARCHAR(2)	NULL	Prescription Format ('E' electronic or 'P' paper)
PBS_PAYMENT_STATEMENT	RBA_NBR	VARCHAR (15)	NULL	Reserve Bank account number
PBS_PAYMENT_STATEMENT	SCRIPT_CLAIM_PERIOD_NBR	VARCHAR (15)	NULL	Script claim period number
PBS_PAYMENT_STATEMENT	SERIAL_NUMBER	VARCHAR (15)	NULL	Serial of the script
PBS_PAYMENT_STATEMENT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PBS_PAYMENT_STATEMENT	UCP_IND	CHAR (1)	NOT NULL	UCP indicator
PBS_RECONCILIATION	CLAIM_PERIOD	VARCHAR (5)	NOT NULL	Stores the period of the claim
PBS_RECONCILIATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_RECONCILIATION	DSPN_ID	INT	NULL	ID to link to the dispense table
PBS_RECONCILIATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_RECONCILIATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_RECONCILIATION	PBS_CLAIM_ID	INT	NOT NULL	Identification key for PBS claims of pharmacy
PBS_RECONCILIATION	PHARMAPPROVALNUMBER	VARCHAR (15)	NOT NULL	Stores the pharmacy approval number
PBS_RECONCILIATION	SITE_SID	SMALLINT	NULL	Site identifier - Link to site table
PBS_RECONCILIATION	TOTCONBENEFITPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total concessions benefit for the prescription
PBS_RECONCILIATION	TOTCONBENEFITREBATE	NUMERIC(18,8)	NULL	Stores the total concessions benefit rebate for the prescription
PBS_RECONCILIATION	TOTDISPENINCENTPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total number of the dispense incentive prescriptions
PBS_RECONCILIATION	TOTDISPENINCENTREBATE	NUMERIC(18,8)	NULL	Stores the total number of the dispense inceptive rebate prescription
PBS_RECONCILIATION	TOTDOCTBAGBENEFITPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total doctor concessions benefit for the prescription
PBS_RECONCILIATION	TOTDOCTBAGBENEFITREBATE	NUMERIC(18,8)	NULL	Stores the total doctor rebate benefit for the prescription
PBS_RECONCILIATION	TOTENTBENEFITPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total Entitlement benefit for the prescription
PBS_RECONCILIATION	TOTENTBENEFITREBATE	NUMERIC(18,8)	NULL	Stores the total Entitlement rebate benefit for the prescription
PBS_RECONCILIATION	TOTGENBENEFITREBATE	NUMERIC(18,8)	NULL	Stores the total number of the general prescription
PBS_RECONCILIATION	TOTGENPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total number of the general rebate prescription
PBS_RECONCILIATION	TOTNUMPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total number of the prescriptions
PBS_RECONCILIATION	TOTONLINEINCENTEREBATE	NUMERIC(18,8)	NULL	Stores the total number of the online inceptive rebate prescription
PBS_RECONCILIATION	TOTONLINEINCENTPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total number of the online incentive prescriptions
PBS_RECONCILIATION	TOTREBATES	NUMERIC(18,8)	NULL	Stores the total rebates
PBS_RECONCILIATION	TOTREPATBENEFITPRESCRIPTIONS	NUMERIC(18,8)	NULL	Stores the total repat benefit for the prescriptions
PBS_RECONCILIATION	TOTREPATBENEFITREBATE	NUMERIC(18,8)	NULL	Stores the total repat benefit
PBS_RECONCILIATION	TOTALELECTRONICPRESCRIPTIONS	INT	NULL	Stores the total number of electronic prescriptions
PBS_RECONCILIATION	TOTALELECTRONICPRESCRIPTIONFEEREBATE	NUMERIC(18,8)	NULL	Stores the total number of the electronic rebate prescription
PBS_RESTRICTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_RESTRICTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_RESTRICTION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_RESTRICTION	PBS_ANS_DT_REQ_IND	CHAR (1)	NOT NULL	PBS ANS Date Required Indicator
PBS_RESTRICTION	PBS_ANS_REST_FLAG	CHAR (1)	NOT NULL	PBS ANS Reset Flag
PBS_RESTRICTION	PBS_ANS_TEXT_REQ_IND	CHAR (1)	NOT NULL	PBS ANS Text Required Indicator
PBS_RESTRICTION	PBS_REST_CODE	VARCHAR (15)	NOT NULL	PBS Restriction Code
PBS_RESTRICTION	PBS_REST_PID	INT	NOT NULL	PBS Drug Restriction Identifier
PBS_RESTRICTION_LINK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PBS_RESTRICTION_LINK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PBS_RESTRICTION_LINK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PBS_RESTRICTION_LINK	PBS_CODE	VARCHAR (15)	NOT NULL	PBS Code of the Item
PBS_RESTRICTION_LINK	PBS_REST_LINK_FLAG	CHAR (1)	NOT NULL	PBS Reset Link Flag Indicator
PBS_RESTRICTION_LINK	PBS_REST_LINK_PID	INT	NOT NULL	PBS Drug Restriction Link
PBS_RESTRICTION_LINK	PBS_REST_PID	INT	NOT NULL	PBS Drug Restriction Identifier
PBS_RESTRICTION_LINK	START_DT	DATETIME	NULL	start date
PBS_RESTRICTION_LINK	STOP_DT	DATETIME	NULL	Stop date
PBS_RESTRICTION_NOTE	PBS_REST_NOTE	VARCHAR (255)	NULL	PBS Restriction Notes
PBS_RESTRICTION_NOTE	PBS_REST_NOTE_PID	INT	NOT NULL	PBS Drug Restriction Note Id
PBS_RESTRICTION_NOTE	PBS_REST_NOTE_SEQ	INT	NOT NULL	PBS Reset Note
PBS_RESTRICTION_NOTE	PBS_REST_PID	INT	NOT NULL	PBS Drug Restriction Identifier
PBS_WASTAGE_FACTOR	CHRG_PCT	DECIMAL(8,6)	NOT NULL	Charge Percentage
PBS_WASTAGE_FACTOR	SUPP_PCT	DECIMAL(8,6)	NOT NULL	Supply Percentage as part of PBS wastage Factor
PERSON	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PERSON	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PERSON	PERS_XID	VARCHAR (20)	NULL	Code for Person, to link patients between sites
PHARMACY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PHARMACY	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PHARMACY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PHARMACY	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when this record was last modified
PHARMACY	PES_ENTITY_XID	VARCHAR (20)	NULL	Prescription Exchange Service ID's
PHARMACY	PHARM_ADDR_1	VARCHAR(40)	NULL	pharmacy address 1
PHARMACY	PHARM_ADDR_2	VARCHAR(40)	NULL	pharmacy address 2
PHARMACY	PHARM_ADDR_3	VARCHAR(40)	NULL	pharmacy address 3
PHARMACY	PHARM_ADDR_4	VARCHAR(40)	NULL	pharmacy address 4
PHARMACY	PHARM_CNTRY	VARCHAR(30)	NULL	pharmacy country
PHARMACY	PHARM_DESC	VARCHAR (40)	NOT NULL	PharmacyDescription
PHARMACY	PHARM_FAX_PHONE	VARCHAR(15)	NULL	pharmacy fax phone number
PHARMACY	PHARM_NOTE	VARCHAR (255)	NULL	Pharmacy Note
PHARMACY	PHARM_PHONE	VARCHAR(15)	NULL	pharmacy phone number

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PHARMACY	PHARM_POSTCODE	VARCHAR(10)	NULL	pharmacy postal code
PHARMACY	PHARM_XID	VARCHAR (20)	NOT NULL	Unique code for Pharmacy, for the site
PHARMACY	PREP_DT_IND	CHAR(1)	NOT NULL	Indicator to display Preparation Date of a manufactured item in the Current Prescription Area and Dispensing History Areas
PHARMACY	SAME_ASEPTIC	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for ASEPTIC Dispensing. This will default from the setting in the site table
PHARMACY	SAME_CYTOTOXIC	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for CYTOTOXIC Dispensing. This will default from the setting in the site table
PHARMACY	SAME_EXTEMP	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for EXTEMP Dispensing. This will default from the setting in the site table
PHARMACY	SAME_NORMAL	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for NORMAL Dispensing. This will default from the setting in the site table
PHARMACY	SAME_TPN	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for TPN Dispensing. This will default from the setting in the site table
PHARMACY	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PRESCRIPTION	COST_CNTR_XID	VARCHAR (20)	NULL	Cost Centre Code - Link to the Cost centre table
PRESCRIPTION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PRESCRIPTION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PRESCRIPTION	DEL_TO_ID	INT	NULL	Delivered to ID - Link to delivered_to table
PRESCRIPTION	DSPN_CLASS_ID	INT	NULL	ID for dispense class - Link to dispense_class table
PRESCRIPTION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PRESCRIPTION	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when this record was last modified
PRESCRIPTION	PAT_ID	INT	NULL	Patient identifier - Link to patient table
PRESCRIPTION	PAT_SITE_SID	SMALLINT	NULL	Site associated with patient record - Link to site table
PRESCRIPTION	PPN_DT	DATETIME	NOT NULL	Prescription date
PRESCRIPTION	PPN_ID	INT	NOT NULL	Unique code for the Prescription identifier, for the site
PRESCRIPTION	PPN_ITEM_CNT	SMALLINT	NOT NULL	
PRESCRIPTION	PPN_NOTES	VARCHAR (255)	NULL	Prescription notes
PRESCRIPTION	PPN_STAT_CD	VARCHAR (5)	NOT NULL	Prescription status code - Link to list_of_val table
PRESCRIPTION	PPN_TYPE_IND	CHAR (1)	NOT NULL	Prescription type indicator - Link to list_of_val table
PRESCRIPTION	PPNSCAN_STAT_CD	VARCHAR(5)	NULL	Overall scan status - Link to list_of_val table
PRESCRIPTION	REF_SITE_SID	SMALLINT	NOT NULL	ID for site used for Reference information - Link to site table
PRESCRIPTION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PRESCRIPTION	URGENT_IND	CHAR (1)	NOT NULL	Urgency indicator
PRESCRIPTION_ITEM_TRACK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PRESCRIPTION_ITEM_TRACK	DSPN_ID	INT	NOT NULL	ID to link to the dispense table
PRESCRIPTION_ITEM_TRACK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PRESCRIPTION_ITEM_TRACK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PRESCRIPTION_ITEM_TRACK	PPN_ID	INT	NOT NULL	Prescription identifier - Link to prescription table
PRESCRIPTION_ITEM_TRACK	PPN_ITEM_TRACK_DT	DATETIME	NOT NULL	Prescription item tracking date
PRESCRIPTION_ITEM_TRACK	PPN_ITEM_TRACK_ID	INT	NOT NULL	Prescription item tracking identifier
PRESCRIPTION_ITEM_TRACK	PPN_ITEM_TRACK_STAT_CD	VARCHAR (5)	NOT NULL	Prescription tracking status code - Link to list_of_val table
PRESCRIPTION_ITEM_TRACK	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PRESCRIPTION_NOTES_DESC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PRESCRIPTION_NOTES_DESC	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PRESCRIPTION_NOTES_DESC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PRESCRIPTION_NOTES_DESC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PRESCRIPTION_NOTES_DESC	PPN_NOTES_DESC	VARCHAR (255)	NOT NULL	Prescription Notes Description
PRESCRIPTION_NOTES_DESC	PPN_NOTES_XID	VARCHAR (20)	NOT NULL	Unique Prescription Notes Identifier, for the site
PRESCRIPTION_NOTES_DESC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PRESCRIPTION_TRACK	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PRESCRIPTION_TRACK	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PRESCRIPTION_TRACK	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PRESCRIPTION_TRACK	PPN_ID	INT	NOT NULL	Prescription identifier - Link to prescription table
PRESCRIPTION_TRACK	PPN_TRACK_DT	DATETIME	NOT NULL	Prescription tracking date
PRESCRIPTION_TRACK	PPN_TRACK_ID	INT	NOT NULL	Unique Prescription tracking identifier, for the site
PRESCRIPTION_TRACK	PPN_TRACK_STAT_CD	VARCHAR (5)	NOT NULL	Prescription tracking status code - Link to list_of_val table
PRESCRIPTION_TRACK	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROD_FORM	AMT_FORM_ID	BIGINT	NULL	AMT Form ID
PROD_FORM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_FORM	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROD_FORM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_FORM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_FORM	PLURAL_DIR_UOM	VARCHAR(40)	NOT NULL	Pural form for Dispensing Directions
PROD_FORM	PLURAL_FORM	VARCHAR (20)	NOT NULL	Plural Form used in product description
PROD_FORM	PROD_FORM_NOTE	VARCHAR (255)	NULL	Product form Note
PROD_FORM	PROD_FORM_XID	VARCHAR (20)	NOT NULL	Unique code for Product form
PROD_FORM	SINGULAR_DIR_UOM	VARCHAR(40)	NOT NULL	Singular form for Dispensing Directions
PROD_FORM	SINGULAR_FORM	VARCHAR (20)	NOT NULL	Singular Form used in product description
PROD_FORM	VERB	VARCHAR (20)	NOT NULL	Verb relating to a Product
PROD_MIMS_GENERIC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_MIMS_GENERIC	GENERIC_CODE	BIGINT	NOT NULL	MIMS generic code - linke to MIMS_GENERIC
PROD_MIMS_GENERIC	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
PROD_MIMS_GENERIC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_MIMS_GENERIC	PROD_ID	INT	NOT NULL	Product Identifier - Link to PRODUCT
PROD_PROP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_PROP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_PROP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_PROP	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_PROP	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table
PROD_PROP	PROP_UNIT_QTY	NUMERIC(18,10)	NULL	Property quantity
PROD_PROP	UNIT_CATG_XID	VARCHAR (20)	NOT NULL	Unit Category identifier - Link to unit table
PROD_PROP	UNIT_PID	INT	NULL	Unit identifier - Link to unit table
PROD_RESOURCE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_RESOURCE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROD_RESOURCE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PROD_RESOURCE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_RESOURCE	MAX_MASS_GM	NUMERIC(6,2)	NULL	Maximum Weight quantity
PROD_RESOURCE	MAX_VOL_ML	NUMERIC(18,8)	NULL	Maximum Volume quantity
PROD_RESOURCE	OVERAGE_QTY	NUMERIC(18,8)	NULL	Overage quantity
PROD_RESOURCE	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_RESOURCE	RES_PHASETYPE_CD	VARCHAR (5)	NOT NULL	Phase detail - Link to list_of_val table
PROD_RESOURCE	RESOURCE_ID	INT	NOT NULL	Resource identifier - Link to resource table
PROD_RESOURCE	WASTAGE_QTY	NUMERIC(18,8)	NULL	Wastage quantity
PROD_ROUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_ROUTE	DFLT_IND	CHAR (1)	NOT NULL	Default indicator
PROD_ROUTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_ROUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_ROUTE	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_ROUTE	ROUTE_ID	INT	NOT NULL	Unique Route identifier
PROD_SCHEDULE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_SCHEDULE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
PROD_SCHEDULE	DISP_TAX	CHAR(1)	NOTNULL	Indicates that GST applies
PROD_SCHEDULE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
PROD_SCHEDULE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_SCHEDULE	PRES_VALID_MTH	SMALLINT	NULL	Prescription valid months
PROD_SCHEDULE	RPT_INT	CHAR(1)	NOTNULL	Indicates that a repeat interval will be required in the Prescription Details window
PROD_SCHEDULE	RTPM_MONITOR_IND	CHAR (1)	NOT NULL	Indicates RTPM monitored against schedule
PROD_SCHEDULE	SCHEDULE_DESC	VARCHAR(40)	NOT NULL	Schedule description
PROD_SCHEDULE	SCHEDULE_NOTE	VARCHAR(255)	NULL	Schedule note
PROD_SCHEDULE	SCHEDULE_SHORT	VARCHAR(10)	NOT NULL	Unique Schedule Short Code
PROD_SITE	ADC_PROD_IND	CHAR(1)	NOT NULL	indicates ADC product
PROD_SITE	ALLOW_NEG_BAL_IND	INT	NOT NULL	Controls the ability for stock levels to go negative at the site level.
PROD_SITE	CONTROL_DRUG_IND	CHAR (1)	NOT NULL	Controlled Drug Indicator
PROD_SITE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_SITE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROD_SITE	FORMULARY_IND	CHAR (1)	NOT NULL	Formulary Indicator
PROD_SITE	INVEN_IND	CHAR (1)	NOT NULL	If set to N, the bin quantity will not be adjusted for transactions.
PROD_SITE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_SITE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_SITE	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_SITE	PROD_QID	VARCHAR(10)	NULL	Quick code
PROD_SITE	PROD_SHORT_CODE	VARCHAR(10)	NULL	Short code
PROD_SITE	ROBOT_GTIN_ID	INT	NULL	Allow a different Pack GTIN to be specified for a Site when compared to the global default
PROD_SITE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROD_SITE	SITE_STORE_NOTE	VARCHAR(1024)	NULL	store notes in site
PROD_SITE	SPEC_PROD_CD	VARCHAR (5)	NULL	Special Product Code
PROD_SITE	STD_MANUF_LBL	VARCHAR (255)	NULL	Standard Manufacture Label text
PROD_SITE	STRTFR_SHIPPER_QTY	NUMERIC (18,8)	NOT NULL	Store Transfer Shipper Quantity used in Suggested Store Transfer
PROD_SUBSTITUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_SUBSTITUTE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current..
PROD_SUBSTITUTE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
PROD_SUBSTITUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_SUBSTITUTE	MESSAGE	VARCHAR(255)	NOT NULL	Substitution message.
PROD_SUBSTITUTE	PROD_ID	INT	NOT NULL	Original prod_id - Link to product table
PROD_SUBSTITUTE	SEQ_NUMBER	INT	NULL	Substitution sequence number
PROD_SUBSTITUTE	SITE_SID	SMALLINT	NOT NULL	Unique ID used to idenfiy site
PROD_SUBSTITUTE	SUBST_COMM_DATE	DATETIME	NOT NULL	Substitution date
PROD_SUBSTITUTE	SUBST_ID	INT	NOT NULL	Unqiue Substitution ID, for the site
PROD_SUBSTITUTE	SUBST_PROD_ID	INT	NULL	Substituted prod_id - Link to product table
PROD_SUPP_PREF	CONTRACT_IND	CHAR (1)	NOT NULL	Contract Indicator
PROD_SUPP_PREF	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_SUPP_PREF	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_SUPP_PREF	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_SUPP_PREF	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_SUPP_PREF	PROD_SUPP_PREF_SEQ	INT	NOT NULL	Preferred Supplier Sequence
PROD_SUPP_PREF	PSI_SITE_SID	SMALLINT	NULL	Preffered supplier site ID - Link to site table
PROD_SUPP_PREF	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROD_SUPP_PREF	SUPP_XID	VARCHAR (20)	NOT NULL	Code used to link to the Supplier record
PROD_UOM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_UOM	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROD_UOM	INVERSE_UOM_QTY	NUMERIC(18,10)	NOT NULL	Inverse of UOM Qty
PROD_UOM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_UOM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_UOM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_UOM	PROD_UOM_APN	VARCHAR (13)	NULL	EAN Code
PROD_UOM	SUB_PACK_IND	CHAR (1)	NOT NULL	Subpack Indicator
PROD_UOM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
PROD_UOM	UOM_QTY	NUMERIC(18,10)	NOT NULL	UOM Quantity
PROD_WARN_CODE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROD_WARN_CODE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROD_WARN_CODE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROD_WARN_CODE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROD_WARN_CODE	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROD_WARN_CODE	WARN_CODE_XID	VARCHAR (20)	NOT NULL	Warning Code text
PRODUCT	AMB_PUMP_IND	CHAR(1)	NOT NULL	Ambulatory Pump Indicator
PRODUCT	AMT_MAP_AUTH_IND	CHAR(1)	NOT NULL	AMT Map Authorised Indicator
PRODUCT	AMT_MAP_EXCL_IND	CHAR(1)	NOT NULL	AMT Exclude Indicator
PRODUCT	AMT_MAP_STAT_CD	VARCHAR (5)	NULL	AMT Map Status code
PRODUCT	ASEP_AUTHORISED_BY	VARCHAR (30)	NULL	Code of the User who authorised Aseptic changes
PRODUCT	ASEP_AUTHORISED_DT	DATETIME	NULL	Aseptic changes authorised by
PRODUCT	BRAND_DESC	VARCHAR (40)	NULL	Brand description
PRODUCT	BRAND_DESC_UC	VARCHAR (40)	NULL	Brand description , in upper case
PRODUCT	CMI_XID	VARCHAR (20)	NULL	CMI Identifier
PRODUCT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PRODUCT	CRIT_STOCK_IND	CHAR (1)	NOT NULL	Critical Stock Indicator
PRODUCT	CTPP_XID	VARCHAR(20)	NULL	CTPP code for the AUS locale.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PRODUCT	CYTO_IND	CHAR (1)	NOT NULL	Cytotoxic indicator
PRODUCT	DISCONT_INVAL_PROD_IND	CHAR(1)	NOT NULL	Discontinues invalid product indicator
PRODUCT	DISPLAY_DAV_IND	CHAR (1)	NOT NULL	Display Availability Notes indicator
PRODUCT	DRG_PHASETYPE_CD	VARCHAR (5)	NOT NULL	Drug Phase type - Link to list_of_val table
PRODUCT	DRUG_CODE_ID	INT	NOT NULL	Drug code ID - Link to drug_code table
PRODUCT	DRUG_UTIL_IND	CHAR (1)	NOT NULL	Drug Utility Indicator
PRODUCT	DSPN_MANUF_UOM_ID	INT	NULL	Unit of measurement Identifier for manufactured item- Link to UOM table
PRODUCT	FDB_DMD_SID	SMALLINT	NULL	FDB dm+d type identifier
PRODUCT	FDB_DMD_XID	VARCHAR (20)	NULL	FDB dm+d code identifier
PRODUCT	FDB_PROD_ID	INT	NULL	FDB product identifier
PRODUCT	FORMULARY_CODE	VARCHAR (10)	NULL	Formulary code
PRODUCT	FRED_CODE	VARCHAR (15)	NULL	FRED Code
PRODUCT	FRIDGE_IND	CHAR (1)	NOT NULL	Refridgerate indicator
PRODUCT	GENERIC_DESC	VARCHAR (255)	NOT NULL	Generic description
PRODUCT	GENERIC_DESC_UC	VARCHAR (40)	NOT NULL	Generic Description in upper case
PRODUCT	INGR_AUTHORISED_BY	VARCHAR (30)	NULL	Code of the User who authorised Ingredient changes
PRODUCT	INGR_AUTHORISED_DT	DATETIME	NULL	Ingredient changes authorised date
PRODUCT	INVC_CODE	VARCHAR (10)	NULL	Invoice code
PRODUCT	INVEN_UOM_ID	INT	NOT NULL	Inventory UOM ID - Link to UOM table
PRODUCT	ITEM_NBR	VARCHAR(15)	NULL	Ambulatory Pump Item number
PRODUCT	IV_ADDITIVE_IND	CHAR (1)	NOT NULL	IV Additive Indicator
PRODUCT	IV_DILUENT_IND	CHAR (1)	NOT NULL	IV Diluent Indicator
PRODUCT	IV_FLUID_IND	CHAR (1)	NOT NULL	IV Fluid Indicator
PRODUCT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PRODUCT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PRODUCT	LEAFLET_AVAIL_IND	CHAR (1)	NOT NULL	Leaflet available Indicator - no longer used.
PRODUCT	MANUF_AUTHORISED_BY	VARCHAR (30)	NULL	Code of the User who authorised Manufacturing changes
PRODUCT	MANUF_AUTHORISED_DT	DATETIME	NULL	Manufacturing changes authorised date
PRODUCT	MANUF_XID	VARCHAR (20)	NULL	Manufacturer code - Link to manufactuer table
PRODUCT	MAX_TEMP_ID	INT	NOT NULL	Maximum Temperature
PRODUCT	MEASURE_TYPE_CD	VARCHAR (5)	NULL	Measure Type Code - Link to list_of_val table
PRODUCT	METHNOTE_AUTHORISED_BY	VARCHAR (30)	NULL	Code of the User who authorised Method note changes
PRODUCT	METHNOTE_AUTHORISED_DT	DATETIME	NULL	Method note changes authorised date
PRODUCT	MIMS_MANUAL_MAP_IND	CHAR(1)	NOT NULL	Manual MIMS mapped product
PRODUCT	MIN_TEMP_ID	INT	NOT NULL	Minimum Temperature
PRODUCT	MPP_ID	BIGINT	NULL	AMT Medicinal Product Pack identifier, referenced for Order Worksheet preferred brand functionality.
PRODUCT	MIMS_ROUTE_CD	BIGINT	NULL	Column to save mims route code
PRODUCT	MIMS_ROUTE_ID	BIGINT	NULL	Column to save mims route id
PRODUCT	MIMS_GENERIC_EXCLUDE_IND	CHAR (1)	NULL	Column to save mims generic exclude indicator
PRODUCT	NAT_PROD_CD	VARCHAR (15)	NULL	National product code
PRODUCT	PACK_DESC	VARCHAR (40)	NOT NULL	Pack Description
PRODUCT	PACK_UOM_ID	INT	NOT NULL	Pack UOM ID - Link to UOM table
PRODUCT	PFL_IND	CHAR (1)	NOT NULL	Protect from Light indicator
PRODUCT	POS_IND	CHAR (1)	NOT NULL	Point of Sale Indicator
PRODUCT	PROD_FORM_XID	VARCHAR (20)	NOT NULL	Product form code - Link to prod_form table
PRODUCT	PROD_GRP_CODE	VARCHAR (10)	NULL	User defined product group code
PRODUCT	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PRODUCT	PROD_LBL	VARCHAR (255)	NULL	Text for product label
PRODUCT	PROD_QID	VARCHAR (10)	NULL	Quick code
PRODUCT	PROD_SCHED_SHORT	VARCHAR(10)	NULL	Product schedule code (previoulsy named as forensic_code).
PRODUCT	PROD_SHORT_CODE	VARCHAR (10)	NULL	Product Short Code
PRODUCT	PROD_STORE_NOTE	VARCHAR (1024)	NULL	Product Store Note
PRODUCT	PROD_TYPE_CD	VARCHAR (5)	NOT NULL	Product type code - Link to list_of_val table
PRODUCT	PROD_VERB	VARCHAR (20)	NULL	Product verb
PRODUCT	RESOURCE_IND	CHAR (1)	NOT NULL	Resource indicator
PRODUCT	RTPM_MONITOR_IND	CHAR (1)	NOT NULL	Indicates RTPM monitored against product
PRODUCT	SALES_TAX_XID	VARCHAR (20)	NOT NULL	Sales Tax Code
PRODUCT	SHELF_LIFE_HRS	INT	NULL	Shelf Life in Hrs
PRODUCT	STD_IV_IND	CHAR (1)	NOT NULL	Standard IV Drug Indicator
PRODUCT	STD_IV_QTY	NUMERIC(18,8)	NULL	Formula quantity for Aseptic products
PRODUCT	STD_IV_UOM_ID	INT	NULL	Formula UOM ID for Aseptic products
PRODUCT	STD_MANUF_BATCH_QTY	NUMERIC(18,8)	NULL	Standard manufacture batch quantity
PRODUCT	STD_MANUF_IND	CHAR (1)	NOT NULL	Standard Manufacture Indicator
PRODUCT	STD_MANUF_LFE_DAYS	SMALLINT	NULL	Standard Manufacture Life Days
PRODUCT	STD_MANUF_QTY	NUMERIC(18,8)	NULL	Standard Manufacture quantity
PRODUCT	STD_MANUF_UOM_ID	INT	NULL	Standard Manufacture UOM identifier - Link to UOM table
PRODUCT	STD_TPN_IND	CHAR (1)	NOT NULL	Standard TPN Indicator
PRODUCT	STD_TPN_QTY	NUMERIC(18,8)	NULL	Formula quantity for TPN products
PRODUCT	STD_TPN_UOM_ID	INT	NULL	Formula UOM ID for TPNproducts
PRODUCT	STRENGTH	VARCHAR (255)	NULL	Strength
PRODUCT	TPN_AUTHORISED_BY	VARCHAR (30)	NULL	Code of the User who authorised TPN changes
PRODUCT	TPN_AUTHORISED_DT	DATETIME	NULL	TPN changes authorised date
PRODUCT	TPN_IND	CHAR (1)	NOT NULL	TPN Indicator
PRODUCT	TPP_AMPP_XID	VARCHAR (20)	NULL	TPP for the AUS locale, AMPP for UK locale
PRODUCT	WATER_ML	NUMERIC(18,8)	NULL	Water Ingredients in ml
PROFILE	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'
PROFILE	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record
PROFILE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROFILE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	The User who last modified this record
PROFILE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROFILE PROFILE	PROFILE_CD PROFILE_DSC	VARCHAR (15) VARCHAR (30)	NOT NULL NOT NULL	Unqiue Profile code Profile Description
PROFILE_ACCESS	AMEND_FL	CHAR (1)	NOT NULL	Amendment indicator
PROFILE_ACCESS	APP_FUNCTION_CD	VARCHAR (30)	NOT NULL	Gives the name of the object for the application
PROFILE_ACCESS	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'
PROFILE_ACCESS	CREATE_FL	CHAR (1)	NOT NULL	Creation indicator
PROFILE_ACCESS	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record.
PROFILE_ACCESS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROFILE_ACCESS	DELETE_FL	CHAR (1)	NOT NULL	Deletion indicator

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PROFILE_ACCESS	ENQUIRE_FL	CHAR (1)	NOT NULL	Enquiry Indicator
PROFILE_ACCESS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROFILE_ACCESS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROFILE_ACCESS	PROFILE_CD	VARCHAR (15)	NOT NULL	Profile Type - Link to profile table
PROFILE_RPT_ACCESS	APPLICATION_CD	VARCHAR (15)	NOT NULL	Name of the application - always includes 'STOCCA'
PROFILE_RPT_ACCESS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROFILE_RPT_ACCESS	ENQUIRE_FLG	CHAR (1)	NOT NULL	Enquire flag
PROFILE_RPT_ACCESS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROFILE_RPT_ACCESS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROFILE_RPT_ACCESS	PROFILE_CD	VARCHAR (15)	NOT NULL	Profile Type - Link to profile table
PROFILE_RPT_ACCESS	RPT_SID	SMALLINT	NOT NULL	Report identifier - Link to crystal_report table
PROP_ATTR	ATTR_ID	INT	NOT NULL	Attribute identifier - Link to attribute table
PROP_ATTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROP_ATTR	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROP_ATTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROP_ATTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROP_ATTR	PAT_ATTR_L	NUMERIC	NULL	Patient attribute lower
PROP_ATTR	PAT_ATTR_U	NUMERIC	NULL	Patient attribute upper
PROP_ATTR	PROP_ATTR_ID	INT	NOT NULL	Unique Property attribute Identifier
PROP_ATTR	PROP_DOSE_ID	INT	NOT NULL	Property Dose Range Identifier - Link to prop_dose table
PROP_ATTR	UNIT_PID	INT	NULL	Unit identifier - Link to unit table
PROP_ATTR	UNIT_QLF_PID	INT	NULL	Unit qualifier identifier - Link to unit table
PROP_ATTR	USER_DEFINED_IND	CHAR (1)	NULL	User Defined Indicator
PROP_DOSE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROP_DOSE	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
PROP_DOSE	DOSE_UNIT_PID	INT	NOT NULL	Dose Range unit identifier - Link to unit table
PROP_DOSE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROP_DOSE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROP_DOSE	LEVEL_XID	VARCHAR (20)	NULL	Level xid - link to list_of_val table
PROP_DOSE	PROP_DOSE_ID	INT	NOT NULL	Unique property dose Range identifier
PROP_DOSE	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table
PROP_DOSE	RANGE_L	NUMERIC	NULL	Range lower
PROP_DOSE	RANGE_U	NUMERIC	NULL	Range upper
PROP_DOSE	TOLERANCE_PCT	DECIMAL(8,6)	NULL	Tolerance Percentage
PROP_DOSE	UNIT_QLF_PID	INT	NOT NULL	Unit qualifier identifier - Link to unit table
PROP_UNIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROP_UNIT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROP_UNIT	DEF_CATG_IND	CHAR (1)	NOT NULL	Default category Indicator
PROP_UNIT	DEF_UNIT_PID	INT	NULL	Default unit identifier
PROP_UNIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROP_UNIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROP_UNIT	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table
PROP_UNIT	UNIT_CATG_XID	VARCHAR(20)	NOT NULL	Unit Category identifier - Link to unit table
PROPERTY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROPERTY	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROPERTY	DRUG_CODE_ID	INT	NULL	Drug code identifier - Link to drug_code table
PROPERTY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROPERTY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROPERTY	PROP_DESC	VARCHAR(40)	NOT NULL	Property description
PROPERTY	PROP_ID	INT	NOT NULL	Property Identifier - Link to property table
PROPERTY	PROP_NOTE	VARCHAR (255)	NULL	Property notes
PROPERTY	PROP_TYPE_CD	VARCHAR(5)	NOT NULL	Property type - Link to list_of_val table
PROPERTY	PROP_XID	VARCHAR(20)	NOT NULL	Property Xid
PROT_SCHED_CHART	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table
PROT_SCHED_CHART	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROT_SCHED_CHART	CYCLE_DAYS	SMALLINT	NOT NULL	Days for a particular cycle
PROT_SCHED_CHART	DATE_SEQ	VARCHAR (255)	NOT NULL	Date sequence
PROT_SCHED_CHART	DOCT_XID	VARCHAR (20)	NOT NULL	Code for Doctor - Link to the doctor table
PROT_SCHED_CHART	DSPN_CLASS_ID	INT	NOT NULL	ID for dispense class - Link to dispense_class table
PROT_SCHED_CHART	END_DT	DATETIME	NOT NULL	Treatment end date
PROT_SCHED_CHART	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROT_SCHED_CHART	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROT_SCHED_CHART	MED_CHT_ID	INT	NOT NULL	Medication chart ID - Link to med_chart table
PROT_SCHED_CHART	NO_CYCLE	INT	NOT NULL	Number of protocol cycles
PROT_SCHED_CHART	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table
PROT_SCHED_CHART	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table
PROT_SCHED_CHART	PHARM_XID	VARCHAR (20)	NULL	Code for Pharmacy - Link to pharmacy table
PROT_SCHED_CHART	PROT_SCHED_ID	INT	NOT NULL	Identifier for Protocol schedule - Link to prot_sched_chart table
PROT_SCHED_CHART	PROTOCOL_ID	INT	NOT NULL	Protocol ID - Link to protocol table
PROT_SCHED_CHART	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROT_SCHED_CHART	START_DT	DATETIME	NOT NULL	Start date
PROT_SCHED_CHART	TEAM_XID	VARCHAR (20)	NOT NULL	Code for Team - Link to the team table.
PROT_SCHED_CHART	VERSION_ID	INT	NOT NULL	Version identifier
PROT_SCHED_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROT_SCHED_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROT_SCHED_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROT_SCHED_ITEM	LBL_FMT_ID	INT	NULL	Label format ID - Link to label_format table
PROT_SCHED_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROT_SCHED_ITEM	PROT_SCHED_ID	INT	NOT NULL	Identifier for Protocol schedule - Link to prot_sched_chart table
PROT_SCHED_ITEM	PROT_SCHED_ITEM_ID	INT	NOT NULL	Unique Protocol schedule item identifier, for the site
PROT_SCHED_ITEM	PROTOCOL_ID	INT	NOT NULL	Protocol ID - Link to protocol table
PROT_SCHED_ITEM	PROTOCOL_ITEM_ID	INT	NOT NULL	Protocol Item Identifier - Link to protocol_item table
PROT_SCHED_ITEM	PSI_PROD_TEXT	VARCHAR (255)	NULL	Product description in protocol schedule
PROT_SCHED_ITEM	QTY	NUMERIC(18,8)	NULL	Quantity
PROT_SCHED_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROT_SCHED_ITEM	STYLE_CD	VARCHAR (5)	NOT NULL	Protocol Style Code - Link to list_of_val table
PROT_SCHED_ITEM	VERSION_ID	INT	NOT NULL	Version identifier
PROT_SCHED_PERIOD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROT_SCHED_PERIOD	DSPN_DT	DATETIME	NULL	Dispense date

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

PROT_SCHED_PERIOD	DSPN_ID	INT	NULL	ID to link to the dispense table
PROT_SCHED_PERIOD	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROT_SCHED_PERIOD	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROT_SCHED_PERIOD	PROT_SCHED_DATE	DATETIME	NOT NULL	Protocol schedule date
PROT_SCHED_PERIOD	PROT_SCHED_DAY_SEQ	INT	NOT NULL	Schedule days sequence number
PROT_SCHED_PERIOD	PROT_SCHED_IND	CHAR (1)	NOT NULL	Protocol schedule indicator
PROT_SCHED_PERIOD	PROT_SCHED_ITEM_ID	INT	NOT NULL	Protocol schedule item identifier - Link to prot_sched_item table
PROT_SCHED_PERIOD	PROT_SCHED_PERIOD_ID	INT	NOT NULL	Protocol schedule period identifier
PROT_SCHED_PERIOD	PROT_SCHED_PERIOD_SEQ	INT	NOT NULL	Protocol schedule period sequence
PROT_SCHED_PERIOD	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROTOCOL	ACTIVE_IND	CHAR (1)	NOT NULL	Active indicator
PROTOCOL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROTOCOL	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROTOCOL	CYCLE_DAYS	SMALLINT	NOT NULL	Days for a particular cycle
PROTOCOL	DATE_SEQ	VARCHAR (255)	NULL	Date sequence
PROTOCOL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROTOCOL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROTOCOL	MAX_CYCLES_ALLOWED	SMALLINT	NOT NULL	Number of cycles that can be provided for a treatment
PROTOCOL	PAT_AGE_L	NUMERIC (9)	NULL	Age lower limit
PROTOCOL	PAT_AGE_U	NUMERIC (9)	NULL	Age upper limit
PROTOCOL	PAT_BODY_AREA_M2_L	NUMERIC (9)	NULL	Lower limit for the patient body area m2
PROTOCOL	PAT_BODY_AREA_M2_U	NUMERIC (9)	NULL	Upper limit for the patient body area m2
PROTOCOL	PAT_HEIGHT_CM_L	NUMERIC (9)	NULL	Patient height lower limit
PROTOCOL	PAT_HEIGHT_CM_U	NUMERIC (9)	NULL	Patient height upper limit
PROTOCOL	PAT_SEX	CHAR (1)	NULL	Patient Sex
PROTOCOL	PAT_WEIGHT_KG_L	NUMERIC (9)	NULL	Patient weight lower limit
PROTOCOL	PAT_WEIGHT_KG_U	NUMERIC (9)	NULL	Patient weight upper limit
PROTOCOL	PROTOCOL_DESC	VARCHAR (40)	NOT NULL	Protocol description
PROTOCOL	PROTOCOL_ID	INT	NOT NULL	Unique Protocol ID
PROTOCOL	PROTOCOL_NOTES	VARCHAR (255)	NULL	Protocol notes
PROTOCOL	PROTOCOL_SHORT_CODE	VARCHAR (5)	NOT NULL	Protocol Short code
PROTOCOL	VERSION_ID	INT	NOT NULL	Version identifier
PROTOCOL_BOM	BOM_COMP_QTY	NUMERIC(18,8)	NULL	Quantity of Bill of Materials component (Ingredient)
PROTOCOL_BOM	COMP_PROD_ID	INT	NOT NULL	Product Identifier for Component (ingredient) - Link to product table
PROTOCOL_BOM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROTOCOL_BOM	DOSE_CALC_CD	VARCHAR (5)	NOT NULL	Code for the dose calculation - Link to list_of_val table
PROTOCOL_BOM	INGR_TYPE_CD	VARCHAR (5)	NULL	Ingredient type code - Link to list_of_val table
PROTOCOL_BOM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROTOCOL_BOM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROTOCOL_BOM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table
PROTOCOL_BOM	MAX_DOSE	NUMERIC(18,8)	NULL	Maximum dose that can be provided for a particular cycle
PROTOCOL_BOM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROTOCOL_BOM	PROD_USE_CD	VARCHAR (5)	NULL	Product usage code - Link to list_of_val table.
PROTOCOL_BOM	PROTOCOL_ID	INT	NOT NULL	Protocol ID - Link to protocol table
PROTOCOL_BOM	PROTOCOL_ITEM_ID	INT	NOT NULL	Idenfier for protocol item - Link to protocol_item table
PROTOCOL_BOM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table
PROTOCOL_BOM	VERSION_ID	INT	NOT NULL	Version identifier
PROTOCOL_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROTOCOL_ITEM	CYCLE_DSPN_DAYS	SMALLINT	NOT NULL	The day on which the product is to be dispensed
PROTOCOL_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROTOCOL_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when this record was last modified
PROTOCOL_ITEM	PREDECESSOR_ITEM	SMALLINT	NULL	Denotes whether it has any predecessor item
PROTOCOL_ITEM	PREDECESSOR_LAG_DURATION	SMALLINT	NULL	Predecessor lag duration
PROTOCOL_ITEM	PREDECESSOR_LAG_TYPE	VARCHAR (5)	NULL	This denotes the Predecessor lag type (Days/Hrs/Mins)
PROTOCOL_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PROTOCOL_ITEM	PROTOCOL_ID	INT	NOT NULL	Protocol ID - Link to protocol table
PROTOCOL_ITEM	PROTOCOL_ITEM_ID	INT	NOT NULL	Unique ID for Protocol Item
PROTOCOL_ITEM	PROTOCOL_ITEM_START_DT	DATETIME	NOT NULL	Start date and time
PROTOCOL_ITEM	SEQ_NO	INT	NOT NULL	Sequence number
PROTOCOL_ITEM	STYLE_CD	VARCHAR (5)	NOT NULL	Protocol Style Code - Link to list_of_val table
PROTOCOL_ITEM	VERSION_ID	INT	NOT NULL	Version identifier
PROTOCOL_SITE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PROTOCOL_SITE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
PROTOCOL_SITE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
PROTOCOL_SITE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
PROTOCOL_SITE	PROTOCOL_ID	INT	NOT NULL	Protocol ID - Link to protocol table
PROTOCOL_SITE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
PROTOCOL_SITE	VERSION_ID	INT	NOT NULL	Version identifier
PVV_ADJUST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PVV_ADJUST	CURR_IND	CHAR(1)	NOT NULL	Indicate the validity of the record
PVV_ADJUST	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	The user who last modified this record
PVV_ADJUST	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when this record was last modified
PVV_ADJUST	PVV_ADJ_ID	INT	NOT NULL	Unique PVV adjustment identifier, for the site
PVV_ADJUST	PVV_ADJ_STAT_CD	VARCHAR(5)	NOT NULL	PVV adjustment status code
PVV_ADJUST	SITE_SID	SMALLINT	NOT NULL	Unique ID used to idenfiy site
PVV_ADJUST	STORE_XID	VARCHAR(20)	NOT NULL	Code to link to the Store table
PVV_ADJ_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
PVV_ADJ_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
PVV_ADJ_ITEM	CURR_PRICE	NUMERIC(18,8)	NULL	PVV adjustment current price value
PVV_ADJ_ITEM	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	The user who last modified this record
PVV_ADJ_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when the record was last modified
PVV_ADJ_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table
PVV_ADJ_ITEM	PREV_PRICE	NUMERIC(18,8)	NULL	PVV adjustment previous price value
PVV_ADJ_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
PVV_ADJ_ITEM	PVV_ADJ_ID	INT	NOT NULL	PVV Adjustment Identifier - Link to pvv_adjust table
PVV_ADJ_ITEM	PVV_ADJ_ITEM_AMT	NUMERIC(18,8)	NOT NULL	Adjustment amount
PVV_ADJ_ITEM	PVV_ADJ_ITEM_ID	INT	NOT NULL	Unqiue PVV adjustment item identifier, for the site
PVV_ADJ_ITEM	PVV_STAT_CD	VARCHAR(5)	NOT NULL	PVV status code
PVV_ADJ_ITEM	SITE_SID	SMALLINT	NOT NULL	Unique ID used to idenfiy site

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Domain	Default	Rule	New or adjusted in version	Notes
T_CODE				
T_CODE				
T_CODE				
T_CODE				
T_QTY				
T_QTY				
T_QTY				
T_QTY				
T_HRS				
T_QTY				
T_QTY				
T_DT				
T_HRS				
T_QTY				
T_CODE				
T_QTY				
T_CODE				
T_UID				
T_DT				
T_ID				
T_NOTE				
T_CD				
T_ID				
T_SID				
T_CODE				
T_QTY				
T_CODE				
T_SID				
T_IND				
T_PID				
T_ID				
T_QTY				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
T_ID				
T_DT				
T_SID				
T_PID				
T_PID				
T_IND				
T_IND				
T_DT				
T_IND				
T_ID				
T_UID				
T_DT				
T_IND	N			
T_DT	NULL			
T_DT	NULL			
T_XID	NULL			
T_ID				
T_DESC	NULL			
T_DESC	NULL			
T_DESC	NULL			
T_DESC	NULL			
T_DESC	NULL			
T_CD				
T_SID				
T_DT			12	
T_IND			12	
T_CD			12	
T_UID			12	
T_DT			12	
T_DT			12	
T_DESC			12	
T_ID			12	
T_XID			12	
T_ID			12	
T_DESC			12	
T_ID			12	
T_DT				
T_IND				
T_XID				
T_DESC				
T_XID				
T_XID				
T_IND				
T_UID				
T_DT				
T_ID				
T_ADDR				
T_ADDR				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_ADDR				
T_ADDR				
T_AMT				
T_CNTRY				
T_DT				
T_ID				
T_NAME				
T_NOTE				
T_PHONE				
T_PHONE				
T_POSTCODE				
T_XID				
T_CD				
T_SID				
T_XID	NULL			
T_SID				
T_CODE				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_DT				
T_IND	N			
T_XID				
T_ID				
T_XID				
T_UID				
T_DT				
T_ID				
T_ID				
T_ID				
T_NOTE				
T_SEQ				
T_CD				
T_AMT				
T_AMT				
T_QTY				
T_CD				
T_CD				
T_SID				
T_DT				
T_UID				
T_DT				
T_ID				
T_AMT				
T_ID				
T_CD				
T_DT				
VARCHAR				
T_SID				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
T_DESC				
T_DT				
T_ID				
T_TEXT				
T_SID				
T_SID				
T_DT				
T_UID				
T_DT				
T_NOTE				
T_ID				
T_SEQ				
T_SID				
T_DT				
T_IND				
T_UID				
T_DT				
T_DESC				
T_XID				
T_TEXT				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_DT				
T_IND				
T_XID				
T_REF				
T_UID				
T_DT				
T_ID				
T_SID				
T_IND				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_CD				
T_ID				
T_NOTE				
T_IND				
T_SID				
T_DT				
T_DT				
T_ID				
T_SID				
T_ID				
T_XID				
T_DT				
T_NOTE				
T_XID				
T_ID				
T_SID				
T_CD				
T_XID				
T_DT				
T_XID				
T_XID				
T_CD				
T_NBR				
T_EMAIL				
T_DT				
T_NBR				
T_EMAIL			12	
T_CD			12	
T_PHONE				
T_ID				
T_XID				
T_XID				
T_ADDR				
T_ADDR				
T_ADDR				
T_ADDR				
T_CNTRY				
T_NAME				
T_PHONE				
T_PHONE				
T_PHONE				
T_POSTCODE				
T_NAME				
T_IND	N			
T_CD			11	
T_ID				
T_UID				
T_DT				
T_XID				
T_DT				
T_NBR				
T_SUBNBR				
VARCHAR			12	
T_NUM				
T_CD				
T_IND			12	
T_IND	N		12	
T_UID				
T_DT				
T_ADDR				
T_ADDR				
T_ADDR				
T_ADDR				
T_DT				
T_DT				
T_DT				
T_XID				
T_CNTRY				
T_DT				
T_DT				
T_XID				
T_NAME				
T_XID				
T_ID				
T_CD				
T_DESC				
T_DESC				
T_DESC				
T_DESC				
T_DESC				
T_NOTE				
T_PHONE				
T_PHONE				
T_PHONE				
T_POSTCODE				
T_SALUTATION				
T_CD				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_NAME				
T_NAME				
T_XID				
T_SID				
T_NBR				
T_SID				
T_IND	N			
T_XID				
T_DESCRIPTION				
T_UID				
T_Dt				
T_ID				
T_SID				
T_SID				
T_CODE				
T_ID				
T_DT				
T_UID				
T_DT				
T_UID				
T_XID				
T_UID				
T_DT				
T_ID				
T_NOTE				
T_CD				
T_NBR				
T_DT				
T_UID				
T_CD				
T_DESCLONG				
T_XID				
T_DESCLONG				
T_XID				
T_DESCLONG				
T_XID				
T_CODE				
T_IND				
T_CODE				
T_IND				
T_IND				
T_DT				
T_IND				
T_IND				
T_CODE				
T_DESC				
T_CD				
T_IND				
T_UID				
T_DT				
T_IND				
T_CD				
T_QTY				
T_CODE				
T_NOTE				
T_PID				
T_QTY				
T_DESC				
T_PRICE				
T_CD				
T_SID	20			
T_IND				
T_IND				
T_IND	N			
T_IND	N			
T_IND				
T_IND				
T_DT				
T_ID				
T_ID				
T_CD				
T_NOTE				
T_UID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_DT				
T_XID				
T_SID				
T_TEXT				
T_DT				
T_IND				
T_CD				
T_NOTE				
T_TEXT				
T_UID				
T_DT				
T_IND				
T_SMALLINT				
T_SMALLINT				
T_FLAG				
T_PRICE				
T_PRICE				
T_DT				
T_PRICE				
T_PRICE				
T_UID				
T_DT				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_QTY				
T_PID				
T_QTY				
T_NOTE				
T_PID				
T_QTY				
T_SMALLINT				
T_PRICE				
T_PRICE				
T_DT				
T_DT				
T_PRICE				
T_PRICE				
T_PRICE				
T_IND				
T_SMALLINT				
T_SMALLINT				
T_FLAG				
T_PRICE				
T_PRICE				
T_DT				
T_PRICE				
T_PRICE				
T_UID				
T_DT				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_QTY				
T_PID				
T_QTY				
T_NOTE				
T_PID				
T_QTY				
T_SMALLINT				
T_PRICE				
T_PRICE				
T_DT				
T_DT				
T_PRICE				
T_PRICE				
T_PRICE				
T_DT				
T_UID				
T_DT				
T_PID				
T_NOTE				
T_ID				
T_ID				
T_PRICE				
T_NBR				
T_CD				
T_PRICE				
T_ID				
T_DT				
T_CODE				
T_PRICE				
T_PRICE				
T_ID				
T_ID				
T_ID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_QTY				
T_QTY				
T_NAME				
T_NAME				
T_PRICE				
T_NBR				
T_UID				
T_DT				
T_XID				
T_PRICE				
T_PRICE				
T_CD				
T_DT				
T_ID				
T_CODE				
T_NBR				
T_NBR				
T_ID				
VARCHAR				
T_NBR				
T_NBR				
T_NBR				
T_SID				
T_IND	N			
T_CD				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_NBR				
T_SID				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_PRICE				
T_ID				
T_QTY				
T_DT				
T_UID				
T_DT				
T_IND				
T_FLAG				
T_IND				
T_CODE				
T_PID				
T_DT				
T_UID				
T_DT				
T_CODE				
T_FLAG				
T_PID				
T_PID				
T_DT				
T_DT				
T_NOTE				
T_PID				
T_SEQ				
T_PID				
T_PCT				
T_PCT				
T_ID				
T_SID				
T_XID				
T_DT				
T_IND				
T_UID				
T_DT				
T_XID				
VARCHAR(40)		11		
VARCHAR(40)		11		
VARCHAR(40)		11		
VARCHAR(40)		11		
VARCHAR(10)		11		
T_DESC				
VARCHAR(15)		11		
T_NOTE				
VARCHAR(15)		11		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

VARCHAR(10)		11		
T_XID				
T_IND	N			
T_CD	DFLT			
T_CD	DFLT			
T_CD	DFLT			
T_CD	DFLT			
T_CD	DFLT			
T_SID				
T_XID				
T_DT				
T_IND				
T_ID				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_DT				
T_ID				
T_SID				
T_NOTE				
T_CD				
T_IND				
T_CD				
T_SID				
T_SID				
T_IND				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_DT				
T_ID				
T_CD				
T_SID				
T_DT				
T_IND				
T_UID				
T_DT				
T_NOTE				
T_XID				
T_SID				
T_DT				
T_UID				
T_DT				
T_ID				
T_DT				
T_ID				
T_CD				
T_SID				
T_BID				
T_DT				
T_IND				
T_UID				
T_DT				
T_NOTE				
T_XID				
T_DT	NULL			
T_BID	NULL			
T_UID	NULL			
T_DT	NULL			
T_ID	NULL			
T_DT				
T_UID				
T_DT				
T_ID				
T_ID				
T_UOMQTY				
T_XID				
T_PID				
T_DT				
T_IND				
T_UID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_DT				
T_GM				
T_ML				
T_QTY				
T_ID				
T_CD				
T_ID				
T_QTY				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
T_ID				
T_DT				
T_IND				
T_IND	N			
T_UID				
T_DT				
T_SMALLINT				
T_IND	N			
T_IND	N			
T_DESC				
T_NOTE	NULL			
T_SHORT				
T_IND			11	
T_ID	N			
T_IND	N			
T_DT				
T_IND				
T_IND				
T_IND	Y			
T_UID				
T_DT				
T_ID				
T_QID				
T_QID				
T_ID				
T_SID				
T_VAR(1024)			11	
T_CD				
T_LBL				
T_QTY	1			
T_DT				
T_IND				
T_UID				
T_DT				
T_NOTE				
T_ID				
T_SEQ				
T_SID				
T_DT				
T_ID				
T_ID				
T_IND				
T_DT				
T_UID				
T_DT				
T_ID				
T_SEQ				
T_SID				
T_SID				
T_XID				
T_DT				
T_IND				
T_UOMQTY				
T_UID				
T_DT				
T_ID				
T_APN				
T_IND				
T_ID				
T_UOMQTY				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
T_XID				
T_IND	N			
T_IND	N			
T_IND	N			
T_CD				
T_UID				
T_DT				
T_DESC				
T_DESC				
T_XID				
T_DT				
T_IND				
T_XID	NULL			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_IND	N			
T_IND	N		11	
T_IND				
T_CD	AQS			
T_ID				
T_IND				
T_ID	NULL			
T_SID				
T_XID				
T_ID				
VARCHAR				
T_CODE				
T_IND	N			
VARCHAR				
T_DESC				
T_UID				
T_DT				
VARCHAR				
T_ID				
T_NBR	NULL			
T_IND				
T_IND				
T_IND				
T_UID				
T_DT				
T_IND				
T_UID				
T_DT				
T_XID				
T_ID	-274			
T_CD				
T_UID				
T_DT				
T_IND	N			
T_ID	-274			
T_BID				
T_BID	NULL			
T_BID	NULL			
T_IND	N			
T_CODE				
T_DESC				
T_ID				
T_IND	N			
T_IND				
T_XID				
VARCHAR				
T_ID				
T_LBL				
T_QID				
T_SHORT	NULL			
VARCHAR				
T_VAR1024			11	Increased from VARCHAR(255) to VARCHAR(1024)
T_CD	DRG			
T_VERB	NULL			
T_IND	N			
T_IND	N			
T_XID				
T_HRS				
T_IND				
T_QTY	NULL			
T_ID	NULL			
T_QTY				
T_IND				
T_DAYS				
T_QTY				
T_ID				
T_IND				
T_QTY	NULL			
T_ID	NULL			
T_DESC				
T_UID				
T_DT				
T_IND				
T_XID	NULL			
T_ML				
T_CODE				
T_UID				
T_DT				
T_UID				
T_DT				
T_CODE T_DESCRIPTION				
T_FLAG				
T_DESCRIPTION				
T_CODE				
T_FLAG				
T_UID				
T_DT				
T_FLAG				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_FLAG				
T_UID				
T_DT				
T_CODE				
T_CODE				
T_DT				
T_IND				
T_UID				
T_DT				
T_CODE				
T_SID				
T_ID				
T_DT				
T_IND				
T_UID				
T_DT				
NUMERIC (18,8)				
NUMERIC (18,8)				
T_ID				
T_ID				
T_PID				
T_PID				
T_IND				
T_DT				
T_IND				
T_PID				
T_UID				
T_DT				
T_XID				
T_ID				
T_ID				
NUMERIC (18,8)				
NUMERIC (18,8)				
T_PCT				
T_PID				
T_DT				
T_IND				
T_IND				
T_ID				
T_UID				
T_DT				
T_ID				
T_XID				
T_DT				
T_IND				
T_ID				
T_UID				
T_DT				
T_DESC				
T_ID				
T_NOTE				
T_CD				
T_XID				
T_XID				
T_DT				
T_DAYS				
T_NOTE				
T_XID				
T_ID				
T_DT				
T_UID				
T_DT				
T_ID				
T_SEQ				
T_ID				
T_SID				
T_XID				
T_ID				
T_ID				
T_SID				
T_DT				
T_XID				
T_ID				
T_DT				
T_UID				
T_DT				
T_ID				
T_ID				
T_ID				
T_ID				
T_ID				
T_ID				
T_NOTE				
T_QTY				
T_SID				
T_CD				
T_ID				
T_DT				
T_DT				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_ID				
T_UID				
T_DT				
T_DT				
T_SEQ				
T_IND				
T_ID				
T_ID				
T_SEQ				
T_SID				
T_IND				
T_DT				
T_IND				
T_DAYS				
T_NOTE				
T_UID				
T_DT				
T_SMALLINT				
NUMERIC				
NUMERIC				
NUMERIC				
NUMERIC				
NUMERIC				
NUMERIC				
CHAR				
NUMERIC				
NUMERIC				
T_DESC				
T_ID				
T_NOTE				
T_CD				
T_ID				
T_QTY				
T_ID				
T_DT				
T_CD				
T_CD				
T_UID				
T_DT				
T_ID				
T_QTY				
T_ID				
T_CD				
T_ID				
T_ID				
T_ID				
T_ID				
T_ID				
T_DT				
T_DAYS				
T_UID				
T_DT				
T_SMALLINT				
T_SMALLINT				
T_CD				
T_ID				
T_ID				
T_ID				
T_DT				
T_SEQ				
T_CD				
T_ID				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
T_SID				
T_ID				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
T_CD				
T_SID				
T_XID				
T_ID				
T_DT				
T_PRICE				
T_UID				
T_DT				
T_ID				
T_PRICE				
T_ID				
T_ID				
T_AMT				
T_ID				
T_CD				
T_SID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with R				
Table	Column	Data Type	Null	Description
RECON_INGRED	COMP_PROD_ID	INT	NOT NULL	Product Identifier for Component (ingredient)
RECON_INGRED	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
RECON_INGRED	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Date and time that the row was last modified.
RECON_INGRED	LAST_UPDATED_DT	DATETIME	NOT NULL	Code of the user who last modified the record.
RECON_INGRED	PROD_ID	INT	NOT NULL	Parent Product Identifier - Link to product table
RECON_INGRED	RECON_ID	INT	NOT NULL	Reconstitution identifier - Link to recon_prod table
RECON_INGRED	RECON_ITEM_CONVQTY	NUMERIC(18,8)	NULL	Reconstitution item convertion quantity
RECON_INGRED	RECON_ITEM_ID	INT	NOT NULL	Unique ID for Reconstitution item
RECON_INGRED	RECON_ITEM_QTY	NUMERIC(18,8)	NOT NULL	Reconstitution item quantity
RECON_INGRED	RECON_UOM_ID	INT	NOT NULL	ID for Reconstitution UOM - Link to UOM table
RECON_LOT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
RECON_LOT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
RECON_LOT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
RECON_LOT	PHARM_XID	VARCHAR (20)	NOT NULL	Code for Pharmacy - Link to pharmacy table
RECON_LOT	RECON_ID	INT	NOT NULL	Reconstitution identifier - Link to recon_prod table
RECON_LOT	RECON_LOT_CREATED_QTY	NUMERIC(18,8)	NOT NULL	Reconstitution lot created quantity
RECON_LOT	RECON_LOT_CURR_QTY	NUMERIC(18,8)	NOT NULL	Reconstitution lot current quantity
RECON_LOT	RECON_LOT_DISP_QTY	NUMERIC(18,8)	NULL	Reconstitution lot dispose quantity
RECON_LOT	RECON_LOT_DSCD_IND	CHAR (1)	NOT NULL	Discard Indicator
RECON_LOT	RECON_LOT_EXP_DT	DATETIME	NULL	Reconstitution lot Expiry date
RECON_LOT	RECON_LOT_ID	INT	NOT NULL	Unique ID for Reconstitution Lot, for the site
RECON_LOT	RECON_LOT_PREP_DT	DATETIME	NULL	Reconstitution lot preparation date
RECON_LOT	RECON_LOT_STAT_CD	VARCHAR (5)	NOT NULL	Reconstitution lot status code
RECON_LOT	RECON_ORIG_DSPN_ID	INT	NOT NULL	Reconstitution original dispense ID - Link to dispense table
RECON_LOT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
RECON_PROD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
RECON_PROD	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
RECON_PROD	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Date and time that the row was last modified.
RECON_PROD	LAST_UPDATED_DT	DATETIME	NOT NULL	Code of the user who last modified the record.
RECON_PROD	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table
RECON_PROD	RECON_DESC	VARCHAR (255)	NOT NULL	Reconstitution description
RECON_PROD	RECON_DFLT_IND	CHAR (1)	NOT NULL	Reconstitution Default Indicator
RECON_PROD	RECON_ID	INT	NOT NULL	Link to recon_prod table - Reconstitution identifier
RECON_PROD	RECON_QTY	NUMERIC(18,8)	NOT NULL	Reconstitution quantity
RECON_PROD	RECON_SHELF_LIFE	INT	NULL	Reconstitution shelf life
RECON_PROD	RECON_UNIT_XID	VARCHAR (20)	NOT NULL	Code for Reconstitution Unit- Link to list_of_val table using 'recon_unit'
REPRINT	COLUMN_ID	INT	NOT NULL	Column Identifier
REPRINT	COLUMN_NAME	VARCHAR (255)	NOT NULL	Column name
REPRINT	REPORT_NAME	VARCHAR (255)	NOT NULL	Report name
REPRINT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REPRINT	TABLE_NAME	VARCHAR (255)	NOT NULL	Table name
REPAY_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier
REPAY_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record
REPAY_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REPAY_ITEM	FIN_TRAN_ID	INT	NULL	ID for Financial Transaction - Link to fin_tran table
REPAY_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REPAY_ITEM	LOAN_ITEM_ID	INT	NOT NULL	ID for borrowed / Lent items - Link to loan table
REPAY_ITEM	LOC_ID	INT	NULL	Store Location ID - Link to location table
REPAY_ITEM	OFFSET_PROD_ID	INT	NULL	ID for Offset Product - Link to product table
REPAY_ITEM	OFFSET_QTY	NUMERIC(18,8)	NOT NULL	Offset Quantity
REPAY_ITEM	OFFSET_UOM_ID	INT	NULL	ID for offset UOM - Link to UOM table
REPAY_ITEM	PROD_ID	INT	NULL	Product Identifier - Link to product table
REPAY_ITEM	REPAY_AMT	NUMERIC(18,8)	NULL	Repay amount
REPAY_ITEM	REPAY_BATCH_EXP_DT	DATETIME	NULL	Repay batch expiry date
REPAY_ITEM	REPAY_ID	INT	NOT NULL	ID for Repayment record - Link to repayment table
REPAY_ITEM	REPAY_ITEM_BATCH	VARCHAR (10)	NULL	Repay item batch number
REPAY_ITEM	REPAY_ITEM_ID	INT	NOT NULL	Unique ID for Repayment Item, for the site
REPAY_ITEM	REPAY_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Repay Item Status Code - Link to list_of_val table
REPAY_ITEM	REPAY_ITEM_TYPE_CD	VARCHAR (5)	NOT NULL	Repay Item Type Code - Link to list_of_val table
REPAY_ITEM	REPAY_QTY	NUMERIC(18,8)	NULL	Repay Quantity
REPAY_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REPAY_ITEM	UOM_ID	INT	NULL	Unit of Measurement Identifier - Link to UOM table
REPAY_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when this record was last modified
REPAYMENT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REPAYMENT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
REPAYMENT	EXT_ORG_XID	VARCHAR (20)	NULL	Code for External Organisation - Link to extrnal_org table
REPAYMENT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REPAYMENT	LAST_UPDATED_DT	DATETIME	NOT NULL	The date when this record was last modified
REPAYMENT	REPAY_DT	DATETIME	NOT NULL	Repayment Date
REPAYMENT	REPAY_ID	INT	NOT NULL	Unique ID for Repayment, for the site
REPAYMENT	REPAY_NOTE	VARCHAR (255)	NULL	Repayment Note
REPAYMENT	REPAY_STAT_CD	VARCHAR (5)	NOT NULL	Repay Status Code - Link to list_of_val table
REPAYMENT	REPAY_TYPE_CD	VARCHAR (5)	NOT NULL	Repay type Code - Link to list_of_val table
REPAYMENT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REPAYMENT	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table
REPAYMENT_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REPAYMENT_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract, for the site
REPAYMENT_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REPAYMENT_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
REPAYMENT_EXTR	REPAY_ID	INT	NOT NULL	ID for the Repayment - Link to repayment table
REPAYMENT_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REPT_FMT_PROC	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REPT_FMT_PROC	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REPT_FMT_PROC	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
REPT_FMT_PROC	REPT_FMT_CD	VARCHAR (5)	NOT NULL	Report Format Code - Link to rpt_format table
REPT_FMT_PROC	REPT_FMT_NAME	VARCHAR (255)	NULL	Report Format Name
REPT_FMT_PROC	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REPT_FMT_PROC	STNRY_XID	VARCHAR (20)	NULL	Code for stationery - Link to stationery table

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

REPT_FORMAT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REPT_FORMAT	DWNAME	VARCHAR (40)	NOT NULL	Name of the Data window
REPT_FORMAT	HARD_COPY_AUDIT_REPT_ID	INT	NULL	ID for Hard Copy Audit Report - Link to hard_copy_audit table
REPT_FORMAT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REPT_FORMAT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
REPT_FORMAT	REPT_FMT_CD	VARCHAR (5)	NOT NULL	Report Format Code
REPT_FORMAT	REPT_FMT_TITLE	VARCHAR (255)	NOT NULL	Report Format Title
REPT_FORMAT	TOT_PARM	TINYINT	NOT NULL	Total Parameters
REQN	ADC_IND	CHAR(1)	NOT NULL	Indicates ad ADC Imprest List
REQN	ADC_NAME_ID	INT	NULL	ADC Name id
REQN	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table
REQN	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REQN	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
REQN	CUST_REF	VARCHAR(20)	NULL	Customer Reference
REQN	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REQN	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
REQN	REQ_STAT_CD	VARCHAR (5)	NOT NULL	Requisition Status Code - Link to list_of_val table
REQN	REQN_DT	DATETIME	NOT NULL	Requisition Date
REQN	REQN_ID	INT	NOT NULL	Unique ID for Requisition, for the site
REQN	REQN_NOTE	VARCHAR (255)	NULL	Requisition Note
REQN	REQN_PDE_IND	CHAR (1)	NOT NULL	Requisition from PDE Indicator
REQN	REQN_TYPE_CD	VARCHAR (5)	NOT NULL	Requisition Type Code - Link to list_of_val table
REQN	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REQN	STORE_XID	VARCHAR (20)	NULL	Code to link to the Store table
REQN	URGENT_IND	CHAR (1)	NOT NULL	Urgent Indicator
REQN_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REQN_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract, for the site
REQN_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
REQN_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
REQN_EXTR	REQN_ID	INT	NOT NULL	Requisition ID - Link to request table
REQN_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REQN_ITEM	ADC_IND	CHAR(1)	NOT NULL	Indicates request is created from ADC
REQN_ITEM	ADC_IDENT_XID	VARCHAR(20)	NULL	To Update ADC Ident xid
REQN_ITEM	ADC_PROD_NAME_DESC	VARCHAR(1024)	NULL	indicates product description from OMS
REQN_ITEM	ADC_QTY	NUMERIC(18,8)	NULL	To Update ADC Quantity
REQN_ITEM	ADC_UOM_DESC	VARCHAR(40)	NULL	To update Uom Description comes from OMS
REQN_ITEM	COMMIT_LOC_ID	INT	NULL	ID for Commit location - Link to location table
REQN_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
REQN_ITEM	IMP_ITEM_ID	INT	NULL	Imprest Item ID - Link to imprest_item table
REQN_ITEM	INVEN_IND	CHAR(1)	NOT NULL	Inventory indicator
REQN_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	The User who last modified this record
REQN_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
REQN_ITEM	PROD_ID	INT	NULL	Product Identifier - Link to product table
REQN_ITEM	REPLACE_FLAG	CHAR(1)	NULL	Replacement flag indicator
REQN_ITEM	REQN_ID	INT	NOT NULL	Requisition ID - Link to request table
REQN_ITEM	REQN_ITEM_ID	INT	NOT NULL	Uniqur ID for Requisition Item, for the site
REQN_ITEM	REQN_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Requisition Item Status Code - Link to list_of_val table
REQN_ITEM	REQN_QTY	NUMERIC(18,8)	NULL	Requisted Quantity
REQN_ITEM	RQI_RESUPP_METH_CD	VARCHAR (5)	NOT NULL	Requisition Item Resupply Method Code - Link to list_of_val table
REQN_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
REQN_ITEM	SUBST_IND	CHAR(1)	NULL	Substitution indicator
REQN_ITEM	SUBST_PROD_ID	INT	NULL	Product identifier of the substituted product
REQN_ITEM	SUBST_PROD_UOM_ID	INT	NULL	Product unit of measure identifier of the substituted product
REQN_ITEM	SUBST_SUPPLY_QTY	NUMERIC (18,8)	NULL	Quantity (of inventory UOMs) of the substituted product
REQN_ITEM	UOM_ID	INT	NULL	Unit of Measurement Identifier - Link to UOM table
REQN_ITEM	URGENT_IND	CHAR (1)	NOT NULL	Urgency Indicator
RESOURCE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
RESOURCE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
RESOURCE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
RESOURCE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
RESOURCE	RESOURCE_DESC	VARCHAR (40)	NOT NULL	Resource description
RESOURCE	RESOURCE_ID	INT	NOT NULL	Unique ID for Resource
RESOURCE	RESOURCE_TYPE_CD	VARCHAR (5)	NOT NULL	Resource type code - Link to list_of_val table
RESOURCE	RESOURCE_USE_CD	VARCHAR (5)	NOT NULL	Resource usage code - Link to list_of_val table
ROBOT	ACTIVE_IND	CHAR(1)	NOT NULL	Active flag; determines whether Viaduct picks up robot configuration data or not.
ROBOT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
ROBOT	CURR_IND	CHAR(1)	NOT NULL	Indicates if the record is current.
ROBOT	DFLT_NONROB_LOC_IND	CHAR(1)	NOT NULL	Column to save non robot location indicator
ROBOT	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
ROBOT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
ROBOT	MESSAGE_SITEID	VARCHAR(40)	NULL	A combination to identify the site_xid and store_xid where the robot is located.
ROBOT	PROC_METH_PRIM_CD	VARCHAR(5)	NULL	Column to save primary procurement method
ROBOT	PROC_METH_SEC_CD	VARCHAR(5)	NULL	Column to save secondary procurement method
ROBOT	ROB_DEL_PREFIX_CD	VARCHAR(5)	NULL	Column to save robot delivery number prefix
ROBOT	ROB_PART_PACK_IND	CHAR(1)	NOT NULL	Indicates if part packs can be put in the robot
ROBOT	ROBOT_CONNECTION_ATTEMPTS	VARCHAR(15)	NULL	The amount of connection attempts to send and receive a response for handshake or status requests.
ROBOT	ROBOT_CONNECTION_INTERVAL	VARCHAR(15)	NULL	Time between retries for handshake\status request. Set in milliseconds.
ROBOT	ROBOT_DESC	VARCHAR(20)	NOT NULL	Description of the robot
ROBOT	ROBOT_ID	INT	NOT NULL	Unique ID for robot
ROBOT	ROBOT_INBOUND_PORT	VARCHAR(15)	NULL	The inbound port number used to receive a message for the Robot.
ROBOT	ROBOT_IP_ADDRESS	VARCHAR(20)	NULL	The outbound IP address used to send the message to the robot
ROBOT	ROBOT_NOTE	VARCHAR(255)	NOT NULL	Robot note
ROBOT	ROBOT_OUTBOUND_PORT	VARCHAR(15)	NULL	The outbound port number used to receive a message for the Robot.
ROBOT	ROBOT_SERVICE_EXT_XID	VARCHAR(20)	NULL	External Robot Service identifier - the Mosaic ID will be stored here e.g. '200' (this is the ID that Rowa uses to identify the robot Service or virtual robot).
ROBOT	ROBOT_STORE_EXT_XID	VARCHAR(20)	NULL	External Store identifier - the Subscriber ID will be stored here e.g. '100' (this is the ID that Rowa uses to identify the i.Pharmacy Store).
ROBOT	ROBOT_TYPE_CD	VARCHAR(5)	NOT NULL	Robot type / model - Link to list_of_val table using robot_type_cd

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

ROBOT	ROBOT_XID	VARCHAR(20)	NOT NULL	User created code to indicate the code for the robot.
ROBOT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
ROBOT	STORE_XID	VARCHAR(20)	NOT NULL	The Store which is linked to the robot. Multiple Stores may be linked to the same robot, so multiple rows related to the same site_sid/robot_id may exist for different Stores
ROBOT	TRANF_CODE_MULTI_CD	VARCHAR(5)	NULL	Column to save multiple transfer code
ROBOT	USRDEF_STK_TAKE_IND	CHAR(1)	NULL	Y/N indicator to control whether User Defined Stock Takes will be allowed in addition to Full Stock Takes.
ROBOT_AUDIT_MESSAGE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
ROBOT_AUDIT_MESSAGE	MESSAGE_DIRECTION	VARCHAR(40)	NOT NULL	The direction of the message that is being processed. Example values: InputRequest OutputResponse
ROBOT_AUDIT_MESSAGE	MESSAGE_DT	DATETIME	NOT NULL	The date\time in the MSH Segment.
ROBOT_AUDIT_MESSAGE	MESSAGE_SITEID	VARCHAR(40)	NOT NULL	The unique ID for the Site and store Combo.
ROBOT_AUDIT_MESSAGE	PROCESSED_DT	DATETIME	NOT NULL	This date\time the message was processed in Viaduct.
ROBOT_AUDIT_MESSAGE	ROBOT_AUD_MSG_ID	INTEGER	NOT NULL	Primary key Auto Increment
ROBOT_AUDIT_MESSAGE	ROBOT_MESSAGE	VARCHAR(8000)	NOT NULL	The full message that is being processed.
ROBOT_AUDIT_MESSAGE	ROBOT_MESSAGE_ID	INTEGER	NOT NULL	The message ID from the MSH-4.
ROBOT_CHUTE	BULK_STOCK_IND	CHAR(1)	NOT NULL	Y/N indicator to control which chute(s) are used for bulk Distributions (Ward Box) and bulk Store Transfers.
ROBOT_CHUTE	CHUTE_ID	INT	NOT NULL	Unique ID for chute
ROBOT_CHUTE	CHUTE_NOTE	VARCHAR(255)	NULL	Notes which pertain to the chute.
ROBOT_CHUTE	CHUTE_XID	VARCHAR(20)	NOT NULL	System controlled chute numbers which are user configured.
ROBOT_CHUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
ROBOT_CHUTE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
ROBOT_CHUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
ROBOT_CHUTE	ROBOT_ID	INT	NOT NULL	Unique ID for robot - Link to robot table
ROBOT_CHUTE	ROBOT_XID	VARCHAR(20)	NOT NULL	User created code to indicate the code for the robot.
ROBOT_CHUTE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
ROBOT_CONSIS_EXTERNAL_IDS	DIALOG_TYPE	VARCHAR(1)	NOT NULL	Consis Robot Stock Take Dialog Type, B or K.
ROBOT_CONSIS_EXTERNAL_IDS	EXTERNAL_ID	INTEGER	NOT NULL	MSH.10 Control ID. (Unique)
ROBOT_CONSIS_EXTERNAL_IDS	PROCESSED_DT	DATETIME	NOT NULL	Date on which Outbound message was sent.
ROBOT_CONSIS_EXTERNAL_IDS	ROBOT_CONSIS_ID	INTEGER	NOT NULL	Primary key Auto Increment
ROBOT_CONSIS_EXTERNAL_IDS	ROBOT_ID	VARCHAR(50)	NOT NULL	Unique ID for robot - Link to robot table
ROBOT_ERROR_MESSAGE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
ROBOT_ERROR_MESSAGE	PROCESSED_DT	DATETIME	NOT NULL	This date\time the message was processed in the Viaduct Handler.
ROBOT_ERROR_MESSAGE	ROBOT_ERROR_MSG_ID	INTEGER	NOT NULL	Primary key Auto Increment
ROBOT_ERROR_MESSAGE	ROBOT_ERROR_MESSAGE	VARCHAR(8000)	NOT NULL	The message that errored inside Viaduct.
ROBOT_INTERFACE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
ROBOT_INTERFACE	INITIATED_BY	VARCHAR(40)	NOT NULL	Indicates the initiator of the message/dialog flow. System controlled values - i.Pharmacy or Robot.
ROBOT_INTERFACE	INTERFACE_ID	INT	NOT NULL	Unique ID for interface message/dialog flow per robot
ROBOT_INTERFACE	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.
ROBOT_INTERFACE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
ROBOT_INTERFACE	MSG_FLOW_DESC	VARCHAR(40)	NULL	System controlled name of message flow / dialog per robot.
ROBOT_INTERFACE	PRIORITY_ID	INT	NOT NULL	Priority ranking. User entered integers (1,2,3 ...) with '1' having the highest priority.
ROBOT_INTERFACE	PROCESS_DESC	VARCHAR(20)	NOT NULL	System controlled name for transaction type, or information exchange type.
ROBOT_INTERFACE	ROBOT_ID	INT	NOT NULL	Unique ID for robot - Link to robot table
ROBOT_INTERFACE	ROBOT_XID	VARCHAR(20)	NOT NULL	User created code to indicate the code for the robot.
ROBOT_INTERFACE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table
ROBOT_INTERFACE	TRAN_PER_INTERFACE_ID	INT	NULL	Number of items per message/dialog type.
ROUTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.
ROUTE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.
ROUTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.
ROUTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.
ROUTE	MIMS_ROUTE_CD	BIGINT	NULL	Column to save mims route code value
ROUTE	MIMS_ROUTE_ID	BIGINT	NULL	Column to save mims route Id value
ROUTE	ROUTE_DESC	VARCHAR (40)	NOT NULL	Route description
ROUTE	ROUTE_ID	INT	NOT NULL	Unique ID for Route
ROUTE	ROUTE_NOTE	VARCHAR (255)	NULL	Route notes
RTPM_AMT_IDENTIFIER	ACT_IND	CHAR(1)	NOT NULL	To store Australian Capital Territory value
RTPM_AMT_IDENTIFIER	CREATED_DT	DATETIME	NOT NULL	To store record creation date
RTPM_AMT_IDENTIFIER	CTPP_ID	BIGINT	NOT NULL	To store CTPP ID's
RTPM_AMT_IDENTIFIER	LAST_UPDATED_BY	VARCHAR(40)	NOT NULL	To store record created by
RTPM_AMT_IDENTIFIER	LAST_UPDATED_DT	DATETIME	NOT NULL	To store last updated date
RTPM_AMT_IDENTIFIER	NSW_IND	CHAR(1)	NOT NULL	To store New South Wales value
RTPM_AMT_IDENTIFIER	NT_IND	CHAR(1)	NOT NULL	To store Northern Territory value
RTPM_AMT_IDENTIFIER	QLD_IND	CHAR(1)	NOT NULL	To store Queensland value
RTPM_AMT_IDENTIFIER	SA_IND	CHAR(1)	NOT NULL	To store South Australia value
RTPM_AMT_IDENTIFIER	SCHEDULE_8_IND	CHAR(1)	NOT NULL	To set schedule_8 value
RTPM_AMT_IDENTIFIER	TAS_IND	CHAR(1)	NOT NULL	To store Tasmania value
RTPM_AMT_IDENTIFIER	VIC_IND	CHAR(1)	NOT NULL	To store Victoria value
RTPM_AMT_IDENTIFIER	WA_IND	CHAR(1)	NOT NULL	To store Western Australia value

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Domain	Default	Rule	New or adjusted in version	Notes
T_ID				
T_DT				
T_UID				
T_DT				
T_ID				
T_ID				
T_QTY				
T_ID				
T_QTY				
T_ID				
T_DT				
T_UID				
T_DT				
T_XID				
T_ID				
T_QTY				
T_QTY				
T_QTY				
T_IND	N			
T_DT				
T_ID				
T_DT				
T_CD				
T_ID				
T_SID				
T_DT				
T_IND				
T_UID				
T_DT				
T_ID				
VARCHAR				
T_IND				
T_ID				
T_QTY				
T_HRS				
T_XID				
T_ID				
T_NAME				
T_NAME				
T_SID				
T_NAME				
T_ID				
T_ID				
T_ID				
T_DT				
T_ID				
T_UID				
T_ID				
T_ID				
T_ID				
T_QTY				
T_ID				
T_ID				
T_AMT				
T_DT				
T_ID				
T_BATCH				
T_ID				
T_CD				
T_CD				
T_QTY				
T_SID				
T_ID				
T_DT				
T_DT				
T_IND				
T_XID				
T_UID				
T_DT				
T_DT				
T_ID				
T_NOTE				
T_CD				
T_CD				
T_SID				
T_XID				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_DT				
T_UID				
T_DT				
T_CD				
T_NAME				
T_SID				
T_XID				

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_DT				
VARCHAR				
T_ID				
T_UID				
T_DT				
T_CD				
VARCHAR				
T_TINYINT				
T_IND	N		11	
T_ID			11	
T_XID				
T_DT				
T_IND				
T_REF				
T_UID				
t_dt				
T_CD				
T_DT				
T_ID				
T_NOTE				
T_IND				
T_CD				
t_sid				
T_XID				
T_IND				
T_DT				
T_ID				
T_UID				
T_DT				
T_ID				
T_SID				
T_IND	N		11	
T_XID			11	
T_VAR(1024)			11	
T_QTY			11	
T_DESC			11	
T_ID				
T_DT				
T_ID				
T_IND	Y			
T_UID				
T_DT				
T_ID			11	NULL allowed
T_IND	Y			
T_ID				
T_ID				
T_CD				
T_QTY			11	NULL allowed
T_CD				
T_SID				
T_IND	N			
T_ID				
T_ID				
T_QTY				
T_ID			11	NULL allowed
T_IND				
T_DT				
T_IND				
T_UID				
T_DT				
T_DESC				
T_ID				
T_CD				
T_CD	PACK			
T_IND	Y			
T_CD	NULL			
T_DT	NULL			
T_IND	N			
T_XID	NULL			
T_ID	NULL			
T_DESC	NULL			
T_CD	NULL			
T_CD	NULL			
T_CD	NULL			
T_IND	N			
T_NBR	NULL			
T_NBR	NULL			
T_ID	NULL			
T_ID	NULL			
T_NBR	NULL			
T_NBR	NULL			
T_UID	NULL			
T_NBR	NULL			
T_XID	NULL			
T_XID	NULL			
T_NOTE	NULL			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

T_XID	NULL			
T_CD	NULL			
T_IND	NULL			
T_CD	NULL			
T_IND	N			
T_DT				
T_DESC				
T_DT				
T_DESC				
T_DT				
T_ID				
T_ID				
T_IND	NULL			
T_ID	NULL			
T_NOTE	NULL			
T_XID	NULL			
T_DT	NULL			
T_UID	NULL			
T_DT	NULL			
T_ID	NULL			
T_XID	NULL			
T_SID	NULL			
T_ID				
T_DT				
T_ID				
T_DT				
T_DT				
T_ID				
T_DT	NULL			
T_DESC	NULL			
T_ID	NULL			
T_UID	NULL			
T_DT	NULL			
T_DESC	NULL			
T_ID	NULL			
T_DESC	NULL			
T_ID	NULL			
T_XID	NULL			
T_SID	NULL			
T_ID	NULL			
T_DT				
T_IND				
T_UID				
T_DT				
T_BID				
T_BID	NULL			
T_DESC				
T_ID				
T_NOTE				
T_IND	N			
T_DT				
T_BID				
T_UID				
T_DT				
T_IND	N			
T_IND	N			
T_IND	N			
T_IND	N			
T_IND	N			
T_IND	N			
T_IND	N			
T_IND	N			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with S					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
SALES_TAX	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SALES_TAX	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
SALES_TAX	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SALES_TAX	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SALES_TAX	SALES_TAX_DESC	VARCHAR (40)	NOT NULL	Sales Tax Description	T_DESC
SALES_TAX	SALES_TAX_NOTE	VARCHAR (255)	NULL	Sales Tax Note	T_NOTE
SALES_TAX	SALES_TAX_PCT	DECIMAL(8,6)	NOT NULL	Sales Tax Percentage (%)	T_PCT
SALES_TAX	SALES_TAX_XID	VARCHAR (20)	NOT NULL	Unique Sales Tax Code	T_XID
SCID_CACHE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SCID_CACHE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SCID_CACHE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SCID_CACHE	PHARM_XID	VARCHAR (20)	NOT NULL	Pharmacy Identifier - link to pharmacy table	T_XID
SCID_CACHE	SCID_XID	VARCHAR (20)	NOT NULL	Unique Script Identifier (SCID) values obtained from the PES adapter for the pharmacy	T_XID
SCID_CACHE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SITE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SITE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
SITE	GLOBAL_LOCATION_NBR	VARCHAR (13)	NULL	Global Location Number	T_APN
SITE	HOSP_PROVIDER_NBR	VARCHAR (15)	NULL	Used by Community Pharmacies; allows PBS Hospital Medication Chart dispensings for Private Hospitals	T_NBR
SITE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SITE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SITE	ORIG_SITESHORT_XID	VARCHAR (20)	NULL	Original Site Short code	T_XID
SITE	PAT_REF_SITE_SID	SMALLINT	NOT NULL	Patient Reference site id - Link to site table	T_SID
SITE	SITE_ABN	VARCHAR (14)	NULL	ABN No. for the Site	T_ABN
SITE	SITE_ADDR_1	VARCHAR (40)	NULL	Site Address 1	T_ADDR
SITE	SITE_ADDR_2	VARCHAR (40)	NULL	Site Address 2	T_ADDR
SITE	SITE_ADDR_3	VARCHAR (40)	NULL	Site Address 3	T_ADDR
SITE	SITE_ADDR_4	VARCHAR (40)	NULL	Site Address 4	T_ADDR
SITE	SITE_CNTRY	VARCHAR (30)	NULL	Site Country	T_CNTRY
SITE	SITE_DESC	VARCHAR (40)	NOT NULL	Site Description	T_DESC
SITE	SITE_FAX_PHONE	VARCHAR (15)	NULL	Site Fax No.	T_PHONE
SITE	SITE_HI_XID	VARCHAR(20)	NULL	Healthcare Provider Identifier - Organisation (HPI-O)	T_XID
SITE	SITE_NOTE	VARCHAR (255)	NULL	Note for the Site	T_NOTE
SITE	SITE_PHONE	VARCHAR (15)	NULL	Site Phone No.	T_PHONE
SITE	SITE_POSTCODE	VARCHAR (10)	NULL	Site Postal Code	T_POSTCODE
SITE	SITE_SHORT	VARCHAR (10)	NOT NULL	Short Name for Site	T_SHORT
SITE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SITE	SITE_XID	VARCHAR (20)	NOT NULL	Unique Code for Site	T_XID
SITE	TAX_GROUP_ABN	VARCHAR (14)	NULL	Group ABN no. for Taxation	T_ABN
SITE_ACC_COMP	ACC_COMP_ID	INT	NOT NULL	Account Component ID - Link to account_comp table	T_ID
SITE_ACC_COMP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SITE_ACC_COMP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SITE_ACC_COMP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SITE_ACC_COMP	SITE_ACC_COMP_XID	VARCHAR (20)	NULL	Unique code for Site Account Component, for the site	T_XID
SITE_ACC_COMP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SITE_SETTINGS	ACTIVE_IND	VARCHAR (30)	NOT NULL	Active Indicator	T_UID
SITE_SETTINGS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SITE_SETTINGS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SITE_SETTINGS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SITE_SETTINGS	LIC_DESC	VARCHAR (40)	NULL	Encrypted password	T_DESC
SITE_SETTINGS	SITE_FUN_CD	VARCHAR (5)	NOT NULL	Type of function - Link to list_of_val table	T_CD
SITE_SETTINGS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SPEC_PROD_INDICATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SPEC_PROD_INDICATION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
SPEC_PROD_INDICATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SPEC_PROD_INDICATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SPEC_PROD_INDICATION	SPEC_PROD_TYPE_CD	VARCHAR (5)	NOT NULL	Special Product Type Code - Link to list_of_val table using 'spec_prod_cd'	T_CD
SPEC_PROD_INDICATION	SPI_DESC	VARCHAR (40)	NOT NULL	Special Product Indication Description	T_DESC
SPEC_PROD_INDICATION	SPI_ID	INT	NOT NULL	Unique ID for Special Product Indication	T_ID
SPEC_PROD_INDICATION	SPI_NOTE	VARCHAR (255)	NULL	Special Product Indication Note	T_NOTE
SS_ACT_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store ACT_schedule4 AMT file active status	T_SID
SS_ACT_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store ACT_schedule4 AMT file effective datetime value	T_DT
SS_ACT_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store ACT_schedule4 AMT file id value	VARCHAR(40)
SS_ACT_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store ACT_schedule4 AMT file moduleid value	T_BID
SS_ACT_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store ACT_schedule4 AMT file referenced component id value	T_BID
SS_ACT_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store ACT_schedule4 AMT file refsetid value	T_BID
SS_ARTGID_REFSET	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_ARTGID_REFSET	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_ARTGID_REFSET	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_ARTGID_REFSET	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_ARTGID_REFSET	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	Referenced component ID	T_BID
SS_ARTGID_REFSET	REFSETID	BIGINT	NOT NULL	Reference set ID	T_BID
SS_ARTGID_REFSET	SCHEMEVALUE	INT	NOT NULL	Scheme Value	INT
SS_ASSOCIATIONREFERENCE_REFSET	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_ASSOCIATIONREFERENCE_REFSET	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_ASSOCIATIONREFERENCE_REFSET	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_ASSOCIATIONREFERENCE_REFSET	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_ASSOCIATIONREFERENCE_REFSET	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	Referenced component ID	T_BID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

SS_ASSOCIATIONREFERENCE_REFSET	REFSETID	BIGINT	NOT NULL	Reference set ID	T_BID
SS_ASSOCIATIONREFERENCE_REFSET	TARGETCOMPONENTID	BIGINT	NOT NULL	Target component ID	T_BID
SS_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_CONCEPTS	DEFINITIONSTATUSID	BIGINT	NOT NULL	Definition status ID	T_BID
SS_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_CONCEPTS	ID	BIGINT	NOT NULL	ID	T_BID
SS_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_CTPP_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_CTPP_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_CTPP_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_CTPP_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_CTPP_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	Referenced component ID	T_BID
SS_CTPP_CONCEPTS	REFSETID	BIGINT	NOT NULL	Reference set ID	T_BID
SS_DESCRIPTIONS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_DESCRIPTIONS	CASESIGNIFICANCEID	BIGINT	NOT NULL	Case significance ID	T_BID
SS_DESCRIPTIONS	CONCEPTID	BIGINT	NOT NULL	Concept ID	T_BID
SS_DESCRIPTIONS	EFFECTIVETIME	BIGINT	NOT NULL	AMT effective time	T_BID
SS_DESCRIPTIONS	ID	BIGINT	NOT NULL	ID	T_BID
SS_DESCRIPTIONS	MODULEID	DATETIME	NOT NULL	Module ID	T_DT
SS_DESCRIPTIONS	LANGUAGECODE	VARCHAR(10)	NOT NULL	Language code	VARCHAR
SS_DESCRIPTIONS	TYPEID	BIGINT	NOT NULL	Type ID to distinguish between Synonym and FSN descriptions	T_BID
SS_DESCRIPTIONS	TERM	VARCHAR(8000)	NOT NULL	Description of the data	T_AMTTERM
SS_LANGUAGE	ACCEPTABILITYID	BIGINT	NOT NULL	acceptability ID	T_BID
SS_LANGUAGE	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_LANGUAGE	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_LANGUAGE	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_LANGUAGE	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_LANGUAGE	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_LANGUAGE	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_MP_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_MP_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_MP_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_MP_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_MP_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_MP_CONCEPTS	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_MPP_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_MPP_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_MPP_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_MPP_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_MPP_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_MPP_CONCEPTS	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_MPUU_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_MPUU_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_MPUU_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_MPUU_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_MPUU_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_MPUU_CONCEPTS	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_NSW_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store NSW_schedule4 AMT file active status	T_SID
SS_NSW_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store NSW_schedule4 AMT file effective datetime value	T_DT
SS_NSW_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store NSW_schedule4 AMT file id value	VARCHAR(40)
SS_NSW_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store NSW_schedule4 AMT file moduleid value	T_BID
SS_NSW_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store NSW_schedule4 AMT file referenced component id value	T_BID
SS_NSW_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store NSW_schedule4 AMT file refsetid value	T_BID
SS_NT_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store NT_schedule4 AMT file active status	T_SID
SS_NT_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store NT_schedule4 AMT file effective datetime value	T_DT
SS_NT_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store NT_schedule4 AMT file id value	VARCHAR(40)
SS_NT_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store NT_schedule4 AMT file moduleid value	T_BID
SS_NT_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store NT_schedule4 AMT file referenced component id value	T_BID
SS_NT_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store NT_schedule4 AMT file refsetid value	T_BID
SS_QLD_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store QLD_schedule4 AMT file active status	T_SID
SS_QLD_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store QLD_schedule4 AMT file effective datetime value	T_DT
SS_QLD_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store QLD_schedule4 AMT file id value	VARCHAR(40)
SS_QLD_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store QLD_schedule4 AMT file moduleid value	T_BID
SS_QLD_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store QLD_schedule4 AMT file referenced component id value	T_BID
SS_QLD_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store QLD_schedule4 AMT file refsetid value	T_BID
SS_RELATIONSHIPS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_RELATIONSHIPS	CHARACTERISTICTYPEID	BIGINT	NOT NULL	Charecteristic type ID	T_BID
SS_RELATIONSHIPS	DESTINATIONID	BIGINT	NOT NULL	Destination ID	T_BID
SS_RELATIONSHIPS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_BID
SS_RELATIONSHIPS	ID	BIGINT	NOT NULL	ID	T_BID
SS_RELATIONSHIPS	MODIFIERID	BIGINT	NOT NULL	Modifier ID	T_BID
SS_RELATIONSHIPS	MODULEID	BIGINT	NOT NULL	Module ID	T_DT
SS_RELATIONSHIPS	RELATIONSHIPGROUP	BIGINT	NOT NULL	Relationship group	T_BID
SS_RELATIONSHIPS	SOURCEID	BIGINT	NOT NULL	Source ID	T_BID
SS_RELATIONSHIPS	TYPEID	BIGINT	NOT NULL	Type ID for various (IS A) & (HAS) relationships	T_BID
SS_SA_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store SA_schedule4 AMT file active status	T_SID
SS_SA_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store SA_schedule4 AMT file effective datetime value	T_DT
SS_SA_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store SA_schedule4 AMT file id value	VARCHAR(40)
SS_SA_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store SA_schedule4 AMT file moduleid value	T_BID
SS_SA_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store SA_schedule4 AMT file referenced component id value	T_BID
SS_SA_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store SA_schedule4 AMT file refsetid value	T_BID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

SS_SCHEDULE8	ACTIVE	SMALLINT	NOT NULL	To store schedule8 AMT file active status	T_SID
SS_SCHEDULE8	EFFECTIVETIME	DATETIME	NOT NULL	To store schedule8 AMT file effective datetime value	T_DT
SS_SCHEDULE8	ID	VARCHAR(40)	NOT NULL	To store schedule8 AMT file id value	VARCHAR(40)
SS_SCHEDULE8	MODULEID	BIGINT	NOT NULL	To store schedule8 AMT file moduleid value	T_BID
SS_SCHEDULE8	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store schedule8 AMT file referenced component id value	T_BID
SS_SCHEDULE8	REFSETID	BIGINT	NOT NULL	To store schedule8 AMT file refsetid value	T_BID
SS_STRENGTH_REFSET	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_STRENGTH_REFSET	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_STRENGTH_REFSET	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_STRENGTH_REFSET	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_STRENGTH_REFSET	OPERATORID	BIGINT	NOT NULL	Operator ID	T_BID
SS_STRENGTH_REFSET	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_STRENGTH_REFSET	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_STRENGTH_REFSET	UNITID	BIGINT	NOT NULL	Unit ID	T_BID
SS_STRENGTH_REFSET	VALUE	VARCHAR(255)	NOT NULL	Strength value	T_VALUE
SS_SUBPACK_QTY_REFSET	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_SUBPACK_QTY_REFSET	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_SUBPACK_QTY_REFSET	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_SUBPACK_QTY_REFSET	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_SUBPACK_QTY_REFSET	OPERATORID	BIGINT	NOT NULL	Operator ID	T_BID
SS_SUBPACK_QTY_REFSET	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_SUBPACK_QTY_REFSET	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_SUBPACK_QTY_REFSET	UNITID	BIGINT	NOT NULL	Unit ID	T_BID
SS_SUBPACK_QTY_REFSET	VALUE	VARCHAR(255)	NOT NULL	Strength value	T_VALUE
SS_TAS_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store TAS_schedule4 AMT file active status	T_SID
SS_TAS_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store TAS_schedule4 AMT file effective datetime value	T_DT
SS_TAS_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store TAS_schedule4 AMT file id value	VARCHAR(40)
SS_TAS_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store TAS_schedule4 AMT file moduleid value	T_BID
SS_TAS_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store TAS_schedule4 AMT file referenced component id value	T_BID
SS_TAS_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store TAS_schedule4 AMT file refsetid value	T_BID
SS_TP_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_TP_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_TP_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_TP_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_TP_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_TP_CONCEPTS	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_TPP_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_TPP_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_TPP_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_TPP_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_TPP_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_TPP_CONCEPTS	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_TPUU_CONCEPTS	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_TPUU_CONCEPTS	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_TPUU_CONCEPTS	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_TPUU_CONCEPTS	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_TPUU_CONCEPTS	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	reference component ID	T_BID
SS_TPUU_CONCEPTS	REFSETID	BIGINT	NOT NULL	reference set ID	T_BID
SS_UOU_QTY_REFSET	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_UOU_QTY_REFSET	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_UOU_QTY_REFSET	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_UOU_QTY_REFSET	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_UOU_QTY_REFSET	OPERATORID	BIGINT	NOT NULL	Operator ID	T_BID
SS_UOU_QTY_REFSET	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	Referenced component ID	T_BID
SS_UOU_QTY_REFSET	REFSETID	BIGINT	NOT NULL	Reference set ID	T_BID
SS_UOU_QTY_REFSET	UNITID	BIGINT	NOT NULL	Unit ID	T_BID
SS_UOU_QTY_REFSET	VALUE	VARCHAR(255)	NOT NULL	Subpack value	T_VALUE
SS_UOU_SIZE_REFSET	ACTIVE	SMALLINT	NOT NULL	Active indicator	T_SID
SS_UOU_SIZE_REFSET	EFFECTIVETIME	DATETIME	NOT NULL	AMT effective time	T_DT
SS_UOU_SIZE_REFSET	ID	VARCHAR(40)	NOT NULL	ID	VARCHAR
SS_UOU_SIZE_REFSET	MODULEID	BIGINT	NOT NULL	Module ID	T_BID
SS_UOU_SIZE_REFSET	OPERATORID	BIGINT	NOT NULL	Operator ID	T_BID
SS_UOU_SIZE_REFSET	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	Referenced component ID	T_BID
SS_UOU_SIZE_REFSET	REFSETID	BIGINT	NOT NULL	Reference set ID	T_BID
SS_UOU_SIZE_REFSET	UNITID	BIGINT	NOT NULL	Unit ID	T_BID
SS_UOU_SIZE_REFSET	VALUE	VARCHAR(255)	NOT NULL	Subpack value	T_VALUE
SS_VIC_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store VIC schedule4 AMT file active status	T_SID
SS_VIC_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store VIC schedule4 AMT file effective datetime value	T_DT
SS_VIC_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store VIC schedule4 AMT file id value	VARCHAR(40)
SS_VIC_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store VIC schedule4 AMT file moduleid value	T_BID
SS_VIC_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store VIC schedule4 AMT file referenced component id value	T_BID
SS_VIC_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store VIC schedule4 AMT file refsetid value	T_BID
SS_WA_SCHEDULE4	ACTIVE	SMALLINT	NOT NULL	To store WA_schedule4 AMT file active status	T_SID
SS_WA_SCHEDULE4	EFFECTIVETIME	DATETIME	NOT NULL	To store WA_schedule4 AMT file effective datetime value	T_DT
SS_WA_SCHEDULE4	ID	VARCHAR(40)	NOT NULL	To store WA_schedule4 AMT file id value	VARCHAR(40)
SS_WA_SCHEDULE4	MODULEID	BIGINT	NOT NULL	To store WA_schedule4 AMT file moduleid value	T_BID
SS_WA_SCHEDULE4	REFERENCEDCOMPONENTID	BIGINT	NOT NULL	To store WA_schedule4 AMT file referenced component id value	T_BID
SS_WA_SCHEDULE4	REFSETID	BIGINT	NOT NULL	To store WA_schedule4 AMT file refsetid value	T_BID
STATIONERY	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STATIONERY	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
STATIONERY	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STATIONERY	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STATIONERY	STNRY_DESC	VARCHAR (40)	NOT NULL	Stationery Description	T_DESC
STATIONERY	STNRY_XID	VARCHAR (20)	NOT NULL	Unique ID for stationery	T_XID
STATIONERY_SETTINGS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STATIONERY_SETTINGS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STATIONERY_SETTINGS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STATIONERY_SETTINGS	PREF_KEY	VARCHAR (20)	NOT NULL	Preference Key name of frame	T_XID
STATIONERY_SETTINGS	PREF_VALUE	VARCHAR (255)	NULL	Preference Key value	T_NOTE
STATIONERY_SETTINGS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STATIONERY_SETTINGS	STNRY_XID	VARCHAR (20)	NOT NULL	Code for stationery - Link to stationery table	T_XID
STATIONERY_SETTINGS	USER_CD	VARCHAR (15)	NOT NULL	Code to identify the user	T_CODE
STATIONERY_SETTINGS	WKSTN_ID	INT	NOT NULL	Workstation identifier - Link to workstation table	T_ID
STD_MANUF_NOTE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STD_MANUF_NOTE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STD_MANUF_NOTE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STD_MANUF_NOTE	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
STD_MANUF_NOTE	STD_MANUF_NOTE	VARCHAR (255)	NOT NULL	Standard Manufacture Note details	T_NOTE
STD_MANUF_NOTE	STD_MANUF_NOTE_ID	INT	NOT NULL	Unique ID for Standard Manufacturing Note	T_ID
STK_ADJ_ITEM	ADJ_QTY	NUMERIC(18,8)	NOT NULL	Adjustment Quantity	T_QTY
STK_ADJ_ITEM	ADJ_REASON_DESC	VARCHAR (40)	NULL	Adjustment Reason Description	T_DESC
STK_ADJ_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID
STK_ADJ_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID
STK_ADJ_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STK_ADJ_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STK_ADJ_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STK_ADJ_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
STK_ADJ_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
STK_ADJ_ITEM	ROBOT_ADJ_IND	CHAR(1)	NOT NULL	Robot adjust indicator	T_IND
STK_ADJ_ITEM	SAI_STAT_CD	VARCHAR (5)	NOT NULL	Stock Adjustment Item Status Code - Link to list_of_val table	T_CD
STK_ADJ_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STK_ADJ_ITEM	STK_ADJ_ID	INT	NOT NULL	Stock Adjustment Identifier - Link to stock_adjust table	T_ID
STK_ADJ_ITEM	STK_ADJ_ITEM_ID	INT	NOT NULL	Unqiue ID for Stock Adjustment Item, for the site	T_ID
STK_ADJ_ITEM	STK_BATCH_EXP_DT	DATETIME	NULL	Stock adjustment item expiry date	T_DT
STK_ADJ_ITEM	STK_ITEM_BATCH	VARCHAR (10)	NULL	Stock adjustment item batch number	T_BATCH
STK_ADJ_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
STK_TAKE_GRP	ABC_TOT_VAL_PCT	DECIMAL(8,6)	NULL	Total value percent of a stock take group used in ABC analysis	T_PCT
STK_TAKE_GRP	BFR_TOT_VAL_PCT	DECIMAL(8,6)	NULL	Total value percent of a stock take group before ABC analysis is performed	T_PCT
STK_TAKE_GRP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STK_TAKE_GRP	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
STK_TAKE_GRP	FOR_ABC_FRQ_DAYS	SMALLINT	NULL	Frequency in days used by ABC analysis for a stock take group	T_DAYS
STK_TAKE_GRP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STK_TAKE_GRP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STK_TAKE_GRP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STK_TAKE_GRP	STK_TAKE_FRQ_DAYS	SMALLINT	NULL	Stock take frequency (in days)	T_DAYS
STK_TAKE_GRP	STK_TAKE_GRP_DESC	VARCHAR (40)	NOT NULL	Stock take group description	T_DESC
STK_TAKE_GRP	STK_TAKE_GRP_SID	SMALLINT	NOT NULL	Unique Stock take group identifier, for the site	T_SID
STK_TAKE_GRP	STK_TAKE_GRP_XID	VARCHAR (20)	NOT NULL	Stock take group code	T_XID
STK_TAKE_ITEM	ADJ_IND	CHAR (1)	NOT NULL	Adjustment Indicator	T_IND
STK_TAKE_ITEM	ADJ_REASON_DESC	VARCHAR (40)	NULL	Adjustment Reason Description	T_DESC
STK_TAKE_ITEM	BIN_BATCH_ID	INT	NULL	Bin batch identifier	T_ID
STK_TAKE_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID
STK_TAKE_ITEM	COUNTED_PACK_QTY	NUMERIC(18,8)	NULL	Counted pack Quantity	T_QTY
STK_TAKE_ITEM	COUNTED_UNIT_QTY	NUMERIC(18,8)	NULL	Counted Unit Quantity	T_QTY
STK_TAKE_ITEM	CREATED_BY_ROBOT_IND	CHAR(1)	NOT NULL	Flag to indicate if the stock take item has been created by the robot message	T_IND
STK_TAKE_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STK_TAKE_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STK_TAKE_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STK_TAKE_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
STK_TAKE_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
STK_TAKE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STK_TAKE_ITEM	STI_NOTE	VARCHAR (255)	NULL	Stock Take Item Note	T_NOTE
STK_TAKE_ITEM	STI_STAT_CD	VARCHAR (5)	NOT NULL	Stock Take Item Status Code - Link to list_of_val table	T_CD
STK_TAKE_ITEM	STK_ADJ_ITEM_ID	INT	NULL	ID for Stock Adjustment Item	T_ID
STK_TAKE_ITEM	STK_TAKE_ADJ_QTY	NUMERIC(18,8)	NULL	Stock Take Adjustment Quantity	T_QTY
STK_TAKE_ITEM	STK_TAKE_BATCH	VARCHAR (10)	NULL	Stock take batch number	T_BATCH
STK_TAKE_ITEM	STK_TAKE_BATEXP_DT	DATETIME	NULL	Stock take batch expiry date	T_DT
STK_TAKE_ITEM	STK_TAKE_CNT_BAL	NUMERIC(18,8)	NULL	Stock Take Count Balance	T_QTY
STK_TAKE_ITEM	STK_TAKE_ID	INT	NOT NULL	Stock Take Identifier - Link to stock_take table	T_ID
STK_TAKE_ITEM	STK_TAKE_IOH_BAL	NUMERIC(18,8)	NULL	Stock Take Inventory on Hand Balance	T_QTY
STK_TAKE_ITEM	STK_TAKE_ITEM_ID	INT	NOT NULL	Unique ID for Stock Take Item, for the site	T_ID
STK_TAKE_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
STOCCA_ADC_PARM	ADC_GRP_ID	INT	NULL	ID for Adc Group	T_ID
STOCCA_ADC_PARM	ADC_IND	CHAR(1)	NOT NULL	Flag to indicate adc parameter is ticked	T_IND
STOCCA_ADC_PARM	ADC_ITEM_IMP_IND	CHAR(1)	NOT NULL	Flag to indicate adc item parameter is ticked	T_IND
STOCCA_ADC_PARM	ADC_QTY_IMP_IND	CHAR(1)	NOT NULL	Flag to indicate adc quantity imprest is ticked	T_IND
STOCCA_ADC_PARM	ALTER_QTY_SOURCE_CD	VARCHAR(5)	NULL	Resupply Method for Imprest List - Link to list_of_val table	T_CD
STOCCA_ADC_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_ADC_PARM	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_ADC_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_ADC_PARM	PROD_ALLOC_CD	VARCHAR(5)	NULL	Product Allocation Code - Link to list_of_val table	T_CD
STOCCA_ADC_PARM	RECV_RESUPPLY_REQ_IND	CHAR(1)	NOT NULL	Flag to indicate receive resupply request is ticked	T_IND
STOCCA_ADC_PARM	RESUPPLY_DFLT_STORE_XID	VARCHAR(20)	NULL	Resupply store xid - link to store table	T_XID
STOCCA_ADC_PARM	RESUPPLY_ROUND_CD	VARCHAR(5)	NULL	Rounding code - Link to list_of_val table	T_CD
STOCCA_ADC_PARM	SITE_SID	INT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_ALERT_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_ALERT_PARM	DSPN_ALERT_OVERRIDE_CD	VARCHAR (5)	NOT NULL	Dispensing Alert Override Code - Link to list_of_val table	T_CD
STOCCA_ALERT_PARM	DSPN_ALERT_TYPE_CD	VARCHAR (5)	NOT NULL	Code for the Type of Dispensing Alert	T_CD
STOCCA_ALERT_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_ALERT_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_ALERT_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_DSPN_PARM	ADMIN_DT_IND	CHAR(1)	NOT NULL	Display Administration Date column	T_IND
STOCCA_DSPN_PARM	ADV_INTV_GRP_ID	INT	NULL	Adverse Event Intervention Group Identifier	T_ID
STOCCA_DSPN_PARM	ADV_INTV_TYPE_ID	INT	NULL	Adverse Event Intervention Type Identifier	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCA_DSPN_PARM	APPLY_QH_PRICE_IND	CHAR (1)	NOT NULL	Apply Queensland Health Pricing Indicator	T_IND
STOCCA_DSPN_PARM	AUTO_CALC_DISCQTY_IND	CHAR(1)	NOT NULL	Automatically Calculate Discard Quantity	T_IND
STOCCA_DSPN_PARM	AUTO_PRINT_NONPBS_IND	CHAR(1)	NOT NULL	Automatically print Non-PBS indicator	T_IND
STOCCA_DSPN_PARM	BATSHT_PRINT_EXTEMP_IND	CHAR(1)	NOT NULL	Indicator for NPBS Extemp Batch Sheet print.	T_IND
STOCCA_DSPN_PARM	BATSHT_PRINT_IV_IND	CHAR(1)	NOT NULL	Indicator for NPBS Aseptic Batch Sheet print.	T_IND
STOCCA_DSPN_PARM	BATSHT_PRINT_IVCYT_IND	CHAR(1)	NOT NULL	Indicator for NPBS Cytotoxic Batch Sheet print.	T_IND
STOCCA_DSPN_PARM	BATSHT_PRINT_TPN_IND	CHAR(1)	NOT NULL	Indicator for NPBS TPN Batch Sheet print.	T_IND
STOCCA_DSPN_PARM	CHK_DSPN_HIST_MTH	SMALLINT	NOT NULL	Check Dispensing History Method	T_SMALLINT
STOCCA_DSPN_PARM	CHK_DSPN_INTA_MTH	SMALLINT	NOT NULL	Check Dispensing Interaction Method	T_SMALLINT
STOCCA_DSPN_PARM	COLLECT_REFRESH_SECS	INT	NULL	Prescriptions Awaiting Collection Refresh Seconds	T_SECS
STOCCA_DSPN_PARM	COLLECT_SCROLL_SECS	INT	NULL	Prescriptions Awaiting Collection Scroll Seconds	T_SECS
STOCCA_DSPN_PARM	CREATED_DT	DATETIME	NULL	Date and time that the row was created.	T_DT
STOCCA_DSPN_PARM	DELIVERED_TO_IND	CHAR(1)	NOT NULL	Delivered to indicator	T_IND
STOCCA_DSPN_PARM	DFLT_BATCH_EXP_DT_IND	CHAR (1)	NOT NULL	Default Batch Expiry Date Indicator	T_IND
STOCCA_DSPN_PARM	DFLT_LAST_BATCH_IND	CHAR (1)	NOT NULL	Default Last Batch Indicator	T_IND
STOCCA_DSPN_PARM	DFLT_PAT_DATA_IND	CHAR (1)	NOT NULL	Default Patient Data Indicator	T_IND
STOCCA_DSPN_PARM	DFLT_TEAM_METH_CD	VARCHAR (5)	NOT NULL	Default Team Method Code - Link to list_of_val table	T_CD
STOCCA_DSPN_PARM	DISABLE_COLLECT_BUTTON_IND	CHAR (1)	NOT NULL	Indicator to disable the collect button in the dispensing	T_IND
STOCCA_DSPN_PARM	DISABLE_PREPARE_BUTTON_IND	CHAR (1)	NOT NULL	Enable / disable prepare button in the dispensing	T_IND
STOCCA_DSPN_PARM	DISABLE_REVERSE_BUTTON_IND	CHAR(1)	NOT NULL	To store the Disable reverse Button indicator parameter	T_IND
STOCCA_DSPN_PARM	DISABLE_REVERSE_CD	VARCHAR(5)	NULL	To store the Disable Reverse button Oprion in parameter	T_CD
STOCCA_DSPN_PARM	DISPLAY_CEASE_DT_IND	CHAR (1)	NOT NULL	Display Cease Date Indicator	T_IND
STOCCA_DSPN_PARM	DISPLAY_CEASEDT_AFT_TEAM_IND	Char(1)	NOT NULL	Display 'Cease date' after 'Team'	T_IND
STOCCA_DSPN_PARM	DISPLAY_CMI_STAT_IND	CHAR (1)	NOT NULL	Display CMI Status Code	T_IND
STOCCA_DSPN_PARM	DISPLAY_PACK_DESC_IND	CHAR (1)	NOT NULL	Display Pack Description Indicator	T_IND
STOCCA_DSPN_PARM	DISPLAY_PBS_CODE_IND	CHAR (1)	NOT NULL	Display PBS Code Indicator	T_IND
STOCCA_DSPN_PARM	DISPLAY_PRESDT_AFT_DSPNDT_IND	CHAR(1)	NOT NULL	Display 'Prescription Date' after 'Dispensing date'	T_IND
STOCCA_DSPN_PARM	DISPLAY_SITE_SHORT_DESC_IND	CHAR (1)	NOT NULL	Display Site Short Description Indicator	T_IND
STOCCA_DSPN_PARM	DISPLAY_UPPN_IND	CHAR (1)	NOT NULL	Indciates which UPPN number field will be made visible	T_IND
STOCCA_DSPN_PARM	DOA_PRES_VALID_MTH	SMALLINT	NULL	DA Prescription ValID Month. Replaced by prod_schedule.pres_valid_mth in v8.5	T_SMALLINT
STOCCA_DSPN_PARM	DOA_SCH_SHORT	VARCHAR (10)	NULL	Indicates the Drug of addiction product schedule.	T_SHORT
STOCCA_DSPN_PARM	DSPN_CHART_ENABLE_IND	CHAR (1)	NOT NULL	Chart Dispensing Parameter	T_IND
STOCCA_DSPN_PARM	DSPN_CHART_TEXT	INT	NOTNULL	Chart Dispensing Text	t_color
STOCCA_DSPN_PARM	DSPN_DFLT_METH_CD	VARCHAR (5)	NOT NULL	Dispensing Default Method Code - Link to list_of_val table	T_CD
STOCCA_DSPN_PARM	DSPN_EDITAUTH_IND	CHAR(1)	NOT NULL	Enable/disable Dispense Editing Without Dispense Authority	T_IND
STOCCA_DSPN_PARM	DSPN_LABEL_DISPLAY_IND	CHAR(1)	NOT NULL	Enable/disable printing option for In Process Dispensings	T_IND
STOCCA_DSPN_PARM	DSPN_OID_CODE	VARCHAR(255)	NULL	Dispense OID Code	T_DESCLONG
STOCCA_DSPN_PARM	DSPN_OID_DESC	VARCHAR(255)	NULL	Dispense OID Description	T_DESCLONG
STOCCA_DSPN_PARM	DSPN_PICK_MINIMIZE_IND	CHAR(1)	NOTNULL	Indicates that Dispensing window will be minimised immediately after Pick, where a dispensing robot	T_IND
STOCCA_DSPN_PARM	DSPN_RECORD_FILE_PATH	VARCHAR (255)	NULL	Dispese Record File Path	T_PATH
STOCCA_DSPN_PARM	DSPN_RECORD_IND	CHAR(1)	NOT NULL	Dispense Record Indicator	T_IND
STOCCA_DSPN_PARM	DSPN_SORT_CEASEDT_IND	CHAR(1)	NOT NULL	Indicator to Sort Dispense with Cease Date in History area.	T_IND
STOCCA_DSPN_PARM	DSPN_STAT_COLL	INT	NOT NULL	Dispense collected status color code	T_COLOR
STOCCA_DSPN_PARM	DSPN_STAT_COMP	INT	NOT NULL	Dispense completed status color code	T_COLOR
STOCCA_DSPN_PARM	DSPN_STAT_DEF	INT	NOT NULL	Dispense deffered status color code	T_COLOR
STOCCA_DSPN_PARM	DSPN_STAT_DEL	INT	NOT NULL	Dispense deleted status color code	T_COLOR
STOCCA_DSPN_PARM	DSPN_STAT_IP	INT	NOT NULL	Dispense on hold status color code	T_COLOR
STOCCA_DSPN_PARM	DSPN_STAT_PREP	INT	NOT NULL	Dispense under preparation status color code	T_COLOR
STOCCA_DSPN_PARM	EPRESCRIBING_IND	CHAR(1)	NOTNULL	Enable/disable the ePrescription Dispensing functionality, including My Script List	T_IND
STOCCA_DSPN_PARM	EPS_ID_CNT	INT	NOT NULL	Number of most recent Episodes to display.	T_ID
STOCCA_DSPN_PARM	ERX_DFLT_PRDSEARCH_CD	VARCHAR(5)	NULL	Define default product search values in e-Rx Order.	T_CD
STOCCA_DSPN_PARM	ERX_DFLT_WKSTN_PHARM_IND	CHAR(1)	NOT NULL	Indicator for default workstation pharmacy for e_rx Orders.	T_IND
STOCCA_DSPN_PARM	ERX_IND	CHAR(1)	NOT NULL	Indicator for e-Rx functionality (PES for RTPM Support parameter)	T_IND
STOCCA_DSPN_PARM	ERX_LINK_NBR_CD	VARCHAR(5)	NULL	e-Rx Link Nbr CD.	T_CD
STOCCA_DSPN_PARM	ERX_MODIFY_DIR_IND	CHAR(1)	NOT NULL	Allow to change the directions that came in an e-Rx Order	T_IND
STOCCA_DSPN_PARM	ERX_MODIFY_ENTFIN_IND	CHAR(1)	NOT NULL	Allow users to invoke the 'e-Rx Orders Maintenance' window from e-Rx order screen	T_IND
STOCCA_DSPN_PARM	ERX_MODIFY_PROD_IND	CHAR(1)	NOT NULL	Allow to change the product that came in an e-Rx Order.	T_IND
STOCCA_DSPN_PARM	ERX_ORD_STAT_ICON_IND	CHAR(1)	NOT NULL	A parameter check box to control whether order status icon columns and related search criteria are displayed in various windows.	T_IND
STOCCA_DSPN_PARM	ERX_ORD_ICON_REFRESH_SECS	INT	NULL	Determines how often icons will be refreshed in the windows	T_SECS
STOCCA_DSPN_PARM	EXCL_PAT_INV_IND	CHAR(1)	NOT NULL	Exclude Zero Patient Price dispensing from Patient Invoices	T_IND
STOCCA_DSPN_PARM	GS_AUTHORISE_CD	VARCHAR(5)	NULL	Goal Sheet Authorisation required - Link to list_of_val table	T_CD
STOCCA_DSPN_PARM	GS_DSPN_IND	CHAR(1)	NOT NULL	Enable/Disable Goal Sheet Dispensing	T_IND
STOCCA_DSPN_PARM	GUAR_FIRST_NAME_TEXT	VARCHAR(30)	NOT NULL	Guarantor First Name column label text	T_UID
STOCCA_DSPN_PARM	GUAR_SURNAME_TEXT	VARCHAR(30)	NOT NULL	Guarantor Surname column label text	T_UID
STOCCA_DSPN_PARM	HI_SERVICE_IND	CHAR(1)	NOTNULL	Enables/disables the HI Service interface (via NIHC connector)	T_IND
STOCCA_DSPN_PARM	HI_TIME_OUT_SECS	INT	NULL	The number of seconds to wait for a IHI Response (from NIHC) before the application is made available again	T_SECS
STOCCA_DSPN_PARM	HIDE_QTYPERPACK_IND	CHAR(1)	NOT NULL	Hide the 'Qty Per Pack' field at prescription details screen.	T_IND
STOCCA_DSPN_PARM	HOSP_SFTY_NET_REF	VARCHAR (20)	NULL	Hospital Safety Net Reference	T_REF
STOCCA_DSPN_PARM	INCL_DRUG_ADDICT_IND	CHAR (1)	NOT NULL	Include DA products in Controlled Drug [CD] function	T_IND
STOCCA_DSPN_PARM	INTA_CHECK_LEVEL_CD	VARCHAR (5)	NOT NULL	Interaction check Level code - Link of list_of_val table	T_CD
STOCCA_DSPN_PARM	INTA_SOURCE_CD	VARCHAR (5)	NOT NULL	Interaction Source Code	T_CD
STOCCA_DSPN_PARM	LAST_UPDATED_BY	VARCHAR (30)	NULL	Code of the user who last modified the record.	T_UID
	LAST_UPDATED_DT	DATETIME	NULL	Date and time that the row was last modified.	T_DT
	MED_CHART_ENABLE_IND	CHAR(1)	NOT NULL	Enable/disable MedChart secure invocation functionality.	T_IND
	MED_CHT_1_DT	DATETIME	NULL	Medication Chart Date 1	T_DT
	MED_CHT_2_DT	DATETIME	NULL	Medication Chart Date 2	T_DT
STOCCA_DSPN_PARM	MED_CHT_3_DT	DATETIME	NULL	Medication Chart Date 3	T_DT
STOCCA_DSPN_PARM	MED_CHT_4_DT	DATETIME	NULL	Medication Chart Date 4	T_DT
STOCCA_DSPN_PARM	MED_SCAN_AUTHCOLLECT_IND	CHAR (1)	NOT NULL	Indciates if Medication Scaning screen will open automatically	T_IND
STOCCA_DSPN_PARM	MIMS_CAUTION_IND	CHAR(1)	NULL	Column to save mims caution indicator	T_IND
STOCCA_DSPN_PARM	MIMS_DOWNLOAD_URL	VARCHAR(2500)	NULL	Column to save mims download URL	T_URL

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCA_DSPN_PARM	MIMS_MINOR_IND	CHAR(1)	NULL	Column to save mims minor indicator	T_IND
STOCCA_DSPN_PARM	MIMS_MODERATE_IND	CHAR(1)	NULL	Column to save mims moderate indicator value	T_IND
STOCCA_DSPN_PARM	MIMS_NOT_ESTABLISHED_IND	CHAR(1)	NULL	Column to save mims not established indicator	T_IND
STOCCA_DSPN_PARM	MIMS_NOTCLINIC_SIGNIF_IND	CHAR(1)	NULL	Column to save mims notclininc significant indicator	T_IND
STOCCA_DSPN_PARM	MIMS_SEVERE_IND	CHAR(1)	NULL	Column to save mims severity indicator	T_IND
STOCCA_DSPN_PARM	MYSL_URL	VARCHAR(2500)	NULL	The URL path for the MySL Connector	T_URL
STOCCA_DSPN_PARM	NIHC_URL	VARCHAR(2500)	NULL	The URL path for the NIHC Connector	T_URL
STOCCA_DSPN_PARM	PAT_FIRST_CAP_CD	VARCHAR (5)	NOT NULL	Patient First name Capitalisation Code - Link to list_of_val table (use 'capitalisation_cd')	T_CD
STOCCA_DSPN_PARM	PAT_FIRST_NAME_MANDATORY	CHAR (1)	NOT NULL	First Name mandatory indicator	T_IND
STOCCA_DSPN_PARM	PAT_FIRST_NAME_TEXT	VARCHAR(30)	NOT NULL	Patient First Name column label text	T_UID
STOCCA_DSPN_PARM	PAT_INVC_AUTO_IND	CHAR (1)	NOT NULL	Patient Invoice Automatic Indicator	T_IND
STOCCA_DSPN_PARM	PAT_LOCK_IND	CHAR(1)	NOT NULL	Enable/disable patient lock functionality.	T_IND
STOCCA_DSPN_PARM	PAT_MULTI_NOTE_AUTO_IND	CHAR (1)	NOT NULL	Indicates if Patient Clinical Notes screen will automatically open	T_IND
STOCCA_DSPN_PARM	PAT_NAME_FIELD_WIDTH	INT	NOT NULL	Maximum number characters that can be allowed in First Name and Surname fields	T_ID
STOCCA_DSPN_PARM	PAT_NOTE_AUTO_IND	CHAR (1)	NOT NULL	Patient Notes Automatic Indicator	T_IND
STOCCA_DSPN_PARM	PAT_PANEL_DISPLAY_CD	VARCHAR(5)	NOT NULL	Patient panel display type - no longer used.	T_CD
STOCCA_DSPN_PARM	PAT_QUICK_SEARCH_IND	CHAR (1)	NOT NULL	Patient Quick Search Indicator	T_IND
STOCCA_DSPN_PARM	PAT_SALUT_CAP_CD	VARCHAR (5)	NOT NULL	Patient Saluation Capitalisation Code - Link to list_of_val table (use 'capitalisation_cd')	T_CD
STOCCA_DSPN_PARM	PAT_SURNAME_CAP_CD	VARCHAR (5)	NOT NULL	Patient Surname Capitalisation Code - Link to list_of_val table (use 'capitalisation_cd')	T_CD
STOCCA_DSPN_PARM	PAT_SURNAME_TEXT	VARCHAR(30)	NOT NULL	Patient Surname column label text	T_UID
STOCCA_DSPN_PARM	PBSBATSHT_PRINT_EXTEMP_IND	CHAR(1)	NOT NULL	Indicator for PBS Extemp Batch Sheet print.	T_IND
STOCCA_DSPN_PARM	PBSBATSHT_PRINT_IV_IND	CHAR(1)	NOT NULL	Column for Aseptic batch sheet print	T_IND
STOCCA_DSPN_PARM	PBSBATSHT_PRINT_IVCYT_IND	CHAR(1)	NOT NULL	Indicator for NPBS Cytotoxic Batch Sheet print.	T_IND
STOCCA_DSPN_PARM	PES_IND	CHAR(1)	NOT NULL	Enable/Disable Prescription Exchange Service functionality	T_IND
STOCCA_DSPN_PARM	PMI_EXT_AUTO_UPDATE_IND	CHAR (1)	NOT NULL	PMI External Automatic Update Indicator	T_IND
STOCCA_DSPN_PARM	PMI_EXT_SEARCH_IND	CHAR (1)	NOT NULL	PMI External Search Indicator	T_IND
STOCCA_DSPN_PARM	PPN_MONITOR_REFRESH_SECS	INT	NOT NULL	Prescription Monitor Refresh Seconds	T_SECS
STOCCA_DSPN_PARM	PPN_MONITOR_WARNING_MINS	INT	NOT NULL	Prescription Monitor Warning in Minutes	T_MINS
STOCCA_DSPN_PARM	PPN_TRACK_IND	CHAR (1)	NOT NULL	Prescription tracking indicator	T_IND
STOCCA_DSPN_PARM	PRECHECK_TIME_OUT_SECS	INTEGER	NULL	To store Precheck timed out seconds	T_SECS
STOCCA_DSPN_PARM	PRES_FIRST_NAME_TEXT	VARCHAR(30)	NOT NULL	Prescriber First Name column label text	T_UID
STOCCA_DSPN_PARM	PRES_LIST	INT	NOT NULL	Set the prescriber limit for prescriber drop down	T_ID
STOCCA_DSPN_PARM	PRES_SURNAME_TEXT	VARCHAR(30)	NOT NULL	Prescriber Surname column label tex	T_UID
STOCCA_DSPN_PARM	PRES_VALID_MTH	SMALLINT	NOT NULL	Prescription Valid Month	T_SMALLINT
STOCCA_DSPN_PARM	PRES_WINDOW_TAB_CD	VARCHAR (5)	NOT NULL	Prescription detail window tab order (Quick, sequential)	T_CD
STOCCA_DSPN_PARM	PRES_WINDOW_TYPE_CD	VARCHAR (5)	NOT NULL	Prescription Window Type Code - Link to list_of_val table	T_CD
STOCCA_DSPN_PARM	PRINT_PAT_CMI_IND	CHAR(1)	NOT NULL	Indicates whether the Print Patient Details on CMI check box in Dispensing will be ticked by default or not.	T_IND
STOCCA_DSPN_PARM	PRIV_DSPN_FEE	NUMERIC(18,8)	NOT NULL	Private Dispensing Fee	T_FEE
STOCCA_DSPN_PARM	PRIV_DSPN_PCT	DECIMAL(8,6)	NOT NULL	Private Dispensing Percentage	T_PCT
STOCCA_DSPN_PARM	PRIV_HOSP_BILL_IND	CHAR(1)	NOT NULL	Indicator for Private Hospital Billing.	T_IND
STOCCA_DSPN_PARM	PRIV_NARCOTIC_FEE	NUMERIC(18,8)	NOT NULL	Private Narcotic Fee	T_FEE
STOCCA_DSPN_PARM	PRIV_S3_RECORD_FEE	NUMERIC(18,8)	NOT NULL	Private Schedule3 Record Fee	T_FEE
STOCCA_DSPN_PARM	PROP_VAR_PCT	DECIMAL(8,6)	NULL	Order Quantity Variance in percentage	T_PCT
STOCCA_DSPN_PARM	REAL_TIME_PRESC_MONIT_IND	CHAR (1)	NOT NULL	To store RTPM monitor indicator value	T_IND
STOCCA_DSPN_PARM	REV_DSPN_AUTH_IND	CHAR (1)	NOT NULL	Authorization for reverse dispensing	T_IND
STOCCA_DSPN_PARM	ROBOT_DSPN_IND	CHAR (1)	NOT NULL	Replaced by STOCCA_PARAMETER parameter of same same name.	T_IND
STOCCA_DSPN_PARM	ROBOT_REFRESH_SECS	INT	NULL	Replaced by STOCCA_PARAMETER parameter of same same name. Refresh rate for robotic functionality in transaction windows.	T_SESC
STOCCA_DSPN_PARM	ROUND_PAT_INV_CHARGE_AMT	NUMERIC (18,8)	NOT NULL	Patient Invoice Charge amount for rounding	T_FEE
STOCCA_DSPN_PARM	RTPM_SYSTEM_NAME	VARCHAR(40)	NULL	To store RTPM system name	T_DESC
STOCCA_DSPN_PARM	RTPM_URL	VARCHAR(2500)	NULL	To store RTPM URL	T_URL
STOCCA_DSPN_PARM	S3_PROD_SCH_SHORT	VARCHAR (10)	NULL		T_SHORT
STOCCA_DSPN_PARM	SAME_ASEPTIC	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for ASEPTIC Dispensing	T_CD
STOCCA_DSPN_PARM	SAME_CYTOTOXIC	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for CYTOTOXIC Dispensing	T_CD
STOCCA_DSPN_PARM	SAME_DSPN_CONFIRM_IND	CHAR (1)	NOT NULL	Enable or disable the review functionality for same dispensing	T_IND
STOCCA_DSPN_PARM	SAME_EXTEMP	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for EXTEMP Dispensing	T_CD
STOCCA_DSPN_PARM	SAME_NORMAL	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for NORMAL Dispensing	T_CD
STOCCA_DSPN_PARM	SAME_TPN	VARCHAR(5)	NOT NULL	Enable/Disable 'Same' button for TPN Dispensing	T_CD
STOCCA_DSPN_PARM	SCANSTAT_FAIL_COLOR	INT	NOT NULL	Fail colour for scan status	T_COLOR
STOCCA_DSPN_PARM	SCANSTAT_OVERRIDE_COLOR	INT	NOT NULL	Override colour for scan status	T_COLOR
STOCCA_DSPN_PARM	SCANSTAT_PASS_COLOR	INT	NOT NULL	Pass colour for scan status	T_COLOR
STOCCA_DSPN_PARM	SEARCH_PRES_IND	CHAR (1)	NOT NULL	Indicates that Prescriber Nbr field will be visible in Prescription Details window	T_IND
STOCCA_DSPN_PARM	SIG_ROUND_PCT	DECIMAL(8,6)	NULL	Significance for Value Rounding	T_PCT
STOCCA_DSPN_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_DSPN_PARM	SUGG_REVIEW_DAYS	SMALLINT	NULL	Suggested next review days	T_DAYS
STOCCA_DSPN_PARM	UK_NHSFUNC_IND	CHAR (1)	NOT NULL	UK NHS Functionality indicator	T_IND
STOCCA_DSPN_PARM	USE_MEDCHT_AUTH_IND	CHAR (1)	NOT NULL	For medication chart authorisation	T_IND
STOCCA_DSPN_PARM	USER_FIRST_NAME_TEXT	VARCHAR(30)	NOT NULL	User First Name label text	T_UID
STOCCA_DSPN_PARM	USER_SURNAME_TEXT	VARCHAR(30)	NOT NULL	User Surname label text	T_UID
STOCCA_GLOBAL_PARM	APPLY_ERXORDNBR_GLOBAL_IND	CHAR(1)	NOT NULL	To indicate that the e-Rx Order Nbr applies globally for the database	T_IND
STOCCA_GLOBAL_PARM	CREATED_DT	DATETIME	NOT NULL	Created date	T_DT
STOCCA_GLOBAL_PARM	DISPENSERCONFORMANCEID	VARCHAR(255)	NULL	Dispenser conformance Id for eprescriptions	T_NOTE
STOCCA_GLOBAL_PARM	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Last updated by	T_UID
STOCCA_GLOBAL_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Last updated date	T_DT
STOCCA_GLOBAL_PARM	LDC_SNOMED_NAMESPACE_XID	VARCHAR(20)	NULL	Column to save snomed namespace xid	T_XID
STOCCA_GLOBAL_PARM	PROD_OID_CODE	VARCHAR(255)	NULL	Product OID Code	T_DESCLONG
STOCCA_GLOBAL_PARM	PROD_OID_DESC	VARCHAR(255)	NULL	Product OID Description	T_DESCLONG
STOCCA_INVEN_PARM	CONTRACT_ORDVAR_PCT	DECIMAL(8,6)	NOT NULL	Stores Permitable Invoice Price Variance Percentage for a contract line items	T_PCT
STOCCA_INVEN_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCA_INVEN_PARM	DFLT_GRINV_CURRDT_IND	CHAR(1)	NOT NULL	Default good receipt invoice date to current date	T_IND
STOCCA_INVEN_PARM	INV_AUTH_CD	VARCHAR (5)	NOT NULL	Invoice authorisation code - Link to list_of_val table	T_CD
STOCCA_INVEN_PARM	INVC_FOOT_TEXT	VARCHAR (255)	NULL	Invoice Footer Text	VARCHAR
STOCCA_INVEN_PARM	INVC_TOL_PCT	DECIMAL(8,6)	NOT NULL	Allowable Percentage price difference in invoice entry	T_PCT
STOCCA_INVEN_PARM	KIT_PREPARE_CHARGE	VARCHAR (5)	NOT NULL	Kit prepare charge	T_CD
STOCCA_INVEN_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_INVEN_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_INVEN_PARM	ORD_ADDR_1	VARCHAR (40)	NOT NULL	Order Address 1	T_ADDR
STOCCA_INVEN_PARM	ORD_ADDR_2	VARCHAR(40)	NULL	Order address 2	T_ADDR
STOCCA_INVEN_PARM	ORD_ADDR_3	VARCHAR (40)	NULL	Order Address 3	T_ADDR
STOCCA_INVEN_PARM	ORD_ADDR_4	VARCHAR (40)	NULL	Order Address 4	T_ADDR
STOCCA_INVEN_PARM	ORD_CNTRY	VARCHAR (30)	NULL	Order Country	T_CNTRY
STOCCA_INVEN_PARM	ORD_FAX_PHONE	VARCHAR (15)	NULL	Order Fax No.	T_PHONE
STOCCA_INVEN_PARM	ORD_FOOT_TEXT	VARCHAR (255)	NULL	Order Footer Text	VARCHAR
STOCCA_INVEN_PARM	ORD_NAME	VARCHAR (255)	NULL	Order Name	T_NAME
STOCCA_INVEN_PARM	ORD_PHONE	VARCHAR (15)	NULL	Order Phone No.	T_PHONE
STOCCA_INVEN_PARM	ORD_POSTCODE	VARCHAR (10)	NULL	Order Postal Code	T_POSTCODE
STOCCA_INVEN_PARM	ORW_SUPP_PREF_CD	VARCHAR (5)	NOT NULL	Order Worksheet Supplier Preference Based On	T_CD
STOCCA_INVEN_PARM	OWING_BORR_REPAY_IND	CHAR (1)	NOT NULL	Borrow Repayment indicator	T_IND
STOCCA_INVEN_PARM	OWING_DISP_IND	CHAR (1)	NOT NULL	Owing Disposal indicator	T_IND
STOCCA_INVEN_PARM	OWING_DIST_IND	CHAR (1)	NOT NULL	Owing Distribution indicator	T_IND
STOCCA_INVEN_PARM	OWING_DSPN_IND	CHAR (1)	NOT NULL	Owing Dispensing indicator	T_IND
STOCCA_INVEN_PARM	OWING_GR_IND	CHAR (1)	NOT NULL	Owing goods receipt indicator	T_IND
STOCCA_INVEN_PARM	OWING_KIT_DIST_IND	CHAR (1)	NOT NULL	Owing kit distribution indicator	T_IND
STOCCA_INVEN_PARM	OWING_LEND_IND	CHAR (1)	NOT NULL	Owing lend indicator	T_IND
STOCCA_INVEN_PARM	OWING_MANUF_IND	CHAR (1)	NOT NULL	Owing manufacture indicator	T_IND
STOCCA_INVEN_PARM	OWING_NEGSTK_ADJ_IND	CHAR (1)	NOT NULL	Owing negative stock adjustment indicator	T_IND
STOCCA_INVEN_PARM	OWING_STORE_TRF_IND	CHAR (1)	NOT NULL	Owing store transfer indicator	T_IND
STOCCA_INVEN_PARM	OWING_SUPP_CREDIT_IND	CHAR (1)	NOT NULL	Owing suppler credit indicator	T_IND
STOCCA_INVEN_PARM	OWING_TRANS_DAYS	SMALLINT	NOT NULL	No of days owing transaction need to be consider.	T_SID
STOCCA_INVEN_PARM	PRD_STORE_NOTE_IND	CHAR (1)	NOT NULL	Product Store Note Indicator	T_IND
STOCCA_INVEN_PARM	PRNT_INVC_SUMM_IND	CHAR (1)	NOT NULL	Print Invoice Summary Indicator	T_IND
STOCCA_INVEN_PARM	REQN_REQ_IND	CHAR (1)	NOT NULL	Requisition Required Indicator	T_IND
STOCCA_INVEN_PARM	SCAN_PACK_IND	CHAR(1)	NOT NULL	Enable/disable Scanpack functionality	T_IND
STOCCA_INVEN_PARM	SCT_TOL_PCT	DECIMAL(8,6)	NOT NULL	Percentage for Order Price Difference Warning	T_PCT
STOCCA_INVEN_PARM	SEP_ORDGR_AUTH_IND	CHAR (1)	NOT NULL	Separate goods receipt authorisation	T_IND
STOCCA_INVEN_PARM	SEP_ORDINVC_AUTH_IND	CHAR (1)	NOT NULL	Separate invocie/order authorisation	T_IND
STOCCA_INVEN_PARM	SHIPPER_ROUNDING_CD	VARCHAR (5)	NOT NULL	Code for how the request quantity will be rounded in Suggested Store Transfer Request screen - Link to list_of_val table	T_CD
STOCCA_INVEN_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_INVEN_PARM	STRTFR_SHIPPER_DISPLAY_IND	CHAR (1)	NOT NULL	Which 'Shipper Qty column in Store Transfer Request Maintenance' and 'New text label in Suggested Store Transfer' screen is made visible	T_IND
STOCCA_INVEN_PARM	SUGG_ORD_SUPP_WKS	SMALLINT	NULL	Suggested Order by Supply in Weeks	T_WKS
STOCCA_INVEN_PARM	SUGG_ORD_USE_WKS	SMALLINT	NULL	Suggested Order by Usage in Weeks	T_WKS
STOCCA_INVEN_PARM	SUGG_REORD_DAYS	SMALLINT	NOT NULL	Suggested Reorder Days	T_DAYS
STOCCA_INVEN_PARM	SYS_ADDR_1	VARCHAR (40)	NOT NULL	System Address1	T_ADDR
STOCCA_INVEN_PARM	SYS_ADDR_2	VARCHAR (40)	NULL	System Address2	T_ADDR
STOCCA_INVEN_PARM	SYS_ADDR_3	VARCHAR (40)	NULL	System Address3	T_ADDR
STOCCA_INVEN_PARM	SYS_ADDR_4	VARCHAR (40)	NULL	System Address4	T_ADDR
STOCCA_INVEN_PARM	SYS_CNTRY	VARCHAR (30)	NULL	System Country	T_CNTRY
STOCCA_INVEN_PARM	SYS_FAX_PHONE	VARCHAR (15)	NULL	System Fax Number	T_PHONE
STOCCA_INVEN_PARM	SYS_NAME	VARCHAR (255)	NULL	System Name	T_NAME
STOCCA_INVEN_PARM	SYS_PHONE	VARCHAR (15)	NULL	System Phone Number	T_PHONE
STOCCA_INVEN_PARM	SYS_POSTCODE	VARCHAR (10)	NULL	System Postcode	T_POSTCODE
STOCCA_INVEN_PARM	TOT_INVCOST_VAL_IND	CHAR(1)	NOTNULL	Indicates that Total Invoice Cost with Tax will appear in the Goods Receipt Maintenance window	T_IND
STOCCA_INVEN_PARM	USE_PREF_SUPP_IND	CHAR (1)	NOT NULL	Use Preferred Supplier Indicator	T_IND
STOCCA_PARAMETER	ADJ_FRET_AWP_IND	INT	NOT NULL	Indicates whether Free Returns will adjust Average Weighted Price or not.	T_IND
STOCCA_PARAMETER	AP_EXTRACT_TYPE_CD	VARCHAR (5)	NULL	Accounts Payable Extract Type Code - Link to list_of_val table	T_CD
STOCCA_PARAMETER	APPLY_PRICE_VAR_IND	CHAR (1)	NOT NULL	Apply Price Variance Indicator	T_IND
STOCCA_PARAMETER	AUDIT_DB_NAME	VARCHAR (30)	NULL	Audit database name	VARCHAR
STOCCA_PARAMETER	AUDIT_IND	CHAR (1)	NOT NULL	Indicator for Audit	T_IND
STOCCA_PARAMETER	AUDIT_LOG_IND	CHAR (1)	NOT NULL	Audit Log Indicator	T_IND
STOCCA_PARAMETER	BNF_LICENSE_IND	CHAR (1)	NOT NULL	BNF License Indicator	T_IND
STOCCA_PARAMETER	COC_ACCOUNT_1_DESC	VARCHAR (40)	NULL	Cost Centre Account Description 1	T_DESC
STOCCA_PARAMETER	COC_ACCOUNT_2_DESC	VARCHAR (40)	NULL	Cost Centre Account Description 2	T_DESC
STOCCA_PARAMETER	COC_ACCOUNT_3_DESC	VARCHAR (40)	NULL	Cost Centre Account Description 3	T_DESC
STOCCA_PARAMETER	COC_ACCOUNT_4_DESC	VARCHAR (40)	NULL	Cost Centre Account Description 4	T_DESC
STOCCA_PARAMETER	CONSUM_IND	CHAR(1)	NOT NULL	Consumable Indicator	T_IND
STOCCA_PARAMETER	CR_INVC_SERV_XID	VARCHAR (20)	NULL	Credit Invoice Service Code	T_XID
STOCCA_PARAMETER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_PARAMETER	DATA_LBL_IND	CHAR (1)	NOT NULL	Data Label Indicator	T_IND
STOCCA_PARAMETER	DB_SCHEMA_VERSION	VARCHAR (10)	NOT NULL	Database Schema Version	T_VERSION
STOCCA_PARAMETER	DEFAULT_WKSTN_SETTINGS_IND	CHAR (1)	NOT NULL	Default Workstation settings indicator	T_IND
STOCCA_PARAMETER	DFLT_DSPN_REFSITE_IND	CHAR(1)	NOT NULL	Indicates that the patient site will default into the 'Ref. Site' field of the {Prescription Details} and {Prescription Maintenance} windows, if the patient site is listed in the Application Parameters General Area Tab as an allowed Dispensing Ref. Site.	T_IND
STOCCA_PARAMETER	DFLT_GR_TYPE	VARCHAR(5)	NULL	Default goods receipt type for goods receipts created by the Robot Data Service	T_CD
STOCCA_PARAMETER	DFLT_NONROB_LOC_IND	CHAR (1)	NOT NULL	Indicates whether a non-robot location should be defaulted or not (where stock is available), instead of using the robot location as selected	T_IND
STOCCA_PARAMETER	DFLT_PVV_PCT	DECIMAL(8,6)	NULL	Default PVV Percentage	T_PCT
STOCCA_PARAMETER	DIST_AUTO_PRINT_IND	CHAR (1)	NOT NULL	Distribution Label Automatic Printing indicator	T_IND
STOCCA_PARAMETER	DR_INVC_SERV_XID	VARCHAR (20)	NULL	Debit Invoice Service Code	T_XID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCA_PARAMETER	DSPN_INVC_SERV_XID	VARCHAR (20)	NULL	Dispensing Invoice Service Code	T_XID
STOCCA_PARAMETER	ELEC_CATALOG_CD	VARCHAR (5)	NOT NULL	Electronic catalog code - Link to list_of_val table	T_CD
STOCCA_PARAMETER	EXP_CONSUM_INGR_IND	CHAR(1)	NOT NULL	Enable/Disable Batch Expiry for consumable ingredient	T_IND
STOCCA_PARAMETER	FIN_STRUCT_TYPE2	VARCHAR (20)	NOT NULL	Financial Structure type 2	T_XID
STOCCA_PARAMETER	FIN_STRUCT_TYPE3	VARCHAR (20)	NOT NULL	Financial Structure type 3	T_XID
STOCCA_PARAMETER	FIN_STRUCT_TYPE4	VARCHAR (20)	NOT NULL	Financial Structure type 4	T_XID
STOCCA_PARAMETER	FRED_DSPN_CLASS_ID	INT	NULL	FRED Dispensing Class Id	T_ID
STOCCA_PARAMETER	FRED_IND	CHAR (1)	NOT NULL	Enable/Disable FRED interface functionality	T_IND
STOCCA_PARAMETER	FRED_LBL_FMT_ID	INT	NULL	FRED Label Format ID	T_ID
STOCCA_PARAMETER	FRED_PHARM_XID	VARCHAR (20)	NULL	FRED Pharmacy ID	T_XID
STOCCA_PARAMETER	GL_EXTRACT_TYPE_CD	VARCHAR (5)	NULL	General Ledger Extract Type Code - Link to list_of_val table	T_CD
STOCCA_PARAMETER	GR_CREDIT_LINK_IND	CHAR (1)	NOT NULL	Use Goods return for supplier credit (Product)	T_IND
STOCCA_PARAMETER	GR_FREIGHT_IND	CHAR (1)	NOT NULL	Freight Indicator for VAT Tax	T_IND
STOCCA_PARAMETER	GR_FREIGHT_TAX_PCT	DECIMAL(8,6)	NOT NULL	Freight Tax Percentage	T_PCT
STOCCA_PARAMETER	HARD_COPY_AUDIT_IND	CHAR (1)	NOT NULL	Hard Copy Audit Indicator	T_IND
STOCCA_PARAMETER	INCL_DIST_REQ_IND	CHAR(1)	NOT NULL	Indicator to include distributions in worksheets	T_IND
STOCCA_PARAMETER	INVEN_TICK_CD	VARCHAR(5)	NOT NULL	Enable/disable the editing of Inventory Indicator	T_CD
STOCCA_PARAMETER	IPV_INTERFACE_IND	CHAR (1)	NOT NULL	Oracle Financials Interface - Inventory valued at the Order Cost	T_IND
STOCCA_PARAMETER	LAST_CHANCE_CMD	VARCHAR (255)	NULL	Identify the Last Chance Command	T_CMD
STOCCA_PARAMETER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_PARAMETER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_PARAMETER	LIC_FL	CHAR (1)	NOT NULL	GST applicable or Not	T_FLAG
STOCCA_PARAMETER	LOCALE_CD	VARCHAR (5)	NOT NULL	Locale Code to identify the Country - Link to list_of_val table	T_CD
STOCCA_PARAMETER	MANUF_BATCH_EXPIRY_IND	CHAR (1)	NOT NULL	Manufacture Batch and Expiry Indicator	T_IND
STOCCA_PARAMETER	NON_PAT_DATA_LBL	VARCHAR (255)	NULL	Text that should be displayed/printed in the reports that contains non-patient specific data	T_LBL
STOCCA_PARAMETER	PAT_DATA_LBL	VARCHAR (255)	NULL	Text that should be displayed/printed in the reports that contains patient sensitive data	T_LBL
STOCCA_PARAMETER	PAT_INVC_INTF_CD	VARCHAR (5)	NULL	Patient Invoice Interface Method Code - Link to list_of_val table	T_CD
STOCCA_PARAMETER	PAT_XID_AUTO_PREF	VARCHAR (10)	NULL	Patient Xid Automatic Prefix	T_PREF
STOCCA_PARAMETER	PDE_AUTO_PROC_IND	CHAR (1)	NOT NULL	PDE Automatic Process Indicator	T_IND
STOCCA_PARAMETER	PDE_IMP_DIST_IND	CHAR (1)	NOT NULL	PDE Imprest Request To Distribution Indicator	T_IND
STOCCA_PARAMETER	PDE_REQN_DIST_IND	CHAR (1)	NOT NULL	PDE Request To Distribution Indicator	T_IND
STOCCA_PARAMETER	PRICING_METHOD_1_IND	CHAR (1)	NOT NULL	Pricing method Indicator	T_IND
STOCCA_PARAMETER	REQ_TFQ_EXT_AUTH_IND	CHAR (1)	NOT NULL	Authorization to Request Store Transfer Between Sites indicator	T_IND
STOCCA_PARAMETER	REQ_TFQ_INT_AUTH_IND	CHAR (1)	NOT NULL	Authorization to Request Store Transfer Within a Site indicator	T_IND
STOCCA_PARAMETER	ROBOT_DSPN_IND	CHAR(1)	NOT NULL	Enable/Disable robotic functionality.	T_IND
STOCCA_PARAMETER	ROBOT_REFRESH_SECS	INT	NULL	Refresh rate for robotic functionality in transaction windows.	T_SESC
STOCCA_PARAMETER	SD_INVC_SERV_XID	VARCHAR (20)	NULL	Subsidiary Invoice Service Code for Patient Invoice	T_XID
STOCCA_PARAMETER	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_PARAMETER	SP_VERSION	VARCHAR (10)	NOT NULL	Stored Procedure Version	T_VERSION
STOCCA_PARAMETER	STK_VAL_IND	CHAR (1)	NOT NULL	Automatic stock valuation indicator	T_IND
STOCCA_PARAMETER	STR_TFR_DIFF_PRICE_IND	CHAR (1)	NOT NULL	Store Transfer Differential Price Indicator	T_IND
STOCCA_PARAMETER	SUGG_MANUF_RESUPP_DAYS	SMALLINT	NULL	Value to be used in suggested by use algorithm of suggested manufacture screen	T_DAYS
STOCCA_PARAMETER	SUGG_MANUF_SUPP_WKS	SMALLINT	NULL	Value to be used in suggested by use algorithm of suggested manufacture screen	T_WKS
STOCCA_PARAMETER	SUGG_MANUF_USE_WKS	SMALLINT	NULL	Value to be used in suggested by use algorithm of suggested manufacture screen	T_WKS
STOCCA_PARAMETER	SUGG_RETFR_DAYS	SMALLINT	NULL	Suggested Re Transfer Days	T_DAYS
STOCCA_PARAMETER	SUGG_TFR_SUPP_WKS	SMALLINT	NULL	Suggested Transfer Supplier Period in weeks	T_WKS
STOCCA_PARAMETER	SUGG_TFR_USE_WKS	SMALLINT	NULL	Suggested Transfer Usage Period in weeks	T_WKS
STOCCA_PARAMETER	TAX_PCT	DECIMAL(8,6)	NOT NULL	Tax percentage	T_PCT
STOCCA_PARAMETER	TAX_TYPE	CHAR (1)	NOT NULL	Type of Tax	T_IND
STOCCA_PARAMETER	USER_LOGIN_AUDIT_IND	CHAR (1)	NOT NULL	Enable/disable the creation of records in the user_workstation_audit table	T_IND
STOCCA_PBS_DSPN_PARM	ADD_FEE	NUMERIC(18,8)	NOT NULL	Additional Fee	T_FEE
STOCCA_PBS_DSPN_PARM	ADD_FEE_IND	CHAR(1)	NOT NULL	Additional Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	ADD_LM_FEE	NUMERIC(18,8)	NOT NULL	Additional Local manufacturer Fee	T_FEE
STOCCA_PBS_DSPN_PARM	ADD_LM_FEE_IND	CHAR(1)	NOT NULL	Additional Local manufacturer Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	ANS_MESSAGE_IND	CHAR (1)	NOT NULL	ANS Message Indicator	T_IND
STOCCA_PBS_DSPN_PARM	CHEMO_COMPOUND_SCHEME_IND	CHAR(1)	NOT NULL	Indicator to enable the chemo compounding changes.	T_IND
STOCCA_PBS_DSPN_PARM	CLAIM_REMOVAL_CNT	SMALLINT	NULL	Number of times a particular claim can be removed.	T_SID
STOCCA_PBS_DSPN_PARM	CLAIM_UCPSCRIPTS_IND	CHAR (1)	NOT NULL	indicator to include the under copayment script in the PBS claim.	T_IND
STOCCA_PBS_DSPN_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_PBS_DSPN_PARM	DANG_DRUG_FEE	NUMERIC(18,8)	NOT NULL	Dangerous Drug Fee	T_FEE
STOCCA_PBS_DSPN_PARM	DANG_DRUG_FEE_IND	CHAR(1)	NOT NULL	Dangerous Drug Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	DFLT_PAPERLESS_IND	CHAR(1)	NOT NULL	Indicator for default Paperless Rx	T_IND
STOCCA_PBS_DSPN_PARM	DFLT_REPEAT_IND	CHAR (1)	NOT NULL	Default Repeat Indicator	T_IND
STOCCA_PBS_DSPN_PARM	DILUENT_FEE	NUMERIC (18,8)	NOT NULL	Diluent fee in the Application Parameter.	T_FEE
STOCCA_PBS_DSPN_PARM	DILUENT_FEE_IND	CHAR(1)	NOT NULL	Diluent fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	DISP_REFRESH_SECS	INT	NOT NULL	Refresh rate for dispensing window	T_SECS
STOCCA_PBS_DSPN_PARM	DISTRIBUTION_FEE	NUMERIC (18,8)	NOT NULL	Distribution fee in the Application Parameter.	T_FEE
STOCCA_PBS_DSPN_PARM	DISTRIBUTION_FEE_IND	CHAR(1)	NOT NULL	Distribution fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	DSPN_FEE	NUMERIC(18,8)	NOT NULL	Dispense fee amount	T_FEE
STOCCA_PBS_DSPN_PARM	DSPN_FEE_IND	CHAR(1)	NOT NULL	Dispense fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	ENABLE_OWING_IND	CHAR(1)	NOT NULL	Indicator for Enable Owing	T_IND
STOCCA_PBS_DSPN_PARM	EXTRA_FEE	NUMERIC(18,8)	NOT NULL	Extra Fee	T_FEE
STOCCA_PBS_DSPN_PARM	EXTRA_FEE_IND	CHAR(1)	NOT NULL	Extra Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	GLASS_BOTTLE_FEE	NUMERIC(18,8)	NOT NULL	Glass Bottle Fee	T_FEE
STOCCA_PBS_DSPN_PARM	GLASS_BOTTLE_FEE_IND	CHAR(1)	NOT NULL	Glass Bottle Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	HOSP_PROVIDER_NBR	VARCHAR (15)	NULL	Hospital Provider Number	T_NBR
STOCCA_PBS_DSPN_PARM	HSD_ONLINE_IND	CHAR (1)	NOT NULL	HSD Online Indicator	T_IND
STOCCA_PBS_DSPN_PARM	INGRLBL_PRINT_IND	CHAR(1)	NOT NULL	Indicator for automatically Print Ingredient Label.	T_IND
STOCCA_PBS_DSPN_PARM	INJECT_CONTAINER_FEE	NUMERIC(18,8)	NOT NULL	Inject Container Fee	T_FEE
STOCCA_PBS_DSPN_PARM	INJECT_CONTAINER_FEE_IND	CHAR(1)	NOT NULL	Inject Container Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_PBS_DSPN_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCA_PBS_DSPN_PARM	LM_DSPN_FEE	NUMERIC(18,8)	NOT NULL	Local manufacturer Dispensing Fee	T_FEE
STOCCA_PBS_DSPN_PARM	LM_DSPN_FEE_IND	CHAR(1)	NOT NULL	Local manufacturer Dispensing Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	LM_PRICE_IND	CHAR (1)	NOT NULL	Local Manufacture Price Indicator	T_IND
STOCCA_PBS_DSPN_PARM	NCHRG_ZERO_PRFPRICE_IND	CHAR(1)	NOT NULL	Indicator to define PRF price as Zero for Non-Chargable Script Classification.	T_IND
STOCCA_PBS_DSPN_PARM	NPBS_DFLT_PRFPRICE_IND	CHAR(1)	NOT NULL	Indicator to define Default PRF Price for NPBS Dispensing.	T_IND
STOCCA_PBS_DSPN_PARM	NPBS_INGR_CYTOPRICING_IND	CHAR(1)	NOT NULL	Indicator for including non-PBS Ingredients in Cytotoxic Pricing	T_IND
STOCCA_PBS_DSPN_PARM	OTHER_CONTAINER_FEE	NUMERIC(18,8)	NOT NULL	Other container Fee	T_FEE
STOCCA_PBS_DSPN_PARM	OTHER_CONTAINER_FEE_IND	CHAR(1)	NOT NULL	Other container Fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	OWING_AUTH_NBR_IND	CHAR(1)	NOT NULL	Indicator to auto populate authority number	T_IND
STOCCA_PBS_DSPN_PARM	PAT_CONC_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient Concession Charge Amount	T_AMT
STOCCA_PBS_DSPN_PARM	PAT_CONC_CHRG_AMT_IND	CHAR(1)	NOT NULL	Patient Concession Charge Amount indicator	T_IND
STOCCA_PBS_DSPN_PARM	PAT_CONC_CHRGAMT_PREV	NUMERIC(18,8)	NULL	Concession Patient Previous Charge Amount	T_AMT
STOCCA_PBS_DSPN_PARM	PAT_EXEMPT_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient Exempt Charge Amount	T_AMT
STOCCA_PBS_DSPN_PARM	PAT_EXEMPT_CHRG_AMT_IND	CHAR(1)	NOT NULL	Patient Exempt Charge Amount indicator	T_IND
STOCCA_PBS_DSPN_PARM	PAT_GEN_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient General Charge Amount	T_AMT
STOCCA_PBS_DSPN_PARM	PAT_GEN_CHRG_AMT_IND	CHAR(1)	NOT NULL	Patient General Charge Amount indicator	T_IND
STOCCA_PBS_DSPN_PARM	PAT_GEN_CHRGAMT_PREV	NUMERIC(18,8)	NULL	General Patient Previous Charge Amount	T_AMT
STOCCA_PBS_DSPN_PARM	PBS_ONLINE_IND	CHAR (1)	NOT NULL	Enable/Disable PBS Online Functionality	T_IND
STOCCA_PBS_DSPN_PARM	PHARM_APPROVAL_NBR	VARCHAR (15)	NULL	Pharmacy Approval Number	T_NBR
STOCCA_PBS_DSPN_PARM	PHARM_TYPE_CD	VARCHAR (5)	NOT NULL	Pharmacy Type Code - Link to list_of_val table	T_CD
STOCCA_PBS_DSPN_PARM	PHARM_XID	VARCHAR (20)	NOT NULL	Code for Pharmacy - Link to pharmacy table	T_XID
STOCCA_PBS_DSPN_PARM	PREPARATION_FEE	NUMERIC (18,8)	NOT NULL	Preparation fee in the Application Parameter.	T_FEE
STOCCA_PBS_DSPN_PARM	PREPARATION_FEE_IND	CHAR(1)	NOT NULL	Preparation fee indicator	T_IND
STOCCA_PBS_DSPN_PARM	REM_BPP_IND	CHAR (1)	NOT NULL	indicator for removing the BPP price from the Patient Price calculation.	T_IND
STOCCA_PBS_DSPN_PARM	REM_SPC_IND	CHAR (1)	NOT NULL	indicator for removing the SPC price from the Patient Price calculation.	T_IND
STOCCA_PBS_DSPN_PARM	REM_TGP_IND	CHAR (1)	NOT NULL	indicator for removing the TGP price from the Patient Price calculation.	T_IND
STOCCA_PBS_DSPN_PARM	RPTFRM_PRINT_IND	CHAR(1)	NOT NULL	Indicator for automatically Print Repeat Form.	T_IND
STOCCA_PBS_DSPN_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_PBS_DSPN_PARM	WASTAGE_PRICE_IND	CHAR (1)	NOT NULL	Wastage Price Indicator	T_IND
STOCCA_PBS_DSPN_PARM	WATER_DSPN_FEE	NUMERIC(18,8)	NOT NULL	Water Dispensing Fee	T_FEE
STOCCA_PBS_DSPN_PARM	WATER_DSPN_FEE_IND	CHAR(1)	NOT NULL	Water Dispensing Fee indicator	T_IND
STOCCA_PBS_GLOBAL_PARM	ADD_FEE	NUMERIC(18,8)	NOT NULL	Additional Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	ADD_LM_FEE	NUMERIC(18,8)	NOT NULL	Additional Local manufacturer Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_PBS_GLOBAL_PARM	DANG_DRUG_FEE	NUMERIC(18,8)	NOT NULL	Dangerous Drug Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	DILUENT_FEE	NUMERIC (18,8)	NOT NULL	Diluent fee in the Application Parameter.	T_FEE
STOCCA_PBS_GLOBAL_PARM	DISTRIBUTION_FEE	NUMERIC (18,8)	NOT NULL	Distribution fee in the Application Parameter.	T_FEE
STOCCA_PBS_GLOBAL_PARM	DSPN_FEE	NUMERIC(18,8)	NOT NULL	Dispense fee amount	T_FEE
STOCCA_PBS_GLOBAL_PARM	ENTITLEMENT_CARD_AMT	NUMERIC(18,8)	NOT NULL	Entitlement Card Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	EXTRA_FEE	NUMERIC(18,8)	NOT NULL	Extra Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	GLASS_BOTTLE_FEE	NUMERIC(18,8)	NOT NULL	Glass Bottle Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	INJECT_CONTAINER_FEE	NUMERIC(18,8)	NOT NULL	Inject Container Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_PBS_GLOBAL_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_PBS_GLOBAL_PARM	LM_DSPN_FEE	NUMERIC(18,8)	NOT NULL	Local manufacturer Dispensing Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	LM_PRICE_FCTR_AMT	NUMERIC(18,8)	NOT NULL	Local Manufacturer Price Factor Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	MARKUP_NOTE	VARCHAR (255)	NULL	Markup Note	T_NOTE
STOCCA_PBS_GLOBAL_PARM	OTHER_CONTAINER_FEE	NUMERIC(18,8)	NOT NULL	Other container Fee	T_FEE
STOCCA_PBS_GLOBAL_PARM	PAT_CONC_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient Concession Charge Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	PAT_CONC_CHRGAMT_PREV	NUMERIC(18,8)	NULL	Concession Patient Previous Charge Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	PAT_EXEMPT_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient Exempt Charge Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	PAT_GEN_CHRG_AMT	NUMERIC(18,8)	NOT NULL	Patient General Charge Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	PAT_GEN_CHRGAMT_PREV	NUMERIC(18,8)	NULL	General Patient Previous Charge Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	PREPARATION_FEE	NUMERIC (18,8)	NOT NULL	Preparation fee in the Application Parameter.	T_FEE
STOCCA_PBS_GLOBAL_PARM	SAFETY_NET_CARD_AMT	NUMERIC(18,8)	NOT NULL	Safety Net Card Amount	T_AMT
STOCCA_PBS_GLOBAL_PARM	STOCCA_PBS_PARM_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_PBS_GLOBAL_PARM	WATER_DSPN_FEE	NUMERIC(18,8)	NOT NULL	Water Dispensing Fee	T_FEE
STOCCA_PROCESS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_PROCESS	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
STOCCA_PROCESS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_PROCESS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_PROCESS	PROC_DESC	VARCHAR (40)	NOT NULL	Process Description	T_DESC

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCA_PROCESS	PROC_ID	INT	NOT NULL	Process identification(dispensing, distribution, manufacturing,..)	T_ID
STOCCA_PROD_PARM	ALLOW_NEG_BAL_CD	VARCHAR (5)	NOT NULL	Allow Negative Balance Indicator - Link to list_of_val table	T_CD
STOCCA_PROD_PARM	ALLOW_PRODSITE_EXCEP_IND	CHAR(1)	NOT NULL	Enable/disable display of the Allow Stock Balance to go Negative check box in Product Site. Visible only where Allow Stock Balances to go Negative='No'.	T_IND
STOCCA_PROD_PARM	AMT_BRAND_IND	CHAR (1)	NOT NULL	Default setting for Product Maintenance window indicator	T_IND
STOCCA_PROD_PARM	AMT_FORM_IND	CHAR (1)	NOT NULL	Default setting for Product Maintenance window indicator	T_IND
STOCCA_PROD_PARM	AMT_GEN_IND	CHAR (1)	NOT NULL	Default setting for Product Maintenance window indicator	T_IND
STOCCA_PROD_PARM	AMT_IND	CHAR (1)	NOT NULL	Enable/Disable Australian Medicines Terminology functionality.	T_IND
STOCCA_PROD_PARM	AMT_ORD_WRK_IND	CHAR (1)	NOT NULL	Order Worksheet preferred brand functionality, using AMT identifiers indicator	T_IND
STOCCA_PROD_PARM	AMT_PACK_IND	CHAR (1)	NOT NULL	Default setting for Product Maintenance window indicator	T_IND
STOCCA_PROD_PARM	AMT_STRENGTH_IND	CHAR (1)	NOT NULL	Default setting for Product Maintenance window indicator	T_IND
STOCCA_PROD_PARM	AWP_COSTING_CD	VARCHAR (5)	NOT NULL	Costing method - Link to list_of_val table	T_CD
STOCCA_PROD_PARM	BATCH_SEL_METH_CD	VARCHAR (5)	NOT NULL	Batch selection method - Link to list_of_val table	T_CD
STOCCA_PROD_PARM	BIN_STK_TAKE_HIST_MTH	SMALLINT	NOT NULL	Bin - stock take history period in months	T_SMALLINT
STOCCA_PROD_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_PROD_PARM	CYC_STK_TAKE_IND	CHAR(1)	NOT NULL	Enable/ DisableCyclic Stock Take	T_IND
STOCCA_PROD_PARM	DFLT_CURR_IND	CHAR (1)	NOT NULL	Default Currency Indicator	T_IND
STOCCA_PROD_PARM	DFLT_FORMULARY_IND	CHAR (1)	NOT NULL	Default Formulary Indicator	T_IND
STOCCA_PROD_PARM	DISP_COMM_STK_IND	CHAR (1)	NOT NULL	Display Comm Stock Indicator	T_IND
STOCCA_PROD_PARM	DRG_REST_NOTES_IND	CHAR(1)	NOT NULL	Drug Restriction Notes Indicator	T_IND
STOCCA_PROD_PARM	DV_UOM_ID	INT	NOT NULL	DV UOM Identifier	T_ID
STOCCA_PROD_PARM	GM_UOM_ID	INT	NULL	GM UOM Identifier	T_ID
STOCCA_PROD_PARM	INCL_DIST_REQ_IND	CHAR(1)	NOT NULL	Indicator to add request distribution stock as committed stock.	T_IND
STOCCA_PROD_PARM	IV_ALLOW_ERR_PCT	DECIMAL(8,6)	NOT NULL	Allow Error Percentage	T_PCT
STOCCA_PROD_PARM	IV_MAX_LIFE_HRS	INT	NOT NULL	Maximum Life Hours	T_HRS
STOCCA_PROD_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_PROD_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_PROD_PARM	ML_UOM_ID	INT	NOT NULL	ML UOM Identifier	T_ID
STOCCA_PROD_PARM	PDE_PROD_ID_CD_1	VARCHAR (5)	NOT NULL	PDE Product ID Code 1	T_CD
STOCCA_PROD_PARM	PDE_PROD_ID_CD_2	VARCHAR (5)	NULL	PDE Product ID Code 2	T_CD
STOCCA_PROD_PARM	PDE_PROD_ID_CD_3	VARCHAR (5)	NULL	PDE Product ID Code 3	T_CD
STOCCA_PROD_PARM	PDE_PROD_ID_CD_4	VARCHAR (5)	NULL	PDE Product ID Code 4	T_CD
STOCCA_PROD_PARM	PROD_INFO_AUTH_IND	CHAR (1)	NOT NULL	Authorisation to change the product information	T_IND
STOCCA_PROD_PARM	PROD_QUICK_SEARCH_IND	CHAR (1)	NOT NULL	Product quick search indicator	T_IND
STOCCA_PROD_PARM	QUICK_SHORT_CD	VARCHAR(5)	NOT NULL	Value for quick code and short code use	T_CD
STOCCA_PROD_PARM	RAND_STK_TAKE_CNT	SMALLINT	NOT NULL	Random Stock Take Count	T_SMALLINT
STOCCA_PROD_PARM	ROUNDING_CD	VARCHAR (5)	NOT NULL	Rounding code - Link to list_of_val table	T_CD
STOCCA_PROD_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_PROD_PARM	STK_ADJ_REASON_IND	CHAR (1)	NOT NULL	Stock Adjustment Reason Indicator	T_IND
STOCCA_PROD_PARM	STK_DFLT_ADJ_IND	CHAR (1)	NOT NULL	Stock Default Adjust Indicator	T_IND
STOCCA_PROD_PARM	T1_MMOL	VARCHAR (10)	NOT NULL	User defined component	T_VERSION
STOCCA_PROD_PARM	T2_MMOL	VARCHAR (10)	NOT NULL	User defined component	T_VERSION
STOCCA_PROD_PARM	T3_MMOL	VARCHAR (10)	NOT NULL	User defined component	t_version
STOCCA_PROD_PARM	T4_MMOL	VARCHAR (10)	NOT NULL	User defined component	t_version
STOCCA_PROD_PARM	TALL_MAN_LETTER_IND	CHAR(1)	NOT NULL	Enable/ Disable Tall Man Lettering	T_IND
STOCCA_PROD_PARM	TPN_MAX_LIFE_HRS	INT	NOT NULL	TPN Maximum Life Hours	T_HRS
STOCCA_PROD_PARM	TRANS_HIST_DAYS	SMALLINT	NULL	Transfer History Days	T_DAYS
STOCCA_PROD_PARM	USE_BIN_BATCH_IND	CHAR (1)	NOT NULL	Indicator for using bin batch	T_IND
STOCCA_REF_SITE_PARM	ALLOW_DSPN_IND	CHAR (1)	NOT NULL	Allow dispensing Indicator	T_IND
STOCCA_REF_SITE_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_REF_SITE_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_REF_SITE_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_REF_SITE_PARM	REF_SITE_SID	SMALLINT	NOT NULL	ID for site used for Reference information - Link to site table	T_SID
STOCCA_REF_SITE_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_SPR_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCA_SPR_PARM	INDICATION_CD	VARCHAR(5)	NOT NULL	Special Product Indication	T_CD
STOCCA_SPR_PARM	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCA_SPR_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCA_SPR_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCA_SPR_PARM	SPEC_PROD_CD	VARCHAR(5)	NOT NULL	Special Product Code	T_CD
STOCCAMSG_PARM	APND_MID_INIT_IND	CHAR (1)	NOT NULL	Append Middle Initial Indicator	T_IND
STOCCAMSG_PARM	AUTO_INS_DOC_IND	CHAR (1)	NOT NULL	Automatically Create Prescriber Indicator	T_IND
STOCCAMSG_PARM	COLL_IND	CHAR(1)	NOT NULL	Triggers for Generating RDS Messages	T_IND
STOCCAMSG_PARM	COMP_IND	CHAR(1)	NOT NULL	Triggers for Generating RDS Messages	T_IND
STOCCAMSG_PARM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCCAMSG_PARM	GEN_DSPN_RDSMSG_IND	CHAR(1)	NOT NULL	Generate RDS^O13 messages during dispensing indicator	T_IND
STOCCAMSG_PARM	HL7_DOC_ADDR_TYP	CHAR (1)	NULL	HL7 Doctor Address Type	CHAR
STOCCAMSG_PARM	HL7_DOC_BPHONE_TYP	CHAR (0)	NULL	HL7 Doctor Business Phone type	CHAR
STOCCAMSG_PARM	HL7_DOC_BPHONE_USE	VARCHAR (3)	NULL	HL7 Doctor Business Phone Use	VARCHAR
STOCCAMSG_PARM	HL7_DOC_HPHONE_TYP	CHAR (2)	NULL	HL7 Doctor Home Phone Use	CHAR
STOCCAMSG_PARM	HL7_DOC_HPHONE_USE	VARCHAR (3)	NULL	HL7 Doctor Home phone Type	VARCHAR
STOCCAMSG_PARM	HL7_DOC_MPHONE_TYP	CHAR (2)	NULL	HL7 Doctor Mobile phone use	CHAR
STOCCAMSG_PARM	HL7_DOC_MPHONE_USE	VARCHAR (3)	NULL	HL7 Doctor Mobile phone Type	VARCHAR
STOCCAMSG_PARM	HL7_DOC_PRA_ID_TYP	VARCHAR (4)	NULL	HL7 Doctor Id Type	VARCHAR
STOCCAMSG_PARM	HL7_PAT_ADDR_TYP	CHAR (1)	NULL	HL7 Patient Address Type	CHAR
STOCCAMSG_PARM	HL7_PAT_BPHONE_TYP	CHAR (2)	NULL	HL7 Patient Business Phone Type	CHAR
STOCCAMSG_PARM	HL7_PAT_BPHONE_USE	VARCHAR (3)	NULL	HL7 Patient Business Phone Use	VARCHAR
STOCCAMSG_PARM	HL7_PAT_HPHONE_TYP	CHAR (2)	NULL	HL7 Patient Home Phone Type	CHAR
STOCCAMSG_PARM	HL7_PAT_HPHONE_USE	VARCHAR (3)	NULL	HL7 Patient Home Phone Use	VARCHAR
STOCCAMSG_PARM	HL7_PAT_ID_TYP	VARCHAR (2)	NULL	HL7 Patient Id Type	VARCHAR
STOCCAMSG_PARM	HL7_PAT_NAME_TYP	CHAR (1)	NULL	HL7 Patient Name Type	CHAR
STOCCAMSG_PARM	HL7_PAT_PENS_TYP	CHAR (2)	NULL	HL7 Patient Pension Type	CHAR
STOCCAMSG_PARM	HL7_SENDAPP_NAME	VARCHAR (180)	NOT NULL	STOCCA Message Sending Application Name	VARCHAR
STOCCAMSG_PARM	HL7_SENDAPP_UNI	VARCHAR (180)	NULL	HL7 Send Application Unit	VARCHAR
STOCCAMSG_PARM	HL7_SENDAPP_UNITYP	VARCHAR (180)	NULL	HL7 Send Application Unit Type	VARCHAR
STOCCAMSG_PARM	HL7_SENDFAC_NAME	VARCHAR (180)	NULL	HL7 Send Facility name	VARCHAR
STOCCAMSG_PARM	HL7_SENDFAC_UNI	VARCHAR (180)	NULL	HL7 Send Facility Unit	VARCHAR
STOCCAMSG_PARM	HL7_SENDFAC_UNITYP	VARCHAR (180)	NULL	HL7 send Facility Unit Type	VARCHAR

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STOCCAMSG_PARM	IP_IND	CHAR (1)	NOT NULL	Triggers for Generating RDS Messages	T_IND
STOCCAMSG_PARM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCCAMSG_PARM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCCAMSG_PARM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCCAMSG_PARM	STOP_NA_IMP_IND	CHAR(1)	NOT NULL	Triggers for Generating RDS Messages	T_IND
STOCK_ADJUST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCK_ADJUST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
STOCK_ADJUST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCK_ADJUST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCK_ADJUST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCK_ADJUST	STK_ADJ_DT	DATETIME	NOT NULL	Stock Adjustment Date	T_DT
STOCK_ADJUST	STK_ADJ_ID	INT	NOT NULL	Stock Adjustment Identifier	T_ID
STOCK_ADJUST	STK_ADJ_NOTE	VARCHAR (255)	NULL	Stock Adjustment Notes	T_NOTE
STOCK_ADJUST	STK_ADJ_STAT_CD	VARCHAR (5)	NOT NULL	Stock Adjustment Status Code - Link to list_of_val table	T_CD
STOCK_ADJUST	STK_ADJ_TYPE_CD	VARCHAR (5)	NOT NULL	Stock Adjustment Type Code - Link to list_of_val table	T_CD
STOCK_ADJUST	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
STOCK_ADJUST	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies	T_UID
STOCK_ADJUST_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCK_ADJUST_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extraction	T_ID
STOCK_ADJUST_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCK_ADJUST_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCK_ADJUST_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCK_ADJUST_EXTR	STK_ADJ_ID	INT	NOT NULL	Stock Adjustment Identifier - Link to stock_adjust table	T_ID
STOCK_TAKE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCK_TAKE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
STOCK_TAKE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCK_TAKE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCK_TAKE	PDE_IND	CHAR (1)	NOT NULL	PDE indicator	T_IND
STOCK_TAKE	ROBOT_XID	VARCHAR (20)	NULL	User created code to indicate the code for the robot.	T_XID
STOCK_TAKE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCK_TAKE	ST_ROBOT_IND	CHAR (1)	NOT NULL	Stcok take Robot indicator	T_IND
STOCK_TAKE	STK_TAKE_DT	DATETIME	NOT NULL	Stock Take Date	T_DT
STOCK_TAKE	STK_TAKE_ID	INT	NOT NULL	Unique Stock Take Identifier, for the site	T_ID
STOCK_TAKE	STK_TAKE_NOTE	VARCHAR (255)	NULL	Stock Take Notes	T_NOTE
STOCK_TAKE	STK_TAKE_STAT_CD	VARCHAR (5)	NOT NULL	Stock Take Status Code - Link to list_of_val table	T_CD
STOCK_TAKE	STK_TAKE_TYPE_CD	VARCHAR (5)	NOT NULL	Stock Take type Code - Link to list_of_val table	T_CD
STOCK_TAKE	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
STOCK_TAKE	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies	T_UID
STOCK_TAKE_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STOCK_TAKE_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract, for the site	T_ID
STOCK_TAKE_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STOCK_TAKE_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STOCK_TAKE_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCK_TAKE_EXTR	STK_TAKE_ID	INT	NOT NULL	Stock Take Identifier - Link to stock_take table	T_ID
STOCK_VALUATION	AWP_PACK_COST	NUMERIC(18,8)	NULL	AWP cost	T_PRICE
STOCK_VALUATION	LOC_ID	INT	NOT NULL	Location ID - link to location table	T_ID
STOCK_VALUATION	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
STOCK_VALUATION	PVV_VALUE	NUMERIC(18,8)	NULL	PVV value	T_PRICE
STOCK_VALUATION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCK_VALUATION	TRAN_DT	DATETIME	NOT NULL	Transaction date	T_DT
STOCK_VALUATION	TRAN_INVEN_QTY	NUMERIC(18,8)	NULL	Transaction inventory quantity	T_QTY
STOCK_VALUATION_BACKUP	AWP_PACK_COST	NUMERIC(18,8)	NULL	AWP cost	T_PRICE
STOCK_VALUATION_BACKUP	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
STOCK_VALUATION_BACKUP	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
STOCK_VALUATION_BACKUP	PVV_VALUE	NUMERIC(18,8)	NULL	PVV value	T_PRICE
STOCK_VALUATION_BACKUP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STOCK_VALUATION_BACKUP	TRAN_DT	DATETIME	NOT NULL	Transaction date	T_DT
STOCK_VALUATION_BACKUP	TRAN_INVEN_QTY	NUMERIC(18,8)	NULL	Transaction inventory quantity	T_QTY
STORE	ABC_ANALYSIS_DAYS	SMALLINT	NULL	ABC analysis (days)	T_DAYS
STORE	ANNIVERSARY_DT	DATETIME	NULL	Date at ABC analysis done	T_DT
STORE	COST_CNTR_XID	VARCHAR (20)	NULL	Cost Centre Code - Link to the Cost centre table	T_XID
STORE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STORE	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
STORE	CYC_STKTAK_FRQ_CD	VARCHAR(5)	NULL	Type of Stock take frequency - Link to list_of_val table	T_CD
STORE	CYC_STKTAK_FRQ_DAYS	SMALLINT	NOT NULL	Stock take Frequency (days)	T_DAYS
STORE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STORE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STORE	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STORE	STORE_DESC	VARCHAR (40)	NOT NULL	Store Description	T_DESC
STORE	STORE_NOTE	VARCHAR (255)	NULL	Store notes	T_NOTE
STORE	STORE_XID	VARCHAR (20)	NOT NULL	Unique code for store, for the site	T_XID
STORE	STR_ADDR_1	VARCHAR (40)	NULL	Address detail for a store	T_ADDR
STORE	STR_ADDR_2	VARCHAR (40)	NULL	Address detail for a store	T_ADDR
STORE	STR_ADDR_3	VARCHAR (40)	NULL	Address detail for a store	T_ADDR
STORE	STR_ADDR_4	VARCHAR (40)	NULL	Address detail for a store	T_ADDR
STORE	STR_COUNTRY	VARCHAR (30)	NULL	Country detail for a store	T_CNTRY
STORE	STR_FAX	VARCHAR (15)	NULL	Fax detail for a store	T_PHONE
STORE	STR_LOCK_IND	CHAR (1)	NOT NULL	Store Lock Indicator	T_IND
STORE	STR_PHONE	VARCHAR (15)	NULL	Phone detail for a store	T_PHONE
STORE	STR_POSTCODE	VARCHAR (10)	NULL	Post code detail for a store	T_POSTCODE
STORE	STR_RESUPP_METH_CD	VARCHAR (5)	NOT NULL	Store Resupply Method Code - Link to list_of_val table	T_CD
STORE	SUPP_SITE_SID	SMALLINT	NULL	Supplier Site Identifier	T_SID
STORE	SUPP_STORE_XID	VARCHAR (20)	NULL	Supplier Store Xid	T_XID
STORE_ACC_COMP	ACC_COMP_ID	INT	NOT NULL	Unique ID used to identify the Account Component, for the site	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

STORE_ACC_COMP	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
STORE_ACC_COMP	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
STORE_ACC_COMP	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
STORE_ACC_COMP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
STORE_ACC_COMP	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID
STORE_ACC_COMP	STR_ACC_COMP_XID	VARCHAR (20)	NULL	Store Account Component Identifier	T_XID
SUPP_CATL	CONTRACT_REF_XID	VARCHAR (20)	NULL	Contract Reference Number	T_XID
SUPP_CATL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SUPP_CATL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SUPP_CATL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SUPP_CATL	PRICE_BRK_SIZE	INT	NULL	Price Break Size	T_SIZE
SUPP_CATL	PRICE_START_DT	DATETIME	NULL	Price Start Date	T_DT
SUPP_CATL	PRICE_STOP_DT	DATETIME	NULL	Price Stop Date	T_DT
SUPP_CATL	PROD_ID	INT	NULL	Product Identifier - Link to product table	T_ID
SUPP_CATL	PROD_IND	CHAR (1)	NULL	Not used in this version	T_IND
SUPP_CATL	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SUPP_CATL	SUPP_CATL_DESC_NOTE	VARCHAR (255)	NULL	Supplier Catalogue Description	T_NOTE
SUPP_CATL	SUPP_CATL_ID	INT	NOT NULL	Unique Supplier Catalog Identifier, for the site	T_ID
SUPP_CATL	SUPP_CATL_NOTE	VARCHAR (255)	NULL	Supplier Catalogue Note	T_NOTE
SUPP_CATL	SUPP_CATL_XID	VARCHAR (20)	NOT NULL	Supplier's Catalogue Code	T_XID
SUPP_CATL	SUPP_EXT_PRICE	NUMERIC(18,8)	NOT NULL	Supplier Price with Tax	T_PRICE
SUPP_CATL	SUPP_PRICE	NUMERIC(18,8)	NOT NULL	Supplier Price	T_PRICE
SUPP_CATL	SUPP_XID	VARCHAR (20)	NOT NULL	Code used to link to the Supplier record	T_XID
SUPP_CATL	TAX_AMT	NUMERIC(18,8)	NOT NULL	Tax amount	T_AMT
SUPP_CATL	UOM_ID	INT	NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
SUPP_COST_CNTR	COST_CNTR_ACC_NBR	VARCHAR (20)	NOT NULL	Cost Center Account Number	VARCHAR
SUPP_COST_CNTR	COST_CNTR_XID	VARCHAR (20)	NOT NULL	Cost Centre Code - Link to the Cost centre table	T_XID
SUPP_COST_CNTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SUPP_COST_CNTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SUPP_COST_CNTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SUPP_COST_CNTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SUPP_COST_CNTR	SUPP_XID	VARCHAR (20)	NOT NULL	Code used to link to the Supplier record	T_XID
SUPP_MAST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SUPP_MAST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
SUPP_MAST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SUPP_MAST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SUPP_MAST	SUPP_MAST_ADDR_1	VARCHAR (40)	NULL	Supplier Master Address 1	T_ADDR
SUPP_MAST	SUPP_MAST_ADDR_2	VARCHAR (40)	NULL	Supplier Master Address 2	T_ADDR
SUPP_MAST	SUPP_MAST_ADDR_3	VARCHAR (40)	NULL	Supplier Master Address 3	T_ADDR
SUPP_MAST	SUPP_MAST_ADDR_4	VARCHAR (40)	NULL	Supplier Master Address 4	T_ADDR
SUPP_MAST	SUPP_MAST_CNTRY	VARCHAR (30)	NULL	Supplier Master country	T_CNTRY
SUPP_MAST	SUPP_MAST_EMAIL	VARCHAR	NULL	Supplier Master email address	T_EMAIL
SUPP_MAST	SUPP_MAST_FAX	VARCHAR (15)	NULL	Supplier Master Fax	T_PHONE
SUPP_MAST	SUPP_MAST_NAME	VARCHAR (255)	NULL	Supplier Master name	T_NAME
SUPP_MAST	SUPP_MAST_NOTE	VARCHAR (255)	NULL	Supplier Master note	T_NOTE
SUPP_MAST	SUPP_MAST_PHONE	VARCHAR (15)	NULL	Supplier Master Phone	T_PHONE
SUPP_MAST	SUPP_MAST_POSTCODE	VARCHAR (10)	NULL	Supplier Master Postcode	T_POSTCODE
SUPP_MAST	SUPP_MAST_XID	VARCHAR (20)	NOT NULL	Supplier Master code	T_XID
SUPPLIER	ACC_NBR_WITH_SUPP	VARCHAR (20)	NULL	Account with supplier	VARCHAR
SUPPLIER	ACC_PAY_NBR	VARCHAR (20)	NULL	Accounts Payable Number	VARCHAR
SUPPLIER	ACK_ACCESS_CD	VARCHAR (5)	NULL	Acknowledgement Access type - Link to list_of_val table	T_CD
SUPPLIER	ACK_ACCESS_PATH	VARCHAR (255)	NULL	Acknowledgement Access path	T_PATH
SUPPLIER	ACK_FILE_PATH	VARCHAR (255)	NULL	EDI from File Location	T_PATH
SUPPLIER	ACK_METHOD_CD	VARCHAR (5)	NULL	Acknowledgement method code - Link to list_of_val table	T_CD
SUPPLIER	ALT_ACC_PAY_NBR	VARCHAR (15)	NULL	Alternate A/C Payable	T_NBR
SUPPLIER	CATL_DEC_PLACE_SID	SMALLINT	NOT NULL	Catalog Decimal Places. The number of decimal places to be stored in supp_catl.supp_price.	T_SID
SUPPLIER	COMPOUNDER_XID	VARCHAR(20)	NULL	Column to list the compounder_xid dropdown in prescription details	T_XID
SUPPLIER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
SUPPLIER	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
SUPPLIER	DESP_ACCESS_CD	VARCHAR (5)	NULL	Despatch Access type - Link to list_of_val table	T_CD
SUPPLIER	DESP_ACCESS_PATH	VARCHAR (255)	NULL	Despatch Access path	T_PATH
SUPPLIER	DESP_FILE_PATH	VARCHAR (255)	NULL	Despatch from File Location	T_PATH
SUPPLIER	DESP_METHOD_CD	VARCHAR (5)	NULL	Despatch method code - Link to list_of_val table	T_CD
SUPPLIER	EDI_ACCESS_CD	VARCHAR (5)	NULL	EDI Access type - Link to list_of_val table	T_CD
SUPPLIER	EDI_ACCESS_PATH	VARCHAR (255)	NULL	EDI Access Path	T_PATH
SUPPLIER	EDI_FILE	VARCHAR (255)	NULL	EDI File stores the executable	T_NOTE
SUPPLIER	EDI_FILE_PATH	VARCHAR (255)	NULL	EDI to file location	T_PATH
SUPPLIER	EDI_METHOD_CD	VARCHAR (5)	NULL	EDI method code - Link to list_of_val table	T_CD
SUPPLIER	GEN_SUPP_CATL_IND	CHAR (1)	NOT NULL	Generate supplier Catalog indicator	T_IND
SUPPLIER	INV_ACCESS_CD	VARCHAR (5)	NULL	Invoice Access type - Link to list_of_val table	T_CD
SUPPLIER	INV_ACCESS_PATH	VARCHAR (255)	NULL	invoice Access path	T_PATH
SUPPLIER	INV_DEC_PLACE_SID	SMALLINT	NOT NULL	Invoice Decimal Places. The number of decimal places to be stored in the gr_item table.	T_SID
SUPPLIER	INV_FILE_PATH	VARCHAR (255)	NULL	Invoice from File Location	T_PATH
SUPPLIER	INV_METHOD_CD	VARCHAR (5)	NULL	Invoice method code - Link to list_of_val table	T_CD
SUPPLIER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
SUPPLIER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
SUPPLIER	MIN_ORD_AMT	NUMERIC(18,8)	NOT NULL	Minimum Order Amount	T_AMT
SUPPLIER	NAT_SUPP_CD	VARCHAR (15)	NULL	National supplier code	T_CODE
SUPPLIER	OVERSEAS_IMPORT_IND	CHAR (1)	NOT NULL	Overseas Import indicator	T_IND
SUPPLIER	SALES_TAX_INC_IND	CHAR (1)	NOT NULL	Sales Tax Indicator	T_IND
SUPPLIER	SCT_AUTO_AMD_IND	CHAR (1)	NOT NULL	Auto Update Catalog indicator	T_IND
SUPPLIER	SCT_AUTO_CRE_IND	CHAR (1)	NOT NULL	Auto Create Catalog indicator	T_IND
SUPPLIER	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
SUPPLIER	SUP_PREF_SEQ	INT	NULL	Preferred Supplier sequence	T_SEQ
SUPPLIER	SUPP_ABN	VARCHAR (14)	NULL	ABN number of the supplier	T_ABN
SUPPLIER	SUPP_ADDR_1	VARCHAR (40)	NULL	Supplier Address 1	T_ADDR
SUPPLIER	SUPP_ADDR_2	VARCHAR (40)	NULL	Supplier Address 2	T_ADDR
SUPPLIER	SUPP_ADDR_3	VARCHAR (40)	NULL	Supplier Address 3	T_ADDR
SUPPLIER	SUPP_ADDR_4	VARCHAR (40)	NULL	Supplier Address 4	T_ADDR

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

SUPPLIER	SUPP_CNTRY	VARCHAR (30)	NULL	Supplier Country	T_CNTRY
SUPPLIER	SUPP_CONT_NAME	VARCHAR (255)	NULL	Supplier Contact Name	T_NAME
SUPPLIER	SUPP_EAN	VARCHAR (13)	NULL	Supplier EAN Code	T_APN
SUPPLIER	SUPP_EMAIL	STRING	NULL	Supplier email address	T_EMAIL
SUPPLIER	SUPP_FAX	VARCHAR (15)	NULL	Supplier Fax	T_PHONE
SUPPLIER	SUPP_LEAD_TIME	SMALLINT	NOT NULL	Identify the supplier takes the no. of days to deliver the items	T_DAYS
SUPPLIER	SUPP_MAST_XID	VARCHAR (20)	NULL	Supplier Master cdoe - Link to supp_master table	T_XID
SUPPLIER	SUPP_NAME	VARCHAR (255)	NULL	Supplier Name	T_NAME
SUPPLIER	SUPP_NOTE	VARCHAR (255)	NULL	Supplier Note	T_NOTE
SUPPLIER	SUPP_PHONE	VARCHAR (15)	NULL	Supplier Phone	T_PHONE
SUPPLIER	SUPP_POSTCODE	VARCHAR (10)	NULL	Supplier Postcode	T_POSTCODE
SUPPLIER	SUPP_SET_CD	VARCHAR (5)	NULL	Supplier category - Link to list_of_val table	T_CD
SUPPLIER	SUPP_XID	VARCHAR (20)	NOT NULL	Code used to link to the Supplier record	T_XID
SUPPLIER	TFR_METHOD_CD	VARCHAR (5)	NULL	Send Process - Link to list_of_val table	T_CD

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule	New or adjusted in version	Notes

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

N			
N			
Y			
Y			
Y			
Y			
N			
N			
N			
N			
NULL			
N			
N			
N			
NULL			
N			
16777215			
N			
Y			
N			
N			
N			
16777215			
16777215			
16777215			
16777215			
16777215			
16777215			
		12	
5			
NONE			
N		11	
N			
N			
N			
N			
N			
N			
N			
First Name			
Surname			
		12	
		12	
N			
N			
NULL			
‘N’			
N			
N			
NULL			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

N			
N			
N			
N			
N			
		12	
		12	
N			
First Name			
N			
N			
40			
Surname			
Y			
Y			
Y			
N			
0			
0			
N			
NULL			
First Name			
1000			
Surname			
Y			
N			
N			
Y			
NULL			
0.01			
NULL			
NULL		11	
ENBL			
ENBL			
N			
ENBL			
ENBL			
ENBL			
16777215			
16777215			
16777215			
N			
1			
N			
First Name			
Surname			
N			
NULL			
NULL			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Y			
GRINV			
PHAR			
BCST			
N			
N			
N			
N			
N			
N			
N			
N			
N			
N			
N			
0			
N			
N		11	
N			
UPDN			
N			

STD			
N			
N			
N			
'NONE'			
N			
NULL			
N			
1			
1			
1			
N		12	
N		11	
N		11	
N			
N			
N		11	
N			
0			
N		11	
0			
0			
N		11	
N		11	
N			
N		11	
N		11	
N			
N			
N		11	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

N		11	
N			
N			
N			
N		11	
N		11	
N		11	
N			
N		11	
N		11	
N			
N			
0			
N		11	
N			
N			
N			
N			
N		11	
0			
0			
0			

N			
N			
N			
N			
N			
N			
N			
AWP			
AFIFO			
1			
N			
N			
N			
N			
GLB (i.e.) GLOBAL			
T1			
T2			
T3			
T4			
N			
N			

N			
N			

NULL			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with T					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
TEAM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TEAM	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
TEAM	FIN_STRUCT_ID	INT	NULL	Financial Structure Identifier - Link to fin_struct table	T_ID
TEAM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TEAM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TEAM	OTHER_NAME	VARCHAR (255)	NULL	Other name	T_NAME
TEAM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
TEAM	TEAM_NAME	VARCHAR (255)	NULL	Team Name	T_NAME
TEAM	TEAM_NOTE	VARCHAR (255)	NULL	Team note	T_NOTE
TEAM	TEAM_XID	VARCHAR (20)	NOT NULL	Unqique code for Team, for the site	T_XID
TFR_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TFR_ITEM	INPUT_INVEN_QTY	NUMERIC (18,8)	NULL	Column to save inventory input quantity for robotic store transfer	T_QTY
TFR_ITEM	INPUT_PACK_QTY	NUMERIC(18,8)	NULL	Column to save pack quantity	T_QTY
TFR_ITEM	INPUT_STAT_CD	VARCHAR (5)	NULL	Column to save input status for robotic store transfer	T_CD
TFR_ITEM	INVEN_DELIVERED_QTY	NUMERIC(18,8)	NULL	Column to save inventory delivered quantity value	T_QTY
TFR_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TFR_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TFR_ITEM	NR_LOC_ID	INT	NULL	Non-robot Store Location ID - Link to location table; to accept remainder stock for a part pack robot transfer.	T_ID
TFR_ITEM	PACK_DELIVERED_QTY	NUMERIC(18,8)	NULL	Pack Delivered Quantity	T_QTY
TFR_ITEM	PICK_MSG_COUNT	INT	NULL	Count of successful OutputMessages received from PillPick robot.	T_ID
TFR_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
TFR_ITEM	RANEG_BIN_TRAN_ID	INT	NULL	Robot adjustment (negative) - link to bin_tran table; to record the movement of part pack remainder amount out of robot bin.	T_ID
TFR_ITEM	RAPOS_BIN_TRAN_ID	INT	NULL	Robot adjustment (positive) - link to bin_tran table; to record the movement of part pack remainder amount into a non-robot bin.	T_ID
TFR_ITEM	RECV_BIN_BATCH_ID	INT	NULL	Receive Bin batch identifier	T_ID
TFR_ITEM	RECV_BIN_TRAN_ID	INT	NULL	Receiving Bin Transaction ID - Link to bin_tran table	T_ID
TFR_ITEM	RECV_LOC_ID	INT	NULL	Receiving Location ID - Link to location table	T_ID
TFR_ITEM	RECV_SITE_SID	SMALLINT	NOT NULL	Receiving Site identifier - Link to site table	T_SID
TFR_ITEM	REPLACE_FLAG	CHAR(1)	NULL	Replacement flag	T_IND
TFR_ITEM	ROB_RETURN_QTY	NUMERIC(18,8)	NULL	Part pack amount to be returned to robot	T_QTY
TFR_ITEM	ROB_ROUNDED_QTY	NUMERIC(18,8)	NULL	Rounded up pack quantity for transfer using a robot bin.	T_QTY
TFR_ITEM	ROBOT_STAT_CD	VARCHAR(5)	NOT NULL	Code used to identify whether the item uses a robot bin or not (R/NR).	T_CD
TFR_ITEM	ROBOT_TRAN_ID	INT	NULL	Robot transaction Identifier - Link to external_message_robot table for the particular Request message.	T_ID
TFR_ITEM	SUBST_IND	CHAR(1)	NULL	Substitution flag	T_IND
TFR_ITEM	SUPP_BIN_BATCH_ID	INT	NULL	Supply Bin batch identifier	T_ID
TFR_ITEM	SUPP_BIN_TRAN_ID	INT	NULL	Supplying Bin Transaction ID - Link to bin_tran table	T_ID
TFR_ITEM	SUPP_LOC_ID	INT	NULL	Location code for supplying site - Link to location table	T_ID
TFR_ITEM	SUPP_SITE_SID	SMALLINT	NOT NULL	Supplier Site Identifier - Link to site table	T_SID
TFR_ITEM	TFR_ID	INT	NOT NULL	Unique Store Transfer Identifier, for the site	T_ID
TFR_ITEM	TFR_ITEM_BATCH	VARCHAR (10)	NULL	Transfer Item Batch	T_BATCH
TFR_ITEM	TFR_ITEM_ID	INT	NOT NULL	Unique ID for Transfer Item, for the site	T_ID
TFR_ITEM	TFR_ITEM_STAT_CD	VARCHAR (5)	NOT NULL	Transfer Item Status code - Link to list_of_val table	T_CD
TFR_ITEM	TFR_ITEM_TYPE_CD	VARCHAR (5)	NOT NULL	Transfer Item Type code - Link to list_of_val table	T_CD
TFR_ITEM	TFR_QTY	NUMERIC(18,8)	NOT NULL	Transfer Quantity	T_QTY
TFR_ITEM	TFR_RQST_ITEM_ID	INT	NULL	Transfer Request Item Identifier	T_ID
TFR_ITEM	TI_BATCH_EXP_DT	DATETIME	NULL	Transfer Item Batch Expiry Date	T_DT
TFR_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
TFR_ITEM	URGENT_IND	CHAR (1)	NOT NULL	Urgency Indicator	T_IND
TFR_ITEM	WARD_BOX_NBR	VARCHAR(255)	NULL	The box numbers for the boxes that the ward stock is delivered in, as received from the robot Output message.	T_NOTE
TFR_REQUEST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TFR_REQUEST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
TFR_REQUEST	CUST_REF	VARCHAR (20)	NULL	Customer Reference	T_REF
TFR_REQUEST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TFR_REQUEST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TFR_REQUEST	PDE_IND	CHAR (1)	NOT NULL	PDE indicator	T_IND
TFR_REQUEST	RQST_SITE_SID	SMALLINT	NOT NULL	Requesting Site ID - Link to site table	T_SID
TFR_REQUEST	RQST_STORE_XID	VARCHAR (20)	NOT NULL	Requesting Store Code - Link to store table	T_XID
TFR_REQUEST	SUGG_IND	CHAR (1)	NOT NULL	Suggested Transfer Indicator	T_IND
TFR_REQUEST	SUPP_SITE_SID	SMALLINT	NOT NULL	Supplier Site Identifier - Link to site table	T_SID
TFR_REQUEST	SUPP_STORE_XID	VARCHAR (20)	NOT NULL	Suppling Store code - Link to store table	T_XID
TFR_REQUEST	TFR_RQST_AUTH_BY	VARCHAR (30)	NULL	Code of the user who authorised the transfer request	T_UID
TFR_REQUEST	TFR_RQST_AUTH_DT	DATETIME	NULL	Transfer Request Authorised Date	T_DT
TFR_REQUEST	TFR_RQST_DT	DATETIME	NOT NULL	Transfer Request Date	T_DT
TFR_REQUEST	TFR_RQST_ID	INT	NOT NULL	Unique Transfer Request ID, for the site	T_ID
TFR_REQUEST	TFR_RQST_NOTE	VARCHAR (255)	NULL	Transfer Request Note	T_NOTE
TFR_REQUEST	TFR_RQST_STAT_CD	VARCHAR (5)	NOT NULL	Transfer Request Status Code - Link to list_of_val table	T_CD
TFR_REQUEST	TFR_RQST_TYPE_CD	VARCHAR (5)	NOT NULL	Transfer Request Type Code - Link to list_of_val table	T_CD
TFR_REQUEST	URGENT_IND	CHAR (1)	NOT NULL	Urgency Indicator	T_IND
TFR_REQUEST	VERIFIED_BY	VARCHAR (30)	NULL	Code of the User who verifies	T_UID
TFR_REQUEST_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TFR_REQUEST_EXTR	EXTR_ID	INT	NOT NULL	Unique ID used to identify the extract, for the site	T_ID
TFR_REQUEST_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TFR_REQUEST_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TFR_REQUEST_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
TFR_REQUEST_EXTR	TFR_RQST_ID	INT	NOT NULL	Transfer Request ID - Link to transfer request table	T_ID
TFR_RQST_ITEM	COMMIT_LOC_ID	INT	NULL	Commit location ID - Link to location table	T_ID
TFR_RQST_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TFR_RQST_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TFR_RQST_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TFR_RQST_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID
TFR_RQST_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
TFR_RQST_ITEM	REPLACE_FLAG	CHAR(1)	NULL	Replacement flag	T_IND
TFR_RQST_ITEM	RQST_SITE_SID	SMALLINT	NOT NULL	Requesting Site ID - Link to site table	T_SID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

TFR_RQST_ITEM	SUBST_IND	CHAR(1)	NULL	Substitute flag	T_IND
TFR_RQST_ITEM	TFR_RQST_ID	INT	NOT NULL	Unique Transfer Request ID, for the site	T_ID
TFR_RQST_ITEM	TFR_RQST_ITEM_ID	INT	NOT NULL	Transfer Request Item Identifier	T_ID
TFR_RQST_ITEM	TFR_RQST_QTY	NUMERIC(18,8)	NOT NULL	Transfer Request Quantity	T_QTY
TFR_RQST_ITEM	TRI_STAT_CD	VARCHAR (5)	NOT NULL	Transfer Item status code - Link to list_of_val table	T_CD
TFR_RQST_ITEM	UOM_ID	INT	NOT NULL	Unit of Measurement Identifier - Link to UOM table	T_ID
TFR_RQST_ITEM	URGENT_IND	CHAR (1)	NOT NULL	Urgency Indicator	T_IND
TPN_COMP_RULES	COMP_A_OPERATOR	CHAR (1)	NULL	Component 'A' operator	CHAR
TPN_COMP_RULES	COMP_A_QTY	NUMERIC(18,8)	NULL	Component 'A' quantity	t_qty
TPN_COMP_RULES	COMP_A_UOM_XID	VARCHAR (20)	NULL	Component 'A' UOM	t_xid
TPN_COMP_RULES	COMP_A_XID	VARCHAR (20)	NULL	Component' A' short description	t_xid
TPN_COMP_RULES	COMP_B_OPERATOR	CHAR (1)	NULL	Component 'B' operator	CHAR
TPN_COMP_RULES	COMP_B_QTY	NUMERIC(18,8)	NULL	Component 'B' quantity	t_qty
TPN_COMP_RULES	COMP_B_UOM_XID	VARCHAR (20)	NULL	Component 'B' UOM - Link to UOM table	t_xid
TPN_COMP_RULES	COMP_B_XID	VARCHAR (20)	NULL	Component 'B' short description	t_xid
TPN_COMP_RULES	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	t_dt
TPN_COMP_RULES	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	t_ind
TPN_COMP_RULES	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	t_uid
TPN_COMP_RULES	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	t_dt
TPN_COMP_RULES	TPNRULES_NOTES	VARCHAR (255)	NULL	TPN rules notes	t_note
TPN_COMP_RULES	WARNING_MSG	VARCHAR (255)	NOT NULL	Warning message	t_note
TRAN_ADD_VAL	ADD_VAL_AMT	NUMERIC(18,8)	NOT NULL	Added Value Amount	T_AMT
TRAN_ADD_VAL	ADD_VAL_DESC	VARCHAR (40)	NULL	Added Value description	T_DESC
TRAN_ADD_VAL	ADD_VAL_NOTE	VARCHAR (255)	NULL	Added Value Note	T_NOTE
TRAN_ADD_VAL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TRAN_ADD_VAL	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
TRAN_ADD_VAL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TRAN_ADD_VAL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TRAN_ADD_VAL	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
TRAN_ADD_VAL	TRAN_ADD_VAL_ID	INT	NOT NULL	Unique ID for Added value, for a site	T_ID
TRAN_ADD_VAL	TRAN_TYPE_CD	VARCHAR (5)	NOT NULL	Transaction Type Code - Link to list_of_val table	T_CD
TRAN_TYPE	CALC_BIN_COST_IND	CHAR (1)	NOT NULL	Indicator of Bin Cost calculation	T_IND
TRAN_TYPE	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TRAN_TYPE	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TRAN_TYPE	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TRAN_TYPE	TRAN_DIR_CD	VARCHAR (5)	NOT NULL	Transaction direction code - Link to list_of_val table	T_CD
TRAN_TYPE	TRAN_TYPE_CD	VARCHAR (5)	NOT NULL	Transaction Type Code	T_CD
TRAN_TYPE	TRAN_TYPE_DESC	VARCHAR (40)	NOT NULL	Transaction type description	T_DESC
TRANSFER	BULK_STOCK_IND	CHAR(1)	NOT NULL	Indicates that a bulk stock (ward box) chute was used.	T_IND
TRANSFER	CHUTE_XID	VARCHAR(20)	NULL	Chute code for robot delivery of the item - link to robot_chute table.	T_XID
TRANSFER	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TRANSFER	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
TRANSFER	CUST_REF	VARCHAR (20)	NULL	Customer Reference	T_REF
TRANSFER	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TRANSFER	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TRANSFER	PDE_IND	CHAR (1)	NOT NULL	PDE indicator	T_IND
TRANSFER	PICK_NTRQ_IND	CHAR(1)	NOT NULL	Pick Not Required Indicator - indicators whether the robot picking step was bypassed or not.	T_IND
TRANSFER	RECV_PRINT_IND	CHAR (1)	NOT NULL	Flag for Store transfer Picking Slip (RECEIVE) report being printed	T_IND
TRANSFER	RECV_SITE_SID	SMALLINT	NOT NULL	Receiving Site ID - Link to site table	T_SID
TRANSFER	RECV_STORE_XID	VARCHAR (20)	NOT NULL	Receiving Store Code - Link to store table	T_XID
TRANSFER	RECV_VERIFIED_BY	VARCHAR (30)	NULL	Code of the user who Verfied the receipt	T_UID
TRANSFER	ROBOT_STAT_CD	VARCHAR(5)	NULL	Code used to identify whether the item uses a robot bin or not (R/NR).	T_CD
TRANSFER	SEND_PRINT_IND	CHAR (1)	NOT NULL	Flag for Store transfer Picking Slip (SUPPLY) report being printed	T_IND
TRANSFER	SEND_VERIFIED_BY	VARCHAR (30)	NULL	Code of user who Verifies the sending	T_UID
TRANSFER	SUPP_SITE_SID	SMALLINT	NOT NULL	Supplying Site ID - Link to site table	T_SID
TRANSFER	SUPP_STORE_XID	VARCHAR (20)	NOT NULL	Suppling Store code - Link to store table	T_XID
TRANSFER	TFR_DT	DATETIME	NOT NULL	Transfer Date	T_DT
TRANSFER	TFR_ID	INT	NOT NULL	Unique Store Transfer ID, for the site	T_ID
TRANSFER	TFR_NOTE	VARCHAR (255)	NULL	Transfer Notes	T_NOTE
TRANSFER	TFR_STAT_CD	VARCHAR (5)	NOT NULL	Transfer status Code - Link to list_of_val table	T_CD
TRANSFER	URGENT_IND	CHAR (1)	NOT NULL	Urgency Indicator	T_IND
TRANSFER	WARD_BOX_NBR	VARCHAR(255)	NULL	The box numbers for the boxes that the ward stock is delivered in, as received from the robot Output message.	T_NOTE
TRANSFER_EXTR	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
TRANSFER_EXTR	EXTR_ID	INT	NOT NULL	Unique ID for the extract, for the site	T_ID
TRANSFER_EXTR	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
TRANSFER_EXTR	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
TRANSFER_EXTR	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
TRANSFER_EXTR	TFR_ID	INT	NOT NULL	Store Transfer ID - Link to transfer table	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule	New or adjusted in version	Notes
NULL			
NULL			
NULL			
NULL			
Y			
NULL			
NULL			
NULL			
N			

N			

Tables starting with U					
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**
UNIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
UNIT	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
UNIT	DISPLAY_SEQ	INT	NOT NULL	Display Sequence	T_SEQ
UNIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
UNIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
UNIT	UNIT_CATG_XID	VARCHAR (20)	NOT NULL	Unit Category identifier	T_XID
UNIT	UNIT_CLASS_CD	VARCHAR (5)	NOT NULL	Unit class - the Unit either relates to Properties or to Attributes.	T_CD
UNIT	UNIT_DESC	VARCHAR (40)	NOT NULL	Unit description	T_DESC
UNIT	UNIT_PID	INT	NOT NULL	Unit identifier - Link to unit table	T_PID
UNIT	UNIT_TYPE_CD	VARCHAR (5)	NOT NULL	Unit type - Link to list_of_val table	T_CD
UNIT	UNIT_XID	VARCHAR (20)	NOT NULL	Unit Code	T_XID
UOM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
UOM	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
UOM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
UOM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
UOM	UOM_DESC	VARCHAR (40)	NOT NULL	Unit of Measurement description	T_DESC
UOM	UOM_ID	INT	NOT NULL	Unique Unit of Measurement Identifier	T_ID
UOM	UOM_NOTE	VARCHAR (255)	NULL	Unit of Measurement note	T_NOTE
UOM	UOM_SHORT	VARCHAR (10)	NOT NULL	Unit of Measurement Short code	T_SHORT
UPPN_MAP	CURR_DSPN_ID	INT	NOT NULL	Current dispense identifier	T_ID
UPPN_MAP	ORIG_DSPN_ID	INT	NOT NULL	Orginal dispense iD when edited	T_ID
UPPN_MAP	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
USER_LIST_OF_VAL	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_LIST_OF_VAL	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND
USER_LIST_OF_VAL	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_LIST_OF_VAL	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_LIST_OF_VAL	USER_VALUE_DESC	VARCHAR (40)	NOT NULL	User value Description	T_DESC
USER_LIST_OF_VAL	USER_VALUE_TYPE_CD	VARCHAR (5)	NOT NULL	Value Type Code - Link to list_of_val table	T_CD
USER_LIST_OF_VAL	USER_VALUE_XID	VARCHAR (20)	NOT NULL	Unqiue Value code	T_XID
USER_LOV_PAT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_LOV_PAT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_LOV_PAT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_LOV_PAT	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID
USER_LOV_PAT	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID
USER_LOV_PAT	USER_VALUE_XID	VARCHAR (20)	NOT NULL	Code for patient - Link to User_list_of_val table	T_XID
USER_LOV_PROD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_LOV_PROD	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_LOV_PROD	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_LOV_PROD	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID
USER_LOV_PROD	USER_VALUE_XID	VARCHAR (20)	NOT NULL	Code for product - Link to User_list_of_val table	T_XID
USER_PWD	ACTIVE_IND	CHAR(1)	NOT NULL	Active flag.	T_IND
USER_PWD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_PWD	LAST_UPDATED_BY	VARCHAR(30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_PWD	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_PWD	PWD	VARCHAR(15)	NOT NULL	User password in encrypted format	T_PASSWORD
USER_PWD	PWD_ID	INT	NOT NULL	Unique ID used to identify User and pasword combination	T_ID
USER_PWD	PWD_SEQ	INT	NOT NULL	Sequence number for the user password.	T_SEQ
USER_PWD	USER_CD	VARCHAR(15)	NOT NULL	Code for the user - Link to users table	T_CODE
USER_SETTINGS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_SETTINGS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_SETTINGS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_SETTINGS	PREF_KEY	VARCHAR (20)	NOT NULL	Preference Key name of frame	T_XID
USER_SETTINGS	PREF_VALUE	VARCHAR (255)	NULL	Preference Key value	T_NOTE
USER_SETTINGS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
USER_SETTINGS	USER_CD	VARCHAR (15)	NOT NULL	Code for the user - Link to users table	T_CODE
USER_SETTINGS	WKSTN_ID	INT	NOT NULL	Workstation identifier - Link to workstation table	T_ID
USER_SITE_SETTINGS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_SITE_SETTINGS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_SITE_SETTINGS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_SITE_SETTINGS	PREF_KEY	VARCHAR (20)	NOT NULL	Preference Key name of frame	T_XID
USER_SITE_SETTINGS	PREF_VALUE	VARCHAR (255)	NULL	Preference Key value	T_NOTE
USER_SITE_SETTINGS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
USER_SITE_SETTINGS	USER_CD	VARCHAR (15)	NOT NULL	Code for the user - Link to users table	T_CODE
USER_SITE_SETTINGS	WKSTN_ID	INT	NOT NULL	Workstation identifier - Link to workstation table	T_ID
USER_WORKSTATION_AUDIT	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USER_WORKSTATION_AUDIT	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USER_WORKSTATION_AUDIT	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USER_WORKSTATION_AUDIT	LOGGED_IN_DT	DATETIME	NOT NULL	The Date on which the user has logged-in	T_DT
USER_WORKSTATION_AUDIT	LOGGED_OUT_DT	DATETIME	NULL	The Date on which the user has logged-out	T_DT
USER_WORKSTATION_AUDIT	PROFILE_CD	VARCHAR (15)	NOT NULL	Profile Type of User	T_CODE
USER_WORKSTATION_AUDIT	SESSION_ID	INT	NOT NULL	Unique ID used to identify the session	T_ID
USER_WORKSTATION_AUDIT	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID
USER_WORKSTATION_AUDIT	USER_CD	VARCHAR (15)	NOT NULL	Code for the user - Link to users table	T_CODE
USER_WORKSTATION_AUDIT	WKSTN_ID	INT	NOT NULL	Workstation identifier - Link to workstation table	T_ID

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

USER_WORKSTATION_AUDIT	WORKGROUP_CD	VARCHAR (255)	NULL	Identifies workgroup	T_CMD
USERS	ACTIVE_FL	CHAR (1)	NOT NULL	Active indicator	T_FLAG
USERS	ACTIVE_IND	CHAR(1)	NOT NULL	Active Directory flag	T_IND
USERS	AD_NAME	VARCHAR (255)	NULL	Active Directory User Name	T_NAME
USERS	CREATED_BY	VARCHAR (30)	NULL	Code of the user who created the record	T_UID
USERS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT
USERS	CURRENT_PWD	VARCHAR (15)	NOT NULL	Current Password	T_PASSWORD
USERS	DOMAIN_CD	VARCHAR(30)	NULL	Domain name of the Active Directory user	T_UID
USERS	EARLIEST_PWD	VARCHAR (15)	NULL	Earliest Password	T_PASSWORD
USERS	EMAIL	VARCHAR (60)	NULL	Email	T_EMAIL
USERS	FIRST_NM	VARCHAR (255)	NULL	First Name	T_NAME
USERS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID
USERS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT
USERS	MED_CHART_USER_CD	VARCHAR(15)	NULL	MedChart user code for use when connecting to MedChart via Secure Invocation in patient windows .	T_CODE
USERS	NHS_USER_IND	CHAR (1)	NOT NULL	NHS User Indicator	T_IND
USERS	PHONE	VARCHAR (15)	NULL	Phone Number	T_PHONE
USERS	PREVIOUS_PWD	VARCHAR (15)	NULL	Previous Password	T_PASSWORD
USERS	PWD_EXPIRY_DT	DATETIME	NOT NULL	Password Expiry date	T_DT
USERS	REG_HEALTH_PROF_XID	VARCHAR(20)	NULL	Registered Health Professional number i.e. AHPRA number	T_XID
USERS	SALUTATION	VARCHAR (10)	NULL	Salutation	T_SALUTATION
USERS	SURNAME	VARCHAR (255)	NULL	Surname	T_NAME
USERS	USER_CD	VARCHAR (15)	NOT NULL	Code for the user	T_CODE
USERS	USER_HI_XID	VARCHAR(20)	NULL	Healthcare Provider Identifier - Individual (HPI-I)	T_XID
USERS	USER_NOTE	VARCHAR (255)	NULL	User Note	T_NOTE

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Default	Rule	New or adjusted in version	Notes

N			
NULL			
N			
		12.0	
NULL			

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Tables starting with V							
Table	Column	Data Type	Null	Description	Domain	Default	Rule
VAL_ADJ_ITEM	AUTHORISED_BY	VARCHAR(30)	NULL	Code of the user who authorised the dispense	T_UID		
VAL_ADJ_ITEM	BIN_TRAN_ID	INT	NULL	Unique ID used to link the bin transaction record	T_ID		
VAL_ADJ_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
VAL_ADJ_ITEM	CURR_COST	NUMERIC(18,8)	NULL	Current Cost	T_COST		
VAL_ADJ_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
VAL_ADJ_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
VAL_ADJ_ITEM	LOC_ID	INT	NOT NULL	Store Location ID - Link to location table	T_ID		
VAL_ADJ_ITEM	PREV_COST	NUMERIC(18,8)	NULL	Previous Cost	T_COST		
VAL_ADJ_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
VAL_ADJ_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
VAL_ADJ_ITEM	VAI_REASON_DESC	VARCHAR (40)	NULL	Reason Description	T_DESC		
VAL_ADJ_ITEM	VAI_STAT_CD	VARCHAR (5)	NOT NULL	Value adjustment code	T_CD		
VAL_ADJ_ITEM	VAL_ADJ_ID	INT	NOT NULL	Value Adjustment ID - Link to value_adjust table	T_ID		
VAL_ADJ_ITEM	VAL_ADJ_ITEM_AMT	NUMERIC(18,8)	NOT NULL	Vvalue adjusted amount	T_AMT		
VAL_ADJ_ITEM	VAL_ADJ_ITEM_ID	INT	NOT NULL	Bin Cost Value Adjustment Item Identifier	T_ID		
VALUE_ADJUST	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
VALUE_ADJUST	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
VALUE_ADJUST	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
VALUE_ADJUST	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
VALUE_ADJUST	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
VALUE_ADJUST	STORE_XID	VARCHAR (20)	NOT NULL	Code to link to the Store table	T_XID		
VALUE_ADJUST	VAL_ADJ_DT	DATETIME	NOT NULL	Value AdjustmentDate	T_DT		
VALUE_ADJUST	VAL_ADJ_ID	INT	NOT NULL	Unique ID for Value Adjustment, for the site	T_ID		
VALUE_ADJUST	VAL_ADJ_NOTE	VARCHAR (255)	NULL	Value Adjustment Note	T_NOTE		
VALUE_ADJUST	VAL_ADJ_REASON_CD	VARCHAR (5)	NOT NULL	Value adjustment reason code - Link to list_of_val table	T_CD		
VALUE_ADJUST	VAL_ADJ_STAT_CD	VARCHAR (5)	NOT NULL	Value Adjustment Status Code - Link to list_of_val table	T_CD		
VAR_DOSE_CHART	AUTHORISED_BY	VARCHAR (30)	NULL	Code of the user who authorised the dispense	T_UID	N	
VAR_DOSE_CHART	AUTHORISED_DT	DATETIME	NULL	Date and time that the user authorised the dispense	T_DT	N	
VAR_DOSE_CHART	CHART_DAYS	SMALLINT	NULL	Chart Days	T_DAYS		
VAR_DOSE_CHART	CHART_PERIOD_DESC_NOTE	VARCHAR (255)	NOT NULL	Chart Period Description Note	T_NOTE		
VAR_DOSE_CHART	CHART_START_DT	DATETIME	NOT NULL	Chart Start Date	T_DT		
VAR_DOSE_CHART	CHART_STOP_DT	DATETIME	NOT NULL	Chart Stop Date	T_DT		
VAR_DOSE_CHART	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
VAR_DOSE_CHART	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
VAR_DOSE_CHART	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
VAR_DOSE_CHART	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
VAR_DOSE_CHART	PAT_ID	INT	NOT NULL	Patient identifier - Link to patient table	T_ID		
VAR_DOSE_CHART	PAT_SITE_SID	SMALLINT	NOT NULL	Site associated with patient record - Link to site table	T_SID		
VAR_DOSE_CHART	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
VAR_DOSE_CHART	VAR_DOSE_CHART_ID	INT	NOT NULL	Unique ID for Variable Dosage Chart, for the site	T_ID		
VAR_DOSE_CHART	VAR_DOSE_STAT_CD	VARCHAR (5)	NOT NULL	Variable Dosage Chart ID	T_CD	N	
VAR_DOSE_ITEM	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
VAR_DOSE_ITEM	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
VAR_DOSE_ITEM	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
VAR_DOSE_ITEM	PROD_ID	INT	NOT NULL	Product Identifier - Link to product table	T_ID		
VAR_DOSE_ITEM	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
VAR_DOSE_ITEM	STOP_AT_END_IND	CHAR (1)	NOT NULL	Indicator of Stop the Dosage	T_IND		
VAR_DOSE_ITEM	UOM_ID	INT	NULL	Unit of Measurement Identifier - Link to UOM table	T_ID		
VAR_DOSE_ITEM	VAR_DOSE_CHART_ID	INT	NOT NULL	Variable Dosage Chart Identifier - Link to var_dose_chart table	T_ID		
VAR_DOSE_ITEM	VAR_DOSE_ITEM_ID	INT	NOT NULL	Unique ID for Variable Dosage Item, for the site	T_ID		
VAR_DOSE_ITEM	VAR_DOSE_NOTE	VARCHAR (255)	NULL	Variable Dosage Notes	T_NOTE		
VAR_DOSE_PERIOD	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
VAR_DOSE_PERIOD	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
VAR_DOSE_PERIOD	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
VAR_DOSE_PERIOD	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
VAR_DOSE_PERIOD	VAR_DOSE_DAY_SEQ	INT	NOT NULL	Variable Dosage Day sequence	T_SEQ		
VAR_DOSE_PERIOD	VAR_DOSE_ITEM_ID	INT	NOT NULL	Variable Dosage Item Identifier - Link to var_dose_item table	T_ID		
VAR_DOSE_PERIOD	VAR_DOSE_PERIOD_ID	INT	NOT NULL	Unique ID for Variable Dosage Period, for the site	T_ID		
VAR_DOSE_PERIOD	VAR_DOSE_PERIOD_SEQ	INT	NOT NULL	Variable Dosage Period sequence	T_SEQ		
VAR_DOSE_PERIOD	VAR_DOSE_QTY_XID	VARCHAR (20)	NULL	Variable Dosage Quantity	T_XID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes
11	

Tables starting with W							
Table	**Column**	**Data Type**	**Null**	**Description**	**Domain**	**Default**	**Rule**
WARNING_CODES	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
WARNING_CODES	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
WARNING_CODES	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
WARNING_CODES	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
WARNING_CODES	WARN_CODE_CD	VARCHAR (5)	NOT NULL	Warning code type - Link to list_of_val table	T_CD		
WARNING_CODES	WARN_CODE_DESC	VARCHAR (40)	NULL	Warning code Description	T_DESC		
WARNING_CODES	WARN_CODE_NOTE	VARCHAR (255)	NULL	Warning Code Note	T_NOTE		
WARNING_CODES	WARN_CODE_XID	VARCHAR (20)	NOT NULL	Unique code for Warning Code	T_XID		
WORK_FLOW	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
WORK_FLOW	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
WORK_FLOW	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
WORK_FLOW	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
WORK_FLOW	SORT_SEQ	INT	NOT NULL	Sort sequence	T_SEQ		
WORK_FLOW	STATUS_DESC	VARCHAR (40)	NOT NULL	Status Description	T_DESC		
WORK_FLOW	WORK_FLOW_CD	VARCHAR (5)	NOT NULL	Work flow code - Link to list_of_val table	T_CD		
WORK_FLOW	WORK_FLOW_ID	INT	NOT NULL	Unique ID for Work Flow	T_ID		
WORKSTATION	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
WORKSTATION	CURR_IND	CHAR (1)	NOT NULL	Indicates if the record is current.	T_IND		
WORKSTATION	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
WORKSTATION	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
WORKSTATION	RECENT_LOGGED_USERID	VARCHAR (30)	NULL	Code for the most Recently logged user	T_UID		
WORKSTATION	RECENT_SITE_SID	SMALLINT	NULL	Most Recently used site ID - Link to site table	T_SID		
WORKSTATION	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
WORKSTATION	WKSTN_DESC	VARCHAR (75)	NULL	Workstation description	T_WKN		
WORKSTATION	WKSTN_ID	INT	NOT NULL	Unique ID for Workstation	T_ID		
WORKSTATION	WKSTN_NAME	VARCHAR (75)	NOT NULL	Workstation name	T_WKN		
WORKSTATION_SETTINGS	BULK_CHUTE_XID	VARCHAR(20)	NULL	Default robot chute for bulk stock in Distribution and Store Transfer - Link to robot_chute table	T_XID	NULL	
WORKSTATION_SETTINGS	CREATED_DT	DATETIME	NOT NULL	Date and time that the row was created.	T_DT		
WORKSTATION_SETTINGS	DISTSTR_CHUTE_XID	VARCHAR(20)	NULL	Default robot chute for non-bulk stock in Distribution and Store Transfer - Link to robot_chute table	T_XID	NULL	
WORKSTATION_SETTINGS	DSPN_CHUTE_XID	VARCHAR(20)	NULL	Default robot chute in Dispensing - Link to robot_chute table	T_XID	NULL	
WORKSTATION_SETTINGS	LAST_UPDATED_BY	VARCHAR (30)	NOT NULL	Code of the user who last modified the record.	T_UID		
WORKSTATION_SETTINGS	LAST_UPDATED_DT	DATETIME	NOT NULL	Date and time that the row was last modified.	T_DT		
WORKSTATION_SETTINGS	PAT_SITE_SID	SMALLINT	NULL	Site associated with patient record - Link to site table	T_SID		
WORKSTATION_SETTINGS	PHARM_XID	VARCHAR (20)	NULL	Code for Pharmacy - Link to pharmacy table	T_XID		
WORKSTATION_SETTINGS	SETTING_TYPE	VARCHAR (5)	NULL	Setting type	T_CD		
WORKSTATION_SETTINGS	SITE_SID	SMALLINT	NOT NULL	Site identifier - Link to site table	T_SID		
WORKSTATION_SETTINGS	STORE_XID	VARCHAR (20)	NULL	Code to link to the Store table	T_XID		
WORKSTATION_SETTINGS	USER_CD	VARCHAR(30)	NOT NULL	Code for the User	T_UID		
WORKSTATION_SETTINGS	WKSTN_ID	INT	NOT NULL	Workstation ID - Link to workstation table	T_ID		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

New or adjusted in version	Notes

Indexes					
Table	Index Name	Unique?	Columns	New or adjusted in version	Notes
abc_anlys_grp_smry	pk_ags	Yes	abc_anlys_id,site_sid,stk_take_grp_sid		
abc_anlys_smry_hdr	pk_ash	Yes	abc_anlys_id,site_sid		
abc_anlys_val_smry	pk_avs	Yes	abc_anlys_id,site_sid,tot_pct		
abc_stk_take_grp	pk_asg	Yes	site_sid, store_xid, stk_take_grp_sid		
account	i2_acc	No	site_sid,acc_xid,acc_type_cd		
account	pk_acc	Yes	acc_id,site_sid		
account_comp	i2_acm	No	site_sid,acc_id,acc_comp_xid		
account_comp	i3_acm	No	acc_comp_seq		
account_comp	pk_acm	Yes	acc_comp_id,site_sid		
adc_audit_message	pk_aam	Yes	adc_aud_msg_id		
adc_error_message	pk_aem	Yes	adc_error_msg_id		
adc_group	pk_agp	Yes	adc_grp_id		
adc_group_identifier	i1_agi	No	adc_grp_id,amt_ident_id		
adc_group_identifier	i2_agi	No	adc_grp_id,adc_ident_xid		
adc_group_identifier	pk_agi	Yes	adc_grp_ident_id		
adc_identifier_map	i1_aim	No	site_sid,adc_grp_id,amt_ident_id		
adc_identifier_map	i2_aim	No	site_sid,amt_ident_id		
adc_identifier_map	i3_aim	No	site_sid,adc_grp_id,adc_ident_xid		
adc_identifier_map	i4_aim	No	site_sid,adc_grp_id,ctpp_id		
adc_identifier_map	pk_aim	Yes	site_sid,adc_map_id		
adc_max_characters	pk_amc	Yes	adc_max_char_id		
adc_name	pk_adn	Yes	site_sid,adc_name_id		
adc_prod_form	pk_adf	Yes	adc_form_id		
adc_product	i1_adp	No	amt_ident_id		
adc_product	i2_adp	No	amt_ident_id,adc_type_cd		
adc_product	pk_adp	Yes	adc_prod_id		
adc_product	uk_adp	Yes	adc_type_cd,amt_ident_id		
adc_stock_list	i1_asl	No	site_sid,adc_name_xid,adc_ident_xid		
adc_stock_list	pk_asl	Yes	site_sid,adc_stk_list_id		
adverse_event	pk_adv	Yes	adv_event_id,site_sid		
adverse_event_item	pk_aei	Yes	adv_event_item_id,site_sid		
allergy	pk_alg	Yes	allergy_id		
allergy	i3_alg	No	drug_code_id,pat_id,pat_site_sid		
allergy	i4_alg	No	drug_code_id		
allergy	i2_alg	Yes	pat_id, pat_site_sid, drug_code_id		
allergy_note	i2_aln	No	allergy_id		
allergy_note	pk_aln	Yes	allergy_note_id		
amt_identifier	i1_ami	Yes	amt_ident_id		
amt_identifier	i2_ami	No	type_cd		
amt_identifier	i3_ami	No	active_ind,type_cd		
amt_identifier	pk_amt	Yes	amt_id		
amt_map	pk_amm	Yes	map_id		
amt_prod_uou	i1_amu	No	ctpp_id		
amt_prod_uou	i2_amu	No	mp_id		
amt_prod_uou	i3_amu	No	mpuu_id		
amt_prod_uou	i4_amu	No	tpuu_id		
amt_prod_uou	pk_amu	Yes	ctpp_id, mpuu_id		
amt_product	i2_amp	No	mpp_id,tpp_id		
amt_product	i3_amp	No	tpp_id	12	
amt_product	i4_amp	No	tp_id	12	
amt_product	pk_amp	Yes	ctpp_id		
amt_subcomp_pack	pk_ams	Yes	ctpp_id, subcomp_pack_id		
amt_substance	i1_amb	No	ctpp_id, subst_id		
amt_substance	i2_amb	No	subst_id		
amt_substance	pk_amb	Yes	amt_id		
amt_upload_history	pk_auh	Yes	amt_upload_hist_id		
amt_version	pk_amtv	Yes	amt_vers_id		
app_audit_table	pk_aat	Yes	table_name		
app_function	i2_apf	No	application_cd		
app_function	pk_apf	Yes	application_cd, app_function_cd		
app_report	pk_apr	Yes	app_function_cd,application_cd,rept_catg_cd		
app_report_archv	pk_ara	Yes	hard_copy_audit_rept_id		
app_user	i2_apu	No	user_cd		
app_user	i3_apu	No	application_cd,profile_cd		
app_user	i4_apu	No	application_cd		
app_user	pk_apu	Yes	user_cd, application_cd		
app_user_site	pk_aus	Yes	application_cd,site_sid,user_cd		
app_user_site	i2_aus	No	application_cd,site_sid		
application	pk_app	Yes	application_cd		
area_of_work	pk_aow	Yes	application_cd, aow_cd		
area_of_work_access	pk_awa	Yes	aow_cd,app_function_cd,application_cd		
attr_formula	pk_atf	Yes	attr_formula_pid		
attr_formula_args	pk_afa	Yes	attr_formula_pid, attr_id		
attr_qualifier	pk_atq	Yes	attr_id, unit_pid		
attr_unit	pk_atu	Yes	attr_id, unit_pid		
attribute	pk_att	Yes	attr_id		
ausdi_index	pk_adi	Yes	ausdi_index_id		
bin	i2_bin	No	site_sid,loc_id		
bin	i3_bin	No	bin_dflt_ind		
bin	i4_bin	No	site_sid,prod_id,loc_id,bin_resupp_meth_cd,ioh_curr_qty,ioh_min_qty,ioh_max_qty,bin_dflt_ind,curr_ind		
bin	pk_bin	Yes	loc_id,prod_id,site_sid		
bin	i5_bin	No	bin_resupp_meth_cd,curr_ind,site_sid,prod_id,loc_id,last_updated_dt,last_updated_by,created_dt,ioh_curr_qty,ioh_max_qty,ioh_min_qty,bin_dflt_ind,supp_store_xid,supp_site_sid		
bin	i6_bin	No	curr_ind,prod_id,site_sid,loc_id		
bin	i7_bin	No	prod_id,loc_id,site_sid,bin_resupp_meth_cd,curr_ind		
bin	i8_bin	No	prod_id , site_sid , loc_id		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

bin	i9_bin	No	supp_site_sid, prod_id, supp_loc_id, tfr_item_type_cd, tfr_item_stat_cd, tfr_rqst_item_id, recv_site_sid, tfr_id, uom_id, tfr_qty		
bin_batch	pk_bib	Yes	site_sid, bin_batch_id		
bin_tran	i2_btr	No	site_sid,prod_id,loc_id,tran_type_cd,bin_tran_dt,bin_tran_inven_qty		
bin_tran	i3_btr	No	tran_type_cd,bin_tran_dt		
bin_tran	i4_btr	No	site_sid,prod_id,loc_id,tran_type_cd,inven_uom_id,bin_tran_dt,bin_tran_inven_qty		
bin_tran	i5_btr	No	site_sid,bt_batch_exp_dt		
bin_tran	i6_btr	No	site_sid,prod_id		
bin_tran	i7_btr	Yes	site_sid, prod_id, bin_tran_dt		
bin_tran	pk_btr	Yes	site_sid, bin_tran_id		
bin_tran	i11_btr	No	site_sid,tran_type_cd,bin_tran_dt,prod_id,inven_uom_id,loc_id,bin_tran_inven_qty		
bin_tran	i12_btr	No	site_sid, prod_id,bin_tran_dt , bin_tran_id , pack_uom_id, loc_id		
bin_tran	i13_btr	No	prod_id , site_sid , bin_tran_dt , bin_tran_id , pack_uom_id , loc_id		
bin_tran	i18_btr	No	site_sid , bin_tran_id , prod_id , loc_id , tran_type_cd , bin_tran_dt , created_dt , inven_uom_id , bin_tran_inven_qty , btr_inven_cost		
bin_tran	i17_btr	No	site_sid ,prod_id ,tran_type_cd ,bin_tran_dt		
bin_tran	i16_btr	No	site_sid ,tran_type_cd ,bin_tran_pack_qty ,bin_tran_cost		
bin_tran	i15_btr	No	tran_type_cd ,last_updated_dt		
bin_tran	i14_btr	No	prod_id ,site_sid ,bin_tran_dt ,bin_tran_id ,loc_id ,tran_type_cd ,pack_uom_id ,bin_tran_ext_price ,bin_tran_price ,bin_tran_pack_qty		
bin_tran	i19_btr	No	site_sid ,prod_id ,loc_id ,tran_type_cd, bin_tran_inven_qty, btr_inven_cost,created_dt,bin_tran_pvv_amt		
bin_tran	i10_btr	No	site_sid, tran_type_cd, bin_tran_dt		
bin_tran_extr	i2_btx	No	site_sid,extr_id		
bin_tran_extr	pk_btx	Yes	bin_tran_id,extr_id,site_sid		
bom	i2_bom	No	prod_id,comp_prod_id,bom_type_cd		
bom	pk_bom	Yes	bom_id		
charge_centre	pk_chc	Yes	chrg_cntr_xid,site_sid		
coc_acc_comp	pk_cac	Yes	acc_comp_id,cost_cntr_xid,site_sid		
compounders	pk_com	Yes	compounder_xid, compounder_abn		
compounder_site	pk_comsite	Yes	site_sid, compounder_xid		
conv_factor	pk_cnf	Yes	unit_pid, conv_unit_pid		
cost_centre	i2_coc	No	site_sid,chrg_cntr_xid		
cost_centre	pk_coc	Yes	cost_cntr_xid,site_sid		
cost_centre	i3_coc	No	cost_cntr_xid,site_sid,curr_ind,cost_cntr_desc		
credit_note	i2_crn	No	site_sid,supp_xid		
credit_note	pk_crn	Yes	cr_note_id,site_sid		
credit_note_extr	i2_crx	No	site_sid,extr_id		
credit_note_extr	pk_crx	Yes	cr_note_id,extr_id,site_sid		
credit_note_item	i2_cri	No	site_sid,cr_note_id		
credit_note_item	i3_cri	No	site_sid,bin_tran_id		
credit_note_item	i4_cri	No	site_sid,fin_tran_id		
credit_note_item	i5_cri	No	cri_stat_cd		
credit_note_item	i6_cri	No	site_sid,gr_item_id		
credit_note_item	i7_cri	No	site_sid,prod_id,loc_id		
credit_note_item	pk_cri	Yes	cr_note_item_id,site_sid		
credit_note_item	i8_cri	No	site_sid , bin_tran_id , cr_note_item_id , cr_note_id		
crystal_reports	pk_crp	Yes	rpt_sid		
cyclical_stk_take	i2_cst	No	site_sid,store_xid,Curr_ind, Active_ind		
cyclical_stk_take	I3_cst	No	site_sid,store_xid,prod_id		
cyclical_stk_take	pk_cst	Yes	site_sid, store_xid, cyc_stk_take_id		
debtor	pk_deb	Yes	debtor_xid,site_sid		
debtor_group	pk_dbg	Yes	site_sid, debtor_grp_xid		
debtor_group_drug	pk_dgd	Yes	site_sid, debtor_grp_xid, prod_id		
debtor_type	pk_dbt	Yes	debtor_type_xid,site_sid		
delivered_to	pk_del	Yes	site_sid,del_to_id		
diff_price	i2_dpr	No	site_sid,cost_cntr_xid		
diff_price	i3_dpr	No	site_sid,chrg_cntr_xid		
diff_price	pk_dpr	Yes	diff_price_id,site_sid		
diff_price	i4_dpr	No	last_updated_dt,prod_id,cost_cntr_xid,start_dt,site_sid,stop_dt		
direction	pk_dir	Yes	site_sid, dir_xid		
disp_item	i2_dsi	No	site_sid,disp_id		
disp_item	i3_dsi	No	site_sid,bin_tran_id		
disp_item	i4_dsi	No	site_sid,prod_id,loc_id		
disp_item	pk_dsi	Yes	disp_item_id,site_sid		
disp_item	i6_dsi		bin_tran_id , site_sid , disp_id		
disp_item	i5_dsi	No	site_sid,prod_id		
dispense	i2_dpn	No	pat_site_sid,pat_id		
dispense	i3_dpn	No	dspn_dt,pres_day_seq		
dispense	i4_dpn	No	pharm_xid,dspn_stat_cd		
dispense	i5_dpn	No	repeat_site_sid,repeat_dspn_id		
dispense	i6_dpn	No	site_sid,rev_dspn_id		
dispense	i7_dpn	No	site_sid,dspn_pbs_id		
dispense	i8_dpn	No	prod_id,dspn_dt		
dispense	i9_dpn	No	site_sid,dspn_id		
dispense	pk_dpn	Yes	dspn_id,site_sid		
dispense	i10_dpn	No	site_sid, ppn_id		
dispense	i11_dpn	No	site_sid, dspn_id, fred_dspn_id		
dispense	i15_dpn	No	pat_id,pat_site_sid,dspn_stat_cd		
dispense	i13_dpn	No	pat_id, pat_site_sid, dspn_stat_cd		
dispense	i17_dpn	No	site_sid , pat_site_sid , pat_id , dspn_id		
dispense	i18_dpn	No	site_sid , dspn_id , pat_site_sid , pat_id		
dispense	i23_dpn	No	site_sid ,orig_dspn_id		
dispense	i22_dpn	No	script_owing_ind ,dspn_stat_cd		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

dispense	i21_dpn	No	site_sid ,dspn_pbs_id ,dspn_id ,script_owing_ind ,dspn_stat_cd ,dspn_unit_qty ,dspn_pack_qty ,dspn_prod_text ,pat_id ,pat_site_sid ,pat_full_name ,prod_id ,dspn_style_cd		
dispense	i20_dpn	No	repeat_dspn_id ,ppn_id ,dspn_cre_type_cd ,repeat_rem_nbr ,dspn_stat_cd		
dispense	i19_dpn	No	site_sid ,rev_dspn_id ,dspn_stat_cd ,dspn_unit_qty ,dspn_pack_qty		
dispense	i12_dpn	No	gsf_id, site_sid		
dispense	i24_dpn	No	repeat_site_sid, ppn_id, repeat_dspn_id, dspn_cre_type_cd, dspn_stat_cd,repeat_rem_nbr		
dispense	i16_dpn	No	site_sid,pat_site_sid,pat_id,dspn_id		
dispense	i25_dpn	No	dspn_order_id		
dispense	i26_dpn	No	site_sid,dspn_robot_id		
dispense	i27_dpn	No	orig_pharm_approval_nbr,orig_script_nbr,dspn_stat_cd	12	
dispense	i28_dpn	No	repeat_scid_xid,defer_scid_xid,dspn_stat_cd	12	
dispense	i29_dpn	No	outage_ind	12	
dispense_charge	i2_dcg	No	fin_class_xid,fin_sub_xid		
dispense_charge	pk_dcg	Yes	dspn_chrg_id,site_sid		
dispense_class	pk_dpc	Yes	dspn_class_id,site_sid		
dispense_class	i2_dpc	No	dspn_class_id,site_sid		
dispense_dose	pk_dose_sch	Yes	dspn_dose_id		
dispense_group	pk_dpg	Yes	dspn_grp_id		
dispense_pack_details	pk_dpd	Yes	site_sid, dspn_id, phase_cd		
dispense_pack_details	i1_dpd	No	dspn_id,site_sid		
dispense_pbs	i2_dpb	No	pbs_claim_id		
dispense_pbs	pk_dpb	Yes	dspn_pbs_id,site_sid		
dispense_pbs	i3_dpb	No	dspn_pbs_id,pbs_claim_id,claim_ref_no		
dispense_pbs	i5_dpb	No	site_sid ,orig_script_nbr		
dispense_pbs	i4_dpb	No	site_sid ,dspn_pbs_id ,orig_script_nbr		
dispense_pbs	i6_dpb	No	def_supp_ind,pbs_claim_id,site_sid,dspn_pbs_id,claim_ref_no		
dispense_pbs	i7_dpb	No	def_supp_ind,pbs_claim_id,site_sid,dspn_pbs_id,claim_ref_no	12	
dispense_pbs_error_codes	i2_dpec	No	site_sid, dspn_pbs_manuf_id		
dispense_pbs_error_codes	i3_dpec	No	site_sid, dspn_pbs_id		
dispense_pbs_error_codes	pk_dpec	Yes	site_sid, dpec_id		
dispense_pbs_manuf	pk_dpm	Yes	site_sid, dspn_pbs_manuf_id		
dispense_pbs_manuf	i2_dpm	Yes	dspn_id,site_sid,def_supp_ind		
dispense_pbs_manuf	I3_dpm	Yes	dspn_id,site_sid		
dispense_prod	i2_dpp	No	site_sid,dspn_id		
dispense_prod	i3_dpp	No	permit_site_sid,permit_id		
dispense_prod	i4_dpp	No	site_sid,bin_tran_id		
dispense_prod	i5_dpp	No	site_sid,rev_dspn_prod_id		
dispense_prod	i6_dpp	No	site_sid,prod_id,loc_id		
dispense_prod	i7_dpp	No	rev_dspn_prod_id		
dispense_prod	i8_dpp	No	site_sid,dspn_id,own_supp_ind		
dispense_prod	pk_dpp	Yes	dspn_prod_id,site_sid		
dispense_prod	i9_dpp	No	site_sid, dspn_pbs_manuf_id		
dispense_prod	i12_dpp	No	site_sid		
dispense_prod	i13_dpp	No	bin_tran_id , site_sid , dspn_prod_id , dspn_id		
dispense_prod	i10_dpp	No	dspn_id , site_sid , robot_stat_cd		
dispense_prod	i11_dpp	No	site_sid , dspn_prod_id , prod_id		
dispense_prod	i16_dpp	No	dspn_id ,site_sid		
dispense_prod	i15_dpp	No	prod_id		
dispense_prod	i14_dpp	No	site_sid ,dspn_id , prod_id		
dispense_prod	i17_dpp	Yes	site_sid,raneg_bin_tran_id		
dispense_prod	i18_dpp	Yes	site_sid,rapos_bin_tran_id		
dispense_prop	i1_dup	Yes	site_sid, prop_id, unit_pid, dspn_prop_id		
dispense_prop	i2_dup	No	dspn_prod_id,site_sid		
dispense_prop	pk_dup	Yes	site_sid, dspn_prop_id		
dispense_scan	pk_dsn	Yes	site_sid,scan_id		
dispense_scan	i2_dsn	No	dspn_id, site_sid		
disposal	pk_dsp	Yes	disp_id,site_sid		
disposal_extr	i2_dpx	No	site_sid,extr_id		
disposal_extr	pk_dpx	Yes	disp_id,extr_id,site_sid		
dist_cr_item	i2_dci	No	site_sid,dist_cr_id		
dist_cr_item	i3_dci	No	site_sid,bin_tran_id		
dist_cr_item	pk_dci	Yes	dist_cr_item_id,site_sid		
dist_cr_item	i4_dci	No	site_sid , bin_tran_id , dist_cr_item_id , dist_cr_id		
dist_cr_item	i5_dci	No	site_sid , bin_tran_id , dist_cr_id		
dist_credit	i2_dcr	No	site_sid,store_xid		
dist_credit	i3_dcr	No	site_sid,cost_cntr_xid,dist_cr_dt		
dist_credit	i4_dcr	No	site_sid,cost_cntr_xid		
dist_credit	pk_dcr	Yes	dist_cr_id,site_sid		
dist_credit_extr	i2_dcx	No	site_sid,extr_id		
dist_credit_extr	pk_dcx	Yes	dist_cr_id,extr_id,site_sid		
dist_extr	i2_dix	No	site_sid,extr_id		
dist_extr	pk_dix	Yes	dist_id,extr_id,site_sid		
dist_item	i2_dii	No	site_sid,dist_id		
dist_item	i3_dii	No	rqi_site_sid,reqn_item_id,prod_id,uom_id,dist_qty,dist_item_stat_cd		
dist_item	i4_dii	No	site_sid,bin_tran_id		
dist_item	i5_dii	No	site_sid,prod_id,loc_id		
dist_item	pk_dii	Yes	dist_item_id,site_sid		
dist_item	i6_dii	No	site_sid,bin_tran_id,dist_item_id,dist_id		
dist_item	i7_dii	No	site_sid , bin_tran_id , dist_id		
dist_item	i8_dii	No	site_sid ,prod_id ,loc_id ,dist_item_stat_cd ,reqn_item_id		
dist_item	i9_dii	No	site_sid, robot_tran_id		
dist_item	i10_dii	Yes	site_sid,raneg_bin_tran_id		
dist_item	i11_dii	Yes	site_sid,rapos_bin_tran_id		
distribution	i2_dis	No	site_sid,store_xid		
distribution	i3_dis	No	site_sid,cost_cntr_xid,dist_dt		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

distribution	pk_dis	Yes	dist_id,site_sid		
distribution	i4_dis	No	store_xid , site_sid , dist_id , cost_cntr_xid		
distribution	i5_dis	No	site_sid , cost_cntr_xid , dist_stat_cd , curr_ind		
distribution	i6_dis	No	site_sid ,cost_cntr_xid		
doctor	pk_doc	No	site_sid,doct_xid		
doctor	i4_doc	No	site_sid ,adt_doct_xid		
doctor	i3_doc	No	site_sid ,doct_xid ,doct_salutation ,doct_first_name ,doct_surname		
doctor	i2_doc	No	doct_surname_uc, site_sid		
dpo_source_control	i2_dps	No	dpo_source_cd,in_order_control_cd,msg_action_cd		
drug_avail	pk_dra	Yes	drug_avail_id		
drug_code	i2_drg	No	mast_drug_code_id		
drug_code	i3_drg	No	drug_code_xid		
drug_code	i4_drg	No	drug_code_id		
drug_code	pk_drg	Yes	drug_code_id		
drug_code_site	pk_drs	Yes	drug_code_id,site_sid		
drug_code_site	pk_drs	Yes	site_sid, drug_code_id		
dspn_alert	i2_dpa	No	dspn_id		
dspn_alert	pk_dpa	Yes	alert_dtl_id,alert_id,site_sid		
dspn_alert	i3_dpa	No	pat_site_sid ,pat_id		
dspn_extr	i2_dsx	No	site_sid,extr_id		
dspn_extr	pk_dsx	Yes	dspn_id,extr_id,site_sid		
dspn_list	pk_dpl	Yes	dspn_list_id,site_sid		
dspn_order	i2_dpo	No	site_sid,placer_order_desc,dpo_source_cd		
dspn_order	i3_dpo	No	dspn_order_id,user_cd		
dspn_order	i4_dpo	No	pat_site_sid,pat_xid		
dspn_order	pk_dpo	Yes	dspn_order_id		
dspn_verified	pk_dpv	Yes	site_sid, dspn_id		
edi_inv_desp	pk_eid	Yes	site_sid,edi_id		
edi_inv_desp	i2_eid	No	site_sid, msg_type_xid ,ord_id		
edi_inv_desp	i3_eid	No	site_sid, sscc_nbr		
edi_inv_desp	i4_eid	No	site_sid, msg_type_xid ,desp_ref_nbr		
edi_ord	pk_edo	Yes	edi_id,site_sid		
edi_supplier	pk_eds	Yes	supp_ean		
eprescription	i1_epres	No	site_sid,privacy_stat_ind,scid_xid	12	
eprescription	i2_epres	No	site_sid,created_dt,scid_xid	12	
eprescription	pk_epres	Yes	scid_xid	12	
eprescription_annotation	i1_epa	No	escript_item_id,supply_nbr,site_sid	12	
eprescription_annotation	pk_epa	Yes	escript_annot_id	12	
eprescription_basket	pk_epbt	Yes	escript_bskt_id	12	
eprescription_item	i1_epit	No	site_sid,escript_bskt_id,pharm_xid,scid_xid	12	
eprescription_item	i2_epit	No	escript_bskt_id,pharm_xid,created_dt,site_sid	12	
eprescription_item	i3_epit	No	scid_xid,sequence_id,site_sid	12	
eprescription_item	i4_epit	No	escript_item_id,site_sid	12	
eprescription_item	i5_epit	No	escript_item_id,escript_bskt_id,site_sid	12	
eprescription_item	i6_epit	No	site_sid,scid_xid,avail_ind	12	
eprescription_item	pk_epit	Yes	escript_item_id	12	
external_link	pk_exl	Yes	site_sid,exl_link_id,func_key_xid		
external_message	i2_exm	No	site_sid,ext_msg_stat_cd		
external_message	i3_exm	No	site_sid ,ext_msg_type_cd ,key_1_id ,key_2_id		
external_message	i4_exm	No	site_sid ,ext_msg_type_cd ,key_1_id ,key_1_xid		
external_message	i5_exm	No	ext_msg_type_cd ,key_1_id		
external_message	i6_exm	No	site_sid ,ext_msg_type_cd ,key_1_id		
external_message	pk_exm	Yes	site_sid, ext_msg_id		
external_message_adc	i1_ema	No	site_sid,ext_msg_stat_cd,adc_type_cd	11	
external_message_adc	pk_ema	Yes	ext_msg_adc_id	11	
external_message_bill	pk_emb	Yes	site_sid,ext_msg_bill_id		
external_message_bill	i2_emb	No	created_dt		
external_message_pes	pk_emp	Yes	ext_msg_pes_id		
external_message_pes	i1_emp	No	pes_operation	12	
external_message_robot	i2_emr	No	ext_msg_stat_cd, priority_id		
external_message_robot	pk_emr	Yes	ext_msg_rob_id		
external_message_robot	i3_emr	No	site_sid,tran_type_cd,tran_id		
external_org	pk_exo	Yes	ext_org_xid,site_sid		
external_payment	i2_exp	No	pat_site_sid,pat_id		
external_payment	pk_exp	Yes	ext_pymt_id,site_sid		
external_prf	pk_epr	Yes	ext_prf_id		
extr_param	pk_ex_par	Yes	site_sid, extr_id		
extract	i2_ext	No	extr_type_id		
extract	pk_ext	Yes	extr_id,site_sid		
extract_file	pk_exf	Yes	extr_file_id,site_sid		
extract_group	pk_exg	Yes	extr_grp_id		
extract_output	pk_exu	Yes	extr_out_id		
extract_parm_dw	pk_exd	Yes	extr_parm_dw_id		
extract_proc	pk_exr	Yes	extr_proc_id		
extract_type	pk_exy	Yes	extr_type_id		
family	i2_fam	No	family_surname,medicare_nbr,family_note		
family	pk_fam	Yes	family_id		
fin_hierarchy	pk_fhr	Yes	site_sid,tran_id,tran_type_cd		
fin_struct	i2_fsr	No	parent_fin_struct_id		
fin_struct	i3_fsr	No	fin_struct_xid		
fin_struct	pk_fsr	Yes	fin_struct_id		
fin_struct_type	pk_fst	Yes	fin_struct_type		
fin_tran	i2_ftr	No	fin_tran_type_cd,fin_tran_dt		
fin_tran	pk_ftr	Yes	fin_tran_id,site_sid		
fin_tran_extr	i2_ftx	No	site_sid,extr_id		
fin_tran_extr	pk_ftx	Yes	extr_id,fin_tran_id,site_sid		
fin_tran_type	pk_ftt	Yes	fin_tran_type_cd		
finance_class	pk_fcl	Yes	fin_class_xid,site_sid		
finance_sub_class	pk_fsc	Yes	fin_sub_xid,site_sid		
frame_preferences	pk_frp	Yes	pref_key,site_sid,user_cd,wkstn_id		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

free_ret_item	i2_fri	No	site_sid,free_ret_id		
free_ret_item	i3_fri	No	site_sid,bin_tran_id		
free_ret_item	pk_fri	Yes	fri_item_id,site_sid		
free_return	pk_frt	Yes	free_ret_id,site_sid		
free_return_extr	i2_frx	No	site_sid,extr_id		
free_return_extr	pk_frx	Yes	extr_id,free_ret_id,site_sid		
function_key	pk_fnk	Yes	func_key_xid		
goal_sheet	pk_gsh	Yes	site_sid, gs_ref_id		
goods_receipt	i2_grc	No	site_sid,gr_dt		
goods_receipt	pk_grc	Yes	gr_id,site_sid		
goods_receipt	i3_grc	No	site_sid,gr_id,gr_dir_cd		
goods_receipt	i4_grc	No	site_sid , gr_dir_cd , gr_type_cd , gr_id		
goods_receipt	i5_grc	No	site_sid ,gr_dir_cd ,gr_type_cd		
goods_receipt_extr	i2_grx	No	site_sid,extr_id		
goods_receipt_extr	pk_grx	Yes	extr_id,gr_id,site_sid		
gr_item	i2_gri	No	site_sid,gr_id		
gr_item	i3_gri	No	site_sid,gr_item_id,gr_id,ord_item_id,prod_id,loc_id,uom_id,gr_qty,gr_item_stat_cd		
gr_item	i4_gri	No	site_sid,bin_tran_id		
gr_item	i5_gri	No	site_sid,fin_tran_id		
gr_item	i6_gri	No	site_sid,gr_del_item_id		
gr_item	pk_gri	Yes	gr_item_id,site_sid		
gr_item	i7_gri	No	ord_item_id,prod_id,loc_id,site_sid,gr_id,uom_id,gr_item_stat_cd,gr_qty		
gr_item	i8_gri	Yes	site_sid,gr_id,gr_item_stat_cd		
gr_item	i9_gri	No	site_sid , gr_item_stat_cd , gr_id , bin_tran_id		
gr_item	i10_gri	No	site_sid , ord_item_id , gr_item_stat_cd , gr_id , prod_id , uom_id		
gr_item	i11_gri	No	site_sid , bin_tran_id , gr_item_id , gr_item_stat_cd , gr_id		
gr_item	i12_gri	No	gr_item_stat_cd , site_sid , ord_item_id , gr_id , prod_id , uom_id		
gr_item	i13_gri	No	site_sid , prod_id		
gr_work	pk_grw	Yes	site_sid,gr_work_id		
gr_work_item	pk_gwi	Yes	site_sid,gr_work_item_id		
gs_construction	pk_gsc	Yes	site_sid, gs_ref_id, phase_cd		
gs_construction_item	pk_gci	Yes	site_sid, gs_ref_id, con_item_cd		
gs_formulation	pk_gsf	Yes	site_sid, gsf_id		
gs_formulation	i1_gsf	No	gso_id,site_sid		
gs_formulation_alert	pk_gfa	Yes	site_sid, gfa_alert_id, gfa_adtl_id		
gs_formulation_alert	i1_gfa	No	gsf_id,site_sid		
gs_formulation_prod	pk_gfp	Yes	site_sid, gsf_id, prod_ref_id		
gs_formulation_prod	i1_gfp	No	gsf_id,site_sid		
gs_formulation_prop	pk_gfy	Yes	site_sid, gsf_id, prod_ref_id, prop_id		
gs_formulation_prop	i1_gfy	No	gsf_id,site_sid		
gs_formulation_resource	pk_gfr	Yes	site_sid, gfr_id		
gs_formulation_resource	i1_gfr	No	gsf_id,site_sid		
gs_label_printing	pk_glp	Yes	site_sid, gs_lbl_id		
gs_note	pk_gsn	Yes	site_sid, gs_note_id		
gs_order	pk_gso	Yes	site_sid, gso_id		
gs_order_note	pk_gon	Yes	site_sid, gso_note_id		
gs_order_note	i1_gon	No	gso_id,site_sid		
gs_order_prop	pk_gdp	Yes	site_sid, gso_id, prop_id		
gs_order_prop	i1_gdp	No	gso_id,site_sid		
gs_patattribute	pk_gsp	Yes	site_sid, gs_ref_id, attr_id		
gs_property	pk_gpr	Yes	site_sid, gs_prop_id		
gs_resource	pk_gsr	Yes	site_sid, gs_ref_id, resource_id		
gs_route	pk_gro	Yes	site_sid, gs_ref_id, route_id, phase_cd		
gtin	pk_gti	Yes	gti_id		
gtin	i2_gti	No	gtin_xid,prod_id,uom_id		
hard_copy_audit	pk_hca	Yes	site_sid, hard_copy_audit_id		
hard_copy_audit_parms	pk_hcp	Yes	hard_copy_audit_id,param_name,site_sid		
imp_list_loc	i2_ill	No	site_sid,imp_loc_xid		
imp_list_loc	pk_ill	Yes	imp_list_id,imp_loc_xid,site_sid		
imprest_item	i2_imi	No	site_sid,imp_list_id,imp_loc_xid		
imprest_item	i3_imi	No	site_sid,prod_id		
imprest_item	pk_imi	Yes	imp_item_id,site_sid		
imprest_list	i2_imp	No	site_sid,cost_cntr_xid		
imprest_list	pk_imp	Yes	imp_list_id,site_sid		
imprest_location	pk_iml	Yes	imp_loc_xid,site_sid		
insurer	pk_isu	Yes	ins_id		
insurer_table	i2_ist	No	ins_id		
insurer_table	pk_ist	Yes	ins_tbl_id		
interact	i2_int	No	drug_code_id,with_drug_code_id		
interact	i3_int	No	with_drug_code_id		
interact	pk_int	Yes	inta_id		
interact	i4_int	No	drug_code_id,with_drug_code_id,curr_ind,inta_type_cd,inta_id		
intervention	i2_itv	No	site_sid,doct_xid		
intervention	i3_itv	No	pat_site_sid,pat_id		
intervention	pk_itv	Yes	intv_id,site_sid		
intervention_extr	i2_itx	No	site_sid,extr_id		
intervention_extr	pk_itx	Yes	extr_id,intv_id,site_sid		
intv_group	pk_itg	Yes	intv_grp_id		
intv_type	i2_itt	No	intv_grp_id		
intv_type	pk_itt	Yes	intv_type_id		
invoc_param_list	pk_ipl	Yes	param_catg ,column_name		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

invoice_service	pk_ivs	Yes	invc_serv_xid,site_sid		
ipharmnihc	pk_ihc	Yes	ipharm_nihc_id	12	
ipharmmslic	pk_mysl	Yes	ipharm_mysl_id	12	
ipharmerx	pk_erx	Yes	ipharm_erx_id	12	
kit	pk_kit	Yes	kit_id,site_sid		
kit_dist	pk_ktd	Yes	kit_dist_id,site_sid		
kit_dist_extr	i2_kdx	No	site_sid,extr_id		
kit_dist_extr	pk_kdx	Yes	extr_id,kit_dist_id,site_sid		
kit_dist_item	i2_kdi	No	site_sid,kit_dist_id		
kit_dist_item	i3_kdi	No	site_sid,bin_tran_id		
kit_dist_item	i4_kdi	No	site_sid,kit_item_tran_id		
kit_dist_item	i5_kdi	No	site_sid,prod_id,loc_id		
kit_dist_item	pk_kdi	Yes	kit_dist_item_id,site_sid		
kit_distribution	pk_kds	Yes	kit_dist_id,site_sid		
kit_item	i2_kti	No	site_sid,kit_id		
kit_item	pk_kti	Yes	kit_item_id,site_sid		
kit_item_dist	pk_kid	Yes	kit_dist_id,kit_item_dist_id,site_sid		
kit_item_tran	i2_ktt	No	site_sid,kit_item_id		
kit_item_tran	pk_ktt	Yes	kit_item_tran_id,site_sid		
kit_maint	pk_kmt	Yes	kit_batch_id,kit_id,site_sid		
kit_maint_item	pk_kmi	Yes	kit_batch_id,kit_id,kit_item_id,site_sid		
kit_template	pk_ktm	Yes	kit_temp_id,site_sid		
kit_template_item	pk_ktmi	Yes	kit_temp_item_id,site_sid		
label_format	i2_lbf	No	stnry_xid		
label_format	pk_lbf	Yes	lbl_fmt_id		
lbl_fmt_proc	pk_lfp	Yes	lbl_fmt_proc_id,site_sid		
list_of_val	i3_lov	No	column_name,curr_ind DESC,sort_seq,value_desc		
list_of_val	pk_lov	Yes	column_name, value_cd		
lm_control_panel	pk_lcp	Yes	control_panel_id,site_sid		
lm_control_panel_ingr_sum	pk_lcs	Yes	site_sid, comp_prod_id		
lm_control_panel_ingredient	pk_lci	Yes	site_sid, control_panel_id, comp_prod_id		
lm_control_panel_resource	pk_lcr	Yes	control_panel_id,resource_id,site_sid		
lm_item	i2_lmi	No	site_sid,local_manuf_id,prod_id,loc_id,uom_id,lm_pack_qty		
lm_item	i3_lmi	No	site_sid,bin_tran_id		
lm_item	i4_lmi	No	site_sid,prod_id,loc_id		
lm_item	pk_lmi	Yes	lm_item_id,site_sid		
lm_item	i5_lmi	No	local_manuf_id , lm_item_id , site_sid , loc_id , prod_id , uom_id		
loan	pk_loa	Yes	loan_id,site_sid		
loan_extr	i2_lox	No	site_sid,extr_id		
loan_extr	pk_lox	Yes	extr_id,loan_id,site_sid		
loan_item	i2_loi	No	site_sid,loan_id		
loan_item	i3_loi	No	site_sid,bin_tran_id		
loan_item	i4_loi	No	site_sid,prod_id,loc_id		
loan_item	pk_loi	Yes	loan_item_id,site_sid		
local_manuf	i2_lmf	No	site_sid,bin_tran_id		
local_manuf	i3_lmf	No	site_sid,local_manuf_id,local_manuf_dt,lm_stat_cd,curr_ind		
local_manuf	pk_lmf	Yes	local_manuf_id,site_sid		
local_manuf	i4_lmf	No	prod_id,local_manuf_id,site_sid		
local_manuf	i5_lmf	No	site_sid , bin_tran_id , local_manuf_id , prod_id , local_manuf_dt , lm_stat_cd , uom_id , loc_id , expected_dt		
local_manuf	i6_lmf	No	site_sid , bin_tran_id , prod_id , local_manuf_dt , lm_stat_cd , local_manuf_id , uom_id , loc_id , expected_dt		
local_manuf	i7_lmf	No	curr_ind , lm_stat_cd , local_manuf_id		
local_manuf	i8_lmf	No	prod_id , site_sid , local_manuf_dt , lm_stat_cd , local_manuf_id , uom_id , loc_id , expected_dt		
local_manuf_extr	i2_lmx	No	site_sid,extr_id		
local_manuf_extr	pk_lmx	Yes	extr_id,local_manuf_id,site_sid		
location	i2_loc	No	site_sid,store_xid,curr_ind		
location	pk_loc	Yes	loc_id,site_sid		
manufacturer	pk_man	Yes	manuf_xid		
measurability	pk_msr	Yes	site_sid, measure_type_cd, upper_limit_id		
med_chart	i2_mct	No	pat_site_sid,pat_id		
med_chart	pk_mct	Yes	med_cht_id,site_sid		
med_cht_dose	i2_mcd	No	site_sid,med_cht_item_id		
med_cht_dose	pk_mcd	Yes	med_cht_dose_id,site_sid		
med_cht_ingr	i2_mcg	No	site_sid,med_cht_item_id		
med_cht_ingr	pk_mcg	Yes	med_cht_ingr_id,site_sid		
med_cht_item	i2_mci	No	site_sid,med_cht_id		
med_cht_item	pk_mci	Yes	med_cht_item_id,site_sid		
messages	pk_msg	Yes	msgid		
mims_augmdat	pk_magd	Yes	product_code, form_code, generic_code		
mims_aulink_formulation_route	pk_mafr	Yes	product_code, form_code		
mims_drug_class_int_precaution	pk_mdcip	Yes	precaution_id, drug_interact_class_id1, drug_interact_class_id2		
mims_drug_class_interaction	pk_mdci	Yes	drug_interact_class_id1, drug_interact_class_id2		
mims_drug_generic_route_interact	pk_mdgri	Yes	generic_code, drug_interact_class_id, route_id		
mims_drug_interact_class	pk_mdic	Yes	drug_interact_class_id		
mims_drug_interaction_reference	pk_mdir	Yes	drug_interact_class_id1, drug_interact_class_id2		
mims_dsm_route	pk_mdr	Yes	dsm_route_id		
mims_generic	pk_mg	Yes	generic_code		
mims_likelihood	pk_mlike	Yes	likelihood_id		
mims_linkamt	pk_mla	Yes	product_code, form_code, pack_code, item_code, generic_code, amt_code		
mims_observation	pk_mobs	Yes	observation_id		
mims_precaution	pk_mpre	Yes	precaution_id		
mims_severity	pk_msev	Yes	severity_id		
mims_upload_history	pk_muh	Yes	mims_upload_hist_id		
myscriptlist_access	pk_msa	Yes	mysl_aud_id	12	
nbr_desc	pk_nbd	Yes	nbr_qty,site_sid		
next_abc_anlys	pk_nan	Yes	site_sid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

next_account	pk_nacc	Yes	site_sid		
next_account_comp	pk_nacm	Yes	site_sid		
next_adc_stock_list	pk_nasl	Yes	site_sid	11	
next_adverse_event	pk_nadv	Yes	adv_event_id,site_sid		
next_adverse_event_item	pk_naei	Yes	adv_event_item_id,site_sid		
next_auth_nbr	pk_naut	Yes	auth_nbr_id		
next_bin_batch	pk_nbib	Yes	site_sid		
next_bin_tran	fk_nbtr_ste	No	site_sid References site		
next_bom	pk_nbom	Yes	site_sid		
next_cr_note_item	pk_ncri	Yes	site_sid		
next_credit_note	pk_ncrn	Yes	site_sid		
next_cyclical_stk_take	pk_nct	Yes	site_sid, store_xid		
next_delivered_to	pk_ndel	Yes	site_sid,del_to_id		
next_diff_price	pk_ndpr	Yes	site_sid		
next_disp_item	pk_ndsi	Yes	site_sid		
next_dispense	pk_ndpn	Yes	site_sid		
next_dispense_charge	pk_ndcg	Yes	site_sid		
next_dispense_dose	pk_ndds	Yes	site_sid		
next_dispense_hcdclm	pk_nhcd	Yes	site_sid		
next_dispense_pbs	pk_ndpb	Yes	site_sid		
next_dispense_pbs_error_codes	pk_ndpec	Yes	site_sid		
next_dispense_pbs_manuf	pk_ndpm	Yes	site_sid		
next_dispense_prop	pk_ndup	Yes	site_sid, dspn_prop_id		
next_dispense_scan	pk_ndsn	Yes	site_sid		
next_disposal	pk_ndsp	Yes	site_sid		
next_dist_cr_item	pk_ndci	Yes	site_sid		
next_dist_credit	pk_ndcr	Yes	site_sid		
next_dist_item	pk_ndii	Yes	site_sid		
next_distribution	pk_ndis	Yes	site_sid		
next_dspn_alert	pk_ndpa	Yes	site_sid		
next_dspn_class	pk_ndpc	Yes	site_sid		
next_dspn_list	pk_ndpl	Yes	dspn_list_id,site_sid		
next_dspn_order	pk_ndpo	Yes	dspn_order_id		
next_dspn_prod	pk_ndpp	Yes	site_sid		
next_edi	pk_nedi	Yes	site_sid		
next_edi_build	pk_nedb	Yes	site_sid		
next_edi_inv_desp	pk_neid	Yes	site_sid,edi_id		
next_external_link	pk_nexl	Yes	site_sid,ext_link_id		
next_external_message	pk_nexm	Yes	site_sid		
next_external_message_bill	pk_nemb	Yes	site_sid,ext_msg_bill_id		
next_extract	pk_next	Yes	site_sid		
next_extract_file	pk_nexf	Yes	site_sid		
next_family	pk_nfam	Yes	family_id		
next_fin_struct	pk_nfsr	Yes	fin_struct_id		
next_fin_tran	pk_nftr	Yes	site_sid		
next_free_ret_item	pk_nfri	Yes	site_sid		
next_free_return	pk_nfrt	Yes	site_sid		
next_goal_sheet	pk_ngsh	Yes	site_sid		
next_goods_receipt	pk_ngrc	Yes	site_sid		
next_gr_item	pk_ngri	Yes	site_sid		
next_gr_work	pk_ngrw	Yes	site_sid		
next_gr_work_item	pk_ngwi	Yes	site_sid		
next_gs_formulation	pk_ngsf	Yes	site_sid		
next_gs_formulation_resource	pk_ngfr	Yes	site_sid		
next_gs_note	pk_ngn	Yes	site_sid		
next_gs_order	pk_ngso	Yes	site_sid		
next_gs_order_note	pk_non	Yes	site_sid		
next_gs_version	pk_ngsv	Yes	site_sid, gs_id		
next_hard_copy_audit	pk_nhca	Yes	site_sid, hard_copy_audit_id		
next_hard_copy_rept_audit	pk_nhcr	Yes	hard_copy_audit_rept_id		
next_imprest_item	pk_nimi	Yes	site_sid		
next_imprest_list	pk_nimp	Yes	site_sid		
next_infusion	pk_ninf	Yes	pharm_approval_nbr, infusion_xid		
next_intervention	pk_nitv	Yes	site_sid		
next_kit	pk_nkit	Yes	site_sid		
next_kit_dist	pk_nkds	Yes	site_sid		
next_kit_dist_item	pk_nkdi	Yes	site_sid		
next_kit_distr	pk_nktd	Yes	site_sid, kit_dist_id		
next_kit_item	pk_nkti	Yes	site_sid		
next_kit_item_dist	pk_nkid	Yes	site_sid, kit_item_dist_id		
next_kit_item_tran	pk_nktt	Yes	site_sid		
next_lbl_fmt_proc	pk_nlfp	Yes	site_sid		
next_lm_item	pk_nlmi	Yes	site_sid		
next_loan	pk_nloa	Yes	site_sid		
next_loan_item	pk_nloi	Yes	site_sid		
next_local_manuf	pk_nlmf	Yes	site_sid		
next_location	fk_nloc_ste	No	site_sid References site		
next_measurability	pk_nmsr	Yes	site_sid, msr_id		
next_med_chart	pk_nmct	Yes	site_sid		
next_med_cht_dose	pk_nmcd	Yes	site_sid		
next_med_cht_ingr	pk_nmcg	Yes	site_sid		
next_med_cht_item	pk_nmci	Yes	site_sid		
next_ord_work	pk_norw	Yes	site_sid		
next_ord_work_item	pk_nowi	Yes	site_sid		
next_order	fk_nord_ste	No	site_sid References site		
next_order_item	fk_nori_ste	No	site_sid References site		
next_pam_calc	pk_npmc	Yes	site_sid		
next_pat_attribute	pk_natp	Yes	site_sid		
next_pat_episode	pk_neps	Yes	site_sid		
next_pat_hi	pk_nphi	Yes	site_sid	12	
next_pat_invoice	pk_npnv	Yes	site_sid		
next_pat_invoice_item	pk_npii	Yes	site_sid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

next_pat_invoice_pay	pk_npip	Yes	site_sid		
next_pat_note	pk_nptn	Yes	site_sid		
next_pat_note_seq	pk_npns	Yes	site_sid		
next_pat_prod_perm	pk_nper	Yes	site_sid		
next_patient	pk_npat	Yes	site_sid		
next_pbs_claim	pk_nclm	Yes	pbs_claim_id		
next_pbs_claim_item	pk_ncli	Yes	pbs_claim_id, pbs_payment_catg_cd		
next_pbs_hic_claim	pk_nhclm	Yes	pharm_approval_nbr, pbs_claim_year		
next_prescription	pk_nppn	Yes	site_sid		
next_prescription_item_track	pk_npit	Yes	site_sid		
next_prescription_track	pk_nprt	Yes	site_sid		
next_prop_attr	pk_nptt	Yes	prop_attr_id		
next_prop_dose	pk_npdo	Yes	prop_dose_id		
next_property	pk_nprp	Yes	prop_id		
next_prot_sched_chart	pk_npsc	Yes	site_sid, prot_sched_id		
next_prot_sched_item	pk_npsi	Yes	site_sid, prot_sched_item_id		
next_prot_sched_period	pk_npsh	Yes	site_sid, prot_sched_period_id		
next_pvv_adj_item	pk_npvi	Yes	site_sid		
next_pvv_adjust	pk_npva	Yes	site_sid		
next_repay_item	pk_nrpi	Yes	site_sid		
next_repayment	pk_nrpy	Yes	site_sid		
next_reqn	pk_nrqn	Yes	site_sid		
next_reqn_item	pk_nrqi	Yes	site_sid		
next_robot	pk_nrob	Yes	site_sid		
next_robot_chute	pk_nroi	Yes	site_sid		
next_robot_dist	pk_nrdist	Yes	site_sid		
next_robot_interface	pk_nroc	Yes	site_sid		
next_robot_tfr	pk_nrtfr	Yes	site_sid		
next_stk_adj_item	pk_nsai	Yes	site_sid		
next_stk_take_grp	pk_nstg	Yes	site_sid,stk_take_grp_sid		
next_stk_take_item	pk_nsti	Yes	site_sid		
next_stock_adjust	pk_nsad	Yes	site_sid		
next_stock_take	pk_nstk	Yes	site_sid		
next_supp_catl	pk_nsct	Yes	site_sid		
next_tfr_item	pk_ntfi	Yes	site_sid		
next_tfr_request	pk_ntfq	Yes	site_sid		
next_tfr_rqst_item	pk_ntqi	Yes	site_sid		
next_tran_add_val	pk_ntav	Yes	site_sid		
next_transfer	pk_ntfr	Yes	site_sid		
next_user_workstation_audit	pk_nuwa	Yes	session_id		
next_val_adj_item	pk_nvai	Yes	site_sid		
next_value_adjust	pk_nvad	Yes	site_sid		
next_var_dose_cht	pk_nvdc	Yes	site_sid		
next_var_dose_item	fk_nvdi_ste	No	site_sid References site		
next_var_dose_per	pk_nvdp	Yes	site_sid		
next_workstation	pk_nwkn	Yes	next_workstation		
ord_work	pk_orw	Yes	ord_work_id,site_sid		
ord_work_item	pk_owi	Yes	ord_work_item_id,site_sid		
ord_work_item	i2_owi	Yes	ord_work_id, site_sid		
order_item	i2_ori	No	site_sid,ord_id		
order_item	i3_ori	No	site_sid,ord_id,prod_id,loc_id,uom_id,reqn_item_id,ord_qty,ord_item_stat_cd		
order_item	i4_ori	No	site_sid,ord_item_id,ord_id,ord_item_stat_cd		
order_item	i5_ori	No	ord_id,prod_id,uom_id,rqi_site_sid,reqn_item_id,ord_qty,ord_item_stat_cd		
order_item	i6_ori	No	site_sid,prod_id		
order_item	pk_ori	Yes	ord_item_id,site_sid		
order_item	i7_ori	No	ord_item_stat_cd , prod_id , site_sid , ord_item_id , ord_id , uom_id , loc_id , expected_deliv_dt		
orders	i2_ord	No	site_sid,ord_id,ord_dt		
orders	pk_ord	Yes	ord_id,site_sid		
orders	i3_ord	No	ord_dt		
orders	i4_ord	No	site_sid , ord_id , supp_xid , ord_dt		
orders_extr	i2_orx	No	site_sid,extr_id		
orders_extr	pk_orx	Yes	extr_id,ord_id,site_sid		
pam_calc	pk_pmc	Yes	pam_calc_id,site_sid		
pat_attribute	i1_atp	No	site_sid, pat_id, active_ind		
pat_attribute	pk_atp	Yes	site_sid, pat_id, pat_attr_id		
pat_attribute	i2_atp	No	pat_id,attr_id,site_sid,active_ind		
pat_episode	i2_eps	No	site_sid, pat_id		
pat_episode	pk_eps	Yes	site_sid, eps_id, pat_id		
pat_hi	pk_phi	Yes	site_sid,pat_hi_id	12	
pat_hi	i2_phi	No	site_sid, pat_hi_xid		
pat_hi	i3_phi	No	site_sid, pat_hi_xid		
pat_invoice	i2_pnv	No	pat_site_sid,pat_id		
pat_invoice	i3_pnv	No	pat_invc_stat_cd		
pat_invoice	pk_pnv	Yes	pat_invc_id,site_sid		
pat_invoice	i4_pnv	No	site_sid,pat_site_sid, pat_invc_id		
pat_invoice_extr	i2_pnx	No	site_sid,extr_id		
pat_invoice_extr	pk_pnx	Yes	extr_id,pat_invc_id,site_sid		
pat_invoice_item	i2_pii	No	site_sid,pat_invc_id		
pat_invoice_item	i3_pii	No	site_sid,dspn_id		
pat_invoice_item	i4_pii	No	dspn_id		
pat_invoice_item	i5_pii	No	site_sid,pat_invc_id,dspn_id,pat_invc_item_note,pii_pack_qty,pii_cost_extn_amt,pii_chrg_amt,pii_type_cd		
pat_invoice_item	i6_pii	No	site_sid,pat_invc_item_id,dspn_id		
pat_invoice_item	pk_pii	Yes	pat_invc_item_id,site_sid		
pat_invoice_item	i7_pii	No	site_sid ,orig_pii_item_id		
pat_invoice_pay	i2_pip	No	site_sid,pat_invc_id		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

pat_invoice_pay	pk_pip	Yes	pat_invc_pay_id,site_sid		
pat_note	i2_ptn	No	pat_site_sid,pat_id		
pat_note	pk_ptn	Yes	pat_note_id,site_sid		
pat_note_dtl	i2_pnd	No	pat_note_id		
pat_note_dtl	pk_pnd	Yes	pat_note_seq,site_sid		
pat_note_temp	pk_pnt	Yes	temp_name_xid		
pat_prod_perm_extr	i2_pex	No	site_sid,extr_id		
pat_prod_perm_extr	pk_pex	Yes	extr_id,permit_id,site_sid		
pat_prod_permit	i2_per	No	site_sid,prod_id		
pat_prod_permit	i3_per	No	site_sid,supp_xid		
pat_prod_permit	i4_per	No	site_sid,doct_xid		
pat_prod_permit	i5_per	No	pat_site_sid,pat_id		
pat_prod_permit	pk_per	Yes	permit_id,site_sid		
patient	i10_pat	No	safety_net_nbr		
patient	i11_pat	No	pat_xid		
patient	i12_pat	No	site_sid,pat_id,pat_xid,pat_surname,pat_first_name		
patient	i2_pat	No	alias_pat_site_sid,alias_pat_id		
patient	i4_pat	No	site_sid,pat_xid		
patient	i5_pat	No	pat_id,ref_site_sid		
patient	i6_pat	No	site_sid		
patient	i7_pat	No	medicare_nbr		
patient	i8_pat	No	entitlement_nbr		
patient	i9_pat	No	dva_nbr		
patient	pk_pat	No	site_sid,pat_id		
patient	i14_pat	Yes	site_sid, pat_id, pat_xid, nhs_nbr_id, nhs_stat_cd, pat_first_name, pat_surname, alias_pat_site_sid, alias_pat_id		
patient	i15_pat	No	site_sid , pat_id , pat_surname_uc		
patient	i16_pat	No	site_sid , pat_id , pat_surname_uc		
patient	i17_pat	No	site_sid , pat_id , pat_surname_uc , pat_xid , nhs_nbr_id , nhs_stat_cd , pat_surname , pat_first_name		
patient	i3_pat	Yes	pat_surname_uc, site_sid, pat_id		
patient_user_workstation	pk_puw	Yes	site_sid, pat_id, pat_site_sid, app_function_cd		
pbcatedt	pbcatedt_idx	Yes	pbe_name, pbe_seqn		
pbcatfmt	pbcatfmt_idx	Yes	pbf_name		
pbcatvld	pbcatvld_idx	Yes	pbv_name		
pbs_claim	i2_clm	No	pharm_approval_nbr		
pbs_claim	pk_clm	Yes	pbs_claim_id		
pbs_claim	i3_clm	No	pharm_approval_nbr, hic_pbs_claim_xid, pbs_claim_id		
pbs_code	i2_pbs	No	pbs_code		
pbs_code	i3_pbs	Yes	pbs_code, drug_type_Cd, manuf_cd, amt_tpp_xid		
pbs_code	i4_pbs	No	pbs_code_pid ,pbs_code		
pbs_code	i5_pbs	No	drug_type_cd		
pbs_code	pk_pbs	Yes	pbs_code_pid		
pbs_error_codes	pk_pec	Yes	error_cd		
pbs_item	i2_pbi	No	pbs_code_pid		
pbs_item	pk_pbi	Yes	pbs_item_pid		
pbs_item	i3_pbi	No	pbs_code_pid , start_dt , stop_dt		
pbs_item_temp	pk_pbt	Yes	pbs_item_pid		
pbs_link	pk_pbl	Yes	pbs_code_pid,prod_id		
pbs_link	i2_pbl	No	prod_id		
pbs_payment_statement	i2_pps	No	site_sid, dspn_id		
pbs_payment_statement	i3_pps	No	pbs_claim_id, dspn_pbs_id		
pbs_payment_statement	i4_pps	No	pbs_claim_id		
pbs_payment_statement	i5_pps	No	pbs_claim_id, dspn_pbs_manuf_id		
pbs_payment_statement	i6_pps	No	site_sid, dspn_pbs_manuf_id		
pbs_payment_statement	i7_pps	No	site_sid, dspn_id, dspn_pbs_id, pbs_claim_id, payment_category, pbs_code, dspn_pbs_manuf_id, manuf_uppn_xid, hic_ref_nbr, serial_number, brand		
pbs_payment_statement	pk_pps	Yes	pbs_stmnt_id		
pbs_reconciliation	pk_pre	Yes	pbs_claim_id, claim_period, pharmapprovalnumber		
pbs_restriction	i2_prs	No	pbs_rest_code		
pbs_restriction	pk_prs	Yes	pbs_rest_pid		
pbs_restriction_link	pk_prl	Yes	pbs_rest_link_pid		
pbs_restriction_note	pk_prn	Yes	pbs_rest_note_pid,pbs_rest_pid		
pbs_wastage_factor	pk_pwf	Yes	supp_pct		
person	i2_psn	No	pers_xid		
person	pk_psn	Yes	pat_site_sid, pat_id		
pharmacy	pk_pha	Yes	pharm_xid,site_sid		
prescription	pk_ppn	Yes	ppn_id,site_sid		
prescription	i2_ppn	Yes	dspn_class_id, site_sid, ppn_stat_cd, pat_id, pat_site_sid, ppn_id		
prescription_item_track	pk_pit	Yes	ppn_item_track_id,site_sid		
prescription_item_track	i2_pit	Yes	site_sid, ppn_id, ppn_item_track_stat_cd, dspn_id		
prescription_notes_desc	pk_prnd	Yes	site_sid, ppn_notes_xid		
prescription_track	pk_prt	Yes	ppn_track_id,site_sid		
prescription_track	i2_prt	Yes	site_sid, ppn_track_dt, ppn_track_stat_cd, ppn_id		
prescription_track	i3_prt	Yes	ppn_track_dt, site_sid, ppn_id, ppn_track_stat_cd		
prod_form	pk_pdf	Yes	prod_form_xid		
prod_mims_generic	pk_pmg	Yes	prod_id, generic_code		
prod_prop	pk_prop	Yes	prod_id, prop_id, unit_catg_xid		
prod_resource	pk_pre	Yes	prod_id, resource_id		
prod_route	pk_pdr	Yes	prod_id,route_id		
prod_schedule	pk_sch	Yes	schedule_short		
prod_site	i2_pds	No	site_sid,prod_id,curr_ind		
prod_site	pk_pds	Yes	site_sid, prod_id		
prod_substitute	pk_psu	No	site_sid , prod_id, subst_id		
prod_supp_pref	pk_psp	Yes	prod_id,site_sid,supp_xid		
prod_uom	i2_pdu	No	prod_uom_apn		
prod_uom	i3_pdu	No	prod_id,uom_id,uom_qty		
prod_uom	i4_pdu	No	prod_id ,curr_ind ,uom_id		
prod_uom	pk_pdu	Yes	prod_id, uom_id		
prod_warn_code	pk_pwc	Yes	prod_id,warn_code_xid		
product	i2_prd	No	prod_qid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

product	i3_prd	No	prod_short_code		
product	i5_prd	No	brand_desc_uc		
product	i6_prd	No	prod_id,prod_form_xid,inven_uom_id,pack_uom_id,brand_desc,strength,pack_desc,generic_desc,cmi_xid		
product	pk_prd	No	prod_id		
product	i7_prd	No	prod_id , prod_form_xid , brand_desc , strength , pack_desc , generic_desc , invc_code		
product	i8_prd	No	amt_map_stat_cd		
product	i9_prd	No	mpp_id		
product	i4_prd	No	generic_desc_uc, prod_id		
profile	i2_pro	No	application_cd		
profile	pk_pro	Yes	application_cd, profile_cd		
profile_access	i2_pra	No	profile_cd		
profile_access	i3_pra	No	app_function_cd,application_cd,profile_cd,enquire_fl		
profile_access	pk_pra	Yes	app_function_cd,application_cd,profile_cd		
profile_access	i4_pra	No	application_cd,profile_cd,app_function_cd		
profile_access	i5_pra	Yes	profile_cd, application_cd, enquire_fl		
profile_access	i6_pra	No	application_cd , profile_cd		
profile_rpt_access	pk_rpt	Yes	profile_cd,rpt_sid		
prop_attr	pk_ptt	Yes	prop_attr_id		
prop_dose	pk_pdo	Yes	prop_dose_id		
prop_unit	pk_pru	Yes	prop_id, unit_catg_xid		
property	pk_prp	Yes	prop_id		
prot_sched_chart	pk_psc	Yes	prot_sched_id,site_sid		
prot_sched_item	pk_psi	Yes	site_sid, prot_sched_item_id		
prot_sched_period	pk_psh	Yes	prot_sched_period_id,site_sid		
protocol	pk_ptc	Yes	protocol_id, version_id		
protocol_bom	pk_ptb	Yes	comp_prod_id,protocol_id,protocol_item_id,version_id		
protocol_item	pk_pti	Yes	protocol_item_id, protocol_id, version_id		
protocol_site	pk_pts	Yes	protocol_id,site_sid,version_id		
pvv_adj_item	pk_pvi	Yes	site_sid, pvv_adj_item_id		
pvv_adjust	pk_pva	Yes	site_sid, pvv_adj_id		
recon_ingred	pk_rei	Yes	recon_item_id		
recon_lot	pk_rel	Yes	pharm_xid, recon_id, recon_lot_id		
recon_prod	pk_rep	Yes	recon_id		
repay_item	i2_rpi	No	site_sid,repay_id		
repay_item	i3_rpi	No	site_sid,bin_tran_id		
repay_item	i4_rpi	No	site_sid,fin_tran_id		
repay_item	i5_rpi	No	site_sid,loan_item_id		
repay_item	i6_rpi	No	site_sid,prod_id,loc_id		
repay_item	pk_rpi	Yes	repay_item_id,site_sid		
repayment	pk_rpy	Yes	repay_id,site_sid		
repayment_extr	i2_rpx	No	site_sid,extr_id		
repayment_extr	pk_rpx	Yes	extr_id,repay_id,site_sid		
reprint	pk_rpr	Yes	site_sid, report_name, table_name, column_name, column_id		
rept_fmt_proc	pk_rfp	Yes	rept_fmt_cd,site_sid		
rept_format	pk_rpf	Yes	rept_fmt_cd		
reqn	i2_rqn	No	site_sid,reqn_id,store_xid,reqn_dt		
reqn	pk_rqn	Yes	reqn_id,site_sid		
reqn_extr	i2_rqx	No	site_sid,extr_id		
reqn_extr	pk_rqx	Yes	extr_id,reqn_id,site_sid		
reqn_item	i2_rqi	No	site_sid,reqn_id		
reqn_item	i3_rqi	No	site_sid,reqn_id,uom_id,prod_id,rqi_resupp_meth_cd,reqn_qty,reqn_item_stat_cd		
reqn_item	i4_rqi	No	reqn_item_stat_cd,rqi_resupp_meth_cd,reqn_item_id,prod_id,reqn_id,site_sid		
reqn_item	pk_rqi	Yes	site_sid, reqn_item_id		
resource	pk_res	Yes	resource_id		
robot	pk_rob	Yes	site_sid, robot_id		
robot_audit_message	pk_ram	Yes	robot_aud_msg_id		
robot_chute	pk_roc	Yes	site_sid, chute_id		
robot_consis_external_ids	pk_rce	Yes	robot_consis_id		
robot_error_message	pk_rem	Yes	robot_error_msg_id		
robot_interface	pk_roi	Yes	site_sid, interface_id		
route	pk_rou	Yes	route_id		
rtpm_amt_identifier	pk_rai	Yes	ctpp_id		
sales_tax	pk_stx	Yes	sales_tax_xid		
site	i2_ste	No	site_xid		
site	pk_ste	Yes	site_sid		
site_acc_comp	pk_sac	Yes	acc_comp_id,site_sid		
site_settings	pk_sis	Yes	site_sid, site_fun_cd		
spec_prod_indication	pk_spi	Yes	spi_id		
stationery	pk_stn	Yes	stnry_xid		
stationery_settings	pk_sts	Yes	user_cd, wkstn_id, site_sid, stnry_xid, pref_key		
stationery_settings	i2_sts	No	site_sid, stnry_xid, wkstn_id		
std_manuf_note	i2_smn	No	prod_id		
std_manuf_note	pk_smn	Yes	std_manuf_note_id		
stk_adj_item	i2_sai	No	site_sid,stk_adj_id		
stk_adj_item	i3_sai	No	site_sid,bin_tran_id		
stk_adj_item	i4_sai	No	site_sid,prod_id,loc_id		
stk_adj_item	pk_sai	Yes	site_sid,stk_adj_item_id		
stk_adj_item	i6_sai	No	stk_adj_id , site_sid , stk_adj_item_id , bin_tran_id		
stk_adj_item	i7_sai	No	bin_tran_id , site_sid , stk_adj_id		
stk_adj_item	i5_sai	No	site_sid, bin_tran_id, stk_adj_id		
stk_take_grp	pk_stg	Yes	site_sid,stk_take_grp_sid		
stk_take_item	i2_sti	No	site_sid,stk_take_id		
stk_take_item	i3_sti	No	site_sid,bin_tran_id		
stk_take_item	pk_sti	Yes	site_sid,stk_take_item_id		
stk_take_item	i4_sti	No	site_sid, prod_id		
stk_take_item	i5_sti	No	bin_tran_id, site_sid, stk_take_id		
stocca_adc_parm	pk_sdc	Yes	site_sid	11	

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

stocca_alert_parm	pk_sap	Yes	dspn_alert_type_cd,site_sid		
stocca_dspn_parm	i2_sdp	No	site_sid ,dspn_stat_coll		
stocca_dspn_parm	i3_sdp	No	site_sid ,dspn_stat_def		
stocca_dspn_parm	i4_sdp	No	site_sid ,dspn_stat_del		
stocca_dspn_parm	i5_sdp	No	site_sid ,dspn_stat_comp		
stocca_dspn_parm	i6_sdp	No	site_sid ,dspn_stat_ip		
stocca_dspn_parm	i7_sdp	No	site_sid ,dspn_stat_prep		
stocca_dspn_parm	pk_sdp	Yes	site_sid		
stocca_inven_parm	pk_sip	Yes	site_sid		
stocca_parameter	pk_spm	Yes	site_sid		
stocca_pbs_dspn_parm	pk_spd	Yes	pharm_xid,site_sid		
stocca_pbs_global_parm	pk_spg	Yes	stocca_pbs_parm_sid		
stocca_process	pk_spr	Yes	proc_id		
stocca_prod_parm	pk_spp	Yes	site_sid		
stocca_ref_site_parm	pk_srp	Yes	ref_site_sid,site_sid		
stocca_spr_parm	pk_sprp	Yes	site_sid, spec_prod_cd		
stoccamsg_parm	pk_smp	Yes	hl7_sendapp_name		
stock_adjust	pk_sad	Yes	site_sid,stk_adj_id		
stock_adjust_extr	i2_sax	No	site_sid,extr_id		
stock_adjust_extr	pk_sax	Yes	extr_id,site_sid,stk_adj_id		
stock_take	i2_stk	No	site_sid,store_xid		
stock_take	pk_stk	Yes	site_sid,stk_take_id		
stock_take_extr	i2_skx	No	site_sid,extr_id		
stock_take_extr	pk_skx	Yes	extr_id,site_sid,stk_take_id		
stock_valuation	pk_stv	Yes	site_sid, prod_id, loc_id, tran_dt		
stock_valuation	i2_stv	No	site_sid ,prod_id ,loc_id		
stock_valuation_backup	pk_stb	Yes	site_sid, prod_id, loc_id, tran_dt		
store	i2_str	No	site_sid,store_xid,str_resupp_meth_cd,curr_ind		
store	pk_str	Yes	site_sid,store_xid		
store_acc_comp	pk_sta	Yes	acc_comp_id,site_sid,store_xid		
supp_catl	i2_sct	No	prod_id,supp_xid		
supp_catl	pk_sct	Yes	site_sid,supp_catl_id		
supp_catl	i3_sct	Yes	uom_id, price_start_dt, created_dt, site_sid, price_stop_dt, supp_catl_id, supp_xid, prod_id		
supp_catl	i4_sct	No	prod_id , site_sid , price_start_dt , price_stop_dt , uom_id , supp_xid , supp_catl_id , created_dt		
supp_catl	i5_sct	No	uom_id , site_sid , prod_id , price_start_dt , price_stop_dt , supp_xid , supp_catl_id , created_dt		
supp_catl	i6_sct	No	uom_id , supp_xid , prod_id , site_sid , supp_catl_id , price_start_dt , price_stop_dt , created_dt		
supp_cost_cntr	pk_scc	Yes	cost_cntr_xid,site_sid,supp_xid		
supp_mast	pk_sum	Yes	supp_mast_xid		
supplier	pk_sup	Yes	site_sid,supp_xid		
supplier	i2_sup	No	supp_xid , site_sid		
supplier	i3_sup	No	supp_xid , site_sid , supp_name		
supplier	i4_sup	No	curr_ind		
team	pk_tea	Yes	site_sid,team_xid		
team	i3_tea	No	team_xid,site_sid,team_name		
team	i2_tea	No	curr_ind DESC,team_name,site_sid		
tfr_item	i2_tfi	No	supp_site_sid		
tfr_item	i3_tfi	No	supp_site_sid,supp_bin_tran_id		
tfr_item	i4_tfi	No	recv_site_sid,tfr_rqst_item_id		
tfr_item	i5_tfi	No	recv_site_sid,recv_bin_tran_id		
tfr_item	i6_tfi	No	supp_site_sid,recv_site_sid,tfr_rqst_item_id,uom_id,prod_id,supp_loc_id, recv_loc_id,tfr_item_type_cd,tfr_qty,tfr_item_stat_cd		
tfr_item	i7_tfi	No	supp_site_sid,recv_site_sid,tfr_rqst_item_id,uom_id,prod_id,supp_loc_id, tfr_item_type_cd,tfr_qty,tfr_item_stat_cd		
tfr_item	i8_tfi	No	recv_site_sid,tfr_rqst_item_id,uom_id,prod_id,supp_loc_id,recv_loc_id,tfr _item_type_cd,tfr_qty,tfr_item_stat_cd		
tfr_item	pk_tfi	Yes	supp_site_sid,tfr_item_id		
tfr_item	i9_tfi	No	supp_site_sid,prod_id,supp_loc_id,tfr_item_type_cd,tfr_item_stat_cd,tfr_ rqst_item_id,recv_site_sid,tfr_id,uom_id,tfr_qty		
tfr_item	t9_tfi	No	supp_bin_tran_id,supp_site_sid,tfr_item_type_cd,tfr_item_id,tfr_id		
tfr_item	i11_tfi	Yes	supp_site_sid,supp_bin_tran_id,supp_loc_id,prod_id		
tfr_item	i12_tfi	Yes	recv_site_sid,prod_id,recv_loc_id,recv_bin_tran_id, tfr_item_id,supp_site_sid		
tfr_item	i14_tfi	No	supp_site_sid , supp_bin_tran_id , tfr_id , recv_site_sid , tfr_item_id , recv_bin_tran_id		
tfr_item	i15_tfi	No	supp_site_sid , recv_site_sid , tfr_id , supp_bin_tran_id , tfr_item_id , recv_bin_tran_id		
tfr_item	i16_tfi	No	supp_site_sid , tfr_id , supp_bin_tran_id		
tfr_item	i17_tfi	No	recv_bin_tran_id , recv_site_sid , supp_site_sid , tfr_item_id , supp_bin_tran_id , tfr_id		
tfr_item	i18_tfi	No	recv_loc_id , recv_site_sid , prod_id , tfr_item_type_cd , tfr_item_stat_cd ,		
tfr_item	i19_tfi	No	tfr_item_stat_cd ,tfr_item_type_cd ,recv_loc_id ,prod_id ,uom_id ,tfr_id ,supp_site_sid ,tfr_qty		
tfr_item	i13_tfi	No	tfr_rqst_item_id, recv_site_sid, prod_id		
tfr_item	i10_tfi	No	prod_id, recv_loc_id, tfr_item_type_cd, tfr_item_stat_cd		
tfr_item	i20_tfi	No	supp_site_sid, robot_tran_id		
tfr_item	i21_tfi	No	tfr_item_type_cd, tfr_item_stat_cd		
tfr_request	i2_tfq	No	tfr_rqst_item_id , uom_id		
tfr_request	pk_tfq	Yes	rqst_site_sid,tfr_rqst_id		
tfr_request	i3_tfq	No	tfr_rqst_dt,rqst_site_sid,tfr_rqst_id,supp_site_sid		
tfr_request_extr	i2_trx	No	site_sid,extr_id		
tfr_request_extr	pk_trx	Yes	extr_id,site_sid,tfr_rqst_id		
tfr_request_extr	i2_tfx	No	extr_id, site_sid		
tfr_rqst_item	i2_tqi	No	rqst_site_sid,tfr_rqst_item_id,tfr_rqst_id,tri_stat_cd		
tfr_rqst_item	i3_tqi	No	prod_id,tri_stat_cd		
tfr_rqst_item	i4_tqi	No	rqst_site_sid,tfr_rqst_id,uom_id,prod_id,loc_id,tfr_rqst_qty,tri_stat_cd		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

tfr_rqst_item	i5_tqi	No	rqst_site_sid,tfr_rqst_item_id,tfr_rqst_id,uom_id,prod_id,tfr_rqst_qty,tri_stat_cd		
tfr_rqst_item	pk_tqi	Yes	rqst_site_sid,tfr_rqst_item_id		
tfr_rqst_item	i6_tqi	No	tri_stat_cd,rqst_site_sid,tfr_rqst_id,tfr_rqst_item_id		
tran_add_val	pk_tav	Yes	site_sid,tran_add_val_id		
tran_add_val	pk_tav	Yes	site_sid, tran_add_val_id		
tran_type	pk_ttp	Yes	tran_type_cd		
transfer	i2_tfr	No	supp_site_sid,supp_store_xid		
transfer	i3_tfr	No	recv_site_sid,recv_store_xid		
transfer	pk_tfr	Yes	supp_site_sid,tfr_id		
transfer	i4_tfr	No	supp_site_sid,tfr_id		
transfer	i5_tfr	No	supp_site_sid , tfr_id , supp_store_xid , recv_store_xid , recv_site_sid		
transfer	i6_tfr	No	supp_site_sid , supp_store_xid , tfr_id , recv_site_sid , recv_store_xid AS		
transfer	i7_tfr	No	recv_site_sid , recv_store_xid , tfr_id , supp_site_sid , supp_store_xid		
transfer	i8_tfr	No	recv_store_xid , supp_site_sid , tfr_id , recv_site_sid , supp_store_xid		
transfer	i9_tfr	No	recv_site_sid		
transfer_extr	i2_tfx	No	site_sid,extr_id		
transfer_extr	pk_tfx	Yes	extr_id,site_sid,tfr_id		
unit	i1_uni	Yes	unit_class_cd, unit_type_cd, unit_desc		
unit	pk_uni	Yes	unit_pid		
uom	pk_uom	Yes	uom_id		
uppn_map	pk_upm	Yes	site_sid,orig_dspn_id, curr_dspn_id		
Uppn_map	i2_upm	No	site_sid,curr_dspn_id		
Uppn_map	i3_upm	No	site_sid,orig_dspn_id		
Uppn_map	i4_upm	No	curr_dspn_id ,site_sid		
user_list_of_val	pk_ulv	Yes	user_value_type_cd, user_value_xid		
user_lov_pat	pk_upa	Yes	pat_site_sid, pat_id, user_value_xid		
user_lov_prod	pk_upr	Yes	prod_id,user_value_xid		
User_pwd	pk_usp	Yes	pwd_id		
user_settings	pk_usg	Yes	pref_key,site_sid,user_cd,wkstn_id		
user_site_settings	pk_uss	Yes	pref_key,site_sid,user_cd,wkstn_id		
user_workstation_audit	pk_uwa	Yes	session_id		
users	i2_usr	No	ad_name,domain_cd,active_ind,active_fl		
users	i3_usr	No	active_fl DESC,user_cd		
val_adj_item	pk_vai	Yes	site_sid,val_adj_item_id		
value_adjust	pk_vad	Yes	site_sid,val_adj_id		
var_dose_chart	i2_vdc	No	pat_site_sid,pat_id		
var_dose_chart	pk_vdc	Yes	site_sid,var_dose_chart_id		
var_dose_item	i2_vdi	No	site_sid,var_dose_chart_id		
var_dose_item	pk_vdi	Yes	site_sid,var_dose_item_id		
var_dose_period	pk_vdo	Yes	site_sid,var_dose_period_id		
warning_codes	pk_wcd	Yes	warn_code_xid		
work_flow	pk_wfl	Yes	work_flow_id		
workstation	i2_wkn	No	wkstn_name		
workstation	pk_wkn	Yes	site_sid, wkstn_id		
workstation_settings	pk_wks	Yes	site_sid, wkstn_id, user_cd		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

Constraints					
Table	Constraint Name	Unique?	Columns	New or adjusted in version	Notes
abc_anlys_grp_smry	fk_ags_ash	No	abc_anlys_id,site_sid References abc_anlys_smry_hdr		
abc_anlys_grp_smry	fk_ags_ste	No	site_sid References site		
abc_anlys_grp_smry	fk_ags_stg	No	site_sid,stk_take_grp_sid References stk_take_grp		
abc_anlys_grp_smry	pk_ags	Yes	abc_anlys_id,site_sid,stk_take_grp_sid		
abc_anlys_smry_hdr	fk_ash_ste	No	site_sid References site		
abc_anlys_smry_hdr	pk_ash	Yes	abc_anlys_id,site_sid		
abc_anlys_val_smry	fk_avs_ash	No	abc_anlys_id,site_sid References abc_anlys_smry_hdr		
abc_anlys_val_smry	fk_avs_ste	No	site_sid References site		
abc_anlys_val_smry	pk_avs	Yes	abc_anlys_id,site_sid,tot_pct		
abc_stk_take_grp	pk_asg	Yes	site_sid, store_xid, stk_take_grp_sid		
abc_stk_take_grp	fk_asg_stg		site_sid, references stk_take_grp		
account	fk_acc_ste	No	site_sid References site		
account	pk_acc	Yes	acc_id,site_sid		
account_comp	fk_acm_acc	No	acc_id,site_sid References account		
account_comp	pk_acm	Yes	acc_comp_id,site_sid		
adc_audit_message	pk_aam	Yes	adc_aud_msg_id		
adc_error_message	pk_aem	Yes	adc_error_msg_id		
adc_group	pk_agp	Yes	adc_grp_id		
adc_group_identifier	pk_agi	Yes	adc_grp_ident_id		
adc_identifier_map	pk_aim	Yes	site_sid,adc_map_id		
adc_identifier_map	fk_aim	No	adc_grp_id references adc_group		
adc_identifier_map	fk_aim_ste	No	site_sid References site		
adc_identifier_map	pk_aim	Yes	site_sid,adc_map_id		
adc_max_characters	pk_amc	Yes	adc_max_char_id		
adc_name	pk_adn	Yes	site_sid,adc_name_id		
adc_name	fk_adn_ste	No	site_sid References site		
adc_prod_form	pk_adf	Yes	adc_form_id		
adc_product	pk_adp	Yes	adc_prod_id		
adc_product	uk_adp	Yes	adc_type_cd,amt_ident_id		
adc_stock_list	pk_asl	Yes	site_sid,adc_stk_list_id		
adverse_event	fk_adv_doc	No	doct_xid,site_sid References doctor		
adverse_event	fk_adv_pat	No	pat_id,pat_site_sid References patient		
adverse_event	fk_adv_ste	No	site_sid References site		
adverse_event	pk_adv	Yes	adv_event_id,site_sid		
adverse_event_item	fk_aei_adv	No	adv_event_id,site_sid References adverse_event		
adverse_event_item	fk_aei_ste	No	site_sid References site		
adverse_event_item	pk_aei	Yes	adv_event_item_id,site_sid		
allergy	fk_all_pat	No	pat_id,pat_site_sid References patient		
allergy	fk_allergy_drug_code	No	drug_code_id References drug_code		
allergy	pk_alg	Yes	allergy_id		
allergy_note	fk_aln_alg	No	allergy_id References allergy		
allergy_note	pk_aln	Yes	allergy_note_id		
amt_identifier	pk_amt	Yes	amt_id		
amt_map	pk_amm	Yes	map_id		
amt_product	pk_amp	Yes	ctpp_id		
amt_prod_uou	pk_amu	Yes	ctpp_id, mpuu_id		
amt_subcomp_pack	pk_ams	Yes	ctpp_id, subcomp_pack_id		
amt_substance	pk_amb	Yes	amt_id		
amt_upload_history	pk_auh	Yes	amt_upload_hist_id		
amt_version	pk_amtv	Yes	amt_vers_id		
app_audit_table	pk_aat	Yes	table_name		
app_function	fk_app_app_function	No	application_cd References application		
app_function	pk_apf	Yes	app_function_cd,application_cd		
app_report	fk_apr_apf	No	app_function_cd,application_cd References app_function		
app_report	pk_apr	Yes	app_function_cd,application_cd,rept_catg_cd		
app_report_archv	pk_ara	Yes	hard_copy_audit_rept_id		
app_user	fk_app_app_user	No	application_cd References application		
app_user	fk_profile_app_user	No	application_cd,profile_cd References profile		
app_user	fk_users_app_user	No	user_cd References users		
app_user	pk_apu	Yes	application_cd,user_cd		
app_user_site	fk_aus_apu	No	application_cd,user_cd References app_user		
app_user_site	fk_aus_ste	No	site_sid References site		
app_user_site	pk_aus	Yes	application_cd,site_sid,user_cd		
application	pk_app	Yes	application_cd		
area_of_work	fk_aow_app	No	application_cd References application		
area_of_work	pk_aow	Yes	aow_cd,application_cd		
area_of_work_access	fk_awa_aow	No	aow_cd,application_cd References area_of_work		
area_of_work_access	fk_awa_apf	No	app_function_cd,application_cd References app_function		
area_of_work_access	pk_awa	Yes	aow_cd,app_function_cd,application_cd		
attr_formula	pk_atf	Yes	attr_formula_pid		
attr_formula	fk_atf_uni	No	unit_pid References unit		
attr_formula_args	pk_afa	Yes	attr_formula_pid, attr_id		
attr_formula_args	fk_afa_atf	No	attr_formula_pid References attr_formula		
attr_formula_args	fk_afa_att	No	attr_id References attribute		
attr_qualifier	pk_atq	Yes	attr_id, unit_pid		
attr_qualifier	fk_afa_uni	No	unit_pid References unit		
attr_qualifier	fk_atq_att	No	attr_id References attribute		
attr_unit	pk_atu	Yes	attr_id, unit_pid		
attr_unit	fk_atu_att	No	attr_id References attribute		
attr_unit	fk_atu_uni	No	unit_pid References unit		
attribute	pk_att	Yes	attr_id		
ausdi_index	pk_adi	Yes	ausdi_index_id		
bin	fk_bin_location	No	loc_id,site_sid References location		
bin	fk_bin_pds	No	prod_id,site_sid References prod_site		
bin	fk_bin_ste	No	site_sid References site		
bin	fk_bin_supp_str	No	supp_site_sid,supp_store_xid References store		
bin	pk_bin	Yes	loc_id,prod_id,site_sid		
bin	fk_rob_bin	No	site_sid,robot_id references robot		
bin_batch	pk_bib	Yes	bin_batch_id,site_sid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

bin_tran	fk_bin_tran_bin	No	loc_id,prod_id,site_sid References bin		
bin_tran	fk_bin_tran_inven_uom	No	inven_uom_id,prod_id References prod_uom		
bin_tran	fk_bin_tran_pack_uom	No	pack_uom_id,prod_id References prod_uom		
bin_tran	fk_bin_tran_type	No	tran_type_cd References tran_type		
bin_tran	fk_btr_bib	No	bin_batch_id,site_sid References bin_batch		
bin_tran	fk_btr_ste	No	site_sid References site		
bin_tran	pk_btr	Yes	bin_tran_id,site_sid		
bin_tran_extr	fk_btx_btr	No	bin_tran_id,site_sid References bin_tran		
bin_tran_extr	fk_btx_ext	No	extr_id,site_sid References extract		
bin_tran_extr	pk_btx	Yes	bin_tran_id,extr_id,site_sid		
bom	fk_bom_prd	No	prod_id References product		
bom	fk_bom_prod_uom	No	comp_prod_id,uom_id References product_uom		
bom	pk_bom	Yes	bom_id		
charge_centre	fk_chc_ste	No	site_sid References site		
charge_centre	pk_chc	Yes	chrg_cntr_xid,site_sid		
coc_acc_comp	fk_cac_acm	No	acc_comp_id,site_sid References account_comp		
coc_acc_comp	fk_cac_coc	No	cost_cntr_xid,site_sid References cost_centre		
coc_acc_comp	pk_cac	Yes	acc_comp_id,cost_cntr_xid,site_sid		
compounders	pk_com	Yes	compounder_xid, compounder_abn		
compounder_site	pk_comsite	Yes	compounder_xid, site_sid		
conv_factor	pk_cnf	Yes	unit_pid, conv_unit_pid		
conv_factor	fk_cnf_uni	No	unit_pid References unit		
conv_factor	fk_cnf_uni_conv	No	conv_unit_pid References unit		
cost_centre	fk_coc_fsr	No	fin_struct_id References fin_struct		
cost_centre	fk_coc_ste	No	site_sid References site		
cost_centre	fk_cost_cntr_chg_cntr	No	chrg_cntr_xid,site_sid References charge_centre		
cost_centre	fk_cost_cntr_supp	No	site_sid,supp_xid References supplier		
cost_centre	pk_coc	Yes	cost_cntr_xid,site_sid		
credit_note	fk_crn_ste	No	site_sid References site		
credit_note	fk_crn_sup	No	site_sid,supp_xid References supplier		
credit_note	pk_crn	Yes	cr_note_id,site_sid		
credit_note_extr	fk_crx_crn	No	cr_note_id,site_sid References credit_note		
credit_note_extr	fk_crx_ext	No	extr_id,site_sid References extract		
credit_note_extr	pk_crx	Yes	cr_note_id,extr_id,site_sid		
credit_note_item	fk_cri_bib	No	bin_batch_id,site_sid References bin_batch		
credit_note_item	fk_cri_bin	No	loc_id,prod_id,site_sid References bin		
credit_note_item	fk_cri_btr	No	bin_tran_id,site_sid References bin_tran		
credit_note_item	fk_cri_crn	No	cr_note_id,site_sid References credit_note		
credit_note_item	fk_cri_ftr	No	fin_tran_id,site_sid References fin_tran		
credit_note_item	fk_cri_gri	No	gr_item_id,site_sid References gr_item		
credit_note_item	fk_cri_pdu	No	prod_id,uom_id References prod_uom		
credit_note_item	pk_cri	Yes	cr_note_item_id,site_sid		
crystal_reports	pk_crp	Yes	rpt_sid		
cyclical_stk_take	pk_cst	Yes	site_sid, store_xid, cyc_stk_take_id		
debtor	fk_deb_dbt	No	debtor_type_xid,site_sid References debtor_type		
debtor	pk_deb	Yes	debtor_xid,site_sid		
debtor_group	pk_dbg	Yes	site_sid, debtor_grp_xid		
debtor_group_drug	pk_dgd	Yes	debtor_group_drug		
debtor_type	fk_dbt_ste	No	site_sid References site		
debtor_type	pk_dbt	Yes	debtor_type_xid,site_sid		
delivered_to	pk_del	Yes	site_sid, del_to_id		
diff_price	fk_diff_price_chg_cntr	No	chrg_cntr_xid,site_sid References charge_centre		
diff_price	fk_diff_price_cost_cntr	No	cost_cntr_xid,site_sid References cost_centre		
diff_price	fk_diff_price_prod_uom	No	prod_id,uom_id References prod_uom		
diff_price	fk_dpr_pds	No	prod_id,site_sid References prod_site		
diff_price	fk_dpr_ste	No	site_sid References site		
diff_price	pk_dpr	Yes	diff_price_id,site_sid		
direction	pk_dir	Yes	dir_xid,site_sid		
disp_item	fk_btr	No	bin_tran_id,site_sid References bin_batch		
disp_item	fk_dpi_bin	No	loc_id,prod_id,site_sid References bin		
disp_item	fk_dpi_dsp	No	disp_id,site_sid References disposal		
disp_item	fk_dpi_pdu	No	prod_id,uom_id References prod_uom		
disp_item	fk_dsi_bib	No	bin_batch_id,site_sid References bin_batch		
disp_item	pk_dsi	Yes	disp_item_id,site_sid		
dispense	fk_dpn_dpb	No	dspn_pbs_id,site_sid References dispense_pbs		
dispense	fk_dpn_dpl	No	dspn_list_id,site_sid References dspn_list		
dispense	fk_dpn_dpo	No	dspn_order_id References dspn_order		
dispense	fk_dpn_pds	No	prod_id,site_sid References prod_site		
dispense	fk_dpn_pha	No	pharm_xid,site_sid References pharmacy		
dispense	fk_dpn_repeat_dpn	No	repeat_dspn_id,repeat_site_sid References dispense		
dispense	fk_dpn_rev_dpn	No	rev_dspn_id,site_sid References dispense		
dispense	fk_dpn_ste	No	site_sid References site		
dispense	fk_dpn_user	No	user_cd References users		
dispense	fk_dpn_usr_del	No	delete_user_cd References users		
dispense	fk_dpn_usr_edit	No	edit_user_cd References users		
dispense	fk_dspn_class	No	dspn_class_id,site_sid References dispense_class		
dispense	fk_dspn_cost_cntr	No	cost_cntr_xid,ref_site_sid References cost_centre		
dispense	fk_dspn_doct	No	doct_xid,ref_site_sid References doctor		
dispense	fk_dspn_lbl_fmt	No	lbl_fmt_id References label_format		
dispense	fk_dspn_pat	No	pat_id,pat_site_sid References patient		
dispense	fk_dspn_route	No	route_id References route		
dispense	fk_dspn_team	No	ref_site_sid,team_xid References team		
	fk_eti_dspn	No	escript_item_id	12	
dispense	pk_dpn	Yes	dspn_id,site_sid		
dispense_charge	fk_dcg_dsc	No	fin_sub_xid,site_sid References finance_sub_class		
dispense_charge	fk_dcg_fcl	No	fin_class_xid,site_sid References finance_class		
dispense_charge	fk_dcg_ste	No	site_sid References site		
dispense_charge	pk_dcg	Yes	dspn_chrg_id,site_sid		
dispense_class	fk_dpc_dpg	No	dspn_grp_id References dispense_group		
dispense_class	fk_dpc_ste	No	site_sid References site		
dispense_class	pk_dpc	Yes	dspn_class_id,site_sid		
dispens_dose	fk_dose_sch	No	site_sid, dspn_id References dispense		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

dispense_dose	pk_dose_sch	Yes	dspn_dose_id, site_sid		
dispense_group	pk_dpg	Yes	dspn_grp_id		
dispense_pack_details	pk_dpd	Yes	site_sid, dspn_id, phase_cd		
dispense_pack_details	fk_dpd_dpn	No	site_sid, dspn_id References dispense		
dispense_pack_details	fk_dpd_rou	No	route_id References route		
dispense_pack_details	fk_dpd_uni	No	slife_unit_pid References unit		
dispense_pbs	fk_dpb_clm	No	pbs_claim_id References pbs_claim		
dispense_pbs	fk_dpb_ste	No	site_sid References site		
dispense_pbs	pk_dpb	Yes	dspn_pbs_id,site_sid		
dispense_pbs_error_codes	pk_dpec	Yes	site_sid, dpec_id		
dispense_pbs_manuf	pk_dpm	Yes	site_sid, dspn_pbs_manuf_id		
dispense_prod	fk_bin_tran_dspn_item	No	bin_tran_id,site_sid References bin_tran		
dispense_prod	fk_dpp_bib	No	bin_batch_id,site_sid References bin_batch		
dispense_prod	fk_dpp_dpn	No	dspn_id,site_sid References dispense		
dispense_prod	fk_dpp_per	No	permit_id,permit_site_sid References pat_prod_permit		
dispense_prod	fk_dpp_rev_dpp	No	rev_dspn_prod_id,site_sid References dispense_prod		
dispense_prod	fk_dspn_bin	No	loc_id,prod_id,site_sid References bin		
dispense_prod	fk_dspn_prod_uom	No	prod_id,uom_id References prod_uom		
dispense_prod	pk_dpp	Yes	dspn_prod_id,site_sid		
dispense_prod	fk_dip_bin_rapos	No	supp_site_sid, rapos_bin_tran_id references bin_tran		
dispense_prod	fk_dip_bin_raneg	No	supp_site_sid, rapos_bin_tran_id references bin_tran		
dispense_prop	pk_dup	Yes	site_sid, dspn_prop_id		
dispense_prop	fk_dup_dpp	No	site_sid, dspn_prod_id References dispense_prod		
dispense_prop	fk_dup_prp	No	prop_id References property		
dispense_prop	fk_dup_uni	No	unit_pid References unit		
dispense_scan	pk_dsn	Yes	site_sid, scan_id		
dispense_scan	fk_dsn_dpn	No	site_sid, dspn_id References dispense		
disposal	fk_dsp_coc	No	cost_cntr_xid,site_sid References cost_centre		
disposal	fk_dsp_ste	No	site_sid References site		
disposal	fk_dsp_str	No	site_sid,store_xid References store		
disposal	pk_dsp	Yes	disp_id,site_sid		
disposal_extr	fk_dpx_dsp	No	disp_id,site_sid References disposal		
disposal_extr	fk_dpx_ext	No	extr_id,site_sid References extract		
disposal_extr	pk_dpx	Yes	disp_id,extr_id,site_sid		
dist_cr_item	fk_dci_bib	No	bin_batch_id,site_sid References bin_batch		
dist_cr_item	fk_dist_cr_item_bin	No	loc_id,prod_id,site_sid References bin		
dist_cr_item	fk_dist_cr_item_bin_tran	No	bin_tran_id,site_sid References bin_tran		
dist_cr_item	fk_dist_cr_item_dist_cr	No	dist_cr_id,site_sid References dist_credit		
dist_cr_item	fk_dist_cr_item_prod_uom	No	prod_id,uom_id References prod_uom		
dist_cr_item	pk_dci	Yes	dist_cr_item_id,site_sid		
dist_credit	fk_dcr_ste	No	site_sid References site		
dist_credit	fk_dist_cr_cost_cntr	No	cost_cntr_xid,site_sid References cost_centre		
dist_credit	fk_dist_cr_store	No	site_sid,store_xid References store		
dist_credit	pk_dcr	Yes	dist_cr_id,site_sid		
dist_credit_extr	fk_dcx_dcr	No	dist_cr_id,site_sid References dist_credit		
dist_credit_extr	fk_dcx_ext	No	extr_id,site_sid References extract		
dist_credit_extr	pk_dcx	Yes	dist_cr_id,extr_id,site_sid		
dist_extr	fk_dix_dis	No	dist_id,site_sid References distribution		
dist_extr	fk_dix_ext	No	extr_id,site_sid References extract		
dist_extr	pk_dix	Yes	dist_id,extr_id,site_sid		
dist_item	fk_bin_tran_dist_item	No	bin_tran_id,site_sid References bin_tran		
dist_item	fk_dii_bib	No	bin_batch_id,site_sid References bin_batch		
dist_item	fk_dii_imi	No	imp_item_id,site_sid References imprest_item		
dist_item	fk_dist_item_bin	No	loc_id,prod_id,site_sid References bin		
dist_item	fk_dist_item_dist	No	dist_id,site_sid References distribution		
dist_item	fk_dist_item_prod_uom	No	prod_id,uom_id References prod_uom		
dist_item	fk_dist_item_reqn_item	No	reqn_item_id,rqi_site_sid References reqn_item		
dist_item	pk_dii	Yes	dist_item_id,site_sid		
dist_item	fk_dii_bin_rapos	No	supp_site_sid, rapos_bin_tran_id references bin_tran		
dist_item	fk_dii_bin_raneg	No	supp_site_sid, rapos_bin_tran_id references bin_tran		
distribution	fk_dis_ste	No	site_sid References site		
distribution	fk_dist_cst_cntr	No	cost_cntr_xid,site_sid References cost_centre		
distribution	fk_dist_store	No	site_sid,store_xid References store		
distribution	pk_dis	Yes	dist_id,site_sid		
doctor	fk_doc_ste	No	site_sid References site		
doctor	fk_doct_team	No	site_sid,team_xid References team		
doctor	pk_doc	Yes	doct_xid,site_sid		
drug_avail	pk_dra	Yes	drug_avail_id		
drug_code	fk_drg_dra	No	drug_avail_id References drug_avail		
drug_code	fk_drug_code_parent	No	mast_drug_code_id References drug_code		
drug_code	pk_drg	Yes	drug_code_id		
drug_code_site	fk_drs_drg	No	drug_code_id References drug_code		
drug_code_site	fk_drs_ste	No	site_sid References site		
drug_code_site	pk_drs	Yes	drug_code_id,site_sid		
dspn_alert	fk_dpa_dpn	No	dspn_id,site_sid References dispense		
dspn_alert	fk_dpa_pat	No	pat_id,pat_site_sid References patient		
dspn_alert	pk_dpa	Yes	alert_dtl_id,alert_id,site_sid		
dspn_extr	fk_dsx_dpn	No	dspn_id,site_sid References dispense		
dspn_extr	fk_dsx_ext	No	extr_id,site_sid References extract		
dspn_extr	pk_dsx	Yes	dspn_id,extr_id,site_sid		
dspn_list	fk_dpl_coc	No	cost_cntr_xid,site_sid References cost_centre		
dspn_list	fk_dpl_dpc	No	dspn_class_id,site_sid References dispense_class		
dspn_list	fk_dpl_lbf	No	lbl_fmt_id References label_format		
dspn_list	fk_dpl_pha	No	pharm_xid,site_sid References pharmacy		
dspn_list	fk_dpl_ste	No	site_sid References site		
dspn_list	pk_dpl	Yes	dspn_list_id,site_sid		
dspn_order	fk_dpo_coc	No	cost_cntr_xid,site_sid References cost_centre		
dspn_order	fk_dpo_doc	No	doct_xid,site_sid References doctor		
dspn_order	fk_dpo_dpc	No	dspn_class_id,site_sid References dispense_class		
dspn_order	fk_dpo_pat	No	pat_id,pat_site_sid References patient		
dspn_order	fk_dpo_pds	No	prod_id,site_sid References prod_site		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

dspn_order	fk_dpo_rou	No	route_id References route		
dspn_order	fk_dpo_ste	No	site_sid References site		
dspn_order	fk_dpo_usr	No	user_cd References users		
dspn_order	pk_dpo	Yes	dspn_order_id		
dspn_verified	pk_dpv	Yes	dspn_id,site_sid		
edi_inv_desp	pk_eid	Yes	site_sid, edi_id		
edi_ord	fk_edo_pds	No	prod_id,site_sid References prod_site		
edi_ord	fk_edo_ste	No	site_sid References site		
edi_ord	pk_edo	Yes	edi_id,site_sid		
edi_supplier	pk_eds	Yes	supp_ean		
error_log	fk_err_app	No	application_cd References application		
external_link	pk_exl	Yes	site_sid, exl_link_id, func_key_xid		
external_link	fk_exl_fnk	No	func_key_xid References function_key		
external_link	fk_exl_ste	No	site_sid References site		
external_link	fk_nexl_ste	No	site_sid References site		
eprescription	pk_epres	Yes	scid_xid	12	
eprescription_annotation	pk_epa	Yes	escript_annot_id	12	
eprescription_annotation	fk_epan_eti	Yes	escript_item_id Reference eprescription_item	12	
eprescription_basket	pk_epbt	Yes	escript_bskt_id	12	
eprescription_item	fk_epit_scid	Yes	scid_xid Reference eprescription	12	
eprescription_item	fk_epbt_eti	Yes	escript_bskt_id Reference eprescription_basket	12	
eprescription_item	pk_epit	Yes	escript_item_id	12	
external_message	pk_exm	Yes	ext_msg_id,site_sid		
external_message_adc	pk_ema	Yes	ext_msg_adc_id		
external_message_bill	pk_emb	Yes	site_sid, ext_msg_bill_id		
external_message_pes	pk_emp	Yes	ext_msg_pes_id		
external_message_robot	pk_emr	Yes	ext_msg_rob_id		
external_org	fk_exo_coc	No	cost_cntr_xid,site_sid References cost_centre		
external_org	fk_exo_ste	No	site_sid References site		
external_org	pk_exo	Yes	ext_org_xid,site_sid		
external_payment	fk_exp_ste	No	site_sid References site		
external_payment	fk_ext_pymt_pat	No	pat_id,pat_site_sid References patient		
external_payment	pk_exp	Yes	ext_pymt_id,site_sid		
external_prf	fk_epr_pat	No	pat_id,pat_site_sid References patient		
external_prf	pk_epr	Yes	ext_prf_id		
extr_param	pk_ex_par	Yes	site_sid, extr_id		
extract	fk_ext_exy	No	extr_type_id References extract_type		
extract	pk_ext	Yes	extr_id,site_sid		
extract_file	fk_exf_ext	No	extr_id,site_sid References extract		
extract_file	pk_exf	Yes	extr_file_id,site_sid		
extract_group	pk_exg	Yes	extr_grp_id		
extract_output	fk_exf_exy	No	extr_type_id References extract_type		
extract_output	fk_exu_exr	No	extr_proc_id References extract_proc		
extract_output	pk_exu	Yes	extr_out_id		
extract_parm_dw	pk_exd	Yes	extr_parm_dw_id		
extract_proc	pk_exr	Yes	extr_proc_id		
extract_type	fk_ext_exg	No	extr_grp_id References extract_group		
extract_type	fk_exy_exd	No	extr_parm_dw_id References extract_parm_dw		
extract_type	fk_exy_exr	No	extr_proc_id References extract_proc		
extract_type	pk_exy	Yes	extr_type_id		
family	pk_fam	Yes	family_id		
fin_hierarchy	fk_fhr_ttp	No	tran_type_cd References tran_type		
fin_hierarchy	pk_fhr	Yes	site_sid,tran_id,tran_type_cd		
fin_struct	fk_fsr_fsr	No	parent_fin_struct_id References fin_struct		
fin_struct	fk_fsr_fst	No	fin_struct_type References fin_struct_type		
fin_struct	pk_fsr	Yes	fin_struct_id		
fin_struct_type	pk_fst	Yes	fin_struct_type		
fin_tran	fk_ftr_ftt	No	fin_tran_type_cd References fin_tran_type		
fin_tran	fk_ftr_ste	No	site_sid References site		
fin_tran	pk_ftr	Yes	fin_tran_id,site_sid		
fin_tran_extr	fk_ftx_ext	No	extr_id,site_sid References extract		
fin_tran_extr	pk_ftx	Yes	extr_id,fin_tran_id,site_sid		
fin_tran_type	pk_ftt	Yes	fin_tran_type_cd		
finance_class	fk_fcl_ste	No	site_sid References site		
finance_class	pk_fcl	Yes	fin_class_xid,site_sid		
finance_sub_class	fk_fsc_fcl	No	fin_class_xid,site_sid References finance_class		
finance_sub_class	pk_fsc	Yes	fin_sub_xid,site_sid		
frame_preferences	fk_frp_usr	No	user_cd References users		
frame_preferences	fk_frp_wkn	No	site_sid,wkstn_id References workstation		
frame_preferences	pk_frp	Yes	pref_key,site_sid,user_cd,wkstn_id		
free_ret_item	fk_fri_bib	No	bin_batch_id,site_sid References bin_batch		
free_ret_item	fk_fri_bin	No	loc_id,prod_id,site_sid References bin		
free_ret_item	fk_fri_btr	No	bin_tran_id,site_sid References bin_tran		
free_ret_item	fk_fri_frt	No	free_ret_id,site_sid References free_return		
free_ret_item	fk_fri_pdu	No	prod_id,uom_id References prod_uom		
free_ret_item	pk_fri	Yes	fri_item_id,site_sid		
free_return	fk_frt_ste	No	site_sid References site		
free_return	fk_frt_str	No	site_sid,store_xid References store		
free_return	pk_frt	Yes	free_ret_id,site_sid		
free_return_extr	fk_frx_ext	No	extr_id,site_sid References extract		
free_return_extr	fk_frx_frt	No	free_ret_id,site_sid References free_return		
free_return_extr	pk_frx	Yes	extr_id,free_ret_id,site_sid		
function_key	pk_fnk	Yes	func_key_xid		
goal_sheet	pk_gsh	Yes	site_sid, gs_ref_id		
goal_sheet	fk_gsh_dflt_uni	No	default_unit_pid References unit		
goal_sheet	fk_gsh_ste	No	site_sid References site		
goal_sheet	fk_gsh_uni	No	dperiod_unit_pid References unit		
goods_receipt	fk_gr_order	No	ord_id,site_sid References orders		
goods_receipt	pk_grc	Yes	gr_id,site_sid		
goods_receipt_extr	fk_grx_ext	No	extr_id,site_sid References extract		
goods_receipt_extr	fk_grx_grc	No	gr_id,site_sid References goods_receipt		
goods_receipt_extr	pk_grx	Yes	extr_id,gr_id,site_sid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

gr_item	fk_bin_tran_goods_recp	No	bin_tran_id,site_sid References bin_tran		
gr_item	fk_fin_tran_gr_item	No	fin_tran_id,site_sid References fin_tran		
gr_item	fk_goods_recp_item	No	gr_id,site_sid References goods_receipt		
gr_item	fk_goods_recp_order	No	ord_item_id,site_sid References order_item		
gr_item	fk_gr_del_item	No	gr_del_item_id,site_sid References gr_item		
gr_item	fk_gri_bib	No	bin_batch_id,site_sid References bin_batch		
gr_item	fk_gri_bin	No	loc_id,prod_id,site_sid References bin		
gr_item	fk_gri_pdu	No	prod_id,uom_id References prod_uom		
gr_item	pk_gri	Yes	gr_item_id,site_sid		
gr_work	pk_grw	Yes	site_sid, gr_work_id		
gr_work_item	pk_gwi	Yes	site_sid, gr_work_item_id		
gs_construction	pk_gsc	Yes	site_sid, gs_ref_id, phase_cd		
gs_construction	fk_gsc_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_construction	fk_gsc_slf_uni	No	slife_unit_pid References unit		
gs_construction_item	pk_gci	Yes	site_sid, gs_ref_id, con_item_cd		
gs_construction_item	fk_gci_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_formulation	pk_gsf	Yes	site_sid, gsf_id		
gs_formulation	fk_gsf_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_formulation	fk_gsf_gso	No	site_sid, gso_id References gs_order		
gs_formulation	fk_gsf_pat	No	pat_site_sid, pat_id References patient		
gs_formulation	fk_gsf_ste	No	site_sid References site		
gs_formulation	fk_gsf_uni	No	prep_unit_pid References unit		
gs_formulation_alert	pk_gfa	Yes	site_sid, gfa_alert_id, gfa_adtl_id		
gs_formulation_alert	fk_gfa_dpn	No	site_sid, dspn_id References dispense		
gs_formulation_alert	fk_gfa_gsf	No	site_sid, gsf_id References gs_formulation		
gs_formulation_alert	fk_gfa_pat	No	pat_site_sid, pat_id References patient		
gs_formulation_alert	fk_gfa_prp	No	prop_id References property		
gs_formulation_alert	fk_gfa_uni	No	unit_pid References unit		
gs_formulation_prod	pk_gfp	Yes	site_sid, gsf_id, prod_ref_id		
gs_formulation_prod	fk_gfp_gsf	No	site_sid, gsf_id References gs_formulation		
gs_formulation_prod	fk_gfp_prod	No	prod_id References product		
gs_formulation_prod	fk_gfp_tuni	No	total_unit_pid References unit		
gs_formulation_prod	fk_gfp_uni	No	unit_pid References unit		
gs_formulation_prop	pk_gfy	Yes	site_sid, gsf_id, prod_ref_id, prop_id		
gs_formulation_prop	fk_gfy_gfp	No	site_sid, gsf_id, prod_ref_id References gs_formulation_prod		
gs_formulation_prop	fk_gfy_prp	No	prop_id References property		
gs_formulation_prop	fk_gfy_uni	No	unit_pid References unit		
gs_formulation_resource	pk_gfr	Yes	site_sid, gfr_id		
gs_formulation_resource	fk_gfr_gsf	No	site_sid, gsf_id References gs_formulation		
gs_formulation_resource	fk_gfr_prod	No	prod_id References product		
gs_formulation_resource	fk_gfr_res	No	resource_id References resource		
gs_label_printing	pk_glp	Yes	site_sid, hard_copy_audit_id		
gs_note	pk_gsn	Yes	site_sid, gs_note_id		
gs_note	fk_gsn_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_order	pk_gso	Yes	site_sid, gso_id		
gs_order	fk_gso_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_order	fk_gso_ste	No	site_sid References site		
gs_order	fk_gso_uni	No	dperiod_unit_pid References unit		
gs_order_note	pk_gon	Yes	site_sid, gso_note_id		
gs_order_note	fk_gon_gso	No	site_sid, gso_id References gs_order		
gs_order_prop	pk_gdp	Yes	site_sid, gso_id, prop_id		
gs_order_prop	fk_gdp_gsh	No	site_sid, gso_id References gs_order		
gs_order_prop	fk_gdp_quni	No	qualf_pid References unit		
gs_order_prop	fk_gdp_runi	No	unit_pid References unit		
gs_patattribute	pk_gsp	Yes	site_sid, gs_ref_id, attr_id		
gs_patattribute	fk_gsp_att	No	attr_id References attribute		
gs_patattribute	fk_gsp_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_patattribute	fk_gsp_uni	No	unit_pid References unit		
gs_patattribute	fk_gsp_unq	No	unit_qlf_pid References unit		
gs_property	pk_gpr	Yes	site_sid, gs_prop_id		
gs_property	fk_gpr_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_property	fk_gpr_pdo	No	prop_dose_id References prop_dose		
gs_property	fk_gpr_prop	No	prop_id References property		
gs_property	fk_gpr_puni	No	prop_unit_pid References unit		
gs_property	fk_gpr_rep	No	recon_id References recon_prod		
gs_property	fk_gpr_runi	No	recur_unit_pid References unit		
gs_resource	pk_gsr	Yes	site_sid, gs_ref_id, resource_id		
gs_resource	fk_gsr_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_resource	fk_gsr_pro	No	prod_id References product		
gs_resource	fk_gsr_res	No	resource_id References resource		
gs_route	pk_gro	Yes	site_sid, gs_ref_id, route_id, phase_cd		
gs_route	fk_gro_gsh	No	site_sid, gs_ref_id References goal_sheet		
gs_route	fk_gro_rou	No	route_id References route		
gtin	pk_gti	Yes	gti_id		
hard_copy_audit	pk_hca	Yes	hard_copy_audit_id,site_sid		
hard_copy_audit_parms	fk_hcp_hca	No	hard_copy_audit_id,site_sid References hard_copy_audit		
	pk_hcp	Yes	hard_copy_audit_id,param_name,site_sid		
imp_list_loc	fk_ill_ste	No	site_sid References site		
imp_list_loc	fk_imp_list_imp_loc	No	imp_loc_xid,site_sid References imprest_location		
imp_list_loc	fk_imp_list_loc	No	imp_list_id,site_sid References imprest_list		
imp_list_loc	pk_ill	Yes	imp_list_id,imp_loc_xid,site_sid		
imprest_item	fk_imi_pds	No	prod_id,site_sid References prod_site		
imprest_item	fk_imp_item_loc	No	imp_list_id,imp_loc_xid,site_sid References imp_list_loc		
imprest_item	fk_imp_item_prod_uom	No	prod_id,uom_id References prod_uom		
imprest_item	pk_imi	Yes	imp_item_id,site_sid		
imprest_list	fk_imp_list_cst_cntr	No	cost_cntr_xid,site_sid References cost_centre		
imprest_list	fk_imp_ste	No	site_sid References site		
imprest_list	pk_imp	Yes	imp_list_id,site_sid		
imprest_location	fk_iml_ste	No	site_sid References site		
imprest_location	pk_iml	Yes	imp_loc_xid,site_sid		
insurer	pk_isu	Yes	ins_id		
insurer_table	fk_ins_tbl	No	ins_id References insurer		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

insurer_table	pk_ist	Yes	ins_tbl_id		
interact	fk_drug_interact	No	drug_code_id References drug_code		
interact	fk_drug_interact_with	No	with_drug_code_id References drug_code		
interact	pk_int	Yes	inta_id		
intervention	fk_intv_cost_cntr	No	cost_cntr_xid,site_sid References cost_centre		
intervention	fk_intv_doct	No	doct_xid,site_sid References doctor		
intervention	fk_intv_pat	No	pat_id,pat_site_sid References patient		
intervention	fk_intv_type	No	intv_type_id References intv_type		
intervention	fk_intv_user	No	user_cd References users		
intervention	fk_itv_pds	No	prod_id,site_sid References prod_site		
intervention	fk_itv_ste	No	site_sid References site		
intervention	pk_itv	Yes	intv_id,site_sid		
intervention_extr	fk_itx_ext	No	extr_id,site_sid References extract		
intervention_extr	fk_itx_itv	No	intv_id,site_sid References intervention		
intervention_extr	pk_itx	Yes	extr_id,intv_id,site_sid		
intv_group	pk_itg	Yes	intv_grp_id		
intv_type	fk_intv_type_grp	No	intv_grp_id References intv_group		
intv_type	pk_itt	Yes	intv_type_id		
invoc_param_list	pk_ipl	Yes	param_catg, column_name		
invoice_service	fk_ivs_ste	No	site_sid References site		
invoice_service	pk_ivs	Yes	invc_serv_xid,site_sid		
ipharmnihc	pk_ihc	Yes	ipharm_nihc_id	12	
ipharmmslic	pk_mysl	Yes	ipharm_mysl_id	12	
ipharmerx	pk_erx	Yes	ipharm_erx_id	12	
kit	fk_kit_coc	No	cost_cntr_xid,site_sid References cost_centre		
kit	fk_kit_ste	No	site_sid References site		
kit	pk_kit	Yes	kit_id,site_sid		
kit_dist	fk_ktd_coc	No	cost_cntr_xid,site_sid References cost_centre		
kit_dist	fk_ktd_ste	No	site_sid References site		
kit_dist	fk_ktd_str	No	site_sid,store_xid References store		
kit_dist	fk_ktd_to_coc	No	cost_cntr_xid_to,site_sid References cost_centre		
kit_dist	pk_ktd	Yes	kit_dist_id,site_sid		
kit_dist_extr	fk_kdx_ext	No	extr_id,site_sid References extract		
kit_dist_extr	fk_kdx_kds	No	kit_dist_id,site_sid References kit_distribution		
kit_dist_extr	pk_kdx	Yes	extr_id,kit_dist_id,site_sid		
kit_dist_item	fk_kdi_bib	No	bin_batch_id,site_sid References bin_batch		
kit_dist_item	fk_kdi_bin	No	loc_id,prod_id,site_sid References bin		
kit_dist_item	fk_kdi_btr	No	bin_tran_id,site_sid References bin_tran		
kit_dist_item	fk_kdi_kds	No	kit_dist_id,site_sid References kit_distribution		
kit_dist_item	fk_kdi_ktd	No	kit_item_tran_id,site_sid References kit_item_tran		
kit_dist_item	fk_kdi_kti	No	kit_item_id,site_sid References kit_item		
kit_dist_item	fk_kdi_pdu	No	prod_id,uom_id References prod_uom		
kit_dist_item	pk_kdi	Yes	kit_dist_item_id,site_sid		
kit_distribution	fk_kds_coc	No	cost_cntr_xid,site_sid References cost_centre		
kit_distribution	fk_kds_ste	No	site_sid References site		
kit_distribution	fk_kds_sto	No	site_sid,store_xid References store		
kit_distribution	pk_kds	Yes	kit_dist_id,site_sid		
kit_item	fk_kti_kit	No	kit_id,site_sid References kit		
kit_item	fk_kti_pds	No	prod_id,site_sid References prod_site		
kit_item	fk_kti_pdu	No	prod_id,uom_id References prod_uom		
kit_item	pk_kti	Yes	kit_item_id,site_sid		
kit_item_dist	fk_kid_ktd	No	kit_dist_id,site_sid References kit_dist		
kit_item_dist	pk_kid	Yes	kit_dist_id,kit_item_dist_id,site_sid		
kit_item_tran	fk_ktd_kti	No	kit_item_id,site_sid References kit_item		
kit_item_tran	pk_ktt	Yes	kit_item_tran_id,site_sid		
kit_maint	fk_kmt_ktm	No	kit_temp_id,site_sid References kit_template		
kit_maint	fk_kmt_ste	No	site_sid References site		
kit_maint	fk_kmt_str	No	site_sid,store_xid References store		
kit_maint	pk_kmt	Yes	kit_batch_id,kit_id,site_sid		
kit_maint_item	fk_kmi_bib	No	bin_batch_id,site_sid References bin_batch		
kit_maint_item	fk_kmi_kmt	No	kit_batch_id,kit_id,site_sid References kit_maint		
kit_maint_item	fk_kmi_pdu	No	prod_id,uom_id References prod_uom		
kit_maint_item	pk_kmi	Yes	kit_batch_id,kit_id,kit_item_id,site_sid		
kit_template	fk_ktm_ste	No	site_sid References site		
kit_template	pk_ktm	Yes	kit_temp_id,site_sid		
kit_template_item	fk_ktmi_ktm	No	kit_temp_id,site_sid References kit_template		
kit_template_item	fk_ktmi_pds	No	prod_id,site_sid References prod_site		
kit_template_item	fk_ktmi_pdu	No	prod_id,uom_id References prod_uom		
kit_template_item	pk_ktmi	Yes	kit_temp_item_id,site_sid		
label_format	fk_lbf_spr	No	proc_id References stocca_process		
label_format	fk_lbl_fmt_stnry	No	stnry_xid References stationery		
label_format	pk_lbf	Yes	lbl_fmt_id		
lbl_fmt_proc	fk_lbl_fmt_proc_lbl	No	lbl_fmt_id References label_format		
lbl_fmt_proc	fk_lbl_fmt_proc_proc	No	proc_id References stocca_process		
lbl_fmt_proc	fk_lfp_dpc	No	dspn_class_id,site_sid References dispense_class		
lbl_fmt_proc	pk_lfp	Yes	lbl_fmt_proc_id,site_sid		
list_of_val	pk_lov	Yes	column_name,value_cd		
lm_control_panel	fk_lcp_lmf	No	lmf_site_sid,local_manuf_id References local_manuf		
lm_control_panel	pk_lcp	Yes	control_panel_id,site_sid		
lm_control_panel_ingr_sum	pk_lcs	Yes	comp_prod_id,site_sid		
lm_control_panel_ingred_sum	pk_lci	Yes	comp_prod_id,control_panel_id,site_sid		
lm_control_panel_resource	fk_lcr_res	No	resource_id References resource		
lm_control_panel_resource	pk_lcr	Yes	control_panel_id,resource_id,site_sid		
lm_item	fk_lm_item_bin_tran	No	bin_tran_id,site_sid References bin_tran		
lm_item	fk_lm_item_lm	No	local_manuf_id,site_sid References local_manuf		
lm_item	fk_lm_item_prod_uom	No	prod_id,uom_id References prod_uom		
lm_item	fk_lmi_bib	No	bin_batch_id,site_sid References bin_batch		
lm_item	fk_lmi_bin	No	loc_id,prod_id,site_sid References bin		
lm_item	pk_lmi	Yes	lm_item_id,site_sid		
loan	fk_brw_exo	No	ext_org_xid,site_sid References external_org		
loan	fk_loa_ste	No	site_sid References site		
loan	fk_loa_str	No	site_sid,store_xid References store		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

loan	pk_loa	Yes	loan_id,site_sid		
loan_extr	fk_lox_ext	No	extr_id,site_sid References extract		
loan_extr	fk_lox_loa	No	loan_id,site_sid References loan		
loan_extr	pk_lox	Yes	extr_id,loan_id,site_sid		
loan_item	fk_bri_bin	No	loc_id,prod_id,site_sid References bin		
loan_item	fk_bri_brw	No	loan_id,site_sid References loan		
loan_item	fk_bri_pdu	No	prod_id,uom_id References prod_uom		
loan_item	fk_loi_btr	No	bin_tran_id,site_sid References bin_tran		
loan_item	pk_loi	Yes	loan_item_id,site_sid		
local_manuf	fk_lmf_bib	No	bin_batch_id,site_sid References bin_batch		
local_manuf	fk_lmf_bin	No	loc_id,prod_id,site_sid References bin		
local_manuf	fk_lmf_btr	No	bin_tran_id,site_sid References bin_tran		
local_manuf	fk_lmf_pdu	No	prod_id,uom_id References prod_uom		
local_manuf	fk_lmf_ste	No	site_sid References site		
local_manuf	fk_lmf_usr	No	user_cd References users		
local_manuf	pk_lmf	Yes	local_manuf_id,site_sid		
local_manuf_extr	fk_lmx_ext	No	extr_id,site_sid References extract		
local_manuf_extr	fk_lmx_lmf	No	local_manuf_id,site_sid References local_manuf		
local_manuf_extr	pk_lmx	Yes	extr_id,local_manuf_id,site_sid		
location	fk_loc_ste	No	site_sid References site		
location	fk_store_loc	No	site_sid,store_xid References store		
location	fk_store_loc	No	loc_id,site_sid		
location	fk_rob_loc	No	site_sid,robot_id references robot		
manufacturer	pk_man	Yes	manuf_xid		
measurability	pk_msr	Yes	site_sid, measure_type_cd, upper_limit_id		
measurability	fk_msr_ste	No	site_sid References site		
measurability	fk_msr_uni	No	unit_pid References unit		
med_chart	fk_mct_pat	No	pat_id,pat_site_sid References patient		
med_chart	fk_mct_ste	No	site_sid References site		
med_chart	pk_mct	Yes	med_cht_id,site_sid		
med_cht_dose	fk_mcd_mci	No	med_cht_item_id,site_sid References med_cht_item		
med_cht_dose	pk_mcd	Yes	med_cht_dose_id,site_sid		
med_cht_ingr	fk_mcg_mci	No	med_cht_item_id,site_sid References med_cht_item		
med_cht_ingr	fk_mcg_pds	No	prod_id,site_sid References prod_site		
med_cht_ingr	fk_mcg_pdu	No	prod_id,uom_id References prod_uom		
med_cht_ingr	pk_mcg	Yes	med_cht_ingr_id,site_sid		
med_cht_item	fk_mci_doc	No	doct_xid,ref_site_sid References doctor		
med_cht_item	fk_mci_dpl	No	dspn_list_id,site_sid References dspn_list		
med_cht_item	fk_mci_mct	No	med_cht_id,site_sid References med_chart		
med_cht_item	fk_mci_pds	No	prod_id,site_sid References prod_site		
med_cht_item	fk_mci_tea	No	site_sid,team_xid References team		
med_cht_item	pk_mci	Yes	med_cht_item_id,site_sid		
messages	pk_msg	Yes	msgid		
mims_augmdat	pk_magd	Yes	product_code,form_code,generic_code		
mims_aulink_formulation_route	pk_mafr	Yes	product_code, form_code		
mims_drug_class_int_precaution	pk_mdcip	Yes	precaution_id,drug_interact_class_id1,drug_interact_class_id2		
mims_drug_class_interaction	pk_mdci	Yes	drug_interact_class_id1,drug_interact_class_id2		
mims_drug_generic_route_interact	pk_mdgri	Yes	generic_code,drug_interact_class_id,route_id		
mims_drug_interact_class	pk_mdic	Yes			
mims_drug_interaction_reference	pk_mdir	Yes	drug_interact_class_id1,drug_interact_class_id2		
mims_dsm_route	pk_mdr	Yes	dsm_route_id		
mims_generic	pk_mg	Yes	generic_code		
mims_likelihood	pk_mlike	Yes	likelihood_id		
mmims_linkamt	pk_mla	Yes	product_code,form_code,pack_code,item_code,generic_code,amt_code)		
mims_observation	pk_mobs	Yes	observation_id		
mims_precaution	pk_mpre	Yes	precaution_id		
mims_severity	pk_msev	Yes	severity_id		
mims_upload_history	pk_muh	Yes	mims_upload_hist_id		
myscriptlist_access	pk_msa	Yes	mysl_aud_id	12	
nbr_desc	fk_nbd_ste	No	site_sid References site		
nbr_desc	pk_nbd	Yes	nbr_qty,site_sid		
next_abc_anlys	fk_nan_ste	No	site_sid References site		
next_abc_anlys	pk_nan	Yes	site_sid		
next_account	fk_nacc_ste	No	site_sid References site		
next_account	pk_nacc	Yes	site_sid		
next_account_comp	fk_nacm_ste	No	site_sid References site		
next_account_comp	pk_nacm	Yes	site_sid		
next_adverse_event	fk_nadv_ste	No	site_sid References site		
next_adverse_event	pk_nadv	Yes	adv_event_id,site_sid		
next_adverse_event_item	fk_naei_ste	No	site_sid References site		
next_adverse_event_item	pk_naei	Yes	adv_event_item_id,site_sid		
next_auth_nbr	pk_naut	Yes	auth_nbr_id		
next_bin_batch	pk_nbib	Yes	site_sid		
next_bin_tran	fk_nbtr_ste	No	site_sid References site		
next_bin_tran	pk_nbtr	Yes	site_sid		
next_bom	fk_nbom_ste	No	site_sid References site		
next_bom	pk_nbom	Yes	site_sid		
next_cr_note_item	fk_ncri_ste	No	site_sid References site		
next_cr_note_item	pk_ncri	Yes	site_sid		
next_credit_note	fk_ncrn_ste	No	site_sid References site		
next_credit_note	pk_ncrn	Yes	site_sid		
next_cyclical_stk_take	pk_nct	Yes	site_sid, store_xid		
next_delivered_to	pk_ndel	Yes	site_sid, del_to_id		
next_diff_price	fk_ndpr_ste	No	site_sid References site		
next_diff_price	pk_ndpr	Yes	site_sid		
next_disp_item	fk_ndsi_ste	No	site_sid References site		
next_disp_item	pk_ndsi	Yes	site_sid		
next_dispense	fk_ndpn_ste	No	site_sid References site		
next_dispense	pk_ndpn	Yes	site_sid		
next_dispense_charge	fk_ndcg_ste	No	site_sid References site		
next_dispense_charge	pk_ndcg	Yes	site_sid		
next_dispense_hcdclm	pk_nhcd	Yes	site_sid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

next_dispense_pbs	pk_ndpb	Yes	site_sid		
next_dispense_pbs_error_codes	fk_ndpec_ste	No	site_sid References site		
next_dispense_pbs_manuf	pk_ndpm	Yes	site_sid		
next_dispense_prop	pk_ndup	Yes	site_sid, dspn_prop_id		
next_dispense_prop	fk_ndup_ste	No	site_sid References site		
next_dispense_scan	pk_ndsn	Yes	site_sid		
next_disposal	fk_ndsp_ste	No	site_sid References site		
next_disposal	pk_ndsp	Yes	site_sid		
next_dist_cr_item	fk_ndci_ste	No	site_sid References site		
next_dist_cr_item	pk_ndci	Yes	site_sid		
next_dist_credit	fk_ndcr_ste	No	site_sid References site		
next_dist_credit	pk_ndcr	Yes	site_sid		
next_dist_item	fk_ndii_ste	No	site_sid References site		
next_dist_item	pk_ndii	Yes	site_sid		
next_distribution	fk_ndis_ste	No	site_sid References site		
next_distribution	pk_ndis	Yes	site_sid		
next_dspn_alert	pk_ndpa	Yes	site_sid		
next_dspn_class	fk_ndpc_ste	No	site_sid References site		
next_dspn_class	pk_ndpc	Yes	site_sid		
next_dspn_list	fk_ndpl_ste	No	site_sid References site		
next_dspn_list	pk_ndpl	Yes	dspn_list_id,site_sid		
next_dspn_order	pk_ndpo	Yes	dspn_order_id		
next_dspn_prod	fk_ndpp_ste	No	site_sid References site		
next_dspn_prod	pk_ndpp	Yes	site_sid		
next_edi	fk_nedi_ste	No	site_sid References site		
next_edi	pk_nedi	Yes	site_sid		
next_edi_build	fk_nedb_ste	No	site_sid References site		
next_edi_build	pk_nedb	Yes	site_sid		
next_edi_inv_desp	pk_neid	Yes	site_sid		
next_edi_seq	fk_neds_ste	No	site_sid References site		
next_external_link	pk_nexl	Yes	site_sid, ext_link_id		
next_external_message	pk_nexm	Yes	site_sid		
next_external_message_bill	pk_nemb	Yes	site_sid, ext_msg_bill_id		
next_extract	fk_next_ste	No	site_sid References site		
next_extract	pk_next	Yes	site_sid		
next_extract_file	fk_nexf_ste	No	site_sid References site		
next_extract_file	pk_nexf	Yes	site_sid		
next_family	pk_nfam	Yes	family_id		
next_fin_struct	pk_nfsr	Yes	fin_struct_id		
next_fin_tran	fk_nftr_ste	No	site_sid References site		
next_fin_tran	pk_nftr	Yes	site_sid		
next_free_ret_item	fk_nfri_ste	No	site_sid References site		
next_free_ret_item	pk_nfri	Yes	site_sid		
next_free_return	fk_nfrt_ste	No	site_sid References site		
next_free_return	pk_nfrt	Yes	site_sid		
next_goal_sheet	pk_ngsh	Yes	site_sid		
next_goal_sheet	fk_ngsh_ste	No	site_sid References site		
next_goods_receipt	fk_ngrc_ste	No	site_sid References site		
next_goods_receipt	pk_ngrc	Yes	site_sid		
next_gr_item	fk_ngri_ste	No	site_sid References site		
next_gr_item	pk_ngri	Yes	site_sid		
next_gr_work	pk_ngrw	Yes	site_sid		
next_gr_work_item	pk_ngwi	Yes	site_sid		
next_gs_formulation	pk_ngsf	Yes	site_sid		
next_gs_formulation_resource	pk_ngfr	Yes	site_sid		
next_gs_note	pk_ngn	Yes	site_sid		
next_gs_order	pk_ngso	Yes	site_sid		
next_gs_order_note	pk_non	Yes	site_sid		
next_gs_version	pk_ngsv	Yes	site_sid, gs_id		
next_gs_version	fk_ngsv_ste	No	site_sid References site		
next_hard_copy_audit	pk_nhca	Yes	hard_copy_audit_id,site_sid		
next_hard_copy_rept_au	pk_nhcr	Yes	hard_copy_audit_rept_id		
next_imprest_item	fk_nimi_ste	No	site_sid References site		
next_imprest_item	pk_nimi	Yes	site_sid		
next_imprest_list	fk_nimp_ste	No	site_sid References site		
next_imprest_list	pk_nimp	Yes	site_sid		
next_infusion	pk_ninf	Yes	pharm_approval_nbr, infusion_xid		
next_intervention	fk_nitv_ste	No	site_sid References site		
next_intervention	pk_nitv	Yes	site_sid		
next_kit	fk_nkit_ste	No	site_sid References site		
next_kit	pk_nkit	Yes	site_sid		
next_kit_dist	fk_nkds_ste	No	site_sid References site		
next_kit_dist	pk_nkds	Yes	site_sid		
next_kit_dist_item	fk_nkdi_ste	No	site_sid References site		
next_kit_dist_item	pk_nkdi	Yes	site_sid		
next_kit_distr	pk_nktd	Yes	kit_dist_id,site_sid		
next_kit_item	fk_nkti_ste	No	site_sid References site		
next_kit_item	pk_nkti	Yes	site_sid		
next_kit_item_dist	pk_nkid	Yes	kit_item_dist_id,site_sid		
next_kit_item_tran	fk_nktt_ste	No	site_sid References site		
next_kit_item_tran	pk_nktt	Yes	site_sid		
next_lbl_fmt_proc	fk_nlfp_ste	No	site_sid References site		
next_lbl_fmt_proc	pk_nlfp	Yes	site_sid		
next_lm_item	fk_nlmi_ste	No	site_sid References site		
next_lm_item	pk_nlmi	Yes	site_sid		
next_loan	fk_nloa_ste	No	site_sid References site		
next_loan	pk_nloa	Yes	site_sid		
next_loan_item	fk_nloi_ste	No	site_sid References site		
next_loan_item	pk_nloi	Yes	site_sid		
next_local_manuf	fk_nlmf_ste	No	site_sid References site		
next_local_manuf	pk_nlmf	Yes	site_sid		
next_location	fk_nloc_ste	No	site_sid References site		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

next_location	pk_nloc	Yes	site_sid		
next_measurability	pk_nmsr	Yes	site_sid, msr_id		
next_med_chart	fk_nmct_ste	No	site_sid References site		
next_med_chart	pk_nmct	Yes	site_sid		
next_med_cht_dose	fk_nmcd_ste	No	site_sid References site		
next_med_cht_dose	pk_nmcd	Yes	site_sid		
next_med_cht_ingr	fk_nmcg_ste	No	site_sid References site		
next_med_cht_ingr	pk_nmcg	Yes	site_sid		
next_med_cht_item	fk_nmci_ste	No	site_sid References site		
next_med_cht_item	pk_nmci	Yes	site_sid		
next_ord_work	fk_norw_ste	No	site_sid References site		
next_ord_work	pk_norw	Yes	site_sid		
next_ord_work_item	fk_nowi_ste	No	site_sid References site		
next_ord_work_item	pk_nowi	Yes	site_sid		
next_order	fk_nord_ste	No	site_sid References site		
next_order	pk_nord	Yes	site_sid		
next_order_item	fk_nori_ste	No	site_sid References site		
next_order_item	pk_nori	Yes	site_sid		
next_pam_calc	fk_npmc_ste	No	site_sid References site		
next_pam_calc	pk_npmc	Yes	site_sid		
next_pat_attribute	pk_natp	Yes	site_sid		
next_pat_attribute	fk_natp_ste	No	site_sid References site		
next_pat_episode	fk_neps_ste	No	site_sid References site		
next_pat_invoice	fk_npnv_ste	No	site_sid References site		
next_pat_invoice	pk_npnv	Yes	site_sid		
next_pat_invoice_item	fk_npii_ste	No	site_sid References site		
next_pat_invoice_item	pk_npii	Yes	site_sid		
next_pat_invoice_pay	fk_npip_ste	No	site_sid References site		
next_pat_invoice_pay	pk_npip	Yes	site_sid		
next_pat_note	fk_nptn_ste	No	site_sid References site		
next_pat_note	pk_nptn	Yes	site_sid		
next_pat_note_seq	fk_npns_ste	No	site_sid References site		
next_pat_note_seq	pk_npns	Yes	site_sid		
next_pat_prod_perm	fk_nper_ste	No	site_sid References site		
next_pat_prod_perm	pk_nper	Yes	site_sid		
next_patient	fk_npat_ste	No	site_sid References site		
next_patient	pk_npat	Yes	site_sid		
next_pat_hi	pk_nphi	Yes	site_sid	12	
next_pbs_claim	pk_nclm	Yes	pbs_claim_id		
next_pbs_claim_item	pk_ncli	Yes	pbs_claim_id,pbs_payment_catg_cd		
next_pbs_hic_claim	pk_nhclm	Yes	pbs_claim_year,pharm_approval_nbr		
next_prescription	fk_nppn_ste	No	site_sid References site		
next_prescription	pk_nppn	Yes	site_sid		
next_prescription_item_track	fk_npit_ste	No	site_sid References site		
next_prescription_item_track	pk_npit	Yes	site_sid		
next_prescription_track	fk_nprt_ste	No	site_sid References site		
next_prescription_track	pk_nprt	Yes	site_sid		
next_prop_attr	pk_nptt	Yes	prop_attr_id		
next_prop_dose	pk_npdo	Yes	prop_dose_id		
next_property	pk_nprp	Yes	prop_id		
next_prot_sched_chart	pk_npsc	Yes	prot_sched_id,site_sid		
next_prot_sched_chart	pk_npsc	Yes	site_sid, prot_sched_id		
next_prot_sched_item	pk_npsi	Yes	prot_sched_item_id,site_sid		
next_prot_sched_item	pk_npsi	Yes	site_sid, prot_sched_item_id		
next_prot_sched_period	pk_npsh	Yes	prot_sched_period_id,site_sid		
next_pvv_adj_item	pk_npvi	Yes	site_sid		
next_pvv_adjust	pk_npva	Yes	site_sid		
next_repay_item	fk_nrpi_ste	No	site_sid References site		
next_repay_item	pk_nrpi	Yes	site_sid		
next_repayment	fk_nrpy_ste	No	site_sid References site		
next_repayment	pk_nrpy	Yes	site_sid		
next_reqn	fk_nrqn_ste	No	site_sid References site		
next_reqn	pk_nrqn	Yes	site_sid		
next_reqn_item	fk_nrqi_ste	No	site_sid References site		
next_reqn_item	pk_nrqi	Yes	site_sid		
next_robot	pk_nrob	Yes	site_sid		
next_robot_chute	pk_nroc	Yes	site_sid		
next_robot_dist	pk_nrdist	Yes	site_sid		
next_robot_interface	pk_nroi	Yes	site_sid		
next_robot_tfr	pk_nrtfr	Yes	site_sid		
next_stk_adj_item	fk_nsai_ste	No	site_sid References site		
next_stk_adj_item	pk_nsai	Yes	site_sid		
next_stk_take_grp	fk_nstg_ste	No	site_sid References site		
next_stk_take_grp	pk_nstg	Yes	site_sid,stk_take_grp_sid		
next_stk_take_item	fk_nsti_ste	No	site_sid References site		
next_stk_take_item	pk_nsti	Yes	site_sid		
next_stock_adjust	fk_nsad_ste	No	site_sid References site		
next_stock_adjust	pk_nsad	Yes	site_sid		
next_stock_take	fk_nstk_ste	No	site_sid References site		
next_stock_take	pk_nstk	Yes	site_sid		
next_supp_catl	fk_nsct_ste	No	site_sid References site		
next_supp_catl	pk_nsct	Yes	site_sid		
next_tfr_item	fk_ntfi_ste	No	site_sid References site		
next_tfr_item	pk_ntfi	Yes	site_sid		
next_tfr_request	fk_ntfq_ste	No	site_sid References site		
next_tfr_request	pk_ntfq	Yes	site_sid		
next_tfr_rqst_item	fk_ntqi_ste	No	site_sid References site		
next_tfr_rqst_item	pk_ntqi	Yes	site_sid		
next_tran_add_val	fk_ntav_ste	No	site_sid References site		
next_tran_add_val	pk_ntav	Yes	site_sid		
next_transfer	fk_ntfr_ste	No	site_sid References site		
next_transfer	pk_ntfr	Yes	site_sid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

next_user_workstation_audit	pk_nuwa	Yes	session_id		
next_user_workstation_audit	pk_nuwa	Yes	session_id		
next_val_adj_item	fk_nvai_ste	No	site_sid References site		
next_val_adj_item	pk_nvai	Yes	site_sid		
next_value_adjust	fk_nvad_ste	No	site_sid References site		
next_value_adjust	pk_nvad	Yes	site_sid		
next_var_dose_cht	fk_nvdc_ste	No	site_sid References site		
next_var_dose_cht	pk_nvdc	Yes	site_sid		
next_var_dose_item	fk_nvdi_ste	No	site_sid References site		
next_var_dose_item	pk_nvdi	Yes	site_sid		
next_var_dose_per	fk_nvdp_ste	No	site_sid References site		
next_var_dose_per	pk_nvdp	Yes	site_sid		
next_workstation	pk_nwkn	Yes	site_sid,wkstn_id		
ord_work	fk_orw_ste	No	site_sid References site		
ord_work	fk_orw_str	No	site_sid,store_xid References store		
ord_work	pk_orw	Yes	ord_work_id,site_sid		
ord_work_item	fk_owi_bin	No	loc_id,prod_id,site_sid References bin		
ord_work_item	fk_owi_coc	No	cost_cntr_xid,site_sid References cost_centre		
ord_work_item	fk_owi_orw	No	ord_work_id,site_sid References ord_work		
ord_work_item	fk_owi_pdu	No	prod_id,uom_id References prod_uom		
ord_work_item	fk_owi_rqi	No	reqn_item_id,rqi_site_sid References reqn_item		
ord_work_item	fk_owi_sup	No	site_sid,supp_xid References supplier		
ord_work_item	pk_owi	Yes	ord_work_item_id,site_sid		
order_item	fk_ord_item	No	ord_id,site_sid References orders		
order_item	fk_ord_item_bin	No	loc_id,prod_id,site_sid References bin		
order_item	fk_ori_pdu	No	prod_id,uom_id References prod_uom		
order_item	fk_ori_rqi	No	reqn_item_id,rqi_site_sid References reqn_item		
order_item	pk_ori	Yes	ord_item_id,site_sid		
orders	fk_ord_coc	No	cost_cntr_xid,site_sid References cost_centre		
orders	fk_ord_ste	No	site_sid References site		
orders	fk_ord_store	No	site_sid,store_xid References store		
orders	fk_ord_supp	No	site_sid,supp_xid References supplier		
orders	fk_ord_usr	No	user_cd References users		
orders	fk_ord_usr_amend	No	amend_user_cd References users		
orders	pk_ord	Yes	ord_id,site_sid		
orders_extr	fk_orx_ext	No	extr_id,site_sid References extract		
orders_extr	fk_orx_ord	No	ord_id,site_sid References orders		
orders_extr	pk_orx	Yes	extr_id,ord_id,site_sid		
pam_calc	fk_pmc_pat	No	pat_id,pat_site_sid References patient		
pam_calc	fk_pmc_ste	No	site_sid References site		
pam_calc	pk_pmc	Yes	pam_calc_id,site_sid		
pat_attribute	pk_atp	Yes	site_sid, pat_id, pat_attr_id		
pat_attribute	fk_atp_atf	No	attr_formula_pid References attr_formula		
pat_attribute	fk_atp_atr	No	attr_id References attribute		
pat_attribute	fk_atp_pat	No	pat_site_sid, pat_id References patient		
pat_episode	pk_eps	Yes	site_sid, eps_id, pat_id		
pat_episode	pk_sts	Yes	user_cd, wkstn_id, site_sid, stnry_xid, pref_key		
pat_episode	fk_eps_pat	No	pat_id references patient		
pat_invoice	fk_pnv_deb	No	debtor_xid,site_sid References debtor		
pat_invoice	fk_pnv_fcl	No	fin_class_xid,site_sid References finance_class		
pat_invoice	fk_pnv_fsc	No	fin_sub_xid,site_sid References finance_sub_class		
pat_invoice	fk_pnv_fsc	No	pat_id,pat_site_sid References patient		
pat_invoice	fk_pnv_ste	No	site_sid References site		
pat_invoice	pk_pnv	Yes	pat_invc_id,site_sid		
pat_invoice	fk_pnv_pat	No	pat_id references patient		
pat_invoice_extr	fk_pnx_ext	No	extr_id,site_sid References extract		
pat_invoice_extr	fk_pnx_pnv	No	pat_invc_id,site_sid References pat_invoice		
pat_invoice_extr	pk_pnx	Yes	extr_id,pat_invc_id,site_sid		
pat_invoice_item	fk_pii_dpn	No	dspn_id,site_sid References dispense		
pat_invoice_item	fk_pii_ftr	No	fin_tran_id,site_sid References pat_invoice_item		
pat_invoice_item	fk_pii_ivs	No	invc_serv_xid,site_sid References invoice_service		
pat_invoice_item	fk_pii_orig_pii	No	orig_pii_item_id,site_sid References pat_invoice_item		
pat_invoice_item	fk_pii_pnv	No	pat_invc_id,site_sid References pat_invoice		
pat_invoice_item	pk_pii	Yes	pat_invc_item_id,site_sid		
pat_invoice_pay	fk_pip_pnv	No	pat_invc_id,site_sid References pat_invoice		
pat_invoice_pay	pk_pip	Yes	pat_invc_pay_id,site_sid		
pat_note	fk_ptn_pat	No	pat_id,pat_site_sid References patient		
pat_note	fk_ptn_ste	No	site_sid References site		
pat_note	pk_ptn	Yes	pat_note_id,site_sid		
pat_note_dtl	fk_pnd_ptn	No	pat_note_id,site_sid References pat_note		
pat_note_dtl	pk_pnd	Yes	pat_note_seq,site_sid		
pat_note_temp	pk_pnt	Yes	temp_name_xid		
pat_prod_perm_extr	fk_pex_ext	No	extr_id,site_sid References extract		
pat_prod_perm_extr	fk_pex_per	No	permit_id,site_sid References pat_prod_permit		
pat_prod_perm_extr	pk_pex	Yes	extr_id,permit_id,site_sid		
pat_prod_permit	fk_per_doc	No	doct_xid,site_sid References doctor		
pat_prod_permit	fk_per_origin_ste	No	permit_origin_site_sid References site		
pat_prod_permit	fk_per_pat	No	pat_id,pat_site_sid References patient		
pat_prod_permit	fk_per_pds	No	prod_id,site_sid References prod_site		
pat_prod_permit	fk_per_spi	No	spi_id References spec_prod_indication		
pat_prod_permit	fk_per_ste	No	site_sid References site		
pat_prod_permit	fk_per_sup	No	site_sid,supp_xid References supplier		
pat_prod_permit	pk_per	Yes	permit_id,site_sid		
patient	fk_pat_alias	No	alias_pat_id,alias_pat_site_sid References patient		
patient	fk_pat_cost_cntr	No	cost_cntr_xid,ref_site_sid References cost_centre		
patient	fk_pat_deb	No	debtor_xid,ref_site_sid References debtor		
patient	fk_pat_doct	No	doct_xid,ref_site_sid References doctor		
patient	fk_pat_fam	No	family_id References family		
patient	fk_pat_fcl	No	fin_class_xid,ref_site_sid References finance_class		
patient	fk_pat_fsc	No	fin_sub_xid,ref_site_sid References finance_sub_class		
patient	fk_pat_ins_tbl	No	ins_tbl_id References insurer_table		
patient	fk_pat_ste	No	site_sid References site		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

patient	fk_pat_ste_ref	No	ref_site_sid References site		
patient	fk_pat_team	No	ref_site_sid,team_xid References team		
patient	pk_pat	Yes	pat_id,site_sid		
pat_hi	pk_phi	Yes	site_sid,pat_hi_id	12	
patient_user_workstation	pk_puw	Yes	site_sid, pat_id, pat_site_sid, app_function_cd		
patient_user_workstation	fk_puw_patient	No	pat_site_sid, pat_id References patient		
patient_user_workstation	fk_puw_site	No	site_sid References site		
patient_user_workstation	fk_puw_users	No	user_cd References users		
patient_user_workstation	fk_puw_wkstn	No	site_sid, wkstn_id References workstation		
pbs_claim	pk_clm	Yes	pbs_claim_id		
pbs_claim	pk_clm	Yes	pbs_claim_id		
pbs_code	pk_pbs	Yes	pbs_code_pid		
pbs_error_codes	pk_pec	Yes	error_cd		
pbs_item	fk_pbi_pbs	No	pbs_code_pid References pbs_code		
pbs_item	pk_pbi	Yes	pbs_item_pid		
pbs_item_temp	pk_pbt	Yes	pbs_item_pid		
pbs_link	fk_pbl_pbs	No	pbs_code_pid References pbs_code		
pbs_link	fk_pbl_pdu	No	prod_id,uom_id References prod_uom		
pbs_link	pk_pbl	Yes	pbs_code_pid,prod_id		
pbs_payment_statement	pk_pps	Yes	pbs_stmnt_id		
pbs_reconciliation	pk_pre	Yes	pbs_claim_id, claim_period, pharmapprovalnumber		
pbs_restriction	pk_prs	Yes	pbs_rest_pid		
pbs_restriction_link	fk_prl_prs	No	pbs_rest_pid References pbs_restriction		
pbs_restriction_link	pk_prl	Yes	pbs_rest_link_pid		
pbs_restriction_note	fk_prn_prs	No	pbs_rest_pid References pbs_restriction		
pbs_restriction_note	pk_prn	Yes	pbs_rest_note_pid,pbs_rest_pid		
pbs_wastage_factor	pk_pwf	Yes	supp_pct		
person	fk_psn_pat	No	pat_id,pat_site_sid References patient		
person	pk_psn	Yes	pat_id,pat_site_sid		
pharmacy	fk_pha_ste	No	site_sid References site		
pharmacy	pk_pha	Yes	pharm_xid,site_sid		
prescription	fk_ppn_coc	No	cost_cntr_xid,ref_site_sid References cost_centre		
prescription	fk_ppn_dpc	No	dspn_class_id,site_sid References dispense_class		
prescription	fk_ppn_ste	No	site_sid References site		
prescription	pk_ppn	Yes	ppn_id,site_sid		
prescription_item_track	fk_pit_ste	No	site_sid References site		
prescription_item_track	pk_pit	Yes	ppn_item_track_id,site_sid		
prescription_notes_desc	pk_prnd	Yes	ppn_notes_xid,site_sid		
prescription_track	fk_prt_ste	No	site_sid References site		
prescription_track	pk_prt	Yes	ppn_track_id,site_sid		
prod_form	pk_pdf	Yes	prod_form_xid		
prod_mims_generic	pk_pmg	Yes	prod_id,generic_code		
prod_mims_generic	pk_pmg	Yes	prod_id,generic_code		
prod_prop	pk_prop	Yes	prod_id, prop_id, unit_catg_xid		
prod_prop	fk_prop_prd	No	prod_id References product		
prod_resource	pk_pre	Yes	prod_id, resource_id		
prod_resource	fk_pre_prd	No	prod_id References product		
prod_resource	fk_pre_res	No	resource_id References resource		
prod_resource	fk_prc_prd	No	prod_id References product		
prod_resource	fk_prc_res	No	resource_id References resource		
prod_route	fk_pdr_prd	No	prod_id References product		
prod_route	fk_pdr_rou	No	route_id References route		
prod_route	pk_pdr	Yes	prod_id,route_id		
prod_schedule	pk_sch	Yes	schedule_short		
prod_site	fk_pds_prd	No	prod_id References product		
prod_site	fk_pds_stg	No	site_sid,stk_take_grp_sid References stk_take_grp		
prod_site	pk_pds	Yes	prod_id,site_sid		
prod_substitute	pk_psu	No	site_sid , prod_id, subst_id		
prod_substitute	fk_psu_pds	No	prod_id,site_sid References prod_site		
prod_supp_pref	fk_psp_pds	No	prod_id,site_sid References prod_site		
prod_supp_pref	fk_psp_sup	No	site_sid,supp_xid References supplier		
prod_supp_pref	pk_psp	Yes	prod_id,site_sid,supp_xid		
prod_uom	fk_prod_uom_prod	No	prod_id References product		
prod_uom	fk_uom_prod	No	uom_id References uom		
prod_uom	pk_pdu	Yes	prod_id,uom_id		
prod_warn_code	fk_pwc_wcd	No	warn_code_xid References warning_codes		
prod_warn_code	pk_pwc	Yes	prod_id,warn_code_xid		
product	fk_prod_drug_code	No	drug_code_id References drug_code		
product	fk_prod_form	No	prod_form_xid References prod_form		
product	fk_prod_inven_uom	No	inven_uom_id References uom		
product	fk_prod_manu	No	manuf_xid References manufacturer		
product	fk_prod_pack_uom	No	pack_uom_id References uom		
product	fk_prod_sales_tax	No	sales_tax_xid References sales_tax		
product	fk_prod_std_manuf_uom	No	std_manuf_uom_id References uom		
product	pk_prd	Yes	prod_id		
profile	fk_app_profile	No	application_cd References application		
profile	pk_pro	Yes	application_cd,profile_cd		
profile_access	fk_app_function_profile_	No	app_function_cd,application_cd References app_function		
profile_access	fk_profile_profile_access	No	application_cd,profile_cd References profile		
profile_access	pk_pra	Yes	app_function_cd,application_cd,profile_cd		
profile_rpt_access	fk_rpt_crp	No	rpt_sid References crystal_reports		
profile_rpt_access	fk_rpt_pro	No	application_cd,profile_cd References profile		
profile_rpt_access	pk_rpt	Yes	profile_cd,rpt_sid		
prop_attr	fk_ptt_att	No	attr_id References attribute		
prop_attr	fk_ptt_pdo	No	prop_dose_id References prop_dose		
prop_attr	pk_ptt	Yes	prop_attr_id		
prop_dose	pk_pdo	Yes	prop_dose_id		
prop_dose	fk_pdo_duni	No	dose_unit_pid References unit		
prop_dose	fk_pdo_prp	No	prop_id References property		
prop_dose	fk_pdo_quni	No	unit_qlf_id References unit		
prop_unit	pk_pru	Yes	prop_id, unit_catg_xid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

prop_unit	fk_pru_prp	No	prop_id References property		
property	pk_prp	Yes	prop_id		
prot_sched_chart	fk_psc_coc	No	cost_cntr_xid,site_sid References cost_centre		
prot_sched_chart	fk_psc_doc	No	doct_xid,site_sid References doctor		
prot_sched_chart	fk_psc_dpc	No	dspn_class_id,site_sid References dispense_class		
prot_sched_chart	fk_psc_mct	No	med_cht_id,site_sid References med_chart		
prot_sched_chart	fk_psc_pat	No	pat_id,pat_site_sid References patient		
prot_sched_chart	fk_psc_ptc	No	protocol_id,version_id References protocol		
prot_sched_chart	fk_psc_tea	No	site_sid,team_xid References team		
prot_sched_chart	pk_psc	Yes	prot_sched_id,site_sid		
prot_sched_item	fk_psi_prd	No	prod_id References product		
prot_sched_item	fk_psi_psc	No	prot_sched_id,site_sid References prot_sched_chart		
prot_sched_item	fk_psi_pti	No	protocol_id,protocol_item_id,version_id References protocol_item		
prot_sched_item	fk_psi_ste	No	site_sid References site		
prot_sched_item	pk_psi	Yes	prot_sched_item_id,site_sid		
prot_sched_period	fk_psh_psi	No	prot_sched_item_id,site_sid References prot_sched_item		
prot_sched_period	pk_psh	Yes	prot_sched_period_id,site_sid		
protocol	pk_ptc	Yes	protocol_id,version_id		
protocol_bom	fk_ptb_prd	No	comp_prod_id References product		
protocol_bom	fk_ptb_ptc	No	protocol_id,version_id References protocol		
protocol_bom	fk_ptb_pti	No	protocol_id,protocol_item_id,version_id References protocol_item		
protocol_bom	fk_ptb_uom	No	uom_id References uom		
protocol_bom	pk_ptb	Yes	comp_prod_id,protocol_id,protocol_item_id,version_id		
protocol_item	fk_pti_prd	No	prod_id References product		
protocol_item	fk_pti_ptc	No	protocol_id,version_id References protocol		
protocol_item	pk_pti	Yes	protocol_id,protocol_item_id,version_id		
protocol_site	fk_pts_ptc	No	protocol_id,version_id References protocol		
protocol_site	fk_pts_ste	No	site_sid References site		
protocol_site	pk_pts	Yes	protocol_id,site_sid,version_id		
pvv_adj_item	pk_pvi	Yes	site_sid, pvv_adj_item_id		
pvv_adj_item	fk_pvi_bin	No	site_sid, prod_id, loc_id References bin		
pvv_adj_item	fk_pvi_btr	No	site_sid, bin_tran_id References bin_tran		
pvv_adj_item	fk_pvi_pva	No	site_sid, pvv_adj_id References pvv_adjust		
pvv_adjust	pk_pva	Yes	site_sid, pvv_adj_id		
recon_ingred	pk_rei	Yes	recon_item_id		
recon_ingred	fk_rei_prd	No	comp_prod_id References product		
recon_ingred	fk_rei_rep	No	recon_id References recon_prod		
recon_lot	pk_rel	Yes	pharm_xid, recon_id, recon_lot_id		
recon_lot	fk_rel_rep	No	recon_id References recon_prod		
recon_prod	pk_rep	Yes	recon_id		
recon_prod	fk_rep_prd	No	prod_id References product		
recon_prod	fk_rep_prd	No	prod_id References product		
repay_item	fk_rpi_bib	No	bin_batch_id,site_sid References bin_batch		
repay_item	fk_rpi_bin	No	loc_id,prod_id,site_sid References bin		
repay_item	fk_rpi_btr	No	bin_tran_id,site_sid References bin_tran		
repay_item	fk_rpi_ftr	No	fin_tran_id,site_sid References fin_tran		
repay_item	fk_rpi_loi	No	loan_item_id,site_sid References loan_item		
repay_item	fk_rpi_pdu	No	prod_id,uom_id References prod_uom		
repay_item	fk_rpi_pdu_offset	No	offset_prod_id,offset_uom_id References prod_uom		
repay_item	fk_rpi_rpy	No	repay_id,site_sid References repayment		
repay_item	pk_rpi	Yes	repay_item_id,site_sid		
repayment	fk_rpy_exo	No	ext_org_xid,site_sid References external_org		
repayment	fk_rpy_ste	No	site_sid References site		
repayment	fk_rpy_str	No	site_sid,store_xid References store		
repayment	pk_rpy	Yes	repay_id,site_sid		
repayment_extr	fk_rpx_ext	No	extr_id,site_sid References extract		
repayment_extr	fk_rpx_rpy	No	repay_id,site_sid References repayment		
repayment_extr	pk_rpx	Yes	extr_id,repay_id,site_sid		
reprint	pk_rpr	Yes	site_sid, report_name, table_name, column_name, column_id		
rept_fmt_proc	fk_rfp_rpf	No	rept_fmt_cd References rept_format		
rept_fmt_proc	fk_rfp_ste	No	site_sid References site		
rept_fmt_proc	fk_rfp_stn	No	stnry_xid References stationery		
rept_fmt_proc	pk_rfp	Yes	rept_fmt_cd,site_sid		
rept_format	pk_rpf	Yes	rept_fmt_cd		
reqn	fk_reqn_cost_cntr	No	cost_cntr_xid,site_sid References cost_centre		
reqn	fk_reqn_store	No	site_sid,store_xid References store		
reqn	fk_rqn_ste	No	site_sid References site		
reqn	pk_rqn	Yes	reqn_id,site_sid		
reqn_extr	fk_rqx_ext	No	extr_id,site_sid References extract		
reqn_extr	fk_rqx_rqn	No	reqn_id,site_sid References reqn		
reqn_extr	pk_rqx	Yes	extr_id,reqn_id,site_sid		
reqn_item	fk_reqn_item_prod_uom	No	prod_id,uom_id References prod_uom		
reqn_item	fk_reqn_item_reqn	No	reqn_id,site_sid References reqn		
reqn_item	fk_rqi_imi	No	imp_item_id,site_sid References imprest_item		
reqn_item	fk_rqi_pds	No	prod_id,site_sid References prod_site		
reqn_item	pk_rqi	Yes	reqn_item_id,site_sid		
resource	pk_res	Yes	resource_id		
robot	pk_rob	Yes	site_sid, robot_id		
robot	fk_rob_ste	No	site_sid references site		
robot_audit_message	pk_ram	Yes	robot_aud_msg_id		
robot_chute	pk_roc	Yes	site_sid, chute_id		
robot_chute	fk_rch_ste	No	site_sid References site		
robot_chute	fk_rob_chu	No	site_sid,robot_id references robot		
robot_consis_external_ids	pk_rce	Yes	robot_consis_id		
robot_error_message	pk_rem	Yes	robot_error_msg_id		
robot_interface	pk_roi	Yes	site_sid, interface_id		
robot_interface	fk_rin_ste	No	site_sid References site		
robot_interface	fk_rob_int	No	site_sid,robot_id references robot		
route	pk_rou	Yes	route_id		
rtpm_amt_identifier	pk_rai	Yes	ctpp_id		
sales_tax	pk_stx	Yes	sales_tax_xid		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

site	fk_ste_ste	No	pat_ref_site_sid References site		
site	pk_ste	Yes	site_sid		
site_acc_comp	fk_sac_acm	No	acc_comp_id,site_sid References account_comp		
site_acc_comp	fk_sac_ste	No	site_sid References site		
site_acc_comp	pk_sac	Yes	acc_comp_id,site_sid		
site_settings	pk_sis	Yes	site_sid, site_fun_cd		
site_settings	fk_sis	No	site_sid References site		
spec_prod_indication	pk_spi	Yes	spi_id		
stationery	pk_stn	Yes	stnry_xid		
stationery_settings	fk_sts_usr	No	user_cd References users		
stationery_settings	fk_sts_wkn	No	site_sid,wkstn_id References workstation		
stationery_settings	pk_sts	Yes	pref_key,site_sid,stnry_xid,user_cd,wkstn_id		
std_manuf_note	fk_smn_prd	No	prod_id References product		
std_manuf_note	pk_smn	Yes	std_manuf_note_id		
stk_adj_item	fk_sai_bib	No	bin_batch_id,site_sid References bin_batch		
stk_adj_item	fk_sai_bin	No	loc_id,prod_id,site_sid References bin		
stk_adj_item	fk_sai_btr	No	bin_tran_id,site_sid References bin_tran		
stk_adj_item	fk_sai_pdu	No	prod_id,uom_id References prod_uom		
stk_adj_item	fk_sai_sad	No	site_sid,stk_adj_id References stock_adjust		
stk_adj_item	pk_sai	Yes	site_sid,stk_adj_item_id		
stk_take_grp	fk_stg_ste	No	site_sid References site		
stk_take_grp	pk_stg	Yes	site_sid,stk_take_grp_sid		
stk_take_item	fk_sti_bib	No	bin_batch_id,site_sid References bin_batch		
stk_take_item	fk_sti_btr	No	bin_tran_id,site_sid References bin_tran		
stk_take_item	fk_sti_pdu	No	prod_id,uom_id References prod_uom		
stk_take_item	fk_sti_sai	No	site_sid,stk_adj_item_id References stk_adj_item		
stk_take_item	fk_stk_take_item_bin	No	loc_id,prod_id,site_sid References bin		
stk_take_item	fk_stk_take_item_stk_tak	No	site_sid,stk_take_id References stock_take		
stk_take_item	pk_sti	Yes	site_sid,stk_take_item_id		
stocca_alert_parm	fk_sap_ste	No	site_sid References site		
stocca_alert_parm	pk_sap	Yes	dspn_alert_type_cd,site_sid		
stocca_dspn_parm	pk_sdp	Yes	site_sid		
stocca_inven_parm	pk_sip	Yes	site_sid		
stocca_parameter	fk_spm_cr_ivs	No	cr_invc_serv_xid,site_sid References invoice_service		
stocca_parameter	fk_spm_dr_ivs	No	dr_invc_serv_xid,site_sid References invoice_service		
stocca_parameter	fk_spm_fst2	No	fin_struct_type2 References fin_struct_type		
stocca_parameter	fk_spm_fst3	No	fin_struct_type3 References fin_struct_type		
stocca_parameter	fk_spm_fst4	No	fin_struct_type4 References fin_struct_type		
stocca_parameter	fk_spm_ivs	No	dspn_invc_serv_xid,site_sid References invoice_service		
stocca_parameter	pk_spm	Yes	site_sid		
stocca_pbs_dspn_parm	fk_spd_pha	No	pharm_xid,site_sid References pharmacy		
stocca_pbs_dspn_parm	pk_spd	Yes	pharm_xid,site_sid		
stocca_pbs_global_parm	pk_spg	Yes	stocca_pbs_parm_sid		
stocca_process	pk_spr	Yes	proc_id		
stocca_prod_parm	fk_spp_dv_uom	No	dv_uom_id References uom		
stocca_prod_parm	fk_spp_ml_uom	No	ml_uom_id References uom		
stocca_prod_parm	pk_spp	Yes	site_sid		
stocca_ref_site_parm	fk_ref_srp_ste	No	ref_site_sid References site		
stocca_ref_site_parm	fk_srp_ste	No	site_sid References site		
stocca_ref_site_parm	pk_srp	Yes	ref_site_sid,site_sid		
stocca_spr_parm	pk_sprp	Yes	site_sid, spec_prod_cd		
stoccamsg_parm	pk_smp	Yes	hl7_sendapp_name		
stock_adjust	fk_sad_ste	No	site_sid References site		
stock_adjust	fk_sad_str	No	site_sid,store_xid References store		
stock_adjust	pk_sad	Yes	site_sid,stk_adj_id		
stock_adjust_extr	fk_sax_ext	No	extr_id,site_sid References extract		
stock_adjust_extr	fk_sax_sad	No	site_sid,stk_adj_id References stock_adjust		
stock_adjust_extr	pk_sax	Yes	extr_id,site_sid,stk_adj_id		
stock_take	fk_stk_ste	No	site_sid References site		
stock_take	fk_stock_take_store	No	site_sid,store_xid References store		
stock_take	pk_stk	Yes	site_sid,stk_take_id		
stock_take_extr	fk_skx_ext	No	extr_id,site_sid References extract		
stock_take_extr	fk_skx_stk	No	site_sid,stk_take_id References stock_take		
stock_take_extr	pk_skx	Yes	extr_id,site_sid,stk_take_id		
stock_valuation	pk_stv	Yes	loc_id,prod_id,site_sid,tran_dt		
stock_valuation_backup	pk_stb	Yes	loc_id,prod_id,site_sid,tran_dt		
store	fk_str_coc	No	cost_cntr_xid,site_sid References cost_centre		
store	fk_str_ste	No	site_sid References site		
store	fk_str_supp_str	No	supp_site_sid,supp_store_xid References store		
store	pk_str	Yes	site_sid,store_xid		
store_acc_comp	fk_sta_acm	No	acc_comp_id,site_sid References account_comp		
store_acc_comp	fk_sta_str	No	site_sid,store_xid References store		
store_acc_comp	pk_sta	Yes	acc_comp_id,site_sid,store_xid		
supp_catl	fk_sct_pds	No	prod_id,site_sid References prod_site		
supp_catl	fk_sct_pdu	No	prod_id,uom_id References prod_uom		
supp_catl	fk_supp_catl_supp	No	site_sid,supp_xid References supplier		
supp_catl	pk_sct	Yes	site_sid,supp_catl_id		
supp_cost_cntr	fk_scc_coc	No	cost_cntr_xid,site_sid References cost_centre		
supp_cost_cntr	fk_scc_sup	No	site_sid,supp_xid References supplier		
supp_cost_cntr	pk_scc	Yes	cost_cntr_xid,site_sid,supp_xid		
supp_mast	pk_sum	Yes	supp_mast_xid		
supplier	fk_sup_ste	No	site_sid References site		
supplier	fk_sup_sum	No	supp_mast_xid References supp_mast		
supplier	pk_sup	Yes	site_sid,supp_xid		
team	fk_tea_fsr	No	fin_struct_id References fin_struct		
team	fk_tea_ste	No	site_sid References site		
team	pk_tea	Yes	site_sid,team_xid		
tfr_item	fk_tfi_bib_recv	No	recv_bin_batch_id,recv_site_sid References bin_batch		
tfr_item	fk_tfi_bib_supp	No	supp_bin_batch_id,supp_site_sid References bin_batch		
tfr_item	fk_tfi_bin_recv	No	prod_id,recv_loc_id,recv_site_sid References bin		
tfr_item	fk_tfi_bin_send	No	prod_id,supp_loc_id,supp_site_sid References bin		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.

tfr_item	fk_tfi_btr_recv	No	recv_bin_tran_id,recv_site_sid References bin_tran		
tfr_item	fk_tfi_btr_supp	No	supp_bin_tran_id,supp_site_sid References bin_tran		
tfr_item	fk_tfi_pdu	No	prod_id,uom_id References prod_uom		
tfr_item	fk_tfi_tqi	No	recv_site_sid,tfr_rqst_item_id References tfr_rqst_item		
tfr_item	pk_tfi	Yes	supp_site_sid,tfr_item_id		
tfr_item	fk_tfi_bin_rapos	No	supp_site_sid, rapos_bin_tran		
tfr_item	fk_tfi_bin_raneg	No	supp_site_sid, rapos_bin_tran		
tfr_item	fk_tfi_tfr	No	supp_site_sid, tfr_id references transfer		
tfr_request	fk_tfq_ste	No	rqst_site_sid References site		
tfr_request	fk_tfq_ste_supp	No	supp_site_sid References site		
tfr_request	fk_tfr_rqst_rqst_store	No	rqst_site_sid,rqst_store_xid References store		
tfr_request	fk_tfr_rqst_send_store	No	supp_site_sid,supp_store_xid References store		
tfr_request	pk_tfq	Yes	rqst_site_sid,tfr_rqst_id		
tfr_request_extr	fk_tfx_tfq	No	site_sid,tfr_rqst_id References tfr_request		
tfr_request_extr	fk_trx_ext	No	extr_id,site_sid References extract		
tfr_request_extr	pk_trx	Yes	extr_id,site_sid,tfr_rqst_id		
tfr_rqst_item	fk_tfr_rqst_item_bin	No	loc_id,prod_id,rqst_site_sid References bin		
tfr_rqst_item	fk_tr_item_prod_uom	No	prod_id,uom_id References prod_uom		
tfr_rqst_item	fk_tr_item_tr	No	rqst_site_sid,tfr_rqst_id References tfr_request		
tfr_rqst_item	pk_tqi	Yes	rqst_site_sid,tfr_rqst_item_id		
tran_add_val	fk_tav_ste	No	site_sid References site		
tran_add_val	fk_tran_add_val_tran_type	No	tran_type_cd References tran_type		
tran_add_val	pk_tav	Yes	site_sid,tran_add_val_id		
tran_type	pk_ttp	Yes	tran_type_cd		
transfer	fk_tfr_ste	No	supp_site_sid References site		
transfer	fk_tfr_ste_recv	No	recv_site_sid References site		
transfer	fk_tfr_store_recv	No	recv_site_sid,recv_store_xid References store		
transfer	fk_tfr_store_send	No	supp_site_sid,supp_store_xid References store		
transfer	pk_tfr	Yes	supp_site_sid,tfr_id		
transfer_extr	fk_tfx_ext	No	extr_id,site_sid References extract		
transfer_extr	pk_tfx	Yes	extr_id,site_sid,tfr_id		
transfer_extr	fk_tfx_tfr	No	site_sid References transfer		
unit	pk_uni	Yes	unit_pid		
uom	pk_uom	Yes	uom_id		
user_list_of_val	pk_ulv	Yes	user_value_type_cd,user_value_xid		
user_lov_pat	fk_upa_pat	No	pat_id,pat_site_sid References patient		
user_lov_pat	pk_upa	Yes	pat_id,pat_site_sid,user_value_xid		
user_lov_prod	fk_upr_prd	No	prod_id References product		
user_lov_prod	pk_upr	Yes	prod_id,user_value_xid		
User_pwd	pk_usppwd_id	Yes	pwd_id		
user_settings	fk_usg_usr	No	user_cd References users		
user_settings	fk_usg_wkn	No	site_sid,wkstn_id References workstation		
user_settings	pk_usg	Yes	pref_key,site_sid,user_cd,wkstn_id		
user_site_settings	fk_uss_usr	No	user_cd References users		
user_site_settings	fk_uss_wkn	No	site_sid,wkstn_id References workstation		
user_site_settings	pk_uss	Yes	pref_key,site_sid,user_cd,wkstn_id		
user_workstation_audit	fk_uwa_ste	No	site_sid References site		
user_workstation_audit	fk_uwa_usr	No	user_cd References users		
user_workstation_audit	fk_uwa_wkn	No	site_sid,wkstn_id References workstation		
user_workstation_audit	pk_uwa	Yes	session_id		
uppn_map	pk_upm	Yes	orig_dspn_id, curr_dspn_id, site_sid		
users	pk_usr	Yes	user_cd		
val_adj_item	fk_vai_bin	No	loc_id,prod_id,site_sid References bin		
val_adj_item	fk_vai_btr	No	bin_tran_id,site_sid References bin_tran		
val_adj_item	fk_vai_vad	No	site_sid,val_adj_id References value_adjust		
val_adj_item	pk_vai	Yes	site_sid,val_adj_item_id		
value_adjust	fk_vad_str	No	site_sid,store_xid References store		
value_adjust	pk_vad	Yes	site_sid,val_adj_id		
var_dose_chart	fk_var_dose_cht_pat	No	pat_id,pat_site_sid References patient		
var_dose_chart	fk_vdc_ste	No	site_sid References site		
var_dose_chart	pk_vdc	Yes	site_sid,var_dose_chart_id		
var_dose_item	fk_var_dose_item_cht	No	site_sid,var_dose_chart_id References var_dose_chart		
var_dose_item	fk_vdi_pds	No	prod_id,site_sid References prod_site		
var_dose_item	fk_vdi_pdu	No	prod_id,uom_id References prod_uom		
var_dose_item	pk_vdi	Yes	site_sid,var_dose_item_id		
var_dose_period	fk_vdo_vdi	No	site_sid,var_dose_item_id References var_dose_item		
var_dose_period	pk_vdo	Yes	site_sid,var_dose_period_id		
warning_codes	pk_wcd	Yes	warn_code_xid		
work_flow	pk_wfl	Yes	work_flow_id		
workstation	pk_wkn	Yes	site_sid,wkstn_id		
workstation_settings	pk_wks	Yes	site_sid,wkstn_id,user_cd		

© 2023 Dedalus Company. All rights reserved. This document is strictly confidential and proprietary information of Dedalus and subject to all applicable license and non-disclosure restrictions.