Breaking Down Barriers

Using Docsify-This As an Entry Point to Markdown Open Publishing

bit.ly/otessa-2024-docsify-this

Paul Hibbitts
hibbittsdesign.org
@hibbittsdesign@mastodon.social

Photo: https://unsplash.com/photos/lines-of-html-codes-4hbJ-eymZ1o

Session Topics

1. Open Content Format Considerations
2. Markdown
3. Publishing with Markdown
4. Docsify-This
5. Hosting Markdown Files
6. Interactive Demo and Activities!
7. Next Steps

1. Open Content Format Considerations

Open Content Format Considerations

- Support for the 5 Rs
    - For example, is content reusable across different platforms?
- Content editing tools
    - For example, are there Web and/or desktop editing options?
- Publishing workflows
    - For example, how is raw content turned into Web pages?
- Collaboration and version control potential
    - For example, can content revisions be managed?

2. Markdown

What is Markdown?

Markdown is a syntax to format the display of content stored as plain text - similar but simpler than HTML formatting

Markdown Examples

Your H1 Text Here
Your H2 Text Here

your italic text here

your bold text here

* your unordered list item here

  1. your numbered (and indented) list item here

[link title](https://www.google.com)

![Image Alt Text](imagefile.jpg)

Tip: To ensure a new paragraph after text in markdown, put two spaces after the end of the line

Why Markdown?

✓ System-independent

✓ Text-only (future proof *and* perfect for version control!)

✓ Separation of content vs. presentation

✓ Human-readable (i.e. more than HTML)

✓ Can also contain HTML snippets

Example HTML Snippets

```
<div style="text-align: center;">

# This h1 Header is Centered

</div>
```

```
<details>
    <summary>Content title</summary>
    This content can be <em>shown/hidden</em>.
</details>
```

3. Publishing with Markdown

Publishing with Markdown

- Markdown Converters
  - For example, Pandoc (pandoc.org)
- Markdown Static Site Builders
  - For example, Jekyll (jekyllrb.com)
- Markdown Dynamic Renderers
  - For example, Docsify (docsify.js.org)

How can we make publishing open content with Markdown easier?

4. Docsify-This

Docsify-This

Docsify-This is an open source Web app, built using the Docsify Open Publishing Kit, that can instantly turn online Markdown files into web pages

Docsify-This Core Design Principles

1. Frictionless Markdown publishing
2. Flexible content display handling
3. Your content, your control
4. Support the 5 Rs of OER
5. Authors helping other authors

Docsify-This Example Usage Scenarios

✓ Publish your Markdown files as standalone web pages

✓ Visually style your standalone web pages using a
point-and-click Web Page Builder

✓ Share existing GitHub or Codeberg hosted Markdown files
as standalone web pages

✓ Seamlessly embed constraint-free Markdown/HTML

✓ Reuse existing Markdown content by seamlessly embedding
it within other platforms (e.g. LMS or CMS)

✓ Utilize the supported URL parameters when embedding content
to match each destination platform better visually

Publishing Markdown Content with Docsify-This

1. Create or view a Markdown file on GitHub, Codeberg or a Webserver and copy that URL
2. Go to **Docsify-This.net**, paste the URL into the **Markdown File URL** field, and tap the **Publish as a Standalone Web Page** button
3. *That's it, there is no step 3!*

🐸 Docsify–This

Instantly Turn Online Markdown Files into Web Pages

This open-source web app, built with the magical documentation site generator Docsify, provides a quick way to publish one or more online Markdown files as standalone web pages without needing to set up your own website. Try it out below!

Web Page Builder

Enter the URL of a Markdown file and view that file as a web page in a new Browser tab. The resulting Docsify-This page URL can be copied and shared or used as an iFrame source URL.

Markdown File URL (GitHub, Codeberg or raw source URL):

https://github.com/hibbitts-design/docsify-this-one-page-article/blob/main/home.md

Publish as a Standalone Web Page

Page layout:

Content Only   Table of Contents   Docsify Sidebar

☐ Include 'Edit this Page' link with public GitHub or Codeberg files (default location is bottom of page)

Show More Page Appearance Options »

All About Docsify-This

- What Problem Does Docsify-This Solve?
- Docsify-This Core Design Principles
- How Docsify-This Works
- Read What People are Saying about Docsify-This
- Example Content Workflows
- Ready-to-Use Docsify-This Markdown Templates
- Additional Docsify-This Markdown Examples and Templates
- Page Appearance URL Parameters
- Embedding Docsify-This Pages into Other Platforms

My Open Publishing Space
Create, Share and Collaborate

[Docsify](#) can generate article, portfolio and documentation websites on the fly. Unlike Docusaurus, Hugo and many other Static Site Generators (SSG), it does not generate static html files. Instead, it smartly loads and parses your Markdown content files and displays them as a website.

Introduction

Markdown is a system-independent markup language that is easier to learn and use than **HTML**.

Figure 1: The Markdown Mark

Some of the key benefits are:

1. Markdown is simple to learn, with minimal extra characters, so it's also quicker to write content.
2. Less chance of errors when writing in markdown.
3. Produces valid XHTML output.

Example Docsify-This URL

```
https://docsify-this.net/?basePath=https://raw.githubusercontent.com/hibbitts-design/docsify-this-one-page-article/main&homepage=home.md
```

Product ⌄   Solutions ⌄   Open Source ⌄   Pricing

Sign in   Sign up

dmalawey / **OpenArm** Public

Notifications   Fork 0   ★ Star 5

<> Code   ⊙ Issues   ⊮ Pull requests   ⊙ Actions   ⊞ Projects   🛡 Security   📈 Insights

⑂ main ⌄   ⑂ 1 Branch   🏷 0 Tags

Go to file   <> Code ⌄

dmalawey Update README.md   530a5cd · 3 months ago   ⏱ 76 Commits

📁 img	Update readme.md	9 months ago
📄 LICENSE	Initial commit	9 months ago
📄 README.md	Update README.md	3 months ago

📖 README   ⚖ MIT license

OpenArm

An open-source robot arm

> PURPOSE: to design a robot arm using bio-inspiration for higher modularity and higher loads than leading commercial designs in 2023.

| Github Repo | Website |

Characteristics

Version 1

About

An Open Source Robot Arm

🔗 qr.page/g/2wY5JrxcciD

education   ai   makers   dynamics

openhardware   3dprinting

📖 Readme

⚖ MIT license

⬈ Activity

★ 5 stars

👁 3 watching

⑂ 0 forks

Report repository

OpenArm

An open-source robot arm

> **PURPOSE:** to design a robot arm using bio-inspiration for higher modularity and higher loads than leading commercial designs in 2023.

| Github Repo | | Website |

Characteristics

Version 1

- Comprised of 3D Printable + OTS parts
- Less than $150 in components
- Using DC motors, M2 Belts, and M2 pulleys like those of 3D printers
- Having no encoders required ✳️
- Bio-inspired - having damping forces and torque relationships similar to a human arm.
- Digital-twin oriented - the simulated design shall represent the real implementation sufficiently to simulate motion.
- Parametric design - the geometry leaves space for variations and modifications of internals & frame.

Biological Sketch	Biological sketch with motors identified	Robot Arm concept with motors

Product ⌄   Solutions ⌄   Open Source ⌄   Pricing

Search or jump to...   /   Sign in   Sign up

harlows / **waikato-extend**   Public

⌗ Notifications   ⑂ Fork 0   ☆ Star 2   ⌄

<> Code   ⊙ Issues   ⑂ Pull requests   ⊙ Actions   ⊞ Projects   ⊙ Security   ⌁ Insights

waikato-extend / **docs** / **teacher-for-learning** /   ⧉

□ Files

⌥ main   ⌄

🔍 Go to file

⌄ 📁 docs
  › 📁 collaborator
  › 📁 curator
  › 📁 experimenter
  › 📁 scholar
  ⌄ 📁 teacher-for-learning
    › 📁 images
      📄 _footer.md
      📄 _sidebar.md
      📄 climate-of-the-course.md
      📄 feedback-and-practice.md
      📄 how-learning-works.md
      📄 mastery.md
      📄 metacognition.md
      📄 motivation.md
      📄 organise-knowledge.md
      📄 overview.md
      📄 prior-knowledge.md
      📄 scenario.md
      📄 summary.md
  › 📁 technologist
  📄 README.md

👤 harlows   Update _footer.md   6fee52a · 3 months ago   ⓘ History

| Name	Last commit message	Last commit date
📁 ..		
📁 images	Add files via upload	3 months ago
📄 _footer.md	Update _footer.md	3 months ago
📄 _sidebar.md	Update _sidebar.md	8 months ago
📄 climate-of-the-course.md	Update climate-of-the-course.md	3 months ago
📄 feedback-and-practice.md	Update feedback-and-practice.md	3 months ago
📄 how-learning-works.md	Update how-learning-works.md	3 months ago
📄 mastery.md	Update mastery.md	3 months ago
📄 metacognition.md	Update metacognition.md	3 months ago
📄 motivation.md	Update motivation.md	3 months ago
📄 organise-knowledge.md	Update organise-knowledge.md	3 months ago
📄 overview.md	Update overview.md	3 months ago
📄 prior-knowledge.md	Update prior-knowledge.md	3 months ago
📄 scenario.md	Update scenario.md	3 months ago
📄 summary.md	Update summary.md	3 months ago

Scenario

Students don't seem to understand the material in my course. They just don't get it! For some reason they seem to miss the mark in my exams each year no matter what I try to do to prepare them. They seem disinterested and distracted. I want them to understand the relevance and enthusiasm I feel for my content, but I'm out of ideas on how to get through to them.

How do I become a Teacher for Learning?

Direct Link: [How do I become a teacher For learning?](#)

Waikato Extend, is adapted from [Ontario Extend](#) by [eCampusOntario](#), used under a [CC BY-NC-SA 4.0](#) license. Waikato Extend is licensed [CC BY-NC-SA 4.0](#) by The University of Waikato

Product Solutions Open Source Pricing

Search or jump to...

Sign in Sign up

jmaxsfu / pub607-23 Public

Notifications Fork 1 Star 3

<> Code ⊙ Issues ⁋ Pull requests ⊙ Actions ⊞ Projects ⊙ Security ⌁ Insights

⑂ main ⑂ 1 Branch ◌ 0 Tags

Go to file

<> Code ⌄

About

This is material for PUB 607, a graduate project course in Publishing production technologies at SImon Fraser University. This course is new as of spring 2023.

🔗 jmaxsfu.github.io/pub607-23/

🖿 jmaxsfu Added zoom recorder image ✓	3402f8f · last year	198 Commits
🗀 Alice	Update AW-3.txt	last year
🗀 Other	Update Bigoverview2022.md	last year
🗀 img	Added zoom recorder image	last year
🗎 .gitignore	get rid of DS_store	last year
🗎 1.Files.md	Update 1.Files.md	last year
🗎 2.Production.md	Removed microphone from Lecture2	last year
🗎 3.Ebooks.md	Update 3.Ebooks.md	last year
🗎 4.Audio.md	Update 4.Audio.md	last year
🗎 Assignments.md	Update Assignments.md	last year
🗎 Audacity.md	Create Audacity.md	last year
🗎 CSS.md	tweaks	last year
🗎 CSSspec.md	Added CSS examples	last year
🗎 Commands.md	Pandoc tutorial details	last year
🗎 DAW.md	Added zoom recorder image	last year
🗎 DownloadPage.md	Update DownloadPage.md	last year
🗎 Github.md	Minor edits to Github how tos	last year
🗎 GithubPages.md	Minor edits to Github how tos	last year
🗎 Pandoc.md	Update Pandoc.md	last year

📖 Readme
⌁ Activity
☆ 3 stars
👁 1 watching
⑂ 1 fork

Report repository

Releases

No releases published

Packages

No packages published

Contributors 2

👤 jmaxsfu John Maxwell
👤 Shaleeta

Languages

● CSS 100.0%

A CSS Primer

This is the smallest, shortest CSS primer you'll ever see.

Basic syntax (note the punctuation):

A CSS file is a collection of declarations about what **things** (er, content objects) look like. We say which thing we mean by using a "selector" and then we tell it what we want by specifying "attributes" and "values". The punctuation is necessary: it basically goes like this:

```
selector { attribute: value;  }
```
markup

E.g.,

```
h1 { font-size: 18pt; }
```
markup

The **selector:** specifies the thing that we're going to talk about. It can be an HTML **element** like `p` or `h1` or `blockquote`:

```
p
```
markup

It can also refer to specific kinds of those elements, where they have named **classes** (as in `<p class="whatever">`. Or where they have a unique identifier:

```
p.whatever

p#uniqueID
```
markup

You can also specify that the thing only counts if it appears in a particular context. For instance, `p` only if it appears within a `section` element, but not otherwise:

```
section > p
```
markup

Reset Student   Leave Student View

5. Hosting Markdown Files

Hosting Markdown Files

- GitHub or Codeberg
  a. Signup for a GitHub or Codeberg account
  b. Make a new repository, and create or upload your Markdown file
  c. View the Markdown file, and copy/paste that URL into the Docsify-This Markdown File URL field
- Gist (GitHub Gists)
- Personal or Organizational Website

6. Interactive Demo and Activities!

Next Steps

Markdown Guide
- ■ https://www.markdownguide.org

HedgeDoc (can be installed on your own server)
- ■ https://hedgedoc.org

OER on GitHub What, Why, & How (also applies to Codeberg)
- ■ https://evanwill.github.io/make-oer

GitHub Desktop App (can also be used with Codeberg)
- ■ https://desktop.github.com

Markdown Desktop Editors
- ■ https://code.visualstudio.com
- ■ https://typora.io

Thank You! Questions?

Contact info
- Web: hibbittsdesign.org
- Email: paul@hibbittsdesign.org

Docsify-This
- Web App: docsify-this.net
- Publishing Guide: publishing.docsify-this.net

Want to host your own Docsify website? Check out my Docsify Starter Kits!
- https://github.com/hibbitts-design

Online Activities for Participants

1. Display a Markdown file (given its URL) as a standalone Web page
2. Display a Markdown file (of the participants' choice) as a standalone Web page
3. Visually style a displayed Markdown file using the Web Page Builder
4. Share the URL of a Web page created by Docsify-This Web Page Builder
5. Decode the URL parameters of a raw Docsify-This Web Page URL
6. Change the visual style of a Web page created by Docsify-This using URL parameters (and not the Web Page Builder)
7. Access the Docsify-This Advanced Web Page Builder
8. Use one or more of the additional options provided in the Advanced Web Page Builder to change the visual style of a Web page created by Docsify-This
9. Using the Advanced Web Page Builder, display a collection of Markdown files as a standalone Website (given the homepage URL) using a custom Docsify Sidebar

BONUS Online Activity for Participants

Create a Markdown file on either GitHub.com or Codeberg.org and display it with Docsify-This