#vue #angular #javascript #node #laravel #css #vs-code

lared

ıbase

om/leading-

stics

e that

n

l

like

hat

ents

rk

, the
ıd the
B).

o
to

rg/)
ılling
DB
.

on

B

ith it
They

sical
tems

be
DB

Mac

tions

rg/manual/tutori

)

rg/manual/tutori

when

here

stored

sure

goDB

os!

Ls)

Macs

brew

:/manual/tutorial/

l-mongodb-manu

on

```
// update yo
$ brew updat

// install m
$ brew insta
```


Catch us on YouTube!
(https://bit.ly/3by24s7)

r not

the

es

:/manual/tutorial/

l-mongodb-manu

B

s to

cess

ugh!

t

g

to

.

thing

vice

imple

p and

```
$ mongod
```

e this

DB

ou

rt



.io/2014/11/n

to
DB

B

e just

it.

ts

ct to

```
$ mongo
```

cted
e our
nds.



.io/2014/11/n

side,

, and

n

ı

e

ıds

```
$ show dbs
```

nless
ion

n't
ıt
a
just
ven if
eate a

ade

ng

nt

```
$ db
```

```
$ use db_nam
```

ıds

```
// save one
$ db.users.s

// save mult
$ db.users.s
```

ent

ıve

d both

id not

```
// show all
$ db.users.f

// find a sp
$ db.users.f
```

```
db.users.upd
```

```
// remove al
db.users.rem

// remove on
db.users.rem
```

)es of
ı run.

:/manual/core/cru

nsive
: deal
hat
r.

vides

)
ough
ds.

a

ion

nce of
y
will

for

is
se to

ce we
create
ust
that
ng by

```
$ mongod
```

se
(it

goose
).

e

a

```
// grab the
var mongoose

mongoose.con
```

start

our

base

ll

eated.

on on

side

on,

in
DB

/using-
nd-

:

ngo

ugh
d line

es,
for
ned.

nload

ion to
y
ldress
he
ne

ect-

.io/2014/11/r

nect,
all
heir
ns!
JI to

can

o get

h the

ussed

-db

.io/2014/11/r

on

at

nat

ı any
. For
we
DB
can

ns!

de on

ɔncode)

sites
00

GET STARTED