

## Return to "Deep Learning" in the classroom

## Predicting Bike-Sharing Patterns

	REVIEW
	CODE REVIEW
	HISTORY
Meets S	pecifications
December be	implementing a successful neural network! As we can see, the model overestimates bike ridership in ecause it hasn't had sufficient holiday season training examples. The predictions generally are quite ugh!
December be accurate, tho	ecause it hasn't had sufficient holiday season training examples. The predictions generally are quite ugh!
December be accurate, tho	cause it hasn't had sufficient holiday season training examples. The predictions generally are quite ugh!
Code Fundable Code Correct!	cause it hasn't had sufficient holiday season training examples. The predictions generally are quite ugh!

The forward pass is correctly implemented for the network's training.
Correct!
The run method correctly produces the desired regression output for the neural network.
Correct!
Backward Pass
The network correctly implements the backward pass for each batch, correctly updating the weight change.
Correct!
Updates to both the input-to-hidden and hidden-to-output weights are implemented correctly.
Correct!
Hyperparameters
The number of epochs is chosen such the network is trained well enough to accurately make predictions but is not overfitting to the training data.
Correct!
The number of hidden units is chosen such that the network is able to accurately predict the number of bike riders, is able to generalize, and is not overfitting.
Correct!
The learning rate is chosen such that the network successfully converges, but is still time efficient.

The number of out	out nodes is properly selected to solve the desired problem.	
Correct!		
The training loss is	pelow 0.09 and the validation loss is below 0.18.	
Correct!		
	<b>I</b> ↓I DOWNLOAD PROJECT	

RETURN TO PATH

Rate this review