Project: PRJ-10011.proj

Book: Sorting System

Last modification date: 10/19/2026

Revision	Description	Created by	Creation date	Validated by	Validation date	Verified by	Verified on
A	rev1 desc	CMayou	11/3/2025	CMayou	9/2/2026	CMayou	9/2/2026
B		CMayou	9/2/2026	CMayou	9/2/2026	CMayou	9/2/2026

SOLIDWORKS Electrical

Waltham, MA 02451	Design Office DS SolidWorks Corpration 175 Wyman Street Waltham, MA 02451	REVISION B
	CONTRACT No : PRJ-10011 / User data 2	SCHEME 01

1-Sorting System

Drawing	Description	Function	Location	Revision	Date	Created by	Folder	Folder description
01	Cover Page	F1	L1	B	9/2/2026	CMayou		
02	Drawings list	F1	L1	B	9/2/2026	CMayou		
03	Drawings list	F1	L1	B	9/2/2026	CMayou		
04	Power	F1	L1	B	9/2/2026	CMayou		
05	Control	F1	L1	B	9/2/2026	CMayou		
06	Bill Of Materials grouped by manufacturer	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
07	List of wires by line style	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
08	List of wires by line style	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
09	List of wires by line style	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
13	Bill Of Materials grouped by manufacturer	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
Bill of Material With Cable and Wires (1_2)	Bill_of_Material_w_cable_wires	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
Bill of Material With Cable and Wires (2_2)	Bill_of_Material_w_cable_wires	F1	L1	B	9/2/2026	CMayou	1	Report Drawings
12	List of cables tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
11	List of components tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
10	List of terminal strips tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
16	List of wires tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
17	List of wire wAssc Termininations	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
18	List of wire wAssc Termininations	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
19	List of wire wAssc Termininations	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
20	List of Din Rails for MFG	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
21	Bill_of_Material_cable_and_wires	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
22	List of wires origin\destination tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
26	List of wires origin\destination tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG

-> 1-Sorting System

Drawing	Description	Function	Location	Revision	Date	Created by	Folder	Folder description
Bill_of_Material_cable_and_wires.xlsx	Bill_of_Material_cable_and_wires	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of Din Rails for MFG.xlsx	List of Din Rails for MFG	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of wire wAssc Terminination.xlsx	List of wire wAssc Terminination	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of cables tags.xlsx	List of cables tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of components tags.xlsx	List of components tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of terminal strips tags.xlsx	List of terminal strips tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of wires tags.xlsx	List of wires tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
List of wires origin_destination tags.xlsx	List of wires origin\destination tags	F1	L1	B	9/2/2026	CMayou	2	Reports for MFG
23	Top Level	F1		B	9/2/2026	CMayou	3	3D Assmeblies
24	Main Electrical Enclosure	F1	L1	B	9/2/2026	CMayou	3	3D Assmeblies
25	Conveyors	F1	L2	B	9/2/2026	CMayou	3	3D Assmeblies
Bill of Material With Cable and Wires_NEW (1_2)	Bill_of_Material_w_cable_wires_Copy_NEW	F1	L1	B	9/2/2026	CMayou		
Bill of Material With Cable and Wires_NEW (2_2)	Bill_of_Material_w_cable_wires_Copy_NEW	F1	L1	B	9/2/2026	CMayou		
27	Main Electrical Enclosure	F1	L1	B	9/2/2026	CMayou		

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

CONTRACT: PRJ-10011

Drawings list

LOCATION: L1 Main Electrical Enclosure


REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

User data 1

User data 2

REVISION B

SCHEME 03



Design Office DS SolidWorks Corpration 175 Wyman Street Waltham, MA 02451	Power td1 td2	REVISION
CONTRACT N° : PRJ-10011	LOCATION: L1 — Main Electrical Enclosure	SCHEME 04

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/3/2025	CMayou	test rev desc

User data 2

SOLIDWORKS Electrical

Document created with version : 2026.3.2.0003



Design Office DS SolidWorks Corpration 175 Wyman Street Waltham, MA 02451	Control			REVISION
		B	9/2/2026	CMayou	
		A	11/3/2025	CMayou	rev desc
		REV.	DATE	NAME	CHANGES
CONTRACT N° : PRJ-10011	LOCATION: L1 Main Electrical Enclosure	User data 2			SCHEME 05

SOLIDWORKS Electrical

Document created with version : 2026.3.2.0003

	Reference	Mark	Description	Quantity
1	JKS-60	04F1	FUSE - CLASS J	4
2	009213	R1, R2, R3	Din rail 15mm x 35mm	3
3	036200	D1, D2, D3, D4, D5, D6	Duct 25*25	6
4	LS112M-4P(4)	04M1, 04M2, 04M3	FCR J02 asynchronous brake motor	3
5	3044076	X1 1, X1 2, X1 3, X1 4, X1 5, X1 6, X1 7, X1 8, X1 9, X1 10, X1 11, X1 12	UNIVERSAL TERMINAL BLOCK - UT 2,5	12
6	AE 1055.500	L1	Compact enclosures AE, Door: Sheet steel with mounting plate. Size in mm (witdh x Height x Depth): 800 X 600 X 300	1
7	AE 1055.500-MPL	L1	Mounting plate, Size in mm (witdh x Height): 749 X 570	1
8	34241	04K1, 05K1, 04K2	Contactor Releay 3Pole NO Power 1NO -1NC 24VDC	3
9	96513	L1	13mm cable gland	4
10	2124252	05S1	NC, Momentary Open ESTOP	1
11	PSU24V	04PS1		1
12	SWST_FD4-2352798	04F1	4-Pole, 60A Fuse Disconnector	1
13	SWST-CB-3P-30A	04Q1, 04Q2, 04Q3	3 Pole, 30A CB	3
14	SWST-PB-SPST	05PB1	NO, Momentary CLOSED PB, Illuminated	1
15	SWSTPLC023I3O	N2 N1	6x6 Digital Programmable Logic Controller	1
16	test terminal	X2 1		1

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

Bill Of Materials grouped by manufacturer

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME 06

User data 1

User data 2

= 24V+ 18AWG

Origin	Destination	Wire number	Section	Length (mm)	Reference	Line style
F1 L1 04K1:13	F1 L1 05PB1:0	403	18 (AWG)	0	1015-18-1-6	= 24V+ 18AWG
F1 L1 04K1:14	F1 L1 05PB1:1	502	18 (AWG)	1647.6	1015-18-1-6	= 24V+ 18AWG
F1 L1 04K1:A1	F1 L1 05PB1:H1	502A	18 (AWG)	1940.85	1015-18-1-6	= 24V+ 18AWG
F1 L1 05PB1:1	F1 L1 05S1:A	502	18 (AWG)	323.78	1015-18-1-6	= 24V+ 18AWG
F1 L1 05PB1:H1	F1 L1 05S1:B	502A	18 (AWG)	355.61	1015-18-1-6	= 24V+ 18AWG
F1 L1 05PB1:0	F1 L1 04PS1:+24 VDC	403	18 (AWG)	1986.85	1015-18-1-6	= 24V+ 18AWG
				6254.69		

= 24V - 18AWG GND

Origin	Destination	Wire number	Section	Length (mm)	Reference	Line style
F1 L1 05PB1:H2	F1 L1 04PS1:- GND	Gnd-1	18 (AWG)	1829.4	1015-18-1-4	= 24V - 18AWG GND
F1 L1 04K1:A2	F1 L1 05PB1:H2	Gnd-1	18 (AWG)	0	1015-18-1-4	= 24V - 18AWG GND
				1829.4		

N L1 L2 L3 - 8 AWG

Origin	Destination	Wire number	Section	Length (mm)	Reference	Line style
F1 L1 04K1:T1	F1 L1 X1 1	L1-6	8 (AWG)	195.63	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04K1:T2	F1 L1 X1 2	L2-6	8 (AWG)	197.52	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04K1:T3	F1 L1 X1 3	L3-6	8 (AWG)	215.99	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 04K2:L1	F1 L1 04Q3:2	L1-5	8 (AWG)	295.83	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04K2:L2	F1 L1 04Q3:4	L2-5	8 (AWG)	295.67	1028-8-133-3	N L1 L2 L3 - 8 AWG

-> N L1 L2 L3 - 8 AWG

Origin	Destination	Wire number	Section	Length (mm)	Reference	Line style
F1 L1 04K2:L3	F1 L1 04Q3:6	L3-5	8 (AWG)	291.89	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 04K2:T2	F1 L1 X1 10	L2-8	8 (AWG)	231.32	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04K2:T3	F1 L1 X1 11	L3-8	8 (AWG)	228.32	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 04K2:T1	F1 L1 X1 9	L1-8	8 (AWG)	222.2	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04Q1:1	F1 L1 04Q2:1	L1-2	8 (AWG)	183.05	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04Q1:3	F1 L1 04Q2:3	L2-2	8 (AWG)	183.3	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04Q1:5	F1 L1 04Q2:5	L3-2	8 (AWG)	217.97	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 04Q2:1	F1 L1 04Q3:1	L1-2	8 (AWG)	183.05	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04Q2:3	F1 L1 04Q3:3	L2-2	8 (AWG)	192.07	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04Q2:5	F1 L1 04Q3:5	L3-2	8 (AWG)	220.91	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 05K1:L1	F1 L1 04Q2:2	L1-4	8 (AWG)	300.06	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 05K1:L2	F1 L1 04Q2:4	L2-4	8 (AWG)	297.71	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 05K1:L3	F1 L1 04Q2:6	L3-4	8 (AWG)	288.06	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 05K1:T1	F1 L1 X1 5	L1-7	8 (AWG)	169.12	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 05K1:T2	F1 L1 X1 6	L2-7	8 (AWG)	181.41	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 05K1:T3	F1 L1 X1 7	L3-7	8 (AWG)	197.72	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 X1 4	F1 L1 X1 8	G-1	8 (AWG)	162.37	1028-8-133-54	N L1 L2 L3 - 8 AWG

-> N L1 L2 L3 - 8 AWG

Origin	Destination	Wire number	Section	Length (mm)	Reference	Line style
F1 L1 X1 8	F1 L1 X1 12	G-1	8 (AWG)	162.37	1028-8-133-54	N L1 L2 L3 - 8 AWG
F1 L1 04F1:2	F1 L1 04PS1:L1	L1-2	8 (AWG)	770.66	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04F1:4	F1 L1 04PS1:L2	L2-2	8 (AWG)	799.09	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04F1:2	F1 L1 04Q1:1	L1-2	8 (AWG)	860.34	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04F1:4	F1 L1 04Q1:3	L2-2	8 (AWG)	894.61	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04F1:6	F1 L1 04Q1:5	L3-2	8 (AWG)	955.5	1028-8-133-1	N L1 L2 L3 - 8 AWG
F1 L1 04K1:L1	F1 L1 04Q1:2	L1-3	8 (AWG)	296.44	1028-8-133-2	N L1 L2 L3 - 8 AWG
F1 L1 04K1:L2	F1 L1 04Q1:4	L2-3	8 (AWG)	296.28	1028-8-133-3	N L1 L2 L3 - 8 AWG
F1 L1 04K1:L3	F1 L1 04Q1:6	L3-3	8 (AWG)	292.49	1028-8-133-1	N L1 L2 L3 - 8 AWG
				10279		

	Tag	Article Number(Internal PN)	P/N	MFG	Desctiption
1	04F1	37946	JKS-60	Bussmann	FUSE - CLASS J
2	Gnd-1	37741	1015-18-1-4	Lapp	1 CONDUCTOR 18AWG Yellow
3	403, 502A, 502	37380	1015-18-1-6	Lapp	1 CONDUCTOR 18AWG Blue
4	L3-5, L3-8, L3-2, L3-3, L3-6, L3-4, L3-7	37519	1028-8-133-1	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand
5	L1-2, L1-7, L1-4, L1-6, L1-3, L1-8, L1-5	37602	1028-8-133-2	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand
6	L2-2, L2-5, L2-8, L2-3, L2-6, L2-4, L2-7	37593	1028-8-133-3	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand
7	G-1	37507	1028-8-133-54	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand
8	R1, R2, R3	38115	009213	Legrand	Din rail 15mm x 35mm
9	D1, D2, D3, D4, D5, D6	38118	036200	Legrand	Duct 25*25
10	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12	37921	3044076	Phoenix Contact	UNIVERSAL TERMINAL BLOCK - UT 2,5
11	W1, W2, W3		1000 R2V-RH 4X4 M	Prysmian	
12	L1	37932	AE 1055.500	Rittal	Compact enclosures AE, Door: Sheet steel with mounting plate. Size in Height x Depth): 800 X 600 X 300
13	L1	37933	AE 1055.500-MPL	Rittal	Mounting plate, Size in mm (witdh x Height): 749 X 570
14	04K1, 04K2, 05K1	38191	34241	SWST	Contactor Releay 3Pole NO Power 1NO -1NC 24VDC
15	L1	38199	96513	SWST	13mm cable gland
16	05S1	38196	2124252	SWST	NC, Momentary Open ESTOP

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

Bill_of_Material_w_cable_wires

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

Bill of Material With Cable and

	Tag	Article Number(Internal PN)	P/N	MFG	Desctiption
17	04PS1		PSU24V	SWST	
18	04F1	38189	SWST_FD4-2352798	SWST	4-Pole, 60A Fuse Disconnector
19	04Q3, 04Q2, 04Q1	38190	SWST-CB-3P-30A	SWST	3 Pole, 30A CB
20	05PB1	38212	SWST-PB-SPST	SWST	NO, Momentary CLOSED PB, Illuminated
21	N1	SWSTPLC023I3O	SWSTPLC023I3O	SWST	6x6 Digital Programmable Logic Controller
22	1		test terminal	SWST	

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

Bill_of_Material_w_cable_wires

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

Bill of Material With Cable and

Mark	Quantity
W1	2
W2	2
W3	2

Design Office DS SolidWorks Corpration 175 Wyman Street Waltham, MA 02451	List of cables tags			REVISION
		B	9/2/2026 CMayou	B
		A	11/7/2025 CMayou	
		REV.	DATE NAME CHANGES	SCHEME
CONTRACT: PRJ-10011	LOCATION: L1 Main Electrical Enclosure	User data 1	User data 2	12

L1

Mark	Quantity
D1	1
D2	1
D3	1
D4	1
D5	1
D6	1
04F1	1
04K1	1
05K1	1
04K2	1
N1	1
N2 N1.DigitalIn	1
N2 N1.DigitalOut	1
N2 N1.Power Supp	1
N2	1
05PB1	1
04PS1	1
04Q1	1
04Q2	1
04Q3	1
R1	1
R2	1
R3	1
05S1	1

L2

Mark	Quantity
04M1	1
04M2	1
04M3	1

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of components tags

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME 11

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

Terminal strip

Mark	Quantity
X1	1
X2	1
X3	1
X4	1
X5	1

Terminal

Mark	Quantity
X2 1	1
X1 1	1
X1 2	1
X1 3	1
X1 4	1
X1 5	1
X1 6	1
X1 7	1
X1 8	1
X1 9	1
X1 10	1
X1 11	1
X1 12	1

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of terminal strips tags

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME 10

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

403

Mark	Quantity
403	4

502

Mark	Quantity
502	4

502A

Mark	Quantity
502A	4

G-1

Mark	Quantity
G-1	4

G-9

Mark	Quantity
G-9	2

G-10

Mark	Quantity
G-10	2

G-11

Mark	Quantity
G-11	2

Gnd-1

Mark	Quantity
Gnd-1	4

L1-2

Mark	Quantity
L1-2	8

L1-3

Mark	Quantity
L1-3	2

L1-4

Mark	Quantity
L1-4	2

L1-5

Mark	Quantity
L1-5	2

L1-6

Mark	Quantity
L1-6	2

L1-7

Mark	Quantity
L1-7	2

L1-8

Mark	Quantity
L1-8	2

L1-9

Mark	Quantity
L1-9	2

L1-10

Mark	Quantity
L1-10	2

L1-11

Mark	Quantity
L1-11	2

L2-2

Mark	Quantity
L2-2	8

L2-3

Mark	Quantity
L2-3	2

L2-4

Mark	Quantity
L2-4	2

L2-5

Mark	Quantity
L2-5	2

L2-6

Mark	Quantity
L2-6	2

L2-7

Mark	Quantity
L2-7	2

L2-8

Mark	Quantity
L2-8	2

L2-9

Mark	Quantity
L2-9	2

L2-10

Mark	Quantity
L2-10	2

L2-11

Mark	Quantity
L2-11	2

L3-2

Mark	Quantity
L3-2	6

L3-3

Mark	Quantity
L3-3	2

L3-4

Mark	Quantity
L3-4	2

L3-5

Mark	Quantity
L3-5	2

L3-6

Mark	Quantity
L3-6	2

L3-7

Mark	Quantity
L3-7	2

L3-8

Mark	Quantity
L3-8	2

L3-9

Mark	Quantity
L3-9	2

L3-10

Mark	Quantity
L3-10	2

L3-11

Mark	Quantity
L3-11	2

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of wires tags

CONTRACT: PRJ-10011

LOCATION: L1

Main Electrical Enclosure

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

User data 1

User data 2

REVISION B

SCHEME 16

Origin	Origin termination type	Wire number	Line style	Destination	Destination termination type	Section	Length (FT)
F1 L1 04K1:13	-	403	= 24V+ 18AWG	F1 L1 05PB1:0	-	18 (AWG)	0
F1 L1 05PB1:0	-	403	= 24V+ 18AWG	F1 L1 04PS1:+24 VDC	-	18 (AWG)	6.51
F1 L1 05PB1:1	-	502	= 24V+ 18AWG	F1 L1 05S1:A	-	18 (AWG)	1.06
F1 L1 04K1:14	-	502	= 24V+ 18AWG	F1 L1 05PB1:1	-	18 (AWG)	5.4
F1 L1 04K1:A1	-	502A	= 24V+ 18AWG	F1 L1 05PB1:H1	-	18 (AWG)	6.36
F1 L1 05PB1:H1	-	502A	= 24V+ 18AWG	F1 L1 05S1:B	-	18 (AWG)	1.16
F1 L1 X1 4	-	G-1	N L1 L2 L3 - 8 AWG	F1 L1 X1 8	-	8 (AWG)	0.53
F1 L1 X1 8	-	G-1	N L1 L2 L3 - 8 AWG	F1 L1 X1 12	-	8 (AWG)	0.53
F1 L1 05PB1:H2	-	Gnd-1	= 24V - 18AWG GND	F1 L1 04PS1:- GND	-	18 (AWG)	5.99
F1 L1 04K1:A2	-	Gnd-1	= 24V - 18AWG GND	F1 L1 05PB1:H2	-	18 (AWG)	0
F1 L1 04F1:2	-	L1-2	N L1 L2 L3 - 8 AWG	F1 L1 04PS1:L1	-	8 (AWG)	2.52
F1 L1 04F1:2	-	L1-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q1:1	-	8 (AWG)	2.82
F1 L1 04Q1:1	-	L1-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q2:1	-	8 (AWG)	0.6
F1 L1 04Q2:1	-	L1-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q3:1	-	8 (AWG)	0.6
F1 L1 04K1:L1	-	L1-3	N L1 L2 L3 - 8 AWG	F1 L1 04Q1:2	-	8 (AWG)	0.97
F1 L1 05K1:L1	-	L1-4	N L1 L2 L3 - 8 AWG	F1 L1 04Q2:2	-	8 (AWG)	0.98
F1 L1 04K2:L1	-	L1-5	N L1 L2 L3 - 8 AWG	F1 L1 04Q3:2	-	8 (AWG)	0.96
F1 L1 04K1:T1	-	L1-6	N L1 L2 L3 - 8 AWG	F1 L1 X1 1	-	8 (AWG)	0.64
F1 L1 05K1:T1	-	L1-7	N L1 L2 L3 - 8 AWG	F1 L1 X1 5	-	8 (AWG)	0.55

Origin	Origin termination type	Wire number	Line style	Destination	Destination termination type	Section	Length (FT)
F1 L1 04K2:T1	-	L1-8	N L1 L2 L3 - 8 AWG	F1 L1 X1 9	-	8 (AWG)	0.72
F1 L1 04Q2:3	-	L2-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q3:3	-	8 (AWG)	0.62
F1 L1 04F1:4	-	L2-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q1:3	-	8 (AWG)	2.93
F1 L1 04F1:4	-	L2-2	N L1 L2 L3 - 8 AWG	F1 L1 04PS1:L2	-	8 (AWG)	2.61
F1 L1 04Q1:3	-	L2-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q2:3	-	8 (AWG)	0.6
F1 L1 04K1:L2	-	L2-3	N L1 L2 L3 - 8 AWG	F1 L1 04Q1:4	-	8 (AWG)	0.97
F1 L1 05K1:L2	-	L2-4	N L1 L2 L3 - 8 AWG	F1 L1 04Q2:4	-	8 (AWG)	0.97
F1 L1 04K2:L2	-	L2-5	N L1 L2 L3 - 8 AWG	F1 L1 04Q3:4	-	8 (AWG)	0.96
F1 L1 04K1:T2	-	L2-6	N L1 L2 L3 - 8 AWG	F1 L1 X1 2	-	8 (AWG)	0.64
F1 L1 05K1:T2	-	L2-7	N L1 L2 L3 - 8 AWG	F1 L1 X1 6	-	8 (AWG)	0.59
F1 L1 04K2:T2	-	L2-8	N L1 L2 L3 - 8 AWG	F1 L1 X1 10	-	8 (AWG)	0.75
F1 L1 04Q1:5	-	L3-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q2:5	-	8 (AWG)	0.71
F1 L1 04F1:6	-	L3-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q1:5	-	8 (AWG)	3.13
F1 L1 04Q2:5	-	L3-2	N L1 L2 L3 - 8 AWG	F1 L1 04Q3:5	-	8 (AWG)	0.72
F1 L1 04K1:L3	-	L3-3	N L1 L2 L3 - 8 AWG	F1 L1 04Q1:6	-	8 (AWG)	0.95
F1 L1 05K1:L3	-	L3-4	N L1 L2 L3 - 8 AWG	F1 L1 04Q2:6	-	8 (AWG)	0.94
F1 L1 04K2:L3	-	L3-5	N L1 L2 L3 - 8 AWG	F1 L1 04Q3:6	-	8 (AWG)	0.95

Origin	Origin termination type	Wire number	Line style	Destination	Destination termination type	Section	Length (FT)
F1 L1 04K1:T3	-	L3-6	N L1 L2 L3 - 8 AWG	F1 L1 X1 3	-	8 (AWG)	0.7
F1 L1 05K1:T3	-	L3-7	N L1 L2 L3 - 8 AWG	F1 L1 X1 7	-	8 (AWG)	0.64
F1 L1 04K2:T3	-	L3-8	N L1 L2 L3 - 8 AWG	F1 L1 X1 11	-	8 (AWG)	0.74

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of wire wAssc Terminination

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME 19

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

Legrand

Reference	Manufacturer	Mark	Description	Length MM	Location ide
009213	Legrand	R1	Din rail 15mm x 35mm	635	3
009213	Legrand	R2	Din rail 15mm x 35mm	635	3
009213	Legrand	R3	Din rail 15mm x 35mm	254	3

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of Din Rails for MFG

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME 20

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

Tag	Article Number(Internal PN)	Reference	Desctiption	Length (mm)
Gnd-1, Gnd-1	37741	Lapp_1015-18-1-4	1 CONDUCTOR 18AWG Yellow	1829.4
403, 502A, 502, 502, 502A, 403	37380	Lapp_1015-18-1-6	1 CONDUCTOR 18AWG Blue	6254.73
L3-5, L3-8, L3-2, L3-2, L3-3, L3-6, L3-4, L3-7, L3-2	37519	Lapp_1028-8-133-1	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	2908.89
L1-2, L1-7, L1-4, L1-6, L1-3, L1-2, L1-2, L1-8, L1-5, L1-2	37602	Lapp_1028-8-133-2	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	3476.45
L2-2, L2-5, L2-8, L2-2, L2-2, L2-3, L2-6, L2-4, L2-7, L2-2	37593	Lapp_1028-8-133-3	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	3569.02
G-1, G-1	37507	Lapp_1028-8-133-54	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	324.74
W1, W2, W3		Prysmian_1000 R2V-RH 4X4 M		14377.4

1-L1-6

Destination component mark	Wire Mark	Origin component mark	QTY
X1-1:	L1-6	04K1:T1	2

1-L1-9

Destination component mark	Wire Mark	Origin component mark	QTY
X1-1:	L1-9	04M1:U	2

2-L2-6

Destination component mark	Wire Mark	Origin component mark	QTY
X1-2:	L2-6	04K1:T2	2

2-L2-9

Destination component mark	Wire Mark	Origin component mark	QTY
X1-2:	L2-9	04M1:V	2

3-L3-6

Destination component mark	Wire Mark	Origin component mark	QTY
X1-3:	L3-6	04K1:T3	2

3-L3-9

Destination component mark	Wire Mark	Origin component mark	QTY
X1-3:	L3-9	04M1:W	2

4-G-9

Destination component mark	Wire Mark	Origin component mark	QTY
X1-4:	G-9	04M1:M	2

04PS1-403

Destination component mark	Wire Mark	Origin component mark	QTY
04PS1:+24 VDC	403	05PB1:0	2

04PS1-Gnd-1

Destination component mark	Wire Mark	Origin component mark	QTY
04PS1:- GND	Gnd-1	05PB1:H2	2

04PS1-L1-2

Destination component mark	Wire Mark	Origin component mark	QTY
04PS1:L1	L1-2	04F1:2	2

04PS1-L2-2

Destination component mark	Wire Mark	Origin component mark	QTY
04PS1:L2	L2-2	04F1:4	2

04Q1-L1-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q1:1	L1-2	04F1:2	2

04Q1-L1-3

Destination component mark	Wire Mark	Origin component mark	QTY
04Q1:2	L1-3	04K1:L1	2

04Q1-L2-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q1:3	L2-2	04F1:4	2

04Q1-L2-3

Destination component mark	Wire Mark	Origin component mark	QTY
04Q1:4	L2-3	04K1:L2	2

04Q1-L3-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q1:5	L3-2	04F1:6	2

04Q1-L3-3

Destination component mark	Wire Mark	Origin component mark	QTY
04Q1:6	L3-3	04K1:L3	2

04Q2-L1-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q2:1	L1-2	04Q1:1	2

04Q2-L1-4

Destination component mark	Wire Mark	Origin component mark	QTY
04Q2:2	L1-4	05K1:L1	2

04Q2-L2-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q2:3	L2-2	04Q1:3	2

04Q2-L2-4

Destination component mark	Wire Mark	Origin component mark	QTY
04Q2:4	L2-4	05K1:L2	2

04Q2-L3-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q2:5	L3-2	04Q1:5	2

04Q2-L3-4

Destination component mark	Wire Mark	Origin component mark	QTY
04Q2:6	L3-4	05K1:L3	2

04Q3-L1-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q3:1	L1-2	04Q2:1	2

04Q3-L1-5

Destination component mark	Wire Mark	Origin component mark	QTY
04Q3:2	L1-5	04K2:L1	2

04Q3-L2-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q3:3	L2-2	04Q2:3	2

04Q3-L2-5

Destination component mark	Wire Mark	Origin component mark	QTY
04Q3:4	L2-5	04K2:L2	2

04Q3-L3-2

Destination component mark	Wire Mark	Origin component mark	QTY
04Q3:5	L3-2	04Q2:5	2

04Q3-L3-5

Destination component mark	Wire Mark	Origin component mark	QTY
04Q3:6	L3-5	04K2:L3	2

5-L1-7

Destination component mark	Wire Mark	Origin component mark	QTY
X1-5:	L1-7	05K1:T1	2

5-L1-10

Destination component mark	Wire Mark	Origin component mark	QTY
X1-5:	L1-10	04M2:U	2

05PB1-403

Destination component mark	Wire Mark	Origin component mark	QTY
05PB1:0	403	04K1:13	2

05PB1-502

Destination component mark	Wire Mark	Origin component mark	QTY
05PB1:1	502	04K1:14	2

05PB1-502A

Destination component mark	Wire Mark	Origin component mark	QTY
05PB1:H1	502A	04K1:A1	2

05PB1-Gnd-1

Destination component mark	Wire Mark	Origin component mark	QTY
05PB1:H2	Gnd-1	04K1:A2	2

05S1-502

Destination component mark	Wire Mark	Origin component mark	QTY
05S1:A	502	05PB1:1	2

05S1-502A

Destination component mark	Wire Mark	Origin component mark	QTY
05S1:B	502A	05PB1:H1	2

6-L2-7

Destination component mark	Wire Mark	Origin component mark	QTY
X1-6:	L2-7	05K1:T2	2

6-L2-10

Destination component mark	Wire Mark	Origin component mark	QTY
X1-6:	L2-10	04M2:V	2

7-L3-7

Destination component mark	Wire Mark	Origin component mark	QTY
X1-7:	L3-7	05K1:T3	2

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of wires origin\destination tags

CONTRACT: PRJ-10011

LOCATION: L1

Main Electrical Enclosure

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	11/7/2025	CMayou	

REVISION B

SCHEME 22

User data 1

User data 2

7-L3-10

Destination component mark	Wire Mark	Origin component mark	QTY
X1-7:	L3-10	04M2:W	2

8-G-1

Destination component mark	Wire Mark	Origin component mark	QTY
X1-8:	G-1	X1-4:	2

8-G-10

Destination component mark	Wire Mark	Origin component mark	QTY
X1-8:	G-10	04M2:M	2

9-L1-8

Destination component mark	Wire Mark	Origin component mark	QTY
X1-9:	L1-8	04K2:T1	2

9-L1-11

Destination component mark	Wire Mark	Origin component mark	QTY
X1-9:	L1-11	04M3:U	2

10-L2-8

Destination component mark	Wire Mark	Origin component mark	QTY
X1-10:	L2-8	04K2:T2	2

10-L2-11

Destination component mark	Wire Mark	Origin component mark	QTY
X1-10:	L2-11	04M3:V	2

11-L3-8

Destination component mark	Wire Mark	Origin component mark	QTY
X1-11:	L3-8	04K2:T3	2

11-L3-11

Destination component mark	Wire Mark	Origin component mark	QTY
X1-11:	L3-11	04M3:W	2

12-G-1

Destination component mark	Wire Mark	Origin component mark	QTY
X1-12:	G-1	X1-8:	2

12-G-11

Destination component mark	Wire Mark	Origin component mark	QTY
X1-12:	G-11	04M3:M	2

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

List of wires origin\destination tags

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	2/27/2026	CMayou	

User data 1

User data 2

REVISION B

SCHEME 26

	Tag	Article Number (Internal PN)	Part Number	MFG	Desctiption	QTY	User Data 0	User Data 1
1	04F1	37946	JKS-60	Bussmann	FUSE - CLASS J	1		
2	Gnd-1;Gnd-1	37741	1015-18-1-4	Lapp	1 CONDUCTOR 18AWG Yellow	1829.4	18AWG	-
3	403;403;502;502;502A;502A	37380	1015-18-1-6	Lapp	1 CONDUCTOR 18AWG Blue	6254.72	18AWG	-
4	L3-10;L3-11;L3-2;L3-2;L3-2;L3-3;L3-4;L3-5;L3-6;L3-7;L3-8;L3-9	37519	1028-8-133-1	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	17232.1	8AWG	User Data 2
5	L1-10;L1-11;L1-2;L1-2;L1-2;L1-3;L1-4;L1-5;L1-6;L1-7;L1-8;L1-9	37602	1028-8-133-2	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	17622.8	8AWG	-
6	L2-10;L2-11;L2-2;L2-2;L2-2;L2-2;L2-3;L2-4;L2-5;L2-6;L2-7;L2-8;L2-9	37593	1028-8-133-3	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	17920	8AWG	-
7	G-1;G-10;G-11;G-9	37507	1028-8-133-54	Lapp	UL1028 PVC Hook Up Wire - 8 AWG 133 Strand	14499.2	8AWG	-
8	R1;R2;R3	38115	009213	Legrand	Din rail 15mm x 35mm	1524		
9	D1;D2;D3;D4;D5;D6	38118	036200	Legrand	Duct 25*25	3270.25		
10	04M1;04M2;04M3	37847	LS112M-4P(4)	Leroy Somer	FCR J02 asynchronous brake motor	3		

	Tag	Article Number (Internal PN)	Part Number	MFG	Desctiption	QTY	User Data 0	User Data 1
11	X1 1;X1 10;X1 11;X1 12;X1 2;X1 3;X1 4;X1 5;X1 6;X1 7;X1 8;X1 9	37921	3044076	Phoenix Contact	UNIVERSAL TERMINAL BLOCK - UT 2,5	12		
12	W1;W2;W3		1000 R2V-RH 4X4 M	Prysmian		14377.4		
13	L1	37932	AE 1055.500	Rittal	Compact enclosures AE, Door: Sheet steel with mounting plate. Size in mm (witdh x Height x Depth): 800 X 600 X 300	1		
14	L1	37933	AE 1055.500-MPL	Rittal	Mounting plate, Size in mm (witdh x Height): 749 X 570	1		
15	04K1;04K2;05K1	38191	34241	SWST	Contactor Releay 3Pole NO Power 1NO -1NC 24VDC	3		
16	L1;L1	38199	96513	SWST	13mm cable gland	1809.78		
17	05S1	38196	2124252	SWST	NC, Momentary Open ESTOP	1		
18	04PS1		PSU24V	SWST		1		
19	04F1	38189	SWST_FD4-2352798	SWST	4-Pole, 60A Fuse Disconnector	1		
20	04Q1;04Q2;04Q3	38190	SWST-CB-3P-30A	SWST	3 Pole, 30A CB	3		
21	05PB1	38212	SWST-PB-SPST	SWST	NO, Momentary CLOSED PB, Illuminated	1		
22	N2 N1	SWSTPLC023I3O	SWSTPLC023I3O	SWST	6x6 Digital Programmable Logic Controller	1		
23	X2 1		test terminal	SWST		1		



Reference	Manufacturer	Mark	Description	Length MM	Location identifier
009213	Legrand	R1	Din rail 15mm x 35mm	635	3
009213	Legrand	R2	Din rail 15mm x 35mm	635	3
009213	Legrand	R3	Din rail 15mm x 35mm	254	3

Design Office
DS SolidWorks Corpration
175 Wyman Street
Waltham, MA 02451

Main Electrical Enclosure

REV.	DATE	NAME	CHANGES
B	9/2/2026	CMayou	
A	3/24/2026	CMayou	

CONTRACT: PRJ-10011

LOCATION: L1 Main Electrical Enclosure

User data 1

User data 2

SCALE 1/10

REVISION B

SCHEME 27

SOLIDWORKS Electrical

Document realized with version : 2026.3.2.0003