

DEVELOPER BUILD BRIEF

Google Ads Landing Page

One main-sewer page built to convert both residential and light-commercial searches into qualified, completed, collected work.

Business	Honest Drain & Sewer LLC
Recommended URL	https://honestdrainandsewer.com/main-sewer-line-cleaning/
Primary action	Answered phone call to (401) 593-5553
Secondary action	Qualified callback request - not instant booking
Primary campaign	Google Search Main sewer / sewer backup
Audience	Homeowners, landlords, authorized managers, and commercial properties

DECISION Build a dedicated, distraction-free paid-search page. Keep the service narrow (main sewer cleaning and diagnostics) while allowing the visitor to identify as Home or Business. Do not reuse the current broad sewer page unchanged.

What “universal” means

- One URL and one main-sewer promise for both homes and light-commercial properties.
- Two audience cards or toggles that adapt examples and form fields without navigating away.
- Not a universal “we do everything” page. General plumbing, septic, excavation, replacement, restoration, storm work, and unrelated drains stay out of this paid offer.

Build priority

1. Fix messages and claim conflicts before campaign activation.
2. Make calling effortless on mobile and preserve a short qualified-form fallback.
3. Capture enough attribution to connect the click to a qualified lead, job, payment, and contribution profit.

1. Page type, URL, and template

Create a new paid-search template rather than editing the global website template into another broad service page. The page should visually match Honest Drain, but it should remove anything that leaks attention or reintroduces claims from the current site.

Element	Developer instruction	Why it matters
URL	/main-sewer-line-cleaning/	Exact service intent; clean final URL for the ad.
Header	Logo/business name left; tracked phone CTA right. No full navigation menu.	Keeps trust and identity without sending paid traffic elsewhere.
Footer	Business name, phone, service-area sentence, Privacy, Terms. No service mega-menu.	Provides legitimacy and required legal links with minimal leakage.
Page goal	Phone call first; callback request second.	Urgent sewer buyers prefer a direct next step.
Audience	Residential and light-commercial on the same page.	Matches the ad while preserving one clean conversion funnel.
Service scope	Main sewer clearing and related diagnostics only.	Protects budget from repair, septic, restoration, and general-plumbing calls.

Do not inherit these current-site claims

- Flat-rate pricing, upfront flat pricing, cheapest, affordable, no hidden fees
- Sewer repair or replacement, excavation, lining, cleanout installation, septic pumping/repair, sewage cleanup/restoration, storm drains, catch basins, or general plumbing.

HARD LAUNCH GATE The ad should not point to the current /drain-and-sewer-services/sewer-cleaning/ page. That live page currently carries several of the prohibited claims above. Publish the new page, test it, and then change the ad final URL.

Search metadata

Title tag	Main Sewer Line Cleaning & Backup Help Honest Drain
Meta description	Main sewer line clogged or backing up? Honest Drain serves Rhode Island homes and light-commercial properties. Call to confirm fit and current availability.
Canonical	Self-canonical to /main-sewer-line-cleaning/
Schema	Truthful LocalBusiness + Service JSON-LD. Do not use Plumber if it misstates licensing or general-plumbing scope.
Crawlability	Return 200, do not require login, and do not block Google AdsBot or essential assets.

2. Required page flow

Use the following order. On mobile, the first screen must show the problem, the service, the phone CTA, and three compact trust signals without requiring a scroll.

Order	Section	Required job
1	Minimal header	Logo/name + phone button; no menu.
2	Hero	Main-sewer problem + residential/light-commercial fit + current availability + call CTA.
3	Trust strip	Specialist, price/scope control, camera available when needed.
4	Problem recognition	Symptoms that indicate a possible building or main sewer stoppage.
5	Home / Business selector	Two cards; adapt examples and conditional form fields without a new page.
6	What happens next	Quick questions -> fit/availability -> planned scope/pricing -> authorized work.
7	Capabilities	Cable clearing, root cutting, camera, locating, jetting when appropriate.
8	Proof	Real reviews, real Rhode Island job images, real equipment, direct accountability.
9	Scope boundaries	What this paid service does and does not cover.

Order	Section	Required job
10	Short callback form	High-intent fallback; never call it instant booking.
11	FAQ	Availability, price process, camera use, home/business, septic, authorizing work.
12	Final CTA + legal footer	Phone first; privacy and terms only.

Mobile layout rules

- Use one column. Hero text comes before the image; do not make the hero image the first meaningful content.
- Add a fixed bottom call bar after the visitor begins scrolling: “Call Honest Drain - (401) 593-5553.” Minimum 52 px tall, safe-area aware, and never covered by chat widgets or cookie controls.
- Repeat a phone CTA after the process section and near the bottom; do not scatter five different button labels across the page.
- No pop-up, autoplay video, carousel, map embed, or third-party review widget on initial load.

Desktop layout rules

- Hero can use a 60/40 split: copy and CTAs left; one real job/equipment image right.
- Keep the callback form below proof/scope, or show a compact form card beside the hero only if it does not push the phone CTA below the fold.
- Maximum readable content width about 1,160-1,240 px; body copy columns should remain substantially narrower.

3. Exact above-the-fold copy

USE THIS AS THE CONTROL Do not let the developer or SEO plugin rewrite this into generic “fast, reliable, affordable plumbing.” The ad and page need the same problem, service, availability, and price/scope logic.

Top line

Serving Rhode Island homes and businesses | Call for current availability

Hero

Eyebrow

MAIN SEWER & BUILDING DRAIN HELP

H1

Main Sewer Line Clogged or Backing Up?

Eyebrow	MAIN SEWER & BUILDING DRAIN HELP
Subhead	Honest Drain clears residential and light-commercial main sewer stoppages in Cranston and nearby Rhode Island. Call to confirm fit, current availability, and the planned scope before work begins.
Primary CTA	Call (401) 593-5553
Secondary CTA	Request a Call Back
Availability line	Weekend appointments are available when shown. Call to confirm.

Three-item trust strip

- Drain & sewer specialist
- Price and scope explained before work
- Camera inspection available when needed

Hero symptom bullets

- Multiple drains or toilets backing up
- Water or sewage rising in a tub, floor drain, or another fixture
- Main sewer stoppages and root obstructions
- Residential and light-commercial service

Urgency note

If sewage or water is actively rising, stop using the affected plumbing fixtures and call so we can confirm whether the job fits our service area and current schedule.

Hero image brief

Use one real Honest Drain image: Gianni with the van or main-sewer equipment at an actual Rhode Island job. Crop for mobile and desktop separately. Avoid a staged stock plumber, fake crew, flooded-home fear image, AI-generated scene, or graphic sewage close-up.

4. Exact body copy and content modules

Problem-recognition block

Heading: Does This Sound Like a Main Sewer Problem?

Intro: You do not need to diagnose the line before calling. These symptoms can point to a building drain or main sewer stoppage:

- More than one fixture slows, gurgles, or backs up at the same time.
- A toilet bubbles when another fixture drains.
- Water or sewage rises through a tub, shower, basement drain, or floor drain.
- The same backup returned after prior cleaning.
- A business has multiple restrooms or floor drains affected at once.

Close: Not sure whether it is a branch drain or the main line? Call and tell us what is backing up. We will ask a few quick questions before dispatch.

Home / Business selector

Home	Business or managed property
Homeowners, landlords, and owner-authorized residential properties.	Restaurants, retail, offices, multifamily, property managers, and other light-commercial properties.
Common fit: multiple household fixtures, basement or floor drain backup, toilet/tub cross-backup, recurring main-line issue.	Common fit: building sewer stoppage, several restrooms/floor drains, recurring grease or buildup, tenant or customer disruption.
Primary proof: clear explanation, care around the property, real reviews, findings separated from guesses.	Primary proof: authorization control, clear invoice and documentation, COI available on request, scheduling that considers operations.

Interaction rule: clicking a card may highlight relevant examples and reveal conditional form fields. It must not redirect, reload, or change the service promise.

What happens when you call

Step	What happens
1	Tell us what is backing up, the property town, whether it is municipal sewer or septic, and how urgent it is.
2	We confirm whether the location, symptoms, authority, timing, and current schedule fit Honest Drain.
3	Before work begins, we explain the planned service and pricing basis. If conditions change or another service becomes appropriate, we explain the reason and price before you authorize it.
4	After the work, we explain what was cleared, what could be confirmed, and any practical next step.

Capabilities block

Heading: The Right Tool Depends on the Line

Body: Honest Drain starts with the symptoms, access, and pipe conditions. The method is chosen only when it fits the job.

- Main sewer cabling and clearing
- Root cutting when appropriate
- Camera inspection and recording when useful and accessible
- Sewer locating when needed
- Hydro jetting when access and pipe condition support it

Do not say these steps are included on every visit or guarantee that the entire line can be viewed.

Price and scope block

APPROVED PROMISE The planned scope and pricing basis are explained before work begins. If conditions change or another service becomes appropriate, the reason and price are explained before you authorize it.

Do not publish a starting price, coupon, discount, flat-rate claim, “no hidden fees,” or “free camera” in the launch control. Build the pricing module as an off-by-default component so a controlled price test can be added later without rebuilding the page.

5. Proof, scope, service area, and FAQ

Proof block

Heading: Real Work. Clear Explanations.

Body: Show recent Rhode Island customer feedback and actual Honest Drain job evidence. Camera images and recordings show only what was accessible and visible; confirmed findings are separated from suspected conditions.

Proof item	Requirement
Reviews	Use three short, exact excerpts from real customers. Prefer one main-sewer/backup review, one explanation/price-control review, and one commercial or property-manager review if earned.
Rating/count	Display only a current, verified count. If the count cannot be maintained accurately, omit the number and link to the live review profile.
Photos	Use Gianni, the Honest Drain van, real cable/jet/camera equipment, clean work areas, and actual jobs. No AI-generated proof or competitor-style stock crews.

Proof item	Requirement
Credentials	Use only verified facts such as insured status or COI availability. Do not call Honest Drain a licensed plumber or claim certifications that are not held.
Commercial proof	If available, show a redacted work-order closeout, invoice/documentation sample, or business review. Never invent national accounts or facility logos.

Scope boundary block

This paid page covers	This paid page does not cover
Main sewer and building-drain clearing	Septic pumping or septic-system repair
Root cutting when appropriate	Sewage cleanup, water mitigation, or restoration
Camera inspection/recording when useful	Excavation, lining, sewer replacement, or municipal work
Locating and hydro jetting when appropriate	General plumbing, fixtures, water heaters, or remodel work
Residential and light-commercial properties	Storm-drain construction, catch basins, or unrelated exterior drainage

Service-area copy

Use this visible copy: “Based in Cranston and serving homes and businesses across nearby Rhode Island communities. Selected nearby Massachusetts service may be available when the location, sewer connection, schedule, and job scope fit.”

Do not place all 20 towns above the fold. The callback form may use this dropdown: Cranston, Warwick, Providence, East Providence, Johnston, North Providence, Pawtucket, West Warwick, Coventry, East Greenwich, North Kingstown, Barrington, Bristol, Warren, Seekonk, Rehoboth, Swansea, Walpole, Sharon, Little Compton, Other.

Paid targeting should remain separate from this broader service list. The first campaign should not treat every listed town as equally profitable or equally compatible with municipal sewer work.

FAQ copy

Question	Approved answer
Do you work on homes and businesses?	Yes. This service is available for residential and light-commercial main sewer stoppages, subject to location, access, authorization, and current availability.

Question	Approved answer
How soon can you come?	Call for current availability. Do not display a fixed arrival window unless it is operationally guaranteed for that exact period.
Will you camera the line?	Camera inspection is available when it is useful, accessible, and appropriate. It is not automatically included on every clearing.
Do you hydro jet every sewer?	No. Cabling, root cutting, camera inspection, locating, and jetting are selected based on access, pipe condition, and what the job requires.
Will I know the price first?	The planned scope and pricing basis are explained before work begins. Any changed or additional work requires explanation and authorization.
Do you pump septic tanks or clean sewage?	No. This advertised service is not septic pumping/repair, sewage cleanup, or restoration.
Can a tenant or employee request service?	They can contact Honest Drain, but an owner or authorized manager must approve work and pricing.

6. Callback form specification

BUTTON LABEL Use “Request a Call Back,” not “Book Online,” “Schedule Now,” or any label that implies dispatch is confirmed.

The phone call is primary. The form is for visitors who cannot call immediately and for commercial contacts who need to provide context. Keep it native and fast; do not depend on a fragile embedded scheduler.

Field	Behavior	Copy / values
Property type	Required radio	Home Business Multifamily / managed property
What is backing up?	Required textarea	Placeholder: “Tell us which fixtures or drains are affected and whether water or sewage is rising.”
Town	Required dropdown	Use the approved town list plus Other.
Sewer connection	Required radio	Municipal sewer Septic Not sure
Timing	Required radio	Active backup now Today / next available Schedule ahead
Authority	Required radio	Owner Authorized manager Tenant / employee
Name	Required text	Full name

Field	Behavior	Copy / values
Phone	Required tel	Validate US number; preserve formatting; mobile keyboard.
Email	Optional email	Show by default for business; optional for home.
Company / property	Conditional text	Show when Business or Multifamily is selected.

Form behavior

- Do not submit if phone, town, property type, symptoms, sewer connection, timing, or authority is missing. Use inline errors; never wipe the form after an error.
- After a successful submit, show: “We received your request. This does not confirm dispatch. Honest Drain will call or text to confirm fit and current availability.”
- If the form service fails, keep the entered data, show the phone number, and offer a one-tap call. Send an error alert to the developer/owner.
- Send lead details to the operational inbox/CRM and preserve a durable lead ID. If Jobber cannot accept all attribution fields, store them in a secure parallel lead record keyed to that lead/job.
- Use spam protection that does not add visual friction: server-side validation, honeypot, rate limiting, and risk-based challenge only when needed.
- Place the Privacy Policy link and counsel-approved call/text consent language beside the submit button. Do not enable call recording without a state-appropriate consent review.

Residential / commercial conditional logic

- Home: keep email optional and do not ask for company, PO, NTE, or COI.
- Business / multifamily: reveal Company or property name. Ask PO/NTE/COI requirements during follow-up unless a real client workflow requires them in the form.
- Tenant / employee: accept the request but flag authority as unconfirmed; do not count it as a qualified lead until authorization is established.

7. Tracking and attribution requirements

The developer’s job is not finished when a phone button fires. The page must preserve the data needed to connect an ad click to an authorized, completed, collected job. Raw calls and form fills are diagnostic; the first meaningful conversion is a manually verified qualified main-sewer lead.

Browser and form capture

- Capture GCLID, GBRAID, WBRAID, campaign, ad group, keyword, match type, device, landing-page URL, UTMs, referrer, and first landing timestamp when present.

- Persist click identifiers and first-touch data in first-party storage for the permitted attribution window; pass them into hidden form fields and the server-side lead record.
- Use Google Tag Manager or the current Google tag with a Conversion Linker. Avoid duplicate Google/GA4 tags or double-firing events.
- For phone calls, use Google's website call-conversion number replacement or a properly configured call-tracking provider with the real number as a fail-safe.
- Never replace the displayed number with an image. Keep a text tel: link and confirm number swapping works without changing the destination.

Event specification

Event	Definition	Use
page_view	Page loads	Diagnostic
click_to_call	Any tel: click; include placement = header/hero/sticky/mid/footer	Diagnostic / secondary
form_start	First meaningful form interaction	Diagnostic
form_submit_success	Server confirms accepted lead	Secondary
form_submit_error	Client or server submission failure	Diagnostic + alert
qualified_main_sewer_lead	Right area, in-scope main-line problem, serviceable sewer, authorized, timing fits	Primary conversion
booked_job	Appointment/work order accepted	Offline business stage
completed_job	Authorized work completed	Offline business stage
collected_job	Payment collected	Primary business outcome
collected_value	Collected revenue or approved contribution value	Value / ROAS input

Offline conversion handoff

- Store one durable lead ID that follows the inquiry into Jobber, the job record, invoice, and payment record.
- Export or send qualified, booked, completed, and collected outcomes through the current Google Ads Data Manager / enhanced conversions for leads workflow. Preserve GCLID whenever available and permitted first-party phone/email data for matching.

- Raw 60-second calls, calls, call clicks, and form fills should remain secondary or diagnostic. Do not train bidding on junk just because a call lasted longer than one minute.
- Track property type, actual service town, job type, collected revenue, variable costs, owner hours, and contribution so residential and commercial profitability can be separated later.

8. Technical performance, accessibility, and reliability

Performance targets

Metric	Acceptance target	Implementation notes
Largest Contentful Paint	2.5 seconds or less at the 75th percentile	Prioritize the hero content/image; avoid redirect chains; use CDN/caching.
Interaction to Next Paint	200 ms or less at the 75th percentile	Keep third-party scripts and long JavaScript tasks to a minimum.
Cumulative Layout Shift	0.1 or less at the 75th percentile	Set image dimensions; reserve form/review space; avoid late banners.
Initial page weight	Practical target under 1 MB on mobile	Use AVIF/WebP, responsive srcset, compressed SVG logo, no video.
Server response	Fast and cacheable where appropriate	Avoid extra landing-page redirects and slow plugin chains.

Implementation requirements

- Render meaningful headline, copy, phone link, and form HTML server-side. Do not require JavaScript for the basic page or phone CTA.
- Preload only the actual LCP asset. Defer noncritical JavaScript and lazy-load below-fold photos.
- Use one hero image, three proof images maximum, and no background video or sliders.
- Use semantic H1/H2 structure, real form labels, keyboard focus states, sufficient contrast, descriptive alt text, and buttons at least 44 px high for comfortable touch use.
- The sticky phone bar must respect iOS/Android safe areas and not cover the form, privacy link, or validation errors.
- No third-party chat, scheduling, review, or map script on initial load unless measured and proven not to harm Core Web Vitals or the phone CTA.
- Use a secure HTTPS endpoint, CSRF protection where applicable, server-side validation, escaped output, rate limiting, and no sensitive form details in analytics payloads.

Reliability requirements

- Phone CTA works with JavaScript disabled and always has the real number as fallback.
- Form submission creates an auditable lead record and sends a notification. Test success, timeout, validation error, duplicate, and downstream CRM failure.
- Do not show “submitted” until the server confirms receipt, and maintain a rollback path/page-version note so ad tests can be tied to the exact copy and design seen by the visitor.

9. Launch acceptance checklist

Area	Pass condition
URL and ads	New URL returns 200; ad final URL points directly to it; no redirect to the broad sewer page.
Message match	H1, residential/light-commercial scope, current availability, and price/scope language match the ad.
Claims	No 24/7, guaranteed timing, flat rate, automatic camera/jetting, team/crew, repair, septic, restoration, or general-plumbing claim.
Header/footer	No service mega-menu or conflicting global banner; only identity, phone, Privacy, Terms, and restrained service-area copy.
Mobile CTA	Phone number is visible, tappable, correct, and sticky bar works on current iPhone and Android sizes.
Form	Success and every failure state tested; entered data survives errors; phone fallback shown.
Notifications	A test lead reaches the intended inbox/CRM with town, property type, symptoms, timing, authority, and attribution.
Call tracking	Dynamic number replacement and real-number fallback tested from a live ad-test URL.
Analytics	No duplicate events; click_to_call, form_start, form_submit_success, and errors verified in GTM/GA4 debugging.
Click IDs	GCLID/GBRAID/WBRAID and UTMs persist and appear in the submitted/server-side lead record.
Offline stages	Lead ID can be joined to qualified, booked, completed, collected, revenue, town, property type, and owner-hours records.
Speed	Mobile Lighthouse/lab review completed; field monitoring configured; no hero video, carousel, or blocking widgets.
Accessibility	Keyboard, labels, contrast, focus, alt text, error messaging, and tap targets checked.

Area	Pass condition
Business review	Gianni approves every visible claim, review excerpt, photo, service-area statement, and contact destination.

Pre-launch test script

Step	Test
1	Open the page from a tagged test URL on iPhone and Android. Confirm page speed, first screen, sticky CTA, and number replacement.
2	Place a test call from the header, hero, sticky bar, and footer. Confirm the destination and distinct placement parameter/event.
3	Submit one Home lead and one Business lead. Confirm conditional fields, notifications, CRM/lead ID, and hidden click fields.
4	Trigger validation, server failure, and downstream integration failure. Confirm no lost data and a visible call fallback.
5	Run Google Tag diagnostics and verify a single event per action.
6	Search the rendered page and source for prohibited phrases: 24/7, certified, background checked, flat rate, guaranteed, camera verified, repair, replacement, septic, restoration, fully equipped trucks.
7	Have Gianni call the number and respond to a form exactly as a real customer would before the ad goes live.

10. ROI test plan after launch

CONTROL FIRST Launch one page and one ad control. Do not split a small initial budget across residential/commercial pages, multiple hero designs, several forms, and price offers at the same time.

Control version

H1	Main Sewer Line Clogged or Backing Up?
Primary CTA	Call (401) 593-5553
Secondary CTA	Request a Call Back
Promise	Exact service fit + current availability + price/scope before work

H1	Main Sewer Line Clogged or Backing Up?
Audience	Residential and light-commercial on one page
Price display	Off

Test only after clean baseline data

Test	Single change	Winning metric
Hero message	Control vs. stronger urgency: "Sewer Backup? Call Now."	Qualified leads and collected contribution per click
Trust emphasis	Price/scope control vs. direct-owner response	Qualified-to-booked and collected contribution
CTA	Call-first vs. call + compact hero callback card	Connected qualified calls, form quality, missed calls
Proof	Reviews first vs. process first	Qualified rate and booking rate
Price module	No public price vs. controlled, consistently honored offer	Junk-call rate, booked margin, contribution
Audience	Universal page vs. separate commercial page/campaign later	Collected contribution and owner hours by property type

Do not choose a winner using Ad Strength, CTR, raw calls, 60-second calls, or form volume. The first valid creative signal is qualified-lead rate; the business result is completed, collected contribution per click and per owner hour.

Do not start a page challenger until search terms and tracking are clean and the control has at least 30 in-scope clicks plus three qualified leads. Treat low-sample results as inconclusive. The research standard for a stronger winner is at least 50 clicks and five collected jobs per arm, with no major change in traffic mix or availability.

Data split required from day one

Required split
Residential vs. business / multifamily
Town and actual travel time
Main sewer vs. branch drain / out-of-scope

Required split

Authorized vs. tenant / employee

Answered, qualified, booked, completed, collected

Collected revenue, variable costs, owner hours, and contribution

11. Assets Gianni must give the developer

Required asset or decision

SVG or high-resolution transparent Honest Drain logo and the approved brand colors/fonts.

One strong hero photo and three proof photos from real Honest Drain work; original files, not screenshots.

Three exact review excerpts with reviewer display name/initial, source, date if available, and permission/accuracy confirmed.

Final confirmation of the phone number, where calls route, and the exact hours the ad/call asset will run.

Destination inbox/CRM workflow, notification recipients, and the field used as the durable lead/job ID.

Verified business facts allowed on the page: insured status, COI availability, payment types, current Google review rating/count if displayed.

Privacy/Terms links and approved call/text consent language for the callback form.

12. Source and decision basis

This brief consolidates the August 2026 Honest Drain call-conversion psychology, elite ad creative, geography/daypart, review, and adversarial ROI work. The live website and current Google guidance were rechecked on August 6, 2026. Public research supports the architecture and tracking requirements; only Honest Drain's own qualified leads, collected jobs, and contribution data can prove the winning page.

Source	URL	Used for
Honest Drain live homepage	https://honestdrainandsewer.com/	Current global scope and claims
Honest Drain live sewer page	https://honestdrainandsewer.com/drain-and-sewer-services/sewer-cleaning/	Current final-URL claim conflict

Source	URL	Used for
Google Ads - optimize ads and landing pages	https://support.google.com/google-ads/answer/6238826?hl=en	Message match, usefulness, mobile experience
Google Ads - Quality Score diagnostic	https://support.google.com/google-ads/answer/6167118?hl=en	Landing-page relevance and usefulness
Google Ads - enhanced conversions for leads	https://support.google.com/google-ads/answer/11021502?hl=en	First-party identifiers and offline lead measurement
Google Ads - offline import upgrade	https://support.google.com/google-ads/answer/14274408?hl=en	Current enhanced-conversion and Data Manager direction
web.dev - Core Web Vitals	https://web.dev/articles/vitals	LCP, INP, and CLS thresholds
Google Search - LocalBusiness structured data	https://developers.google.com/search/docs/appearance/structured-data/local-business	Truthful local business markup

Final instruction to the developer

BUILD THIS EXACTLY FIRST A fast, mobile-first main-sewer page with one primary phone CTA, one qualified callback form, one residential/light-commercial promise, real proof, strict scope boundaries, and end-to-end attribution. Do not broaden the page to improve SEO, fill space, or reuse global service copy before the paid control produces clean data.