
R Exams

Statistics Exam 2019-03-14

Exam ID 00002

Naı	ne:									
Stu	Student ID:									
Sig	Signature:									
Oig	iiutu	10.								
1.	(a)		(b)		(c)					
2.	(a)		(b)		(c)					
3.	(a)		(b)		(c)					
4.	(a)		(b)		(c)					
5.	(a)		(b)		(c)					
6.	(a)		(b)		(c)					
7.	(a)		(b)		(c)					
8.	(a)		(b)		(c)					
9.	(a)		(b)		(c)					
10.	(a)		(b)		(c)					
11.	(a)		(b)		(c)					
12.	(a)		(b)		(c)					



- 1. A characteristic of interest is called a parameter when it refers to the characteristic in a sample.
 - (a) Not enough information
 - (b) FALSE
 - (c) TRUE
- 2. The mean of quantitative variables is often represented with x with a bar over it for the population parameter.
 - (a) Not enough information
 - (b) FALSE
 - (c) TRUE
- 3. What is the statistical meaning of population?
 - (a) All of the members of a group you're interested in.
 - (b) It's always all of the people in an entire country.
 - (c) There's no such concept in statistics.
- 4. The standard deviation of quantitative variables is often represented with a Greek sigma (σ) for the sample statistic.
 - (a) TRUE
 - (b) Not enough information
 - (c) FALSE
- 5. Population parameters are usually represented using Roman letters (normal ABCs).
 - (a) FALSE
 - (b) Not enough information
 - (c) TRUE
- 6. If data are normally distributed, the mean and the medial will not be equal.
 - (a) TRUE
 - (b) Not enough information
 - (c) FALSE
- 7. Normally distributed data are semetrical.
 - (a) TRUE
 - (b) FALSE
 - (c) Not enough information
- 8. The mean is a good measure of central tendency when the data are normally distributed.
 - (a) TRUE
 - (b) Not enough information
 - (c) FALSE
- 9. The value for the mean is always an actual value in the data set.
 - (a) TRUE

(b) FALSE (c) Not enough information
10. The mode is always an actual value in the data set.
(a) Not enough information(b) TRUE(c) FALSE
11. Variation is not important in statistics.
(a) TRUE(b) FALSE(c) Not enough information
12. Variance is in squared units.
(a) Not enough information(b) TRUE(c) FALSE
13. A large standard deviation means the mean represents the data well.
(a) TRUE(b) Not enough information(c) FALSE
14. A small standard deviation means the mean represents the data well.
(a) TRUE(b) FALSE(c) Not enough information
15. Given the following data set [1,2,3,4,5], what is the third quartile?
(a) 2(b) 4(c) 3(d) 1.58(e) 2.5
16. Given the following data set [1,2,3,4,5], what is the range?
(a) 2(b) 1.58(c) 2.5(d) 3(e) 4
17. Given the following data set [1,3,5,7,9], what is the mean?

(a) 3 (b) 5 (c) 8

(e) The data are left skewed.

(d) 4	
(e) 3.16	
(f) 10	
(g) 7	
18. Given the following data set [1,3,5,7,9], what is the IQR?	
(a) 7	
(b) 4	
(c) 3	
(d) 3.16	
(e) 10	
(f) 8	
(g) 5	
19. A data point has the value of 7.5 and the mean of the data set is 10. What is the deviation score?	
(a) -3	
(b) -2.5	
(c) 3	
(d) 7	
Sometimes the scale of a plot can make differences look larger or smaller than they really are.	
(a) FALSE	
(b) Not enough information	
(c) TRUE	
21. Boxplots are useful for seeing outliers.	
(a) FALSE	
(b) TRUE	
(c) Not enough information	
22. Histograms are usefule for seeing how data are distributed.	
(a) Not enough information	
(b) FALSE	
(c) TRUE	
23. img:"hist_norm.jpeg" Select the statements that are true.	
(a) The data are right skewed.	
(b) The data are leptokurtic.	
(c) The data are platykurtic.	
(d) The data are normally distributed.	

Statistics Exam: 00002

6

24. img:"box_plat.jpeg" Select the statements that are true.

- (a) There are outliers with small values.
- (b) The data are left skewed.
- (c) There are outliers with large values.
- (d) There are no outliers.
- (e) The data are right skewed.
- (f) The data are symetrically distributed.