



ANDROID STATIC ANALYSIS REPORT



 OpenMRS Android Client
(3.1.1-debug.1)


File Name: openmrs-client.apk

Package Name: org.openmrs.mobile

Scan Date: April 4, 2026, 5:45 a.m.

App Security Score: **47/100 (MEDIUM RISK)**

Grade:



FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
4	19	2	2	1

FILE INFORMATION

File Name: openmrs-client.apk

Size: 14.51MB

MD5: cf93727cbf7408c3f3d1318f85ce7e39

SHA1: 15304228dc1bc9e2a259b5067a10563b5f380791

SHA256: e17897d0fbfcc25b1383468ee65c98f65d2f031903505a3a0664c1a210497a17

APP INFORMATION

App Name: OpenMRS Android Client

Package Name: org.openmrs.mobile

Main Activity: org.openmrs.mobile.activities.introduction.SplashActivity

Target SDK: 29

Min SDK: 19

Max SDK:

Android Version Name: 3.1.1-debug.1

Android Version Code: 1

APP COMPONENTS

Activities: 33

Services: 13

Receivers: 10

Providers: 6

Exported Activities: 4

Exported Services: 1

Exported Receivers: 0

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: False

v4 signature: False

X.509 Subject: CN=Android Debug, O=Android, C=US

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2023-08-05 15:26:08+00:00

Valid To: 2053-07-28 15:26:08+00:00

Issuer: CN=Android Debug, O=Android, C=US

Serial Number: 0x1

Hash Algorithm: sha1

md5: 0e57622f2daf1091246039a3fbd7c6ec

sha1: bdf493569215f8c87769fd2c6ef6b58e105604f3

sha256: 6a6fc45d9ae2ce6c729c7905f005b7c13e2cca37340b0f1797b44d7c974ae28a

sha512: 51c7df7cfa9f599ac960e13e5edd2f33d23d024c057d8ae0daa6c47ec61d1829ccd247312a3beec5c8050ff6ccce0714b16069f45ba850246a6775dcf0c0cbad

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 6e52f4c209a271d56908eeda4cb4b89f7dcd3c004270deaea6504c942209b342

Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.

 APKID ANALYSIS

FILE	DETAILS	
classes4.dex	FINDINGS	DETAILS
	Compiler	r8 without marker (suspicious)
classes3.dex	FINDINGS	DETAILS
	Anti Debug Code	Debug.isDebuggerConnected() check
	Anti-VM Code	Build.MANUFACTURER check
	Compiler	r8 without marker (suspicious)

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check
	Compiler	r8 without marker (suspicious)

 NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

 CERTIFICATE ANALYSIS

HIGH: 1 | WARNING: 2 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.
Application signed with debug certificate	high	Application signed with a debug certificate. Production application must not be shipped with a debug certificate.
Certificate algorithm might be vulnerable to hash collision	warning	Application is signed with SHA1withRSA. SHA1 hash algorithm is known to have collision issues. The manifest file indicates SHA256withRSA is in use.

Q MANIFEST ANALYSIS

HIGH: 2 | WARNING: 11 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable upatched Android version Android 4.4-4.4.4, [minSdk=19]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Debug Enabled For App [android:debuggable=true]	high	Debugging was enabled on the app which makes it easier for reverse engineers to hook a debugger to it. This allows dumping a stack trace and accessing debugging helper classes.

NO	ISSUE	SEVERITY	DESCRIPTION
3	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
4	Activity (org.openmrs.mobile.activities.syncedpatients.SyncedPatientsActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
5	Activity (org.openmrs.mobile.activities.activevisits.ActiveVisitsActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
6	Activity (org.openmrs.mobile.activities.lastviewedpatients.LastViewedPatientsActivity) is not Protected. An intent-filter exists.	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity is explicitly exported.
7	TaskAffinity is set for activity (com.chuckerteam.chucker.internal.ui.MainActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
8	Launch Mode of activity (com.chuckerteam.chucker.internal.ui.MainActivity) is not standard.	warning	An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent.

NO	ISSUE	SEVERITY	DESCRIPTION
9	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	TaskAffinity is set for activity (leakcanary.internal.activity.LeakActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
11	TaskAffinity is set for activity (leakcanary.internal.activity.LeakLauncherActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.
12	Activity-Alias (leakcanary.internal.activity.LeakLauncherActivity) is not Protected. An intent-filter exists.	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. The presence of intent-filter indicates that the Activity-Alias is explicitly exported.

NO	ISSUE	SEVERITY	DESCRIPTION
13	TaskAffinity is set for activity (leakcanary.internal.RequestStoragePermissionActivity)	warning	If taskAffinity is set, then other application could read the Intents sent to Activities belonging to another task. Always use the default setting keeping the affinity as the package name in order to prevent sensitive information inside sent or received Intents from being read by another application.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 5 | INFO: 2 | SECURE: 1 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	org/jacoco/agent/rt/internal_8ff85ea/core/runtime/AbstractRuntime.java permissions/dispatcher/ktx/PermissionRequestFragment.java
				com/amitshekhar/DebugDB.java com/amitshekhar/server/ClientServer.java com/amitshekhar/utils/Utils.java com/chuckerteam/chucker/internal/support/Logger.java com/github/amIcurran/showcaseview/ShowcaseAreaCalculator.java com/github/amIcurran/showcaseview/targets/ActionBarViewWrapper.java com/github/appintro/internal/LogHelper.java com/github/mikephil/charting/charts/BarChart.java com/github/mikephil/charting/charts/BarLineChartBase.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
2	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/github/mikephil/charting/charts/Chart.java com/github/mikephil/charting/charts/CombinedChart.java com/github/mikephil/charting/charts/HorizontalBarChart.java com/github/mikephil/charting/charts/PieRadarChartBase.java com/github/mikephil/charting/components/AxisBase.java com/github/mikephil/charting/data/ChartData.java com/github/mikephil/charting/data/CombinedData.java com/github/mikephil/charting/data/LineDataSet.java com/github/mikephil/charting/data/PieEntry.java com/github/mikephil/charting/listener/BarLineChartTouchListener.java com/github/mikephil/charting/renderer/CombinedChartRenderer.java com/github/mikephil/charting/renderer/ScatterChartRenderer.java com/github/mikephil/charting/utils/FileUtils.java com/github/mikephil/charting/utils/Utils.java com/hbb20/CCPCountry.java com/hbb20/CountryCodePicker.java com/openmrs/android_sdk/library/OpenMRSLogger.java com/openmrs/android_sdk/library/OpenmrsAndroid.java com/openmrs/android_sdk/utilities/ResourceSerializer.java com/yalantis/ucrop/UCropActivity.java com/yalantis/ucrop/task/BitmapCropTask.java com/yalantis/ucrop/task/BitmapLoadTask.java com/yalantis/ucrop/util/BitmapLoadUtils.java com/yalantis/ucrop/util/EglUtils.java com/yalantis/ucrop/util/FileUtils.java com/yalantis/ucrop/util/ImageHeaderParser.java com/yalantis/ucrop/view/TransformImageView.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				leakcanary/internal/DefaultCanaryLog.java org/jasoco/agent/rt/internal_8ff85ea/asm/commo ns/JSRInlinerAdapter.java org/joda/time/tz/DateTimeZoneBuilder.java org/joda/time/tz/ZoneInfoCompiler.java org/openmrs/mobile/activities/addeditpatient/Add EditPatientFragment\$setupViewsListeners\$\$inline d\$with\$lambda\$6.java org/openmrs/mobile/activities/dialog/CustomPicke rDialog.java org/openmrs/mobile/activities/patientdashboard/P atientDashboardMainViewModel.java org/openmrs/mobile/services/AuthenticateCheckS ervice.java org/openmrs/mobile/services/PatientService.java org/slf4j/helpers/Util.java rx/internal/util/IndexedRingBuffer.java rx/internal/util/RxRingBuffer.java
3	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	rx/plugins/RxJavaHooks.java com/github/mikephil/charting/charts/Chart.java com/github/mikephil/charting/utils/FileUtils.java com/openmrs/android_sdk/library/OpenmrsAndro id.java com/yalantis/ucrop/util/FileUtils.java leakcanary/internal/LeakCanaryFileProvider.java leakcanary/internal/LeakDirectoryProvider.java leakcanary/internal/activity/screen/RenderHeapDu mpScreen\$createView\$\$inlined\$apply\$lambda\$3.j ava org/openmrs/mobile/activities/addeditpatient/Add EditPatientFragment.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
4	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/openmrs/android_sdk/utilities/ApplicationConstants.java com/openmrs/android_sdk/utilities/ObservationDeserializor.java io/reactivex/internal/schedulers/SchedulerPoolFactory.java permissions/dispatcher/ktx/PermissionRequestFragment.java rx/internal/schedulers/NewThreadWorker.java rx/plugins/RxJavaPlugins.java
5	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/amitshekhar/debug/sqlite/DebugSQLiteDatabase.java leakcanary/internal/activity/db/HeapAnalysisTable.java leakcanary/internal/activity/db/LeakTable.java leakcanary/internal/activity/db/LeaksDbHelper.java leakcanary/internal/activity/screen/HeapAnalysisFailureScreen.java leakcanary/internal/activity/screen/HeapDumpScreen.java leakcanary/internal/activity/screen/LeakScreen\$onLeaksRetrieved\$2.java leakcanary/internal/activity/screen/LeakScreen.java
6	Debug configuration enabled. Production builds must not be debuggable.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/openmrs/android_sdk/BuildConfig.java org/openmrs/mobile/BuildConfig.java
7	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	leakcanary/internal/activity/LeakViewsKt.java org/openmrs/mobile/activities/logs/LogsFragment.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/openmrs/android_sdk/library/api/RestServiceBuilder.java
9	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/openmrs/android_sdk/library/security/SecretKeyGenerator.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00065	Get the country code of the SIM card provider	collection	com/hbb20/CountryCodePicker.java
00132	Query The ISO country code	telephony collection	com/hbb20/CountryCodePicker.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	leakcanary/internal/activity/LeakViewsKt.java org/openmrs/mobile/activities/ACBaseActivity.java org/openmrs/mobile/activities/community/contact/AboutActivity.java org/openmrs/mobile/activities/community/contact/ContactUsActivity.java org/openmrs/mobile/activities/login/LoginFragment.java org/openmrs/mobile/activities/settings/SettingsFragment.java permissions/dispatcher/ktx/PermissionRequestFragment.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	org/openmrs/mobile/activities/community/contact/ContactUsActivity.java org/openmrs/mobile/activities/login/LoginFragment.java org/openmrs/mobile/activities/settings/SettingsFragment.java
00013	Read file and put it into a stream	file	com/amitshekhar/utils/Utils.java com/yalantis/ucrop/util/FileUtils.java leakcanary/internal/activity/LeakActivity.java okio/Okio.java org/joda/time/tz/ZoneInfoCompiler.java org/joda/time/tz/ZoneInfoProvider.java org/openmrs/mobile/activities/logs/LogsViewModel.java org/openmrs/mobile/utilities/FileUtils.java org/openmrs/mobile/utilities/ForceClose.java shark/Hprof.java
00028	Read file from assets directory	file	com/amitshekhar/utils/Utils.java
00130	Get the current WIFI information	wifi collection	com/amitshekhar/utils/NetworkUtils.java
00054	Install other APKs from file	reflection	org/openmrs/mobile/activities/addeditpatient/AddEditPatientFragment.java

RULE ID	BEHAVIOUR	LABEL	FILES
00022	Open a file from given absolute path of the file	file	com/amitshekhar/server/RequestHandler.java com/github/mikephil/charting/charts/Chart.java com/openmrs/android_sdk/library/OpenMRSLogger.java leakcanary/internal/AndroidHeapDumper.java leakcanary/internal/LeakDirectoryProvider.java leakcanary/internal/activity/LeakViewsKt.java leakcanary/internal/activity/db/HeapAnalysisTable.java shark/HeapAnalysisFailure.java shark/HeapAnalysisSuccess.java
00079	Hide the current app's icon	evasion	leakcanary/internal/InternalLeakCanary.java
00091	Retrieve data from broadcast	collection	org/openmrs/mobile/activities/ACBaseActivity.java org/openmrs/mobile/activities/addeditallergy/AddEditAllergyActivity.java org/openmrs/mobile/activities/addeditpatient/AddEditPatientActivity.java org/openmrs/mobile/activities/formadmission/FormAdmissionActivity.java org/openmrs/mobile/activities/formdisplay/FormDisplayActivity.java
00031	Check the list of currently running applications	reflection collection	org/openmrs/mobile/services/AuthenticateCheckService.java
00036	Get resource file from res/raw directory	reflection	org/openmrs/mobile/activities/settings/SettingsViewModel.java permissions/dispatcher/ktx/PermissionRequestFragment.java
00192	Get messages in the SMS inbox	sms	com/yalantis/ucrop/util/FileUtils.java

ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	9/25	android.permission.INTERNET, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.ACCESS_NETWORK_STATE, android.permission.CAMERA, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_WIFI_STATE, android.permission.WAKE_LOCK, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.READ_EXTERNAL_STORAGE
Other Common Permissions	1/44	android.permission.FOREGROUND_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

🔍 DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
schemas.android.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
square.github.io	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
openmrs.org	ok	IP: 192.0.78.137 Country: United States of America Region: California City: San Francisco Latitude: 37.748425 Longitude: -122.413673 View: Google Map
javax.xml.xmlconstants	ok	No Geolocation information available.
www.example.com	ok	IP: 104.18.26.120 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
wiki.openmrs.org	ok	IP: 149.165.155.251 Country: United States of America Region: Indiana City: Bloomington Latitude: 39.220310 Longitude: -86.458237 View: Google Map

DOMAIN	STATUS	GEOLOCATION
xmlpull.org	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
talk.openmrs.org	ok	IP: 149.165.155.246 Country: United States of America Region: Indiana City: Bloomington Latitude: 39.220310 Longitude: -86.458237 View: Google Map
gist.github.com	ok	IP: 140.82.112.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
play.google.com	ok	IP: 142.251.129.206 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
play.g	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
www.wireless-village.org	ok	IP: 104.21.11.240 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
openmrs.github.io	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
stackoverflow.com	ok	IP: 198.252.206.1 Country: United States of America Region: New York City: New York City Latitude: 40.707741 Longitude: -74.003273 View: Google Map
www.openmobilealliance.org	ok	IP: 104.26.8.105 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
issuetracker.google.com	ok	IP: 142.251.133.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
xml.apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map
github.com	ok	IP: 140.82.112.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
demo.openmrs.org	ok	IP: 149.165.155.6 Country: United States of America Region: Indiana City: Bloomington Latitude: 39.220310 Longitude: -86.458237 View: Google Map
squ.re	ok	IP: 67.199.248.12 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
android.googlesource.com	ok	IP: 173.194.217.82 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
twitter.com	ok	IP: 162.159.140.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
code.google.com	ok	IP: 172.217.29.14 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

EMAILS

EMAIL	FILE
this@with.postalcode	org/openmrs/mobile/activities/addeditpatient/AddEditPatientFragment.java
helpdesk@openmrs.com	Android String Resource

HARDCODED SECRETS

POSSIBLE SECRETS
86b326012813f09d8f1de7d6d26c986a909d
258EAFa5-E914-47DA-95CA-C5AB0DC85B11
a210460b814c04d500eb12025902d60d
01360240043788015936020505
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
56a9a59402a83549fd1001ccb124935e
cf029002fffdcadf079e8d0a1c9a70ac
4df64341cc978a7de414
ff9d4b6aab15b17c7fd7e9a0ef9f18c7
3ad896fa3ec863e554b9890fab536763
67a71486-1a54-468f-ac3e-7091a9a79584
91c4fb1455470d803a602838dfcd5774
8aff2efc47fafe870c738f727dfcfc6e
8c67d026b8ba5bd5773068edf1b200f9
7b0f5697-27e3-40c4-8bae-f4049abfb4ed

SCAN LOGS

Timestamp	Event	Error
2026-04-04 05:45:19	Generating Hashes	OK
2026-04-04 05:45:19	Extracting APK	OK
2026-04-04 05:45:19	Unzipping	OK
2026-04-04 05:45:23	Parsing APK with androguard	OK
2026-04-04 05:45:23	Extracting APK features using aapt/aapt2	OK
2026-04-04 05:45:23	Getting Hardcoded Certificates/Keystores	OK
2026-04-04 05:45:36	Parsing AndroidManifest.xml	OK
2026-04-04 05:45:36	Extracting Manifest Data	OK
2026-04-04 05:45:36	Manifest Analysis Started	OK

2026-04-04 05:45:36	Performing Static Analysis on: OpenMRS Android Client (org.openmrs.mobile)	OK
2026-04-04 05:45:36	Fetching Details from Play Store: org.openmrs.mobile	OK
2026-04-04 05:45:37	Checking for Malware Permissions	OK
2026-04-04 05:45:37	Fetching icon path	OK
2026-04-04 05:45:37	Library Binary Analysis Started	OK
2026-04-04 05:45:37	Reading Code Signing Certificate	OK
2026-04-04 05:45:38	Running APKiD 2.1.5	OK
2026-04-04 05:45:44	Detecting Trackers	OK
2026-04-04 05:45:49	Decompiling APK to Java with JADX	OK
2026-04-04 05:47:03	Converting DEX to Smali	OK
2026-04-04 05:47:03	Code Analysis Started on - java_source	OK

2026-04-04 05:47:16	Android SBOM Analysis Completed	OK
2026-04-04 05:47:23	Android SAST Completed	OK
2026-04-04 05:47:23	Android API Analysis Started	OK
2026-04-04 05:47:32	Android API Analysis Completed	OK
2026-04-04 05:47:33	Android Permission Mapping Started	OK
2026-04-04 05:47:42	Android Permission Mapping Completed	OK
2026-04-04 05:47:45	Android Behaviour Analysis Started	OK
2026-04-04 05:47:55	Android Behaviour Analysis Completed	OK
2026-04-04 05:47:55	Extracting Emails and URLs from Source Code	OK
2026-04-04 05:48:02	Email and URL Extraction Completed	OK
2026-04-04 05:48:02	Extracting String data from APK	OK

2026-04-04 05:48:03	Extracting String data from Code	OK
2026-04-04 05:48:03	Extracting String values and entropies from Code	OK
2026-04-04 05:48:13	Performing Malware check on extracted domains	OK
2026-04-04 05:48:19	Saving to Database	OK
2026-04-04 05:48:39	Performing Malware check on extracted domains	OK
2026-04-04 05:48:43	Detecting Trackers from Domains	OK
2026-04-04 16:55:25	Performing Malware check on extracted domains	OK
2026-04-04 16:55:30	Updating Trackers Database....	OK
2026-04-04 16:55:30	Detecting Trackers from Domains	OK
2026-04-04 17:20:53	Performing Malware check on extracted domains	OK
2026-04-04 17:20:57	Updating Trackers Database....	OK

2026-04-04 17:20:57	Detecting Trackers from Domains	OK
2026-04-04 17:27:37	Performing Malware check on extracted domains	OK
2026-04-04 17:27:41	Detecting Trackers from Domains	OK
2026-04-04 21:06:41	Performing Malware check on extracted domains	OK
2026-04-04 21:06:46	Detecting Trackers from Domains	OK
2026-04-04 21:12:06	Performing Malware check on extracted domains	OK
2026-04-04 21:12:10	Detecting Trackers from Domains	OK
2026-04-05 00:45:55	Performing Malware check on extracted domains	OK
2026-04-05 00:46:00	Detecting Trackers from Domains	OK
2026-04-05 01:01:13	Performing Malware check on extracted domains	OK

2026-04-05 01:01:17	Detecting Trackers from Domains	OK
2026-04-05 01:26:13	Performing Malware check on extracted domains	OK
2026-04-05 01:26:19	Detecting Trackers from Domains	OK
2026-04-05 02:05:38	Performing Malware check on extracted domains	OK
2026-04-05 02:05:43	Detecting Trackers from Domains	OK
2026-04-05 03:11:48	Performing Malware check on extracted domains	OK
2026-04-05 03:11:55	Detecting Trackers from Domains	OK
2026-04-05 03:27:33	Performing Malware check on extracted domains	OK
2026-04-05 03:27:38	Detecting Trackers from Domains	OK
2026-04-05 04:15:29	Performing Malware check on extracted domains	OK
2026-04-05 04:15:34	Updating Trackers Database....	OK

2026-04-05 04:15:34	Detecting Trackers from Domains	OK
2026-04-05 14:30:04	Performing Malware check on extracted domains	OK
2026-04-05 14:30:10	Updating Trackers Database....	OK
2026-04-05 14:30:10	Detecting Trackers from Domains	OK
2026-04-05 15:29:44	Performing Malware check on extracted domains	OK
2026-04-05 15:29:49	Detecting Trackers from Domains	OK
2026-04-08 17:49:35	Performing Malware check on extracted domains	OK
2026-04-08 17:49:40	Detecting Trackers from Domains	OK
2026-04-09 02:48:15	Performing Malware check on extracted domains	OK
2026-04-09 02:48:24	Updating Trackers Database....	OK
2026-04-09 02:48:24	Detecting Trackers from Domains	OK

2026-04-09 02:56:57	Performing Malware check on extracted domains	OK
2026-04-09 02:57:11	Detecting Trackers from Domains	OK
2026-04-09 03:05:49	Performing Malware check on extracted domains	OK
2026-04-09 03:06:01	Detecting Trackers from Domains	OK
2026-04-09 03:13:13	Performing Malware check on extracted domains	OK
2026-04-09 03:14:24	Detecting Trackers from Domains	OK
2026-04-09 03:19:00	Performing Malware check on extracted domains	OK
2026-04-09 03:19:11	Detecting Trackers from Domains	OK
2026-04-09 03:26:58	Performing Malware check on extracted domains	OK
2026-04-09 03:27:04	Detecting Trackers from Domains	OK
2026-04-09 21:00:12	Performing Malware check on extracted domains	OK

2026-04-09 21:00:20	Detecting Trackers from Domains	OK
---------------------	---------------------------------	----

Report Generated by - MobSF v4.2.9

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.