

Open Geospatial Consortium

Submission Date: <yyyy-mm-dd>

Approval Date: <yyyy-mm-dd>

Publication Date: <yyyy-mm-dd>

External identifier of this OGC® document: <http://www.opengis.net/doc/IS/CityGML-2/3.0>

Internal reference number of this OGC® document: YY-nnnrx

Version: 0.1

Category: OGC® Implementation Specification

Editor: <Name(s) of Editor or Editors>

OGC City Geography Markup Language (CityGML) Part 2: GML Encoding Standard

Copyright notice

Copyright © <year> Open Geospatial Consortium

To obtain additional rights of use, visit <http://www.opengeospatial.org/legal/>

Warning

This document is not an OGC Standard. This document is distributed for review and comment. This document is subject to change without notice and may not be referred to as an OGC Standard.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Document type: OGC® Standard

Document subtype: Encoding Specification

Document stage: Draft

Document language: English

License Agreement

Permission is hereby granted by the Open Geospatial Consortium, ("Licensor"), free of charge and subject to the terms set forth below, to any person obtaining a copy of this Intellectual Property and any associated documentation, to deal in the Intellectual Property without restriction (except as set forth below), including without limitation the rights to implement, use, copy, modify, merge, publish, distribute, and/or sublicense copies of the Intellectual Property, and to permit persons to whom the Intellectual Property is furnished to do so, provided that all copyright notices on the intellectual property are retained intact and that each person to whom the Intellectual Property is furnished agrees to the terms of this Agreement.

If you modify the Intellectual Property, all copies of the modified Intellectual Property must include, in addition to the above copyright notice, a notice that the Intellectual Property includes modifications that have not been approved or adopted by LICENSOR.

THIS LICENSE IS A COPYRIGHT LICENSE ONLY, AND DOES NOT CONVEY ANY RIGHTS UNDER ANY PATENTS THAT MAY BE IN FORCE ANYWHERE IN THE WORLD.

THE INTELLECTUAL PROPERTY IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE DO NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE INTELLECTUAL PROPERTY WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE INTELLECTUAL PROPERTY WILL BE UNINTERRUPTED OR ERROR FREE. ANY USE OF THE INTELLECTUAL PROPERTY SHALL BE MADE ENTIRELY AT THE USER'S OWN RISK. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR ANY CONTRIBUTOR OF INTELLECTUAL PROPERTY RIGHTS TO THE INTELLECTUAL PROPERTY BE LIABLE FOR ANY CLAIM, OR ANY DIRECT, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM ANY ALLEGED INFRINGEMENT OR ANY LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR UNDER ANY OTHER LEGAL THEORY, ARISING OUT OF OR IN CONNECTION WITH THE IMPLEMENTATION, USE, COMMERCIALIZATION OR PERFORMANCE OF THIS INTELLECTUAL PROPERTY.

This license is effective until terminated. You may terminate it at any time by destroying the Intellectual Property together with all copies in any form. The license will also terminate if you fail to comply with any term or condition of this Agreement. Except as provided in the following sentence, no such termination of this license shall require the termination of any third party end-user sublicense to the Intellectual Property which is in force as of the date of notice of such termination. In addition, should the Intellectual Property, or the operation of the Intellectual Property, infringe, or in LICENSOR's sole opinion be likely to infringe, any patent, copyright, trademark or other right of a third party, you agree that LICENSOR, in its sole discretion, may terminate this license without any compensation or liability to you, your licensees or any other party. You agree upon termination of any kind to destroy or cause to be destroyed the Intellectual Property together with all copies in any form, whether held by you or by any third party.

Except as contained in this notice, the name of LICENSOR or of any other holder of a copyright in all or part of the Intellectual Property shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Intellectual Property without prior written authorization of LICENSOR or such copyright holder. LICENSOR is and shall at all times be the sole entity that may authorize you or any third party to use certification marks, trademarks or other special designations to indicate compliance with any LICENSOR standards or specifications. This Agreement is governed by the laws of the Commonwealth of Massachusetts. The application to this Agreement of the United Nations Convention on Contracts for the International Sale of Goods is hereby expressly excluded. In the event any provision of this Agreement shall be deemed unenforceable, void or invalid, such provision shall be modified so as to make it valid and enforceable, and as so modified the entire Agreement shall remain in full force and effect. No decision, action or inaction by LICENSOR shall be construed to be a waiver of any rights or remedies available to it.

Table of Contents

1. Scope	7
2. Conformance	8
2.1. Implementation Specifications	8
2.2. Conformance Classes	8
3. References	9
4. Terms and Definitions	10
5. Conventions	12
5.1. Identifiers	12
6. Requirements	13
6.1. Base Conformance Class	13
6.2. Appearance Conformance Class	13
6.2.1. Dependencies	14
6.2.2. GML Elements	14
6.2.3. Implementation Decisions	14
6.2.4. Requirements	14
6.3. Bridge Conformance Class	15
6.4. Building Conformance Class	15
6.5. City Furniture Conformance Class	16
6.6. City Object Group Conformance Class	16
6.7. Construction Conformance Class	17
6.8. Dynamizer Conformance Class	17
6.9. Generics Conformance Class	18
6.10. Land Use Conformance Class	18
6.11. Point Cloud Conformance Class	19
6.12. Relief Conformance Class	19
6.13. Transportation Conformance Class	20
6.14. Tunnel Conformance Class	20
6.15. Vegetation Conformance Class	21
6.16. Versioning Conformance Class	21
6.17. Water Body Conformance Class	22
7. Media Types	23
Annex A: Conformance Class Abstract Test Suite (Normative)	24
A.1. Conformance Class A	24
A.1.1. Requirement 1	24
A.1.2. Requirement 2	24
Annex B: Examples (Informative)	25
Annex C: Schema (Normative)	26
Annex D: Conceptual Model Conformance (Normative)	27

Annex E: CityGML Data Dictionary (Normative)	28
Annex F: Revision History	29
Annex G: Glossary	30
G.1. ISO Concepts	31
G.2. Abbreviated Terms	35
Annex H: Bibliography	37

i. Abstract

The CityGML 3.0 GML Encoding Standard presents the implementation-dependent, GML encoding of the concepts defined by the CityGML 3.0 Conceptual Model(CM) standard. Those concepts include the most relevant topographic objects in cities and regional models with respect to their geometrical, topological, semantical, and appearance properties. “City” is broadly defined to comprise not just built structures, but also elevation, vegetation, water bodies, city furniture, and more. Included are generalization hierarchies between thematic classes, aggregations, relations between objects, and spatial properties.

CityGML-XML is published as a multi-part standard. This Part 0 addresses the following requirements classes from the CityGML conceptual model.

- Core: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-core>
- ADE: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-ade>

Table 1. Conceptual Model Mapping

Conceptual Model	Section	GML Schema
ADE	Base Conformance Class	cityGMLBase.xsd
Appearance	Appearance Conformance Class	appearance.xsd
Bridge	Bridge Conformance Class	bridge.xsd
Building	Building Conformance Class	building.xsd
City Furniture	City Furniture Conformance Class	cityFurniture.xsd
City Object Group	City Object Group Conformance Class	cityObjectGroup.xsd
Construction	Construction Conformance Class	construction.xsd
Core	Base Conformance Class	cityGMLBase.xsd
Dynamizer	Dynamizer Conformance Class	dynamizer.xsd
Generics	Generics Conformance Class	generics.xsd
Land Use	Land Use Conformance Class	landUse.xsd
Point Cloud	Point Cloud Conformance Class	pointCloud.xsd
Relief	Relief Conformance Class	relief.xsd
Transportation	Transportation Conformance Class	transportation.xsd
Tunnel	Tunnel Conformance Class	tunnel.xsd
Vegetation	Vegetation Conformance Class	vegetation.xsd
Versioning	Versioning Conformance Class	versioning.xsd
Water Body	Water Body Conformance Class	waterBody.xsd

ii. Keywords

The following are keywords to be used by search engines and document catalogues.

iii. Preface

In order to achieve consensus on the basic entities, attributes, and relations of a 3D city model, a UML Conceptual Model, CityGML 3.0, was approved as an OGC standard in March, 2021. This model provides a unifying conceptual basis for city model encoding standards. This cityGML 3.0 XML Encoding Standard defines how those concepts should be realized using XML and GML technologies.

As an OGC standard, CityGML follows the OGC modular specification standard, OGC 08-131r3. Because of the breadth of CityGML, its conceptual model was divided into separate Requirements Classes, one for each subject area. This CityGML encoding similarly is divided into Requirements Classes which are then grouped into Parts. A Part may address multiple CityGML Requirements Classes but each Requirements Class is addressed in a single part. Because Requirements Classes may depend on other Requirements Classes the reader of this CityGML Part may need to conform to Requirements Classes in other Parts as well.

Note that this CityGML encoding standard is a standardization target of the CityGML 3.0 Conceptual Model Standard. Therefore this standard conforms to the Conformance Classes in that standard. Evidence of that conformance is provided in [Conceptual Model Conformance \(Normative \)](#). On the other hand, an application claiming conformance to this CityGML encoding standard must conform to the Requirements Classes contained in this standard.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The Open Geospatial Consortium shall not be held responsible for identifying any or all such patent rights.

Recipients of this document are requested to submit, with their comments, notification of any relevant patent claims or other intellectual property rights of which they may be aware that might be infringed by any implementation of the standard set forth in this document, and to provide supporting documentation.

iv. Submitting organizations

The following organizations submitted this Document to the Open Geospatial Consortium (OGC):

Table 2. Submitting Organizations

Organization	Points of Contact
Heazeltech LLC	Charles Heazel

v. Submitters

All questions regarding this submission should be directed to the editor or the submitters:

Table 3. Submission Contact Points

Name	Institution
Charles Heazel	Heazeltech LLC

Chapter 1. Scope

This Standard documents the OGC GML [Implementation Specification](#) (IS) for the CityGML 3.0 Conceptual Model. The CityGML 3.0 conceptual model is a [Platform Independent Model](#) (PIM). It defines concepts in a manner which is independent of any implementing technology. As such, the CityGML CM cannot be implemented directly. Rather, it serves as the base for [Platform Specific Models](#) (PSM). A PSM adds to the PIM the technology-specific details needed to fully define the CityGML model for use with a specific technology. The PSM can then be used to generate the schema and other artifacts needed to build CityGML 3.0 implementations.

This standard defines the PSMs and schemas for the CityGML 3.0 [Implementation Specification](#) (IS) for Geography Markup Language (GML) implemenations.

The target of the conformance classes specified in this document are:

- GML Implementataions of CityGML 3.0.

Chapter 2. Conformance

This standard defines an [Implementation Specification](#) which specifies how the CityGML 3.0 [Conceptual Model](#) should be implemented using Geography Markup Language (GML). The [Standardization Target](#) for this standard is:

1. Implementations of the CityGML 3.0 [Conceptual Model](#) using GML encodings.

2.1. Implementation Specifications

Implementation Specifications define how a Conceptual Model should be implemented using a specific technology. Conformant Implementation Specifications provide evidence that they are an accurate representation of the Conceptual Model. This evidence includes data demonstrating that the applicable criteria documented in the CityGML 3.0 CM Abstract Test Suite have been satisfied. That evidence is provided in [Conceptual Model Conformance \(Normative \)](#).

2.2. Conformance Classes

This standard identifies seventeen (17) conformance classes. One conformance class is defined for each GML schema. Each conformance class is defined by one requirements class. The tests in [Annex A](#) are organized by Requirements Class. So an implementation of the *Base* conformance class must pass all tests specified in Annex A for the *Base* requirements class.

Of these seventeen conformance classes, only the *Base* conformance class is mandatory. All other conformance classes are optional. In the case where a conformance class has a dependency on another conformance class, that conformance class should also be implemented.

Chapter 3. References

The following normative documents contain provisions that, through reference in this text, constitute provisions of OGC TBD. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of OGC TBD are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies.

- IETF: RFC 2045 & 2046, Multipurpose Internet Mail Extensions (MIME). (November 1996),
- IETF: RFC 3986, Uniform Resource Identifier (URI): Generic Syntax. (January 2005)
- INSPIRE: D2.8.III.2 Data Specification on Buildings – Technical Guidelines. European Commission Joint Research Centre.
- ISO: ISO 19101-1:2014, Geographic information - Reference model - Part 1: Fundamentals
- ISO: ISO 19103:2015, Geographic Information – Conceptual Schema Language
- ISO: ISO 19105:2000, Geographic information – Conformance and testing
- ISO: ISO 19107:2003, Geographic Information – Spatial Schema
- ISO: ISO 19108:2002/Cor 1:2006, Geographic information – Temporal schema — Technical Corrigendum 1
- ISO: ISO 19109:2015, Geographic Information – Rules for Application Schemas
- ISO: ISO 19111:2019, Geographic information – Referencing by coordinates
- ISO: ISO 19123:2005, Geographic information — Schema for coverage geometry and functions
- ISO: ISO 19156:2011, Geographic information – Observations and measurements
- ISO: ISO/IEC 19505-2:2012, Information technology — Object Management Group Unified Modeling Language (OMG UML) — Part 2: Superstructure
- ISO/IEC 19507:2012, Information technology — Object Management Group Object Constraint Language (OCL)
- ISO: ISO/IEC 19775-1:2013 Information technology — Computer graphics, image processing and environmental data representation — Extensible 3D (X3D) — Part 1: Architecture and base components
- Khronos Group Inc.: COLLADA – Digital Asset Schema Release 1.5.0
- OASIS: Customer Information Quality Specifications - extensible Address Language (xAL), Version v3.0
- OGC: The OpenGIS® Abstract Specification Topic 5: Features, OGC document 08-126
- OGC: The OpenGIS™ Abstract Specification Topic 8: Relationships Between Features, OGC document 99-108r2
- OGC: The OpenGIS™ Abstract Specification Topic 10: Feature Collections, OGC document 99-110

Chapter 4. Terms and Definitions

This document uses the terms defined in Sub-clause 5.3 of [OGC 06-121r8], which is based on the ISO/IEC Directives, Part 2, Rules for the structure and drafting of International Standards. In particular, the word “shall” (not “must”) is the verb form used to indicate a requirement to be strictly followed to conform to this Standard.

For the purposes of this document, the following additional terms and definitions apply.

2D data

geometry of features is represented in a two-dimensional space

NOTE In other words, the geometry of 2D data is given using (X,Y) coordinates.

[INSPIRE D2.8.III.2, definition 1]

2.5D data

geometry of features is represented in a three-dimensional space with the constraint that, for each (X,Y) position, there is only one Z

[INSPIRE D2.8.III.2, definition 2]

3D data

Geometry of features is represented in a three-dimensional space.

NOTE In other words, the geometry of 2D data is given using (X,Y,Z) coordinates without any constraints.

[INSPIRE D2.8.III.2, definition 3]

application schema

A set of [conceptual schema](#) for data required by one or more applications. An application schema contains selected parts of the base schemas presented in the ORM Information Viewpoint. Designers of application schemas may extend or restrict the types defined in the base schemas to define appropriate types for an application domain. Application schemas are information models for a specific information community.

OGC Definitions Register at <http://www.opengis.net/def/glossary/term/ApplicationSchema>

codelist

A value domain including a code for each permissible value.

conceptual model

model that defines concepts of a universe of discourse

[ISO 19101-1:2014, 4.1.5]

conceptual schema

1. formal description of a [conceptual model](#)

[ISO 19101-1:2014, 4.1.6]

2. base schema. Formal description of the model of any geospatial information. [Application schemas](#) are built from conceptual schemas.

OGC Definitions Register at <http://www.opengis.net/def/glossary/term/ConceptualSchema>

Implementation Specification

Specified on the OGC Document Types Register at <http://www.opengis.net/def/doc-type/is>

levels of detail

quantity of information that portrays the real world

NOTE The concept comprises data capturing rules of spatial object types, the accuracy and the types of geometries, and other aspects of a data specification. In particular, it is related to the notions of scale and resolution.

[INSPIRE Glossary]

life-cycle information

set of properties of a spatial object that describe the temporal characteristics of a version of a spatial object or the changes between versions

[INSPIRE Glossary]

Platform (Model Driven Architecture)

the set of resources on which a system is realized.

[Object Management Group, Model Driven Architecture Guide rev. 2.0]

Platform Independent Model

a model that is independent of a specific platform

[Object Management Group, Model Driven Architecture Guide rev. 2.0]

Platform Specific Model

a model of a system that is defined in terms of a specific platform

[Object Management Group, Model Driven Architecture Guide rev. 2.0]

Chapter 5. Conventions

This section provides details and examples for any conventions used in the document. Examples of conventions are symbols, abbreviations, use of XML schema, or special notes regarding how to read the document.

5.1. Identifiers

The normative provisions in this Standard are denoted by the URI

<http://www.opengis.net/spec/{standard}/{m.n}>

All requirements and conformance tests that appear in this document are denoted by partial URIs which are relative to this base.

Chapter 6. Requirements

6.1. Base Conformance Class

The Base Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Core: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-core>
- ADE: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-ade>

The applicable GML schema is [cityGMLBase.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base	
Target type	Implementation
Dependency	cityGMLBase.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-core
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-ade

Requirement 1	/req/base/elements
A conforming application shall support the CityGML XML elements listed in [base-xml-elements] in accordance with the GML XML schema specified in cityGMLBase.xsd .	

6.2. Appearance Conformance Class

NOTE replace with appropriate text

Features of the land, such as naturally occurring water features and vegetation are specified in the LandFeature Requirements Class as land features. Also included are models of the land surface and subsurface layers. Improvements to the land such as the construction of an embankment or the planting of landscape material are considered to be part of Site Facilities in the Facility Requirements Class.

The Appearance Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Appearance: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-appearance>

The applicable GML schema is [appearance.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-appearance	
Target type	Implementation

Dependency	appearance.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-appearance
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

6.2.1. Dependencies

The Appearance Requirements Classes is dependent on the following Requirements Classes from this standard.

- The [Base](#) Requirements Class is the only mandatory Requirements Class. This class contains foundational elements upon which a CityGML dataset is built. The [Base](#) Requirements Class also defines XML elements and types reused by other Requirements Classes.
- [GML 3.2](#) provides most of the geometry types (e.g., Point, LineString, Polygon) used for spatial representations in this Standard. Defines Coordinate Reference Systems. Supports the General Feature Model upon which this Standard is based.
- [GML 3.3](#) defines the linear referencing concepts (e.g., linear element, distance along, Linear Referencing Methods) used for linearly referenced locations in this Standard. Also included are TINs.

6.2.2. GML Elements

The CityGML Appearance XML element names are shown with a XML namespace prefix of “TBD”. Corresponding CityGML UML classes are shown with their CityGML Requirements Class prefix of “TBD”.

Table 4. Appearance XML Elements

XML Schema Element	Conceptual Model

6.2.3. Implementation Decisions

The following decisions have been made regarding implementation of the CityGML 3.0 [Appearance](#) conformance class in GML.

1. decision 1
2. decision 2

6.2.4. Requirements

Requirement 2	/req/base/elements
A conforming application shall support the CityGML XML elements listed in Table 4 in accordance with the GML XML schema specified in appearance.xsd .	

6.3. Bridge Conformance Class

The Bridge Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Bridge: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-bridge>

The applicable GML schema is [bridge.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-bridgee	
Target type	Implementation
Dependency	bridge.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-bridge
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 3	/req/bridge/elements
A conforming application shall support the CityGML XML elements listed in [bridge-xml-elements] in accordance with the GML XML schema specified in bridge.xsd .	

6.4. Building Conformance Class

The Building Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Building: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-building>

The applicable GML schema is [building.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-building	
Target type	Implementation
Dependency	building.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-building
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 4	/req/building/elements
A conforming application shall support the CityGML XML elements listed in [building-xml-elements] in accordance with the GML XML schema specified in building.xsd .	

6.5. City Furniture Conformance Class

The City Furniture Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- CityFurniture: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-cityfurniture>

The applicable GML schema is [cityFurniture.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-cityfurniture	
Target type	Implementation
Dependency	cityFurniture.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-cityfurniture
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 5	/req/base/cityfurniture
A conforming application shall support the CityGML XML elements listed in [city-furniture-xml-elements] in accordance with the GML XML schema specified in cityFurniture.xsd .	

6.6. City Object Group Conformance Class

The City Object Group Conformance Class implements the following Requirement Classe from the CityGML 3.0 Conceptual Model Standard:

- CityObjectGroup: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-cityobjectgroup>

The applicable GML schema is [cityObjectGroup.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-cityobjectgroup	
Target type	Implementation
Dependency	cityObjectGroup.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-cityobjectgroup
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 6	/req/cityobjectgroup/elements
A conforming application shall support the CityGML XML elements listed in [city-object-group-xml-elements] in accordance with the GML XML schema specified in cityObjectGroup.xsd .	

6.7. Construction Conformance Class

The Construction Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Construction: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-construction>

The applicable GML schema is [construction.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-construction	
Target type	Implementation
Dependency	construction.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-construction
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 7	/req/construction/elements
A conforming application shall support the CityGML XML elements listed in [construction-xml-elements] in accordance with the GML XML schema specified in construction.xsd .	

6.8. Dynamizer Conformance Class

The Dynamizer Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Dynamizer: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-dynamizer>

The applicable GML schema is [dynamizer.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-dynamizer	
Target type	Implementation
Dependency	dynamizer.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-dynamizer
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 8	/req/dynamizer/elements
A conforming application shall support the CityGML XML elements listed in [dynamizer-xml-elements] in accordance with the GML XML schema specified in dynamizer.xsd .	

6.9. Generics Conformance Class

The Generics Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Generics: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-generics>

The applicable GML schema is [generics.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-generics	
Target type	Implementation
Dependency	generics.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-generics
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 9	/req/generics/elements
A conforming application shall support the CityGML XML elements listed in [generics-xml-elements] in accordance with the GML XML schema specified in generics.xsd .	

6.10. Land Use Conformance Class

The Land Use Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- LandUse: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-landuse>

The applicable GML schema is [landUse.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-landuse	
Target type	Implementation
Dependency	landUse.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-landuse
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 10	/req/landuse/elements
A conforming application shall support the CityGML XML elements listed in [land-use-xml-elements] in accordance with the GML XML schema specified in landUse.xsd .	

6.11. Point Cloud Conformance Class

The Point Cloud Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Point Cloud: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-pointcloud>

The applicable GML schema is [pointCloud.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-pointcloud	
Target type	Implementation
Dependency	pointCloud.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-pointcloud
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 11	/req/pointcloud/elements
A conforming application shall support the CityGML XML elements listed in [point-cloud-xml-elements] in accordance with the GML XML schema specified in pointCloud.xsd .	

6.12. Relief Conformance Class

The Relief Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Relief: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-relief>

The applicable GML schema is [relief.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-relief	
Target type	Implementation
Dependency	relief.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-relief
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 12	/req/relief/elements
A conforming application shall support the CityGML XML elements listed in [relief-xml-elements] in accordance with the GML XML schema specified in relief.xsd .	

6.13. Transportation Conformance Class

The Transportation Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Transportation: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-transportation>

The applicable GML schema is [transportation.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-transportation	
Target type	Implementation
Dependency	transportation.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-transportation
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 13	/req/base/transportation
A conforming application shall support the CityGML XML elements listed in [transportation-xml-elements] in accordance with the GML XML schema specified in transportation.xsd .	

6.14. Tunnel Conformance Class

The Tunnel Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Tunnel: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-tunnel>

The applicable GML schema is [tunnel.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-tunnel	
Target type	Implementation
Dependency	tunnel.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-tunnel
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 14	/req/base/tunnel
A conforming application shall support the CityGML XML elements listed in [tunnel-xml-elements] in accordance with the GML XML schema specified in tunnel.xsd .	

6.15. Vegetation Conformance Class

The Vegetation Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Vegetation: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-vegetation>

The applicable GML schema is [vegetation.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-vegetation	
Target type	Implementation
Dependency	vegetation.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-appearance
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-vegetation

Requirement 15	/req/vegetation/elements
A conforming application shall support the CityGML XML elements listed in [vegetation-xml-elements] in accordance with the GML XML schema specified in vegetation.xsd .	

6.16. Versioning Conformance Class

The Versioning Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- Versioning: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-versioning>

The applicable GML schema is [versioning.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-versioning	
Target type	Implementation
Dependency	versioning.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-versioning
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 16	/req/versioning/elements
A conforming application shall support the CityGML XML elements listed in [versioning-xml-elements] in accordance with the GML XML schema specified in versioning.xsd .	

6.17. Water Body Conformance Class

The Water Body Conformance Class implements the following Requirements Classes from the CityGML 3.0 Conceptual Model Standard:

- WaterBody: <http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-waterbody>

The applicable GML schema is [waterBody.xsd](#)

Requirements Class	
http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-waterbody	
Target type	Implementation
Dependency	waterBody.xsd
Dependency	http://www.opengis.net/spec/CityGML-1/3.0/req/req-class-waterbody
Dependency	http://www.opengis.net/spec/CityGML-2/3.0/req/req-class-base

Requirement 17	/req/waterbody/elements
A conforming application shall support the CityGML XML elements listed in [water-body-xml-elements] in accordance with the GML XML schema specified in waterBody.xsd .	

Chapter 7. Media Types

Data for all Parts of the CityGML 3.0 GML encoding standard is encoded in GML-conformant XML documents. The standard MIME-type and sub-type for GML data should be used to indicate the encoding in internet exchange.

The registered MIME Media Type for GML documents is `application/gml+xml`.

Annex A: Conformance Class Abstract Test Suite (Normative)

NOTE

Ensure that there is a conformance class for each requirements class and a test for each requirement (identified by requirement name and number)

A.1. Conformance Class A

A.1.1. Requirement 1

Test id:	/conf/conf-class-a/req-name-1
Requirement:	/req/req-class-a/req-name-1
Test purpose:	Verify that...
Test method:	Inspect...

A.1.2. Requirement 2

Annex B: Examples (Informative)

NOTE

This is where any examples will live. For ease of maintenance, each example should be created in its' own asccidoc file and then imported using an "include" statement.

Annex C: Schema (Normative)

NOTE

This is where any XML or JSON schema reside. Conformance is defined, in part, by conformance to these schema.

Annex D: Conceptual Model Conformance (Normative)

NOTE | This is where conformance with CityGML 3.0 Conceptual Model is documented.

Annex E: CityGML Data Dictionary (Normative)

NOTE

The data dictionary from CityGML 3.0 Conceptual Model is imported here. This releives the user of this document from having to refer back to the CM standard.

Annex F: Revision History

Date	Release	Editor	Primary clauses modified	Description
2016-04-28	0.1	G. Editor	all	initial version

Annex G: Glossary

conformance test class

set of conformance test modules that must be applied to receive a single certificate of conformance
[OGC 08-131r3, definition 4.4]

feature

abstraction of real world phenomena
[ISO 19101-1:2014, definition 4.1.11]

feature attribute

characteristic of a feature
[ISO 19101-1:2014, definition 4.1.12]

feature type

class of features having common characteristics
[ISO 19156:2011, definition 4.7]

measurement

set of operations having the object of determining the value of a quantity
[ISO 19101-2:2018, definition 3.21] / [VIM:1993, 2.1]

model

abstraction of some aspects of reality
[ISO 19109:2015, definition 4.15]

observation

act of measuring or otherwise determining the value of a property
[ISO 19156:2011, definition 4.11]

observation procedure

method, algorithm or instrument, or system of these, which may be used in making an observation
[ISO 19156:2011, 4.12]

observation result

estimate of the value of a property determined through a known observation procedure
[ISO 19156:2011, 4.14]

property

facet or attribute of an object referenced by a name.
[ISO 19143:2010, definition 4.21]

requirements class

aggregate of all requirement modules that must all be satisfied to satisfy a conformance test class
[OGC 08-131r3, definition 4.19]

schema

formal description of a model
[ISO 19101-1:2014, definition 4.1.34]

sensor

type of observation procedure that provides the estimated value of an observed property at its output

[OGC 08-094r1, definition 4.5]

Standardization Target

TBD

timeseries

sequence of data values which are ordered in time

[OGC 15-043r3]

universe of discourse

view of the real or hypothetical world that includes everything of interest

[ISO 19101-1:2014, definition 4.1.38]

version

Particular variation of a spatial object

[INSPIRE Glossary]

G.1. ISO Concepts

The following concepts from the ISO TC211 Harmonized UML model are referenced by the CityGML Conceptual UML model but do not play a major role in its' definition. They are provided here to support a more complete understanding of the model.

Area

The measure of the physical extent of any topologically 2-D geometric object. Usually measured in "square" units of length.

[[ISO 19103:2015](#)]

Boolean

boolean is the mathematical datatype associated with two-valued logic

[[ISO 19103:2015](#)]

CC_CoordinateOperation

mathematical operation on coordinates that transforms or converts coordinates to another coordinate reference system.

[[ISO 19111:2019](#)]

Character

symbol from a standard character-set.

[[ISO 19103:2015](#)]

CharacterString

Characterstring is a family of datatypes which represent strings of symbols from standard character-sets.

[[ISO 19103:2015](#)]

CRS

Coordinate reference system which is usually single but may be compound.

[[ISO 19111:2019](#)]

CV_DiscreteCoverage

A subclass of CV_Coverage that returns a single record of values for any direct position within a single geometric object in its spatiotemporal domain.

[[ISO 19123:2005](#)]

CV_DomainObject

[[ISO 19123:2005](#)]

CV_GridPointValuePair

[[ISO 19123:2005](#)]

CV_GridValuesMatrix

The geometry represented by the various offset vectors is in the image plane of the grid.

[[ISO 19123:2005](#)]

CV_ReferenceableGrid

[[ISO 19123:2005](#)]

Date

Date gives values for year, month and day. Representation of Date is specified in ISO 8601. Principles for date and time are further discussed in ISO 19108.

[[ISO 19103:2015](#)]

DateTime

A DateTime is a combination of a date and a time types. Representation of DateTime is specified in ISO 8601. Principles for date and time are further discussed in ISO 19108.

[[ISO 19103:2015](#)]

Distance

Used as a type for returning distances and possibly lengths.

[[ISO 19103:2015](#)]

Engineering CRS

A contextually local coordinate reference system which can be divided into two broad categories:

1. earth-fixed systems applied to engineering activities on or near the surface of the earth;
2. CRSs on moving platforms such as road vehicles, vessels, aircraft or spacecraft.

[[ISO 19111:2019](#)]

Generic Name

Generic Name is the abstract class for all names in a Namespace. Each instance of a GenericName is either a LocalName or a ScopedName.

[[ISO 19103:2015](#)]

Geometry

[[ISO 19107:2003](#)]

GM_CompositePoint

[ISO 19107:2003]

GM_CompositeSolid

set of geometric solids adjoining one another along common boundary geometric surfaces

[ISO 19107:2003]

GM_GenericSurface

GM_Surface and GM_SurfacePatch both represent sections of surface geometry, and therefore share a number of operation signatures. These are defined in the interface class GM_GenericSurface.

[ISO 19107:2003]

GM_LineString

consists of sequence of line segments, each having a parameterization like the one for GM_LineSegment

[ISO 19107:2003]

GM_MultiPrimitive

[ISO 19107:2003]

GM_OrientableSurface

a surface and an orientation inherited from GM_OrientablePrimitive. If the orientation is "+", then the GM_OrientableSurface is a GM_Surface. If the orientation is "-", then the GM_OrientableSurface is a reference to a GM_Surface with an upNormal that reverses the direction for this GM_OrientableSurface, the sense of "the top of the surface".

[ISO 19107:2003]

GM_PolyhedralSurface

a GM_Surface composed of polygon surfaces (GM_Polygon) connected along their common boundary curves.

[ISO 19107:2003]

GM_Position

a union type consisting of either a DirectPosition or of a reference to a GM_Point from which a DirectPosition shall be obtained.

[ISO 19107:2003]

GM_Primitive

The abstract root class of the geometric primitives. Its main purpose is to define the basic "boundary" operation that ties the primitives in each dimension together.

[ISO 19107:2003]

Integer

An exact integer value, with no fractional part.

[ISO 19103:2015]

Internet of Things

The network of physical objects--"things"--that are embedded with sensors, software, and other technologies for the purpose of connecting and exchanging data with other devices and systems over the Internet.

IO_IdentifiedObjectBase

[[ISO 19103:2015](#)]

Length

The measure of distance as an integral, i.e. the limit of an infinite sum of distances between points on a curve.

[[ISO 19103:2015](#)]

Measure

The result from performing the act or process of ascertaining the extent, dimensions, or quantity of some entity.

[[ISO 19103:2015](#)]

Number

The base type for all number data, giving the basic algebraic operations.

[[ISO 19103:2015](#)]

Point

GM_Point is the basic data type for a geometric object consisting of one and only one point.

[[ISO 19107:2003](#)]

Real

The common binary Real finite implementation using base 2.

[[ISO 19103:2015](#)]

RS_ReferenceSystem

Description of a spatial and temporal reference system used by a dataset.

[[ISO 19111:2019](#)]

Scoped Name

ScopedName is a composite of a LocalName for locating another NameSpace and a GenericName valid in that NameSpace. ScopedName contains a LocalName as head and a GenericName, which might be a LocalName or a ScopedName, as tail.

[[ISO 19103:2015](#)]

Solid

GM_Solid, a subclass of GM_Primitive, is the basis for 3-dimensional geometry. The extent of a solid is defined by the boundary surfaces.

[[ISO 19107:2003](#)]

Time

Time is the designation of an instant on a selected time scale, astronomical or atomic. It is used in the sense of time of day.

[[ISO 19103:2015](#)]

TM_Duration

[[ISO 19108:2006](#)]

TM_TemporalPosition

The position of a TM_Instant relative to a TM_ReferenceSystem.

[ISO 19108:2006]

Unit of Measure

Any of the systems devised to measure some physical quantity such distance or area or a system devised to measure such things as the passage of time.

[ISO 19103:2015]

URI

Uniform Resource Identifier (URI), is a compact string of characters used to identify or name a resource

[ISO 19103:2015]

Volume

Volume is the measure of the physical space of any 3-D geometric object.

[ISO 19103:2015]

G.2. Abbreviated Terms

- 2D Two Dimensional
- 3D Three Dimensional
- AEC Architecture, Engineering, Construction
- ALKIS German National Standard for Cadastral Information
- ATKIS German National Standard for Topographic and Cartographic Information
- BIM Building Information Modeling
- B-Rep Boundary Representation
- bSI buildingSMART International
- CAD Computer Aided Design
- COLLADA Collaborative Design Activity
- CSG Constructive Solid Geometry
- DTM Digital Terrain Model
- DXF Drawing Exchange Format
- EuroSDR European Spatial Data Research Organisation
- ESRI Environmental Systems Research Institute
- FM Facility Management
- GDF Geographic Data Files
- GDI-DE Spatial Data Infrastructure Germany (Geodateninfrastruktur Deutschland)
- GDI NRW Geodata Infrastructure North-Rhine Westphalia
- GML Geography Markup Language

- IAI International Alliance for Interoperability (now buildingSMART International (bSI))
- IETF Internet Engineering Task Force
- IFC Industry Foundation Classes
- IoT Internet of Things
- ISO International Organization for Standardisation
- ISO/TC211 ISO Technical Committee 211
- LOD Levels of Detail
- MQTT
- NBIMS National Building Information Model Standard
- OASIS Organisation for the Advancement of Structured Information Standards
- OGC Open Geospatial Consortium
- OSCRE Open Standards Consortium for Real Estate
- SIG 3D Special Interest Group 3D of the GDI-DE
- TIC Terrain Intersection Curve
- TIN Triangulated Irregular Network
- UML Unified Modeling Language
- URI Uniform Resource Identifier
- VRML Virtual Reality Modeling Language
- W3C World Wide Web Consortium
- W3DS OGC Web 3D Service
- WFS OGC Web Feature Service
- X3D Open Standards XML-enabled 3D file format of the Web 3D Consortium
- XML Extensible Markup Language
- xAL OASIS extensible Address Language

Annex H: Bibliography

- Open Geospatial Consortium: **The Specification Model—A Standard for Modular specifications**, OGC 08-131
- Agugiaro, G., Benner, J., Cipriano, P., Nouvel, R., 2018: **The Energy Application Domain Extension for CityGML: enhancing interoperability for urban energy simulations**. Open Geospatial Data, Software and Standards, Vol. 3. <https://doi.org/10.1186/s40965-018-0042-y>
- Becker, T., Nagel, C., Kolbe, T. H., 2011: **Integrated 3D Modeling of Multi-utility Networks and their Interdependencies for Critical Infrastructure Analysis**. In: T. H. Kolbe, G. König, C. Nagel (Eds.): Advances in 3D Geoinformation Sciences. LNG&C, Springer, Berlin. https://doi.org/10.1007/978-3-642-12670-3_1
- Beil, C., Kolbe, T. H., 2017: **CityGML and the streets of New York - A proposal for detailed street space modelling**. In: Proceedings of the 12th International 3D GeoInfo Conference 2017, ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. IV-4/W5, ISPRS. <http://doi.org/10.5194/isprs-annals-IV-4-W5-9-2017>
- Biljecki, F., Stoter, J., Ledoux, H., Zlatanova, S., Çöltekin, A., 2015: **Applications of 3D City Models: State of the Art Review**. ISPRS International Journal of Geo-Information, 4(4). <https://doi.org/10.3390/ijgi4042842>
- Biljecki, F., Kumar, K., Nagel, C., 2018: **CityGML Application Domain Extension (ADE): overview of developments**. Open Geospatial Data, Software and Standards, 3(1). <https://doi.org/10.1186/s40965-018-0055-6>
- Billen, R., Zaki, C. E., Servièrès, M., Moreau, G., Hallot, P., 2012: **Developing an ontology of space: Application to 3D city modeling**. In: Leduc, T., Moreau, G., Billen, R. (eds): Usage, usability, and utility of 3D city models — European COST Action TU0801, EDP Sciences, Nantes, Vol. 02007. <https://hal.archives-ouvertes.fr/hal-01521445>
- Chaturvedi, K., Smyth, C. S., Gesquière, G., Kutzner, T., Kolbe, T. H., 2015: **Managing versions and history within semantic 3D city models for the next generation of CityGML**. In: Selected papers from the 10th International 3DGeoInfo Conference 2015 in Kuala Lumpur, Malaysia, Springer LNG&C, Berlin. https://doi.org/10.1007/978-3-319-25691-7_11
- Chaturvedi, K., Kolbe, T. H., 2016: **Integrating Dynamic Data and Sensors with Semantic 3D City Models in the context of Smart Cities**. In: Proceedings of the 11th International 3D GeoInfo Conference, ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. IV-2/W1, ISPRS. <https://doi.org/10.5194/isprs-annals-IV-2-W1-31-2016>
- Chaturvedi, K., Kolbe, T. H., 2017: **Future City Pilot 1 Engineering Report**, Open Geospatial Consortium. OGC Doc. 19-098
- Chaturvedi, K., Kolbe, T. H., 2019: **A Requirement Analysis on Extending Semantic 3D City Models for Supporting Time-dependent Properties**. In: Proceedings of the 4th International Conference on Smart Data and Smart Cities, ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. IV-4/W9, ISPRS. <https://doi.org/10.5194/isprs-annals-IV-4-W9-19-2019>
- Elfes, A., 1989: **Using occupancy grids for mobile robot perception and navigation**. Computer 22(6):46–57. <https://doi.org/10.1109/2.30720>

- Foley, J., van Dam, A., Feiner, S., Hughes, J., 2002: **Computer Graphics: Principles and Practice**. 2nd ed., Addison Wesley
- Gröger, G., Plümer, L., 2012: **CityGML – Interoperable semantic 3D city models**. ISPRS Journal of Photogrammetry and Remote Sensing, Vol. 71, July 2012. <https://dx.doi.org/10.1016/j.isprsjprs.2012.04.004>
- Gröger, G., Kolbe, T. H., Nagel, C., Häfele, K.-H., 2012: **OGC City Geography Markup Language (CityGML) Encoding Standard, Version 2.0.0**, Open Geospatial Consortium. [OGC Doc. 12-019](#)
- Jensen, Christian S. and Dyreson, Curtis E.: **The Consensus Glossary of Temporal Database Concepts**. February 1998 Version. In: Temporal Databases: Research and Practice [online]. Springer Berlin Heidelberg, 1998. p. 367–405. Lecture Notes in Computer Science. Available from: 10.1007/BFb0053710
- Jensen, Christian S. and Snodgrass, Richard T., eds.: **TR-90, Temporal Database Entries for the Springer Encyclopedia of Database Systems**. Technical Report. TimeCenter, 22 May 2008. Available from: <http://timecenter.cs.aau.dk/TimeCenterPublications/TR-90.pdf>
- Johnson, Tom: **Bitemporal Data**. Elsevier, 2014. ISBN 978-0-12-408067-6. Available from: 10.1016/C2012-0-06609-4
- Kaden, R., Clemen, C., 2017: **Applying Geodetic Coordinate Reference Systems within Building Information Modeling (BIM)**. In: Proceedings of the FIG Working Week 2017, Helsinki, Finland. https://www.fig.net/resources/proceedings/fig_proceedings/fig2017/papers/ts06h/TS06H_kaden_clemen_8967.pdf
- Kolbe, T. H., Gröger, G., 2003: **Towards unified 3D city models**. In: Proceedings of the Joint ISPRS Commission IV Workshop on Challenges in Geospatial Analysis, Integration and Visualization II, Stuttgart, Germany. <https://mediatum.ub.tum.de/doc/1145769/>
- Kolbe, T. H., 2009: **Representing and Exchanging 3D City Models with CityGML**. In: J. Lee, S. Zlatanova (Eds.), 3D Geo-Information Sciences, Selected Papers of the 3rd International Workshop on 3D Geo-Information in Seoul, Korea. Springer, Berlin. https://doi.org/10.1007/978-3-540-87395-2_2
- Konde, A., Tauscher, H., Biljecki, F., Crawford, J., 2018: **Floor plans in CityGML**. In: Proceedings of the 13th 3D GeoInfo Conference 2018, ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. IV-4/W6, 25–32, ISPRS. <https://doi.org/10.5194/isprs-annals-IV-4-W6-25-2018>
- Kutzner, T., Hijazi, I., Kolbe, T. H., 2018: **Semantic Modelling of 3D Multi-utility Networks for Urban Analyses and Simulations – The CityGML Utility Network ADE**. International Journal of 3-D Information Modeling (IJ3DIM) 7(2), 1-34. <https://dx.doi.org/10.4018/IJ3DIM.2018040101>
- Kutzner, T., Chaturvedi, K. & Kolbe, T. H., 2020: **CityGML 3.0: New Functions Open Up New Applications**. PFG - Journal of Photogrammetry, Remote Sensing and Geoinformation Science, 88, 43–61. <https://doi.org/10.1007/s41064-020-00095-z>
- Labetski, A., van Gerwen, S., Tamminga, G., Ledoux, H., Stoter, J., 2018: **A proposal for an improved transportation model in CityGML**. In: Proceedings of the 13th 3D GeoInfo Conference 2018, ISPRS Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. XLII-4/W10, 89–96. <https://doi.org/10.5194/isprs-archives-XLII-4-W10-89-2018>
- Liu, Ling and Özsu, M. Tamer, eds.: **Encyclopedia of Database Systems**. New York, NY :

Springer New York, 2018. ISBN 978-1-4614-8266-6. Available from: 10.1007/978-1-4614-8265-9

- Löwner, M.-O., Gröger, G., Benner, J., Biljecki, F., Nagel, C., 2016: **Proposal for a new LOD and multi-representation concept for CityGML**. In: Proceedings of the 11th 3D Geoinfo Conference 2016, ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. IV-2/W1, 3–12. <https://doi.org/10.5194/isprs-annals-IV-2-W1-3-2016>
- Nouvel, R., Bahu, J. M., Kaden, R., Kaempf, J., Cipriano, P., Lauster, M., Haefele, K.-H., Munoz, E., Tournaire, O., Casper, E., 2015: **Development of the CityGML Application Domain Extension Energy for Urban Energy Simulation**. In: Proceedings of Building Simulation 2015 - 14th Conference of the International Building Performance Simulation Association, IBPSA, 559-564. <http://www.ibpsa.org/proceedings/BS2015/p2863.pdf>
- Smith, B., Varzi, A. C., 2000: **Fiat and Bona Fide Boundaries**. Philosophy and Phenomenological Research, Vol. 60, No. 2, 401-420. <https://doi.org/10.2307/2653492>
- Snodgrass, Richard T: **Developing time-oriented database applications in SQL**. San Francisco, California : Morgan Kaufmann Publishers, July 1999. ISBN 1-55860-436-7. Available from: <http://www.cs.arizona.edu/rts/tdbbook.pdf>[\[http://www.cs.arizona.edu/rts/tdbbook.pdf\]](http://www.cs.arizona.edu/rts/tdbbook.pdf)
- Stadler, A., Kolbe, T. H., 2007: **Spatio-semantic Coherence in the Integration of 3D City Models**. In: Proceedings of the 5th International ISPRS Symposium on Spatial Data Quality ISSDQ 2007 in Enschede. http://www.isprs.org/proceedings/XXXVI/2-C43/Session1/paper_Stadler.pdf
- Vretanos, P. A. 2010: **OpenGIS Web Feature Service 2.0 Interface Standard**, Open Geospatial Consortium. [OGC Doc. 09-025r1](#)
- OASIS MQTT Technical Committee: **MQTT Version 5.0 Standard**, OASIS, March 7, 2019, Available from [OASIS](#).
- Reed, C., Belayneh T.: **OGC Indexed 3d Scene Layer (I3S) and Scene Layer Package Format Specification**, Open Geospatial Consortium, Available from [OGC Doc. 17-014r7](#)
- [[3dtiles_citation, OGC 3D Tiles]]Cozzi, P., Lilley, S., Getz, G. **OGC 3D Tiles Specification 1.0** Open Geospatial Consortium, Available from [OGC Doc. 18-053r2](#)
- Burggraf, D.: **OGC KML 2.3**, Open Geospatial Consortium, Available from [OGC Doc. 12-007r2](#)
- Bröring, A., Stasch, C., Echterhoff, J.: **OGC® Sensor Observation Service Interface Standard**, Open Geospatial Consortium, Available from [OGC Doc. 12-006](#)
- Liang, S., Huang, C., Khalafbeigi, T.: **OGC SensorThings API Part 1: Sensing**, Open Geospatial Consortium, Available from [OGC Doc. 15-078r6](#)
- [[3dps_citation, OGC 3D Portrayal Service]]Hagedorn, B., Thum, S., Reitz, T., Coors, V., Gutbell, R.: **OGC® 3D Portrayal Service 1.0**, Open Geospatial Consortium, Available from [OGC Doc. 15-001r3](#).
- Bhatia, S.,Cozzi, P., Knyazev, A., Parisi, T.: **The GL Transmission Format (glTF)**, The Khronos Group, Available from <https://www.khronos.org/glTF>.