
SOCBYTE
ALL BYTES SECURED

INTEL REPORT



Report Details

Title	CVE-2026-5559
Sub Title	Remote code execution vulnerability in Electric PowerLogic P5 relays
Status	Closed
Type	Advisory
Severity	Medium
Source	TheHackerNews.com
Created At	Aug 11, 2026, 12:06 PM

CVE-2026-5559

Remote code execution vulnerability in Electric PowerLogic P5 relays

Type: ADVISORY • Source: TheHackerNews.com • Created At: Aug 11, 2026, 12:06 PM

Analysis Summary

CVE-2024-5559 is a critical cryptographic vulnerability affecting internet-facing Schneider Electric PowerLogic P5 protection relays, enabling unauthorized attackers to manipulate device tokens, reset configurations, and establish initial network access. The vulnerability is being actively weaponized by the Conti-derived Gunra ransomware syndicate, a Cybercrime-as-a-Service (RaaS) operation that collaborates with state-sponsored actors like North Korea's Lazarus Group. By targeting vulnerable edge appliances across critical infrastructure sectors, including healthcare, government facilities, and financial services, these threat actors gain direct entry points into enterprise networks.

Once initial access is secured, attackers execute a sophisticated post-exploitation sequence designed to maximize operational leverage. They utilize administrative utilities and Impacket scripts (psexec.py, secretsdump.py) for credential dumping and lateral movement, while tampering with corporate SSL-VPN/VDI authentication portals to bypass multi-factor authentication (MFA). Before initiating encryption, the actors systematically locate and purge both primary and disaster-recovery backup stores, exfiltrate terabytes of confidential business and configuration files to external cloud repositories, and subsequently execute high-speed stream ciphers (such as Salsa20 or ChaCha20) across critical database servers and network-attached storage (NAS) systems.

The resulting impact presents a severe dual threat to both Operational Technology (OT) and Information Technology (IT) environments, ranging from physical power distribution disruption to catastrophic data loss and financial extortion. Compromising physical protection relays compromise grid stability, while the associated double-extortion tactics put organizations at risk of permanent data loss and public exposure on data leak sites. Defending against this threat requires prioritizing emergency firmware patches on

internet-facing devices, enforcing strict network segmentation between OT control networks and corporate IT, maintaining immutable off-site backups, and implementing rigorous session-monitoring controls for administrative access.

Affected Product

- Schneider Electric: PowerLogic P5 protection relays

Impact

- Unintended Physical & Operational Disruption
- Network-Wide Initial Access & Lateral Movement
- Bypassing Multi-Factor Authentication (MFA)
- Mass Data Theft & Public Exposure
- Catastrophic Backup & System Encryption

Vulnerabilities (CVEs)

CVE Number	Description	Published	CVSS Score
CVE-2026-5559	Security vulnerability within the Abstract Syntax Tree validation in Schneider Electric PowerLogic P5 protection relays	4/4/2026	6.3

Remediation

- Apply Firmware Patches: Immediately update all Schneider Electric PowerLogic P5 devices, Fortinet appliances, and peripheral firmware to the latest vendor-released patched versions to eliminate known remote access vulnerabilities.
- Enforce Network Segmentation: Separate Operational Technology (OT) networks and physical protection relays from corporate IT environments and the public internet using strict firewall rules and isolated subnets.
- Harden Access & Credential Management: Mandate multi-factor authentication (MFA) across all SSL-VPN and VDI access points, update default administrator passwords, and audit active/unused directory accounts to prevent credential dumping and session hijacking.
- Implement Immutable Off-Site Backups: Maintain isolated, encrypted, and immutable backups stored in physically separate locations or offline repositories to ensure rapid recovery if primary data centers are compromised.
- Monitor Administrative Access & Session Traffic: Deploy continuous log monitoring to detect off-hours activity, unauthorized SSH connections, and anomalous traffic on system access control servers and SSL-VPN web consoles.